

EVALUATION OF WIND-WAVE GENERATION FORMULATIONS FOR SEPARATING WIND SEA AND SWELL AT THE GULF OF TEHUANTEPEC

Portilla Jesús¹, Francisco J. Ocampo Torres² and Jaak Monbaliu¹

¹ Katholieke Universiteit Leuven, Department of Civil Engineering, Hydraulics Laboratory, Kasteelpark Arenberg 40, 3001 Heverlee, België
E-mail: jesus.portilla@bwk.kuleuven.be

² Centro de Investigación Científica y de Educación Superior de Ensenada (CICESE), Departamento de Oceanografía Física, km 107 Carretera Tijuana-Ensenada, B.C., México

Measurements of atmospheric and oceanographic parameters have been taken by the CICESE from an offshore location at the Gulf of Tehuantepec. The relevant features in the area are its particular meteorological and wave conditions. Due to a geographical depression of the mountain chain that goes along the isthmus a wind system 'Tehuanos' is formed. This wind system forces a sea that travels southwards offshore, where the wave climate is to a great extent dominated by the presence of swells that propagate typically northwards to the coast. Different methods for separating wind sea and swell have been tested. Namely (a) a constant split up frequency, (b) Drennan *et al.*, formulation, (c) Komen *et al.* formulation, (d) Janssen's theory which is the wind-wave generation mechanism of the WAM model, and (e) spectral partitioning in combination with (c). A constant split up frequency appears to be accurate in this case given that swell and wind sea systems are very well defined in the frequency domain. The use of spectral partitioning has also output satisfactory results. Inconsistencies due to the artificial splitting of the spectrum were found for methods (b), (c) and (d), for which the actual energy of the wind sea is not properly estimated. There was no substantial difference found on the energy-frequency evolution of wind seas for Tehuanos and non-Tehuanos winds.

References

- Drennan W.M., H.C. Graber, D. Hauser and C. Quentin. 2003. On the wave age dependence of wind stress over pure wind seas. JGR 108(C3 FET10):1-13.
- Janssen P.A.E.M. 1991. Quasi-linear theory of wind wave generation applied to wave forecasting. JPO 21:1631-1642.
- García N.H. 2006. Evaluación del flujo de momento entre la atmósfera y el océano bajo diferentes condiciones de oleaje. CICESE Master Thesis.
- Komen G. J., S. Hasselmann and K. Hasselmann. 1984. On the existence of a fully developed wind-sea spectrum. JPO 14(8):1271-1285.