

## ANNELIDA

## Polychaeta

Compiled by Gérard Bellan

The list of polychaetes was compiled from several published and unpublished lists. Among the most important published sources were Castelli *et al.* (1995), Ariño (1987), Mackie and Erséus (1997), and Holte and Brattegard (1997). Publications on the polychaete fauna of Germany (Hartmann-Schröder 1996, Böggemann 1998), and many short papers too numerous to cite here, were also used. Unpublished lists of polychaetes of the Mediterranean and Black Seas established by Dr K. Arvanitidis (Heraklion, Greece), for the English Channel, the French Atlantic, and northern coast of Spain, by Dr J.C. Dauvin and F. Gentil, and Dr G. Bachelet (Bay of Biscay from west of Brittany to the coast of Galicia at 09° W), respectively, have provided unpublished lists. H. G. Hansson provided information concerning Iceland and Greenland. Drs R. Barnich and D. Fiege generously helped in correcting the general list and especially the Aphroditidae, Polynoidae, Acoetidae, Pholoidae, Eulepethidae, Sigalionidae, Magelonidae, Owenidae and the Serpulidae. Dr Mary E. Petersen reviewed the list in general and especially the Chaetopteridae, Cirratulidae, Cossuridae, Ctenodrilidae, Fauveliopsidae, Longosomatidae, Pholoidae and some Spionidae. The compiler is extremely grateful to all that assisted.

The classification of polychaete families into orders have changed significantly in recent years and it is likely that these changes will continue to occur.

The ERMS project has tended to be conservative in relation to classifications to minimise confusing non-specialist readers. Therefore systematic hierarchy has been delimited to family level and families, genera and species have been arranged in alphabetic order. The Pogonophora have been reduced to the rank of Family within the Polychaeta by Rouse and Fauchald (1997), who revert them to the name Siboglinidae Caullery, 1914 within the Order Sabellida. However, few non-specialists will be aware of this change so the Pogonophora have been kept distinct in this volume.

However due to this kind of compilation from very different origins, it was necessary to decide among several nomenclatural denominations of genus and species. In fact, only few families have been recently studied taking into account all the species of the ERMS geographical extension. This list is expected to be improved in terms of taxonomy and also in terms of the validity of some species with future research. Therefore apart from the printed version please check the web site for updated information.

## References

- Ariño, A.H. 1987. Bibliografía ibérica de Poliquetos. Base de datos y Catálogo de especies. (Iberian bibliography about Polychaeta. Data Base and Catalogue of Species). *Publicaciones de Biología de la Universidad de Navarra Serie Zoológica*, 16.
- Arvanitidis, C. 2000. Polychaete fauna of the Aegean Sea: Inventory and new information. *Bulletin of Marine Sciences*, 66: 73-96
- Böggemann, M. 1998. Polychaeten aus der Deutschen Bucht. *Courier Forschungsinstitut Senckenberg* 202, 315 p.
- Castelli, A., Abbiati, M., Badalamenti, F., Bianchi, C.N., Cantonc, G., Gambi, M.C., Giangrande, A., Gravina, M.F., Lanera, P., Lardicci, C., Somaschini, A. & Sordino, P. 1995. Annelida Polychaeta, Pogonophora, Echiura, Sipunculida. 45 pp. In: Checklist delle specie della fauna italiana., 19. Calderini, Bologna 1-45.
- Hartmann-Schröder, G. 1996. Annelida, Borstemwürmer, Polychaeta. *Die Tierwelt Deutschland* 58, Teil, 648 p. Mit 295 Abbildungen, 2 neuarbeitete Auflage.
- Holte, T. & Brattegard, T. 1997. Class Polychaeta (phylum Annelida). pp. 115-129 In: Brattegard, T. & Holthe, T. 1997. *Distribution of marine, benthic macroorganisms in Norway. A tabulated catalogue. Preliminary Edition.* Research Report for Directorate for Nature Management. 409 pp.
- Mackie, A.S.Y. & Erséus, C. 1997. Annelida. In: Howson C.M. and Picton B. E. (eds), *The Species Directory of the Marine Fauna and Flora of the British Isles and surrounding Seas*. Marine Conservation Society, Ross-on-Wye, pp 109-146.
- Rouse, G.W. & Fauchald, K. 1997. Cladistics and polychaetes. *Zoologica Scripta* 28, 139-204.

## Class Polychaeta

## Family Acoetidae

- Euarche*  
*tubifex* Ehlers, 1887
- Eupanthalis*  
*kinbergi* McIntosh, 1876
- Eupolyodontes*  
*gulo* (Grube, 1855)
- Panthalis*  
*oerstedii* Kinberg, 1856
- Polyodontes*  
*maxillosus* (Ranzani, 1817)

## Family Acrocirridae

- Acrocirrus*  
*frontifilis* (Grube, 1860)
- Chauviniella*  
*arctica* Averintsev, 1980  
*biscayensis* Laubier, 1974
- Flabelligella*  
*biscayensis* Kolmer, 1985  
*mediterranea* Kolmer, 1985
- Macrochaeta*  
*caroli* Westheide, 1981  
*clavicornis* (M. Sars, 1835)  
*helgolandica* Friedrich, 1937  
*natalensis* Hartmann-Schröder, 1996  
*polyonyx* Eliason, 1962

## Family Aeolosomatidae

- Aeolosoma*  
*polyonyx* Bunke, 1967  
*litorale* Bunke, 1967

## Family Alciopidae

- Alciopa*  
*reynaudii* Audouin & Milne-Edwards, 1833
- Alciopina*  
*parasitica* Claparède & Panceri, 1867
- Corynocephalus*  
*albomaculatus* Levinsen, 1885
- Krohnia*  
*lepidota* (Krohn, 1845)
- Naiades*  
*cantraii* Delle Chiaje, 1928
- Plotohelmis*  
*capitata* (Greeff, 1876)  
*tenuis* (Apstein, 1893)
- Rhynchonereella*  
*angelina* (Kinberg, 1866)  
*fulgens* Greeff, 1885  
*gracilis* A. Costa, 1864  
*moebii* (Apstein, 1893)  
*nasuta* (Greeff, 1876)  
*petersii* (Langerhans, 1880)  
*setosa* (Greeff, 1885)
- Torrea*

*candida* (Delle Chiaje, 1828)

*Vanadis*

*crystallina* Greeff, 1876

*formosa* Claparède, 1870

*longissima* (Levinsen, 1885)

*tentaculata* Langerhans, 1880

**Family Ampharetidae**

*Adercodon*

*pleijeli* Mackie, 1994

*Alkmaria*

*romijni* Horst, 1919

*Amage*

*adpersa* (Grube, 1863)

*auricula* Malmgren, 1866

*gallasii* Marion, 1875

*scotica* Clark, 1952

*Amagopsis*

*klugei* Pergament & Hlebovic in Chlebovich, 1964

*Ampharete*

*baltica* Eliason, 1955

*acutifrons* (Grube, 1860)

*falcata* Eliason, 1955

*finmarchica* (M. Sars, 1864)

*goesi* Malmgren, 1866

*gracilis* Rioja, 1931

*lindstroemi* Malmgren, 1867 sensu Hesse, 1917

*petersenae* Zhirkov, 1997

*vega* (Wirén, 1883)

*Amphicteis*

*gunneri* (M. Sars, 1835)

*midas* (Gosse, 1855)

*ninonae* Jirkov, 1985

*sundevalli* Malmgren, 1865

*Amythasides*

*macroglossus* Eliason, 1955

*Anobothrus*

*gracilis* (Malmgren, 1866)

*Asabellides*

*siberica* (Wirén, 1883)

*Auchenoplax*

*crinita* Ehlers, 1887

*Eclysippe*

*vanelli* (Fauvel, 1936)

*Glyphanostonum*

*abyssale* Day, 1967

*pallescens* (Théel, 1879)

*Hypania*

*antiqua* (Ostrooumouff, 1896)

*brevispinis* (Grube, 1860)

*invalida* (Grube, 1860)

*Hypaniola*

*kowalewskii* (Grube, 1877)

*Isolda*

*whydahensis* Augener, 1918

*Lysippe*

*labiata* Malmgren, 1866

*Lysippides*

*fragilis* (Wolfebaeck, 1912)

*Melinna*

*albicineta* Mackie & Pleijel, 1995

*collare* Detinova, 1985

*cristata* (M. Sars, 1851)

*elisabethae* McIntosh, 1885, sensu Mackie

*islandica* Saemundsson, 1918

*monocerooides* Fauvel, 1936

*palmata* Grube, 1870

*Melinnampharete*

*laubieri* (Desbruyères, 1978)

*Melinnopsis*

*arctica* (Annenkova, 1931)

*Melythasides*

*laubieri* Desbruyères, 1978

*Mugga*

*bathyalis* Holthe, 1986

*wahrbergi* Eliason, 1955

*Neosabellides*

*oceanica* (Fauvel, 1909)

*Noanelia*

*hartmanae* Desbruyères & Laubier, 1977

*Paedampharete*

*acutiseris* Russell, 1987

*Sabellides*

*borealis* M. Sars, 1856

*octocirrata* (M. Sars, 1835)

*Samytha*

*sexcirrata* (M. Sars, 1856)

*Samythella*

*neglecta* Wollebaeck, 1912

*Sosane*

*sulcata* Malmgren, 1865

*Sosanopsis*

*Wiréni* Hesse, 1917

*Uschakovius*

*enigmaticus* Laubier, 1973

*Zatsepinia*

*rittichae* Jirkov, 1986

**Family Amphinomidae**

*Amphinome*

*rostrata* (Pallas, 1766)

*Chloeia*

*venusta* Quatrefages, 1865

*viridis* Schmarda, 1861

*Chloenopsis*

*atlantica* (McIntosh, 1885)

*Eurythoe*

*complanata* (Pallas, 1776)

*syriaca* Kinberg, 1857

*Hermodice*

*carunculata* (Pallas, 1776)

*Hipponoe*

*gaudichaudi* (Audouin & Milne Edwards, 1830)

*Linopherus*

*canariensis* Langerhans, 1881

*hemuli* (Fauchal, 1972)

*paucibranchiata* Fauvel, 1932

*Notopygos*

*megalops* McIntosh, 1885

*Paramphinoe*

*jeffreysii* (McIntosh, 1868)

*Pareurythoe*

*borealis* (M. Sars, 1862)

**Family Antonbruuniidae**

*Antonbruunia*

*viridis* Hartman & Boss, 1965

**Family Aphroditidae**

*Aphrodita*

*aculeata* Linnaeus, 1758

*alta* Kinberg, 1856

*perarmata* Roule, 1898

*Aphrogenia*

*alba* Kinberg, 1856

*Laetmonice*

*filicornis* Kinberg, 1856

*hystrix* (Savigny, 1820)

*producta* Grube, 1876

*producta* subsp. *britannica* McIntosh, 1900

*Pontogenia*

*chrysocoma* (Baird, 1865)

*sericoma* Ehlers, 1867

**Family Apistobranchidae**

*Apistobranchus*

*tenuis* Orrhage, 1962

*tullbergi* (Théel, 1879)

**Family Arabellidae**

*Arabella*

*coeca* Fauvel, 1940

*geniculata* (Claparède, 1868)

*iricolor* (Monagu, 1804)

*Drilonereis*

- brattstroemi* Fauchald, 1972  
*filum* (Claparède, 1868)  
**Haematocleptes**  
*terrebellidis* Wirén, 1888  
**Labrostratus**  
*jonicus* Tenerelli, 1961  
*parasiticus* de Saint Joseph, 1888  
**Notocirrus**  
*arcachonis* Quatrefages, 1843  
*scoticus* McIntosh, 1869  
**Oligognathus**  
*bonelliae* Spengel, 1882  
*parasiticus* Cerruti, 1909  
**Family Arenicolidae**  
**Abarenicola**  
*claparedei* (Levinsen, 1883)  
*pusilla* (Quatrefages, 1865)  
**Arenicola**  
*cristata* Stimpson, 1856  
*defodiens* Cadman & Nelson-Smith, 1993  
*marina* (Linnaeus, 1758)  
**Arenicolides**  
*branchialis* (Audouin & Milne Edwards, 1833)  
*grubii* Claparède, 1868  
*ecaudata* (Johnston, 1835)  
**Branchiomaldane**  
*vincenti* Langerhans, 1881  
**Family Calamyzidae**  
**Calamyzas**  
*amphictenicola* Arwidsson, 1932  
**Family Capitellidae**  
**Baldia**  
*johnstoni* Garwood & Bamber, 1988  
**Capitella**  
*capitata* (Fabricius, 1780)  
*giardi* (Mesnil, 1897)  
*hermaphrodita* Boletzky & Dohle, 1967  
*minima* Langerhans, 1880  
**Capitellethus**  
*dispar* (Ehlers, 1907)  
**Dasybranchus**  
*caducus* (Grube, 1846)  
*carneus* Grube, 1870  
*gajolae* Eisig, 1887  
**Heteromastus**  
*filiformis* (Claparède, 1864)  
**Leiocapitella**  
*dollfusi* (Fauvel, 1936)  
*glabra* Hartman, 1947  
**Leiochrides**  
*norvegicus* Fauchald, 1972  
**Mastobranchnus**  
*dollfusi* Fauvel, 1936  
*trinchessii* Eisig, 1887  
**Mediomastus**  
*capensis* Day, 1961  
*cirripes* Ben-Eliahu, 1976  
*fragilis* Rasmussen, 1973  
**Neopseudocapitella**  
*brasiliensis* Rullier & Amoureux, 1979  
**Notomastus**  
*aberans* Day, 1957  
*agassizii* McIntosh, 1885  
*exsertilis* de Saint Joseph, 1906  
*formianus* Eisig, 1887  
*latericeus* M. Sars, 1851  
*lineatus* Claparède, 1870  
*profundus* Eisig, 1887  
*rubicundus* (Keferstein, 1862)  
**Notoproctus**  
*oculatus* Arwidsson, 1907  
**Paracapitella**  
*southwardi* Kirkegaard, 1983  
**Paraleiocapitella**  
*mossambica* Thomassin, 1970  
**Peresiella**  
*clymenoides* Harmelin, 1968  
**Pseudocapitella**  
*incerta* Fauvel, 1913  
*incerta* subsp. *aberrans* Amoureux, 1972  
**Pseudoleiocapitella**  
*fauveli* Harmelin, 1964  
**Pseudomastus**  
*deltaicus* Capaccioni-Azzati & Martin, 1992  
**Pseudonotomastus**  
*southerni* Warren & Parker, 1994  
**Family Chaetopteridae**  
**Chaetopterus**  
*norvegicus* M. Sars, 1835  
*sarsii* Boeck in M. Sars, 1851  
*variopedatus* (Renier, 1804)  
**Mesochaetopterus**  
*minutus* (Claparède, 1868)  
*sagittarius* (Claparède, 1868)  
**Phyllochaetopreus**  
*anglicus* Potts, 1914  
*gracilis* Grube, 1863  
*major* Claparède, 1870  
*socialis* Claparède, 1870  
**Spiochaetopterus**  
*bergensis* Gitay, 1969  
*solitarius* (Rioja, 1917)  
*costarum* (Claparède, 1868)  
*typicus* M. Sars, 1856  
**Family Chrysopetalidae**  
**Bhawania**  
*goodei* Webster, 1884  
*reyssi* Katzmann, Laubier & Ramos, 1974  
**Chrysopetalum**  
*debile* (Grube, 1855)  
**Dysponetus**  
*bipapilatus* Dahlgren, 1996  
*caecus* (Langerhans, 1880)  
*gracilis* Hartman, 1965  
*palaeophorus* Hartmann-Schröder, 1974  
*pygmaeus* Levinsen, 1879  
**Heteropale**  
*bellis* Johnson, 1897  
**Paleanotus**  
*chrysolepis* Schmarda, 1861  
*schmardai* Mileikowski, 1962  
**Vigtorniella**  
*zaikai* (Kisseleva, 1992)  
**Family Cirratulidae**  
**Aphelochaeta**  
*filiformis* (Keferstein, 1862)  
*marioni* (de Saint Joseph, 1894)  
*mcintoshii* (Southern, 1914)  
*serrata* (Eliason, 1962)  
*vivipara* (Christie, 1984)  
**Cauleriella**  
*alata* (Southern, 1914)  
*bioculata* (Keferstein, 1862)  
*killariensis* (Southern, 1914)  
*parva* Gilland, 1979  
*viridis* (Langerhans, 1880)  
*zetlandica* (McIntosh, 1911)  
**Chaetozone**  
*abranchiata* (G.A. Hansen, 1878)  
*benthaliana* McIntosh, 1885  
*capitesocis* (de Saint Joseph, 1894)  
*carpenteri* (McIntosh, 1911)  
*gibber* Woodham & Chambers, 1994  
*macrophthalmia* Langerhans, 1880  
*setosa* Malmgren, 1867  
**Cirratulus**  
*abyssorum* Hansen, 1878  
*caudatus* Levinsen, 1893

- cirratus* (O.F. Müller, 1776)  
*chrysotherma* Claparède, 1868  
*incertus* McIntosh, 1916  
*glandularis* Langerhans, 1884  
**Cirriiformia**  
*semicineta* (Ehlers, 1905)  
*tentaculata* (Montagu, 1808)  
**Cirrhinereis**  
*incertus* Fauvel, 1936  
**Dodecaceria**  
*ater* (Quatrefages, 1866)  
*caulleryi* Dehorne, 1933  
*concharum* Oersted, 1843  
*diceria* Hartman, 1951  
*fimbriata* sensu Gibson 1998  
*saxicola* (Grube, 1855)  
*sextentaculata* (Delle Chiaje, 1822-1826)  
**Monticellina**  
*dorsobranchialis* (Kirkegaard, 1959)  
*heterochaeta* (Laubier, 1961)  
*tesselata* (Hartman, 1960)  
**Protocirrinereis**  
*chrysotherma* (Claparède, 1868)  
**Tharyx**  
*multibranchiis* (Grube, 1863)  
*retieri* Lechapt, 1994  
**Timarete**  
*anchylochaeta* (Schmarda, 1861)  
*dasylophius* (Marenzeller, 1879)  
*dolfusi* (Fauvel, 1928)  
*filigera* (Delle Chiaje, 1828)  
*norvegica* (Quatrefages, 1866)  
**Family Cossuridae**  
**Cossura**  
*coasta* sensu Bogdanos & Fredj, 1983  
*longocirrata* Webster & Benedict, 1887  
*pygodactylata* Jones, 1956  
*soyeri* Laubier, 1963  
**Family Ctenodrilidae**  
**Aphropharynx**  
*heterochaeta* Wilfert, 1974  
**Ctenodrilus**  
*parvulus* Scharff, 1887  
*serratus* (Schmidt, 1857)  
**Raricirrus**  
*berylli* Petersen & George, 1991  
**Rhaphidrilus**  
*nemasoma* (Monticelli, 1910)  
**Zeppelinella**  
*monostyla* (Zeppelin, 1883)  
**Family Diurodrilidae**  
**Diurodrilus**  
*benazzii* Gerlach, 1952  
*dohrni* Gerlach, 1953  
*minus* Remane, 1925  
*subterraneus* Remane, 1934  
**Family Dorvilleidae**  
**Apharyngtus**  
*punicus* Westheide, 1971  
**Arenotrocha**  
*mimuta* (Lévi, 1954)  
**Dinophilus**  
*gigas* Weldon, 1886  
*gyrociliatus* O. Schmidt, 1857  
*taeniatus* Harmer, 1889  
*vorticoides* Schmidt, 1848  
**Dorvillea**  
*albomaculata* Åkesson & Rice, 1992  
*atlantica* (McIntosh, 1885)  
*erucaiformis* (Malmgren, 1865)  
*kastjani* Tsetlin, 1980  
*romeri* (Augener, 1912)  
*rubrovittata* (Grube, 1855)  
**Iphitime**  
*cuenoti* Fauvel, 1914  
*hartmanae* Kirkegaard, 1977  
*paguri* Fage & Legendre, 1934  
**Mammiphitime**  
*cosmetandra* (Oug, 1990)  
**Marycarmenia**  
*lysandrae* Nuñez, 1998  
**Ophryotroca**  
*baccii* Parenti, 1961  
**Ophryotrocha**  
*dubia* Hartmann-Schröder, 1974  
*gerlachi* Hartmann-Schröder, 1974  
*geryonicola* (Esmark, 1874)  
*gracilis* Huth, 1933  
*hartmanni* Huth, 1933  
*hartmani* subsp. *medicea* Parenti, 1962  
*irinae* Tsetlin, 1980  
*labronica* La Greca & Bacci, 1962  
*littoralis* (Levinsen, 1879)  
*longidentata* Josefson, 1975  
*macrovifera* Åkesson, 1975  
*maculata* Åkesson, 1973  
*mediterranea* Martin, Abello & Cartes, 1991  
*puerilis* subsp. *puerilis* Claparède & Mecznikov, 1863  
*puerilis* subsp. *siberti* (McIntosh, 1885)  
*robusta* Åkesson, 1975  
*scarlatoi* Averincev, 1989  
*socialis* Ockelmann & Åkesson, 1990  
**Palpiphitime**  
*lobifera* (Oug, 1978)  
**Paraphryotrocha**  
*isochaeta* (Eliason, 1962)  
**Paraprodrius**  
*psammophilus* Westheide, 1965  
**Parougia**  
*caeca* (Webster & Benedict, 1884)  
*eliasoni* (Oug, 1978)  
*macilenta* (Oug, 1978)  
*nigridendata* (Oug, 1978)  
**Pettiboneia**  
*urciensis* Campoy & San Martin, 1980  
**Protodorvillea**  
*kefersteini* (McIntosh, 1869)  
**Pusillotrocha**  
*akessoni* Westheide & von Nordheim, 1985  
**Schistomeringos**  
*caeca* (Webster & Benedict, 1884)  
*neglecta* (Fauvel, 1923)  
*subaequalis* Oug, 1978  
*rudolphi* (Delle Chiaje, 1828)  
**Trilobodrilus**  
*axi* Westheide, 1967  
*heideri* Remane, 1925  
**Family Eulepethidae**  
**Grubeulepis**  
*augeneri* Pettibone, 1969  
*katzmanni* Pettibone, 1986  
**Family Euniceidae**  
**Amphiro**  
*simplex* Langerhans, 1884  
**Eunice**  
*antennata* (Lamarck, 1818)  
*aphroditois* (Pallas, 1788)  
*cariboea* Grube, 1856  
*dubitata* Fauchald, 1974  
*floridana* (Poutalès, 1867)  
*harassii* Audouin & Milne-Edwards, 1833  
*norvegica* (Linnaeus, 1767)  
*oerstedii* Stimpson, 1853  
*pennata* (O.F. Müller, 1776)  
*purpurea* Grube, 1866  
*rubrocincta* Ehlers, 1868  
*rousseaui* Quatrefages, 1865  
*schizobranchia* Claparède, 1870  
*senta* (Moore, 1902)



- torquata* Quatrefages, 1865  
*vittata* (Delle Chiaje, 1829)
- Lysibranhia**  
*paucibranchiata* Cantone, 1983
- Lysidice**  
*collaris* Grube, 1870  
*margaritacea* Claparède, 1868  
*ninetta* Audouin & Milne-Edwards, 1833
- Marphysa**  
*bellii* (Audouin & Milne-Edwards, 1833)  
*fallax* Marion & Bobretzky, 1875  
*kinbergi* McIntosh, 1910  
*sanguinea* (Montagu, 1815)  
*saxicola* Langerhans, 1881
- Nematonereis**  
*unicornis* (Grube, 1840)
- Palola**  
*siciliensis* (Grube, 1840)
- Family Euniphysidae**  
*Paraeuniphysa*  
*italica* (Cantone & Gravina, 1991) n. comb.
- Family Euphrosinidae**  
*Euphrosine*  
*armadillo* Sars, 1851  
*borealis* Orsted, 1843  
*cirratepropinqua* Amoureux, 1982  
*foliosa* Audouin & Milne-Edwards, 1833  
*myrtosa* Savigny, 1818
- Euphrosyne*  
*cirrata* M. Sars, 1851
- Palmyreuphrosyne*  
*paradoxa* Fauvel, 1914
- Family Fauveliopsidae**  
*Fauveliopsis*  
*adriatica* Katzmann & Laubier, 1974  
*brattegardii* Fauchald, 1972  
*brevis* (Hartman, 1965)  
*cabiochi* Amoureux, 1982  
*fauchaldi* Katzmann & Laubier, 1974  
*jameoquensis* Nuñez in Nuñez, Ocaña & Brito, 1997  
*olgae* Hartmann-Schröder, 1983  
*scabra* Hartman & Fauchald, 1971
- Family Flabelligeridae**  
*Brada*  
*granulosa* Hansen, 1880  
*incrustedata* Støp-Bowitz, 1948  
*inhabilis* (Rathke, 1843)  
*rugosa* (Hansen, 1882)  
*villosa* (Rathke, 1843)
- Diplocirrus*  
*glaucus* (Malmgren, 1867)  
*hirsutus* (Hansen, 1879)  
*longisetosus* (Marenzeller, 1895)
- Flabelligera*  
*affinis* M. Sars, 1829  
*biscayensis* Kolmer, 1985  
*diplochaitus* (Otto, 1820)  
*infundibularis* H.P. Johnson, 1901
- Ilyphagus*  
*ilyvestris* Hartman, 1960
- Pherusa*  
*arctica* Støp-Bowitz, 1948  
*falcata* Støp-Bowitz, 1948  
*flabellata* (M. Sars in G.O. Sars 1872)  
*fucicola* Leach  
*monilifera* (Delle Chiaje, 1841)  
*plumosa* (O.F. Müller, 1776)
- Piromis*  
*eruca* (Claparède, 1870)
- Therochaeta*  
*collarifera* (Ehlers, 1887)
- Family Glyceridae**  
*Glycera*  
*alba* (O.F. Müller, 1776)
- alba* subsp. *adpersa* Fauvel, 1939  
*capitata* Oersted, 1843  
*celtica* O'Connor, 1987  
*convoluta* subsp. *uncinata* Rioja, 1918  
*dayi* O'Connor, 1987  
*gigantea* Quatrefages, 1865  
*lapidum* Quatrefages, 1865  
*mimica* Hartman, 1965  
*minuta* (Bobretzky, 1870)  
*oxycephala* Ehlers, 1887  
*rouxi* Audouin & Milne Edwards, 1833  
*tesselata* Grube, 1863  
*tesselata* subsp. *minor* La Greca, 1946  
*tridactyla* Schmarda, 1861  
*unicornis* Savigny, 1818
- Glycerella**  
*atlantica* Wesenberg-Lund, 1950  
*magellanica* (McIntosh, 1885)
- Hemipodus**  
*septentrionalis* Roule, 1896
- Family Goniadidae**  
*Glycine*  
*bonhourei* Gravier, 1904  
*nordmanni* (Malmgren, 1865)
- Goniada*  
*emerita* Audouin & Milne-Edwards, 1833  
*euxina* Jakubova, 1930  
*galaica* Rioja, 1923  
*maculata* Oersted, 1843  
*norvegica* Oersted, 1844  
*pallida* Arwidsson, 1898
- Goniadella*  
*bobrezkii* (Annenkova, 1929)  
*galaica* Rioja, 1923  
*gracilis* (Verrill, 1973)  
*unicirra* Agirrezabalaga, 1980
- Progoniada*  
*regularis* Hartman, 1965
- Family Hesioniidae**  
*Amphiduros*  
*fuscescens* (Marenzeller, 1875)
- Anoploneireis*  
*herrmanni* Giard, 1882
- Dalhousiella*  
*carpenteri* McIntosh, 1901
- Glyphohesione*  
*klatti* Friedrich, 1950
- Gyptis*  
*brevipalapa* (Hartmann-Schröder, 1959)  
*golikovi* (Averincev, 1990)  
*mackiei* Pleijel, 1993  
*mediterranea* Pleijel, 1993  
*propinqua* Marion & Bobretzky, 1875  
*rosea* (Malm, 1874)
- Hesione*  
*splendida* Savigny, 1818  
*steenstrupii* de Quatrefages, 1886
- Hesionides*  
*arenaria* Friedrich, 1937  
*gohari* Hartmann-Schröder, 1960  
*maxima* Westheide, 1967
- Hesiospina*  
*similis* (Hessle, 1925)
- Kefersteinia*  
*cirrata* (Keferstein, 1862)  
*cirrata* subsp. *hibernica* (Southern, 1914)
- Leocrates*  
*atlanticus* (McIntosh, 1885)  
*chinensis* Kinberg, 1866
- Microphthalmus*  
*aberrans* (Webster & Benedict, 1887)  
*bifurcatus* Hartmann-Schröder, 1974  
*ephippiophorus* Clausen,  
*fragilis* Bobretzky, 1870  
*listensis* Westheide, 1967

- pseudoaberrans* Campoy & Vieitez, 1982  
*szcelkowi* Meczniakow, 1865  
*szcelkowi* subsp. *cantabrica* Rioja, 1925  
*southerni* Westheide, 1967  
*similis* Bobretzky, 1870  
*tyrrhenicus* Zunareli Vandini, 1967
- Nereimyra**  
*aphroditoides* (O. Fabricius, 1780)  
*artica* (Malmgren, 1867)  
*aurantiaca* (M. Sars, 1862)  
*britannica* (Chamberlin, 1920)  
*longicornis* (M. Sars, 1862)  
*multipapillata* (Théel, 1879)  
*punctata* (O.F. Müller, 1788)
- Ophiodromus**  
*agilis* (Ehlers, 1864)  
*flexuosus* (Delle Chiaje, 1825)  
*longocirratu* Tenerelli, 1974  
*pallidus* (Claparède, 1864)  
*pelagicus* (Claparède, 1864)
- Orseis**  
*pulla* Ehlers, 1864
- Periboea**  
*longocirrata* Ehlers, 1864
- Podarke**  
*obscura* Verrill, 1873
- Podarkeopsis**  
*arenicola* (La Greca, 1947)  
*capensis* (Day, 1963)  
*galangau* Laubier, 1961  
*helgolandica* Hilbig & Dittmer, 1979
- Syllidia**  
*armata* Quatrefages, 1865  
*assimilis* (Pryde, 1914)
- Family Histriobdellidae**  
*Histriobdella*  
*homari* van Beneden, 1858
- Family Ichthyotomidae**  
*Ichthyotomus*  
*sanguinarius* Eisig, 1906
- Family Iopsilidae**  
*Phalacrophorus*  
*pictus* Greeff, 1879  
*uniformis* Reibisch, 1875
- Family Lacydoniidae**  
*Lacydonia*  
*eliasoni* Hartmann-Schröder, 1996  
*laureci* Laubier, 1975  
*miranda* Marion & Bobretzky, 1875
- Family Longosomatidae**  
*Heterospio*  
*longissima* Ehlers, 1874  
*mediterranea* Laubier, Picard & Ramos, 1973  
*reducta* Laubier, Picard & Ramos, 1973
- Family Lopadorrhynchidae**  
*Lopadorrhynchus*  
*appendiculatus* Southern, 1909  
*brevis* Grube, 1855  
*krohnii* (Claparède, 1870)  
*nationalis* Reibisch, 1895  
*uncinatus* Fauvel, 1915
- Maupasia*  
*caeca* Viguier, 1886  
*isochaeta* (Reibisch, 1895)  
*magna* Southern, 1909
- Pedinosoma*  
*curtum* Reibisch, 1995
- Pelagobia*  
*longicirrata* Greeff, 1879  
*serrata* Southern, 1909
- Family Lumbrineridae**  
*Abyssoninoe*  
*abyssorum* (McIntosh, 1885)  
*scopa* (Fauchal, 1974) sensu Miura 1980
- Abyssoninoe*  
*scopa* subsp. *aequilobata* (Winsnes, 1881)
- Augeneria**  
*algida* (Wirén, 1901)  
*tentaculata* Monro, 1930
- Eranno**  
*ehlersi* (MacIntosh, 1885)
- Lumbricalus**  
*adriatica* (Fauvel, 1940)
- Lumbrinerides**  
*acuta* (Verrill, 1875)  
*amoureuxi* Miura, 1980  
*carpinei* (Ramos, 1976)  
*laubieri* Miura, 1980  
*neogesa* Ramos, 1976
- Lumbrineriopsis**  
*gasconiensis* Miura, 1980  
*magnidendata* Winsnes, 1981  
*paradoxa* (de Saint Joseph, 1888)
- Lumbrineris**  
*agastos* Fauchal, 1974  
*albidendata* (Ehlers, 1908)  
*aniara* Fauchal, 1974  
*bifrons* (Kinberg, 1865)  
*cingulata* (Ehlers, 1897)  
*cluthensis* (Clark, 1953)  
*coccinea* (Renier, 1804)  
*flabellicola* (Fage, 1936)  
*gracilis* (Ehlers, 1868)  
*hibernica* (McIntosh, 1903)  
*inflata* (Moore, 1911)  
*labrofimbriata* (de Saint Joseph, 1888)  
*latreilli* Audouin & Milne-Edwards, 1834  
*longipodiata* Cantone, 1989  
*mixochaeta* Oug, 1998  
*nonatoi* Ramos, 1976  
*pseudofragilis* Amoureux, 1977  
*scopa* Fauchal, 1974
- Ninoe**  
*armoricana* Glémarec, 1968  
*nigripes* Verrill, 1873
- Paraninoe**  
*brevipes* (McIntosh, 1903)  
*fusca* (Moore, 1911)  
*minuta* (Théel, 1879)
- Scoletoma**  
*debilis* (Grube, 1878)  
*emandibla* subsp. *habiti* (Ramos, 1976)  
*fragilis* (O.F. Müller, 1776)  
*funchalensis* (Kinberg, 1865)  
*impatiens* (Claparède, 1868)  
*rovignensis* (Fauvel, 1940)  
*tetraura* (Schmarda, 1861)
- Family Magelonidae**  
*Magelona*  
*alleni* Wilson, 1958  
*equilamelae* Harmelin, 1964  
*filiformis* Wilson, 1959  
*johnstoni* Fiege, Licher & Mackie, 2000  
*minuta* Eliason, 1962  
*mirabilis* (Johnston, 1845)  
*papillicornis* Müller, 1858 (sensu Fauvel, 1927)  
*rosea* Moore, 1907  
*wilsoni* Glémarec, 1966
- Family Maldanidae**  
*Axiothella*  
*catenata* (Malmgren, 1865)  
*constricta* (Claparède, 1870)
- Chirimia*  
*biceps* (M. Sars, 1861)
- Clymenella*  
*cincta* (de Saint Joseph, 1894)  
*torquata* (Leidy, 1855)
- Clymenopsis*

- constricta* (Wesenberg-Lund, 1948)
- Clymenura**
- borealis* (Arwidsson, 1906)
- clypeata* (de Saint Joseph, 1894)
- johnstoni* (McIntosh, 1915)
- lankesteri* (McIntosh, 1885)
- leiopygos* (Grube, 1860)
- polaris* (Théel, 1879)
- tenuis* (Day, 1957)
- tricirrata* (Bellan & Reys, 1967)
- Euclymene**
- affinis* (M. Sars in G.O. Sars, 1872)
- collaris* (Claparède, 1870)
- droebrachiensis* (M. Sars in G.O. Sars, 1872)
- lindrothi* Eliason, 1962
- lumbricoides* (Quatrefages, 1865)
- oerstedii* (Claparède, 1863)
- palermitana* (Grube, 1840)
- robusta* (Arwidsson, 1906)
- Johnstonia**
- clymenoides* Quatrefages, 1865
- Isocirrus**
- planiceps* (M. Sars in G.O. Sars, 1872)
- Lumbriclymene**
- cylindricaudata* Sars, 1872
- minor* Arwidsson, 1906
- Macroclymene**
- santandarensis* (Rioja, 1917)
- Maldane**
- arctica* Detinova, 1985
- glebifex* Grube, 1860
- malmgreni* McIntosh, 1885
- sarsi* Malmgren, 1865
- Maldanella**
- harai* (Izuka, 1902)
- Metasychis**
- gotoi* (Izuka, 1902)
- Microclymene**
- acirrata* Arwidsson, 1906
- tricirrata* Arwidsson, 1906
- Micromaldane**
- ornithochaeta* Mesnil, 1897
- Nicomache**
- lumbricalis* (Fabricius, 1780)
- maculata* Arwidsson, 1911
- minor* Arwidsson, 1906
- quadrispinata* Arwidsson, 1906
- personata* Johnson, 1901
- trispinata* Arwidsson, 1906
- Notoproctus**
- oculatus* Arwidsson, 1906
- Petaloproctus**
- borealis* Arwidsson, 1906
- tenuis* (Théel, 1879)
- terricola* Quatrefages, 1865
- Praxillella**
- affinis* (M. Sars, 1872)
- challengeriae* (Rioja, 1931)
- gracilis* (M. Sars, 1861)
- lophoseta* (Orlandi, 1898)
- praetermissa* (Malmgren, 1866)
- Praxillura**
- longissima* Arwidsson, 1906
- quadrilobata* (M. Sars, 1856)
- Proclymene**
- muelleri* (Sars, 1856)
- Rhodine**
- gracilior* Tauber, 1879
- loveni* Malmgren, 1865
- Family Myzostomidae**
- Myzostoma**
- alatum* von Graff, 1884
- asteriae* Marenzeller, 1895
- bucchichii* F. Wagner, 1887
- carpenteri* (von Graff, 1884)
- cirriferum* Leuckart 1827
- giganteum* Nansen, 1885
- glabrum* Leuckart, 1827
- ingolfi* Jägersten, 1940
- parasiticum* Leuckart, 1827
- pluvinar* von Graff, 1884
- Protomyszostomum**
- polynephris* Fedotov, 1912
- Family Nephtyidae**
- Aglaophamus**
- agilis* (Langerhans, 1879)
- malmgreni* (Théel, 1870)
- rubella* (Michaelson, 1896)
- Inermonephthys**
- inermis* (Ehlers, 1887)
- Micronephthys**
- maryae* San Martin, 1982
- minuta* (Théel, 1879)
- neotena* (Noyes, 1980)
- sphaerocirrata* (Wesenberg-Lund, 1949)
- stammeri* (Augener, 1932)
- Nephtys**
- assimilis* Oersted, 1843
- breogani* Laborda & Vieitez, 1985
- caeca* (Fabricius, 1780)
- ciliata* (O.F. Müller, 1776)
- cirrosa* Ehlers, 1868
- cirrosa* subsp. *longicornis* Jakubova, 1930
- homborgii* Savigny, 1818
- hystricis* McIntosh, 1900
- incisa* Malmgren, 1865
- incisa* subsp. *bilobata* Heinen, 1911
- kersivalensis* McIntosh, 1908
- longosetosa* Oersted, 1842
- paradoxa* Malm, 1874
- pente* Rainer, 1984
- pulchra* Rainer, 1991
- Family Nereididae**
- Ceratocephale**
- loveni* Malmgren, 1867
- Ceratonereis**
- anoculata* Amoureux, 1982
- brunnea* Langerhans, 1884
- costae* (Grube, 1840)
- hircincola* (Eisig, 1870)
- mirabilis* Kinberg, 1866
- vittata* Langerhans, 1884
- Eunereis**
- elittoralis* (Eliason, 1962)
- longissima* (Johnston, 1840)
- Leonmates**
- decipiens* Fauvel, 1929
- jousseaumi* Gravier, 1899
- persica* Wesenberg-Lund, 1949
- pusillus* Langerhans, 1880
- Micronereis**
- variegata* Claparède, 1863
- Namalycastis**
- brevicornis* (Audouin & Milne-Edwards, 1834)
- Namanereis**
- quadriceps* Gay in Blanchard, 1849
- Neanthes**
- agulhana* Day, 1963
- bioculata* (Hartmann-Schröder, 1975)
- caudata* (Delle Chiaje, 1828)
- flavipes* Ehlers, 1868
- fucata* (Savigny, 1818)
- grandis* (Stimpson, 1853)
- irrorata* (Malmgren, 1867)
- kerquelenensis* (McIntosh, 1885)
- succinea* (Frey & Leuckart, 1847)
- virens* (M. Sars, 1835)
- willeyi* Day, 1934
- Nereis**
- diversicolor* (O.F. Müller, 1776)

- falcaria* (Willey, 1905)  
*fallax* Quatrefages, 1865  
*falsa* Quatrefages, 1865  
*funchalensis* (Langerhans, 1879)  
*gilchristi* Day, 1960  
*icosiensis* Gravier & Dantan, 1928  
*jacksoni* Kinberg, 1866  
*lamellosa* Ehlers, 1868  
*moroccensis* Amoureux, 1976  
*pelagica* Linnaeus, 1758  
*persica* Fauvel, 1911  
*rava* Ehlers, 1868  
*zonata* Malmgren, 1867
- Perinereis**  
*cultrifera* (Grube, 1840)  
*macropus* (Claparède, 1870)  
*marionii* (Audouin & Milne-Edwards, 1833)  
*nuntia* (Savigny, 1818)  
*oliveirae* (Horst, 1889)  
*rullieri* Pilato, 1974  
*taorica* Langerhans, 1891  
*tenuisetis* (Fauvel, 1915)
- Platynereis**  
*coccinea* (Delle Chiaje, 1841)  
*dumerilii* (Audouin & Milne-Edwards, 1833)  
*massiliensis* (Moquin-Tandon, 1869)  
*nadiae* Abbiati & Castelli, 1992  
*pulchella* Gravier, 1899
- Pseudonereis**  
*anomala* Gravier, 1899
- Rullierinereis**  
*anoculata* Cantone, 1982  
*faroensis* Kirkegaard, 1998  
*tenerifensis* Nuñez, 1984
- Unanereis**  
*zghal* Ben Amor, 1980
- Websterinereis**  
*glauca* (Claparède, 1870)
- Family Nerillidae**  
*Bathychaetus*  
*heptapous* Faubel, 1978
- Meganerilla*  
*clavata* Magagnini, 1966  
*swedmarki* Boaden, 1961
- Mesonerilla*  
*armoricana* Swedmark, 1959  
*biantennata* Jouin, 1963  
*diatomeophaga* Nuñez in Nuñez, Ocaña & Brito, 1997  
*fagei* Swedmark, 1959  
*intermedia* Wilke, 1953  
*roscovita* Lévi, 1953
- Micronerilla*  
*minuta* (Swedmark, 1959)
- Nerilla*  
*antennata* O. Schmidt, 1848  
*marginata* Tilzer, 1970  
*mediterraneum* Schlieper, 1925  
*stygiola* Ax, 1957
- Nerillidium*  
*gracile* Remane, 1925  
*marinum* Faubel, 1978  
*mediterraneum* Remane, 1925  
*simplex* Lévi, 1953  
*troglochaetoides* Remane, 1925
- Nerillidopsis*  
*hyalina* Jouin, 1966
- Paranerilla*  
*limicola* Jouin & Swedmark, 1965
- Thalassochaetus*  
*palpifoliaceus* Ax, 1954
- Family Oeononidae**  
*Halla*  
*parthenopeia* (Delle Chiaje, 1828)  
*sulfurea* Langerhans, 1880
- Oenone*  
*fulgida* (Savigny, 1818)
- Family Onuphidae**  
*Aponuphis*  
*bilineata* (Baird, 1870)  
*bilineata* subsp. *grubii* (Marenzeller, 1886)  
*brementi* (Fauvel, 1916)  
*ornata* (Fauvel, 1928)  
*rigida* (Claparède, 1868)  
*rubra* (Langerhans, 1880)  
*willsii* Cantone & Bellan, 1994
- Diopatra*  
*madeirensis* Langerhans, 1880  
*neapolitana* Delle Chiaje, 1841
- Epidiopatra*  
*hupferiana* subsp. *monroi* Day, 1957
- Hyalinoecia*  
*edwardsi* Roule, 1906  
*robusta* Southward, 1977  
*tubicola* (O.F. Müller, 1776)
- Longibrachium*  
*atlanticum* (Day, 1973)
- Nothria*  
*britannica* (McIntosh, 1903)  
*conchylega* (M. Sars, 1835)  
*geophiliformis* Moore, 1903)
- Nothrya*  
*hyperborea* (Hansen, 1882)
- Onuphis*  
*eremita* Audouin & Milne-Edwards, 1833  
*falesia* Castelli, 1982  
*iberica* Hartmann-Schröder, 1975  
*opalina* (Verrill, 1873)  
*rullieriana* (Amoureux, 1977)
- Parahyalinoecia*  
*apalpata* Hartmann-Schröder, 1975
- Paradiopatra*  
*calliopae* Arvanitidis & Koukouras, 1997  
*fiordica* (Fauchald, 1974)  
*hartmanae* (Kirkegaard, 1980)  
*hispanica* Amoureux, 1972  
*lepta* (Chamberlin, 1919)  
*quadricuspis* (M. Sars in G.O. Sars, 1872)
- Rhamphobrachium*  
*agassizii* Ehlers, 1887  
*brevibranchiatum* (Ehlers, 1875)
- Family Opheliidae**  
*Ammotrypanella*  
*arctica* McIntosh, 1879
- Armandia*  
*cirrhusa* Filippi, 1861  
*polyophthalma* Kukenthal, 1887
- Euzonus*  
*flabelligerus* (Ziegelmeier, 1955)
- Keson*  
*gravieri* (McIntosh, 1908)
- Ophelia*  
*amoureuxi* Bellan & Costa, 1987  
*bicornis* Savigny, 1818  
*borealis* Quatrefages, 1866  
*celtica* Amoureux & Dauvin, 1981  
*laubieri* Bellan & Costa, 1987  
*limacina* (Rathke, 1843)  
*neglecta* Schneider, 1887  
*rathkei* McIntosh, 1908  
*roscoffensis* Augener, 1910  
*translucens* (Katzmann, 1973)
- Ophelina*  
*abranchiata* Støp-Bowitz, 1948  
*acuminata* Oersted, 1843  
*aulogaster* (Rathke, 1843)  
*breviata* (Pettibone, 1954)  
*cylindricaudata* (Hansen, 1878)  
*cylindricaudata* subsp. *minima* Hartmann-Schröder, 1974  
*helgolandica* Augener, 1912



- minima* Hartmann-Schröder, 1974  
*modesta* Støp-Bowitz, 1958  
*norvegica* Støp-Bowitz, 1945  
*opisthobranchia* Wirén, 1901
- Polyophthalmus*  
*pictus* (Dujardin, 1839)
- Tachytrypae*  
*jeffreysii* McIntosh, 1879
- Travisia*  
*forbesii* Johnston, 1840
- Family Orbiniidae**
- Leitoscoloplos*  
*keruelensis* (McIntosh, 1885) sensu Ramos 1976  
*mammosus* Day, 1977
- Naineris*  
*laevigata* (Grube, 1855)  
*quadraticeps* Day, 1965  
*quadricuspida* (Fabricius, 1780)
- Orbinia*  
*armandi* (McIntosh, 1910)  
*bioreti* (Fauvel, 1919)  
*cornidei* (Rioja, 1934)  
*cuvieri* (Audouin & Milne-Edwards, 1833)  
*latreillii* (Audouin & Milne-Edwards, 1833)  
*sertulata* (Savigny, 1820)
- Phylo*  
*foetida* subsp. *adjimansis* (Fauvel, 1925)  
*foetida* subsp. *atlantica* (Fauvel, 1925)  
*foetida* subsp. *foetida* (Claparède, 1870)  
*foetida* subsp. *imitans* (Eisig, 1914)  
*foetida* subsp. *ligustica* (Orlandi, 1896)  
*foetida* subsp. *typica* Eisig, 1914  
*grubei* (McIntosh, 1910)  
*kupfferi* (Ehlers, 1874)  
*norvegicus* (Sars, 1872)
- Protoaricia*  
*capsulifera* (Bobretzky, 1870)  
*oerstedii* (Claparède, 1864)
- Schroederella*  
*laubieri* Badalamenti & Castelli, 1991
- Scolaricia*  
*haasi* Monro, 1937  
*typica* Eisig, 1914
- Scoloplos*  
*armiger* (O.F. Müller, 1776)  
*chevalieri* (Fauvel, 1901)  
*chevalieri* subsp. *candiensis* Harmelin, 1969
- Family Oweniidae**
- Myriochele*  
*danielsseni* Hansen, 1879  
*fragilis* Nilson & Holthe, 1985  
*heeri* Malmgren, 1867  
*oculata* (Zachs, 1923)
- Owenia*  
*fusiformis* Delle Chiaje, 1842
- Family Paralacydoniidae**
- Paralacydonia*  
*paradoxa* (Fauvel, 1913)
- Family Paraonidae**
- Aedicira*  
*mediterranea* Laubier & Ramos, 1974
- Aricidea*  
*aberrans* Laubier & Ramos, 1974  
*abbranchiata* Hartman, 1965  
*abyssalis* Laubier & Ramos, 1974  
*albatrossae* Pettibone, 1957  
*annae* Laubier, 1967  
*assimilis* Tebble, 1959  
*capensis* subsp. *bansei* Laubier & Ramos, 1974  
*catherinae* Laubier, 1967  
*cerrutii* Laubier, 1967  
*claudiae* Laubier, 1967  
*fauveli* Hartman, 1957  
*fragilis* Webster, 1879  
*fragilis* subsp. *mediterranea* Laubier & Ramos, 1974  
*hartmani* Strelzov, 1968  
*laubieri* Hartley, 1981  
*mariannae* Katzmann & Laubier, 1975  
*minuta* Southward, 1956  
*monicae* Laubier, 1967  
*neosuecica* Hartman, 1965 sensu Laubier & Ramos, 1974  
 cf. *philbinae* Brown, 1976  
*pseudannae* Katzmann & Laubier, 1975  
*quadrilobata* Webster & Benedict, 1887  
*roberti* Hartley, 1983  
*simonae* Laubier & Ramos, 1974  
*suecica* Eliason, 1920  
*suecica* subsp. *meridionalis* Laubier & Ramos, 1974  
*suecica* subsp. *simplex* Day, 1963  
*trilobata* Laubier & Ramos, 1975  
*wassi* Pettibone, 1965
- Cirrophorus*  
*branchiatus* Ehlers, 1908  
*furcatus* (Hartman, 1957)
- Levinsenia*  
*gracilis* (Tauber, 1879)
- Paradoneis*  
*armata* Glémarec, 1966  
*drachi* Laubier & Ramos, 1974  
*eliasoni* Mackie, 1991  
*fulgens* (Levinsen, 1884)  
*ilvana* Castelli, 1985  
*harpagonea* (Storch, 1967)  
*lyra* (Southern, 1914)
- Paraonides*  
*myriamae* Katzmann & Laubier, 1975  
*neapolitana* Cerruti, 1909
- Paraonis*  
*uncinatus* Hartman, 1965
- Family Parergodrilidae**
- Stygocapitella*  
*subterranea* Knöllner, 1934
- Family Pectinariidae**
- Pectinaria*  
*auricoma* (O.F. Müller, 1776)  
*auricoma* subsp. *mediterranea* Nilsson, 1928  
*belgica* (Pallas, 1766)  
*granulata* (Linnaeus, 1767)  
*hyperborea* (Malmgren, 1866)  
*koreni* (Malmgren, 1866)  
*neapolitana* Claparède, 1870
- Petta*  
*pusilla* Malmgren, 1866
- Family Pholoidae**
- Pholoe*  
*assimilis* Oersted, 1843  
*baltica* Oersted, 1843  
*fauveli* Kirkegaard, 1983  
*inornata* Johnston, 1839  
*longa* (O.F. Müller, 1776)  
*minuta* (Fabricius, 1780)  
*pallida* Chambers, 1985  
*synophthalmica* Claparède, 1868  
*tecta* Stimpson, 1854
- Pholoidea*  
*dorsipapillatus* (Marenzeller, 1893)
- Family Phyllodocidae**
- Carobia*  
*dohrnii* Langerhans, 1880  
*lanceoligera* Czerniavsky, 1882
- Chaetoparia*  
*nilssoni* Malmgren, 1867
- Eteone*  
*arctica* Malmgren, 1867  
*barbata* (Malmgren, 1865)  
*flava* (Fabricius, 1780)  
*foliosa* Quatrefages, 1865

- fucata* M. Sars, 1872  
*longa* (Fabricius, 1780)  
*picta* Quatrefages, 1865  
*spetsbergensis* Malmgren, 1865  
*suecica* Bergström, 1914  
*syphonodonta* (Delle Chiaje, 1822)
- Eulalia**  
*trilineata* de Saint Joseph, 1888
- Eulalia**  
*parva* de Saint Joseph, 1898  
*anoculata* Hartman & Fauchald, 1971  
*aurea* Gravier, 1896  
*bilineata* (Johnston, 1840)  
*expusilla* Pleijel, 1987  
*flavescens* Bobretzki, 1868  
*fucescens* de Saint Joseph, 1888  
*hanssoni* Pleijel, 1987  
*impostii* Quatrefages, 1865  
*microoculata* Pleijel, 1987  
*mustela* Pleijel, 1987  
*ornata* de Saint Joseph, 1888  
*quadrilineata* de Saint Joseph, 1898  
*tjalfiensis* Ditlevsen, 1917  
*tripunctata* McIntosh, 1874  
*venusta* de Saint Joseph, 1888  
*venustissima* Banse, 1959  
*viridis* (Linnaeus, 1767)
- Eumida**  
*ockelmanni* Eibye-Jacobsen, 1987  
*arctica* (Annenkova), 1946  
*bahusiensis* Bergström, 1914  
*punctifera* (Grube, 1860)  
*sanguinea* (Oersted, 1843)
- Genetyllis**  
*nana* (de Saint Joseph, 1908)
- Hesionura**  
*augeneri* (Friedrich, 1937)  
*coineai* (Laubier, 1962)  
*coineai* subsp. *longissima* Minichev, 1982  
*elongata* (Southern, 1914)  
*serrata* (Hartmann-Schröder, 1960)
- Lugia**  
*pterophora* (Ehlers, 1864)
- Mystides**  
*bidentata* Langerhans, 1880  
*borealis* Théel, 1879  
*caeca* Langerhans, 1880  
*southerni* Banse, 1954
- Nereiphylla**  
*lutea* (Malmgren, 1865)  
*paretti* Blainville, 1828  
*pusilla* (Claparède, 1870)  
*rubiginosa* (de Saint Joseph, 1888)
- Notophyllum**  
*americanum* Verrill, 1885  
*foliosum* (M. Sars, 1835)
- Paranaitis**  
*kosteriensis* (Malmgren, 1867)  
*wahlbergi* (Malmgren, 1865)
- Pareteone**  
*abyssalis* Hartmann-Schröder, 1975
- Phyllodoce**  
*albovittata* Grube, 1860  
*bruneoviridis* de Saint Joseph, 1898  
*citrina* Malmgren, 1865  
*gervillei* Audouin & Milne-Edwards, 1834  
*groenlandica* Oersted, 1842  
*lamelligera* (Linnaeus, 1791)  
*laminosa* Savigny, 1818  
*lineata* (Claparède, 1870)  
*longifrons* Ben-Eliahu, 1972  
*longipes* Kinberg, 1866  
*macropapillosa* de Saint Joseph, 1895  
*macrophthalma* Schmarda, 1861  
*maculata* (Linnaeus, 1767)
- madeirensis* Langerhans, 1880  
*malmgreni* Gravier, 1900  
*mucosa* Oersted, 1843  
*rosea* (McIntosh, 1877)
- Protomystides**  
*brunnea* Hartmann-Schröder, 1963  
*exigua* (Eliason, 1862)
- Pseudomystides**  
*limbata* de Saint Joseph, 1888  
*spinachia* Petersen & Pleijel, 1993
- Pterocirrus**  
*slastnikovi* Annenkova, 1946  
*macroceros* (Grube, 1860)  
*microcephala* Claparède 1870  
*limbata* (de Saint Joseph, 1888)
- Pterocirrus**  
*nidarosiensis* Pleijel, 1987
- Sige**  
*fusigera* Malmgren, 1865  
*oliveri* Pleijel, 1990
- Family Pilargidae**
- Ancistargis**  
*hamata* (Hartman, 1960)
- Ancistrostylis**  
*cingulata* (Korschelt, 1893)  
*fioronii* Fiege & Böggemann  
*groenlandica* McIntosh, 1879
- Glyphohesione**  
*klatti* Friedrich, 1950
- Litocorsa**  
*stremma* Pearson, 1970
- Otopsis**  
*chardyi* Katzmann, Laubier & Ramos, 1974
- Pilargis**  
*papillata* Rasmussen, 1973  
*verrucosa* de Saint Joseph, 1899
- Sigambra**  
*constricta* (Southern, 1921)  
*parva* (Day, 1963)  
*tentaculata* (Treadwell, 1941)
- Synelmis**  
*albini* (Langerhans, 1881)  
*dineti* Katzmann, Laubier & Ramos, 1974
- Family Pisionidae**
- Pisione**  
*puzae* Siewing, 1953  
*remota* (Southern, 1914)
- Family Poecilochaetidae**
- Elicodasia**  
*mirabilis* Laubier & Ramos, 1973
- Poecilochaetus**  
*fauchaldi* Pilato & Cantone, 1976  
*fulgoris* Claparède in Ehlers, 1875  
*serpens* Allen, 1904
- Family Polygordiidae**
- Polygordius**  
*appendiculatus* Fraipont, 1887  
*erythrophthalmus* (Giard, 1880)  
*lacteus* Schneider, 1868  
*neapolitanus* Fraipont, 1884  
*schneideri* Langerhans, 1881  
*triestinus* Woltereck in Hemplemann, 1906  
*villoti* Perrier, 1875
- Family Polynoidae**
- Acanthicolepis**  
*asperrima* (M. Sars, 1861)
- Acholoe**  
*astericola* (Delle Chiaje, 1841)
- Adyte**  
*assimilis* (McIntosh, 1876)
- Alentia**  
*gelatinosa* (M. Sars, 1835)
- Alentiana**  
*aurantiaca* (Verrill, 1885)

- Almaniella*  
*setubalensis* McIntosh, 1885
- Austrolaenilla*  
*mollis* (Sars, 1863)
- Bathylia*  
*abyssicola* (Fauvel, 1913)  
*kirkegaardii* (Uschakov, 1971)
- Bathylia*  
*affinis* Fauvel, 1914
- Bathynoe*  
*nodulosa* Ditlevsen, 1917
- Bylgides*  
*acutisetis* Loshamn, 1981  
*annenkovae* Pettibone, 1993  
*elegans* (Théel, 1879)  
*groenlandicus* (Malmgren, 1867)  
*promamme* (Malmgren, 1867)  
*sarsi* (Kinberg in Malmgren, 1865)
- Diplaconotum*  
*paucidendatum* (Eliason, 1962)
- Enipo*  
*elisabethae* McIntosh, 1900  
*kinbergi* (Malmgren, 1865)  
*torelli* Malmgren, 1865
- Eucranta*  
*villosa* Malmgren, 1865
- Eunoe*  
*anoculata* Hartmann-Schröder, 1975  
*hubrechtii* (McIntosh, 1900)  
*laetmogonensis* Kirkegaard & Billett, 1980  
*mamilloba* Czerniavsky, 1882  
*nodosa* (M. Sars, 1861)  
*oerstedii* Malmgren, 1865  
*sentia* (Moore, 1902)
- Gattyana*  
*admonseni* (Malmgren, 1867)  
*cirrhusa* (Pallas, 1766)
- Gesiella*  
*jameensis* (Hartmann-Schröder, 1974)
- Gorgoniapolyne*  
*caeciliae* (Fauvel, 1913)
- Harmothoe*  
*rarisipina* (M. Sars, 1861)  
*abyssicola* Bidekap, 1894  
*alba* (Malmgren, 1865)  
*antilopes* McIntosh, 1876  
*areolata* (Grube, 1860)  
*aspera* (Hansen, 1879)  
*bellani* Barnich & Fiege, 2000  
*borealis* (Théel, 1879)  
*casabullicola* Brito, Nuñez & Bacallado, 1991  
*clavigera* M. Sars, 1863  
*evei* Kirkegaard, 1980  
*extenuata* (Grube, 1840)  
*fragilis* Moore, 1910  
*fraserthomsoni* McIntosh, 1897  
*gilchristi* Day, 1960  
*globifera* (G.O. Sars, 1873)  
*goreensis* Augener, 1918  
*imbricata* (Linnaeus, 1767)  
*imbricata* subsp. *incerta* (Bobretzky, 1881)  
*impar* (Johnston, 1839)  
*ingolfiana* Ditlevsen, 1917  
*joubini* Fauvel, 1913  
*lagiscoides* subsp. *serrata* Day, 1963  
*longisetis* (Grube, 1863)  
*micraspis* Eliason, 1962  
*ocularum* (Storm, 1879)  
*pagenstecheri* Michaelsen, 1896  
*pokoui* Intes & Le Loeuff, 1975  
*reticulata* (Claparede, 1870)  
*spinifera* (Ehlers, 1864)  
*tenuisetis* (McIntosh, 1885)  
*villosa* Malmgren, 1865  
*violacea* (Storm, 1876)
- viridis* Loshamn, 1981
- Hermadionella*  
*truncata* (Moore, 1902)
- Heteropolynoe*  
*nordgaardii* Bidekap, 1907
- Lagisca*  
*aequespina* Langerhans, 1884  
*elisabethae* McIntosh, 1900  
*floccosa* (Savigny, 1818)  
*peracuta* McIntosh, 1885  
*talismani* (Roule, 1898)  
*taurica* (Czerniavsky, 1882)
- Lepidasthenia*  
*argus* Hodgson, 1900  
*brunnea* Day, 1960  
*elegans* (Grube, 1840)  
*maculata* Potts, 1910
- Lepidonotus*  
*brevicornis* Quatrefages, 1865  
*carinulatus* (Grube, 1870)  
*clava* (Montagu, 1808)  
*squamatus* (Linnaeus, 1758)  
*tenuisetosus* (Gravier, 1902)
- Leucia*  
*nivea* (M. Sars, 1863)
- Macellicephalo*  
*incerta* Fauvel, 1914  
*laubieri* Reyss, 1971  
*longipalpa* Uschakov, 1957  
*mirabilis* (McIntosh, 1885)  
*violacea* (Levinsen, 1887)
- Malmgreniella*  
*andreapolis* (McIntosh, 1876)  
*arenicolae* (de Saint Joseph, 1888)  
*castanea* McIntosh, 1876  
*darbouxii* Pettibone, 1993  
*glabra* (Malmgren, 1865)  
*liliana* Pettibone, 1993  
*ljungmani* (Malmgren, 1867)  
*lumulata* (Delle Chiaje, 1830)  
*marphysae* (McIntosh, 1876)  
*mcintoshii* (Tebble & Chambers, 1982)
- Melaenis*  
*loveni* Malmgren, 1865
- Nectochaeta*  
*grimaldii* Marenzeller, 1892
- Neolagisca*  
*drachi* (Reyss, 1961)
- Neopolynoe*  
*paradoxa* (Storm, 1888)
- Paradyte*  
*crinoidicola* (Potts, 1910)
- Polaruschakov*  
*polaris* (Uschakov, 1976)  
*reyssi* Pettibone, 1976
- Polynoe*  
*antillicola* (Augener, 1906)  
*coeliaca* Fauvel, 1913  
*laevis* Audouin & Milne Edwards, 1832  
*longissima* Blainville, 1828  
*scolopendrina* Savigny, 1818
- Robertianella*  
*synophthalma* McIntosh, 1885
- Sinantenna*  
*macrophthalma* (Fauvel, 1913)
- Subadyte*  
*pellucida* (Ehlers, 1864)
- Wilsoniella*  
*furcosetosa* (Loshamn, 1981)
- Family Pomatodrilidae**  
*Pomatodrilus*  
*fluviatilis* (Lastochkin, 1935)
- Family Pontodoridae**  
*Enapteris*  
*euchaeta* (Chun, 1888)

- Pontodora*  
*pelagica* Greef, 1879
- Family Protodrilidae**
- Protodriloides*  
*chaetifer* (Remane, 1926)  
*symbioticus* (Giard, 1904)
- Protodrilus*  
*adhaerens* Jägersten, 1952  
*affinis* Jouin, 1968  
*albicans* Jouin, 1970  
*brevis* Jouin, 1970  
*ciliatus* Jägersten, 1952  
*flavocapitatus* (Uljanin, 1877)  
*gracilis* Nordheim, 1989  
*hatscheki* Pierantoni, 1908  
*helgolenticus* von Nordheim, 1983  
*hypoleucus* Armenante, 1903  
*leuckarti* Hatschek, 1880  
*mirabilis* Czerniavsky, 1881  
*oculifer* Pierantoni, 1908  
*purpureus* (Schneider, 1868)  
*robustus* Jägersten, 1952  
*rubropharyngeus* Jägersten, 1940  
*schneideri* Langerhans, 1880  
*similis* Jouin, 1970  
*spongioides* Pierantoni, 1903
- Family Psammodrilidae**
- Psammodrilus*  
*balanoglossoides* Swedmark, 1952
- Psammodriloides*  
*fauxveli* Swedmark, 1958
- Family Questidae**
- Questa*  
*caudicirra* Hartman, 1966
- Family Sabellariidae**
- Lygdamis*  
*muratus* (Allen, 1904)
- Phalacrostemma*  
*cidariophilum* Marenzeller, 1895  
*elegans* Fauvel, 1914  
*norvegicum* Strömngren, 1971
- Sabellaria*  
*alcocki* Gravier, 1906  
*alveolata* (Linnaeus, 1767)  
*spinulosa* Leuckart, 1849  
*taurica* (Rathke, 1837)
- Family Sabellidae**
- Amphiglena*  
*mediterranea* (Leydig, 1851)
- Augeneriella*  
*lagunari* Gitay, 1970
- Bispira*  
*crassicornis* (Sars, 1851) com. nov.  
*fabricii* (Kroyer, 1858)  
*mariae* Lo Bianco, 1893  
*viola* (Grube, 1863)  
*volutacornis* (Montagu, 1804)
- Branchiomma*  
*bahusiense* Johansson, 1927  
*boholense* (Grube, 1878)  
*bombyx* (Dalyell, 1853)  
*inconspicua* (M. Sars in G.O. Sars, 1872)  
*infarctum* (Kroyer, 1856)  
*luctuosum* (Grube, 1869)  
*lucullanum* (Delle Chiaje, 1828)  
*moebii* P. Knight-Jones, 1994  
*spongiarum* P. Knight-Jones, 1994
- Chone*  
*acustica* (Claparède, 1870)  
*arenicola* Giangrande, 1992  
*collaris* Langerhans, 1880  
*duneri* Malmgren, 1867  
*fauxveli* McIntosh, 1916  
*filicaudata* Southern, 1914
- infundibuliformis* Kroyer, 1856  
*longiseta* Giangrande, 1992  
*longocirrata* Sars, 1872  
*paucibranchiata* (Kroyer, 1856)
- Demonax*  
*branchyona* (Claparède, 1870)  
*cambrensis* Knight-Jones & Walker, 1985  
*langerhansi* (Knight-Jones, 1983)  
*saxicola* (Grube, 1861)  
*tenuicollaris* (Grube, 1870)  
*tommasi* Giangrande, 1994  
*torulis* Knight-Jones & Walker, 1985
- Desdemona*  
*ornata* Banse, 1957
- Euchone*  
*analis* (Kroyer, 1865)  
*capensis* Day, 1961  
*elegans* Verrill, 1873  
*papillosa* (M. Sars, 1851)  
*rosea* Langerhans, 1884  
*rubella* Ehlers,  
*rubrocincta* (M. Sars, 1861)  
*southerni* subsp. *southerni* Banse, 1970  
*southerni* subsp. *incisa* Banse, 1970
- Fabricia*  
*sabella* (Ehrenberg, 1836)  
*stellaris* subsp. *stellaris* (O.F. Müller, 1774)  
*stellaris* subsp. *adriatica* (Banse, 1956)  
*stellaris* subsp. *caspica* (Zenkevitch, 1922)
- Fabriciella*  
*baltica* Friedrich, 1939  
*tonerella* Banse, 1956
- Gorbunovia*  
*malmgreni* (Hansen, 1878)
- Hypsicomus*  
*stichophthalmos* (Grube, 1863)
- Jasmineira*  
*candela* (Grube, 1863)  
*caudata* Langerhans, 1880  
*elegans* de Saint Joseph, 1894  
*oculata* Langerhans, 1884  
*schaudinni* Augener, 1925
- Laonome*  
*kroeyeri* Malmgren, 1865  
*salmacidis* Claparède, 1870
- Manayunkia*  
*aestuarina* (Bourne, 1883)  
*caspica* Annenkova, 1929
- Megalomma*  
*linaresi* (Rioja, 1917)  
*vesiculosum* (Montagu, 1815)  
*vigilans* (Claparède, 1870)
- Myxicola*  
*aesthetica* (Claparède, 1870)  
*infundibulum* (Renier, 1804)  
*sarsi* Krøyer, 1856  
*steenstrupi* Krøyer, 1856
- Notaulax*  
*phaeotaenia* (Schmarda, 1861)  
*rectangulata* Levinsen, 1883
- Novafabricia*  
*bilobata* Martin & Giangrande, 1991
- Oriopsis*  
*alata* subsp. *pectinata* Banse, 1957  
*armandi* (Claparède, 1864)  
*cursoria* (Quatrefages, 1865)  
*eimeri* subsp. *eimeri* (Langerhans, 1880)  
*eimeri* subsp. *persiana* Ben-Eliahu, 1975  
*ingeloreae* Plate, 1995  
*hynensis* Knight-Jones, 1983  
*liefdefjordensis* Plate, 1995  
*metchnikowi* Caullery & Mesnil, 1896
- Panousea*  
*africana* Amoureux & Rullier, 1974  
*Perkinsiana*



- rubra* (Langerhans, 1880)  
*socialis* (Langerhans, 1884)
- Potamethus**  
*breviuncatus* Hartmann-Schröder, 1977  
*filiformis* Hartmann-Schröder, 1977  
*malmgreni* Hansen, 1878  
*spathiferus* (Ehlers, 1887)
- Pothametus**  
*murrayi* (McIntosh, 1916)
- Potamilla**  
*neglecta* (M. Sars, 1851)  
*torelli* Malmgren, 1866  
*rubra* Rioja, 1908
- Pseudofabricia**  
*aberrans* Cantone, 1970
- Pseudofabriciola**  
*analís* Fitzhugh, Giangrande & Simbora, 1994  
*capensis* (Monro, 1937)  
*longipyga* Fitzhugh, Giangrande & Simbora, 1994
- Pseudopotamilla**  
*ceresina* (Grube, 1870)  
*reniformis* (Bruguère, 1789)
- Sabella**  
*discifera* Grube, 1874  
*fabricii* Fauvel, 1927  
*flabellata* Savigny, 1820  
*pavonina* Savigny, 1820  
*sarsi* Kröyer, 1856  
*spallanzanii* (Viviani, 1805)  
*variabilis* Langerhans, 1884
- Family Saccocirridae**  
**Saccocirrus**  
*major* Pierantoni, 1907  
*papillocerus* Bobretzky, 1872  
*parvus* Gerlach, 1953
- Family Scalibregmatidae**  
**Asclerocheilus**  
*intermedius* (de Saint Joseph, 1894)
- Lipobranchius**  
*jeffreysi* McIntosh, 1869
- Polyphysia**  
*crassa* (Oersted, 1843)  
*crassa* subsp. *fauveli* (Laubier, 1959)
- Pseudoscalibregma**  
*parvum* (Hansen, 1878)
- Scalibregma**  
*celticum* Mackie, 1991  
*inflatum* Rathke, 1843
- Sclerobregma**  
*branchiata* Hartman, 1965
- Sclerocheilus**  
*minus* Grube, 1863
- Family Serpulidae**  
**Apomatus**  
*ampulliferus* Philippi, 1844  
*similis* Marion & Bobretzky, 1875
- Bathyvermilia**  
*langerhansi* Fauvel, 1909
- Chitinopoma**  
*serrula* (Stimpson, 1854)
- Ditrupea**  
*arietina* (O.F. Müller, 1776)
- Ficopomatus**  
*enigmaticus* (Fauvel, 1923)
- Filograna**  
*implexa* Berkeley, 1828
- Filigranula**  
*annulata* (O.G. Costa, 1861)  
*calyculata* (O.G. Costa, 1861)  
*gracilis* Langerhans, 1884  
*stellata* (Southward, 1963)
- Hyalopomatus**  
*claparadii* Marenzeller, 1878  
*marenzelleri* (Langerhans, 1884)
- variorugosus* Ben-Eliahu & Fiege, 1996
- Hydroides**  
*albiceps* Grube, 1870  
*azoricus* Zibrowius, 1972  
*brachyacanthus* Rioja, 1941  
*dianthus* (Verrill, 1873)  
*dirampha* Mörch, 1863  
*elegans* (Haswell, 1883)  
*ezoensis* Okuda, 1934  
*helmatus* (Iroso, 1921)  
*heterocerus* (Grube, 1868)  
*homocerus* Pixell, 1913  
*minax* (Grube, 1878)  
*niger* Zibrowius, 1971  
*norvegicus* Gunnerus, 1768  
*novaepommeraniae* Augener, 1925  
*operculatus* (Treadwell, 1929)  
*pseudouncinatus* subsp. *africanus* Zibrowius, 1971  
*pseudouncinata* subsp. *pseudouncinata* Zibrowius, 1968  
*steinitzi* Ben-Eliahu, 1972  
*stoichadon* Zibrowius, 1971
- Janita**  
*fimbriata* (Delle Chiaje, 1822)  
*spinosa* (Langerhans, 1884)
- Josephella**  
*marenzelleri* Caullery & Mesnil, 1896
- Metavermilia**  
*arctica* Kuprianova, 1993  
*multicristata* (Philippi, 1844)  
*taenia* Zibrowius, 1971
- Neovermilia**  
*falcigera* (Roule, 1906)
- Placostegus**  
*crystallinus* sensu Zibrowius, 1968  
*langerhansi* Marenzeller, 1893  
*tridentatus* (Fabricius, 1779)
- Pomatoceros**  
*lamarckii* (Quatrefages, 1865)  
*triqueter* (Linnaeus, 1767)
- Pomatoleios**  
*kraussii* (Baird, 1865)
- Protula**  
*alberti* Fauvel, 1909
- Protis**  
*arctica* (Hansen, 1878)
- Protula**  
*globifera* (Théel, 1876)  
*intestinum* (Savigny, 1818)  
*lusitanica* Rioja, 1917  
*similis* Marion & Bobretzky, 1875  
*tubularia* (Montagu, 1803)
- Pseudovermilia**  
*occidentalis* Zibrowius, 1969
- Rhodopsis**  
*pusilla* Bush, 1905
- Salmacina**  
*dysteri* (Huxley, 1855)  
*edificatrix* Claparède, 1868  
*incrustans* Claparède, 1868  
*setosa* Langerhans, 1884
- Semivermilia**  
*agglutinata* (Marenzeller, 1893)  
*crenata* (O.G. Costa, 1861)  
*cribrata* (O.G. Costa, 1861)  
*pomatostegoides* (Zibrowius, 1969)  
*torulosa* (Delle Chiaje, 1822)
- Serpula**  
*cavernicola* Fassari & Mollica, 1991  
*concharum* Langerhans, 1880  
*israelitica* Amoureux, 1976  
*lobiancoi* Rioja, 1917  
*vermicularis* Linnaeus, 1767
- Spiraserpula**  
*massiliensis* (Zibrowius, 1968)

- Spirodiscus*  
*grimaldii* Fauvel, 1909
- Spirobranchus*  
*lima* (Grube, 1862)  
*polytremata* (Philippi, 1844)  
*tetraceros* (Schmarda, 1861)
- Vermiliopsis*  
*eliasoni* Zibrowius, 1970  
*infundibulum* (Philippi, 1844)  
*labiata* (G.O. Costa, 1861)  
*monodiscus* Zibrowius, 1968  
*striaticiceps* (Grube, 1862)
- Vitreotubus*  
*digeronimoi* Zibrowius, 1979
- Family Sigalionidae**
- Euthalenessa*  
*oculata* (Peters, 1854)
- Claparedepelogenia*  
*inclusa* (Claparède, 1868)
- Fimbriosthenelais*  
*minor* (Pruvot & Racovitza, 1895)  
*zetlandica* (McIntosh, 1876)
- Labioleanira*  
*yhleni* (Malmgren, 1867)
- Leanira*  
*hystricis* Ehlers, 1874
- Neoleanira*  
*tetragona* (Oersted, 1845)
- Parasthenelais*  
*hibernica* (McIntosh, 1876)
- Pelogenia*  
*arenosa* (Delle Chiaje, 1830)
- Sigalion*  
*mathildae* Audouin & Milne Edwards in Cuvier, 1830  
*squamosus* (Delle Chiaje, 1830)
- Sthenelais*  
*boa* (Johnston, 1833)  
*ctenolepis* Claparède, 1868  
*jeffreysi* McIntosh, 1876  
*limicola* (Ehlers, 1864)
- Family Sphaerodoridae**
- Clavodorum*  
*adriaticum* Katzmann, 1973  
*fauchaldi* Desbruyères, 1980
- Commensodorum*  
*commensalis* (Lützen, 1961)
- Ephesiella*  
*abyssorum* (Hansen, 1878)  
*cantonei* Mollica, 1994  
*peripatus* (Claparède, 1863)  
*ramosae* Desbruyères, 1980
- Euritmia*  
*hamulisetosa* Sarda-Borroy, 1987
- Sphaerodoridium*  
*claparedeii* (Greeff, 1866)  
*fauchaldi* Hartmann-Schröder, 1993  
*longiparapodium* Katzmann, 1973
- Sphaerodoropsis*  
*baltica* (Reimers, 1933)  
*disticum* (Eliason, 1962)  
*minuta* (Webster & Benedict, 1887)  
*chardy* Desbruyères, 1980  
*laureci* Desbruyères, 1980  
*longipapillata* Desbruyères, 1980  
*martinae* Desbruyères, 1980  
*parva* Ehlers, 1913  
*philippi* (Fauvel, 1911)  
*sibuetae* Desbruyères, 1980  
*flavum* Oersted, 1843
- Sphaerodorum*  
*gracilis* (Rathke, 1843)  
*ophiurophoretos* Martin & Alva, 1988
- Family Spintheridae**
- Spinther*  
*arcticus* (M. Sars, 1851)  
*citrinus* (Stimpson, 1854)
- Sphinter*  
*oniscoides* Johnston, 1845  
*Wiréni* Hartman, 1948
- Family Spionidae**
- Aonides*  
*oxycephala* (Sars, 1862)  
*paucibranchiata* Southern, 1914
- Atherospio*  
*disticha* Mackie & Duff, 1986
- Apoprionospio*  
*pygmaea* Hartman, 1955
- Aurospio*  
*dibranchiata* Maciolek, 1981
- Boccardia*  
*polybranchia* (Haswell, 1885)  
*redeki* (Horst, 1920)  
*semibranchiata* Guerin, 1990
- Boccardiella*  
*ligerica* (Ferronière, 1898)
- Dipolydora*  
*armata* Langerhans, 1880  
*caulleryi* Mesnil, 1897  
*coeca* (Oersted, 1843)  
*flava* Claparède, 1870  
*giardi* Mesnil, 1896  
*langerhansii* Mesnil, 1896  
*quadrilobata* Jacobi, 1883  
*rogeri* Martin, 1996  
*saintjosephi* Eliason, 1920  
*socialis* (Schmarda, 1861)
- Dispio*  
*uncinata* Hartman, 1951
- Laonice*  
*appelloefi* (Söderström, 1920)  
*bahusiensis* (Söderström, 1920)  
*cirrata* (M. Sars, 1851)  
*sarsi* Söderström, 1920
- Malacoceros*  
*ciliatus* (Keferstein, 1862)  
*fuliginosus* (Claparède, 1868)  
*girardii* Quatrefages, 1843  
*tetraceros* (Schmarda, 1861)  
*vulgaris* (Johnston, 1827)
- Marenzelleria*  
*viridis* (Verrill, 1873)  
*Wiréni* Augener, 1913
- Microspio*  
*atlantica* (Langerhans, 1880)  
*meznikowianus* (Claparède, 1868)
- Minuspio*  
*cf. multibranchiata* (Berkeley, 1927)
- Paraprionospio*  
*pinnata* (Ehlers, 1901)
- Polydora*  
*ciliata* (Johnston, 1838)  
*colonia* Moore, 1907  
*cornuta* Bosc, 1802  
*guillei* Laubier & Ramos, 1974  
*hermaphroditica* Hannerz, 1956  
*hoplura* Claparède, 1870  
*limicola* Annenkova, 1934  
*posthamata* Jones, 1962  
*pulchra* (Carazzi, 1895)  
*spongicola* E. & C. Berkeley, 1950
- Prionospio*  
*banyulensis* Laubier, 1966  
*caspersi* Laubier, 1962  
*cirrifer* Wirén, 1883  
*decipiens* Rioja, 1931  
*dubia* Day, 1961  
*ehlersi* Fauvel, 1928  
*fallax* Söderström, 1920  
*fauchaldi* Maciolek, 1985

- malmgreni* Claparède, 1870  
*multibranchiata* Berkeley & Berkeley, 1927  
*plumosa* (M. Sars, 1872)  
*saccifera* Mackie & Hartley, 1990  
*salzi* Laubier, 1970  
*sexoculata* Augener, 1918  
*steenstrupi* Malmgren, 1867  
*tripinnata* Maciolek, 1985
- Pseudopolydora**  
*antennata* (Claparède, 1868)  
*kempi* (Southern, 1921)  
*paucibranchiata* (Okuda, 1937)  
*pulchra* (Carazzi, 1895)
- Pygospio**  
*elegans* Claparède, 1863
- Scolecopsis**  
*bonnieri* (Mesnil, 1896)  
*cantabra* (Rioja, 1918)
- Scolecis**  
*cirratus* (Delle Chiaje, 1828)
- Scolecopsis**  
*foliosa* (Audouin & Milne Edwards, 1833)  
*korsuni* Sikorski, 1994  
*longirostris* (Quatrefages, 1843)  
*mesnili* (Bellan & Lagardère, 1971)  
*squamata* (O.F. Müller, 1789)  
*tridentata* (Southern, 1914)
- Spio**  
*armata* (Thulin, 1957)  
*crenaticornis* Montagu, 1813  
*decoratus* Bobretzky, 1870  
*filicornis* (O.F. Müller, 1776)  
*goniocephala* Thulin, 1957  
*martinensis* Mesnil, 1896  
*multioculata* (Rioja, 1918)
- Spiophanes**  
*bombyx* (Claparède, 1870)  
*kroyeri* subsp. *kroyeri* Grube, 1860  
*kroyeri* subsp. *reyssi* Laubier, 1964  
*wigleyi* Pettibone, 1962
- Streblospio**  
*benedicti* Webster, 1979  
*dekhuyzeni* Horst, 1909  
*shrubsolii* (Buchanan, 1890)
- Family Spirorbidae**
- Bushiella**  
*atlantica* (P. Knight-Jones, 1978)  
*evoluta* (Bush, 1905)  
*kofiadii* (Rzhavsky, 1988)  
*verruca* (O. Fabricius, 1780)
- Circeis**  
*armoricana* (de Saint Joseph, 1894)  
*armoricana* subsp. *fragilis* Knight-Jones & Knight-Jones, 1977  
*paguri* Knight-Jones & Knight-Jones, 1977  
*spirillum* (Linnaeus, 1758)
- Dexiospira**  
*corrugata* (Montagu, 1803)
- Janua**  
*echinata* (Wesenberg-Lund, 1953)  
*pagenstecheri* (Quatrefages, 1865)
- Jugaria**  
*granulata* (Linnaeus, 1767)  
*quadrangularis* (Stimpson, 1854)  
*similis* (Bush, 1905)
- Leodora**  
*laevis* (Quatrefages, 1865)
- Neodexiospira**  
*brasiliensis* (Grube, 1872)  
*pseudocorrugata* (Bush, 1904)
- Neomicrorbis**  
*azoricus* Zibrowius, 1972
- Nidificaria**  
*chilensis* (Blanchard, 1849)  
*clavus* (Harris, 1968)
- Paradexiospira**  
*cancellata* (O. Fabricius, 1780)  
*violacea* (Levinsen, 1884)
- Paralaeospira**  
*vitrea* (Fabricius, 1780)  
*malardi* (Caullery & Mesnil, 1897)
- Pileolaria**  
*berkeleyana* (Rioja, 1942)  
*heteropoma* (Zibrowius, 1968)  
*militaris* (Claparède, 1868)  
*moerchi* (Levinsen, 1883)
- Protolaeospira**  
*striata* (Quievreux, 1963)
- Simplaria**  
*pseudomilitaris* (Thiriot-Quievreux, 1965)
- Spirorbis**  
*corallinae* de Silva & Knight-Jones, 1962  
*cuneatus* Gee, 1964  
*gesae* Knight-Jones & Knight-Jones, 1995  
*infundibulum* Harris & Knight-Jones, 1964  
*inornatus* L'Hardy et Quievreux, 1962  
*marioni* Caullery & Mesnil, 1897  
*mentosus* Bush, 1910  
*moerchi* (Levinsen, 1883)  
*nudus* Bush, 1910  
*poncticus* Eichwald in Mörch, 1863  
*pusilla* Rathke, 1837  
*rupestris* Gee & Knight-Jones, 1962  
*serratus* Bush, 1910  
*spirorbis* (Linnaeus, 1758)  
*tridentatus* Levinsen, 1883
- Vinearia**  
*endoumensis* (Zibrowius, 1968)  
*koehleri* (Caullery & Mesnil, 1897)
- Family Sternaspidae**
- Sternaspis**  
*fossor* Stimpson, 1853  
*scutata* (Ranzani, 1817)
- Family Syllidae**
- Amblyosyllis**  
*finmarchica* (Malmgren, 1867)  
*dorsigera* Claparède, 1864  
*formosa* (Claparède, 1863)  
*granosa* Sarda, 1983  
*immaturata* Langerhans, 1879  
*lineolata* (A. Costa, 1864)  
*madeirensis* Langerhans, 1879
- Autolitus**  
*syllisetosus* Langerhans, 1884
- Autolytus**  
*alexandri* Malmgren, 1867  
*benazzii* Cognetti, 1953  
*brachycephalus* (Marenzeller, 1874)  
*convolutus* Cognetti, 1953  
*edwardsii* de Saint Joseph, 1887  
*ehbiensis* de Saint Joseph, 1887  
*groenlandicus* Wesenberg-Lund, 1947  
*inermis* de Saint Joseph, 1887  
*langheransi* Gidholm, 1967  
*longeferiens* de Saint Joseph, 1887  
*longoprimicirratu* López, San Martín & Jiménez, 1997  
*lugens* de Saint Joseph, 1887  
*megodon* de Saint Joseph, 1887  
*neapolitanus* Cognetti, 1953  
*paradoxus* de Saint Joseph, 1887  
*pictus* de Saint Joseph, 1887  
*prismaticus* (O. Fabricius, 1780)  
*prolifer* (O.F. Müller, 1788)  
*punctatus* de Saint Joseph, 1887  
*quindecimdentatus* Langerhans, 1884  
*roseus* Claparède, 1864  
*rubrolineatus* Gildhom, 1967  
*rubropunctatus* (Grube, 1860)  
*rubrovittatus* Claparède, 1864

- sardai* San Martin & Alos, 1987  
*smittiae* Malaquin, 1893  
*usaensis* Imajima, 1966  
*verrilli* Marenzeller, 1872  
*Branchiosyllis*  
*exilis* (Gravier, 1900)  
*Brania*  
*arminii* (Langerhans, 1881)  
*atokalis* (Czerniavsky, 1881)  
*tenuicirrata* (Claparède, 1864)  
*Calamyzas*  
*amphictenoides* Ardwisson, 1932  
*Dioplosyllis*  
*cirrosa* Gidholm, 1962  
*Ehlersia*  
*cornuta* (Rathke, 1843)  
*ferrugina* Langerhans, 1881  
*Eurysyllis*  
*tuberculata* Ehlers, 1864  
*Eusyllis*  
*assimilis* Marenzeller, 1875  
*blomstrandii* Malmgren, 1867  
*intermedia* de Saint Joseph, 1887  
*lamelligera* Marion & Bobretzky, 1875  
*monilicornis* Malmgren, 1867  
*Exogone*  
*acerata* San Martin & Parapar, 1990  
*brevipes* (Claparède, 1864)  
*cognettii* Castelli, Badalamenti & Lardici, 1987  
*convoluta* Campoy, 1982  
*dispar* (Webster, 1879)  
*fauveli* Cognetti, 1961  
*furcifera* Eliason, 1962  
*gambiae* Lanera, Sordino & San Martin, 1994  
*hebes* (Webster & Benedict, 1884)  
*insdignis* (Langerhans, 1879)  
*naidina* Oersted, 1845  
*parahomosea* subsp. *mediterranea* San Martin, 1984  
*rostrata* Naville, 1933  
*verugera* (Claparède, 1868)  
*Fauvelia*  
*martinensis* Gravier, 1900  
*Grubeosyllis*  
*clavata* (Claparède, 1863)  
*alvaradoi* (San Martin, 1984)  
*balani* (Hartmann-Schröder, 1960)  
*celiae* Parapar & San Martin, 1992  
*euritmica* (Sarda, 1984)  
*limbata* (Claparède, 1868)  
*neapolitana* (Goodrich, 1930)  
*pusilla* (Dujardin, 1839)  
*swedmarki* (Gidholm, 1962)  
*vieitezi* (San Martin, 1984)  
*yraidae* (San Martin, 1984)  
*Haplosyllis*  
*chamaeleon* Laubier, 1960  
*spongicola* (Grube, 1855)  
*spongicola* subsp. *tentaculata* Marion, 1877  
*Miscellania*  
*dentata* Martin, Alos & Sarda, 1990  
*Myrianida*  
*pinnigera* (Montagu, 1808)  
*Odontosyllis*  
*ctenostoma* Claparède, 1868  
*dugesiana* Claparède, 1864  
*fulgurans* (Audouin & Milne-Edward, 1833)  
*gibba* Claparède, 1863  
*polyodonta* de Saint Joseph, 1887  
*Opisthodonta*  
*morena* Langerhans, 1879  
*pterochaeta* Southern, 1914  
*Opisthosyllis*  
*brunnea* Langerhans, 1879  
*viridis* Langerhans, 1879  
*Palposyllis*  
*prosostoma* Hartman-Schroöder, 1977  
*prosostoma* Hartmann-Schröder, 1977  
*Parapionosyllis*  
*brevicirra* Day, 1954  
*elegans* (Pierantoni, 1903)  
*gestans* (Pierantoni, 1903)  
*labronica* Cognetti, 1965  
*minuta* (Pierantoni, 1903)  
*papillosa* (Pierantoni, 1903)  
*Paraprocerastea*  
*crocantinae* San Martin & Alos, 1989  
*Parasphaerosyllis*  
*indica* Monro, 1937  
*Paratyposyllis*  
*peresi* Laubier, 1968  
*Petitia*  
*amphophthalma* Siewing, 1955  
*Pionosyllis*  
*serrata* Southern, 1914  
*anophthalma* Capaccioni & San Martin, 1990  
*compacta* Malmgren, 1867  
*dionisi* Nuñez & San Martin, 1991  
*divaricata* (Keferstein, 1862)  
*gorringensis* Hartmann-Schröder, 1977  
*lamelligera* de Saint Joseph, 1886  
*longocirrata* de Saint Joseph, 1886  
*malmgreni* McIntosh, 1869  
*morenoae* San Martin, 1984  
*proprewismanni* Dauvin & Lee, 1983  
*pulligera* (Krohn, 1852)  
*serratsetosa* López, San Martin & Jiménez, 1997  
*weismanni* Langerhans, 1879  
*Plakosyllis*  
*brevipes* Hartmann-Schröder, 1956  
*Proceraea*  
*aurantiaca* Claparède, 1868  
*cornuta* (Agassiz, 1884)  
*fasciata* Langerhans, 1879  
*macrophthalma* (Marenzeller, 1874)  
*picta* Ehlers, 1864  
*prismatica* (O.F. Müller, 1776)  
*Procerastea*  
*halleziana* Malaquin, 1893  
*nematodes* Langerhans, 1884  
*perieri* Gravier, 1900  
*pori* Ben-Eliahu, 1977  
*Pseudobrania*  
*subterranea* Hartmann-Schröder, 1977  
*Pseudosyllides*  
*balearica* San Martin, 1984  
*Pseudosyllis*  
*brevipennis* Grube, 1863  
*Spermiosyllis*  
*torulosa* Claparède, 1864  
*Sphaerosyllis*  
*adelae* San Martin, 1984  
*austriaca* Banse, 1959  
*belizensis* Russell, 1989  
*brevicirra* Hartmann-Schröder, 1960  
*bulbosa* Southern, 1914  
*campoyi* San Martin, 1982  
*capensis* Day, 1953  
*claparedei* Ehlers, 1864  
*cryptica* Ben-Eliahu, 1977  
*erinaceus* Claparède, 1863  
*giandoi* Somaschini & San Martin, 1994  
*glandulata* Perkins, 1981  
*gravinae* Somaschini & San Martin, 1994  
*hystrix* Claparède, 1863  
*longicauda* Webster & Benedict, 1887  
*ovigera* Langerhans, 1879  
*papillifera* Naville, 1933  
*pirifera* Claparède, 1868  
*piriferopsis* Perkins, 1981  
*taylori* Perkins, 1981



- tetralix* Eliason, 1920  
*thomasi* San Martin, 1984  
*xarifae* Hartmann-Schröder, 1960
- Streptosyllis*  
*arenae* Webster & Benedict, 1884  
*bidentata* Southern, 1914  
*templadoi* San Martin, 1984  
*varians* Webster & Benedict, 1887  
*websteri* Southern, 1914
- Syllides*  
*articulocirrata* Gillandt, 1979  
*bansei* Perkins, 1981  
*benedicti* Banse, 1971  
*convoluta* Webster & Benedict, 1884  
*edentatus* Westheide, 1974  
*edentula* Claparède, 1868  
*fulvus* (Marion & Bobretzky, 1875)  
*japonicus* Imajima, 1966  
*longocirrata* Oersted, 1845  
*pseudoconvolutus* San Martin, 1984
- Syllis*  
*armillaris* (O.F. Müller, 1776)  
*atlantica* Cognetti, 1960  
*brevipennis* (Grube, 1863)  
*fasciata* Malmgren, 1867  
*alternata* Moore, 1908  
*amica* Quatrefages, 1865  
*beneliahui* (Campoy, 1982)  
*binocula* Czerniavsky, 1881  
*bouvieri* Gravier, 1900  
*caeca* (Katzmann, 1973)  
*columbretensis* Campoy, 1982  
*compacta* Gravier, 1900  
*corallicola* Verrill, 1900  
*corallicoloides* Augener, 1922  
*cruzi* Nuñez & San Martin, 1991  
*cucullata* McIntosh, 1908  
*czerniavskiyi* (Czerniavsky, 1881) nov comb.  
*ferrani* Alos & San Martin, 1987  
*garciai* (Campoy, 1982)  
*gerlachi* (Hartmann-Schröder, 1960)  
*gerundensis* Alos & Campoy, 1981  
*golfonoensis* (Hartmann-Schröder, 1962)  
*gracilis* Grube, 1840  
*hyalina* Grube, 1863  
*incisa* (O. Fabricius, 1780)  
*kabilica* (Ben-Eliahu, 1977)  
*katzmanni* (Katzmann, 1973)  
*krohnii* Ehlers, 1864  
*luqueti* San Martin, 1984  
*lutea* Hartmann-Schröder, 1960  
*mediterranea* (Ben-Eliahu, 1977)  
*nepitosa* Caullery & Mesnil, 1916  
*nidarosiensis* Bideknapp, 1907  
*nigrans* Bobretzky, 1870  
*nigricirris* Grube, 1863  
*nuchalis* Hartmann-Schröder, 1960  
*oerstedii* (Malmgren, 1867)  
*pectinans* Haswell, 1920  
*pontica* (Czerniavsky, 1881)  
*prolifera* Krohn, 1852  
*pulvinata* (Langerhans, 1881)  
*rosea* (Langerhans, 1879)  
*schulzi* Hartmann-Schröder, 1960  
*torquata* Marion & Bobretzky, 1875  
*truncata* subsp. *cryptica* (Ben-Eliahu, 1977)  
*variegata* Grube, 1860  
*vittata* (Grube, 1840)  
*vivipara* Krohn, 1869  
*westheidei* San Martin, 1984  
*zonata* (Haswell, 1833)
- Trypanosyllis*  
*aeolis* Langerhans, 1879  
*coeliaca* Claparède, 1868  
*gigantea* (McIntosh, 1885)
- rosea* (Grube, 1863)  
*zebra* (Grube, 1840)
- Umbellisyllis*  
*clavata* (Langerhans, 1879)  
*fasciata* M. Sars, 1869
- Xenosyllis*  
*scabra* (Ehlers, 1864)
- Family Terebellidae**
- Amaeana*  
*trilobata* (M. Sars, 1863)
- Amphitrite*  
*affinis* Malmgren, 1866  
*alcicornis* Fauvel, 1909  
*cirrata* (O.F. Müller, 1771 in 1776)  
*edwardsi* (Quatrefages, 1865)  
*orotavae* Langerhans, 1881  
*praecox* de Saint Joseph, 1899  
*rubra* (Risso, 1828)  
*variabilis* (Risso, 1826)
- Amphitritides*  
*gracilis* (Grube, 1860)  
*kuehlmanni* Arvanitidis & Koukouras, 1994
- Artacama*  
*proboscidea* Malmgren, 1866
- Axionice*  
*flexuosa* (Grube, 1860)  
*maculata* (Dalyell, 1853)  
*mirabilis* (McIntosh, 1885)
- Baffinia*  
*hesslei* (Annenkova, 1924)
- Ehlersiella*  
*hirsuta* Roule, 1896
- Eupistella*  
*dibranchiata* (Fauvel, 1909)
- Eupolymnia*  
*nebulosa* (Montagu, 1818)  
*nesidensis* (Delle Chiaje, 1828)
- Euthelepus*  
*setubalensis* McIntosh, 1885
- Hauchellia*  
*tribulata* (McIntosh, 1869)
- Lanassa*  
*nordenskiöldi* Malmgren, 1866  
*venusta* (Malm, 1874)
- Lanice*  
*conchilega* (Pallas, 1766)
- Laphania*  
*boeckii* Malmgren, 1866
- Leanea*  
*abbranchiata* Malmgren, 1866  
*ebranchiata* (M. Sars, 1865)
- Loimia*  
*medusa* (Savigny, 1818)
- Lysilla*  
*loveni* Malmgren, 1866  
*nivea* Langerhans, 1884
- Neoamphitrite*  
*affinis* (Malmgren, 1866)  
*edwardsi* (Quatrefages, 1865)  
*figulus* (Dallyell, 1853)  
*grayi* (Malmgren, 1866)  
*groenlandica* Malmgren, 1866
- Nicolea*  
*venustula* (Montagu, 1818)  
*zostericola* Oersted, 1844
- Octobranchus*  
*floriceps* Kingston & Mackie, 1980
- Paramphitrite*  
*tetrabranchia* Holthe, 1976
- Parathelepus*  
*collaris* (Southern, 1914)
- Phisidia*  
*aurea* Southward, 1956  
*oculata* (Langerhans, 1881)
- Pista*

*cretacea* (Grube, 1860)  
*cristata* (O.F. Müller, 1776)  
*maculata* (Dalyell, 1853)  
*malmgreni* Saphronova, 1997  
*mediterranea* de Gaillande, 1970  
*mirabilis* (McIntosh, 1885)  
*unibranchia* Day, 1963

*Pistella*  
*lornensis* (Pearson, 1969)

*Polycirrus*  
*arcticus* M. Sars, 1825  
*arenivorus* Caullery, 1916  
*aurantiacus* Grube, 1860  
*caliendrum* Claparède, 1868  
*denticulatus* de Saint Joseph, 1894  
*haematodes* (Claparède, 1864)  
*jubatus* Bobretzky in Annenkova, 1924  
*latidens* Eliason, 1962  
*medusa* Grube, 1850  
*norvegicus* (Wolleback, 1912)  
*pallidus* (Claparède, 1864)  
*plumosus* Wollebaeck, 1912  
*tenuisetis* Langerhans, 1880

*Proclea*  
*grafii* (Langerhans, 1884)  
*malmgreni* (Ssolowiew, 1899)

*Streblosoma*  
*bairdi* (Malmgren, 1865)  
*heslei* Day, 1955  
*intestinalis* M. Sars, 1872

*Terebella*  
*ehrenbergi* Grube, 1870  
*lapidaria* Linnaeus, 1767

*Thelepus*  
*cincinnatus* (Fabricius, 1780)  
*setosus* (Quatrefages, 1865)  
*triserialis* (Grube, 1855)

#### Family Tomopteridae

*Tomopteris*  
*apsteini* (Rosa, 1908)  
*biancoi* Terio, 1947  
*cavallii* Rosa, 1907  
*duccii* Rosa, 1907  
*dunckeri* Rosa, 1907  
*elegans* Chun, 1888  
*eschsoltzi* Greef, 1879  
*espansa* Caroli, 1932  
*helgolandica* Greef, 1879  
*kefersteini* Greeff, 1879  
*krampi* Stop-Bowitz, 1948  
*levipes* Greeff, 1879  
*ligulata* Rosa, 1908  
*marginata* Caroli, 1932  
*miriaglandulata* Terio, 1947  
*nationalis* Apstein, 1900  
*nisseni* Rosa, 1908  
*partenopea* Caroli, 1928  
*pediculosa* Terio, 1947  
*pierantonii* Terio, 1947  
*planktonis* Apstein, 1900  
*poliglandulata* Caroli, 1932  
*septentrionalis* Steenstrup, 1849  
*temis* Caroli, 1932

#### Family Trichobranchidae

*Octobranchus*  
*floriceps* Kingston & Mackie, 1980  
*lingulatus* (Grube, 1863)

*Terebellides*  
*carnea* Bobretsky, 1881  
*stroemii* M. Sars, 1835

*Trichobranchus*  
*glacialis* Malmgren, 1865  
*roseus* (Malm, 1874)

#### Family Trochochaetidae

*Trochochaeta*  
*multisetosa* (Oersted, 1844)  
*watsoni* (Fauvel, 1916)

#### Family Typhloscolecidae

*Sagitella*  
*kowalevskiyi* Wagner, 1872

*Travisioopsis*  
*lanceolata* Southern, 1910  
*levinseni* Southern, 1910  
*lobifera* Levinsen, 1885

*Typhloscolex*  
*muelleri* Busch, 1851  
*phylloides* Reibich, 1895

### Oligochaeta

Compiled by C. Erséus and B. Healy

This list was compiled by Brenda Healy (family Enchytraeidae) and C. Erséus (all other families).

Naididae is primarily a freshwater group, but the species included here occur sometimes or exclusively in brackish water. The most comprehensive and still useful review of naids is Sperber's (1948) monograph, but for the partly marine genus *Paranais*, Brinkhurst and Coates (1985) should also be considered.

The marine members of the Tubificidae have been subject to extensive systematic studies in recent years, in particular by C. Erséus, but since the publication of the key to marine and estuarine European species by Brinkhurst (1982), there is no compiled information other than that to be gathered from the primary taxonomical literature (e.g. Brinkhurst 1985, 1986; Erséus 1982, 1983a-b, 1985, 1987a-b and 1992). Some tubificids are restricted to brackishwater, but the majority of species are indeed marine, some species occurring at bathyal or even abyssal depths.

The single megascolecoid included, *Pontodrilus bermudensis*, known from the Mediterranean Sea, is an earthworm (Easton 1984). It is widely distributed in marine beaches throughout the tropics and subtropics of the world, and one of the few, if not the only, earthworm in marine habitats.

The revision and taxonomy of European Enchytraeidae by Nielsen & Christensen (1959, 1961, 1963) provides the basis for the present list of this family, but over 30 European species have been subsequently added and more species await description. Taxonomic difficulties, and the lack of a modern guide to European species, mean that enchytraeids continue to be neglected and are almost never identified, even to genus, in surveys of marine fauna. Faunistic studies have been concentrated in principally the western Baltic, western Scandinavia and continental North Sea coasts, Iceland, Ireland, Wales, and the Atlantic coast of France. There are some records from Svalbard, Barents Sea, Beye More (White Sea), the eastern Baltic, and Scotland, but few from the coasts of the Iberian Peninsula or the Mediterranean.

Marine enchytraeids are mainly associated with habitats in the upper intertidal, and only the genus *Grania* is widespread in offshore benthos. Most records are from intertidal deposits, and tidal debris around high water mark where there is some overlap with the terrestrial fauna. The most commonly reported terrestrial species in saltmarshes and tidal debris are included in the list (six spp). The lower salinity limit for most brackishwater