

United Kingdom Sea Fisheries Statistics 2008







UK SEA FISHERIES STATISTICS 2008

Editors Craig Irwin & Tasneem Padia

Production Team Jennifer Collins

Alan Cornell Guy Ellis

John Garnsworthy

Stefan Reade Bethan Thomas Lorraine Williams Kevin Williamson James Williscroft

Patrick Wintz





A National Statistics Publication

National Statistics are produced to high professional standards set out in the *National Statistics Code of Practice*. They undergo regular quality assurance reviews to ensure that they meet customer needs. They are produced free from any political interference.

For general enquiries, contact the National Statistics Public Enquiry Service:

Customer Contact Centre
Office for National Statistics
Cardiff Road
Newport
South Wales
NP10 8XG

Telephone: 0845 601 3034 Minicom: 01633 812399 Fax: 01633 652747

E-mail: info@statistics.gov.uk

You can also find National Statistics on the Internet at: www.statistics.gov.uk

Marine and Fisheries Agency 4th Floor Ergon House Horseferry Road London SW1P 2AL Telephone: 020 7270 8071

Website: www.mfa.gov.uk Email: info@mfa.gsi.gov.uk

© Crown copyright 2009

Copyright in the typographical arrangement and design rests with the Crown.

This publication (excluding the logo) may be reproduced free of charge in any format or medium provided that it is reproduced accurately and not used in a misleading context. The material must be acknowledged as Crown copyright with the title and source of the publication specified.

Cover photograph © Carol Billson (MFA)

Further copies of this publication are available from:

Defra Publications Admail 6000 London SW1A 2XX

Tel: 08459 556000

This document is also available on the MFA website.

Published by the Department for Environment, Food and Rural Affairs. Printed in the UK, September 2009, on material that contains 100% recycled fibre for uncoated paper and a minimum of 75% recycled fibre for coated paper

Product code PB13290 ISBN 97

ISBN 978-0-85521-187-5

Contents

	page
Preface	ix
Special note	xi
Explanatory notes	xiii
1 Overview of the UK fishing industry	1
2 The structure of the UK fishing industry	9
3 Catches and landings data	29
4 Supplies, overseas trade and marketing	59
5 Main stocks and their level of exploitation	67
6 Overview of the world fishing industry	91
Appendix 1: Glossary of terms	95
Appendix 2: UK fisheries statistics methodology	97
Appendix 3: Further information	99

Statistical tables and charts

List of tables

Table		Page
1.1	Landings by UK vessels into major ports: 2008	6
2.1	Size of the UK fishing fleet: 1999 to 2008	10
2.2	Size of the UK fishing fleet, by country of administration: 2005 to 2008	12
2.3	UK fleet by vessel length and country of administration: 2008	14
2.4	Age of UK vessels by country of administration: 2008	19
2.5	Fish Producer Organisation (FPO) membership: 2007 to 2008	20
2.6	Number of UK fishermen: 1938 to 2008	22
2.7	Number of incidents, lost vessels and fatalities involving UK vessels: 1999 to 2008	27
3.1	Landings into the UK and abroad by UK vessels: 2004 to 2008	31
3.2	All landings into the UK and UK vessels' landings abroad: 2004 to 2008	32
3.3	Landings into the UK by UK and foreign vessels: 1938 to 2008	41
3.4	Landings into the UK and abroad by UK vessels by area of capture: 2008	52
3.5	Total Allowable Catches, quotas and uptake (%): 2008	53
4.1	Balance sheet for the UK: 1999 to 2008	59
4.2	Imports of fish, fish preparations, meals, flours and oils into the UK: 2004 to 2008	61
4.3	Exports of fish, fish preparations, meals, flours and oils from the UK: 2004 to 2008	62
5.1	Fishing areas used for ICES' stock assessments and EU quota allocations	68
6.1	World catch by continent: 2000 to 2007	91
6.2	World catch by sea area: 2000 to 2007	93

List of charts

Chart		Page
1.1	UK fleet size: 1999 to 2008	1
1.2	Number of fishermen in the UK: 1999 to 2008	1
1.3	UK vessels landing into the UK and abroad: 1999 to 2008	2
1.4	UK vessels landing into the UK and abroad by species group: 1999 to 2008	2
1.5	Value of landings by UK vessels	3
1.6	Landings into the UK and abroad by vessel nationality: 1999 to 2008	3
1.7	Landings into the UK and abroad by vessel nationality and species group: 2008	4
1.8	Catch by sea area, UK vessels: 2008	4
1.9	UK landings of key demersal species: 1994 to 2008	5
1.10	UK landings of key pelagic species: 1994 to 2008	5
1.11	UK landings of key shellfish species: 1994 to 2008	5
1.12	Average live weight value: 2008	6
1.13	Average live weight value of key species: 2008	7
1.14	UK imports and exports: 1999 to 2008	7
1.15	UK imports and exports by key species: 2008	8
2.1	Size of the EU fishing fleet by member state: 2008	10
2.2	Size of the UK fishing fleet by country: 2008	11
2.3	Percentage of vessels in the 10m and under and over 10m sectors by country: 2008	11
2.4	Size of the UK fishing fleet by length: 2008	13
2.5	Number of vessels by Administration Port: 2008	15
2.6	Capacity (GT) of fleet by Administration Port: 2008	16
2.7	Power (kW) of fleet by Administration Port: 2008	17
2.8	Size of the UK fishing fleet by year of build: 2008	18
2.9	Number of UK fishermen: 1999 to 2008	21
2.10	Number of UK fishermen by country: 1999 to 2008	21
2.11	Number of regular and part-time fishermen by country: 2008	21
2.12	Fishermen numbers by Administration Port: 2008	23
2.13	UK fishing fleet effort in kW days at sea: 2000 to 2008	24
2.14	UK fishing fleet effort in kW days at sea by gear type: 2008	24
2.15	Fleet size and effort (kW days) of vessels using beam trawls in the Sole Recovery Zone: 2000 to 2008	25
2.16	Fleet size and effort (kW days) of vessels using gear type TR1 in the Cod Recovery Zone: 2000 to 2008	25
2.17	Fleet size and effort (kW days) of vessels using gear type TR2 in the Cod Recovery Zone: 2000 to 2008	26

List of charts (continued)

Chart		Page
3.1	Quantity and value of landings into the UK and abroad by UK vessels by vessel nationality: 2004 to 2008	29
3.2	Landings into UK countries by UK vessels: 2008	30
3.3	Landing into the UK and abroad by UK vessels: 2004 to 2008	41
3.4	Landings of key demersal species into the UK and abroad by UK vessels: 1994 to 2008	42
3.5	Landings of demersal species abroad by UK vessels and landings into the UK by foreign vessels: 2008	42
3.6	Demersal catch by UK fleet: 2008	43
3.7	Landings of key pelagic species into the UK and abroad by UK vessels: 1994 to 2008	44
3.8	Landings of pelagic species abroad by UK vessels and landings into the UK by foreign vessels: 2008	44
3.9	Pelagic catch by UK fleet: 2008	45
3.10	Landings of key shellfish species into the UK and abroad by UK vessels: 1994 to 2008	46
3.11	Landings of shellfish species abroad by UK vessels and landings into the UK by foreign vessels: 2008	46
3.12	Shellfish catch by UK fleet: 2008	47
3.13	Landings into the top 20 UK ports by UK vessels: 2008	48
3.14	Landings into the top 20 UK ports by UK vessels by species type: 2008	49
3.15	Landings into the UK and abroad by UK vessels by area of capture: 2008	50
3.16	Proportion of total UK landings by UK vessels into the UK and abroad from a sustainable source: 2000 to 2008	58
4.1	International trade of fish: 1999 to 2008	60
4.2	Total fish available for domestic use in the UK: 1999 to 2008	60
4.3	UK imports and exports by key species: 2008	63
4.4	Imports and exports by country: 2008	64
4.5a	Imports to the UK of cod by exporting country: 2008	65
4.5b	Imports to the UK of tuna by exporting country: 2008	65
4.6a	Exports from the UK of mackerel by importing country: 2008	66
4.6b	Exports from the UK of salmon by importing country: 2008	66
5.1	Cod stock assessments and TACs for stocks around the UK: 2008	72
5.2	Stock Assessment - North Sea Cod	73
5.3	Stock Assessment - West of Scotland Cod	74
5.4	Stock Assessment - Celtic Sea Cod	75
5.5	Stock Assessment - Irish Sea Cod	76

List of charts (continued)

5.6	Haddock stock assessments and TACs for stocks around the UK: 2008	77
5.7	Stock Assessment - North Sea Haddock	78
5.8	Stock Assessment - West of Scotland Haddock	79
5.9	Plaice stock assessments and TACs for stocks around the UK: 2008	80
5.10	Stock Assessment - North Sea Plaice	81
5.11	Stock Assessment - Irish Sea Plaice	82
5.12	Sole stock assessments and TACs for stocks around the UK: 2008	83
5.13	Stock Assessment - North Sea Sole	84
5.14	Stock Assessment - Irish Sea Sole	85
5.15	Stock Assessment - VIId Sole	86
5.16	Stock Assessment - VIIe Sole	87
5.17	Stock Assessment - North Sea Herring	88
5.18	Stock Assessment - North East Atlantic Mackerel	89
6.1	World catch by nationality of vessel, major catchers of fish: 2007	92
6.2	FAO marine fishing areas	94

Preface

The UK Sea Fisheries Statistics annual report provides a broad picture of the UK fishing industry and its operations. The tables shown in this publication along with more detailed tables for each chapter can be found on the MFA website.

Please see www.mfa.gov.uk for details.

We recommend that you refer to the explanatory notes and glossary of terms which are important in interpreting some of the data.

If you have any comments on this publication or would like more detailed information, please contact:

Fisheries Statistics
Marine and Fisheries Agency
4th Floor
Ergon House
Horseferry Road
London SW1P 2AL

Telephone: 020 7270 8071 Fax: 020 7270 8072 Email: fsu@mfa.gsi.gov.uk

Special note

The 2007 edition of the United Kingdom Sea Fisheries Statistics introduced several changes to the format and content of the publication. These were aimed at ensuring that the readers of the publication could make the most of the information presented by providing an increased element of interpretation of the statistics. At the same time, we acknowledged that there were users of the very detailed sets of information that had been included in previous editions. As such the changes made were two-fold – a change to the format of the paper publication, with any tables removed from the paper publication compiled and made available on the internet. It is our aim to continue this review process to ensure that the publication remains relevant and useful to its users. As part of this process we plan to explore the following changes to the 2009 edition to be published next year:

- Assessing the need for a hard copy publication versus electronic publication of tables.
- We will still produce an annual statistics publication, but for those chapters where data is
 finalised earlier in the year we will consider publishing these in stand-alone form earlier in the
 year.
- More regular updates of previous years' figures, including the potential of more regular in-year revisions e.g. monthly or quarterly updates.
- Review of the species to be included in detailed analyses.
- Review of what species group individual species are allocated to e.g. blue whiting to be moved to pelagic species from demersal species.
- Review of countries to include in detailed analyses.

We wish to ensure that users are involved in this process of review and change to the publication. We would like to establish a small group of stakeholders to work with us to provide insight on these proposed changes and other changes identified by users during the review process.

If you would like to be involved in this review please contact the Fisheries Statistics Unit and we will ensure that you are engaged with the review process, contact details are listed below.

Fisheries Statistics
Marine and Fisheries Agency
4th Floor
Ergon House
Horseferry Road
London SW1P 2AL

Telephone: 020 7270 8071

Fax: 020 7270 8072

Email: fsu@mfa.gsi.gov.uk

Explanatory notes


- 1. The tables refer, as far as possible, to the United Kingdom, including the Isle of Man and the Channel Islands, with separate figures for England and Wales, Scotland and Northern Ireland. In some cases figures for the various parts of the United Kingdom are not strictly comparable and differences are explained in the headings and footnotes of the tables.
- 2. The figures in the tables in Chapter 3 and 6 for landings are given in terms of live weight. Those in Chapter 4 are for landed weight.
- 3. Landings by foreign vessels into the UK include landings by fishing vessels and carriers (if first point of sale of fish). Total imports which combine landings by fishing vessels, carriers and cargo vessels are shown in Table 4.2.
- 4. Landing figures include a quantity caught by UK vessels but not actually landed at UK ports. These quantities are transhipped to foreign vessels in coastal waters and are later recorded as exports.
- 5. The following symbols apply throughout:
 - means "nil"
 - .. means "negligible" (less than half the last digit shown)
 - nd means "no data available"
 - na means "not applicable"

1 Overview of the UK fishing industry

Fleet size and employment


In 2008, the UK fishing industry had 6,573 fishing vessels compared with 8,039 in 1999, a reduction of 18 per cent. The fleet in 2008 comprised 5,077 10 metre and under vessels and 1,496 over 10 metre vessels.

Chart 1.1: UK fleet size: 1999 to 2008



There were 12,761 fishermen in 2008. This is down 24 per cent since 1999 although there has been little change since 2003. Of these, 5,749 were based in England (down 20 per cent since 1999), 995 in Wales (down 32 per cent since 1999), 5,392 in Scotland (down 26 per cent since 1999) and 625 in Northern Ireland (down 33 per cent). Part-time fishermen accounted for 20 per cent of the total, a proportion that has changed little over the last ten years. Further details can be found in Chapter 2.

Chart 1.2: Number of fishermen in the UK: 1999 to 2008



Catch by UK vessels

Chapter 3 presents information on quantity (live weight), value and area of capture for all UK vessels landing into the UK and abroad as well as for foreign vessels landing into the UK. Landings by member states against individual European Commission quotas for each fish stock targeted by the UK are also provided.

Quantity 000 tonnes / £ million Value 300-0.

Chart 1.3: UK vessels landing into the UK and abroad: 1999 to 2008

UK vessels landed 588 thousand tonnes of sea fish (including shellfish) in 2008, with a value of £629 million. Compared with 2007, this is a fall of 4 per cent in quantity and 3 per cent in value.





Chart 1.4: UK Vessels landing into the UK and abroad by species group: 1999 to 2008


Landings of demersal fish fell by 7 per cent since 2007 and have more than halved over the last 10 years. Pelagic landings declined by 5 per cent and shellfish landings rose by 3 per cent from 2007 to 2008.

Chart 1.5: Value of landings by UK vessels



The reduction in landings of demersal and pelagic fish over the last 10 years has contributed to shellfish – which previously accounted for 31 per cent in value of all landings in 1999 – accounting for 42 per cent of the total in 2008, a larger proportion than demersal fish.


Chart 1.6: Landings into the UK and abroad by vessel nationality: 1999 to 2008



(a) 1999 - 2002 Data for Wales is included with data for England.

Landings by Scottish vessels fell from 596 thousand tonnes in 1999 to 372 thousand tonnes in 2008. As a result the Scottish fleet's share of total landings was 63 per cent, down from 71 per cent in 1999. Over the same period there was a rise in the English fleet's share of total landings from 23 per cent to 28 per cent. The Northern Irish fleet's share remained at around 5 per cent during this period.

Chart 1.7: Landings into the UK and abroad by vessel nationality & species group: 2008 ('000 tonnes)




In terms of quantity, the Scottish fleet's catch was dominated by landings of demersal and pelagic fish. The Northern Irish catch was mostly pelagic and shellfish, the Welsh catch was largely shellfish, while the English catch was fairly evenly spread across all species groups.

Catch, by sea area


In 2008, 47 per cent of all landings by UK vessels were caught off the Northern North Sea or West of Scotland (Areas IVa and VIa – see Chart 3.14 for a map of fishing areas).

Chart 1.8: Catch by sea area, UK vessels: 2008




Catch, by individual species

Chart 1.9: UK landings of key demersal species: 1994 to 2008




Falling catches of cod and haddock have contributed to the large reduction in demersal landings since 1994. In 2008, the UK fleet landed 19 thousand tonnes of cod (down 72 per cent since 1994) and 33 thousand tonnes of haddock (down 65 per cent since 1994). This represents a combined decrease of 110 thousand tonnes.

Chart 1.10: UK landings of key pelagic species: 1994 to 2008



In 2008, 128 thousand tonnes of mackerel were landed, a decrease of 46 per cent since 1994. Herring landings fell by 35 per cent since 1994 to 67 thousand tonnes in 2008.

Chart 1.11: UK landings of key shellfish species: 1994 to 2008



In 2008, 44 thousand tonnes of nephrops were landed, a 43 per cent increase since 1994. Landings of crabs have increased by 32 per cent since 1994 to 28 thousand tonnes. The quantity of scallops landed was 23 thousand tonnes, an increase of 65 per cent since 1994.

Landings into UK ports


Table 1.1 shows the three ports for each UK country with the highest quantity of landings. In 2008, the ports of Peterhead, Lerwick and Fraserburgh accounted for 51 per cent by quantity and 38 per cent by value of all landings by UK vessels into the UK.

TABLE 1.1 Landings by UK vessels into major ports: 2008

	Demersal		Pela	Pelagic		Shellfish		Total	
	000t	£m	000t	£m	000t	£m	000t	£m	
England									
Brixham	4.1	11.2	2.1	0.5	4.8	7.6	11.0	19.3	
Plymouth	1.1	3.5	7.5	2.7	2.0	2.9	10.7	9.0	
Leigh-on-Sea		0.1			8.7	4.5	8.7	4.5	
Wales									
Penrhyn	-	-	-	-	4.3	1.5	4.3	1.5	
Milford Haven	1.5	3.9			1.6	3.0	3.1	6.9	
Holyhead			-	-	2.1	2.1	2.1	2.2	
Scotland									
Peterhead	45.9	50.3	64.1	38.6	3.4	10.2	113.3	99.1	
Lerwick	16.1	16.6	49.2	31.0	8.0	2.5	66.2	50.1	
Fraserburgh	9.0	11.9	6.6	3.1	12.2	31.9	27.7	46.9	
Northern Ireland									
Ardglass	0.2	0.3	7.4	2.6	2.4	4.2	9.9	7.0	
Kilkeel	0.9	1.3	0.1		4.1	6.8	5.1	8.1	
Portavogie	0.6	1.3			2.6	4.5	3.2	5.7	

Average value

Chart 1.12: Average live weight value: 2008



In 2008, the average value of shellfish landed by UK vessels into the UK was £1,802 per tonne (live weight) compared with £1,435 per tonne for demersal species and £572 per tonne for pelagic species. Figures for key species are shown below.




Chart 1.13: Average live weight value of key species: 2008

Imports and exports

In 2008, imports of fish and fish preparations rose to 781 thousand tonnes, a 4 per cent increase from 2007. Over the same period, exports decreased by 11 per cent to 416 thousand tonnes.




Chart 1.14: UK imports and exports: 1999 to 2008

Imports were highest for tuna, cod, shrimps and prawns and haddock. The UK exported mostly mackerel, salmon and herring.




Chart 1.15: UK imports and exports by key species: 2008

In 2008, imports into the UK were highest from Iceland (103 thousand tonnes), Germany (71 thousand tonnes) and China (55 thousand tonnes). Of the UK exports, the largest amounts went to the Netherlands (75 thousand tonnes), France (75 thousand tonnes) and Russia (44 thousand tonnes).

Full details on imports and exports are in Chapter 4.

Chapter 5 provides summary information on the scientific assessment of key fish stocks. Chapter 6 compares the UK fishing industry with other European countries and the rest of the world.

2 The structure of the UK fishing industry

Introduction

Statistics on the UK fishing fleet since 1990 have been based on the fleet of fishing vessels as registered with the Register of Shipping and Seamen, part of the Maritime and Coastguard Agency which is an executive agency of the Department for Transport. Information provided by the Register includes the length (overall and registered), breadth, gross tonnage, power, age and material of construction. Information on the fishing fleets of the Isle of Man, Guernsey and Jersey are supplied by the respective registering authorities. Prior to 1990, the statistics were based on fishing vessels known by Administrative Departments to be active.

Statistics on the size of the UK fishing fleet are complicated by the fact that the European Union has been progressively altering the methodology used to determine vessel tonnage for the fishing fleet from various national and international standards, previously collectively called Gross Registered Tonnage (GRT), to a common standard based on the International Tonnage Convention 1969 (ITC69) and known as Gross Tonnage (GT). A phased programme of remeasurement was introduced in the UK in 1996 which was completed by the early part of 2004.

Licensing of vessels first applied in 1977 and covered only fishing vessels over 40 feet (12.14 metres) in certain fisheries. Following the adoption of the European Union's Common Fisheries Policy, the UK designated a number of fish stocks as pressure stocks and introduced a restrictive licensing scheme for vessels fishing those stocks. The licensing regime initially only covered vessels over 10 metres registered length, but its coverage has been progressively extended over the years.

- In February 1990 the licensing regime was extended to vessels of over 10 metres overall length fishing for quota stocks.
- Later in 1990 restrictive licensing was extended to cover all fishing by vessels over 10 metres
 overall length with the exception of those fishing for salmon and migratory trout which were
 covered by a separate regime.
- From May 1993 licensing was extended to vessels of 10 metres and under overall length.

Statistics on the UK fishing fleet in this edition of UK Sea Fisheries Statistics are based on the fleet of fishing vessels as registered with the Register of Shipping and Seamen. The UK fleet has been broken down for analysis by individual country based on the administration ports where vessels were licensed as at the end of 2008. Vessels which are registered but unlicensed at this time are deemed to be inactive and are not counted against any country.

All tables presented here are available on the MFA website. Supplementary tables showing more detail can also be found on the website.

The EU fishing fleet

In 2008, the highest number of fishing vessels in the European Union was in Greece (17,400) while the UK was sixth with 6,600 (see Chart 2.1). Spain's capacity (461 thousand GT) is by far the largest, being more than double that of second place UK with 208 thousand GT. The UK has the fourth most powerful fleet (0.84 million kW) behind Spain (1.03 million kW), France (1.08 million kW) and Italy (1.15 million kW).




Chart 2.1: Size of the EU fishing fleet by member state: 2008

The UK fishing fleet

The number of registered UK fishing vessels fell by 18 per cent over the last ten years. Capacity (GT) and power (kW) have decreased by 22 per cent and 15 per cent respectively over the same period (see Table 2.1). As well as an underlying downwards trend in the size of the fleet, UK fisheries administrations have operated significant decommissioning exercises in 2001-2002, 2003 and 2007.

Table 2.1 Size of the UK fishing fleet: 1999 to 2008^(a)

At year end:

	Number	Gross Tonnage (GT) ^(b)	Power (kW)
1999	8,039	264,453	978,644
2000	7,818	262,406	980,636
2001	7,721	263,040	1,001,648
2002	7,578	240,898	947,964
2003	7,096	227,449	907,340
2004	7,022	222,529	897,398
2005	6,716	217,617	876,479
2006	6,752	214,181	863,496
2007	6,763	212,816	858,011
2008	6,573	207,423	836,485


Source: Marine and Coastguard Agency and Fisheries Administrations in the UK

⁽a) Includes Channel Islands, the Isle of Man and inactive vessels. Excludes mussel dredgers.

⁽b) The series for GT is on the basis of GT at the end of 2003.

The UK fishing fleet by country

Chart 2.2: Size of the UK fishing fleet by country: 2008



England has the largest number of vessels, accounting for 49 per cent of the total UK fleet with Scottish vessels making up 34 per cent of the UK fleet. However, Scotland has the highest share of capacity (GT), 61 per cent, and power (kW), 50 per cent, compared with 29 per cent and 37 per cent respectively in England (see Chart 2.2).

To understand why England has a larger number of vessels than Scotland and yet has a smaller share of capacity and power requires a more detailed analysis of the fleet composition based on vessel length (see Table 2.3). This apparent imbalance can partly be explained by the higher proportion of vessels of 10 metres and under in length in the English fleet – 82 per cent in England compared with 68 per cent in Scotland (see Chart 2.3).

Chart 2.3: Percentage of vessels in the 10m and under and over 10m sectors by country: 2008




Table 2.2 shows the number, capacity (GT) and power (kW) of registered UK fishing vessels by vessel nationality and sector, i.e. over 10 metres and 10 metres and under in length.

TABLE 2.2 Size of the UK fishing fleet, by country of administration: 2005 to 2008^(a)

At year end:

						Northern		, ,	
			England	Wales	Scotland	Ireland	Islands ^(b)	Inactive (c)	Total
2005	10m and under vessels	No.	2,593	449	1,548	195	270	79	5,134
		GT	9,451	1,248	5,803	814	609	193	18,118
		kW	139,015	23,560	81,026	10,510	14,036	3,893	272,041
	Over 10m vessels	No.	625	47	718	137	28	27	1,582
		GT	59,611	6,650	117,138	13,646	679	1,774	199,499
		kW	192,429	16,314	339,109	44,158	5,033	7,395	604,438
	Total	No.	3,218	496	2,266	332	298	106	6,716
		GT	69,062	7,898	122,941	14,460	1,288	1,966	217,617
		kW	331,444	39,874	420,135	54,668	19,070	11,288	876,479
2006	10m and under vessels	No.	2,645	465	1,545	194	260	94	5,203
		GT	9,669	1,282	5,771	758	575	318	18,373
		kW	143,528	24,160	81,323	10,226	13,558	4,709	277,504
	Over 10m vessels	No.	609	39	711	137	28	25	1,549
		GT	61,068	5,952	110,735	13,755	679	3,619	195,808
		kW	189,776	13,849	320,223	44,858	5,033	12,253	585,991
	Total	No.	3,254	504	2,256	331	288	119	6,752
		GT	70,737	7,234	116,505	14,513	1,254	3,936	214,181
		kW	333,304	38,009	401,546	55,084	18,591	16,962	863,496
2007	10m and under vessels	No.	2,706	469	1,538	192	250	81	5,236
		GT	9,884	1,299	5,717	757	571	206	18,434
		kW	148,673	24,683	80,794	10,369	13,006	3,721	281,246
	Over 10m vessels	No.	601	40	702	144	28	12	1,527
		GT	59,711	6,276	112,861	13,860	644	1,029	194,382
		kW	183,619	13,570	324,199	46,449	4,765	4,163	576,766
	Total	No.	3,307	509	2,240	336	278	93	6,763
		GT	69,595	7,575	118,577	14,617	1,216	1,235	212,816
		kW	332,292	38,253	404,994	56,818	17,770	7,884	858,011
2008	10m and under vessels	No.	2,635	436	1,505	204	247	50	5,077
		GT	9,548	1,244	5,545	864	566	137	17,904
		kW	144,684	23,425	79,044	11,924	12,654	2,465	274,195
	Over 10m vessels	No.	565	34	708	147	29	13	1,496
		GT	50,427	4,361	121,249	11,870	674	939	189,519
		kW	161,766	9,377	340,940	40,904	5,026	4,276	562,289
	Total	No.	3,200	470	2,213	351	276	63	6,573
		GT	59,974	5,606	126,794	12,734	1,240	1,075	207,423
		kW	306,450	32,803	419,984	52,828	17,679	6,741	836,485

Source: Marine and Coastguard Agency and Fisheries Administrations in the UK


⁽a) Excludes Mussel Dredgers.

⁽b) Islands include Guernsey, Jersey and the Isle of Man.

⁽c) Inactive vessels are vessels which are registered but unlicensed.

The UK fishing fleet by length

Chart 2.4: Size of the UK fishing fleet by length: 2008



Just over three quarters of the UK fleet is made up of vessels of 10 metres and under in length. These vessels account for 9 per cent of the fleet's capacity and a third of the fleet's power. However, vessels over 18 metres in length account for just 8 per cent of the total number but for 78 per cent of total capacity and 49 per cent of total power (see Chart 2.4).

Table 2.3 shows the number, capacity (GT) and power (kW) of registered UK fishing vessels by vessel nationality and vessel length.

Scotland has a higher proportion of large vessels than England. For example, 20 per cent of the Scotlish fleet exceeds 15 metres in length compared with 6 per cent in England. The capacity of the 165 vessels over 24 metres in length in Scotland exceeds the total capacity of the entire English fleet.

TABLE 2.3 UK fleet by vessel length and country of administration: 2008

	Overall length	8m and	8.01 -	10.01 -	15.01 -	18.01 -	Over	TOTAL
	_	under	10.00m	15.00m	18.00m	24.00m	24.00m	
England	Number	1,738	897	373	52	62	78	3,200
Lilgiand	Gross tonnage	3,008	6.540	7,591	2.979	6.345	33.512	59,974
	Engine power (kW)	52,638	92,046	57,813	10,325	16,363	77,266	306,450
Wales	Number	314	122	23	1	2	8	470
	Gross tonnage	472	772	443	46	196	3,676	5,606
	Engine power (kW)	11,432	11,994	2,787	84	758	5,748	32,803
Scotland	Number	1,007	498	263	117	163	165	2,213
	Gross tonnage	1,961	3,584	5,201	7,302	23,086	85,660	126,794
	Engine power (kW)	29,676	49,368	37,582	26,775	64,851	211,731	419,984
Northern	Number	114	90	43	32	56	16	351
Ireland	Gross tonnage	204	660	997	1,739	5,557	3,576	12,734
	Engine power (kW)	3,050	8,874	6,434	6,860	17,883	9,727	52,828
Islands ^(a)	Number	201	46	17	9	3	-	276
	Gross tonnage	384	183	155	331	187	-	1,240
	Engine power (kW)	7,145	5,509	2,480	1,708	837	-	17,679
Inactive (b)	Number	35	15	7	1	1	4	63
	Gross tonnage	51	85	133	105	191	510	1,075
	Engine power (kW)	1,053	1,411	1,619	358	485	1,814	6,741
TOTAL	Number	3,409	1,668	726	212	287	271	6,573
	Gross tonnage	6,081	11,823	14,520	12,502	35,563	126,934	207,423
	Engine power (kW)	104,994	169,202	108,716	46,110	101,177	306,287	836,485

Source: Marine and Coastguard Agency and Fisheries Administrations in the UK

The UK fishing fleet by administration port

Charts 2.5 to 2.7 show the fleet size by number of vessels, capacity (GT) and power (kW) for each administration port in the UK. Each chart shows the relative size of the fleet broken down into the over 10 metres and 10 metres and under sectors.

⁽a) Islands include Guernsey, Jersey and the Isle of Man.

⁽b) Inactive vessels are vessels which are registered but unlicensed.

Chart 2.5: Number of vessels by Administration Port: 2008




Chart 2.6: Capacity (GT) of fleet by Administration Port: 2008






Chart 2.7: Power (kW) of fleet by Administration Port: 2008



The UK fishing fleet by age

Chart 2.8: Size of the UK fishing fleet by year of build: 2008



Twenty eight per cent of vessels (whose age is known) are over 30 years old. Twenty nine per cent of the UK fleet was built between 1981 and 1990. While the number of vessels being built since 1990 has decreased, the average capacity (GT) and average power (kW) of the boats being built have increased (see Chart 2.8).

Table 2.4 shows a breakdown of the fleet by age in each country within the UK.

TABLE 2.4 Age of UK vessels by country of administration: 2008

				,	Year of cor	struction			
		Unknown	1960 or	1961-	1971-	1981-	1991-	2001-	TOTAL
			earlier	1970	1980	1990	2000	2008	
England	Number	267	138	235	674	891	581	414	3,200
	Gross tonnage	1,783	2,323	5,265	10,637	27,176	8,100	4,691	59,974
	Engine power (kW)	18,190	10,193	24,181	55,331	100,650	56,328	41,576	306,450
Wales	Number	55	7	17	81	148	89	73	470
	Gross tonnage	183	71	618	639	2,841	496	759	5,606
	Engine power (kW)	2,412	284	1,783	4,655	11,547	5,298	6,825	32,803
Scotland	Number	178	83	158	474	685	404	231	2,213
	Gross tonnage	3,154	2,567	6,682	15,387	29,093	30,259	39,651	126,794
	Engine power (kW)	10,249	6,878	22,461	60,811	105,257	96,642	117,685	419,984
Northern	Number	25	8	40	91	98	59	30	351
Ireland	Gross tonnage	399	294	2,103	4,424	4,530	621	362	12,734
	Engine power (kW)	1,721	1,203	7,911	16,162	17,434	4,961	3,436	52,828
Islands ^(a)	Number	18	20	37	70	66	55	10	276
	Gross tonnage	62	58	303	271	300	171	75	1,240
	Engine power (kW)	1,038	399	2,299	3,716	4,365	4,658	1,204	17,679
Inactive (b)	Number	9	2	4	7	18	5	18	63
	Gross tonnage	32	79	175	36	346	13	394	1,075
	Engine power (kW)	345	385	812	364	1,987	298	2,550	6,741
TOTAL	Number	552	258	491	1,397	1,906	1,193	776	6,573
	Gross tonnage	5,613	5,392	15,146	31,395	64,287	39,659	45,931	207,423
	Engine power (kW)	33,955	19,342	59,448	141,040	241,240	168,184	173,275	836,485

Source: Marine and Coastguard Agency and Fisheries Administrations in the UK

⁽a) Islands include Guernsey, Jersey and the Isle of Man.

⁽b) Inactive vessels are vessels which are registered but unlicensed.

Membership of Fish Producer Organisations

Around a third of vessels over 10 metres in length were not members of a Fish Producer Organisation (FPO) on 1 January 2008. Of the 23 FPOs listed in Table 2.5, the Scottish FPO had the highest membership (227 vessels) which is almost double that of the second largest FPO.

TABLE 2.5 Fish Producer Organisation (FPO) membership^(a): 2007 to 2008

Membership as at 1 January for each year

	2007	7 ^(b)	2008	3 ^(b)
	Vessels	Members	Vessels	Members
	in	as a %	in	as a %
	membership	of total	membership	of total
Scottish FPO Ltd	229	15%	227	15%
Northern Ireland FPO Ltd	115	8%	118	8%
Cornish FPO Ltd	104	7%	98	7%
South Western FPO Ltd	77	5%	77	5%
Eastern England FPO Ltd	49	3%	50	3%
Anglo Northern Irish FPO Ltd	44	3%	45	3%
Anglo Scottish FPO Ltd	47	3%	45	3%
Northern Producers Organisation Ltd	48	3%	44	3%
North East of Scotland FO Ltd	42	3%	41	3%
Shetland FPO Ltd	37	2%	39	3%
West of Scotland FPO Ltd	30	2%	30	2%
North Sea FPO Ltd	34	2%	27	2%
Fleetwood FPO Ltd	33	2%	26	2%
Fife FPO Ltd	28	2%	25	2%
Aberdeen FPO	18	1%	18	1%
The FPO Ltd	18	1%	18	1%
Isle of Man Non-Sector	17	1%	17	1%
Wales and West Coast FPO Ltd	17	1%	13	1%
Orkney FPO Ltd	12	1%	11	1%
Lowestoft FPO Ltd	4	0%	5	0%
Klondyke	-	0%	3	0%
Interfish	-	0%	2	0%
Lunar Group	2	0%	2	0%
Non-FPO vessels (c)	522	34%	515	34%
TOTAL	1,527	100%	1,496	100%

Source: Fisheries Administrations in the UK

⁽a) Vessels over 10 metres.

⁽b) Includes some Channel Islands and Isle of Man vessels.

⁽c) Includes inactive vessels and vessels which fish for non-TAC stocks.

Number of fishermen

Statistics on the number of fishermen are drawn from surveys carried out by the Marine and Fisheries Agency in England for England and Wales, by the Sea Fisheries Inspectorate in Northern Ireland and by the Sea Fisheries Protection Agency in Scotland.

The number of fishermen in the UK has decreased by almost a quarter since 1999 from around 16,900 to 12,800. The number of regular fishermen has decreased by 26 per cent and part-time fishermen by 17 per cent over this period (see Chart 2.9).

20,000 Total 16,000 Regular -ishermen 12,000 Part Time 8,000 4,000 0 2000 2001 2002 2003 2004 2005 2006 2007 2008

Chart 2.9: Number of UK fishermen: 1999 to 2008

Since 1999, the number of fishermen has decreased in all UK countries. In England by 20 per cent, Scotland by 26 per cent, Northern Ireland by 33 per cent and Wales by 32 per cent (see Chart 2.10).




Chart 2.10: Number of UK fishermen by country: 1999 to 2008

In 2008, part-time fishermen accounted for 18 per cent of all fishermen in England and for 15 per cent in Scotland (see Chart 2.11).




Chart 2.11: Number of regular and part-time fishermen by country: 2008

Table 2.6 shows a breakdown of the number of regular and part-time fishermen by country in the UK from 1938 to 2008.

TABLE 2.6 Number of UK fishermen: 1938 to 2008

	ENGLA	ND & WA	ALES ^{(a)(b)}	S	COTLAN	D	NORT	HERN IRE	ELAND	UNI	TED KING	DOM
		Part-		_	Part-		_	Part-			Part-	
	Regular	time	Total	Regular	time	Total	Regular	time	Total	Regular	time	Total
1938	26,062	2,949	29,011	12,976	4,939	17,915	342	556	898	39,380	8,444	47,824
1948	25,946	3,373	29,319	12,080	5,148	17,228	800	300	1,100	38,826	8,821	47,647
1960	12,712	3,646	16,358	8,795	2,451	11,246	500	150	650	22,007	6,247	28,254
1965	11,064	4,045	15,109	8,057	2,088	10,145	480	140	620	19,601	6,273	25,874
1970	9,424	2,382	11,806	7,656	1,441	9,097	400	140	540	17,480	3,963	21,443
1975	9,016	3,447	12,463	7,507	1,341	8,848	538	285	823	17,061	5,073	22,134
1980	8,455	5,135	13,590	7,561	1,138	8,699	780	240	1,020	16,796	6,513	23,309
1981	8,450	5,992	14,442	7,376	1,085	8,461	775	312	1,087	16,601	7,389	23,990
1982	8,258	5,465	13,723	7,247	937	8,184	841	263	1,104	16,346	6,665	23,011
1983	8,022	5,355	13,377	7,173	902	8,075	811	324	1,135	16,006	6,581	22,587
1984	8,142	4,571	12,713	7,198	899	8,097	764	295	1,059	16,104	5,765	21,869
1985	7,984	5,036	13,020	7,170	932	8,102	808	294	1,102	15,962	6,262	22,224
1986	8,801	4,461	13,262	7,244	992	8,236	861	275	1,136	16,906	5,728	22,634
1987 ^(c)	8,737	4,027	12,764	7,522	970	8,492	894	274	1,168	17,153	5,271	22,424
1988	8,467	4,039	12,506	7,672	891	8,563	956	295	1,251	17,095	5,225	22,320
1989	nd	nd	nd	7,862	803	8,665	950	283	1,233	nd	nd	nd
1990	nd	nd	nd	7,550	766	8,316	1,050	316	1,366	nd	nd	nd
1991	nd	nd	nd	7,303	792	8,095	1,081	288	1,369	nd	nd	nd
1992	nd	nd	nd	7,181	865	8,046	1,036	296	1,332	nd	nd	nd
1993 ^(d)	nd	nd	nd	7,675	1,347	9,022	957	272	1,229	nd	nd	nd
1994	7,542	3,425	10,967	7,160	1,410	8,570	938	228	1,166	15,640	5,063	20,703
1995	8,240	2,192	10,432	6,889	1,506	8,395	933	226	1,159	16,062	3,924	19,986
1996	7,867	2,130	9,997	6,689	1,395	8,084	815	148	963	15,371	3,673	19,044
1997	7,253	2,176	9,429	6,729	1,465	8,194	850	131	981	14,832	3,772	18,604
1998	7,149	1,962	9,111	6,395	1,376	7,771	892	115	1,007	14,436	3,453	17,889
1999	6,977	1,654	8,631	6,042	1,288	7,330	845	90	935	13,864	3,032	16,896
2000	6,193	1,868	8,061	5,594	1,308	6,902	612	74	686	12,399	3,250	15,649
2001	6,279	1,483	7,762	5,353	1,284	6,637	513	46	559	12,145	2,813	14,958
2002	6,505	1,382	7,887	4,369	1,338	5,707	568	43	611	11,442	2,763	14,205
2003	5,778	1,570	7,348	3,968	1,308	5,276	458	40	498	10,204	2,918	13,122
2004	6,364	1,195	7,559	4,124	1,151	5,275	535	84	619	11,023	2,430	13,453
2005	6,026	1,081	7,107	3,952	1,203	5,155	514	55	569	10,492	2,339	12,831
2006	5,702	1,414	7,116	4,109	1,096	5,205	547	66	613	10,358	2,576	12,934
2007	5,068	1,577	6,645	4,408	951	5,359	557	101	658	10,033	2,629	12,662
2008	5,125	1,619	6,744	4,585	807	5,392	532	93	625	10,242	2,519	12,761

⁽a) Prior to 1952 figures were based on information supplied by the Registrar General of Shipping and Seamen. Since 1952 figures have been supplied by the District Fishery Officers of Defra.


Chart 2.12 shows the total number of fishermen for each administration port in the UK.

⁽b) From 1966 these figures exclude 'hobby' fishermen, i.e. fishermen who do not fish commercially. The corresponding figures for Scotland and Northern Ireland have never included 'hobby' fishermen.

⁽c) Includes 1986 figures for Newlyn and Plymouth.

⁽d) The apparent increase in fishermen in Scotland reflected the licensing of 10m and under vessels; when more information became available on the numbers of such active vessels.

Chart 2.12: Fishermen Numbers by Administration Port: 2008




UK fishing fleet effort

Since 2000, effort in the form of kW days at sea has decreased by 43 per cent (Chart 2.13). This reduction is primarily due to a reduction in effort in the demersal trawl and seine segment of 45 per cent (Chart 2.14). This reduction in effort was due to decommissioning exercises carried out by UK fisheries administrations in 2001 and 2003. The latter focussed on removing fleet capacity targeting cod in the Cod Recovery Area (a combination of North Sea, West of Scotland, Irish Sea and Eastern Channel fishing areas), and was particularly focussed on vessels that used demersal trawls fishing for whitefish. A further exercise was carried out to remove excess beam trawl fishing capacity in the Western Channel fishing area (Area VIIe), as part of the recovery regime for Sole. This only removed a small number of active vessels (8) in this area. More information on the control of fishing effort under the Cod and Sole recovery regimes is given below. Falls in effort over this period were also recorded in all other gear types except those using hooks, pots and traps.

<W days at sea (millions)

Chart 2.13: UK fishing fleet effort in kW days at sea: 2000 to 2008






Effort of vessels fishing in the Sole Recovery Zone (SRZ)

As part of the measures for recovery of sole stocks a sole recovery zone was established from February 2004 to apply effort controls to vessels of 10 metres or over in the Western Channel (area VIIe).

From 2000 to 2004 the number of vessels beam trawling in the Western Channel decreased by 13 per cent, however, fishing effort (kW days) at sea increased by 25 per cent. Since the implementation of the SRZ the number of vessels beam trawling in the Western Channel has decreased by 20 per cent and effort (kW days) by 5 per cent (Chart 2.15).

Chart 2.15: Fleet size and effort (kW days) of vessels using beam trawls in the Sole Recovery Zone: 2000 to 2008



Note: The Sole Recovery Regime was established in 2004.

Effort of vessels fishing in the Cod Recovery Zone (CRZ)


As part of the measures for recovery of cod stocks a cod recovery zone was established from February 2003 to apply effort controls to vessels of 10 metres or over in the North Sea and West of Scotland but was expanded in 2004 to include the Irish Sea (Area VIIa) and the Eastern Channel (Area VIId).

Gear type TR1

Gear type TR1 includes Bottom trawls, Danish seines and similar towed gear, excluding beam trawls, of mesh size ≥ 100 mm.

From 2000 to the end of 2003 the number of vessels fishing in the CRZ using gear type TR1 fell 30 per cent (Chart 2.16). Over the same period, effort (kW days) decreased by 44 percent. Since the implementation of the CRZ the number of vessels using gear type TR1 has decreased by 51 per cent and effort (kW days) by 39 per cent.

Chart 2.16: Fleet size and effort (kW days) of vessels using gear type TR1 in the Cod Recovery Zone: 2000 to 2008




Note: The Cod Recovery Regime was established in 2003, initially limited to the North Sea and West of Scotland, but was expanded in 2004 to include the Irish Sea (Area VIIa) and the Eastern Channel (Area VIId).

Gear type TR2

Gear type TR2 includes Bottom trawls, Danish seines and similar towed gear, excluding beam trawls, of mesh size ≥ 70 mm and < 100 mm.

From 2000 to the end of 2003 the number of vessels fishing in the CRZ using gear type TR2 decreased by 9 per cent while effort (kW days) increased by 37 per cent. Since the implementation of the CRZ the number of vessels using gear type TR2 has decreased by 22 per cent and effort (kW days) by 5 per cent (Chart 2.17).

Chart 2.17: Fleet size and effort (kW days) of vessels using gear type TR2 in the Cod Recovery Zone: 2000 to 2008



Note: The Cod Recovery Regime was established in 2003, initially limited to the North Sea and West of Scotland, but was expanded in 2004 to include the Irish Sea (Area VIIa) and the Eastern Channel (Area VIId).

Incidents, lost vessels and fatalities

Figures on accidents involving fishing vessels and fishermen are provided by the Maritime and Coastguard Agency (see Table 2.7).

TABLE 2.7 Number of incidents, lost vessels and fatalities involving UK fishing vessels: 1999 to 2008

Incident type	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Capsize/Listing	15	4	3	5	4	2	6	5	3	3
Collision	15	25	17	15	17	12	23	12	18	17
Contact	7	2	6	1	7	3	3	3	4	2
Fire/Explosion	15	16	10	13	13	19	16	15	9	11
Flooding/Foundering	54	59	46	40	50	40	54	34	32	33
Grounding	31	40	29	26	38	29	19	24	24	28
Heavy Weather Damage	4	4	-	2	1	2	3	1	5	-
Machinery Failure	232	174	212	181	221	202	232	240	213	156
Missing Vessel	-	1	-	-	1	1	-	1	-	-
Person Overboard	8	11	11	6	6	6	11	14	8	7
Other	-	1	-	-	1	1	1	-	1	-
Total incidents	381	337	334	289	359	317	368	349	317	257
Vessel losses	33	40	34	18	28	25	34	19	21	21
Injuries	81	105	87	55	70	70	62	69	64	60
Fatalities ^(a)	9	32	10	8	11	10	9	16	8	8

Source: Marine Accident Investigation Branch

⁽a) Number of crew deaths on UK registered fishing vessels.

3 Catches and landings data

Introduction

This chapter brings together the information available for quantity, value, species and area of capture by UK vessels landing into the UK and abroad and foreign vessels landing into the UK. The landings data are given in terms of live weight.


All tables presented here are available on the MFA website. Supplementary tables showing more detail can also be found on the website.

Landings by all UK vessels and by foreign vessels into the UK

In 2008, UK vessels, including the Channel Islands and Isle of Man vessels, landed in the UK and abroad 588 thousand tonnes of sea fish (including shellfish) with a value of £629 million. Compared with 2007, this represents a 4 per cent decrease in quantity and a 3 per cent decrease in value.

Seventy per cent of fish caught by the UK fleet were landed in the UK. In terms of value, 82 per cent of UK vessel landings were made in the UK. Chart 3.1 shows the landings into the UK and abroad by vessel nationality. Scottish vessels accounted for 63 per cent of the weight and 61 per cent of the value of landings by UK vessels. English vessels accounted for 28 per cent of the quantity and 30 per cent of the value of the landings, while Welsh and Northern Irish vessels represented 3 and 5 per cent by quantity respectively.

Chart 3.1: Quantity and value of landings into the UK and abroad by UK vessels by vessel nationality: 2004 to 2008



Landings by UK vessels into the UK fell to 409 thousand tonnes from 440 thousand tonnes in 2007. Demersal species represented 31 per cent of these landings in terms of quantity and 35 per cent in terms of value. Pelagic species accounted for 35 per cent of landings by quantity but only 16 per cent by value. Shellfish accounted for 35 per cent of landings by quantity and 50 per cent by value.

Chart 3.2 shows a breakdown of landings by species group into England, Wales, Scotland and Northern Ireland by UK vessels. The largest amount, 283 thousand tonnes, was landed into Scotland with a value of £344 million. Landings into England were 89 thousand tonnes with a value of £131 million.

England Wales Scotland Northern Ireland

Demersal Pelagic Shellfish

Chart 3.2: Landings into UK countries by UK vessels: 2008 ('000 tonnes)

Landings by foreign vessels into the UK increased to 129 thousand tonnes in 2008, from 110 thousand tonnes in 2007, an increase of 17 per cent. The value of landings in 2008 was £78 million, down 9 per cent on 2007. Demersal and shellfish landings rose by 30 and 11 per cent respectively, whilst pelagic landings were virtually unchanged from 2007.

Table 3.1 shows landings by UK vessels into the UK and abroad by vessel nationality. Table 3.2 shows a species breakdown of landings into the UK and abroad by UK vessels and by foreign vessels into the UK.

Information on all landings into the UK, by UK and foreign vessels, going back as far as 1938 is shown in Table 3.3.

TABLE 3.1 Landings into the UK and abroad by UK vessels: 2004 to 2008

			Quantity	y ('000 ton	nes)			Valo	e (E millio	n)	
_		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008
00	Vessels administered	d In the LOC									
49	Demersal	231.1	276.8	236.6	204.5	189.9	223.5	236.1	241.9	236.6	237.5
	Palagio	290.9	298.1	239.7	260.1	247.9	105.8	136.3	124.4	127.9	124.1
	Shelfish	131.7	132.6	137.9	145.8	150.5	183.7	198.9	244.0	280.3	267.1
	Total Fish	650.7	707.6	614.2	810.4	588.3	513.0	571.3	610.3	644.8	628.7
200	Manage adolelation of	l- Control									
(11)	Vessels administered i	_	00.7	65.7	00.7	0+0	01.7	D0.4	00.5	04.5	00.0
	Demersal	58.5	60.2	65.7	68.7	61.6	91.7	98,4	90.5	94.5	69.5
	Pelagic	58.2	58.0	64.6	67.1	52.6	18.5	17.5	28.9	33.3	25.0
	Shellish	58.5	57.6	54.5	55.6	53.0	57.3	58.7	73.1	80.4	73.3
_	Total Fish	175.2	173.8	184.9	189.3	167.4	165.5	172.7	192.5	208.2	187.8
(111)	Vessels administered i	in Wales									
	Demersal	6.0	3.5	1.7	1.9	1.5	8.9	4.8	3.8	3.6	2.6
	Pelagic	**	10.		0.2			- 44	0.1	0.4	
	Shelfish	8.4	10.4	11.5	7.6	15.6	10.0	15.0	9.8	12.8	14.6
	Total Fish	14.4	13.9	13.3	9.6	17.1	18.9	19.8	13.7	16.8	17.6
(87)	Vessels administered i										
	Demersal	159.7	204.3	166.2	132.6	123.6	115.0	129.0	142.7	134.1	140.3
	Pelagic	212.8	223.5	153.7	169.9	183.0	81.7	109.3	85.3	85.3	93.4
	Shellish	54.8	55.3	59.3	66.9	65.1	103.7	111.8	140.5	162.7	152.7
	Total Fish	427.3	483.1	379.2	369.5	371.7	500.3	349.2	368.5	380.1	386.4
(v)	Vessel's administered i	in Northern Ire	land								
	Demersal	6.3	8.5	2.7	2.8	2.9	6.4	4.9	4.3	3.8	4,3
	Pelagic	20.0	18.6	21.4	22.9	12.1	7.5	10.5	10.1	7.9	5.3
	Shellish	7.9	8.1	11.3	13.7	14.9	10.8	11.9	18.7	22.5	24.0
	Total Fish	34.1	35.2	35.3	39.4	29.9	24.7	27.3	33.2	34.3	34.0
(vi)	Vessel's administered i	in the Islanda (a)								
	Demersal	0.6	0.4	0.2	0.3	0.2	1.6	0.9	0.5	0.6	0.5
	Pelagic				**		**	**	444	**	
	Shelfish	2.1	1.5	1.3	2.0	2.0	1.9	1.4	1.8	1.9	2.0
	Total Fish	2.7	1.9	1.5	2.3	2.2	3.6	2.4	2.3	2.4	2.6

⁽a) Jersey, Guernsey and the Isle of Man.

TABLE 3.2 All landings into the UK and UK vessels' landings abroad: 2004 to 2008 (ii)

	_		Quantit	y ('000 tor	mea)			Yalu	e (£ millio	m)	
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2006
1)	UK vessels										
1	Landings into the UK										
	Brill	0.3	0.3	0.3	0.3	0.3	1,4	1.4	1.5	1.6	1,6
	Cathsh	0.4	0.3	0.3	0.2	0.2	0.5	0.6	0.5	0.4	0.3
	Cod	15.2	13.8	12.9	12.8	9.8	22.7	21.8	20.8	21.7	20.3
	Doglish	4.6	2.8	1.7	1.4	0.8	4.5	2.5	1.6	1.0	0.5
	Haddook	45.4	47.6	38.9	32.3	31.9	32.7	38.7	45.2	39.9	34,
	Hake	2.2	2.6	2.7	2.8	4.1	5.3	6.8	7.2	4.6	7.0
	Lemon Sole	2.1	2.1	2.0	2.0	1,7	6.0	6.4	6.1	6.3	5.3
	Ling	4.3	3.5	3.4	3.0	3.0	4.4	3.6	3.6	3.6	3.6
	Mogrims	3.4	3.3	3.0	3.4	3.4	7.7	8.3	8.3	8.5	9.5
	Monks or Anglers	10.8	12.6	12.2	13.8	13.0	22.7	30.6	32.1	34.1	39.3
	Plaice	3.5	3.1	3.5	2.8	2.9	4.3	4.0	4.1	3.5	3.3
	Pollack (Lythe)	2.1	2.0	1.8	2.6	2.3	2.7	2.8	2.7	3.8	4.5
	Saithe	9.0	11.4	12.2	10.0	12.9	3.B	5.4	8.1	4.9	7.3
	Sand Eets	0.6				_		-			
	Skates and Bays	4.3	3.3	2.9	2.9	2.9	4.5	3.9	3.4	3.3	3.5
	Soles	2.0	1.8	1.9	2.1	1.9	12.9	12.5	15.0	15.5	143
	Turbot	0.4	0.3	0.3	0.3	0.4	2.4	2.5	2.5	2.9	20
	Whiting	7.4	8.9	12.1	13.1	11.4	5.0	5.7	9.8	11.7	10.
	Whiting, Blue	25.0	28.8	21.4	21.9	15.3	1.3	1.4	1.8	2.7	1.0
	Witches	2.2	1.6	1.4	1.3	1.0	3.7	2.6	2.2	1.7	1.
	Other Demorsal ^{bit}	10.5	7.7	6.1	6.0	5.7	17.4	12.1	10.1	11.2	11.3
	Total Demersal	155.8	157.8	140.7	135.0	125.0	165.9	174.0	184.6	182.7	179.
_	Polari Deliteradi	100.0	101.0	140.1	140.0	120.0	Tuo.o	1174.50	10-1.0	INC	13 0.
	Herring	56.2	76.4	62.1	50.8	38.2	7.8	15.9	14.5	9.5	9.4
	Horse Mackerel	2.5	4.0	5.2	6.4	5.9	0.4	1.3	1.4	1.8	1,0
	Mackerel	115.3	120.6	70.4	100.3	90.7	57.0	78.3	54.9	67.1	67.
	Pilchards	1.3	3.6	1.6	2.5	2.9	0.6	1.1	0.6	1.0	0.
	Sprats	3.9	4.7	3.4	3.1	3.6	0.7	1.6	0.7	0.6	0.
	Tuna	-	-				-	-	**		0.3
	Other Pelagic	0.4	0.1	0.2	1.6	0.3	0.2			1.4	0
	Total Pelagic	179.6	209.4	142.5	164.6	141.6	66.6	98.3	72.0	81.4	81.4
	Cockles	12.9	13.2	11.3	11.3	14.0	10.1	8.1	5.3	7.4	7.6
	Crabs	21.7	20.0	26.2	28.8	24.7	23.5	23.7	34.1	37.9	32.
	Lobsters	1.4	1.3	2.3	2.8	2.8	12.6	12.2	26.6	31.3	31.1
	Mussels	12.1	11.3	10.3	4.6	8.6	2.0	1.3	0.9	1.0	2.5
	Nephrops	30.4	33.8	41.0	44.1	43.0	70.3	84.0	114.2	126.4	114.
	Periwinkles	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.
	Queens	5.1	5.5	4.8	5.8	4.7	1.9	2.6	2.9	2.2	1.
	Scallops	21.1	20.7	19.0	20.8	23.1	31.8	32.7	33.7	38.8	40.3
	Shrimps	0.5	0.5	0.5	1.4	0.9	0.7	0.9	0.8	3.6	2.
	Squids	2.9	2.6	1.3	1.8	1.9	7.8	6.3	3.8	5.9	6.
	Other Shelllish	18.0	15.5	16.6	18.7	19.1	12.4	11.9	14.6	16.2	17.5
	Total Shallfligh	126.1	124.5	183.4	140.3	142.8	173.1	183.8	237,1	270.9	257.4
	2010. 0110.0000	1 - 241 1		C STATE OF THE PARTY OF THE PAR	de de					4	-41.

⁽a) Landings data include transhipments.

⁽b) Includes fish roes and livers.

TABLE 3.2 All landings into the UK and UK vessels' landings abroad: 2004 to 2008 (cont.) (iii)

			Quantity	(*000 tor	ines)			Yalui	oillim 2) s	n)	
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008
(1)	UK vessels										
(ii)	Landings into England										
	Brill	0.3	0.2	0.2	0.3	0.3	1.3	1.3	1.4	1.5	1,5
	Catrish	0.1	0.1		**	_	0.1	0.2	0.1	0.1	
	Cod	7.4	5.9	5.0	5.2	1.6	9.2	7.7	5.4	6.1	3.0
	Doglish	0.6	0.7	0.5	0.5	0.5	0.4	0.3	0.2	0.2	0.2
	Haddock	2.2	1.9	1.0	2.2	1.9	1.8	1.5	1.1	1.8	1.8
	Hake	0.5	0.5	0.0	0.3	0.3	1.7	1.5	1.1	0.8	0.7
	Lemon Sole	1.4	1.2	1.1	1.0	0.8	3.9	4.3	3.9	3.8	2.9
	Ling	0.5	0.5	0.4	0.5	0.4	0.4	0.5	0.5	0.5	0.4
	Mogrims	1.1	1.0	0.7	0.6	0.4	3.0	3.6	2.6	1.9	1.5
	Monks or Anglers	2.4	2.4	2.3	2.9	2.4	5.0	5.3	5.8	6.9	6.7
	Plaice	2.5	2.1	2.4	2.0	2.0	3.5	3.1	3.1	2.7	2.7
	Pollack (Lythe)	1.3	1.4	1.2	1.6	1.3	1.6	2.0	1.8	2.5	2.6
	Saithe	0.7	0.8	0.6	0.4	0.1	0.4	0.5	0.3	0.3	0.1
	Sand Eels		-			_		-			
	Skates and Pays	2.2	1.8	1.7	1.8	1.9	2.3	2.3	2.1	2.2	2.4
	Soles	1.9	1.7	1.9	2.0	1.9	12.5	12.1	14.2	15.0	14.0
	Turbal	0.3	0.3	0.2	0.3	0.3	1.8	2.0	2.1	2.4	2.4
	Whiting	1.8	3.0	3.8	3.7	2.2	1.0	1.4	2.2	2.5	1.5
	Whiting, Blue	0.2	41				**		441	-	
	Witches	0.1	0.1				0.1	0.1	0.1		
	Other Demorsal ⁸⁸	4.6	3.8	3.5	3.9	3.7	7.9	6.2	6.2	7.4	7.5
	Total Demersal	31.9	29.3	27.1	29.2	22.0	57.8	55.9	54.2	58.7	52.0
	Herring	0.9	1.2	0.5	0.5	0.1	0.9	0.4	0.3	0.2	0.1
	Horse Mackerel	1.4	3.4	4.2	5.0	5.3	0.4	1.2	1.2	1,4	1.5
	Mackerel	3.4	3.4	4.0	2.9	2.3	1.6	1.6	2.7	2.2	1.9
	Pilchards	1.0	3.4	1.6	2.4	2.7	0.6	1.1	0.6	1.0	0.9
	Sprais	2.3	3.2	2.5	3.0	3.4	0.5	1.4	0.6	0.5	0.7
	Tuna		-		***		-		**		0.2
	Other Polngic	0.1			0.8	0.2	0.2			1.3	0.3
	Total Palegic	9.3	14.7	12.9	14.5	14.0	4.1	5.7	5.2	6.8	5.5
		*10	1-1-1		1-110	1-11-0	41:	411			*10
	Cockles	11.4	11.7	10.1	10.2	12.9	8.8	6.2	4.6	6.7	6.5
	Crabs	11.1	8.6	11.4	11.6	10.6	11.9	10.6	14/B	15.2	14.0
	Lobsters	0.9	0.9	1.4	1.6	1.5	7.8	7.0	15.1	17.3	17.2
	Mussels	9.0	9.3	2.7	2.2	2.1	1.1	1.1	0.2	0.2	0.3
	Nephrops	2.7	3.8	5.4	4.1	2.3	5.6	7.9	13.4	10.2	5.3
	Periwinkles		21								
	Queens	1.5	0.6	1.5	1.0		0.3	0.2	0.7	0.3	
	Scallops	8.4	10.0	9.5	10.6	9.3	11.8	15.7	14.2	18.4	13.7
	Shrimps	0.5	0.5	0.5	1.4	0.9	0.7	0.9	0.0	3.6	2.4
	Squids	0.7	0.6	0.4	0.6	0.4	2.3	2.0	1.6	2.5	1.7
	Other Shelllish	11.8	10.2	11.8	14.4	13.1	8.2	7.9	10.6		
	Total Shallfish	58.1	56.3	54.6	57.6	53.3	58.5	59.5	75.8	12.1 86.4	12.2 73.3
	rear enginish	90.1	39.3	24.0	31.70	22.0	36.3	26.7	13.0	00.4	19.0

⁽a) Landings data include transhipments.

⁽b) Includes fish roes and livers.

TABLE 3.2 All landings into the UK and UK vessels' landings abroad: 2004 to 2008 (cont.) (a)

			Quantity	('000 ton	ines)			Yalus	oillim 2) s	n)	
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008
(1)	UK vessels										
(iii)	Landings into Wates										
	Brill	0.0	101		- 1	14	**			(2.1	11
	Cat/sh	-				-		-	-	-	
	Cod	**					0.1		0.1		,,
	Dogfish	0.2	0.4	0.2	0.2	Les .	0.2	0.3	0.2	0.2	
	Haddock		41			44			44		
	Hake	0.4	0.3	0.3	0.2	0.1	0.7	0.5	0.5	0.4	0.2
	Lemon Sole	46	11			M	- 11	44	0.1	0.1	0.1
	Ling					_					
	Mogrims	0.3	0.4	0.5	0.6	0.5	0.7	0.9	1.1	1.4	1.5
	Monks or Anglers	0.4	0.4	0.4	0.5	0.4	1.0	1.0	1.0	1.3	1.2
	Plaice	**	**		**		**		0.1		
	Pollack (Lythe)		- 1								
	Saithe				**		**		**		
	Sand Eels					-	-				
	Skates and Rays	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.4	0.3	0.3
	Soles	4.0	4.0			-	0.3	0.3	0.4	0.3	0.1
	Turbot						0.1	0.0	0.1		
	Whiting		**		**					**	,,
	Whiting, Blue	-	-00		111	_			171		
	Witches		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
	Other Demorsal ^{Bit}	0.2	0.3	0.2	0.2	0.2	0.3	0.9	0.4	0.6	0.5
	Total Demersal	2.1	2.4	2.1	2.2	1.7	3.8	4.7	4.4	5.0	4,2
_	Potali Detiretori	6.1		2.1	6.6	Tar.	3.0	4.1	4.4	0.0	41.0
	Herring										
	Horse Mackerel		-						-	-	
	Mackerel										
	Pilchards										
	Sprats		_								
	Tuna	_	_	-		-		-	-	_	
	Other Pelagic										
	Total Palagic	15			10	_	- 11		1.0		
	7010-5-0-0										
	Cockles	1.5	1.3	0.9	0.9	1.0	1.2	1.7	0.4	0.5	0.4
	Crabs	0.4	0.4	1.1	1.0	1.0	0.3	0.3	1.5	1.5	1.5
	Lobsters	**		0.2	0.2	0.2	0.3	0.5	3.4	3.6	3.1
	Mussels	1.4	0.9	5.9	0.3	4.6	0.5		0.1	0.1	1.7
	Nephrops	0.1	0.1	0.1	44	0.1	0.3	0.5	0.4	0.2	0.1
	Periwinkles								**		
	Queens	0.9	0.6	0.4	0.4		0.3	0.3	0.2	0.2	
	Scallops	0.5	0.4	0.6	0.9	3.1	0.9	0.7	1.2	1.6	5.2
	Shrimps	**					71			**	
	Squids					ш		0.1		0.1	
	Other Shelllish	4.4	3.9	3.8	3.4	4.9	2.7	2.6	2.8	2.8	3.6
	Total Shallfish	9.2	7.7	12.9	7.3	14.9	6.6	6.6	10.0	10.6	15.6
	2122				227		202				
	Total All Species	11.3	10.1	15.0	9.6	16.6	10.4	11.4	14.4	15.5	19.9

⁽a) Landings data include transhipments.

⁽b) Includes fish roes and livers.

TABLE 3.2 All landings into the UK and UK vessels' landings abroad: 2004 to 2008 (cont.) (a)

			Quantity	y ("000 to:	inea)			Yalu	e (£ millio	m)	
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2006
(1)	UK vessels										
(iv)	Landings into Scotland										
	Brill		**			44			111		
	Cat/sh	0.3	0.3	0.3	0.2	0.2	0.5	0.4	0.4	0.3	0.3
	Cod	7.2	7.3	7.3	7.1	7.6	12.4	13.0	14.0	14.6	16,1
	Dogfish	3.2	1.4	0.9	0.6	0.2	3.3	1.6	1.0	0.5	0.2
	Haddock	42.7	45.3	37.4	29.5	29.5	30.4	38.7	43.B	37.6	32.1
	Hake	0.9	1.5	1.8	22	3.5	2.1	4.1	5.0	3.0	5.8
	Lemon Sole	0.7	0.9	0.9	0.9	0.9	2.1	2.0	2.1	2.4	2.3
	Ling	3.8	2.9	2.6	2.5	2.6	3.9	3.2	3.1	3.1	3.2
	Mogrims	2.0	1.8	1.9	23	2.5	4.0	3.6	4.6	5.3	6.5
	Monks or Anglers	7.8	9.6	9.3	10.3	10.1	16.4	23.9	25.0	25.5	28.0
	Plaice	0.9	0.9	1.0	0.8	0.8	0.7	0.8	0.8	0.7	0.7
	Pollack (Lythe)	0.7	0.6	0.5	0.9	1.0	0.8	0.7	0.7	1.2	1.8
	Saithe	8.1	10.6	11.5	9.5	12.8	3.3	4.9	5.8	4.7	7.2
	Sand Eels	0.6	-			-			-	-	
	Skates and Pays	1.7	1.1	0.8	0.8	0.6	1.6	1.1	8.0	0.7	0.5
	Soles					_		0.1			
	Turbot	0.1	0.1			_	0.3	0.3	0.2	0.3	0.3
	Whiting	5.5	5.8	8.3	9.4	9.2	4.0	4.2	7.5	9.2	8.9
	Whiting, Blue	24.B	28.8	21.4	21.9	15.3	1.3	1.4	1.8	2.7	1.4
	Witches	2.0	1.4	1.3	1.2	0.9	3.5	2.6	2.1	1.5	1.1
	Other Demorsal Bi	5.2	3.1	2.2	1.7	1,6	8.8	4.7	3.3	3.1	3.1
	Total Demersal	118.0	123.3	109.3	101.8	99.4	99.5	109.7	122.3	118.5	119.9
	Politi Deliveradi	110.0	12000	100.0	101.0	30.4	03.0	100.7	TEE.D	110.0	110.5
	Herring	53.5	71.4	57.1	45.2	32.4	6.5	14.4	13.2	8.4	8.0
	Horse Mackerel	0.7	0.1	0.8	1,4	0.6	0.1		0.1	0.3	0.1
	Mackerel	110.B	116.0	64,6	95.8	88.6	55.1	75.9	50.4	63.7	64.6
	Pilchards				0.1	0.2					
	Sprais	1.4	0.9		0.1	0.2	0.2	0.1			
	Tuna		-			-		-		-	
	Other Pelagic	0.9	0.1	0.2	0.8	0.1				0.1	
	Total Palagic	166.7	188.4	122.6	143,4	120.1	61.9	90.5	63.7	72.6	72.9
	Cockles		0.1	0.2	0.2		**	0.1	0.3	0.2	
	Crabs	9.7	10.6	12.7	14.7	11.8	10.9	12.5	17.0	19.9	16.1
	Lobsters	0.4	0.4	0.7	0.9	1.0	4.4	4.5	7.6	9.9	11.0
	Mussels	1.5	1.0	1.2	1.1	0.9	0.4	0.2	0.4	0.3	0.3
	Nephrops	22.9	25.2	29.6	33.8	32.6	57.2	67.9	89.3	104.3	94.9
	Periwinkles	0.1		0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1
	Queens	2.4	4.2	2.5	4.3	4.6	1.1	2.0	1.8	1.7	1.7
	Scallops	11.5	9.8	8.6	8.9	10.1	18.3	15.7	17.8	18.2	20.4
	Shrimps	11		11		111	***		**	**	0.1
	Squids	2.1	1.9	0.9	1.2	1.5	5.3	4.2	2.2	3.3	4.4
	Other Shelllish	1.8	1.3	0.8	0.8	0.9	1.4	1.4	1.0	1.2	2.0
	Total Shallfigh	52.5	54.5	57.3	65.9	63.7	99.2	108.5	137.7	159.3	151.0
						283.2		308.6			343.7

⁽a) Landings data include transhipments.

⁽b) Includes fish roes and livers.

TABLE 3.2 All landings into the UK and UK vessels' landings abroad: 2004 to 2008 (cont.) (iii)

v) La	K vessels Indings into Northern Ireland Brill Catrish Cod Doglish Haddock Hake Lemon Sole Ling Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Sand Eets Sketes and Pays Soles Turbot Whiting	2004 d 0.6 0.7 0.5 0.3 0.2 0.1 0.2 0.2	0.5 0.3 0.4 0.3 0.1 0.1 0.1	0.6 0.3 0.4 0.2 0.1 0.1	0.4 0.1 0.5 0.1	0.5 0.5 0.2 0.1	0.1 0.6 0.5 0.8	0.1 1.1 0.2 0.4 0.7	0.1 1.3 0.1 0.3 0.6	0.1 0.9 0.1 0.5 0.3	0.1 1.2 0.5 0.6
v) La	endings into Northern Ireland Brill Cathish Cod Doglish Haddock Hake Lemon Sole Ling Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Saud Eets Skates and Pays Soles Turbot Whiting	0.6 0.7 0.5 0.3 0.2 0.1 0.2 0.2	0.5 0.3 0.4 0.3 0.1 0.1 0.1	0.6 0.1 0.4 0.2 0.1 0.1	0.4 0.1 0.5 0.1	0.5 0.5 0.2 -	1.1 0.6 0.5 0.8 	1.1 0.2 0.4 0.7	1.2 0.1 0.3 0.6	0.9 0.1 0.5 0.3	1.: 0.: 0.:
	Brill Catrish Cod Doglish Haddock Hake Lemon Sole Ling Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Sand Eets Skates and Pays Soles Turbot Whiting	0.6 0.7 0.5 0.3 0.2 0.1 0.2 0.2	0.5 0.3 0.4 0.3 0.1 0.1 0.1	0.6 0.1 0.4 0.2 0.1 0.1	0.4 0.1 0.5 0.1	0.5 0.5 0.2 -	1.1 0.6 0.5 0.8 	1.1 0.2 0.4 0.7	1.2 0.1 0.3 0.6	0.9 0.1 0.5 0.3	1.3 Q.3 Q.4
	Catrish Cod Doglish Haddock Hake Lemon Sole Ling Mogrims Monks or Anglers Plaice Poliack (Lythe) Saithe Sand Eets Skates and Pays Soles Turbot Whiting	0.6 0.7 0.5 0.3 0.2 0.1 0.2 0.2	0.5 0.3 0.4 0.3 0.1 0.1 0.1	0.6 0.1 0.4 0.2 0.1 0.1	0.4 0.1 0.5 0.1	0.5 0.5 0.2 -	1.1 0.6 0.5 0.8 	1.1 0.2 0.4 0.7	1.2 0.1 0.3 0.6	0.9 0.1 0.5 0.3	1.: 0.: 0.:
	Cod Dogfish Haddock Hake Lemon Sole Ling Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Said Eets Skates and Pays Soles Turbot Whiting	0.6 0.7 0.5 0.3 0.2 0.1 0.2 0.2	0.5 0.3 0.4 0.3 0.1 0.1 0.1 0.1	0.1 0.4 0.2 0.1 0.1	0.4 0.1 0.5 0.1	0.5 0.5 0.2	1.1 0.6 0.5 0.8 	1.1 0.2 0.4 0.7	1.3 0.1 0.3 0.6	0.9 0.1 0.5 0.3	0.5 0.5
	Doglish Haddock Hake Lemon Sole Ling Mognims Monks or Anglers Plaice Poliack (Lythe) Saithe Sand Eels Skales and Pays Soles Turbot Whiting	0.7 0.5 0.3 0.2 0.1 0.2 0.2	0.3 0.4 0.3 0.1 0.1 0.1 0.1	0.1 0.4 0.2 0.1 0.1	0.1 0.5 0.1	0.5	0.6 0.5 0.8 	0.2 0.4 0.7	0.1 0.3 0.6	0.1	0.1
	Haddock Hake Lemon Sole Ling Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Saud Eets Skates and Pays Soles Turbot Whiting	0.5 0.3 0.2 0.1 0.2 0.2	0.4 0.3 0.1 0.1 0.1 0.1	0.4 0.2 0.1 0.1	0.5 0.1 0.1	0.5 0.2 - - 0.1	0.5 0.8 	0.4	0.3	0.5	0.1 0.1
	Hake Lemon Sole Ling Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Sand Eets Skales and Pays Soles Turbot Whiting	0.3 0.2 0.1 0.2 0.2	0.3 0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.1	0.1	0.2	0.8	0.7	0.6	0.3	0.1
	Lemon Sole Ling Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Said Eets Skates and Pays Soles Turbot Whiting	0.2 0.1 0.2 0.2 0.3	0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.1	0.1	0.1	0.3				
	Ling Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Sand Eels Skales and Pays Soles Turbot Whiting	0.2 0.1 0.2 0.2 0.3	0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.1	0.1	0.1	0.3				
	Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Sand Eels Skates and Pays Soles Turbot Whiting	0.2 0.1 0.2 0.2 0.3	0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.1	0.1	0.1	0.3				
	Mogrims Monks or Anglers Plaice Pollack (Lythe) Saithe Sand Eels Skates and Pays Soles Turbot Whiting	0.2 0.1 0.2 0.2	0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.1	0.1	0.1	0.3		**		
	Monks or Anglers Plaice Pollack (Lythe) Saithe Saud Eels Skales and Pays Soles Turbot Whiting	0.2 0.1 0.2 0.2	0.1 0.1 0.1 0.1	0.1 0.1 0.1	0.1	0.1	0.3				
	Plaice Poliack (Lythe) Saithe Said Eets Skates and Pays Soles Turbot Whiting	0.1 0.2 0.2 0.3	0.1 0.1 0.1 0.1	0.1 0.1	**					0.3	0.
	Pollack (Lythe) Saidhe Said Eels Skales and Pays Soles Turbot Whiting	0.2	0.1 0.1 0.1	0.1			0.1	0.1	0.1		
	Saithe Sand Eels Skales and Pays Soles Turbot Whiting	0.2	0.1				0.2	0.1	0.1		Ó.
	Sand Eels Skales and Rays Soles Turbot Whiting	0.3	0.1				0.1	40.	_		
	Skates and Rays Soles Turbot Whiting	0.3	0.1		**	-		-		-	
	Soles Turbot Whiting		-	0.1	0.1	0.1	0.2	0.1	0.1		O.
	Turbot Whiting						0.1	0.1	0.4	0.1	0.
	Whiting	**				_	0.2	0.1	0.1	0.1	0.
	-	0.1	**		**	_				0.1	
	High-Steen Physics		**		- 11	M	**		101	51	
	Whiting, Blue	0.5	0.1	0.1	0.1						
	Witches Other Demorsal ^{pa}	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1		
	_	0.6	0.4	0.2	0.1	0.1	0.3	0.2	0.1	0.1	0.
	Total Demersal	3.9	2.7	2.0	1.7	1.9	4.8	3.6	3.6	2.6	3.
	Henring	1.8	3.9	4.5	5.1	5.7	0.2	1.0	1.1	0.9	1.
	Horse Mackerel	0.3						0.1	0.1		1.
			0.4	0.2	4.0	4.0	0.4				
	Mackerel	1.1	1.2	1.8	1.6	1.8	0.4	0.6	1.9	1.2	1.
	Pilchards	0.3	0.2	- :	***		**	4.7		12.2	
	Sprats	0.1	0.6	0.6		-	***	0.1	0.1	-	
	Tuna	-	-	-		-	-	-	-	-	
	Other Pelagic								4 -		
	Total Pelagic	3.6	6.3	7.0	6.7	7.5	0.7	2.0	3.1	2.0	2.
	Cockles					0.1			0.1		O.
	Crabs	0.5	0.4	1.1	1.4	1.1	0.4	0.3	1.0	1.3	1.
	Lobsters					0.1		0.1		0.6	
		0.4	A 4	0.1	0.1		0.2		0.5		0.
	Mussels	0.1	0.1	0.5	1.0	1.0	0.1	7.0	0.2	0.4	0.
	Naphrops	4.7	4.7	5.9	6.2	7.9	7.2	7.6	11.0	11.6	14.
	Periwinkles		0.1			***	-	0.1			
	and the second s	0.3	0.1	0.4	0.1		0.1	0.1	0.2	**	
	Queens	0.8	0.5	0.3	0.4	0.6	0.8	0.6	0.5	0.6	0.
	Scallops			***		111			**	**	
	Scallops Shrimps		100	**	**	-	0.1	0.1	***	**	
	Scallops Shrimps Squids	49	**	0.2	0.1	0.1	**		0.1	0.1	0.
	Scallops Shrimps Squids Other Shellfish	**		8.5	9.5	10.9	8.9	9.1	13.5	14.7	17.
	Scallops Shrimps Squids		6.0								

⁽a) Landings data include transhipments.

⁽b) Includes fish roes and livers.

TABLE 3.2 All landings into the UK and UK vessels' landings abroad: 2004 to 2008 (cont.) (a)

			Quantity	('000 tor	nes)			Yalus	oillim 2) s	n)	
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2006
(2)	Foreign vessele										
(i)	Landings into the UK										
	Brill	0.1	0.1	0.1	0.1	0.1	0.4	0.5	0.4	0.4	0.4
	Cathish	0.1	0.2		D.1	_	0.1	0.1	0.1	0.1	0.1
	Cod	36.9	55.0	19.0	8.2	8.6	39.6	74.1	20.8	11.0	7.4
	Doglish	1.8	1.4	1.2	1.2	1.0	1.5	1.1	0.9	1.6	0,6
	Haddock	0.3	13.2	7.4	3.7	2.1	6.1	15.9	5.7	3.2	1.2
	Hake	1.0	2.3	1.9	2.1	4.2	4.8	9.8	8.1	3.4	6.7
	Lemon Sole	0.4	0.3	0.2	0.2	0.2	0.8	0.7	0.6	0.7	0.6
	Ling	0.B	0.8	0.7	0.9	1.5	0.8	0.9	0.8	1.2	1.7
	Mogrims	0.3	0.3	0.2	0.4	0.6	0.5	0.7	0.5	1.1	1.6
	Monks or Anglers	1.8	1.9	1.8	2.3	2.3	3.9	4.4	4.8	5.8	5.7
	Plaice	0.8	8.0	0.8	0.7	0.5	0.9	1.0	0.9	8.0	0.6
	Poliack (Lythe)		0.1				0.1	0.1		0.1	0.1
	Sanhe	8.5	7.9	8.4	B.5	5.8	4.2	4.5	4.3	4.0	2.4
	Sand Eds									-	
	Skates and Rays	1.3	1.4	1.3	1.2	1.0	1.5	1.5	1.5	1.4	1.1
	Soles	1.2	1.2	0.9	0.9	0.6	7.6	8.1	7.5	6.9	4.9
	Turbot	0.1	0.1	0.1	0.1	0.1	0.7	0.8	0.8	0.7	0.5
	Whiting	0.3	0.4	0.5	0.5	0.3	0.3	0.1	0.5	2.0	0.3
	Whiting, Blue	19.9	14.3	17.8	20.0	43.9	1.2	0.7	2.5	3.4	4.8
	Witches	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	Other Demorsal ⁸⁸	17.8	13.5	11.9	11.8	10.8	24.5	18.6	18.0	12.8	11.0
	Total Demorsal	101.6	114.9	74.1	62.9	81.6	99.6	143.8	78.7	60.8	52.0
	Herring	5.4	15.3	26.3	19.6	19.5	0.8	4.2	6.6	4.1	4.6
	Horse Mackerel	0.1	1.1	1.6	0.8	0.4	- 11	0.2	0.4	0.2	0.1
	Mackerel	13.2	14.0	23.0	24.4	21.0	7.0	13.6	18.6	18.5	17.3
	Pilchards			0.5	100	111			0.1		
	Sprais	-	_	0.3				-		-	
	Tuna	-	-	**		-			**	-	
	Other Pelagic	0.1		0.2	0.2	3.7			17		1.4
	Total Pelagic	18.7	30.4	51.9	44.9	44.5	7.8	18.2	25.7	20.8	23.4
	Cockles						**				
	Crabs	0.3	0.5	0.7	0.7	0.9	0.4	0.6	1.9	2.0	0.9
	Lobsters	**					**		**		0.1
	Mussels	6	~	-						-	
	Nephrops	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.4	0.5	0.4
	Periwinkles		-								
	Queens		0.1	0.1		816	11	6.1			
	Scallops	1.3	0.9	0.6	0.7	1.0	2.2	1.2	0.9	1.2	1.4
	Shrimps								0.1		
	Squids				0.1		0.1	0.1	0.1	0.2	0.1
	Other Shellfish	0.2	0.2	0.3	0.3	0.1	0.2	0.1	0.2	0.3	0.1
	Total Shallflish	2.0	1.8	1.9	2.0	2.2	3.1	2.3	3.7	4.1	3.0
	Total All Species	122.3	147.1	127.9	109.8	128.5	110.6	164.3	108.1	85.7	78.4

⁽n) Landings data include transhipments and exclude landings abroad by foreign vessels.

⁽b) Includes fish roes and livers.

TABLE 3.2 All landings into the UK and UK vessels' landings abroad: 2004 to 2008 (cont.) (iii)

			Quantity	y (1000 to:	nnea)			Yalu	e (£ millio	n)	
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2006
(3)	Total: UK and foreign year	ela									
(i)	Landings into the UK										
	Brill	0.4	0.4	0.4	0.4	0.4	1.8	1.9	1.9	2.0	2.0
	Cathsh	0.5	0.5	0.4	0.3	0.2	0.6	0.7	0.6	0.5	0.4
	Cod	52.1	68.7	31.9	20.9	16.4	62.4	96.0	41.5	32.8	27.3
	Dogfish	6.5	4.2	2.9	2.6	1.8	5.9	3.6	2.5	2.6	1.1
	Haddock	53.7	60.7	46.0	35.9	34.1	38.8	54.6	50.9	43.1	35.7
	Hake	3.3	4.9	4.6	4.9	8.3	10.1	16.5	15.4	8.0	14.3
	Lemon Sole	2.4	2.4	2.2	22	1.9	6.9	7.1	6.6	7.0	5.9
	Ling	5.1	4.4	3.8	3.9	4.5	5.2	4.7	4.4	4.8	5.0
	Mogrims	3.6	3.5	3.3	3.9	4.0	8.2	9.0	8.8	9.6	11.5
	Monits or Anglers	12.6	14.5	14.0	16.1	15.3	26.6	35.0	36.8	39.9	41.9
	Plaice	4.3	3.9	4.3	3.5	3.4	5.2	4.9	5.0	4.3	4.3
	Pollack (Lythe)	2.1	2.1	1.9	2.6	2.3	2.8	2.9	2.7	3.9	4,6
	Sadhe	17.5	19.2	20.5	18.5	18.7	7.9	9.9	10.4	9.0	9.7
	Sand Eets	0.6				_					,
	Skates and Bays	5.7	4.7	4.2	4.2	3.9	6.0	5.5	4.9	4.7	4.4
	Soles	3.2	2.9	2.9	2.9	2.6	20.5	20.7	22.5	22.4	19.1
	Turbal	0.5	0.5	0.4	0.4	0.4	3.1	3.3	3.3	3.5	3.0
	Whiting	7.7	9.2	12.6	13.7	11.8	5.3	5.8	10.2	13.7	10.7
	Whiting, Blue	44.9	43.1	39.2	41.9	59.3	2.6	2.1	4.3	6.1	6.3
	Witches	2.3	1.7	1.5	1.4	1.1	3.8	2.9	2.4	1.7	1.4
	Other Demorsal ^{Di}	28.4	21.2	17.9	17.8	16.4	41.9	30.7	28.1	23.9	22.2
	Total Demersal	257.4	272.7	214.8	197.9	206.8	285.5	317.8	263.3	243.6	231.4
	Henring	61.6	91.8	88.4	70.3	57.7	8.5	20.1	21.1	13.6	14.0
	Horse Mackerel	2.5	5.0	6.8	7.1	6.3	0.4	1.5	1.8	2.0	1.7
	Mackerel	128.5	134.6	93.4	124.7	111.7	64.0	92.2	73.5	63.6	85.1
	Pilchards	1.3	3.6	2.1	2.5	2.9	0.6	1.1	0.6	1.0	0.9
	Sprats	3.9	4.7	3.4	3.1	3.6	0.7	1.6	0.7	0.6	0.7
	Tuna	-	-					-			0.2
	Other Pelagic	0.5	0.1	0.4	1.8	3.9	0.2		**	1.5	1,6
	Total Pelagic	198.3	239.8	194.4	209.5	186.2	74.5	118.5	97.8	102.2	104.4
	700015000	10115	200.0	10-11	2000		7.416	7.12.1	0110		0.00-21
	Cockles	12.9	13.2	11,3	11.3	14.0	10.1	8.1	5.3	7.4	7.0
	Crabs	22.0	20.5	26.9	29.4	25.6	23.9	24.3	35.9	39.9	3:3.5
	Lobsters	1.4	1.3	2.3	2.8	2.8	12.6	12.2	26.6	31.3	31.6
	Mussels	12.1	11.3	10.3	4.6	8.6	2.0	1.3	0.9	1.0	2.5
	Nephrops	30.5	33.9	41.2	44.3	43.2	70.5	84.2	114.5	126.9	115.0
	Periwinkles	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1
	Queens	5.2	5.6	4.8	5.8	4.7	1.9	2.6	2.9	2.2	1.3
	Scalloos	22.4	21.6	19.7	21.5	24.1	34.0	34.0	34.6	40.0	41.3
	Shrimps	0.5	0.5	0.5	1.4	0.9	0.7	0.9	1.0	3.6	2.6
	Squids	2.9	2.6	1.3	1.9	1.9	7.9	6.4	4.0	6.1	6.2
	Other Shelllish	18.2	15.6	16.9	19.0	19.2	12.5	12.0	14.8	16.4	18.0
	Total Shallfish	128.0	126.3	135.3	142.2	145.0	176.2	186.1	240.8	275.0	260.3
		120.0			. 74.6	- 14.4	23-01.0	- ways I			200.0

⁽n) Landings data include transhipments and exclude landings abroad by foreign vessels.

⁽b) Includes fish roes and livers.

TABLE 3.2 All landings into the UK and UK vessels' landings abroad: 2004 to 2008 (cont.) (a)

	_		Quantity	('000 ton	ines)			Yalus	oillim 2) s	n)	
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008
4)	UK vessels										
1	Landings abroad										
	Brill	0.2	0.1	O. I	0.1	0.1	0.7	0.8	0.7	0.7	0.4
	Cathsh	0.1		0.1	D.1	_	0.1	0.1	0.1	0.2	0.1
	Cod	6.1	7.1	8.0	6.6	9.5	7.5	9.1	8.7	8.2	13.1
	Doglish	3.2	2.7	0.7	0.3	140	1.6	1.3	0.3	0.4	
	Haddock	0.7	8.0	0.9	1.2	1.1	0.7	0.7	0.7	0.9	1.2
	Hake	0.8	1.1	1.2	1.8	1.9	1.5	2.5	3.7	2.8	2.9
	Lemon Sole	0.4	0.4	0.4	0.5	0.3	0.8	0.9	1.2	1.5	1.0
	Ling	0.4	0.2	0.5	0.3	0.3	0.4	0.3	0.4	0.3	0.3
	Mogrims	0.4	0.5	0.5	0.5	0.9	0.9	1.5	1.0	0.9	1.6
	Monks or Anglers	1.0	1.8	1.8	2.1	2.4	2.7	5.9	4.9	5.1	5.9
	Plaice	13.9	11.5	11.1	10.4	10.1	17.3	15.4	13.2	12.4	13.2
	Pollack (Lythe)	0.2	0.2	0.4	0.1	0.2	0.3	0.2	0.5	0.3	0.4
	Saithe	0.8	1.5	1.5	1.8	2.9	0.4	0.6	1.1	1.4	2.2
	Sand Eels	-	-	0.7	1.7	6.3		_		0.1	0.4
	Skates and Pays	0.9	0.5	0.5	0.4	0.4	1.2	0.5	0.6	0.5	0.5
	Soles	0.6	0.7	0.6	D.9	0.4	4.3	5.0	5.0	5.8	3.3
	Turbot	0.4	0.4	0.3	0.4	0.3	2.9	2.6	3.2	3.1	2.1
	Whiting	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	51	0.1
	Whiting, Blue	35.1	63.2	60.6	34.6	22.8	2.4	5.6	6.3	4.0	3.7
	Witches	1.3	0.9	0.4	0.4	0.3	2.4	1.5	0.7	0.7	0.4
	Other Demorsal ⁸⁸	8.7	5.6	5.5	5.3	4.5	9.6	7.1	4.8	4.4	5.4
	Total Demersal	75.3	119.1	95.9	69.6	64.9	57.7	62.0	57.3	53.9	58.1
_											
	Herring	40.1	49.4	47.5	40.3	28.9	7.8	10.6	20.2	16.9	7.7
	Horse Mackerel	9.8	4.0	7.6	7.6	5.5	1.8	1.0	3.2	2.5	1.9
	Macketel	59.4	34.6	32.7	33.5	37.5	28.3	25.9	24.6	21.9	28.6
	Pilchards	1.3		0.6	1.1	25.5	1.0		0.2	0.3	0.9
	Sprats	-	-	4.5					-	***	
	Tuna			0.1	0.2	0.1			0.1	0.1	0.1
	Other Pelagic	0.7	0.6	8.8	12.8	8.8	0.5	0.6	4.2	4.9	3.5
	Total Palagic	111.3	88.7	97.2	95.5	106.2	39.2	38.1	52.3	46.5	43.1
	rom rough	17.1132	V-Mark	OF ILE	District	T-VOIA.	dele	440.1	DEID	70.0	799217
	Cockles										
	Crabs	3.2	2.8	3.5	4.1	2.6	3.8	3.0	3.7	4.8	3.1
	Lobsters				**		0.2	0.3	0.4	0.3	0.4
	Mussels		-			-		4		4	
	Nephrops	0.2	0.3	0.4	0.4	0.6	0.7	1.4	1.9	2.2	1.9
	Periwinkles						-				
	Queens		**	0.2		_		h1	0.1		
	Scallops					_					0.1
	Shrimps					_					
	Squids	1.9	4.8	0.2	0.8	3.9	5.6	10.2	0.6	1.8	4.0
	Other Shellfish	0.3	0.4	0.3	0.2	0.3	0.2	0.3	0.3	0.2	0.8
	Total Shallfish	5.6	8.4	4.5	5.5	7.7	10.6	15.1	6.9	9.4	9.7
	A winner was a state of the sta	dise	Ar-A	2.0	40.4		- der de	a spira t	4.5	4.4	

⁽a) Landings data include transhipments and exclude landings abroad by foreign vessels.

⁽b) Includes fish roes and livers.

TABLE 3.2 All landings into the UK and UK vessels' landings abroad: 2004 to 2008 (cont.) (iii)

			Quantit	y (1000 to:	nnea)			Yatu	oillim 2) a	in)	
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2006
(5)	Total: UK vessels										
(1)	Landings into the UK and ab	read									
	Brill	0.5	0.4	0.4	0.4	0.4	2.1	2.2	2.2	2.3	3.0
	Cathsh	0.4	0.3	0.4	0.4	0.2	0.6	0.6	0.7	0.6	0.4
	Cod	21.3	20.9	20.8	19.3	19.3	30.2	31.0	29.5	29.9	33.4
	Doglish	7.9	5.5	2.4	1.6	0.8	6,1	3.8	1.9	1.4	0.5
	Haddock	46.1	48.3	39.8	33.5	33.1	33.4	39.4	45.9	40.8	35.6
	Hake	3.0	3.6	3.9	4.6	6.1	6.7	9.2	10.9	7.4	10.2
	Lemon Sole	2.4	2.6	2.4	2.5	2.1	6.8	7.3	7.2	7.8	6.3
	Ling	4.7	3.8	3.5	3.3	3.3	4.8	4.1	4.1	3.9	3.8
	Mogrims	3.7	3.9	3.5	4.0	4.4	8.6	9.9	9.2	9.5	11.4
	Monks or Anglers	11.B	14.4	14.0	15.9	15.4	25.4	36.5	37.0	39.1	42.1
	Plaice	17.4	14.8	14.5	13.2	13.0	21.6	19.4	17.3	15.9	18.6
	Pollack (Lythe)	2.3	2.2	2.2	2.7	2.5	3.0	3.1	3.1	4.1	4.9
	Sadhe	9.8	12.9	13.6	11.8	15.7	4.2	6.2	7.2	6.3	9.5
	Sand Eds	0.6		0.7	1.7	6.3			0.1	0.1	0.4
	Skates and Rays	5.2	3.8	3.4	3.3	3.3	5.7	4.4	4.1	3.8	3.6
	Soles	2.6	2.5	2.5	2.9	2.4	17.2	17.6	20.1	21.2	17.5
	Turbol	0.8	0.7	0.6	0.8	0.7	5.2	5.1	5.7	6.0	4.9
	Whiting	7.5	9.0	12.2	13.2	11.5	5.1	5.7	9.8	11.8	10,4
	Whiting, Blue	60.1	111.9	B2.1	58.5	38.2	3.7	7.0	8.1	6.7	5.5
	Witches	3.5	2.4	1.8	1.7	1.3	6.1	4.3	2.9	2.4	1.6
	Other Demorsal ^(a)	19.2	13.3	11.5	11.3	10.1	27.0	19.3	14.9	15.5	18.6
	Total Demorsal	231.1	276.8	236.6	204.5	189.9	220.5	236.1	241.9	236.6	237.5
						_					
	Herring	96.3	125.9	109.6	91.1	67.1	15.2	26.5	34.7	26.3	17.1
	Horse Mackerel	12.2	8.0	12.8	13.9	71,4	2.2	2.3	4.5	4.3	3.5
	Mackerel	174.7	155.2	103.0	133.8	128.2	85.4	104.2	79.5	69.0	96.4
	Pilchards	2.7	3.6	2.2	3.7	29.3	1.6	1.1	0.8	1.3	1.8
	Sprats	3.9	4.7	3.4	3.1	3.6	0.7	1.6	0.7	0.6	0.7
	Tuna			0.1	0.2	0.2			0.1	0.2	0.3
	Other Poingic	1.1	0.7	9.0	14.4	9.1	0.7	0.6	4.2	6.3	4.9
	Total Palagic	290.9	298.1	239.7	260.1	247.9	105.8	138.3	124.4	127.9	124.1
	Cockles	12.9	13.2	11.3	11.3	14.0	10.1	8.1	5.3	7.4	7.0
	Crabs	24.9	22.8	29.6	32.9	27.5	27.3	26.7	37.7	42.7	35.7
	Lobsters	1.4	1.3	2.3	2.8	2.6	12.9	12.4	26.9	31.6	32.1
	Mussels	12.1	11.3	10.3	4.6	8.6	2.0	1.3	0.9	1.0	2.9
	Nechrops	30.5	34.1	41.4	44.5	43.5	71.0	85.4	116.1	128.7	116.5
	Periwinkles	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1
	Queens	5.1	5.5	4.9	5.8	4.7	1.9	2.6	3.0	2.2	1.6
	Scallops	21.1	20.7	19.0	20.8	23.2	31.8	32.7	33.7	38.9	40.2
	Shrimps	0.5	0.5	0.5	1.4	0.9	0.7	0.9	0.8	3.6	2.6
	Squids	4.7	7.4	1.4	2.6	5.6	13.4	16.5	4.4	7.7	10.1
	Other Shellfish	18.4	15.9	16.9	18.9	19.4	12.6	12.2	14.9	16.3	18.2
	Total Shallfish	131.7	132.8	137.9	145.8	150.5	183.7	198.9	244.0	280.3	267.1
	Total All Species	653.7	707.8	614.2	610.4	588.3	513.0	571.3	610.3	644.8	628.7

⁽n) Landings date include transhipments and exclude landings abroad by foreign vessels.

⁽b) Includes fish roes and livers.

TABLE 3.3 Landings into the UK by UK and foreign vessels: 1938 to 2008 (a)


	1938	1948	1960	1970	1980	1990	2000	2004	2005	2006	2007	2008
Demersal												
Quantity ('000 tonnes)	807.8	923.5	758.8	778.6	484.2	336.7	280.5	257.4	272.7	214.8	197.9	206.8
Value (£ million)	14.6	46.4	52.0	67.5	194.4	327.7	305.8	265.5	317.8	263.3	243.6	231.4
Pelagic												
Quantity ('000 tonnes)	295.0	287.6	127.8	204.0	319.2	267.8	118.0	198.3	239.8	194.4	209.5	186.2
Value (£ million)	2.0	6.0	3.0	5.8	30.1	32.1	22.3	74.5	116.5	97.8	102.2	104.4
Shellfish												
Quantity ('000 tonnes)	32.1	28.7	28.1	56.4	70.2	97.5	127.7	128.0	126.3	135.3	142.2	145.0
Value (£ million)	0.5	1.4	2.1	6.7	34.5	105.1	154.5	176.2	186.1	240.8	275.0	260.3
Total												
Quantity ('000 tonnes)	1,134.9	1,239.8	914.7	1,039.1	873.6	702.0	526.3	583.8	638.8	544.4	549.6	538.0
Value (£ million)	17.2	53.8	57.0	80.0	259.0	464.7	482.5	516.2	620.4	601.9	620.8	596.1

(a) Landing data include transhipments.

Demersal, pelagic and shellfish landings

In 2008, the UK fleet landed 190 thousand tonnes of demersal species, down 18 per cent on the 2004 figure. Over the same period, the value of demersal landings increased by 6 per cent to £238 million. There were 248 thousand tonnes of pelagic species landed in 2008, down 15 per cent on 2004 while the value increased by 17 per cent to £124 million from £106 million in 2004. Shellfish landings increased for the fourth year in a row to 151 thousand tonnes, a rise of 14 per cent on 2004 levels. Over the same period the value of shellfish landings increased by 45 per cent to £267 million.

Chart 3.3: Landings into the UK and abroad by UK vessels: 2004 to 2008



Demersal Fish

In 2008, landings by the UK fleet of cod remained constant at 19 thousand tonnes while the value of cod landings rose by 11 per cent to £33 million. Landings of haddock also remained constant at 33 thousand tonnes but the value fell by 13 per cent to £36 million. Table 3.2 shows figures for all species and Chart 3.4 shows landings and value for key demersal species since 1994.

Chart 3.5 shows the largest amount of demersal species was landed into the Netherlands and Denmark at 26 and 16 thousand tonnes respectively. Vessels from Norway landed 30 thousand tonnes into the UK and Faroese vessels landed 19 thousand tonnes.

Chart 3.6 shows the UK fleet's demersal catch, value of catch and value per tonne by ICES rectangle.

Chart 3.4: Landings of key demersal species into the UK and abroad by UK vessels: 1994 to 2008




Chart 3.5: Landings of demersal species abroad by UK vessels and landings into the UK by foreign vessels: 2008







Chart 3.6: Demersal catch by UK fleet: 2008

Chart 3.6a: Quantity of catch by ICES rectangle







Pelagic Fish

Mackerel and herring are the two main pelagic species landed by UK vessels into the UK and abroad. These species accounted for 79 per cent by weight and 91 per cent by value of total pelagic landings in 2008. Landings of mackerel decreased by 4 per cent on 2007 to 128 thousand tonnes while the value of these landings increased by 8 per cent to £96 million. Landings of herring fell 26 per cent to 67 thousand tonnes with the value also falling by 35 per cent to £17 million.

In 2008 landings of mackerel were 46 per cent lower than the 239 thousand tonnes landed in 1994 and landings of herring were 35 per cent lower than the 104 thousand tonnes landed in 1994.

Chart 3.9 shows the UK fleet's pelagic catch, value of catch and value per tonne by ICES rectangle.

Chart 3.7: Landings of key pelagic species into the UK and abroad by UK vessels: 1994 to 2008




Chart 3.8: Landings of pelagic species abroad by UK vessels and landings into the UK by foreign vessels: 2008







Chart 3.9: Pelagic catch by UK fleet: 2008

Chart 3.9a: Quantity of catch by ICES rectangle







Shellfish

Nephrops and crabs are the two main species of shellfish landed by UK vessels into the UK and abroad. In 2008, nephrops accounted for 29 per cent of shellfish landings by weight and crabs accounted for 18 per cent. Landings of nephrops and crabs have increased by 43 per cent and 32 per cent respectively since 1994. These two species accounted for 57 per cent of the total shellfish value in 2008. Scallops followed with 15 per cent weight and value while lobsters accounted for only 2 per cent weight but were the fourth highest in value at 12 per cent.

The UK fleet landed relatively small quantities of shellfish abroad and foreign vessels landed very little into the UK.

Chart 3.12 shows the UK fleet's shellfish catch, value of catch and value per tonne by ICES rectangle.

Chart 3.10: Landings of key shellfish species into the UK and abroad by UK vessels: 1994 to 2008




Chart 3.11: Landings of shellfish abroad by UK vessels and landings into the UK by foreign vessels: 2008




Chart 3,12: Shellfish catch by UK fleet: 2008

Chart 3.12s: Quantity of catch by ICES rectangle






Chart 3.12b: Value of catch by ICES rectangle





Landings into major ports by the UK fleet

Chart 3.13 shows the top twenty UK ports based on the quantity landed by UK vessels in 2008. Peterhead remains the port with the largest quantity and value of fish landed. Landings into Peterhead dropped by 3 per cent from 117 thousand tonnes in 2007 to 113 thousand tonnes in 2008. Lerwick had the second highest landings – 66 thousand tonnes compared with 28 thousand tonnes in Fraserburgh. Brixham and Plymouth had the highest quantity of landings in England with 11 thousand tonnes each.

Chart 3.13: Landings into the top 20 UK ports by UK vessels: 2008




Chart 3.14: Landings into the top 20 UK ports by UK vessels by species type: 2008 ('000 tonnes)




Chart 3.14 shows the quantity of demersal, pelagic and shellfish landings across the top 20 UK ports identified in Chart 3.13. Eighty five per cent of landings of pelagic species into the UK by the UK fleet were landed at Peterhead, Lerwick and Fraserburgh. Peterhead landed the largest quantity of demersal species, 46 thousand tonnes. Quantities for all major ports can be found on the publication's website.

X/Va (0.5) Ra. (24.6) Vb (4.2) 1Va. 1 VIII (119.4) VID: (4.3) (Vb) (46:3) VIIII (17.20 Vinc. (20.0) US 61 (1:1) V70000 (01.89 VID() (15.3) Demersal (a) Area VIIIa also includes landings from areas VIIIb, c, d, e Key to Fishing areas follows on the next page Pelagic

Chart 3.15: Landings into the UK and abroad by UK vessels by area of capture: 2008 ('000 tonnes)

Sheltfish

Key to fishing areas

I. Barents Sea and Murman Coast

II. Northward of the Norwegian Coast

IIa. Norwegian Coast

Ilb. Bear Island and Spitzbergen

III. Skagerrak, Kattegat, The Sound, Belts and Baltic

Illa. Skagerrak and Kattegat

IV. North Sea

IVa. Northern North Sea

IVb. Central North Sea

IVc. Southern North Sea

V. Iceland and Faroes

VI. West of Scotland and Rockall

VIa. West of Scotland

VIb. Rockall

VII. West of Ireland and Channels

VIIa. Irish Sea

VIIb. West of Ireland

VIIc. Porcupine Bank

VIId. English Channel, East

VIIe. English Channel, West

VIIf. Bristol Channel

VIIg. South East of Ireland

VIIh. Little Sole Bank

VIIj. Great Sole Bank

VIIk. West of Great Sole Bank

VIII. Biscay

Landings by the UK fleet by area of capture

Chart 3.15 and Table 3.4 show the largest quantity of fish, 155 thousand tonnes, was captured by the UK fleet from the Northern North Sea (Area IVa) with a value of £195 million. Large quantities were also captured from the West of Scotland (Area VIa) and the English Channel (Area VIId/e) – 119 thousand tonnes and 52 thousand tonnes respectively.

Seventy six thousand tonnes of pelagic species were captured in the West of Scotland and 65 thousand tonnes in the Northern North Sea. These areas account for 57 per cent of all pelagic species landed by UK vessels. The North Sea (Areas IVa, IVb and IVc) and the English Channel provided 52 per cent of the shellfish and 58 per cent of demersal fish landed by the UK fleet.

TABLE 3.4 Landings into the UK and abroad by UK vessels by ICES area of capture: 2008

	Dem	ersal	Pel	agic	She	llfish	To	otal
	Quantity	Value	Quantity	Value	Quantity	Value	Quantity	Value
	('000t)	(£ million)						
Barents Sea/Murman Coast (I)	2.3	2.8	-	-	-	-	2.3	2.8
Norwegian Coast (IIa)	4.8	6.2	19.8	2.8			24.6	9.0
Bear Island & Spitzbergen (IIb)	3.0	4.4	-	-	-	-	3.0	4.4
Northern North Sea (IVa)	67.3	94.5	64.9	44.4	23.1	56.1	155.3	195.1
Central North Sea (IVb)	29.6	34.5	2.3	1.0	14.5	38.4	46.3	73.8
Southern North Sea (IVc)	1.7	5.0	1.9	0.6	15.1	12.0	18.8	17.5
Faroes (Vb)	4.2	2.0	-	-			4.2	2.1
West of Scotland (Vla)	15.6	15.0	75.5	44.9	28.3	71.4	119.4	131.3
Rockall (VIb)	3.5	5.0			0.9	2.4	4.3	7.4
Irish Sea (VIIa)	2.6	4.0	4.9	1.1	30.7	37.4	38.2	42.5
West of Ireland (VIIb)	3.9	1.7	13.4	8.3			17.3	10.0
Porcupine Bank (VIIc)	26.9	4.6				0.1	26.9	4.7
English Channel (VIId/e)	11.5	31.2	14.2	4.5	26.3	33.7	51.9	69.4
Little/Great Sole Bank (VIIh/j)	5.9	13.7	8.9	6.1	0.6	1.0	15.3	20.7
West of Great Sole Bank (VIIk)	0.9	1.8		0.1	0.2	1.1	1.1	3.0
Rest of ICES area VII (VIIf/g)	3.1	8.1	2.3	1.2	7.2	10.3	12.6	19.6
Bay of Biscay (VIII)	0.3	0.6	2.6	1.8			2.9	2.4
East Coast of Greenland (XIV)	0.5	0.4	-	-	-	-	0.5	0.4
North Azores (XII)	-	-	-	-				
Other Areas ^(a)	2.3	1.9	37.1	7.3	3.7	3.2	43.1	12.5
Total UK	189.9	237.5	247.9	124.1	150.5	267.1	588.3	628.7

Source: Fisheries Administrations in the UK

Total allowable catches, quotas and uptake

Table 3.5 shows the 2008 European Commission's Total Allowable Catch (TAC) and quota (after quota swaps etc) for each stock, together with landings by each member state. These are derived from reports to the European Commission by each member state detailing landings into their own country by their own vessels and those of other member states. The figures for the UK may therefore differ from those reported earlier in this chapter, which are based solely on the UK's record of landings into the UK and abroad.

⁽a) Includes areas outside ICES areas such as the Indian Ocean and the Eastern Central and South West Atlantic (see Chart 6.2).

TABLE 3.5: Total Allowable Catches, quotas and uptake (%): 2008

Albacore Angless / Monklish	Arbe Northern Advance (comm. north of lathace 50° N Southbern Advance comm. south of lathace 50° N North See Iss (CC), N (SC)	Quote Gaich Upsake % Quota Calch Upsake %	562 50 9	Belgium	Oenmark	7,244 1,517	7,958 1,522	Netherlande .	16,962 14,418	4,394 528	37,050
Areghein / Monkflish	America covers, resetts of lableces 50° N Southful II Advance covers, accepts of lableces 50° N North See Re (CC), n° (6°C)	Canch Uptake % Guote Catch Uptake %	50 9					-			
Araghera / Monkrish	Southern Adentic comer, acuth of tention (201 fr North See to (20), nº (60)	Optake % Custo Catch Uptake %	9								18.032
Angless / Monkrish	Adviso comes, acuth of annual cold for North See Re (PC), n/ (PC)	Quote Catch Uptake %				21	19		85	12	46
Angless / Monkflah	ef antique (5) N North See No (50) N (50)	Casen Uptake %		F	- 1	311	1	- 4	942	660	3.915
Anglera / Monkflish	North See In (EC) (MEC)	Uptake %	2			- 97			998	53	480
Monkflish	MAC MAC		90			12			39	В	21
		Quebble	9,250	401	884	62		1003	-	417	11,343
7		Guildo	8,608	113	212	37		58		942	9,366
7		Uptake %	975	28	24	45		19	_	62	60
-	4 (Horwagian	Quota	258	48	1,256			15		31	1,614
7	erational)	Chilch	234	12	1,100			14	_	27	1,386
	ni (Norwey)	Uptake %	91	24	87	pás.		91	-	86	86
	West of Scotland	Quota	1,782	+		2,300	501	118	263	178	5,140
	Vb (EC), VI, XII, XIV	Calch	1,625			2,252	371		261	112	4,623
		Upanko %	91			08	74		90	63	90
7	7	Queta	5,431	2,345		17,372	2,969	207	2,291	309	30,92
	UR.	Calch	3,658	515		11,987	2,466	6	2,543	168	21,043
		Uptake %	71	58		58	83	3	88	54	54
	5-7 & 12	Queta	58	- 2		2.880		14	193	1	3,133
Scabbard Flah		Callish	26			2,717		34	193	44	2,95
	and International)	Optable %	45			\$4		N/a	100	ŪΨ	9-
	2, 4 8 5	Quela	17		7	479		-	-		74
	K AV and Y SEG and	Canch	10		1	37	1				43
	hamatani)	Upbake %	74			25	*		-		- 62
	5 & 7	Queta	131	- 1	- 1	1,979	2			1	2,113
	March Will EC and	Cetch	126		+	1,890	11	-		1	1,018
	in characteristics in it	Optake %	96		- 1	85	5	- 1	500	50	86
	56 (Forces waters)	Queta	275			5,465		-	-	-	2,76
Ling	Vb (Farces)	Callidh	120	10		1,604	1	18	-		1,729
		Uptaka %	-63	4		64		-	-	-	ři.
	Northern	Guera	35,171	*	13,774	16.382	23,732	76,559	2,511	30.026	198,158
	CALACAC VIOLVIII VIII BOOK.	Cecen	35,132		12,007	14,233	22,855	77,361	2,509	39,900	194,880
-	SILTALA (E.C. Bard pa)	Uptake %	100		93	87	96	101	100	100	BE
	Feroes waters	Quote	4,385		5,091	1,586		422		753	12,236
	Re, Wu, Ya, Yu.	Galich	1,183		4,902	603		755	-	753	8,184
	Ma (Facula)	Uptake %	27		96	38		179	-	100	(E)
	1.4.2 (Horwegian	Quota	5,975			1,892		-	2,290	6,636	16,800
	material)	Culish	5.925			1,786			2,305	6.637	16,652
_	i, it (fictory)	Upraka %	99	ř.		D4		-	100	100	96
	1 & 25	Queta	2,579		,	1,363		-	7,341	2,929	14,512
	1, 80	Canch	2,740			1,363			7.349	2,829	14,261
	Name Par	Uptaka %	95			100	•	-	100	61	86
	North Sea Se SCL A	Chieffe	8,746	892	3,906	783	7	1,952	-	1,950	18,229
	SO DELL'IN	Catch	8,700	866	3,827	763		1,876	-	1,008	57,042
-	Marie at the street	Upcake 15	100	97	98	97	45	98		99	98
	West of Scotland to 1861, ye at late	Quota	281	-		27	87	-	-	-	440
	THE REAL PROPERTY.	Califo	277		-	83	99	4	-		451
	7.a	Uptake %	447			107	114	-	-		100
	Vila	Cluster	617	89	-	50	624	5			1,368
		Cerch	537	70	*	3	631		-	-	1,194
-	To-k	Operate %	87	93	- 1	6	101	46	-		B)
	Villes Villa), VIII. DCA	Queta	448	202		3,372	739	35	-	-	4,000
	DEDA MILIKEDI	Guildh Geardan fei	436	201		3,290	680	27	3		4,630
	Greenland waters	Untake %	97	30		08	93	718	18/4	9.000	9:504
	AMOUND LY	Guerra.	637							2,863	3,500
	and XIV (Greenland)	Canch Untaka %	637					-		2,801	9,43
	5b (Farote waters)	Uptake %	100			50		76		98	B)
	DO (Farons)	Quote	480		*	20		-	-	-	501
-		Catch	453			1		~			45
Onto and	North See	Operator %	94	78%	4.007	5			-	0.000	91
	Moreon and	Queta Carrin	1,920	7(3) 485	1,927	260		11,654		2.286	18,614
- Paragraphic Company	Thomas of the last	Catch	923	655	871	259		7,740	-	401	10,84
Deep Sea	5-9	Uptaka %	240	86	45	100	4.0	66	2005	KB	51
	D-16 U, VA, VAL WELL OF	Cucca	313			1,007	10	4	202	241	1,77
	e, es, es, ess, es al C and est	Catch Uptake %	39 13			858 89	4	-	195	501	1,025

Source: European Commission

(a) UK landings in other member states of the EU were reported by other member states. Figures in earlier tables in this chapter for UK vessels landing abroad are based on UK records. Figures in this table for species fully covered by qualit stocks may thanke at the those states in this chapter.

TABLE 3.5: Total Allowable Catches, quotas and uptake (%): 2008 (cont.)

Species	Area		OK 100	Belgium	Denmark.	France	Ireland	Netherlande	Spein	Cimer	EC TA
Greater	1-1	Queta	13	usigna.		11			arpriise i	-	2
Forkbeard	A. R. H. MYSC and	Carroto	Z	,							
	A destruction and	Uptaka %	8			3					
	5-7	Queta	520	,		872	60	-	605	,	2.15
	M. NO. VALUE G. COMP.	Calch	223			729	48		598		1,50
	(communicated)	Uptake %	43			75	80		99		7
Breenland	1 & 2 (Norwegien	Carrie	25		1.0			-		25	- 5
Halibul	markers)	Catch	- 6	_				_	_	5	3
	J. M. (Printings)	Uptako 😘	24	1)				*4	-	20	
	24, 4 & 6	Oucts	210	-	- 6	253		-	- 6	10	46
	IN RECLAY YORKS	Catch	113			1140	1	9	8	1	26
	and laborational	Uptake %	52			-61		_	95	13	5
	5 & 14 (Greenland	Cluste	328	- 1				2	*	6,262	8,56
	maters)	Cetth	958	-		+		-	-	6,204	0.53
	M, 2077 (Uneentaint)	Uptake %	100							99	9
Huddock	1 & 2 (florwegien	Quota	1,092	*	11	0.70	*	-	019	646	2,11
	watern)	George	974	1	10	276	1		43	967	2.26
	d, Palikaru ng j	Uptaka %	(19			部			111	150	10
	North Sea	Cluster	31,914	279	1,966	1,960	10	210	20.	1,265	37,61
	Min (EC), 7V	Carch	97,010	104	501	647		29	-	581	29,15
		Uptake %	86	37	25	33		1.4		44	- 2
	West of Scotland	Quota	5,351			421	1,108	-	25	11	6.91
	50 6 6a	G Uza	1,765			118	879		10		2,73
	NO ADELL YOU	Uppaka %	33			26	79		42		-
	West of Scotland lib	Quota	5,770			612	761	-	3	-	7,34
	Mar 200, 2009	Colon	1,779			1	721		1	-	2,50
		Uptake %	34				95	-	20	-	5
	7	Causes	1,342	129	¥	7,426	2,497		165		11,5
	PRE MINE DE XI	Callett	1,104	109		4,597	5,114	11	122	-	8,0-
	COMMOE DK EMBC)	Uptaka %	B2	<u>85</u>		62	85	inén	68		
Hake	North Sea	Queta	2,198	(85)	1,210	597		121	-	138	4,3-
	等所的	Cance	1,678	56	508	540		120	-	129	3,22
	7.1.7	Uptake %	85	56	R	90		99		- 10	- 3
	6 & 7 TO 4001, Vt. MI, XII.	Cueta	4,057	251		12,676	1,838	40	12,296		28,19
	THE STATE OF THE SALE	Catch	3,000	7		6.535	1,401	36	11,164	-	21,00
Herring	Atlanto Scandian	Uptake %	7.4	3:	47.696	49	76	91	91	A min	
resident (i. E	Quote	20,361	-	01,240		8,535	30,020	-	6,092	\$6,25
	4.0	Gench Uspake %	19,745		31,126 100	1	8,056	28,845		B,080	95,85
	North Sea 4ab	Queta	25.299		44,536	12.939	150	12,408		100	101.77
	SV (EC and Moreon)	Centra	25,200		44,559	13.616	12	12,396		16,375 15,965	111.70
	North of 53° 30%	Uptake %	100		100	105	8	100		97	101,000
	4c & 7d	Queta	2,602	100	414	7,539	-	10,748		5,258	26,66
	this partfette, with	Galich	654			5.651		10.662		5.181	23.34
		Uptake %	30	-		86		90		90	E 13/0-
	West Coast	Quota	14.277			561	3.064	4,322		2.557	24,78
	NO JOSEPH WARRING	Gench	14,033			560	2,840	4,087	_	2,527	24,04
	of 331 301 Pri, Vito	Updake %	90			100	93	95		99	2.70
	Firth of Clyde	Cuero	800						-		8
	MinyOyder	Catch	549							_	54
		Uphrate %	69								- 1
	7s (Manx and	Queta	4,919				9	-	_	-	4,99
	Mounne's	Catch	4,895				5				4,90
	Vinglehers & Mourrey	Uptaka %	100				56				1,1
	Tell	Custa	500	-	-	449	-	51			1,0
	Villa, E.	Catch	106		4	4425		51			0
		Uptaker %	21	10		99		100			
	7ghjk	Quoti	15	-	-	526	7,602	420	-	193	6.73
	Mig. A. Z. E.	Canon	_			517	6.798	381		192	7,8
		Upcake %	2			DIL	25	91	_	99	1 500
forme .	North See	Queca	2,923	8	6,156	3,105	1,463	20.849		2,726	37.2
fortional.	A (EC) (V (EC)	Catch	1.526	1	1	976	1,186	9,308		1,293	14.2
		Uptake %	52	18		32	81	45		47	14%
	West Coast	Questa	22,618	3	0.010	16,131	42,480	65,621	0,196	25,022	182,1
				4			35.896		2,809	14.179	129.0
	MINUSERS, NO. 1911.	Carich	8,456	-	3,757	10,575		50,325			

(ii) UK settings is other member states of the CU wave reported by other reserves states. Figures in surfactables in this chapter for UK reserving about any based on UK records. Figures in this product kelly previously quote model may therefore state from those detectables in this chapter.

TABLE 3.5: Total Allowable Catches, quotas and uptake (%): 2008 (cont.)

Sees tee	Artis		UK 96	Belglum	(Denmark)	France	Ireland	Netherlands	Spain	Coner	EC TAC
Lemon Sole	North Sea	Queta	4,001	613	1.013	277	E VISION III	698	- I	191	6,793
and Witches	SIN (FC) (V) (FC)	Catch	1,006	504	512	99		642		104	3,556
		Uptake %	47	82	51	33		63	1	54	54
Ling	Deep Sea 1 & 2		10		10	10		- 63	-	15	48
Ling	2.5	Queta								13	
		Callido	1	1		5	1	17			-
	A CER	Uptako %	124			46.		-	-	2	14
	4 (EC waters)	Guodil	2,177	17	285	179		6		189	2,654
	MITTE	Canen	1,770	10	33	163			-	19	2,010
		Uptake %	-81	79	12:	102	5	5	-	M	71
	4 (Monwegien	Quota	én	6	733	1		1	-	27	849
	matery)	Carro	-83	2	4.53	14			-	30	566
	NOVOTERS S OF DETRO	Upento %	100	25	自 章	30		-	-	111	67
	5 (lostendic and	Queta	4	*	6	B.			-	-	18
	Forces welete)	Canch	2			7		ii.	-	-	9
	U (c mend & Parces)	Uptaka %	[4]			91		-	-		52
	6-10, 12 6 14	Chapte	3,630	70	6	3,166	776	1	2,969	154	10,774
	M. N. M. M. S. S. S.	Cartety	1,295	49		2,430	521		1,382	44	5,726
	ME XIVE CO	Upesion %	38	70		77	67	20	47	28	53
Macherel	North See	Queta	4.88	37	12,536	530	*	650	-	3,804	18,149
	阿尼贝 06	Canch	452	2:	8,401	526		447	1.0	3,768	13,595
		Uptake %	82	4	65	99		99	-	99	-75
	Wast Const	Gueria	125,079		1,779	10,010	45,465	16,863	20	14,617	215,852
	MERCHANDA	Centh	124,477		1,769	8.905	44,360	19,494	12	14,612	210,629
	MI, VSRebde STLETY	Upsako %	100		99	89	98	103	58	100	99
Magrima	North See	Queta	1,528	- 6	5	24	-	13		- 4	1,580
	m (PO (M) (PO)	Gallich	1,485	2	5	19		4		2	1,916
		Uptaka %	97	40	92	79		20		38	96
	West of Scottand	Gueta	1,203			816	276	1	295	-	2,592
	PARTIES VERDE XXV	Casch	1,001			169	240		203		1,643
		0.000	83			21	87	-	79		63
	7	Optake %	2,624	494		6.663	3.029		5,490		18,300
	VIII							-	4,562	-	9,405
		Calich	1,623	137		1,571	1,512			-	51
Nephrops	North See	Upenka %	62	26	4 000			1 510	63	750	
Regimogie	PARTO A RO	Quote	24,660	556	1,520	44		1,546		718	29 044
	Service of the service	Getch	19,521	197	546			730	-	242	21,237
	T Shine and a state of	Uptake %	79	35	36			47		34	78
	4 (hiorwegian	Cherca	60		1,183			3		1	1,247
	matera)	Callch	4		527				-		531
	IV (Normay)	Upasio %	6	- 7	45			-4			43
	West of Scotland	Quete	21,530				397		44		21,664
	M6 图DJ W	Canch	15,107				57		1		15,165
	_	Uptake %	PQ.				19		3		79
	7	Queta	9,07:3	15	4)	6.741	9,412		1,644		26,865
	MI	Catch	0.5-40	13		2,386	9,160	-	460		20,571
		Upsake %	94	75		35	97		28		17
Platen	North See	Quote	11,690	3,090	9,090	216		20,303	-	0.163	47,015
	MA DECEMBER	Committee	11,071	3,324	8.214	200	1	20,323		2,989	46,121
		Uptake %	95	0.0	90	43		100	-	64	96
	West of Scotland	Guera	477			22	287		-		786
	MARKET W. KILL XXV	Centry	33		-		17		_	_	49
		Uptake %	7				6				6
	7a	Queta	735	62%		23	654	14		-	2,052
	Min	Galidh	318	135		1	101		_		555
		Uptaka %	408	22		2	15				27
	7de	Queta	1,369	1,301		2,360		20	-	-	5,050
	Mid-e	Cancin	1,127	1,287		1,654		A			4,075
					nh.		nh	40			
	Mg	Opens %	82	99	196h	70	n/a 63	40			526 526
	Mit g	Checos.	88	236		139					
	100	Callsh	02	156		124	64	-	-	-	415
	Walter Co.	Uptalos %	70	70		89	101				79
	7hjk	Cuphi	32	25		37	135	76	1		308
	total a	Catch	12	23		28	73		1		136
		Uptake %	38	65		15	55	-	60		4.5
Pollack	Wast of Scotland	Chicke	1.85			216	63		-		444
	MATERIA OF THE XIV	Catch	22			0.	19	-	-	-	44
		Uptake %	13			1	31				10

(a) UK landings in other member states of the EU were reported by other montion states in earlier tables in this chapter for UK vessels landing abroad are based on UK records. Figures in this business to this chapter for UK vessels landing abroad are based on UK records. Figures in this business to this chapter.

TABLE 3.5: Total Allowable Catches, quotas and uptake (%): 2008 (cont.)

Species	Area		UK ™	Birlgium	Oenmurk:	France	Ireland	Natherlands	Spain	Other	EC TAC
Pollack	2	Queta	2,656	426		10.956	1,168	3	29	-	15,300
[powinwed]	MI	Gaten	1.319	85		1.523	735	2	14		3,65
		Uptake %	46	14		14	63	50	49		2
	Babde	Quota	100	179	-	1.514	1		66	-	1.68
	Villa, A, d, q	Centra	24			1,432			37		1,43
		Upsake %	24			95			58		B
Porbeegle	1-14	Oueta	16	-	27	032	0	-	165	33	56
	LX 30 XIV/(C and	Calich	15		2	301	7		145	1	471
	international)	Uptake %	923		7	91	an		66	13	81
Redfishes	1 & 2 (Nonesgien	Quota	135			- 1	144		95	1,178	1,416
	watters)	Gatch						7			000
	I. F. (Norway)		119						44	103	
	5.4.14 (Greenland	Uptake %	30					63	46	0.544	2
	martera)	Queta						-	1,200	2,548	3,773
	Y. XIV (Greenland)	Catch	6					-	750	121	900
	56 (Faroes waters)	Uphalos %	21	P					64	5	21
	Vb (Farces)	Quota	67		,	199		-	-		266
	No it would	Cetch	6			151				-	157
Red	6-8	Upcake %	9		-	76		-			
	W, Ward WE 600	Quote	13			79	1		194	13	267
Seabream		Californ	10			15	46	15	174	3	53
	and International)	Uptake %	80		-	16	30	(6/3)	91	100	90
Roundnose	1, 2, 4 8, 54	Outh	5		2	15			-	-	11
Grenadier	Life, 194 and No.750	Calidh	-	10.		**					1
	BAC INBYNICOSB)	Uptake %	10	-		7		-	-		
	5b, 6 a 7	Gueta	208			4,204	331		118	87	4,948
	Vb, VI, VII	Clanch		-		1,899	100	-	112	7	1,029
		Ciptake %	4	II.		40	-00		95	7	30
Salthe	1 & 2 (Norwegian	Queta	461		15	428	. +		47	3,607	3,600
	Majeral .	Guildh	450	F	7	192		4	33	2,617	3,299
	I. D. (Normal)	Uptaka %	98	*	45	40		-	70	100	91
	North Sen	Gueta	11,901	47	9,142	26,835		5		17,302	65,232
	talied! W.	Creen	11,793	7	0.073	17,044		3	-	16,517	59,400
		Uptake %	99	14	86	- 54		58		95	80
	West of Scotland	Ounta	3,708			8,996	534	2	5	908	14,151
	No office in the NAM.	Catch	2,862			3,283	288	1	44	24	6,460
		Uptake %	77	-	,	36	54	65	88	3	46
	56 (Farose waters)	Quota	818	- 2		1,483		49		48	2,074
	Ma offerance	Calch	342			42			_	4	380
		Upsake %	-62			3			-	7	Til
	7	Queta	582	10		2,112	1,066		20		3.790
	ST. VIII. DC.X	Carcin	75	2		195	183		5		439
	COPACE DE L'ARCO	Uptaka %	13	18	100	9	15	in/m	23	-	102
Sandeels:	North Sea	Causta	7,010		318,722					16.268	340,000
	86 (FO) Att (V(FO)	Catch	5.252		250,090			_	-	15,904	272,054
		Ucesire %	89		79					98	80
Shrimpe	North Sea	Quote	677	*)	2,960			28	-	-	3,863
Northern	体系值 化系数	Galidh						4			
Proventi)		Upperharm %									
Skeles and	North Sea	Quota	765	319	2	72		461		23	1,643
Plays	In page At page	Cench	731	029	T.	69		517		10	1,656
		Uptake 15	95	103	36	96		112		43	101
Sole	North See	Queta	930	1,380	677	919		9,974	-	516	14,396
	II.N	Guide	633	1.354	452	796		9.423		494	13,393
		Optober %	90	OR	73	87		24		96	ė.
	West of Scotland	Quota	14	-	2.0		54				64
	10 (BC), VC X4, X3Y	Calch	9				15	-	-		18
		Upsake %	18			n/a	26				26
	7.6	Quota	182	493		5	86		-	-	74
	VIII	Catch	45				54 54				315
				205			75	-		-	
	7d	Upcaire %	26	42		4		-			7.00
	and Street	Queta	1,395	1,965		3,819		-		-	7,27
	ques.	Celen	705	1,253	-	2,094			-	-	4,054
	7-	Uptako %	51	64	n/g	53		99	-		54
	74	Causta	485	27		273					76
	Mile	Calloth	461	24		276		-	-	-	755
		Uptako 😘	1979	90		105					106

(a) UK benings in other matricer states of the EU were reported by other number states in this chapter for UK vessels landing abroad are based on UK records. Figures in this state for species fully covered by quota social many theretical either from those state when in this chapter.

TABLE 3.5: Total Allowable Catches, quotas and uptake (%): 2008 (cont.)

Species	Area		MR 74	Belgium	Denmark:	France	Ireland	Netherlande	Spain	Other	EC TAD
Sole	71g	Chesta	298	654	-	70	35			-	1,053
(continued)	Mill g	Calch	210	420		59	28			-	721
		Upper %	73	85		85	.94	-			80
	7hjk	Queta	108	54	10.0	118	283	87		-	630
	Note of the	Ceach	79	2		69	72	-		-	229
		Uptake %	73	15		59	25		-		95
Sprats	North Sea	Guota	4,405	1,729	139,126			1,729	-	726	147,715
	IN STOLLAN MEGI	Catch	227	-	50.516			5	-	350	61,398
		Uptake %	5		44	Y				78	42
	T-dep	Quote	4,626		697			330	-	-	5,653
	1990, et	Canch	3,365				1		- 2		3,365
		Uptake 15	70							_	69
Spurdog	North Sea	Queta	470	10	57	16		15	- 4	11	561
	Se (EC), AV (EC)	Catch	92	2	19	2		10		3	128
		Uptake %	20	18	30:	13		63		27	22
	West Coast	Quota	735	145	-	614	390	0	79	- 0	1,972
	CAS NE ARE INCOME.	Guildh	178	13		264	124	5	79		563
	and KW (ED and Int)	Urcake %	24	9		43	32	163	100		04
Turbot and	North Sea	Queta.	763	361	684	99	-	2,864		292	5,263
Beitt	MEG VED	Catch	450	267	434	38		2,365		230	3,804
		Uprake %	59	80	49	38		63		79	72
Turk	1, 2 & 14	Quota	7	- 00		7	-	943		3	17
	E. R. 3594 (600)	Cation	3			5				-	8
	and International)	Openion %	47			69			-		48
	4 (EC waters)				PTS			-		- 74	
	NITCARE	Quota	94		65	44				31	231
	(convenience)	Gatch	60		-	15		-	-	1	99
		Uptake %	88			34		-	-	2	43
	4 (Nonwegien	Cexeta	6		163			-		1	170
	waters) sylveres S of 62°%	Catch	5		57				-	1	63
	5-7	Uptake %	82	-	35			-		100	37
	V. YA. YA SEC BAS	Queta	65			335	7	1	21	-6	435
	(ringstand)	Canch	82			350	6		61	5	448
III ENT.		Uptake %	95_			95	80		255	<u>-</u>	103
Whiting	North Sea	Gueta	10,562	112	578	2,809		725		218	15,002
	IN ECLAY	Callotti	10,339	100	40	2,156	*	630	-	66	10,389
	THE OF SHIP WAS A STREET	Uptake %	98	96	7	77	- 1	90		31	89
	West of Scotland	Quota	503	-	-	90	164	-	-	-	757
	VB (EC), 12, 331, XIV	C: TEA	374	1)		2	92	ū.			469
		Uptake %	74	-			56	-	-	-	62
	74	Chrotal	107	11		10	150		*		278
	Min	Centr		2			60	-	-	-	79
		Uptake %	8	14	(4)	4	45				28
	Tb-k	Quota	2,065	195		11,627	5,544	177	653	-	19,940
	Mil (de Wile)	Calido	689	175		5,862	2,405	171	13	-	10,315
		Upbaka %	933	90		56	43	96	20	-	52
Other Flatfligh		Gueta	204	*1	140	72					276
	Mb (Farence)	Garen	21	a a		68		-	-		8.0
		Uptake %	10			94					32
Other Species	5b (Farore waters)	Queta	180		-	315		-		-	495
	NY (Faront)	Carich	89			305				-	394
		Upbake %	50			07			_		80
	1 & 2 (Norwegien	Quota	152		19	47	10	-		107	335
	waters)	Genera	96	-	19	6	3		_	52	177
	i, if (Novely)	Uptake %	63		99	13	29		-	49	53
	4 (Norwegian	Queta	2,082	77	2,483	26		50		282	5,000
	matery)	Callch	1,670	57	1,897	2		6		762	4,595
	AVANCEMENT S OF FIGURE	Uptake %	90	75	216	6		11		270	85

(a) UK landings in other member states of the EU were reported by other member states. Figures in earlier tables in this chapter for UK ressels landing abroad are feared on UK records. Figures in this table for species fully CO-ward by quota stocks may therefore differ from those elsewhere in this chapter.

Landings from a Sustainable Source


The ICES assessment of stocks is an indicator used to measure the degree to which UK fishing activity is dependent on stocks that are sustainable sources of fish. This assessment looks at stocks that are either being fished unsustainably or at the risk of being fished unsustainably and is based on the following:

- ICES has made an assessment that the stock is being fished sustainably;
- ICES has made an assessment but not set a level for Fpa and thus has made no judgement;
- Other stocks, including non-quota species, where ICES has not made any assessment

The assessment is given both in terms of quantity and value of fish landed each year by UK fishing vessels.

Chart 3.16 shows the proportion of the total UK landings by UK vessels into the UK and abroad from a sustainable source in terms of quantity and value from 2000 to 2008.

Chart 3.16: Proportion of total UK landings by UK vessels into the UK and abroad from a sustainable source: 2000 to 2008



In 2008 UK vessels landed 74 per cent by quantity and 88 per cent by value from a sustainable source. This is a 7 per cent increase in quantity since 2000. Value of UK landings from a sustainable source has decreased by 1 per cent since 2000.

4 Supplies, overseas trade and marketing

Introduction

This chapter brings together the information on the fish and fish products available for consumption, imports, exports and household consumption. The landings data are given in terms of landed weight. The trade data are shown in terms of actual product weight.

All tables presented here are available on the MFA website. Supplementary tables showing more detail can also be found on the website.

Summary

In 2008, landings by UK vessels into the UK (based on landed weight) fell by 27 thousand tonnes. Imports rose by 33 thousand tonnes and exports fell by 51 thousand tonnes. The net effect is an increase of 56 thousand tonnes in the amount of fish available for domestic use. These figures are shown in table 4.1.

TABLE 4.1 Balance sheet for the UK: 1999 to 2008

		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Landings by UK vessels into the UK ^{(a) (b})										
	('000 tonnes)	477	440	437	445	436	445	475	401	425	397
	(£ per tonne)	974	959	970	933	911	911	961	1,232	1,259	1,303
	(£ million)	464	422	424	415	397	406	456	494	535	518
Imports ^(c)	('000 tonnes)	552	550	627	621	632	671	720	754	748	781
	(£ million)	1,302	1,325	1,435	1,439	1,439	1,474	1,696	1,922	1,994	2,207
Total supplies	('000 tonnes)	1,029	990	1,063	1,066	1,067	1,117	1,195	1,155	1,173	1,178
	(£ million)	1,766	1,747	1,859	1,853	1,836	1,880	2,152	2,416	2,529	2,724
Exports (c)	('000 tonnes)	351	365	391	389	480	478	461	416	467	416
	(£ million)	746	696	745	762	891	886	939	944	982	1010
Total available for domestic use	('000 tonnes)	677	625	673	677	588	639	734	738	706	762
Total available for dolliestic ase	(000 torrics)	0,,	020	0,0	077			704	700	700	- 102
Household consumption	('000 tonnes)	447	443	482	479	485	487	493	525	539	527
RPI for fish (d)		148	151	153	158	156	154	154	164	176	187

Source: H.M. Revenue and Customs and Fisheries Administrations in the $\ensuremath{\mathsf{UK}}$

⁽a) Landings are given in terms of landed weight equivalent (i.e. head on, gutted for most species).

⁽b) Landings include transhipments of mackerel.

⁽c) Excludes fish products.

⁽d) The fish component of the RPI. The Index is calculated on a monthly basis with January 1987 = 100.

The UK is a net importer, with imports of fish exceeding exports. The crude trade gap (imports minus exports) stood at 364 thousand tonnes in 2008, a rise of 30 per cent on its 2007 level and the highest value in over 15 years.

Chart 4.1: International trade of fish: 1999 to 2008





Chart 4.2 shows that landings by UK vessels into the UK decreased from 425 thousand tonnes landed weight in 2007 to 397 thousand tonnes in 2008. More detailed landings data (based on live weight) are in Chapter 3. Adding the crude trade gap to the landings gives us a figure for the total available for domestic use. This rose from 706 thousand tonnes in 2007 to 762 thousand tonnes in 2008. Household consumption of fish has decreased by 2 per cent to 527 thousand tonnes in 2008.

Chart 4.2: Total fish available for domestic use in the UK: 1999 to 2008



Information on imports and exports by species is in Tables 4.2 and 4.3.

TABLE 4.2 Imports of fish, fish preparations, meals, flours and oils into the UK: 2004 to 2008

		Quantit	y (1000 to:	nnes)		Value (£ million)				
	2004	2005	2006	2007	2008	2004	2005	2006	2007	2006
Demersal and Pelegic Fish										
Anglerlish	2.5	3.3	3.5	2.8	2.7	6.1	9.3	11.7	8.7	8.4
Cod	132.1	138.4	138.0	115.4	108.3	329.4	376.3	444.0	435.6	440.2
Maddock.	64.5	67.6	65.6	69.6	68.1	101.1	126.3	156.3	183.3	173.7
Hake	5.1	5.4	5.0	4.3	6.1	7.7	9.9	9.6	8.6	9.0
Halibut	3.7	3.1	2.8	2.9	3.4	12.1	11.2	11.2	11.4	12.4
Herring	6.0	15.6	19.0	8.6	11.1	6.3	8.5	10.3	7.4	11.1
Mackerel	21.6	27.1	32.6	31.0	27.1	20.4	35.3	40,9	35.5	38.7
Megrim	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.5	0.0	0.1
Plnica	7.2	7.6	7.3	7.1	7.2	20.5	23.8	24.9	24.5	24.0
Salthe	9.7	11.5	8.0	2.8	1.9	10.9	21.9	17.0	1.3	1.1
Salmon	44.7	54.9	65.6	62.6	63.6	107.9	151.2	205.1	185.4	207.4
Sardines	14.0	15.0	15.5	17,4	14.8	20,6	22.5	26.6	30.7	30.6
Sole	0.6	0.5	1.0	1.0	0.4	2.7	2.3	4,3	4.4	1.6
Trout	1.2	0.7	1.2	8.7	7.2	3.8	2.2	3.6	27.4	24.0
Tuna	107.5	103.2	101.4	101.6	111.2	151,3	154.3	158.2	176.4	256.3
Whiting	1.5	1.9	1.7	1.2	1.9	1.6	2.4	2.6	1.8	1.6
Other Demersal & Pelagic	135.6	148.3	170.7	191.7	235.3	261.9	312.5	367.4	429.1	531.2
Total	557.6	604.3	637.0	628.7	670.5	1,964.2	1,270.0	1,494.2	1,571.5	1,770.6
Shelitish (Crustaceans and I	Molluscs)									
Crabs	2.0	2.2	2.6	2.4	2.7	8.9	10.0	11.8	11.2	14.3
Prawns (Pandalidae spp.)	5.0	3.7	4.4	4.3	3.7	16.2	11.3	13.1	12.9	13.6
Cockles & Mussels	5.7	5.7	5.6	6.6	5.6	13.5	13.6	13.5	14.2	11.5
Óyelers	0.4	0.7	0.5	0.5	0.5	0.6	1.1	1.0	1.3	1.4
Other Shrimps & Prawns	86.6	88.8	85.0	83.2	76.4	323.0	327.3	324.2	313.1	321.0
Other Crustaceans	4,3	5.9	6.1	7.2	8.5	22.4	30.4	31.4	32.9	36.9
Other Molluscs	9.7	11.1	11.7	14.9	12.8	25.0	32.3	32.6	35.8	38.7
Total	113.7	116.1	116.8	119.2	110.2	409.6	426.0	427.5	422.4	436.0
Total leaves to add total	074.0	700.4	250.0	747.0	300.3	4 470.0	4.000.0	4.004.2	4 000 0	0.000.1
Total imports of fish Fish Products	671.3	720.4	753.0	747.9	780.7	1,473.9	1,698.0	1,921.6	1,993.9	2,206.5
							,			
Meals and Flours	142.5	146.9	139.5	97.7	91.2	58.7	50.4	76.4	52.1	45.6
Olls	85.5	30.1	19.0	22.7	26.9	25.6	22.4	20.3	26.3	41.4
Total	228.1	176.9	158.4	110.4	118.1	84.3	82.8	96.8	78.4	87.0
Total imports										
(inc. fish products)	899.3	897.3	912.2	858.3	898.8	1,558.2	1,778.8	2.018.4	2.072.3	2,293.6

Source: H.M. Revenue and Customs

TABLE 4.3 Exports of fish, fish preparations, meals, flours and oils from the UK: 2004 to 2008

_		Quantit	y ('000 to:	nnes)		Value (£ million)				
	2004	2005	2006	2007	2008	2004	2005	2006	2007	200
Demersal and Pelagic Fish										
Anglerlish	3.4	4.6	3.8	3.6	3.8	19.0	19.9	25.0	24.8	27.
Cod	33.6	41.6	25.3	16.0	24.7	61.1	100.4	59.5	48.6	68.
Haddock	5.2	6.3	5.4	3.7	4.9	9.7	12.0	10.6	9.3	11.
Hake	1.7	2.4	3.1	2.7	2.1	4.4	7.1	8.5	8.4	6.
Halibut	1.3	1.1	0.6	1.0	2.0	2.9	2.8	1.8	2.9	6.
Herring	55.1	69.1	57.6	66.7	37.1	23.1	28.3	24.2	27.2	16.
Mackerel	120.5	8,001	74.6	99.7	76.7	89.3	B9.4	83.4	85.5	83.
Megrim	3.5	3.7	4.3	3.8	3.7	10.6	12.6	15.8	13.5	14.3
Plaice	1.1	0.8	1.0	0.6	0.9	1.6	1.2	1.4	0.9	1.5
Seithe	5.8	8.2	6.7	5.8	6.4	4.1	5.9	5.9	4.5	5.
Salmon	66.5	49.7	54.8	61.4	57.8	180.4	163.2	202.7	201.5	217.
Serdines	3.7	5.9	11.0	14.8	11.2	5.5	6.6	7.0	7.8	117
Sole	1.3	1.4	1.3	1.3	1.3	7.7	8.4	9.8	9.6	8.3
Teget	0.5	0.1	0.2	0.6	1.5	0.6	0.3	0.7	1.6	3.0
Tuna	3.2	3.6	2.0	4.1	4.4	7.5	8.5	5.3	9.3	11.
Whiting	1.7	1.5	1.5	1.3	1.5	3.4	2.8	3.4	2.1	2.
Other Demersal & Pelagic	58.3	56.7	58.5	73.1	82.5	118.0	116.3	106.4	129.3	146.3
Total	356.2	357.5	311.7	360.1	324.2	548.9	586.1	571.2	585.0	643.
Shellfish (Crustaceans and								40.0		
Crabs	14,6	15.5	15.2	14.8	13.2	32.4	34.0	37.4	37.7	37.
Prawns (Pandalidae spp.)	4.5	3.6	2.5	1.3	1.1	14.6	12.6	10.2	7.1	7.3
Cockles & Mussels	20.3	14.5	19.0	15.0	13.7	11.2	10.6	18.1	10.9	10.6
Oysters	0.9	0.8	0.8	1,2	0.9	1,9	1.9	1.7	2.5	2.
Other Shrimps & Prawns	20.7	19.4	20.3	21.6	15.3	69.7	69.0	70.9	79.5	60.
Other Crustaceans	23.4	25.5	24.3	24.5	23.7	114.6	134.1	144.6	152.5	150.
Other Molluscs	27.2	24.5	22.6	28.5	24.2	92.3	90.3	89.7	106.9	100/
Total	111.6	103.9	104.7	108.8	92.1	336.8	352.4	372.7	397.0	367.
Total Exports of Fish	477.8	461.4	416.4	466.9	416.3	885.7	938.5	943.9	982.0	1,010./
Fish Products										
Meals and Flours	4.4	8.8	9.0	4.3	12.3	3.2	5.2	5.1	3.2	10.
Oils	3.2	2.2	3.1	3.2	2.9	12.5	10.8	11.6	10.2	12.
Total	7.6	11.0	12.1	7.5	15.3	15.7	16.0	16.7	13.5	23.
Total Forests										
Total Exports (inc. fish products)	485.4	472.4	428.5	474.4	431.6	901.3	954.6	960.6	995.5	1,033.

Source: H.M. Revenue and Customs

Imports and exports by species

There were 781 thousand tonnes of fish (excluding fish products) imported into the UK in 2008. This rises to 899 thousand tonnes if fish products are included. 2008 exports of fish stood at 416 thousand tonnes or 432 thousand tonnes if fish products are included.

Demersal and pelagic fish accounted for 86 per cent of fish imports (excluding fish products) by weight and 80 per cent by value in 2008. These figures become 78 per cent and 64 per cent for exports of fish.

Cod Haddock Herring Mackerel Salmon Tuna Crabs Cockles & Mussels Shrimps & Prawns 40 60 100 120 0 20 80 Quantity ('000 tonnes) Imports Exports


Chart 4.3: UK imports and exports by key species: 2008

In 2008, imports into the UK were highest for tuna (111 thousand tonnes), cod (108 thousand tonnes), and shrimps and prawns (80 thousand tonnes). Exports were highest for mackerel (79 thousand tonnes), salmon (58 thousand tonnes) and herring (37 thousand tonnes).

Imports and exports by country

The largest exporters to the UK in 2008 were Iceland (103 thousand tonnes), Germany (71 thousand tonnes) and China (55 thousand tonnes). The UK exported the largest amounts to the Netherlands (75 thousand tonnes), France (75 thousand tonnes) and Russia (44 thousand tonnes).

Chart 4.4: Imports and exports by country: 2008



Charts 4.5a and 4.5b show the countries that imported over 1,000 tonnes of key species into the UK during 2008.

Chart 4.5a: Imports to the UK of cod by exporting country: 2008 (tonnes)





Chart 4.5b: Imports to the UK of tuna by exporting country: 2008 (tonnes)



Charts 4.6a and 4.6b show the countries that the UK exported over 1,000 tonnes of key species to during 2008.

Chart 4.6a: Exports from the UK of mackeret by importing country: 2008 (tonnes)





Chart 4.6b: Exports from the UK of salmon by importing country: 2008 (tonnes)



5 Main stocks and their level of exploitation

Commentary provided by Dr Carl M. O'Brien, Fisheries Division Director at Cefas

The management of stocks

Fisheries are managed using a Total Allowable Catch or TAC (corresponding to a particular harvesting rate), and technical measures (mainly mesh sizes and minimum landing sizes, but sometimes closed areas, which determine the smallest fish that can be caught and landed) based on scientific advice.

In the EU, the TAC is set each year by the Council of Ministers following negotiations on catch options that are provided by the Advisory Committee (ACOM) of the International Council for the Exploration of the Sea (ICES), an independent scientific body. For the main North Sea stocks these options take into account the terms of a management agreement between the EU and Norway. Once a TAC is agreed for each stock and fishing area it is allocated as quotas to Member States in accordance with fixed percentages based on historic fishing rights.

In recent years, some seriously depleted stocks have become the subject of emergency measures and recovery plan proposals. Since 2003, the TAC and fishing mortality implemented for these stocks has been linked to effort control measures that restrict the number of fishing days at sea per month permitted for fleets capturing recovery species.

Scientific assessment and advice

ICES' advice is based on stock assessments carried out at international working groups, where fishery scientists from the UK and the other nations compile fisheries data, biological data and survey data for use in fisheries science models. The age structure of a stock (the relative proportion of the different age groups) is largely determined by the fishing rate and by the numbers of young fish that enter the stock each year. When information on age structure is combined with data on landings, fishing effort, and the results of standardised stock surveys carried out by research vessels, the models are able to estimate the historical trend in fishing rate and stock abundance, up to the last full year of data. The assessment is then used to forecast the expected catch in an upcoming TAC year for a range of fishing rate options, taking into account the number of young fish that are expected to enter the stock, based either on survey data, or a recent historical average.

This chapter summarises the present state of the main stocks based on advice from ACOM released during 2008, which evaluated stock assessments using fisheries data for years up to and including 2007, and survey data up to and including 2008. The 2008 ACOM advice formed the basis for the EU proposals that led to the TACs and other measures agreed for 2009 by the EU Council of Ministers.

Full details are contained within Council Regulation (EC) No 43/2009 of 16 January 2009 fixing for 2009 the fishing opportunities and associated conditions for certain fish stocks and groups of fish stocks, applicable in Community waters and, for Community vessels, in waters where catch limitations are required.

Summary species presentation

For each of the major UK species, where information is available, a one page summary in the form of a map is shown for each of the stocks around the UK. These species include Cod, Haddock, Plaice and Sole. For each stock the ICES' stock assessments are shown in their respective areas around the UK using the corresponding stock assessment colours as outlined in the description of ICES' stock assessments at the end of this section.

Within each stock area a pie chart shows the total allowable catch (TAC) for the EU. This is broken down by the UK quota level at the end of the year, taking into account swaps and quota purchased from other member states. The remaining portion of the EU TAC is made up of non-UK quota.

The fisheries zones used to base ICES' stock assessments on are sometimes different to those used to allocate TAC's. Table 5.1 below shows the generic title of each fishing zone and the specific areas included for ICES' stock assessments and EU TAC allocations.

TABLE 5.1 Fishing areas used for ICES' stock assessments and EU quota areas

		Fishing areas included in:							
Species	Title	ICES' Stock Assessments	EU TAC/Quota allocations						
Cod	North Sea	IV, VIId, IIIa	lla (EC), IV						
	West of Scotland	Vla	Vb (EC), VI, XII, XIV						
	Irish Sea	VIIa	VIIa						
	VIIb-k	VIIe-k	VII (exVIIa), VIII, IX, X; CECAF 34.1.1 (EC)						
Haddock	North Sea	IV, Illa	IIa (EC), IV						
	West of Scotland	Vla	Vb (EC), Vla						
	Irish Sea	VIIa	VIIa included as part of VII						
	VII	VIIb-k	VII, VIII, IX, X; COPACE 34.1.1 (EC)						
Plaice	North Sea	IV	IIa (EC), IV						
	West of Scotland	Vla	Vb (EC), VI, XII, XIV						
	Irish Sea	VIIa	VIIa						
	VIId-e	VIId,e	VIId,e						
	Celtic Sea	VIIf,g	VIIf, g						
	VIIh-k	VIIh, j, k	VIIh, j, k						
Sole	North Sea	IV	II, IV						
	West of Scotland	Vla	Vb (EC), VI, XII, XIV						
	Irish Sea	VIIa	VIIa						
	Eastern Channel	VIId	VIId						
	Western Channel	VIIe	VIIe						
	Celtic Sea	VIIf-g	VIIf, g						
	VIIh-k	VIIh-k	VIIh, j, k						

Source: ICES and the European Commission

Summary stock presentation

For the main fish stocks, a summary of ICES' data and assessments, where available, has been provided. These comprise four charts (a to d) showing total removals or landings, fishing mortality rates (F), recruitment and spawning stock biomass (SSB) over the past years. ICES stock assessments from the same past years for each of these fisheries are also shown. The location of the relevant areas for each stock are shown in Chart 3.15.

It is important to note that the figures shown are, for each stock, the time-series of estimates of abundance and fishing mortality provided by ICES in 2008 based on fishery and survey data collected up to the most recent year.

Total removals or landings - Chart a


Total removals equals total reported fish landings plus an estimate for discards and may include estimates of non attributive losses. Landings are used where total removal figures are not available and charts are headed accordingly.

Fishing Mortality (F) - Chart b

Fishing mortality rate (F) is a measure of the proportion of fish taken from a stock each year by fishing activity. Fishing mortality rates are calculated from mathematical models used to assess fish stocks. An F value of 1 indicates that approximately 60 per cent of a stock is removed by fishing activity.

Since 1999 the ICES advice has identified which catch options meet precautionary criteria. These criteria aim to ensure sustainability by keeping the fishing rate below a **maximum precautionary** level, F_{pa} (set low enough to allow a margin of error sufficient to keep F below an **upper limit** level, F_{lim}).

For each of the main stocks a time series of F will be plotted against a colour coded background highlighting the precautionary levels set by ICES as shown below.



Green: Harvested sustainably - where F is below F_{pa} the stock is deemed to be fished in a sustainable way and fishing pressure is below the level recommended by ICES.

Amber: At risk of being harvested unsustainably - where F is above F_{pa} and below F_{lim} then fishing pressure is higher than the maximum level recommended by ICES. If it is not reduced it could lead to depletion of the stock in the future.

Red: Harvested unsustainably - where F is above F_{lim} fishing pressure is much higher than the maximum level recommended by ICES and if continued is likely to deplete the stock, if it hasn't done so already.

For some stocks ICES has only given a level for F_{pa} . In these cases no amber region will appear on the chart.


Recruitment - Chart c

Recruitment is the number of fish becoming available to a fishery stock in a year.

Spawning Stock Biomass (SSB) - Chart d

Spawning Stock Biomass (SSB) is the total estimated weight of all sexually mature fish in a stock. Since 1999 the ICES advice has identified which catch options meet precautionary criteria. These criteria aim to ensure sustainability by keeping SSB above a **minimum precautionary** level, B_{pa} (set high enough to allow a margin of error sufficient to keep SSB above a **lower limit** level, B_{lim}).

For each of the main stocks a time series of SSB will be plotted against a colour coded background highlighting the precautionary levels set by ICES as shown below.



Green: Full reproductive capacity - where SSB is above B_{pa} the fish stock is deemed to be in a healthy state and above the minimum level recommended by ICES.

Amber: At risk of suffering reduced reproductive capacity - where SSB is below B_{pa} but above B_{lim} the stock has been classified as not being so low that it could be classed as being depleted. However, the amount of adult fish has fallen to a level where there is a risk that production is likely to be reduced.

Red: Reduced reproductive capacity - where SSB is below B_{lim} the stock has been classified as depleted and the stock is unlikely to be as productive as it could be. This indicates that fishing pressure needs to be reduced in order to give the stock a chance to rebuild.

For some stocks ICES has only supplied a level for $B_{\rm pa}$. In these cases no amber region will appear on the chart.

Further information

More information on ICES precautionary levels can be found on the ICES web site http://www.ices.dk.

ICES' stock assessments

The fish stock assessments presented here are derived from annual ACOM reports, and are categorized according to the ICES' definition of the state of the stock. The ICES advice on the state of stocks is based on assessments carried out using the most up to date data available in that year. It is important to note that assessments for previous years have not been updated using more recent data. The comparison of SSB with B_{pa} is done using the value of SSB at the beginning of the year in which the assessment was carried out. Where no B_{pa} value exists, the stock is treated as unknown.

Code Assessment description Indicates stocks which are suffering reduced reproductive capacity Indicates stocks which are at risk of suffering reduced reproductive capacity Indicates stocks which are at full reproductive capacity but are either at risk of being harvested unsustainably or are being harvested unsustainably Indicates stocks which are at full reproductive capacity and are being harvested sustainably Indicates stocks where the current stock status is unknown





Chart 5.1: Cod stock assessments and TACs for stocks around the UK: 2008⁽⁴⁾

(a) Areas used for ICES stock assessments and EU TAC allocations do not always match. Please use Table 6.3 for a distance description of highing areas included in ICES stock assessments and EU TAC allocations.

Stock assessments



Total allowable catch (TAC)



North Sea Cod – in Subarea IV (North Sea), Division VIId (Eastern Channel) and Division IIIa (Skagerrak)

The cod stock remains seriously depleted. The international fishing rate has been high since the 1980s, and has shown a decline since 2000. The SSB fell to an historic low in 2001. The number of young cod (recruitment) has been low since 1987, and even lower since 1998, causing serious concern. Since 2000, ICES advised that the TAC should be very low, or zero, and the EU reduced the TAC from 81,000 tonnes in 2000 to 48,600 tonnes in 2001, 49,300 tonnes in 2002, and 27,300 tonnes in 2003, 2004 and 2005. The minimum mesh size in the directed fisheries for cod was also increased to 120mm in 2003. The 2008 ICES' assessment indicates that the 1997-2006 year-classes are all well below the average; the 2005 year-class is estimated to be one of the most abundant amongst the recent below average year-classes. In 2004, agreement was reached within the EU on a formal recovery plan that was operational during the TAC and management decision processes of 2004, effectively rendering the plan operational in 2005. Subsequently, this was repealed and replaced by Council Regulation (EC) No 1342/2008 to establish a long-term plan for cod stocks. The EU TAC for 2009 is set at 28,798 tonnes, compared with 22,152 tonnes in 2008, and 19,957 tonnes in 2007.

Chart 5.2a: Total removals




Chart 5.2b: Fishing mortality (F) - ages 2 - 4




Chart 5.2c: Recruitment - age 1





Chart 5.2d: Spawning stock biomass (SSB)



ICES' stock assessment: North Sea Cod

The cod stock in the North Sea has been assessed as suffering reduced reproductive capacity by ICES since 1999.



West of Scotland Cod – in Division VIa

Previously, the cod stocks west of Scotland have been assessed as heavily over-exploited with respect to the rate that would lead to high long-term yields – total mortality probably remains high but cannot be accurately partitioned into fishing mortality and natural mortality. SSB has increased from an all time low in 2006 but remains well below B_{lim}. ICES called for a recovery plan in 2000, with low or zero catches, and the EU has since cut the cod TACs significantly, implemented two small closed areas, and in 2003 increased the main whitefish mesh size to 120 mm in line with the North Sea. Subsequently, the European Commission enacted a Council Regulation (EC) No 423/2004 that established measures for the recovery of cod stocks which was repealed and replaced by Council Regulation (EC) No 1342/2008 to establish a long-term plan for cod stocks. The TAC for 2009 is 302 tonnes for cod (compared with 402 tonnes and 490 tonnes in 2008 and 2007, respectively).

Chart 5.3a: Total removals




Chart 5.3b: Total mortality(a) - ages 2 - 5




Chart 5.3c: Recruitment - age 1






Chart 5.3d: Spawning stock biomass (SSB)



ICES' stock assessment: West of Scotland Cod

Cod stocks in the West of Scotland have been assessed as suffering reduced reproductive capacity from 1999 to 2008.



- (a) Total mortality cannot be accurately partitioned into F and M.
- (b) Status uncertain in terms of F relative to Fpa, but suffering reduced reproductive capacity.

Celtic Sea Cod - in Divisions VIIe-k

Internationally, cod in Divisions VIIe-k is caught in a range of fisheries including gadoid trawlers, *Nephrops* trawlers, otter trawlers, beam trawlers and gill-netters. This species is managed within a wider area; namely, Divisions VIIb-k (excluding Division VIId in 2009), Subareas VIII, IX, X and CECAF 34.1.1, but ICES' advice applies only to Divisions VIIe-k. The Celtic Sea cod stock was excluded from the EU's 2004 cod recovery plan but a management plan is under development.

Chart 5.4a: Total landings




Chart 5.4b: Fishing mortality (F) - ages 2 - 5




Chart 5.4c: Recruitment - age 1





Chart 5.4d: Spawning stock biomass (SSB)



ICES' stock assessment: VIIe-k Cod

Between 1999 and 2007 cod in the Celtic Sea has been assessed as suffering reduced reproductive capacity, exceptions to this were found in 1999 and 2004. In 2008, cod in the Celtic Sea was assessed as at risk of suffering reduced reproductive capacity.



Irish Sea Cod - in Division VIIa (Irish Sea)

The cod stocks in the Irish Sea are seriously depleted, and landings fell rapidly during the 1980s and 1990s. The fishing rate has been very high, spawning stocks have fallen below both the precautionary and the lower limit level, and the abundance of young cod has been in decline since 1990. After 2000, the EU significantly reduced the cod TAC, closed the cod spawning area in the western Irish Sea during the spawning season, and increased the main whitefish mesh size to 100 mm. The 2008 cod assessment, which is rather uncertain, suggests that the stock is still over-exploited. The European Commission enacted a Council Regulation (EC) No 423/2004 that established measures for the recovery of cod stocks which was repealed and replaced by Council Regulation (EC) No 1342/2008 to establish a long-term plan for cod stocks. The cod TAC agreed for 2009 is 899 tonnes compared with 1,199 tonnes and 1,462 tonnes in 2008 and 2007.

Chart 5.5a: Total removals




Chart 5.5b: Fishing mortality (F) - ages 2 - 4




Chart 5.5c: Recruitment - age 1





Chart 5.5d: Spawning stock biomass (SSB)



ICES' stock assessment: Irish Sea Cod

Irish Sea cod has been assessed to be suffering reduced reproductive capacity since 1999.







Chart 5.6: Haddock stock assessments and TACs for stocks around the UK: 2008(#)

(a) Assentated for ICES stock assentances and EU TAC allocations do not always mutch. Please see Salike 5.1 for a detailed description of fishing areas included in ICES stock assessments and EU TAC allocations.

(b) The figures phose for the trick See are held allowable catch at year beginning and are part of three for area VII.

Slock assessments



Total allowable catch (TAC)



North Sea Haddock – in Subarea IV (North Sea) and Division IIIa (Skagerrak – Kattegat)

The haddock stock is managed under an EU-Norway long-term management plan which is intended to constrain harvesting within safe biological limits and to provide for sustainable fisheries. The 2008 assessment shows that the fishing mortality rate has increased from the low point in 2003, and that SSB has increased only slightly due to the relatively strong 2005 year-class. The haddock TAC was set at 54,640 tonnes for 2007, 46,444 tonnes for 2008 and 42,110 tonnes for 2009.

Chart 5.7a: Total removals




Chart 5.7b: Fishing mortality (F) - ages 2 - 4




Chart 5.7c: Recruitment - age 0





Chart 5.7d: Spawning stock biomass (SSB)



ICES' stock assessment: North Sea Haddock

Haddock in the North Sea had a variety of assessments from 1999 to 2002 including one of a stock suffering reduced reproductive capacity in 2000. Since then the assessments have improved and from 2003 to 2008 ICES has assessed the North Sea haddock stock as being at full reproductive capacity and being harvested sustainably.



West of Scotland Haddock – in Division VIa (West of Scotland)

The haddock stock west of Scotland is heavily over-exploited with respect to the rate that would lead to high long-term yields. The very strong 1999 year-class has caused SSB to increase from its historic low in 2000 to a peak in 2003 and has declined since. The TAC for 2009 is 3,520 tonnes compared with 6,120 tonnes in 2008 and 7,200 tonnes in 2007.

Chart 5.8a: Total removals




Chart 5.8b: Fishing mortality (F) - ages 2 - 6




Chart 5.8c: Recruitment - age 1





Chart 5.8d: Spawning stock biomass (SSB)



ICES' stock assessment: West of Scotland Haddock

From 1999 to 2006 haddock in the West of Scotland has been assessed as being at full reproductive capacity, although in some years (2000 to 2002 and 2006) the stock has been assessed to be at risk of being harvested unsustainably or being harvested unsustainably. In 2008, haddock in the West of Scotland was assessed to be at risk of suffering reduced reproductive capacity.







Chart 5.9: Plaice stock assessments and TACs for stocks around the UK: 2008(4)

(a) Areas used for ICES' stock assessments and EU TAC absorbers do not always match. Please are Table 5.1 for a detailed description of Relang stess included in ICES' stock assessments and EU TAC allocations.

Stock assessments



Total allowable catch (TAC)



North Sea Plaice – in Subarea IV (North Sea)

Since 2004, the plaice assessments have included estimates of discards. This has changed the perception of the plaice stock relative to precautionary levels. It shows landings and SSB falling steeply after 1990 as the fishing rate increased to a peak in 1997, with SSB currently close to B_{pa} , and with the fishing rate estimated to have decreased to below F_{pa} . A long-term management plan for North Sea plaice and sole has been under development within the European Commission – final details are contained within Council Regulation (EC) No 676/2007 of 11 June 2007. The TAC for 2009 is 55,500 tonnes, compared with 49,000 tonnes in 2008 and 50,261 tonnes in 2007. Discarding of small plaice continues to be a problem.

Chart 5.10a: Total removals




Chart 5.10b: Fishing mortality (F) - ages 2 - 6




Chart 5.10c: Recruitment - age 1





Chart 5.10d: Spawning stock biomass (SSB)



ICES' stock assessment: North Sea Plaice

North Sea plaice assessments from 1999 to 2003 were that the stock was suffering reduced reproductive capacity. Since 2004 assessments have improved and now the stock is assessed to be at full reproductive capacity.



Irish Sea plaice - in Division VIIa (Irish Sea)

The fishing rate on Irish Sea plaice has declined significantly over the last decade and is now below the precautionary level, with SSB above B_{pa} after a period of low SSB associated with low recruitment through the 1990s. The plaice TAC agreed for 2009 is 1,430 tonnes – a slight reduction from 1,849 tonnes in both 2008 and 2007 (compared with 1,608 tonnes in 2006 – the same as in 2005, but with an additional 15 per cent that could have been fished between 1 June and 30 September 2006).






Chart 5.11b: Fishing mortality (F) - ages 3 - 6




Chart 5.11c: Recruitment - age 2





Chart 5.11d: Spawning stock biomass (SSB)



ICES' stock assessment: Irish Sea Plaice

Since 1999 Irish Sea plaice has been assessed as being at full reproductive capacity and being harvested sustainably.







Chart 5.12: Sole stock assessments and TACs for stocks around the UK: 2008(4)

(ii) Arrest used for ICES stock genoments and EU quotes do not pleasys match exactly. Please are Table 5.1 for a description of sums included under each classification.





Total allowable catch (TAC)



North Sea Sole – in Subarea IV (North Sea)

In sole, the fishing rate has fluctuated well above the precautionary level, but periodic good yearclasses have raised SSB above the precautionary level from time to time. SSB is currently below the precautionary level, and the fishing rate is declining but is above the rate that would lead to high long-term yields. The TAC agreed for 2009 is 14,000 tonnes compared with 12,800 tonnes in 2008 and 15,020 tonnes in 2007.

Chart 5.13a: Total landings




Chart 5.13b: Fishing mortality (F) - ages 2 - 6




Chart 5.13c: Recruitment - age 1





Chart 5.13d: Spawning stock biomass (SSB)



ICES' stock assessment: North Sea Sole

North Sea sole assessments have varied widely since 1999. Since 2005 assessments have moved from a stock being at full reproductive capacity to one at risk of suffering reduced reproductive capacity to one that is suffering reduced reproductive capacity in 2008.



Irish Sea sole - in Division VIIa (Irish Sea)

The Irish Sea sole fishing rate is above the rate that would lead to high long-term yields. SSB has declined since 2001 to low levels and reached the lowest level in 2007. The sole TAC agreed for 2009 is 502 tonnes, compared with 669 tonnes in 2008 and 816 tonnes in 2007.






Chart 5.14b: Fishing mortality (F) - ages 4 - 7




Chart 5.14c: Recruitment - age 1





Chart 5.14d: Spawning stock biomass (SSB)




ICES' stock assessment: Irish Sea Sole

Assessments for Irish Sea sole have been mixed since 1999. From 2003 the stock has either been assessed as suffering or at risk of suffering reduced reproductive capacity, except in 2005 when an assessment was unable to be made.



VIId Sole – in Division VIId (Eastern Channel)

Sole stocks in the Eastern and Western Channel are biologically discrete stocks that are assessed and managed separately. In the larger, Eastern Channel stock, the assessed fishing rate has been decreasing, and SSB has increased above the precautionary level, and the TAC for 2009 is 5,274 tonnes, compared with 6,593 tonnes in 2008 and 6,220 tonnes in 2007.



ICES stock assessment: Eastern Channel Sole

The Eastern Channel sole stock has consistently been assessed at full reproductive capacity since 1999. However, from 1999 to 2000, in 2005 and 2008 the stock was judged to be at risk of being harvested unsustainably or being harvested unsustainably.



VIIe Sole – in Division VIIe (Western Channel)

Sole stocks in the Eastern and Western Channel are biologically discrete stocks that are assessed and managed separately. In the smaller, Western Channel stock, the assessed fishing rate has been above F_{pa} since 1979, and SSB has declined since 1980 and is estimated at an historic low. The TAC for 2009 is 650 tonnes, compared with 765 tonnes in 2008 and 900 tonnes in 2007.






Chart 5.16b: Fishing mortality (F) - ages 3 - 8




Chart 5.16c: Recruitment - age 1





Chart 5.16d: Spawning stock biomass (SSB)



ICES' stock assessment: Western Channel Sole

Since 2004 VIIe sole has been assessed as a stock at risk of suffering reduced reproductive capacity.



North Sea Herring – in Subarea IV (North Sea), Division VIId (Eastern Channel) and Division IIIa (Skagerrak – Kattegat)

The North Sea herring stock, which collapsed in the 1970s and was closed to fishing for several years, subsequently recovered, and although it fell back in the mid-1990s, it has again been rehabilitated. SSB remains below the precautionary level despite a moderate fishing rate on both juvenile and adult herring, coupled with two strong year-classes in 1998 and 2000. However, all year-classes since 2002 are among the weakest since the late 1970s. The TAC in 2009 is 171,000 tonnes, compared with 201,227 tonnes in 2008, 341,063 tonnes in 2007 and 454,751 tonnes in 2006.

Chart 5.17a: Total landings




Chart 5.17b: Fishing mortality (F) - ages 2 - 6




Chart 5.17c: Recruitment - age 0





Chart 5.17d: Spawning stock biomass (SSB)



ICES' stock assessment: North Sea Herring

Stock assessments for North Sea herring fluctuated widely between 1999 and 2001 before being assessed as a stock at full reproductive capacity being sustainably harvested from 2002 to 2005. Since 2005 this assessment has weakened to a stock that is at risk of being harvested unsustainably in 2006 and a stock at risk of suffering reduced reproductive capacity in 2007 and 2008.



North East Atlantic Mackerel – combined Southern, Western and North Sea spawning components

Mackerel is assessed as the single North East Atlantic (NEA) stock which combines the Southern, Western and North Sea spawning components. SSB has increased by 40% since 2002 and is now above B_{pa} . The stock is classified as being harvested unsustainably and the 2003 year-class is estimated to be low. There is insufficient information on the size of the 2006 and 2007 year-classes. However, new management measures adopted from 2009 led to an increase of almost 33% in the TAC in the NEA for mackerel, whilst maintaining measures to protect the North Sea spawning component. The TAC agreed for 2009 is 511,287 tonnes, compared with 385,366 tonnes in 2008 and 422,551 tonnes in 2007.

Chart 5.18a: Total landings




Chart 5.18b: Fishing mortality (F) - ages 4 - 8




Chart 5.18c: Recruitment - age 1





Chart 5.18d: Spawning stock biomass (SSB)



ICES' stock assessment: North East Atlantic Mackerel

In 1999, from 2001 to 2003 and from 2005 to 2008 Northeast Atlantic mackerel has been assessed as being at full reproductive capacity but either at risk of or being harvested unsustainably. In 2000 the stock was at full reproductive capacity and being harvested sustainably. In 2004 Northeast Atlantic Mackerel was assessed as at risk of suffering reduced reproductive capacity.



(a) Status uncertain in terms of SSB relative to Bpa; but harvested unsustainably

6 Overview of the world fishing industry

Introduction

The world catch data presented in this chapter have been extracted from the most recently available data from the Food and Agricultural Organisation (FAO) of the United Nations. These tables present the annual statistics, for eight years ending in 2007, on a world-wide basis, of nominal catches (see Appendix 1, Glossary of terms).

World Catch

The world catch figures from marine fishing areas remained virtually unchanged at around 80 million tonnes from 2006 to 2007. Table 6.1 shows Asia catching 50 per cent of the world total with Central and South America catching 19 per cent.

TABLE 6.1 World catch by continent: 2000 to 2007

Figures refer to Marine Fishing Areas unless otherwise specified

2000

15.8

4.4

5.8

19.4

38.2

1.1

0.2

84.9

(Million tonnes) 2002 2003 2004 2005 2001 2006 2007 15.7 14.9 14.2 13.6 13.5 13.0 12.9 4.7 4.9 5.0 4.5 4.8 5.0 4.5 6.1 6.1 6.2 6.3 6.2 6.1 6.0 16.4 17.5 14.0 18.7 17.9 15.8 15.3 37.8 38.7 38.6 38.6 39.4 37.8 40.1 1.1 1.2 1.2 1.3 1.4 1.2 1.2 0.2 0.3 0.3 0.2 0.1 0.1 0.1 82.6 82.8 82.2 79.6 83.7 80.1 0.08

Source: FAO

Europe

Africa

Asia(b)

Oceania

Other nei^(c)

Total Marine Areas

North America

Central & S. America^(a)

Chart 6.1 shows the total catch by major fishing nations in terms of quantity caught in 2007.

In 2007 China caught the largest amount of fish, 12.4 million tonnes. Peru had the second largest catch at 7.2 million tonnes. The USA, Indonesia and Japan each caught between 4 and 5 million tonnes.

In 2007 Spain caught 803 thousand tonnes, a 15 per cent drop from 2006 but is still the leading country in the European Union. Denmark caught 653 thousand tonnes, a 25 per cent drop on 2006. FAO figures show a UK catch in 2007 of 617 thousand tonnes. It should be noted that this is slightly different from the figure of 610 thousand tonnes in Chapter 3.

⁽a) Central & S.America includes the Caribbean.

⁽b) Asia includes the Middle East.

⁽c) Not elsewhere included.

Faru (7,108) (3,000) (3,000) Normdas (413)

Chart 6.1: World catch by nationality of vessel, major catchers of fish: 2007 ('000 tonnes)

FAO fishing areas are shown in Chart 6.2. Of the 80 million tonnes of fish caught in 2007, 60 per cent were caught in the Pacific Ocean, 27 per cent in the Atlantic Ocean and 13 per cent in the Indian Ocean (see Table 6.2).


In the Atlantic Ocean, the 2007 catch was 11 per cent lower than in 2000 and is at its lowest level since 1967. In the Indian Ocean, marine catches have increased, from 9.1 million tonnes in 2000 to 10.3 million tonnes in 2007.

Table 6.2 World catch by sea area: 2000 to 2007

Figures refer to Marine Fishing Ar	eas only						(Million	tonnes)
	2000	2001	2002	2003	2004	2005	2006	2007
Atlantic Ocean								
Arctic Sea	-	-	-	-	-	-	-	-
Northwest Atlantic	2.1	2.2	2.2	2.3	2.4	2.2	2.2	2.1
Northeast Atlantic	11.0	11.1	11.1	10.3	10.0	9.6	9.1	8.9
Western Central Atlantic	1.8	1.7	1.8	1.8	1.6	1.5	1.5	1.5
Eastern Central Atlantic	3.7	4.0	3.5	3.5	3.5	3.6	3.3	3.2
Mediterranean and Black Sea	1.5	1.6	1.6	1.5	1.5	1.4	1.6	1.7
Southwest Atlantic	2.3	2.2	2.1	2.0	1.8	1.8	2.4	2.5
Southeast Atlantic	1.6	1.6	1.7	1.7	1.7	1.6	1.4	1.4
Antarctic Atlantic	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total Atlantic Ocean	24.2	24.6	24.1	23.1	22.7	21.9	21.6	21.5
India Ocean								
Western Indian Ocean	4.0	4.0	4.3	4.4	4.4	4.4	4.5	4.2
Eastern Indian Ocean	5.1	4.9	5.2	5.4	5.6	5.4	5.9	6.1
Antarctic Indian Ocean	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Indian Ocean	9.1	8.9	9.5	9.9	10.0	9.9	10.3	10.3
Pacific Ocean								
Northwest Pacific	21.1	20.5	19.2	19.9	19.3	19.8	19.7	19.8
Northeast Pacific	2.5	2.8	2.8	2.9	3.0	3.2	3.1	2.9
Western Central Pacific	9.7	10.1	10.5	10.9	11.0	11.2	11.2	11.5
Eastern Central Pacific	1.7	1.9	2.0	1.8	1.6	1.6	1.6	1.6
Southwest Pacific	0.7	0.7	0.8	0.7	0.7	0.7	0.6	0.6
Southeast Pacific	15.8	12.7	13.7	10.5	15.4	14.5	12.0	11.8
Antarctic Pacific	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Pacific Ocean	<u>51.6</u>	48.6	49.0	46.6	51.0	51.0	48.2	48.3
TOTAL PACIFIC OCEAN	0.10	40.0	48.0	40.0	31.0	31.0	40.4	40.3
World Total	84.9	82.2	82.6	79.6	83.7	82.8	80.1	80.0

Source: FAO

Chart 6.2: FAO marine fishing areas



Appendix 1: Glossary of terms

Active Vessel An active vessel is a fishing vessel that is registered and licensed to fish.

Demersal The term demersal fish covers species living on or near the sea bed.

Exports Exports consist of the outward movement of goods produced by

businesses in the UK, plus goods, which after importation, move outward from bonded warehouses or free zones without having been transformed i.e. both exports and re-exports. Export statistics exclude fish caught by domestic fishing craft, whether or not processed on board, landed in

foreign ports.

Fishing areas Fishing areas are defined by an international convention. The immediate

waters around the UK are subdivided into ICES Sub-areas IV (North Sea), VI (West of Scotland) and VII and its divisions Western Approaches, VIIg,h; the Irish Sea, VIIa; and the English Channel, VIId,e.

Fishing capacity Fishing capacity is the physical dimension of fishing vessels measured in

gross tonnage (GT), see below.

Fishing effort Fishing effort is a measure of the fishing activity of vessels based on

fishing capacity and the time spent fishing. It may be expressed in

tonnage days, kW days etc.

Fishing mortality Fishing mortality is the proportion of a stock killed/dying each year as a

result of fishing activity.

Fish preparations Fish preparations refer to fish that have been prepared using one of the

following techniques: fresh or chilled, frozen, salted, in brine, dried or

smoked, prepared or preserved.

Fish products Food products manufactured from fish such as fish meal, fish flour and

fish oil.

Fixed gears are mainly used for demersal species. They are normally

vertically hung curtains of netting which enmesh or entangle the fish, fixed to the seabed with anchors or weights and held upright with floats.

GRT (Gross Registered Tonnage) is a general term applied to a range of

volumetric measures of vessel capacity.

GT (Gross Tonnage) is a volumetric measurement of vessel capacity

under the rules of the ITC69 (International Tonnage Convention). By the end of 2003 all UK fishing vessels over 15m overall length must have

their tonnage measured on this basis.

ICES The International Council for the Exploration of the Sea (ICES)

coordinates and promotes marine research on oceanography, the marine environment, the marine ecosystem, and on living marine resources in

the North Atlantic.

Imports Imports consist of all goods moving into a country, including goods for

domestic consumption and goods into bonded warehouses or free zones. In accordance with the internationally recommended practice, import statistics include fish caught by foreign fishing craft, whether or not

processed on board, landed in domestic ports.

Inactive vessel For the purposes of this publication an inactive vessel is a vessel that is

registered but not licensed to fish.

Landed weight Mass (or weight) of a product at the time of landing, regardless of the

state in which it has been landed. Landed fish may be whole, gutted and

headed or filleted.

Live weight The mass or weight of a product, when it was removed from the water.

Nominal catches Nominal Catches refer to landings converted to a live weight basis. A

nominal catch consists of fish, crustaceans, molluscs and other aquatic animals, taken for all purposes (commercial, industrial and subsistence) except recreational, operating in inshore, offshore and high seas fishing areas (marine fishing areas). Inland waters, both fresh and brackish, are excluded. The data on the landings of such species and products require conversion by accurate yield rates (conversion factors) to establish the

live weight equivalents at their time of capture.

Pelagic The term pelagic fish covers species found mainly in shoals in midwater

or near the surface of the sea.

Recruits Recruits are the young fish in the year class which is entering the fishery.

Seining Seining is a method used exclusively for demersal fishing. The net,

lighter than for trawling, is set on very long ropes designed to herd or contain the fish for capture in the net. After the fish have been surrounded by the ropes, the net is slowly hauled back to the vessel.

Shellfish The term shellfish covers all crustaceans and molluscs.

Spawning stock biomass (SSB)

The spawning stock biomass (SSB) is the total weight of a species population capable of reproducing.

Stock A stock is that part of a species population exploited in a defined fishing

area

Transhipment The transfer from one conveyance to another for shipment. In this case,

transhipments usually take place in coastal waters.

Trawling Trawling may be used either for bottom-dwelling (demersal) or mid-water

(pelagic) species, the net being of a basic funnel-shaped construction

and towed behind a vessel or between two vessels (pair trawling).

Year class A year class is the young of any one annual spawning.

Appendix 2: UK fisheries statistics methodology

Organisation of the national system of fisheries statistics

Fisheries data are mostly collected by officers in the Sea Fisheries Inspectorates and processed by officials of the various Fisheries Administrations in the UK, namely the Marine and Fisheries Agency (MFA) (for England and Wales), the Marine Directorate, Scottish Government and the Department of Agriculture and Rural Affairs for Northern Ireland (DARD) and Departments in Jersey, Guernsey and the Isle of Man.

The main legislation used is:

- (i) the EU fisheries legislation on keeping and submitting logbooks and providing landing declarations and sales notes Council Regulation (EEC) No. 2847/93 (as amended) and Commission Regulation (EC) No 2807/83 (as amended).
- (ii) general powers under the Sea Fisheries (Conservation) Act 1967 under which Ministers granting a licence can require the master, owner or charterer of the vessel named in the licence to provide him with such statistical information as he may direct. These powers were widened in the Sea Fish (Conservation) Act 1992 to cover other types of information and the form in which it is to be supplied.

The MFA collates the information compiled by Fisheries Administrations in the UK for this publication.

Method of collecting, processing and compiling the data on catches, landings and average prices.

Sources of data – The sources include logbooks, landing declarations, sales notes and personal contact with fishermen and merchants. Port harbour masters also provide details of individual vessels landing at main coastal locations. The method used for collecting data depends upon the size of vessel and location of landings. Legislation covers the supply of data on log sheets for all vessels over 10 metre overall length in respect of catches of all species. Much information on the value of catches is provided by the industry in the form of sales notes. For vessels under 10 metres overall length, there is no statutory requirement under either EU or national legislation for fishermen to declare their catches. Historically, information for this sector has been collected with the co-operation of the industry: it comprises log sheets and landing declarations voluntarily supplied by fishermen as well as sales notes and assessments of landings derived from market sources and by correspondents located in the ports. This collection of data has now been replaced after the introduction in September 2005 by UK Fishery Departments of a scheme of registration for buyers and sellers of first sale fish and designation of fish auction sites. This requires sales notes related to these sales to be reported to Fisheries Administrations, which are used in addition to the voluntary information from fishermen.

Full documentation is not required for most fishing for non-TAC species, including shellfish. During 2005 and 2006, UK Fisheries Administrations introduced a system of restrictive licensing for activity targeted at shellfish. As part of this system, new reporting requirements were introduced involving a requirement for fishermen to complete diaries of their daily activity which need to be submitted on a monthly basis. Summary information from these diaries is now in use, in addition to sales notes and other information supplied voluntarily by the industry, and from a variety of local sources and surveys run by local Sea Fisheries Committees.

Landings abroad – UK vessels which land at foreign ports are required under EU legislation to dispatch copies of log sheets and landing declarations covering their trips to the vessels' home ports within 48 hours of landing. When these data are received at the home port, they are entered on the systems used for UK landings.

Attribution of area of capture – Details of the areas fished are taken from the logbooks and codes for the ICES divisions and statistical rectangles are keyed into the port micro-computers. Where a statistical rectangle is split into different areas (e.g. part is in EU waters and part in the Norwegian waters) an additional code is used to indicate the zone fished. The detailed codes are available on the central computer records. Where a vessel fishes in more than one area in a single trip, the total amounts for the trip of each species, as given in the sales notes and landing declarations are allocated to the areas in proportion to the estimated quantities of the species taken from each area, as recorded in the logbook. For the few landings from distant waters, the coding of the areas is less detailed but sufficient to identify the quota concerned.

Value of landings and average price data – Sales note information has been routinely provided for landings into Scotland. For landings into England, Wales and Northern Ireland much information was already supplied by fishermen, and this has increased with the introduction of requirements for buyers and sellers of fish to report sales notes (see above), with these including details on the grade and freshness as well as the quantity and value of fish sold. Average prices are derived using the presentation codes of the landings and the average values and quantities landed.

Data capture and processing – The inspectors at port offices carry out a mix of manual and automatic checks on the information provided by vessel operators. These include a check between logbook information and that given in the sales notes or observed as landed as well as checks against other sources of information (e.g. satellite position reports as well as sales notes provided by buyers of fish). Information from log sheets, landing declarations, sales notes and other sources are then keyed into micro-computers connected to the main databases by government staff at port offices. The catch data are used to apportion information from the landing declaration/sales note which is keyed separately. The fishing records are transmitted to the central computer systems where further checks are carried out on the data before they are reflected in the main landings databases.

Catch and landings statistics for the UK are compiled from the systems run by the MFA and the Marine Directorate, Scottish Government. The former holds information on all landings into England, Wales and Northern Ireland by UK vessels and of landings abroad by vessels administered by the MFA, WAG and DARD while the latter provides figures for landings into Scotland by all UK vessels and landings abroad by the Marine Directorate, Scottish Government administered vessels.

The reliability and completeness of the data

Completeness – The collection system for all vessels over 10 metres attempts a complete coverage of all main fishing activity. Sales note information is used for Scottish 10 metre and under vessels and from 2006 is also being used in England and Wales (see above comments). In the past, estimates of the fishing activity by vessels 10 metres and under for some shellfish related activity were made on the basis of local knowledge. With the move to use data on sales notes as a source of information on the activity of these vessels as well as newly introduced monthly diaries of activity relating to fishing for shellfish, data collection on the activity of these vessels is regarded as having been significantly improved.

Reliability – The reliability of the statistics is dependent upon the veracity of the documentation provided by fishermen. There are systems of surveillance using sightings by aircraft and by fisheries protection vessels and by satellite monitoring. This information is employed in checking the data.

Appendix 3: Further information

Other useful official publications on sea fisheries statistics are:

MFA / Defra publications UK Fishing vessel list

The Monthly Return for England and Wales – provides an up-to-

date picture of landings into England and Wales

Statistics of Fish Landings in England, Wales and Northern Ireland

by Port

Sea Fisheries Statistics – going back as far as 1866

These are available from www.mfa.gov.uk/statistics or by writing to Marine and Fisheries Agency,4th Floor, Ergon House, Horseferry

Road, London SW1P 2AL. Tel: 020 7270 8071;

fsu@mfa.gsi.gov.uk

Marine Directorate Scottish

Government publication

Scottish Fisheries Statistics 2007 (ISBN 978-0-75597-209-8). Available online from www.scotland.gov.uk/statistics

DARDNI publication Report on the sea and inland fisheries of Northern Ireland. Available

from DARDNI Fisheries division, Tel: 02890 522373

FAO FAO Yearbook of Fishery Statistics – Capture Production 2005, Vol.

Available from The Stationery Office, 51 Nine Elms Lane, London,

SW8 5DR. Tel: 020 7873 8787

Eurostat Fishery Statistics 1990 – 2006, ISBN (92-79-07045-7)

Available from The Stationery Office, 51 Nine Elms Lane, London,

SW8 5DR. Tel: 020 7873 8787

Eurostat database "New Cronos"

Useful websites

Marine and Fisheries Agency www.mfa.gov.uk

Defra www.defra.gov.uk

Marine Directorate, Scottish www.scotland.gov.uk

Government

Eurostat

DARDNI www.dardni.gov.uk

Welsh Assembly Government www.wales.gov.uk

National Statistics www.statistics.gov.uk

www.ec.europa.eu/fisheries

www.ec.europa.eu/eurostat

FAO Fisheries department www.fao.org/fi/default.asp

Sea Fish Industry Authority www.seafish.co.uk

ICES www.ices.dk

