# Scottish Sea Fisheries Statistics 2011

The Scottish Government

A National Statistics Publication for Scotland

marinescotland

This document is also available from our website at **www.scotland.gov.uk**.

ISBN: 978-1-78256-067-8

The Scottish Government
St Andrew's House
Edinburgh
EH1 3DG

Produced for the Scottish Government by APS Group Scotland
DPPAS13288 (09/12)

Published by the Scottish Government, September 2012

# SCOTTISH SEA FISHERIES STATISTICS 2011

This annual publication provides a detailed overview of the quantity and value of landings of sea fish and shell fish by Scottish vessels and landings into Scotland. Information on the Scottish fishing fleet and the number of fishermen on Scottish vessels is also presented.

## Contents

# List of charts and figures

# List of tables

## Introduction

In 2011, Scottish based vessels landed 359 thousand tonnes of sea fish and shellfish into the UK and abroad with a value of £501 million, the highest value in real terms this century. This represents a two per cent decrease in quantity but a 13 per cent increase in value in real terms compared to 2010.

There were 2,095 active Scottish based vessels in 2011, the smallest number of vessels ever recorded, and three per cent less than in the previous year. Over the same period, the number of fishermen employed in the Scottish catching sector has decreased to 4,996 in 2011, the lowest number ever recorded and a decrease of four per cent from 2010.

Quantity and value of landings of all species by Scottish vessels




This Scottish Sea Fisheries Statistics publication provides a detailed overview of the quantity and value of landings of sea fish and shell fish by Scottish vessels and landings into Scotland. Landings data are provided according to;

- Vessel nationality
- Country and district of landing
- Area of capture
- Fishing gear used
- Vessel size

Data is also provided on landings by other UK vessels. All landings data are given in terms of live weight.

This publication also provides information on;

- Size and composition of the Scottish fleet
- Number of fishermen on Scottish vessels
- Fishing effort by Scottish vessels in the cod recovery zone

All tables presented here are available for download as spreadsheets from the Scottish Sea Fisheries Statistics website.

## Key Points

### Landings by Scottish vessels

The total value of fish landed by Scottish vessels in 2011 was £501 million, an increase of 13 per cent in real terms compared with 2010 and the highest value achieved in real terms this century. The main reason for this is a 39 per cent increase in real terms in the value of pelagic landings to £184 million in 2011. There was a five per cent increase in real terms in the value of shellfish to £164 million while the value of whitefish landings at decreased slightly in real terms (two per cent) to £152 million. This record value of landings was achieved from only 359 thousand tonnes of fish, the lowest volume landed in the decade.

Pelagic landings are dominated by mackerel, which saw a 40 per cent increase in value in real terms in 2011. This stems from a 30 per cent increase in real terms in the price obtained for mackerel combined with an eight per cent increase in volume. Herring, the other key pelagic species, also experienced a marked increase in price in 2011, 57 per cent higher in real terms than 2010, leading to a 42 per cent increase in real terms value, in spite of a decrease in the volume landed.

### Quota uptake by vessels in Scottish Producer Organisations

In 2011, of the demersal stocks of importance to Scottish vessels, landings of North Sea haddock, North Sea cod, North Sea whiting, and North Sea saithe nearly exhausted the quota available. Quota uptake for the important pelagic stocks was exhausted for North Sea herring and slightly exceeded the quota allocation for West of Scotland mackerel and West of Scotland herring.

### Scottish fishing fleet

The number of active fishing vessels based in Scotland was 2,095 at the end of 2011, representing a decrease of 55 vessels (three per cent) on the previous year and the smallest fleet size ever recorded.

Since the end of 2010, the number of over 10m vessels has decreased by 40 vessels to 625 vessels. The demersal sector consists of 229 vessels, a decrease of 27 vessels, while the shellfish sector reduced by 13 vessels to 372 vessels. The pelagic sector, with 24 vessels, was unchanged compared to 2010. There are 1,470 vessels in the under 10m fleet, a decrease of 15 vessels since 2010.

### Fishermen employed

The number of fishermen employed in the Scottish catching sector was 4,996 in 2011, this represents a decrease of four percent compared to 2010 and is the lowest number ever recorded.

# 1. Overview of landings

This chapter brings together information on the quantity, value, species and area of capture of sea fish landings. The focus is on Scottish based vessels and landings into Scotland.

## 1.1 Landings by Scottish based vessels

In 2011, Scottish based vessels landed 359 thousand tonnes of sea fish and shellfish into the UK and abroad with a value of £501 million (Table 1.1.e and Chart 1.1.). This represents a two per cent decrease in quantity but a 13 per cent increase in value in real terms compared to 2010. The value of landings represents the highest value in real terms this century. This increase in value continues the trend for increasing value of landings over the previous five years with the exception of 2010 where there was a dip in value obtained for landings. Over the same period quantity of landings increased between 2007 and 2009 before decreasing in 2010 and 2011.

Chart 1.1 Quantity and value of all landings by Scottish vessels: 2007 to 2011.




Landings by Scottish vessels accounted for 60 per cent of the quantity and the value of all landings by UK vessels (Tables 1.1.e, 1.1.o and 1.1.v).

### 1.1.1 Demersal, pelagic and shellfish landings by Scottish based vessels

In 2011, pelagic species accounted for 54 per cent of landings by Scottish vessels in terms of quantity and 37 per cent in terms of value. Demersal species represented 26 per cent of landings by quantity and 30 per cent by value, while shellfish accounted for 20 per cent of landings by quantity and 33 per cent by value (Chart 1.2).

Chart 1.2 Quantity and value of landings by Scottish vessels; percentage of each species type, 2011.


The main reason for the increase in the total value of landings by Scottish vessels is due to the 39 per cent increase, in real terms, in the value of pelagic landings from £132.6 million in 2010 to £184.3 million in 2011. Over the same period, the quantity of pelagic landings saw only a small, two per cent increase to 192 thousand tonnes. This increase in value reflects the higher prices being achieved for the main pelagic species, mackerel and herring. The value of shellfish landings also saw an increase in 2011 compared to 2010, although not to the same extent as pelagic landings. At £164.2 million in 2011, the increase was five per cent in real terms from £156.5 million in the previous year, while the quantity of landings remained virtually unchanged over the same period at 72 thousand tonnes. Demersal landings saw a slight decrease of two per cent from £155.8 million to £152.9 million between 2010 and 2011, predominantly as a result of the quantity of landings decreasing by 11 per cent to 95 thousand tonnes.

Chart 1.3 Quantity and value of landings by Scottish vessels by each species type; 2000 to 2011.




A breakdown of landings by Scottish vessels into Scotland, the rest of the UK, and abroad, by species are given in Tables 1.1.a to 1.1.e as well as corresponding figures for other UK vessels in Tables 1.1.f to 1.1.o, and figures for foreign vessels landings into the UK in Tables 1.1.p to 1.1.t.

## Demersal fish

Monkfish, haddock and cod are the three main demersal fish landed by Scottish vessels in terms of value of landings, accounting for 57 per cent of all the demersal species landed by Scottish vessels in 2011.

In 2011, landings of monkfish by Scottish vessels remained virtually unchanged compared to 2010, in terms of quantity at 10 thousand tonnes, value (in real terms) at £33.5 million and price at £3,453 per tonne. Landings of haddock by the Scottish fleet at 24 thousand tonnes in 2011 have fallen by 13 per cent compared to 2010, although this was offset by an increase of seven per cent in real terms in the average price of haddock to £1,263 per tonne. This resulted partially in a smaller decrease in value to £30.9 million, which represents a value seven per cent lower in real terms than in the previous year. Cod landings by Scottish vessels were down 15 per cent to 10 thousand tonnes in 2011 compared with the previous year. As with haddock, cod saw an increase in the average price achieved, at £2,215 per tonne 2011 prices were nine per cent higher in real terms than the price obtained in the previous year. The balance of the increase in price and the decrease in value of cod landings meant a seven per cent decrease in value to £22.9 million was observed in 2011.

The improvement in prices observed for cod and haddock are also replicated in the majority of the other key demersal species for Scottish vessels and have contributed to the increase in the value achieved for these species in 2011 compared to 2010. These increases underpin the small decrease in value for demersal landings in 2011 compared to the previous year.

Chart 1.4.a Quantity and value of landings of the key demersal species by Scottish vessels: 2007 to 2011.




## Pelagic fish

Mackerel and herring are the two main pelagic fish landed by Scottish vessels in terms of both quantity and value of landings. Together these two species account for 98 per cent of the value and 96 per cent of the quantity of all the pelagic landings by Scottish vessels in 2011. In 2011, the value of landings of both mackerel and herring saw large increases compared to the previous year. At £163.1 million, the value in real terms of mackerel landings had increased 40 per cent from £116.1 million in 2010. This increase in value was achieved by the combination of substantial increases in average prices and increased landed quantity. At £1,118 per tonne, the price obtained in 2011 represents a 30 per increase in real terms compared to prices achieved in 2010 and is a record price. This increase in price

continues the trend for increasing mackerel prices over the previous five years with the exception of 2010 where there was a dip in prices. At 146 thousand tonnes the quantity landed was eight per cent higher than the 135 thousand tonnes landed in 2010. As in 2010, mackerel remains the most valuable species to the Scottish fleet. An increase in the value of herring landings was also achieved in 2011, with a value of £17.0 million representing a 42 per cent increase in value in real terms compared to 2010. This increase was achieved despite a 10 per cent decrease in the quantity of herring landings to 38 thousand tonnes and was achieved by the considerable improvements in prices obtained for herring in 2011. At £450 per tonne herring prices in real terms were 57 per cent higher than in 2010.

Chart 1.4.b Quantity and value of landings of the key pelagic species by Scottish vessels: 2007 to 2011.




## Shellfish

Nephrops and scallops are the two main species of shellfish landed by Scottish vessels, accounting for 70 per cent of the value and 53 per cent of the quantity landed in 2011. In 2011, landings of Nephrops by Scottish vessels decreased by 16 per cent from 2010 to 23 thousand tonnes. At the same time, the average price of Nephrops landed by Scottish vessels increased by 27 per cent in real terms to £3,721 per tonne. These strong prices led to a real term seven per cent increase in the value of Nephrops landings to £84.3 million despite the decrease in the quantity landed. As in 2010, Nephrops remain the second most valuable species to the Scottish fleet. Scallop landings by Scottish vessels decreased to 16 thousand tonnes in 2011, down 16 per cent from 2010. However, relatively strong average price were obtained for scallops in 2011, with the average price at £1,960 per tonne being 12 per cent higher than the price obtained in the previous year. These strong prices partially offset the decrease in the quantity landed, so the value of landings, at £30.9 million was only six per cent lower than in 2010.

Overall, increases in the quantity of lobster, edible crabs and queen scallops have offset the decrease in quantity of landings of the two main shellfish species such that the quantity of shellfish landings remains unchanged between 2010 and 2011, at 72 thousand tonnes.

Chart 1.4.c Quantity and value of landings of the key shellfish species by Scottish vessels: 2007 to 2011.




## 1.1 Landings abroad by Scottish based vessels

In 2011, Scottish vessels landed 103 thousand tonnes of sea fish and shellfish abroad with a value of £96.7 million. This represents 29 per cent in quantity and 19 per cent in value of all landings by Scottish vessels. Norway receives the majority of these landings abroad, with 72 thousand tonnes at £66.6 million, which represents 70 per cent in quantity of all landings abroad by Scottish vessels and 69 per cent in value. Denmark, Spain and Ireland are the other key countries that receive landings from Scottish vessels. Combined, these three countries account for a further 24 per cent of the total value of landings abroad by Scottish vessels.

Over three quarters of the fish landed abroad by Scottish vessels in terms of value were pelagic (mainly mackerel) and 19 per cent were demersal. Shellfish constitute less than five per cent of the value of landings abroad. The majority of pelagic species landed abroad are landed into Norway, with Spain, Ireland and Denmark being key countries for demersal landings. Ireland receives the majority of shellfish species landed abroad by Scottish vessels.

Figure 1.1.a Quantity of landings abroad by Scottish vessels by country of landing: 2011 (tonnes).



Figure 1.1.b Value of landings abroad by Scottish vessels by country of landing: 2011 (£' thousands).



## 1.1. Landings by area of capture

The quantity of fish landed by Scottish vessels caught from the Northern North Sea (ICES division IVa) or the West of Scotland (ICES division VIa) each represented over a quarter of all fish landed, with 140 tonnes worth £232.2 million and 134 tonnes worth £168.4 million, landed from the Northern North Sea and West of Scotland, respectively.

Landings from the Northern North Sea provide over a half of the total quantity of demersal fish landed by the Scottish fleet, while the Central North Sea (ICES division VIb) and the West of Scotland provide 17 per cent and 14 per cent of the total quantity of demersal landings. Pelagic species are mainly caught in the West of Scotland, with landings accounting for half of the total quantity of pelagic fish landed by the Scottish fleet, and landings from the Northern North Sea representing over a third of the total quantity of pelagic fish landings. Over a third of shellfish landings are from the West of Scotland, and just under a quarter of landings are made from the Northern North Sea and also from the Irish Sea (ICES division VIIa). Ten per cent of shellfish landings were made from the central North Sea and also the rest of ICES area VII.

Further maps of fishing activity in the seas around the UK by Scottish vessels, other UK vessels, and foreign vessels that land into the UK are available on the ICES rectangle webpage on the Scottish Sea Fisheries Statistics website. These maps show the quantity and value of landings by species type by ICES rectangle.

Figure 1.2.a Quantity of landings by Scottish vessels by area of capture: 2011 (tonnes).



Figure 1.2.b Value of landings by Scottish vessels by area of capture: 2011 (£'thousand).



## 1.3 Landings into Scotland

In 2011, there was 316 thousand tonnes of sea fish and shellfish landed into Scotland with a value of £480 million. This represents a 17 per cent decrease in quantity but a seven per cent increase in value compared to 2010. The proportion each species type contributes to the total value of all landings into Scotland is relatively similar at 36 per cent for demersal species and 32 per cent for pelagic and shellfish species. In contrast, the proportion each species type contributes to the total quantity of landings is quite different between the species types with shellfish species accounting for 19 per cent of the total quantity while demeral species make up 33 per cent and pelagic species 48 per cent of the total quantity. This highlights the difference between the average price per tonne across the species types. Figure 1.3.a and b shows landings by species type into the eighteen Scottish districts. Landings into the south west coast are dominated by shellfish while landings into the north west coast constitute mainly demersal and shellfish species. Landings into the east coast are dominated by the top three districts; Peterhead, Shetland and Fraserburgh that receive landings of all the species types (though Shetland and Peterhead see relatively little shellfish). Landings into the other east coast districts are dominated by shellfish and a small quantity and value of demersal species.

Combined the top three districts account for 71 per cent in quantity and 62 per cent in value of all landings into Scotland. One hundred and twenty eight thousand tonnes worth £154.5 million was landed into Peterhead, of this pelagic species accounted for 52 per cent in value and demersal species represented 40 per cent, with shellfish contributing less than ten per cent of the total value landed into this district. Landings into Shetland totalled 71 thousand tonnes at a value of £91.1 million. As with Peterhead, the majority of landings into Shetland were of pelagic species, these species represented 68 per cent of the total value of landings into Shetland while demersal species accounted for 27 per cent, with shellfish contributing less than ten per cent of the total value of landings. In contrast, landings into Fraserburgh were dominated by shellfish which accounted for 57 per cent of the £50.1 million total landings into this district.

Figure 1.3.a Quantity of landings into Scotland by Scottish vessels by district: 2011 (tonnes).



Figure 1.3.b Value of landings into Scotland by Scottish vessels by district: 2011 (£'thousand).



## 1.4 Total allowable catches, quota and uptake

Table 1.10 shows the total allowable catch (TAC) which is a catch limit set by the European Commission for individual stocks. TACs are fixed on an annual basis at negotiations held by EU member states. A share of the EU TAC is allocated to EU member states based on a number of factors, including the member state's past catch record. This share, known as quota, is displayed in Table 1.10 at the UK and, for the first time, at the Scottish Producers Organisations (POs) level. The quantity and percentage uptake of this quota is also given for each stock in Table 1.10.

In 2011, of the demersal stocks of importance to Scottish vessels, landings of North Sea Haddock, North Sea Cod, North Sea Whiting, and North Sea Saithe nearly exhausted the quota available, as displayed in Chart 1.5. Quota uptake for the important pelagic stocks was exhausted for North Sea Herring and slightly exceeded the quota allocation for West of Scotland Mackerel and West of Scotland Herring.

Chart 1.5 Quota uptake of important stocks by vessels in Scottish POs in 2010 and 2011.

Demersal stocks




Pelagic stocks



## 2. The Scottish fishing fleet

This chapter brings together information on the Scottish fleet structure, fishing effort by the Scottish fleet, and the number of fishermen employed in Scotland. A summary of how the UK fleet is regulated is provided to assist interpretation of the statistics.

### 2.1 Regulation of the UK fleet

A fishing vessel is a boat used to catch sea fish for profit. UK fishing vessels engaged in commercial sea fishing are required by law to be registered with the Registry of Shipping and Seamen (RSS), part of the Maritime and Coastguard Agency. These commercial fishing vessels must also have a licence which specifies conditions that must be adhered to when fishing activity is being pursued. For the purpose of this statistical bulletin, active vessels are those which are both registered and licensed as of 31st December of the year of reference. Scottish based vessels are those licensed at and administered by a Scottish district.

UK fishing vessel licences authorise the sea areas in which a vessel can fish and the species of fish that can be targeted. Restrictive licensing was introduced in 1983 following agreement of the Common Fisheries Policy (CFP) by the European Commission and has been used as the main tool to control UK fishing opportunities to meet the European Union regulations for sustainable fisheries management. Initially, the licensing regime only covered vessels over 10 metres registered length fishing for a number of designated species in specific areas. The coverage of licences has progressively extended over the years to cover all species and both the over 10 metre fleet and 10 metres and under fleet. The capacity of fishing vessels in terms of vessel tonnage and power is also controlled through licences. With a finite number of licences in existence and no new licences made available, this places a ceiling on the total number and capacity of vessels in the UK fishing fleet. In order to licence new vessels, fishermen must acquire one or more existing licences from other previously licensed vessels. When licences are transferred, or aggregated to form a larger licence unit, capacity penalties are applied. These capacity penalties together with the restricted number of licences on issue, form a mechanism resulting in reductions in the capacity of the UK fleet. Further reductions in the capacity of the UK fleet have resulted from successive decommissioning schemes. Designed to conserve vulnerable whitefish stocks, particularly cod, decommissioning removed vessels from the fleet in 1994-1997, 2001-2002 and 2003-2004.

### 2.2 Size of the Scottish fleet

The number of active Scottish based vessels has fallen to 2,095 vessels in 2011, the smallest fleet size ever recorded, representing a 3 per cent [55 vessels] decrease since 2010 and a 14 per cent decrease [348 vessels] compared to ten years ago. The total power of the Scottish fleet has also decreased to 387 thousand kWs. Year on year power comparisons should be made with caution, since figures in earlier years have been underestimated to an unknown degree due to under declaration of engine power on vessels licences. A concessionary licensing arrangement and a timetable for compliance was introduced in 1999 and vessel owners had until the end of 2004 to declare the true engine power. Comparisons on vessel capacity (tonnage) are also complicated due to revisions in the measurement methodology.

Various national and international standards collectively known as gross registered tonnage (GRT) were revised to a common EU standard known as gross tonnage (GT). A phased programme of re-measurement was introduced in the UK in 1996 and completed by early 2004.

Chart 2.1 Size of the Scottish fleet: 2002 to 2011.



### 2.2.1 Size of the Scottish fleet by length

The Scottish fleet is dominated by 10 metre and under vessels, with 1,470 in 2011 accounting for 70 per cent of the Scottish fleet, while the over 10 metre fleet comprises 625 vessels. In contrast, in terms of power, the Scottish fleet is dominated by the over 10 metre fleet with a total power of 309 thousand kWs compared to the total power of 78 thousand kWs in the 10 metre and under fleet. Thus, the 10 metre and under fleet represents 20 per cent of the total power in the Scottish fleet. Looking at the average power, the 10 metre and under vessels have an average power of 53 kW per vessel, while the over 10 metre vessels have a much greater average power of 494 kW per vessel. Compared to 2005, the first year by which owners declared their true engine power, average power has seen little change in the 10 metre and under fleet and a five per cent increase in the over 10 metre fleet. This increased in average power for an individual vessel occurs against a general trend of decreasing vessel numbers and aggregate fleet power. For the over 10 metre fleet, vessel numbers have decreased by 13 per cent since 2005 and total power has decreased by nine per cent. The 10 metre and under fleet has seen a six per cent decrease in numbers and a five per cent decrease in fleet power between 2005 and 2011.

As well as providing figures for the number, capacity and power of the 10 metre and under and over 10 metre fleets, figures are given for revised length categories. The revisions to the length categories aim to reflect length categorisation used in specific regulation and licensing conditions. The current quota and effort regulations make a distinction between the 10 metre and under and over 10 metre fleets, while the electronic reporting and recording system (ERS), introduced in 2010, has a staggered adoption based on vessel length. The ERS adoption length groups were; vessels of 24m and over, 15-24m and 12-15m. An additional categorisation used for 24m and over vessels is 24m-40m, and over 40m, to align the length categories used in the widely recognised Seafish fleet segmentation criteria.

### 2.2.2 Size of the Scottish fleet by age

Over half of the Scottish fleet are known to be at least 20 years old. Vessels under ten years account for just over ten per cent of the fleet in number, while with a total power of 120 thousand kWs these vessels represent over 30 per cent of the total power of the Scottish fleet, substantially more than any other age category. Within the under ten years age category, vessels over 10 metre account for 89 per cent of the total power for this age category.

Chart 2.2 Size, capacity and power of the Scottish fleet by age: 2011.









### 2.2.3 Size of the Scottish fleet by administration district

Figure 2.1 shows the number of vessels at each of the eighteen administration districts in Scotland. Stornoway and Fraserburgh are the top two districts with 227 and 204 vessels within their responsibility in 2011, respectively. Within the Stornoway district over three quarters of the vessels are in the 10 metre and under fleet, while in the Fraserburgh district there was nearly an equal proportion of vessels in the 10 metre and under fleet, and the over 10 metre fleet. Ayr and Peterhead also have nearly equal numbers of vessels in the two fleets, while the remaining districts have a higher proportion of vessels in the 10 metre and under fleet than the over 10 metre fleet.

### 2.2.4 Size of the Scottish fleet by fishing method

The 10 metre and under fleet is dominated by vessels using creel fishing, namely traps in the form of cages or baskets, typically baited and used to target Nephrops, crabs, lobsters, and other shellfish species. In 2011, 1285 vessels, nearly 90 per cent of the 10 metre and under fleet used creel fishing as their main fishing method. Creel fishing, *Nephrop* trawls and other fishing methods targeting shellfish, dominate in the over 10 metre fleet, with 372 vessels, equivalent to 60 per cent of the over 10 metre fleet using these methods in 2011. Fishing methods targeting demersal fish were used by 229 vessels in 2011, almost 40 per cent of the over 10 metre fleet, with demersal trawls being the fishing method used by the majority of these vessels. Pelagic fishing methods were utilised by 24 vessels, four percent of the over 10 metre fleet.

Figure 2.1 Number of vessel in the Scottish fleet by district: 2011.



## 2.3 Effort in the Cod Recovery Zone

The Cod Recovery Zone (CRZ) is sea areas in which restrictions exist on fishing effort by vessels 10 metres or over using certain regulated gears. A map of the areas covered by the CRZ is given in Annex 6. These measures aim to reduce cod mortality and encourage recovery of the vulnerable cod stocks. Introduced in February 2003, the CRZ covered specified gears that catch considerable amounts of cod in the North Sea and the West of Scotland. The regime was expanded in 2004 to include the Irish Sea. Eight regulated gears were specified, as detailed in the glossary, and the effort of Scottish vessels using these regulated gears are presented in Table 2.7. Please note that the figures are presented for the calendar year although the annual effort control measures cover a twelve month period from 1 February to 31 January.

Trends for the two most cod-intensive gear grouping Whitefish (TR1) and Nephrops (TR2) that dominate the effort by the Scottish over 10 metre fleet are discussed by sea area in each of the paragraphs below. Whitefish (TR1) gears include bottom trawls and seines of mesh size greater or equal to 100mm, and these gears typically target whitefish, including cod. The Nephrops (TR2) gear type includes bottom trawls and seines of mesh size greater or equal to 70mm and less than 100mm, and typically target Nephrops, but also catch considerable amounts of cod.

Effort using whitefish (TR1) and Nephrops (TR2) gears stood at 10.0 million kW days and 6.8 million kW days respectively in the North Sea in 2011 (Table 2.7 and Chart 2.3). Compared to 2010, effort by whitefish (TR1) gears decreased by four per cent in the North Sea and effort by Nephrops (TR2) gears decreased by 18 per cent. Looking at longer term trends, whitefish (TR1) effort declined significantly between 2000 and 2004, partially as a result of decommissioning schemes, but effort by both gear types has declined only slightly since 2004.

There is less effort by each gear type in the West of Scotland than in the North Sea, with whitefish (TR1) gears standing at 2.1 million kW days in 2011 and Nephrops (TR2) gear at 3.6 kW days. These represent an 11 per cent and six per cent decrease respectively in the West of Scotland compared to 2010. In the longer term, whitefish (TR1) effort dropped by over 60 per cent between 2001 and 2005 (again predominantly due to the reduction in fleet capacity following decommissioning schemes) but has been broadly stable from 2006 onwards. Nephrops (TR2) effort peaked in 2003 at 5.8 million kW days and has declined gradually since then.

Chart 2.3 Effort of Scottish vessels using whitefish (TR1) gear and Nephrops (TR2) gear in the Cod recovery Zone: 2000 to 2011.

North Sea




West of Scotland



## 2.4 Number of fishermen

The number of fishermen employed in the Scottish catching sector was 4,996 in 2011, this represents a decrease of four percent compared to 2010 and is the lowest number ever recorded (Table 2.8 and Chart 2.4). This four per cent decrease was observed in both the number of regular fishermen and part time fishermen, at 4,067 and 877 in 2011, respectively. In addition to regular and part-time fishermen, Scotland has a small number of crofters that engage in commercial fishing. A crofter is a person who occupies and works a small land-holding known as a croft and operates a system of small-scale subsistence farming. There were 52 crofters engaged in commercial fishing in 2011, that represents no change compared to 2010. Over a longer time period, the previous ten years, the number of regular fishermen has decreased by seven per cent, the number of part-time fishermen has decreased by just under 30 per cent, and the number of crofters engaged in commercial fishing has halved. These decreases in fishermen numbers may be associated with reductions in the fleet capacity.

Fraserburgh is the district with the largest number of fishermen, at 788 fishermen in total it accounts for 16 per cent of the total number of fishermen on Scottish vessels. Shetland, with 197 part-time fishermen is the district with the largest number of part time fishermen. No part-time fishermen are found on vessels administered by Scrabster, Kinlochbervie and Oban districts, while Portree, Stornoway, Kinlochbervie and Lochinver are the only districts with crofters.

Chart 2.4 Number of fishermen employed on Scottish based vessels: 1970 to 2011.



## List of Annexes

# Annex 1: Methodology

## Sources

Scottish Sea Fisheries Statistics are obtained by simple data extractions from the FIN (Fisheries Information Network) administrative data base containing information on sea fishing activity and catch details, including sales details from Registered Buyers and Sellers (RBS), input by Marine Scotland Compliance, based on information supplied by fishing vessels, buyers and sellers. Where necessary, this is supplemented by information from the equivalent "Rest of UK" administrative system, FAD, using data held in the UK data warehouse, IFISH.

Voyage and landings information is supplied by skippers who, for vessels over 10 metres, are required by EU legislation to maintain logbooks and provide landings declarations (see Glossary). Although this EU legislation does not require vessels of 10 metres and under to provide this information; in Scotland they provide equivalent information on the NEP1 and SHELL1 returns. Data on first sales of fish, which provides information on the value of landings, is provided by fish buyers and sellers under EU legislation on the Register of Buyers and Sellers (see Glossary). The information submitted forms the basis for reports to the Commission to meet the obligations of the EU legislation. The relevant legislation is listed in the Statistical Plan for Sea Fisheries statistics - see link below:

http://www.scotland.gov.uk/Topics/Statistics/Browse/Agriculture-Fisheries/scotstat/FishStatPlan10

Information is collated and entered at port offices on to the FIN central server.

For four of the tables in the Statistical Bulletin, information from FIN/IFISH is supplemented by information obtained through an aggregate return distributed to port offices in each of the 18 Scottish fishing districts on the numbers of fishermen employed on the vessels in each creek administered by that port office. The burden on respondents for this small survey is estimated to total no more than £1 thousand each year, based on information obtained from each office on the time taken to complete the return and the grades of staff involved. In two of the tables, this information is compared with very summary information on the labour force obtained from the Labour Force Survey.

## Uses made of the statistics

The main driver for the collection of the information on sea fisheries is the need to produce reports to the EU Commission to meet the obligations of the relevant EU legislation. Because most use made by internal users is of the underlying management information, providing on-going monitoring of sea fishing such as quota and effort uptake, the main use made of the published statistics is by external users or information designed eventually for external users such as the Fish Producer Organisations.

The main macro-level use for the information is the assessment of the value of sea fishing to Scotland, either in total or in specific sea areas. There is also a degree of

political and media interest in the trends in the numbers of fishing vessels and numbers of fishermen employed, particularly in the context of two major decommissioning schemes in the early 2000's. Scottish Parliament researchers use the information in briefings prepared on fisheries for MSPs and the Rural Affairs and Environment Committee. The published statistics are also used in the construction of the Scotland Performs Indicator #44 on fish stock sustainability – see links below

http://www.scotland.gov.uk/About/scotPerforms/indicators/fishStocks

http://www.scotland.gov.uk/Topics/Statistics/About/NotesSP/TechnicalNotesSPNI44

The major micro-level use made by external users requesting specific data is to examine sea fishing activity in small areas of the sea around Scotland as input to environmental impact assessments for off-shore energy (oil and renewable energy sources) developments.

## Quality

Because of the use of the management information in supplying reports to the EU Commission and stakeholders in uptake of fish quotas and days at sea, the information in the administrative data bases is subject to thorough and extensive automated vet checking at the micro level at the point of data input by Marine Scotland Compliance Port Offices. This is supplemented by quality assurance work by the Data Team throughout the year to ensure consistency between the two vessel file administrative data bases and checks for missing returns of landing declarations. Furthermore, stakeholders make representations to get data corrected if they assess that it does not correctly reflect their catch of quota stocks or usage of days at sea.

The main issue for the quality of the published statistics is the completeness of coverage of the information in the administrative systems as, particularly for catch of fish species not subject to quota, it can take some time for the information to be input into the relevant administrative data bases. It is for this reason that provisional statistics are not published until about 3-4 months after the year to which they relate and the final statistics are published about 9 months after the year to which they relate. We assess that some 0.2% of landings (by value) of Scottish vessels are omitted from the final published statistics each year, mainly due to delays in receipt of information on landings outwith the UK. However, this small incompleteness does not affect the trends shown by the statistics. Although the provisional figures are not published until coverage of quota stocks is reasonably complete, information on non-quota stocks remains less complete. The table below summarises the change between the provisional and final statistics by species type for landings of Scottish vessels. (Shellfish species other than Nephrops are not subject to quota.)

Increase in recorded landings by Scottish vessels since provisional statistics

| Species type | 2010 Provisional Statistics | | 2010 Statistical Bulletin | | % increase | |
|---|---|---|---|---|---|---|
| | Live weight (000 tonnes) | Value (£m) | Live weight (000 tonnes) | Value (£m) | Live weight (000 tonnes) | Value (£m) |
| Demersal | 105.5 | 152 | 105.9 | 152 | 0.34% | 0.08 % |
| Pelagic [1] | 188.6 | 124 | 189.1 | 129 | 0.29% | 4.12 % |
| Shellfish | 71.8 | 152 | 72.4 | 154 | 0.82% | 1.15 % |
| Total | 365.9 | 428 | 367.4 | 435 | 0.40% | 1.62 % |

[1] Much of the increase in the recorded value of Pelagic landings is due to improvements since the provisional statistics in the price data recorded for mackerel landed abroad

The Introduction of the Buyers and Sellers legislation in September 2005 made a change in how the information on the value of landings was captured into FIN. Previously, this information had been directly entered by Port Offices using their local knowledge on prices obtained. This information is now derived from the Sales Notes submitted, with automatic data processing matching the information from the landing declaration with the values obtained for that landing as covered in the relevant Sales Notes. However, Sales Notes are not submitted for all landings. Firstly, Sales Notes were not required for shellfish sales between September 2005 and February 2006, to allow a grace period for fishermen to adapt to the new legislation. Furthermore, Sales Notes are still not required to be submitted for UK vessels landing into non-EU countries. In such cases the value of the landings is estimated, using an automated process which, in the absence of Sales Notes information, applies for each species the available information on average prices obtained in the preceding quarter to the weight of landings as submitted in the landing declaration.

Investigation of an apparent sharp decrease between 2009 and 2010 in the prices obtained by Scottish vessels landing mackerel abroad revealed that, as no Sales Notes had been received for such landings into Norway, the information had been estimated, as described above. The fall in prices was due to a decrease in the average price obtained by all vessels for mackerel between Q4 2009 and Q3 and Q4 2010. We received specific data from Norway on the weight and value of mackerel landings from Scottish vessels and these yielded the actual prices obtained for these landings. This information does not show the decrease in price observed for all mackerel landings. Proxy Sales notes for the 2010 landings were then created by the Port Offices concerned and they were then input into FIN, which explains some of the increase in the figures for the value of Pelagic landings between the provisional statistics and those presented in this Bulletin. Unfortunately, this was not possible for the 2009 landings and these have then continue to impute value using the average prices observed, which were considerably higher (20% - 70%) than those actually obtained for the Norwegian landings. In consequence, we now

estimate that the value of landings by Scottish vessels obtained in 2009 are overstated by some £7 million, making the value landed in 2009 £436 million, rather than the £443 million shown. Nevertheless, this overstatement does not affect the general trends and the value landed in 2009 is still the highest in the decade, even after this overstatement has been allowed for.

Another issue for the quality of the statistics is that, perforce, they can only reflect the information supplied by the fishermen on their activity and catch. The detailed extensive automated vet checking carried out at the data input stage can only check internal consistency of the information supplied. The introduction of the Buyers and Sellers legislation provides an external check on the declared landings of fish and undeclared ("black") landings are now assessed by Marine Scotland Compliance as being at negligible levels [cf: Scottish Fisheries Protection Agency annual report and accounts 2008/2009]. Also, for vessels of 15 metres and over, the introduction of the Vessel Monitoring System provides a check on the location of fishing activity recorded in fishermen's log books. These checks are supplemented by activity of Marine Scotland Compliance. However, it cannot be assumed that reporting by fishermen is invariably accurate.

## Revisions to the published statistics

The statistics for previous years published in the Statistical Bulletin are not amended for small changes (in the order of 0.2%) due to late data entry/amendment, as these do not affect the main trends presented – see above. On the rare occasions that such revisions are required due to the discovery of errors in the previously published figures which affect the main trends presented, the revised figures are marked "(r)" and suitably footnoted to explain the reason for the revision. Clearly, the statistics are revised between the published provisional statistics and those published in the Statistical Bulletin – see above table for an indication of the differences. However, provisional statistics are always explicitly identified as such.

The format of the tables presented in this Statistical Bulletin have been extensively revised, following a review of the Bulletin. Although figures for years before 2010 were derived from essentially the same data sources, there are a handful of cases where the figures do not agree exactly with those previously published. The differences, however, are trivial; with differences in the order of magnitude of tens between figures of the orders of tens or hundreds of thousands and do not have any bearing on the trends or the statistics' fitness for purpose. These figures are consequently not described as revised.

## Comparability with other UK countries

Because the same EU legislations covers information requirements for vessels over 10 metres and for all buyers and sellers, the information derived from these data providers is comparable for all countries within the UK, as it is for all EU countries. The only difference between information collated in Scotland and that collated in the rest of the UK is that, through the NEP1 and SHELL1 returns, Scotland obtains equivalent information on a full coverage basis for vessels of 10 metres and under. In the rest of the UK, this information is provided on a sample basis only. However, because the vast majority of fish are caught by vessels over 10 metres, the information is effectively comparable for all UK countries, in spite of this difference in information capture for the 10 metre and under vessels.

## Annex 2: Glossary of terms

**Active Vessel** An active vessel is a fishing vessel that is registered and licensed to fish.

**Administration Port** Administration ports are responsible for issuing fishing vessel licences. The coastal office designated as a vessel's administration port is typically the responsible office closest in proximity to a vessel's operational base. A vessel's administration port may differ from its registration port.

**Base District** Base district is the collection of ports administered by a vessels administration port office.

**Cod Recovery Zone (CRZ)** The Cod Recovery Zone (CRZ) is a group of sea areas in which
restrictions exist on fishing effort by vessels 10 metres or over using certain regulated gears. The CRZ comprises four areas:
• Kattegat,
• Irish Sea (ICES division VIIa),
• North Sea (ICES division IIIa excluding Kattegat; ICES sub-area IV; EU waters of ICES division IIa; ICES division VIId)
• West of Scotland (ICES division VIa and EU waters of ICES division Vb).

The extent of the CRZ is illustrated in the map in Annex 6.

The regulated gears are:
• Beam trawls of mesh:
- equal to or larger than 120 mm (BT1)
- equal to or larger than 80 mm and less than 120 mm (BT2)
• Gill nets, entangling nets (GN1)
• Trammel nets (GT1)
• Longlines (LL1)
• Bottom trawls and seines of mesh:
- equal to or larger than 100 mm (TR1) referred to as **Whitefish Gear**
- equal to or larger than 70 mm and less than 100 mm (TR2) referred to as **Nephrops Gear**
- equal to or larger than 16 mm and less than 32 mm (TR3)

**Demersal** The term demersal fish covers species living on or near the sea bed.

**Engine Power** Engine power refers to a measure of the power of a fishing vessel's engine (in kW). Where an engine has been permanently de-rated and this has been declared to the Register of Shipping and Seamen(RSS), this is the de-rated engine power; otherwise, it is the maximum continuous engine power (MCEP) declared to the RSS. Where neither of these are available the registered engine power is used.

**Entitlements** Entitlements are licences which are not attached to an active fishing vessel. A licence entitlement arises when an existing licensed vessel is sold with or

without its licence, sinks, is scrapped, or is otherwise deregistered. This is a temporary arrangement.

**Fishermen Employed** A fisherman is defined as a person working at sea on a commercial fishing vessel, classified as "Regular" or "Part Time" according to whether commercial fishing is their main occupation or not. Crofters who gain some part of their living from fishing are included in the tables (under "Crofters").
**Fishing Areas** Fishing areas are defined by an international convention. The immediate waters around the UK are subdivided into ICES Sub-areas IV (North Sea), VI (West of Scotland) and VII and its divisions Western Approaches, VIIg,h; the Irish Sea, VIIa; and the English Channel, VIId,e. (see map on page1)

**Fishing Capacity** Fishing capacity is the physical dimension of fishing vessels measured in
gross tonnage (GT), see below.

**Fishing Effort** Fishing effort is a measure of the fishing activity of vessels based on fishing capacity and the time spent fishing. It may be expressed in tonnage days, kW days etc. The Scottish Government's scheme for managing fishing effort in 2010 was called the Conservation Credits Scheme (CCS). The aim of the scheme is to make sure that stocks of valuable whitefish stocks in Scottish waters, particularly Cod, are able to recover to sustainable levels

**Fish Producer Organisations** Fish producer organisations are institutions set up in accordance with EC regulations to improve the market for their members' catches. FPOs may also be granted responsibility by Fisheries Administrations for the management of fish quotas in addition to this function.

**Fixed Gears** Fixed gears are mainly used for demersal species. They are normally vertically hung curtains of netting which enmesh or entangle the fish, fixed to the seabed with anchors or weights and held upright with floats.

**GRT** GRT (Gross Registered Tonnage) is a general term applied to a range of volumetric measures of vessel capacity.

**GT** GT (Gross Tonnage) is a volumetric measurement of vessel capacity under the rules of the ITC69 (International Tonnage Convention). By the end of 2003 all UK fishing vessels over 15m overall length were required to have their tonnage measured on this basis.

**ICES** The International Council for the Exploration of the Sea (ICES) coordinates and promotes marine research on oceanography, the marine environment, the marine ecosystem, and on living marine resources in the North Atlantic.

**Inactive Vessel** For the purposes of this publication an inactive vessel is a vessel that is registered but not licensed to fish.

**Landed Weight** Mass (or weight) of a product at the time of landing, regardless of the state in which it has been landed. Landed fish may be whole, gutted and headed or filleted.

**Landing Declarations** provide information on the species, weight and presentation of landed fish. Under the EU legislation, Scottish vessels landing into the UK are required to submit their log sheets to the authorities within 48 hours of landing for paper or 24 hours if provided electronically. Scottish vessels landing abroad are required to dispatch copies of their landings declaration to the vessels home port within 48 hours or 24 hours for electronic submissions.

**Live Weight** The mass or weight of a product, when first removed from the water before it is processed aboard the vessel, for example by gutting.

**Main Fishing Method** Main Fishing method refers to the most common method of fishing a vessel intends to use, as specified by the vessel owner on their licence application. The actual fishing gear used by the vessel may not be the same as that for the declared Main Fishing method.

**Logbook** entries provide details on the time spent at sea including the date of departure and return of a fishing voyage and the date of each fishing operation. All vessels over 12m overall length are required to submit log books electronically. Log books also detail the fishing gear used and net mesh size used for fishing operations. The location of fishing operations are recorded in logbooks following the international convention to supply positional information defined by ICES statistical rectangles. The corresponding fishing area in terms of ICES divisions is also given. Catch information for each fishing operation include details of the species caught and the quantity of fish retained on board. Scottish vessels landing into the UK are required to submit their log sheets to the UK authorities within 24 hours of landing, while those which land at foreign ports must dispatch copies of their log sheets to the vessels administration port within 24 hours.

**Monkfish (*Lophiidae*)** Monkfish are also know as Anglerfish.

**Nephrops** (Nephrops Norvegicus) Nephrops are also knows as Norway Lobster, Langoustine or Dublin Bay Prawns or Scampi.

**Pelagic** The term pelagic fish covers species found mainly in shoals in midwater or near the surface of the sea. E.g. herring and mackerel

**Quota** Fish quotas are the amount of fish of different species that may be legally landed from defined sea areas by individual EU Member States. The U.K. Quotas are divided up and allocated to Fish Producer Organisations according to the number of Fixed Quota Allocation units held by the Producer Organisation and their member vessels.

**Register of Buyers and Sellers** In September 2005 a scheme of registration for Buyers and Sellers of first sale fish and designation of fish auction sites was introduced by the UK Fishery Departments. This requires Sales Notes providing information on the quantity and value of the first sale of fish as well as details on the grade and freshness. Sales notes should be submitted within 24 hours of sale by the registered buyer of the fish, except at designated auction sites where the seller has the responsibility for submitting sale notes. Registered Buyers and Sellers with an annual turnover of €200,000 in first sale fisheries product are required to submit their sales notes electronically. www.fishregister.gov.uk

**Registration Port** A registration port is a port chosen by the owner of a vessel as the port that forms part of the external markings of a fishing vessel – the Port Letters and Numbers painted on the bow of the vessel. The owner chooses this as part of the process of registering a commercial fishing vessel with the Register of Shipping and Seamen, part of the Maritime and Coastguard Agency. A fishing vessel's registration port defines its nationality but does not necessarily coincide with its administration port and may not be located close to the vessel's operational base.

**Saithe** (*Pollachius virens*) Saithe is also commonly referred to as Coalfish or Coley

**Seining** Seining is a method used exclusively for demersal fishing. The net, lighter than for trawling, is set on very long ropes designed to herd or contain the fish for capture in the net. After the fish have been surrounded by the ropes, the net is slowly hauled back to the vessel.



**Shellfish** The term shellfish covers all crustaceans and molluscs and cephalopods.

**Total Allowable Catch (T.A.C.)** Total allowable catch is the maximum permitted amount all the EU member states can catch of a given species in a defined area.

**Trawling** Trawling may be used either for bottom-dwelling (demersal) or mid-water (pelagic) species, the net being of a basic funnel-shaped construction and towed behind a vessel or between two vessels (pair trawling).



## Annex 3: Further Information

Other official publications on sea fisheries statistics include:

**Marine Scotland**
Scottish Sea Fisheries Statistics. Published annually.
http://www.scotland.gov.uk/Topics/Statistics/Browse/Agriculture-Fisheries/PubFisheries

**Marine Management Organisation (MMO),**
**Department for Environment, Food and Rural Affairs (Defra)**
UK Sea Fisheries Statistics. Compendium of statistics on the UK fishing industry and its operations. Published annually.
http://www.marinemanagement.org.uk/fisheries/statistics/annual.htm

The UK Fishing Industry: Structure and Activity. Documents the size and composition of the UK fishing industry and its operations. Published annually.
http://www.marinemanagement.org.uk/fisheries/statistics/annual.htm

The UK Fishing Industry: Landings. Compilation of UK catches and landings data. Published annually.
http://www.marinemanagement.org.uk/fisheries/statistics/annual.htm

The UK Vessel List. List of registered and licensed vessels of over 10 metres overall length. Published monthly.
http://www.marinemanagement.org.uk/fisheries/statistics/vessel.htm

The Monthly Return for England and Wales. Summary publication of landings into England and Wales. Published monthly.
http://www.marinemanagement.org.uk/fisheries/statistics/monthly.htm

**Food and Agriculture Organization of the United Nations (FAO)**
FAO Yearbook of Fishery and Aquaculture Statistics, 2008.
http://www.fao.org/fishery/publications/yearbooks/en

**Eurostat**
Fishery Statistics: Data 1995 – 2008.
http://epp.eurostat.ec.europa.eu/portal/page/portal/fisheries/publications

## Useful websites

Marine Scotland
http://www.scotland.gov.uk/About/Directorates/marinescotland

Marine Management Organisation (MMO)
http://www.marinemanagement.org.uk/

Department for Environment, Food and Rural Affairs (Defra)
http://www.defra.gov.uk/

National Statistics
http://www.statistics.gov.uk/hub/index.html

SeaFish Industry Authority
http://www.seafish.org/

Maritime and Coastguard Agency
http://www.dft.gov.uk/mca/

European Commission – Fisheries
http://ec.europa.eu/fisheries/index_en.htm

Eurostat
http://epp.eurostat.ec.europa.eu/portal/page/portal/eurostat/home/

Food and Agriculture Organization Fisheries Department
http://www.fao.org/fishery/en

International Council of the Exploration of the Sea (ICES)
http://www.ices.dk/indexfla.asp

## Annex 4 – Landings and Vessel Tables

The following pages provide the landings  and vessel tables.

**Table 1.1.a** Quantity and value of landings by Scottish vessels into Scotland, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Scottish vessels** | | | | | | | | | | |
| Landings into Scotland | | | | | | | | | | |
| Bass | 1 | 1 | 1 | 1 | 0 | 5 | 5 | 6 | 4 | 1 |
| Black scabbardfish | 57 | 26 | 81 | 104 | 36 | 87 | 28 | 123 | 170 | 90 |
| Blue ling | 236 | 215 | 356 | 384 | 76 | 317 | 281 | 396 | 494 | 102 |
| Brill | 0 | 1 | 1 | 1 | 1 | 1 | 4 | 4 | 5 | 7 |
| Cod | 6,929 | 7,342 | 8,895 | 11,747 | 10,123 | 14,323 | 15,496 | 15,976 | 23,223 | 22,344 |
| Greenland halibut | 29 | 139 | 317 | 418 | 62 | 53 | 224 | 574 | 984 | 202 |
| Haddock | 28,950 | 28,720 | 31,463 | 27,944 | 24,003 | 36,991 | 32,096 | 31,223 | 32,211 | 30,413 |
| Hake | 2,043 | 3,434 | 5,628 | 4,866 | 5,941 | 2,878 | 6,134 | 10,440 | 8,886 | 11,019 |
| Lemon sole | 921 | 885 | 575 | 495 | 537 | 2,367 | 2,222 | 1,225 | 1,136 | 1,548 |
| Ling | 2,353 | 2,491 | 3,474 | 3,704 | 3,678 | 2,890 | 3,066 | 4,087 | 5,177 | 5,475 |
| Megrims | 2,241 | 2,506 | 2,542 | 2,313 | 2,135 | 5,189 | 6,814 | 6,660 | 6,424 | 6,998 |
| Monks | 9,746 | 9,931 | 9,568 | 7,816 | 7,629 | 24,341 | 27,623 | 30,428 | 26,922 | 26,449 |
| Plaice | 751 | 808 | 644 | 628 | 705 | 666 | 638 | 467 | 455 | 577 |
| Pollack | 660 | 736 | 514 | 383 | 349 | 980 | 1,455 | 954 | 755 | 845 |
| Red mullet | 11 | 20 | 11 | 6 | 3 | 23 | 26 | 34 | 20 | 10 |
| Redfish | 225 | 169 | 174 | 426 | 119 | 237 | 173 | 208 | 497 | 198 |
| Saithe | 8,284 | 11,342 | 12,782 | 11,357 | 10,906 | 4,031 | 6,494 | 8,909 | 10,287 | 11,366 |
| Sole | 4 | 2 | 2 | 1 | 3 | 28 | 12 | 10 | 8 | 20 |
| Turbot | 38 | 42 | 37 | 36 | 43 | 314 | 311 | 271 | 287 | 378 |
| Whiting | 9,225 | 9,018 | 7,759 | 6,788 | 7,431 | 9,065 | 9,128 | 7,790 | 7,650 | 9,156 |
| Witches | 773 | 791 | 733 | 576 | 560 | 870 | 961 | 962 | 696 | 728 |
| Other demersal | 2,382 | 2,007 | 2,783 | 2,547 | 1,792 | 3,500 | 3,320 | 4,421 | 4,138 | 2,983 |
| **Total demersal** | **75,858** | **80,626** | **88,340** | **82,540** | **76,132** | **109,158** | **116,512** | **125,168** | **130,429** | **130,908** |
| Blue whiting | 21,886 | 15,345 | 11 | 4,937 | 1,324 | 2,686 | 1,449 | 0 | 982 | 595 |
| Herring | 42,048 | 32,036 | 25,188 | 22,306 | 22,020 | 7,792 | 8,216 | 7,722 | 6,465 | 11,126 |
| Horse mackerel | 1,394 | 594 | 839 | 1,167 | 167 | 340 | 147 | 226 | 497 | 86 |
| Mackerel | 90,339 | 82383 | 93,951 | 91,169 | 84,851 | 60,536 | 61,615 | 79,236 | 74,196 | 96,926 |
| Pilchards | 114 | 164 | - | - | - | 3 | 14 | - | - | - |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 859 | 237 | 1,039 | 639 | 510 | 65 | 42 | 115 | 147 | 115 |
| **Total pelagic** | **156,640** | **130,759** | **121,027** | **120,217** | **108,871** | **71,423** | **71,484** | **87,299** | **82,289** | **108,848** |
| Cuttlefish | 0 | 0 | - | 0 | 0 | 0 | 0 | - | 0 | 0 |
| Edible crabs | 9,997 | 7,657 | 8151 | 9,134 | 9,694 | 11,951 | 8,637 | 8,961 | 10,656 | 11,388 |
| Lobsters | 883 | 1,012 | 1,083 | 1,117 | 1,223 | 9,699 | 10,768 | 11,215 | 11,501 | 12,986 |
| Nephrops | 30,988 | 29,887 | 29,257 | 26,304 | 21,679 | 97,972 | 89,367 | 74,125 | 74,670 | 80,302 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 0 | - | - | - | 0 | 0 | - | - | - | 0 |
| Queen scallops | 3,572 | 4,342 | 4,107 | 7,044 | 8,941 | 1,389 | 1,617 | 1,713 | 2,691 | 3,578 |
| Scallops | 8,073 | 9,203 | 9,127 | 8,833 | 7,523 | 16,614 | 19,102 | 17,927 | 16,766 | 15,545 |
| Squid | 1,178 | 1,502 | 2,053 | 3,109 | 2,117 | 3,244 | 4,351 | 4,253 | 8,439 | 8,437 |
| Velvet crabs | 2,944 | 2,697 | 2,759 | 2,517 | 2,190 | 5,845 | 5,809 | 6,126 | 6,399 | 5,795 |
| Whelks | 456 | 245 | 355 | 346 | 237 | 264 | 157 | 188 | 189 | 137 |
| Other shellfish | 1,842 | 1,848 | 1,474 | 1,718 | 1,095 | 1,764 | 2,424 | 2,397 | 2,617 | 2,500 |
| **Total shellfish** | **59,932** | **58,394** | **58,367** | **60,122** | **54,699** | **148,742** | **142,233** | **126,905** | **133,929** | **140,669** |
| **Total landings** | **292,430** | **269,780** | **267,733** | **262,880** | **239,702** | **329,323** | **330,229** | **339,372** | **346,647** | **380,426** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued ...)

**Table 1.1.b** Quantity and value of landings by Scottish vessels into the rest of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Scottish vessels** | | | | | | | | | | |
| Landings into the Rest of the UK | | | | | | | | | | |
| Bass | 30 | 24 | 3 | 35 | 89 | 145 | 139 | 27 | 217 | 553 |
| Black scabbardfish | - | - | - | - | - | - | - | - | - | - |
| Blue ling | 0 | - | - | - | - | 0 | - | - | - | - |
| Brill | 3 | 8 | 5 | 7 | 9 | 14 | 35 | 24 | 33 | 43 |
| Cod | 42 | 21 | 57 | 20 | 82 | 57 | 36 | 102 | 38 | 161 |
| Greenland halibut | - | - | - | - | 0 | - | - | - | - | 0 |
| Haddock | 153 | 45 | 184 | 73 | 401 | 113 | 27 | 189 | 89 | 403 |
| Hake | 33 | 24 | 51 | 16 | 15 | 71 | 40 | 83 | 32 | 26 |
| Lemon sole | 21 | 7 | 35 | 22 | 62 | 40 | 12 | 92 | 68 | 188 |
| Ling | 7 | 5 | 8 | 4 | 11 | 8 | 6 | 9 | 5 | 14 |
| Megrims | 62 | 134 | 223 | 62 | 71 | 201 | 410 | 613 | 210 | 247 |
| Monks | 126 | 188 | 214 | 126 | 182 | 292 | 575 | 647 | 377 | 554 |
| Plaice | 26 | 22 | 31 | 34 | 72 | 23 | 20 | 32 | 31 | 74 |
| Pollack | 1 | 0 | 5 | 1 | 3 | 2 | 1 | 10 | 2 | 9 |
| Red mullet | 5 | 1 | 13 | 5 | 37 | 7 | 1 | 64 | 16 | 276 |
| Redfish | 0 | - | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 |
| Saithe | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 1 |
| Sole | 8 | 10 | 12 | 6 | 7 | 49 | 90 | 76 | 45 | 70 |
| Turbot | 10 | 12 | 9 | 12 | 17 | 62 | 72 | 61 | 81 | 125 |
| Whiting | 247 | 73 | 143 | 58 | 231 | 159 | 43 | 95 | 44 | 222 |
| Witches | 11 | 15 | 15 | 11 | 12 | 17 | 30 | 36 | 38 | 26 |
| Other demersal | 46 | 56 | 75 | 237 | 172 | 89 | 124 | 165 | 128 | 348 |
| **Total demersal** | **833** | **645** | **1,082** | **730** | **1,475** | **1,349** | **1,659** | **2,325** | **1,452** | **3,339** |
| Blue whiting | - | - | - | - | - | - | - | - | - | - |
| Herring | 0 | - | 9 | 0 | 0 | 0 | - | 3 | 0 | 0 |
| Horse mackerel | 1 | 109 | 117 | 4 | 7 | 0 | 38 | 32 | 0 | 6 |
| Mackerel | 0 | 0 | 786 | 303 | 2 | 0 | 0 | 603 | 246 | 3 |
| Pilchards | - | 9 | - | 11 | 34 | - | 0 | - | 4 | 11 |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 0 | 15 | 0 | 46 | 0 | 0 | 0 | 0 | 11 | 0 |
| **Total pelagic** | **1** | **134** | **912** | **363** | **43** | **0** | **39** | **637** | **261** | **20** |
| Cuttlefish | 4 | 2 | 4 | 50 | 47 | 4 | 3 | 7 | 112 | 139 |
| Edible crabs | 2 | 27 | 40 | 35 | 85 | 2 | 30 | 42 | 34 | 96 |
| Lobsters | 2 | 17 | 18 | 16 | 21 | 33 | 191 | 161 | 132 | 209 |
| Nephrops | 1,146 | 426 | 1,012 | 433 | 809 | 3,040 | 973 | 2,139 | 974 | 2,898 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | - | - | - | - | - | - | - | - | - | - |
| Queen scallops | 963 | 60 | 818 | 449 | 5,526 | 304 | 22 | 334 | 184 | 1,986 |
| Scallops | 4,298 | 5,331 | 8,199 | 9,920 | 8,258 | 8,992 | 9,357 | 12,007 | 15,144 | 15,387 |
| Squid | 16 | 9 | 19 | 18 | 35 | 36 | 26 | 67 | 55 | 164 |
| Velvet crabs | 0 | 17 | 19 | 6 | 9 | 0 | 24 | 26 | 8 | 14 |
| Whelks | 19 | 28 | - | 27 | 52 | 30 | 17 | - | 19 | 31 |
| Other shellfish | 7 | 34 | 209 | 36 | 3 | 12 | 122 | 55 | 19 | 3 |
| **Total shellfish** | **6,458** | **5,951** | **10,339** | **10,988** | **14,846** | **12,455** | **10,764** | **14,838** | **16,682** | **20,929** |
| **Total landings** | **7,291** | **6,730** | **12,332** | **12,082** | **16,365** | **13,804** | **12,462** | **17,800** | **18,396** | **24,288** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued ...)

**Table 1.1.c** Quantity and value ofl landings by Scottish vessels into the whole of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Scottish vessels** | | | | | | | | | | |
| Landings into the UK | | | | | | | | | | |
| Bass | 31 | 25 | 4 | 35 | 89 | 149 | 143 | 33 | 221 | 553 |
| Black scabbardfish | 57 | 26 | 81 | 104 | 36 | 87 | 28 | 123 | 170 | 90 |
| Blue ling | 236 | 215 | 356 | 384 | 76 | 317 | 281 | 396 | 494 | 102 |
| Brill | 3 | 9 | 6 | 8 | 10 | 15 | 39 | 28 | 38 | 49 |
| Cod | 6,971 | 7,362 | 8,951 | 11,768 | 10,204 | 14,380 | 15,532 | 16,078 | 23,261 | 22,506 |
| Greenland halibut | 29 | 139 | 317 | 418 | 62 | 53 | 224 | 574 | 984 | 202 |
| Haddock | 29,103 | 28,766 | 31,647 | 28,017 | 24,403 | 37,104 | 32,123 | 31,411 | 32,300 | 30,816 |
| Hake | 2,077 | 3,458 | 5,679 | 4,882 | 5,956 | 2,949 | 6,174 | 10,523 | 8,918 | 11,045 |
| Lemon sole | 942 | 892 | 610 | 517 | 599 | 2,407 | 2,234 | 1,317 | 1,204 | 1,735 |
| Ling | 2,360 | 2,496 | 3,481 | 3,708 | 3,689 | 2,899 | 3,072 | 4,096 | 5,182 | 5,489 |
| Megrims | 2,303 | 2,640 | 2,765 | 2,375 | 2,206 | 5,390 | 7,224 | 7,273 | 6,634 | 7,244 |
| Monks | 9,872 | 10,119 | 9,782 | 7,942 | 7,812 | 24,634 | 28,198 | 31,075 | 27,298 | 27,003 |
| Plaice | 777 | 830 | 675 | 662 | 777 | 689 | 658 | 499 | 486 | 651 |
| Pollack | 661 | 737 | 519 | 384 | 352 | 982 | 1,456 | 964 | 757 | 854 |
| Red mullet | 16 | 21 | 24 | 11 | 40 | 31 | 27 | 98 | 36 | 286 |
| Redfish | 225 | 169 | 174 | 426 | 119 | 237 | 173 | 208 | 497 | 198 |
| Saithe | 8,284 | 11,342 | 12,783 | 11,357 | 10,907 | 4,032 | 6,494 | 8,910 | 10,287 | 11,367 |
| Sole | 12 | 13 | 14 | 7 | 10 | 77 | 102 | 86 | 53 | 90 |
| Turbot | 47 | 54 | 46 | 48 | 60 | 376 | 383 | 331 | 367 | 503 |
| Whiting | 9,473 | 9,090 | 7,901 | 6,846 | 7,662 | 9,224 | 9,171 | 7,885 | 7,693 | 9,378 |
| Witches | 783 | 806 | 748 | 587 | 572 | 887 | 991 | 997 | 734 | 754 |
| Other demersal | 2,428 | 2,064 | 2,858 | 2,784 | 1,964 | 3,590 | 3,444 | 4,587 | 4,265 | 3,331 |
| **Total demersal** | **76,691** | **81,272** | **89,421** | **83,270** | **77,607** | **110,507** | **118,171** | **127,493** | **131,881** | **134,247** |
| Blue whiting | 21,886 | 15,345 | 11 | 4,937 | 1,324 | 2,686 | 1,449 | 0 | 982 | 595 |
| Herring | 42,048 | 32,036 | 25,197 | 22,306 | 22,020 | 7,792 | 8,216 | 7,724 | 6,465 | 11,126 |
| Horse mackerel | 1,395 | 703 | 956 | 1,170 | 174 | 340 | 185 | 258 | 497 | 91 |
| Mackerel | 90,339 | 82,383 | 94,737 | 91,471 | 84,852 | 60,536 | 61,615 | 79,839 | 74,443 | 96,929 |
| Pilchards | 114 | 174 | - | 11 | 34 | 3 | 15 | - | 4 | 11 |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 859 | 252 | 1,039 | 685 | 510 | 65 | 42 | 115 | 158 | 115 |
| **Total pelagic** | **156,641** | **130,893** | **121,939** | **120,581** | **108,915** | **71,423** | **71,523** | **87,937** | **82,550** | **108,869** |
| Cuttlefish | 4 | 2 | 4 | 50 | 47 | 5 | 3 | 7 | 113 | 139 |
| Edible crabs | 10,000 | 7,684 | 8,191 | 9,169 | 9,779 | 11,953 | 8,668 | 9,003 | 10,690 | 11,485 |
| Lobsters | 885 | 1,029 | 1,102 | 1,133 | 1,244 | 9,732 | 10,959 | 11,375 | 11,633 | 13,195 |
| Nephrops | 32,134 | 30,313 | 30,269 | 26,737 | 22,488 | 101,012 | 90,340 | 76,264 | 75,644 | 83,201 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 0 | - | - | - | 0 | 0 | - | - | - | 0 |
| Queen scallops | 4,535 | 4,402 | 4,925 | 7,492 | 14,467 | 1,693 | 1,639 | 2,048 | 2,875 | 5,564 |
| Scallops | 12,371 | 14,534 | 17,327 | 18,753 | 15,781 | 25,606 | 28,459 | 29,934 | 31,910 | 30,932 |
| Squid | 1,194 | 1,511 | 2,072 | 3,127 | 2,152 | 3,280 | 4,377 | 4,320 | 8,494 | 8,601 |
| Velvet crabs | 2,944 | 2,714 | 2,778 | 2,523 | 2,199 | 5,845 | 5,832 | 6,151 | 6,408 | 5,810 |
| Whelks | 475 | 273 | 355 | 373 | 289 | 294 | 174 | 188 | 208 | 168 |
| Other shellfish | 1,849 | 1,882 | 1,683 | 1,754 | 1,098 | 1,777 | 2,546 | 2,452 | 2,636 | 2,503 |
| **Total shellfish** | **66,390** | **64,345** | **68,705** | **71,110** | **69,545** | **161,197** | **152,997** | **141,743** | **150,611** | **161,598** |
| **Total landings** | **299,722** | **276,510** | **280,066** | **274,961** | **256,066** | **343,127** | **342,690** | **357,173** | **365,042** | **404,714** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

**Table 1.1.d** Quantity and value of landings by Scottish vessels abroad, by main species[1,4]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Scottish vessels** | | | | | | | | | | |
| Landings Abroad | | | | | | | | | | |
| Bass | 21 | 42 | 20 | 28 | 16 | 107 | 186 | 116 | 179 | 91 |
| Black scabbardfish | 1 | 0 | - | 0 | - | 1 | 0 | - | 0 | - |
| Blue ling | 1 | 2 | 1 | 1 | - | 1 | 3 | 1 | 2 | - |
| Brill | 70 | 30 | 22 | 14 | 12 | 333 | 197 | 136 | 77 | 79 |
| Cod | 254 | 244 | 600 | 313 | 119 | 637 | 591 | 1,165 | 771 | 359 |
| Greenland halibut | - | 0 | 0 | 0 | 0 | - | 0 | 0 | 0 | 0 |
| Haddock | 90 | 110 | 155 | 84 | 49 | 138 | 124 | 141 | 94 | 61 |
| Hake | 647 | 1,493 | 1,206 | 1,058 | 733 | 1,086 | 2,239 | 3,053 | 2,049 | 1,340 |
| Lemon sole | 234 | 156 | 127 | 110 | 144 | 765 | 480 | 334 | 378 | 523 |
| Ling | 86 | 172 | 215 | 264 | 403 | 107 | 186 | 349 | 570 | 633 |
| Megrims | 119 | 347 | 411 | 694 | 579 | 292 | 679 | 1,020 | 1,749 | 1,809 |
| Monks | 978 | 1,648 | 1,497 | 1,666 | 1,885 | 2,600 | 3,874 | 5,279 | 5,271 | 6,476 |
| Plaice | 4,605 | 4,264 | 4,329 | 2,712 | 2,497 | 6,326 | 6,005 | 5,330 | 3,185 | 3,251 |
| Pollack | 6 | 19 | 12 | 10 | 10 | 16 | 36 | 25 | 35 | 22 |
| Red mullet | 140 | 286 | 162 | 154 | 102 | 374 | 1,258 | 963 | 758 | 432 |
| Redfish | 11 | 9 | 1 | 13 | 7 | 15 | 9 | 1 | 18 | 18 |
| Saithe | 66 | 611 | 100 | 333 | 89 | 55 | 342 | 97 | 442 | 101 |
| Sole | 520 | 240 | 102 | 35 | 2 | 3,207 | 1,798 | 895 | 323 | 31 |
| Turbot | 189 | 124 | 102 | 54 | 53 | 1,276 | 913 | 795 | 492 | 505 |
| Whiting | 29 | 46 | 68 | 118 | 152 | 32 | 38 | 52 | 99 | 137 |
| Witches | 25 | 210 | 85 | 255 | 96 | 34 | 229 | 131 | 543 | 164 |
| Other demersal | 4,455 | 8,380 | 4,830 | 14,688 | 10,126 | 1,905 | 2,056 | 1,424 | 2,890 | 2,571 |
| **Total demersal** | **12,548** | **18,433** | **14,045** | **22,606** | **17,077** | **19,309** | **21,246** | **21,308** | **19,926** | **18,603** |
| Blue whiting | 21,654 | 8,659 | 162 | 559 | 7 | 1,644 | 1,110 | 19 | 126 | 1 |
| Herring | 16,073 | 13,533 | 21,044 | 19,406 | 15,696 | 6,453 | 2,023 | 6,791 | 5,195 | 5,848 |
| Horse mackerel | 9 | 620 | 613 | 1,319 | 830 | 2 | 300 | 103 | 394 | 309 |
| Mackerel[3] | 17,728 | 26,539 | 57,021 | 43,409 | 61,103 | 10,043 | 24,751 | 54,903 | 38,738 | 66,182 |
| Pilchards | - | 24,753 | 2,148 | 1,497 | 742 | - | 717 | 62 | 132 | 111 |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 1,290 | 1,876 | 2,053 | 2,372 | 4,984 | 1,086 | 865 | 973 | 2,104 | 3,020 |
| **Total pelagic** | **56,754** | **75,980** | **83,041** | **68,562** | **83,363** | **19,229** | **29,766** | **62,851** | **46,690** | **75,472** |
| Cuttlefish | 9 | 8 | 15 | 20 | 10 | 14 | 14 | 32 | 54 | 33 |
| Edible crabs | 89 | 50 | 19 | 11 | 7 | 69 | 30 | 15 | 21 | 11 |
| Lobsters | 1 | 0 | 0 | 0 | 0 | 11 | 2 | 2 | 4 | 1 |
| Nephrops | 206 | 198 | 159 | 166 | 167 | 1,144 | 947 | 1,037 | 1,007 | 1,108 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | - | - | - | - | - | - | - | - | - | - |
| Queen scallops | 0 | 35 | 409 | 880 | 1,989 | 0 | 15 | 155 | 334 | 810 |
| Scallops | - | 14 | 1 | 9 | 2 | - | 25 | 2 | 13 | 4 |
| Squid | 53 | 127 | 94 | 111 | 110 | 188 | 435 | 344 | 415 | 563 |
| Velvet crabs | - | - | - | 0 | 0 | - | - | - | 1 | 0 |
| Whelks | 27 | 18 | 12 | 3 | 0 | 9 | 7 | 5 | 1 | 0 |
| Other shellfish | 87 | 119 | 29 | 69 | 58 | 45 | 340 | 39 | 82 | 92 |
| **Total shellfish** | **473** | **570** | **737** | **1,271** | **2,344** | **1,479** | **1,816** | **1,632** | **1,932** | **2,622** |
| **Total landings** | **69,774** | **94,983** | **97,824** | **92,439** | **102,784** | **40,017** | **52,827** | **85,790** | **68,548** | **96,697** |

42

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Because no Sales Notes were received for mackerel landed by Scottish vessels into Norway, the value of these landings were estimated for 2009 - see discussion in in Annex 1 - Methodology for further details. We assess that the estimated figure of £55million is overstated by some £7million
(4) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.e** Quantity and value of all landings by Scottish vessels, by main species[1,4]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) [2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Scottish vessels** | | | | | | | | | | |
| Landings into the UK and Abroad | | | | | | | | | | |
| Bass | 52 | 67 | 24 | 63 | 105 | 257 | 329 | 149 | 400 | 645 |
| Black scabbardfish | 58 | 26 | 81 | 104 | 36 | 88 | 29 | 123 | 170 | 90 |
| Blue ling | 237 | 217 | 357 | 385 | 76 | 319 | 284 | 397 | 496 | 102 |
| Brill | 73 | 39 | 28 | 22 | 22 | 348 | 237 | 164 | 116 | 128 |
| Cod | 7,226 | 7,606 | 9,552 | 12,081 | 10,323 | 15,017 | 16,123 | 17,244 | 24,031 | 22,865 |
| Greenland halibut | 29 | 139 | 317 | 418 | 62 | 53 | 224 | 575 | 984 | 203 |
| Haddock | 29,192 | 28,876 | 31,802 | 28,101 | 24,453 | 37,241 | 32,247 | 31,553 | 32,394 | 30,877 |
| Hake | 2,724 | 4,951 | 6,885 | 5,940 | 6,689 | 4,035 | 8,413 | 13,576 | 10,967 | 12,385 |
| Lemon sole | 1,176 | 1,048 | 737 | 626 | 743 | 3,172 | 2,714 | 1,651 | 1,582 | 2,258 |
| Ling | 2,446 | 2,669 | 3,696 | 3,972 | 4,092 | 3,006 | 3,258 | 4,444 | 5,753 | 6,122 |
| Megrims | 2,422 | 2,987 | 3,176 | 3,070 | 2,785 | 5,682 | 7,903 | 8,293 | 8,383 | 9,053 |
| Monks | 10,850 | 11,767 | 11,279 | 9,609 | 9,696 | 27,234 | 32,072 | 36,354 | 32,569 | 33,479 |
| Plaice | 5,382 | 5,093 | 5,003 | 3,374 | 3,275 | 7,014 | 6,662 | 5,829 | 3,671 | 3,903 |
| Pollack | 667 | 756 | 531 | 394 | 363 | 998 | 1,492 | 989 | 792 | 876 |
| Red mullet | 157 | 307 | 186 | 165 | 143 | 405 | 1,285 | 1,061 | 794 | 717 |
| Redfish | 236 | 178 | 175 | 439 | 126 | 253 | 182 | 209 | 515 | 216 |
| Saithe | 8,350 | 11,952 | 12,883 | 11,690 | 10,996 | 4,087 | 6,836 | 9,007 | 10,729 | 11,468 |
| Sole | 532 | 253 | 116 | 43 | 12 | 3,284 | 1,900 | 981 | 377 | 121 |
| Turbot | 236 | 177 | 148 | 102 | 114 | 1,652 | 1,296 | 1,126 | 859 | 1,008 |
| Whiting | 9,502 | 9,136 | 7,969 | 6,964 | 7,814 | 9,255 | 9,209 | 7,937 | 7,792 | 9,516 |
| Witches | 808 | 1,016 | 834 | 843 | 668 | 921 | 1,220 | 1,128 | 1,276 | 918 |
| Other demersal | 6,883 | 10,443 | 7,688 | 17,472 | 12,090 | 5,495 | 5,501 | 6,011 | 7,155 | 5,902 |
| **Total demersal** | **89,239** | **99,705** | **103,466** | **105,877** | **94,684** | **129,816** | **139,416** | **148,801** | **151,807** | **152,851** |
| Blue whiting | 43,540 | 24,004 | 174 | 5,496 | 1,331 | 4,331 | 2,559 | 19 | 1,109 | 597 |
| Herring | 58,121 | 45,569 | 46,241 | 41,712 | 37,717 | 14,245 | 10,239 | 14,516 | 11,660 | 16,974 |
| Horse mackerel | 1,404 | 1,323 | 1,568 | 2,490 | 1,004 | 342 | 485 | 361 | 891 | 400 |
| Mackerel [3] | 108,067 | 108,922 | 151,757 | 134,880 | 145,955 | 70,580 | 86,366 | 134,742 | 113,181 | 163,112 |
| Pilchards | 114 | 24,926 | 2,148 | 1,508 | 776 | 3 | 732 | 62 | 137 | 122 |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 2,149 | 2,129 | 3,093 | 3,057 | 5,495 | 1,151 | 907 | 1,088 | 2,262 | 3,135 |
| **Total pelagic** | **213,395** | **206,873** | **204,980** | **189,142** | **192,277** | **90,652** | **101,289** | **150,788** | **129,240** | **184,341** |
| Cuttlefish | 12 | 10 | 19 | 71 | 57 | 18 | 17 | 39 | 167 | 172 |
| Edible crabs | 10,089 | 7,734 | 8,210 | 9,180 | 9,786 | 12,022 | 8,698 | 9,018 | 10,712 | 11,496 |
| Lobsters | 886 | 1,029 | 1,102 | 1,133 | 1,244 | 9,743 | 10,961 | 11,377 | 11,636 | 13,196 |
| Nephrops | 32,340 | 30,511 | 30,427 | 26,903 | 22,655 | 102,156 | 91,287 | 77,302 | 76,651 | 84,309 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 0 | - | - | - | 0 | 0 | - | - | - | 0 |
| Queen scallops | 4,535 | 4,437 | 5,334 | 8,373 | 16,457 | 1,693 | 1,653 | 2,202 | 3,209 | 6,374 |
| Scallops | 12,371 | 14,548 | 17,328 | 18,762 | 15,783 | 25,606 | 28,485 | 29,936 | 31,923 | 30,935 |
| Squid | 1,246 | 1,638 | 2,166 | 3,238 | 2,262 | 3,467 | 4,812 | 4,664 | 8,910 | 9,164 |
| Velvet crabs | 2,944 | 2,714 | 2,778 | 2,523 | 2,199 | 5,845 | 5,832 | 6,151 | 6,408 | 5,810 |
| Whelks | 502 | 292 | 367 | 376 | 289 | 304 | 181 | 193 | 209 | 169 |
| Other shellfish | 1,936 | 2,002 | 1,712 | 1,823 | 1,156 | 1,821 | 2,886 | 2,491 | 2,718 | 2,595 |
| **Total shellfish** | **66,862** | **64,915** | **69,442** | **72,381** | **71,889** | **162,676** | **154,813** | **143,374** | **152,543** | **164,220** |
| **Total landings** | **369,496** | **371,493** | **377,889** | **367,400** | **358,850** | **383,144** | **395,517** | **442,963** | **433,590** | **501,411** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Because no Sales Notes were received for mackerel landed by Scottish vessels into Norway, the value of these landings were estimated for 2009 - see discussion in in Annex 1 - Methodology for further details. We assess that the estimated figure of £55million is overstated by some £7million
(4) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued ...)

**Table 1.1.f** Quantity and value of landings by other UK vessels into Scotland, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Other UK vessels** | | | | | | | | | | |
| Landings into Scotland | | | | | | | | | | |
| Bass | 0 | 0 | - | 0 | - | 0 | 0 | - | 0 | - |
| Black scabbardfish | - | - | - | - | - | - | - | - | - | - |
| Blue ling | 35 | 7 | 3 | 0 | - | 46 | 8 | 1 | 0 | - |
| Brill | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 1 |
| Cod | 186 | 303 | 456 | 870 | 872 | 326 | 558 | 745 | 1,560 | 1,817 |
| Greenland halibut | 1 | 5 | - | - | - | 2 | 9 | - | - | - |
| Haddock | 559 | 767 | 1,218 | 1,517 | 1,532 | 588 | 584 | 910 | 1,525 | 1,704 |
| Hake | 111 | 53 | 74 | 106 | 123 | 135 | 80 | 65 | 122 | 161 |
| Lemon sole | 25 | 49 | 32 | 30 | 26 | 49 | 99 | 56 | 51 | 65 |
| Ling | 158 | 79 | 105 | 91 | 96 | 193 | 94 | 117 | 121 | 146 |
| Megrims | 41 | 22 | 41 | 26 | 30 | 94 | 41 | 92 | 54 | 75 |
| Monks | 509 | 155 | 330 | 393 | 312 | 1,183 | 398 | 773 | 1,153 | 1,138 |
| Plaice | 25 | 24 | 28 | 50 | 68 | 21 | 20 | 19 | 35 | 50 |
| Pollack | 227 | 236 | 121 | 163 | 134 | 262 | 367 | 194 | 269 | 276 |
| Red mullet | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 2 | 1 | 1 |
| Redfish | 9 | 5 | 0 | 2 | 0 | 12 | 5 | 1 | 3 | 0 |
| Saithe | 1,261 | 1,442 | 1,482 | 2,162 | 1,579 | 628 | 840 | 1,054 | 2,008 | 1,780 |
| Sole | 1 | 1 | 0 | 1 | 1 | 5 | 4 | 1 | 2 | 4 |
| Turbot | 3 | 4 | 5 | 6 | 5 | 20 | 29 | 39 | 51 | 46 |
| Whiting | 167 | 208 | 207 | 331 | 493 | 124 | 149 | 178 | 358 | 625 |
| Witches | 423 | 81 | 61 | 74 | 53 | 588 | 103 | 74 | 140 | 82 |
| Other demersal | 379 | 65 | 66 | 55 | 42 | 395 | 108 | 126 | 117 | 84 |
| **Total demersal** | **4,121** | **3,508** | **4,230** | **5,879** | **5,367** | **4,672** | **3,499** | **4,449** | **7,569** | **8,054** |
| Blue whiting | - | - | - | - | - | - | - | - | - | - |
| Herring | 3,110 | 331 | 0 | 5,260 | 3,305 | 595 | 56 | 0 | 1,487 | 1,668 |
| Horse mackerel | - | 39 | - | - | 2,048 | - | 2 | - | - | 1,097 |
| Mackerel | 5,448 | 4,236 | 606 | 4,011 | 4,291 | 3,213 | 3,019 | 501 | 3,828 | 5,333 |
| Pilchards | - | - | - | - | - | - | - | - | - | - |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 19 | 11 | - | - | - | 1 | 1 | - | - | - |
| **Total pelagic** | **8,577** | **4,616** | **606** | **9,271** | **9,645** | **3,809** | **3,078** | **501** | **5,316** | **8,098** |
| Cuttlefish | - | - | - | - | - | - | - | - | - | - |
| Edible crabs | 1,442 | 1,174 | 1,360 | 1,570 | 2,205 | 1,904 | 1,488 | 1,552 | 1,982 | 2,771 |
| Lobsters | 12 | 14 | 14 | 18 | 16 | 139 | 180 | 155 | 197 | 161 |
| Nephrops | 2,794 | 2,877 | 2,234 | 2,591 | 2,660 | 6,349 | 6,108 | 4,143 | 4,975 | 6,446 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | - | - | - | - | - | - | - | - | - | - |
| Queen scallops | 729 | 220 | 391 | 429 | 416 | 303 | 83 | 159 | 212 | 193 |
| Scallops | 790 | 883 | 719 | 501 | 270 | 1,633 | 5,992 | 1,154 | 842 | 536 |
| Squid | 15 | 13 | 16 | 43 | 20 | 31 | 33 | 27 | 97 | 63 |
| Velvet crabs | 3 | 13 | 4 | 1 | 3 | 7 | 23 | 9 | 3 | 6 |
| Whelks | 0 | 10 | 8 | 3 | 2 | 0 | 5 | 5 | 2 | 1 |
| Other shellfish | 167 | 2 | 25 | 201 | 42 | 82 | 1 | 39 | 329 | 120 |
| **Total shellfish** | **5,950** | **5,207** | **4,771** | **5,358** | **5,634** | **10,448** | **13,914** | **7,243** | **8,639** | **10,296** |
| **Total landings** | **18,648** | **13,331** | **9,607** | **20,508** | **20,645** | **18,929** | **20,491** | **12,192** | **21,523** | **26,449** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distintguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.g** Quantity and value of landings by other UK vessels into the rest of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) [2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Other UK vessels** | | | | | | | | | | |
| Landings into the Rest of the UK | | | | | | | | | | |
| Bass | 645 | 741 | 653 | 652 | 630 | 3,862 | 4,233 | 4,328 | 4,648 | 4,915 |
| Black scabbardfish | - | - | 0 | - | 0 | - | - | 0 | - | 0 |
| Blue ling | 1 | 0 | - | - | - | 1 | 0 | - | - | - |
| Brill | 286 | 274 | 238 | 274 | 274 | 1,588 | 1,570 | 1,370 | 1,527 | 1,703 |
| Cod | 5,596 | 2,133 | 2,213 | 2,007 | 1,615 | 7,026 | 4,202 | 3,839 | 3,741 | 3,136 |
| Greenland halibut | 313 | - | - | - | 0 | 500 | - | - | - | 0 |
| Haddock | 2,631 | 2,375 | 1,880 | 2,180 | 2,323 | 2,176 | 2,248 | 1,863 | 2,345 | 2,530 |
| Hake | 564 | 607 | 623 | 635 | 649 | 1,482 | 1,511 | 1,235 | 1,110 | 1,076 |
| Lemon sole | 1,009 | 804 | 1,357 | 1,382 | 986 | 3,873 | 2,974 | 3,935 | 5,038 | 4,106 |
| Ling | 522 | 430 | 358 | 318 | 407 | 517 | 455 | 395 | 386 | 522 |
| Megrims | 1,080 | 854 | 1,136 | 1,153 | 971 | 3,035 | 2,785 | 3,359 | 3,422 | 3,177 |
| Monks | 3,408 | 2,817 | 2,803 | 3,405 | 3,705 | 8,260 | 7,879 | 8,259 | 10,132 | 11,384 |
| Plaice | 1,997 | 1,994 | 2,260 | 2,220 | 2,114 | 2,746 | 2,773 | 2,879 | 2,826 | 2,926 |
| Pollack | 1,663 | 1,319 | 1,306 | 1,180 | 1,430 | 2,563 | 2,720 | 2,676 | 2,509 | 3,258 |
| Red mullet | 32 | 0 | 0 | 0 | 0 | 22 | 0 | 0 | 0 | 0 |
| Redfish | 194 | 164 | 126 | 106 | 113 | 581 | 649 | 701 | 606 | 614 |
| Saithe | 421 | 99 | 148 | 82 | 223 | 267 | 69 | 109 | 83 | 240 |
| Sole | 2,064 | 1,918 | 1,841 | 1,644 | 1,830 | 15,748 | 13,987 | 13,688 | 13,893 | 16,122 |
| Turbot | 292 | 300 | 282 | 353 | 379 | 2,470 | 2,432 | 2,309 | 2,956 | 3,674 |
| Whiting | 3,493 | 2,116 | 1,984 | 1,747 | 1,513 | 2,436 | 1,426 | 1,194 | 1,346 | 1,319 |
| Witches | 136 | 146 | 156 | 170 | 176 | 178 | 197 | 296 | 332 | 268 |
| Other demersal | 5,944 | 5,907 | 5,779 | 6,058 | 6,886 | 5,996 | 6,016 | 5,727 | 6,697 | 7,112 |
| **Total demersal** | **32,291** | **24,999** | **25,141** | **25,568** | **26,226** | **65,329** | **58,126** | **58,162** | **63,597** | **68,082** |
| Blue whiting | - | 0 | - | 32 | 23 | - | 0 | - | 9 | 6 |
| Herring | 5,587 | 5,861 | 6,414 | 8,024 | 5,934 | 1,081 | 1,421 | 1,805 | 2,343 | 2,521 |
| Horse mackerel | 4,957 | 4,316 | 5,487 | 4,607 | 6,717 | 1,439 | 1,189 | 1,510 | 1,275 | 1,879 |
| Mackerel | 4,515 | 4,103 | 4,922 | 4,416 | 5,278 | 3,397 | 3,190 | 4,193 | 3,710 | 5,210 |
| Pilchards | 2,415 | 2,684 | 2,459 | 2,252 | 3,447 | 961 | 1,000 | 748 | 620 | 867 |
| Sardinelle aurita | 0 | 0 | - | - | 0 | 0 | 0 | - | - | 0 |
| Other pelagic | 3,747 | 3,618 | 3,210 | 4,807 | 4,320 | 1,919 | 1,158 | 1,402 | 991 | 969 |
| **Total pelagic** | **21,221** | **20,583** | **22,493** | **24,138** | **25,720** | **8,797** | **7,958** | **9,659** | **8,948** | **11,453** |
| Cuttlefish | 4,415 | 3,557 | 2,214 | 3,780 | 3,211 | 5,510 | 5,243 | 3,525 | 7,773 | 8,703 |
| Edible crabs | 8,544 | 11,218 | 10,497 | 11,817 | 12,531 | 11,018 | 14,353 | 12,168 | 14,431 | 16,099 |
| Lobsters | 1,867 | 1,709 | 1,641 | 1,559 | 1,917 | 21,370 | 20,489 | 14,926 | 14,630 | 19,088 |
| Nephrops | 9,197 | 9,756 | 9,840 | 8,888 | 9,131 | 19,133 | 19,010 | 15,435 | 14,640 | 21,504 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 10 | 13 | 25 | 22 | 47 | 11 | 15 | 38 | 80 | 49 |
| Queen scallops | 526 | 2 | 1,111 | 4,117 | 8,049 | 219 | 2 | 383 | 1,531 | 2,808 |
| Scallops | 7,641 | 7,584 | 9,555 | 11,506 | 13,944 | 11,590 | 11,881 | 13,315 | 17,065 | 24,078 |
| Squid | 585 | 366 | 428 | 425 | 654 | 2,590 | 1,698 | 1,762 | 1,642 | 2,896 |
| Velvet crabs | 778 | 549 | 381 | 285 | 369 | 1,261 | 792 | 604 | 513 | 582 |
| Whelks | 12,515 | 13,235 | 12,558 | 14,001 | 13,533 | 7,474 | 9,012 | 7,204 | 9,104 | 8,781 |
| Other shellfish | 21,851 | 24,795 | 8,615 | 8,690 | 12,660 | 19,356 | 14,196 | 13,018 | 6,479 | 5,316 |
| **Total shellfish** | **67,928** | **72,784** | **56,864** | **65,090** | **76,045** | **99,532** | **96,691** | **82,378** | **87,889** | **109,903** |
| **Total landings** | **121,440** | **118,366** | **104,498** | **114,796** | **127,991** | **173,658** | **162,775** | **150,199** | **160,434** | **189,437** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued ...)

**Table 1.1.h** Quantity and value of landings by other UK vessels into the whole of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Other UK vessels** | | | | | | | | | | |
| Landings into the UK | | | | | | | | | | |
| Bass | 645 | 741 | 653 | 652 | 630 | 3,862 | 4,233 | 4,328 | 4,649 | 4,915 |
| Black scabbardfish | - | - | 0 | - | 0 | - | - | 0 | - | 0 |
| Blue ling | 36 | 7 | 3 | 0 | - | 46 | 8 | 1 | 0 | - |
| Brill | 287 | 274 | 238 | 275 | 274 | 1,589 | 1,572 | 1,370 | 1,528 | 1,704 |
| Cod | 5,782 | 2,436 | 2,668 | 2,877 | 2,487 | 7,351 | 4,760 | 4,584 | 5,301 | 4,953 |
| Greenland halibut | 313 | 5 | - | - | 0 | 502 | 9 | - | - | 0 |
| Haddock | 3,189 | 3,142 | 3,097 | 3,697 | 3,855 | 2,764 | 2,832 | 2,773 | 3,870 | 4,234 |
| Hake | 675 | 661 | 697 | 742 | 771 | 1,617 | 1,591 | 1,300 | 1,232 | 1,237 |
| Lemon sole | 1,034 | 853 | 1,389 | 1,412 | 1,012 | 3,921 | 3,073 | 3,991 | 5,089 | 4,171 |
| Ling | 680 | 509 | 463 | 409 | 503 | 710 | 550 | 512 | 507 | 668 |
| Megrims | 1,121 | 877 | 1,176 | 1,180 | 1,001 | 3,129 | 2,826 | 3,451 | 3,476 | 3,252 |
| Monks | 3,917 | 2,973 | 3,133 | 3,798 | 4,018 | 9,443 | 8,278 | 9,032 | 11,285 | 12,522 |
| Plaice | 2,022 | 2,018 | 2,288 | 2,270 | 2,182 | 2,767 | 2,793 | 2,898 | 2,861 | 2,976 |
| Pollack | 1,890 | 1,555 | 1,428 | 1,343 | 1,565 | 2,826 | 3,087 | 2,870 | 2,778 | 3,534 |
| Red mullet | 32 | 1 | 1 | 0 | 0 | 23 | 2 | 2 | 1 | 1 |
| Redfish | 203 | 169 | 127 | 108 | 113 | 593 | 654 | 702 | 608 | 614 |
| Saithe | 1,682 | 1,541 | 1,630 | 2,244 | 1,802 | 895 | 909 | 1,163 | 2,091 | 2,020 |
| Sole | 2,065 | 1,918 | 1,841 | 1,645 | 1,831 | 15,753 | 13,991 | 13,688 | 13,894 | 16,126 |
| Turbot | 295 | 304 | 287 | 359 | 384 | 2,490 | 2,461 | 2,348 | 3,007 | 3,720 |
| Whiting | 3,661 | 2,324 | 2,191 | 2,079 | 2,006 | 2,561 | 1,575 | 1,372 | 1,704 | 1,945 |
| Witches | 559 | 227 | 217 | 245 | 230 | 766 | 299 | 370 | 471 | 349 |
| Other demersal | 6,323 | 5,972 | 5,845 | 6,114 | 6,927 | 6,392 | 6,124 | 5,854 | 6,813 | 7,196 |
| **Total demersal** | **36,412** | **28,507** | **29,371** | **31,447** | **31,592** | **70,001** | **61,625** | **62,610** | **71,165** | **76,136** |
| Blue whiting | - | 0 | - | 32 | 23 | - | 0 | - | 9 | 6 |
| Herring | 8,697 | 6,191 | 6,414 | 13,284 | 9,240 | 1,675 | 1,477 | 1,805 | 3,830 | 4,189 |
| Horse mackerel | 4,957 | 4,355 | 5,487 | 4,607 | 8,765 | 1,439 | 1,192 | 1,510 | 1,275 | 2,976 |
| Mackerel | 9,963 | 8,339 | 5,528 | 8,427 | 9,569 | 6,610 | 6,209 | 4,694 | 7,538 | 10,543 |
| Pilchards | 2,415 | 2,684 | 2,459 | 2,252 | 3,447 | 961 | 1,000 | 748 | 620 | 867 |
| Sardinelle aurita | 0 | 0 | - | - | 0 | 0 | 0 | - | - | 0 |
| Other pelagic | 3,766 | 3,629 | 3,210 | 4,807 | 4,320 | 1,920 | 1,159 | 1,402 | 991 | 969 |
| **Total pelagic** | **29,798** | **25,199** | **23,099** | **33,409** | **35,365** | **12,606** | **11,036** | **10,160** | **14,264** | **19,551** |
| Cuttlefish | 4,415 | 3,557 | 2,214 | 3,780 | 3,211 | 5,510 | 5,243 | 3,525 | 7,773 | 8,703 |
| Edible crabs | 9,986 | 12,392 | 11,856 | 13,387 | 14,737 | 12,922 | 15,842 | 13,720 | 16,413 | 18,869 |
| Lobsters | 1,879 | 1,723 | 1,655 | 1,578 | 1,933 | 21,509 | 20,670 | 15,081 | 14,827 | 19,249 |
| Nephrops | 11,991 | 12,633 | 12,075 | 11,478 | 11,791 | 25,482 | 25,118 | 19,578 | 19,615 | 27,950 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 10 | 13 | 25 | 22 | 47 | 11 | 15 | 38 | 80 | 49 |
| Queen scallops | 1,254 | 222 | 1,502 | 4,546 | 8,465 | 522 | 85 | 542 | 1,743 | 3,001 |
| Scallops | 8,431 | 8,467 | 10,274 | 12,007 | 14,214 | 13,223 | 17,872 | 14,469 | 17,907 | 24,613 |
| Squid | 600 | 379 | 444 | 468 | 674 | 2,621 | 1,731 | 1,790 | 1,738 | 2,958 |
| Velvet crabs | 780 | 562 | 385 | 286 | 371 | 1,267 | 816 | 613 | 517 | 587 |
| Whelks | 12,515 | 13,245 | 12,566 | 14,004 | 13,535 | 7,474 | 9,017 | 7,209 | 9,106 | 8,782 |
| Other shellfish | 22,018 | 24,797 | 8,640 | 8,890 | 12,702 | 19,439 | 14,198 | 13,057 | 6,808 | 5,437 |
| **Total shellfish** | **73,878** | **77,991** | **61,635** | **70,448** | **81,679** | **109,980** | **110,606** | **89,621** | **96,528** | **120,199** |
| **Total landings** | **140,088** | **131,697** | **114,105** | **135,304** | **148,637** | **192,587** | **183,267** | **162,391** | **181,957** | **215,886** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.i** Quantity and value of landings by other UK vessels abroad, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Other UK vessels** | | | | | | | | | | |
| Landings abroad | | | | | | | | | | |
| Bass | 17 | 7 | 21 | 22 | 15 | 107 | 50 | 131 | 139 | 107 |
| Black scabbardfish | 0 | - | - | - | 0 | 0 | - | - | - | 0 |
| Blue ling | 26 | 4 | 4 | 0 | 1 | 13 | 5 | 2 | 0 | 0 |
| Brill | 69 | 47 | 68 | 109 | 109 | 318 | 214 | 322 | 581 | 605 |
| Cod | 6,324 | 9,294 | 10,293 | 10,791 | 10,376 | 7,579 | 12,600 | 9,941 | 15,947 | 18,506 |
| Greenland halibut | 207 | 326 | 461 | 233 | 345 | 272 | 434 | 794 | 378 | 559 |
| Haddock | 1,106 | 1,038 | 1,398 | 1,815 | 1,524 | 785 | 1,263 | 1,185 | 1,806 | 1,826 |
| Hake | 1,177 | 449 | 340 | 241 | 645 | 1,724 | 635 | 522 | 357 | 981 |
| Lemon sole | 263 | 175 | 130 | 199 | 295 | 716 | 479 | 318 | 615 | 989 |
| Ling | 211 | 89 | 94 | 91 | 141 | 220 | 96 | 97 | 125 | 197 |
| Megrims | 427 | 489 | 607 | 604 | 812 | 652 | 726 | 927 | 1,401 | 2,039 |
| Monks | 1,099 | 686 | 660 | 985 | 1,401 | 2,455 | 2,000 | 1,768 | 3,701 | 4,682 |
| Plaice | 5,839 | 5,844 | 7,501 | 10,771 | 11,707 | 6,215 | 10,408 | 8,732 | 12,686 | 15,578 |
| Pollack | 136 | 150 | 220 | 267 | 382 | 313 | 334 | 502 | 821 | 1,089 |
| Red mullet | 3 | 4 | 78 | 171 | 67 | 6 | 15 | 475 | 905 | 89 |
| Redfish | 476 | 120 | 120 | 52 | 137 | 608 | 67 | 181 | 68 | 703 |
| Saithe | 1,740 | 2,246 | 2,735 | 2,193 | 3,017 | 1,352 | 1,844 | 2,329 | 1,991 | 2,890 |
| Sole | 349 | 195 | 405 | 540 | 358 | 2,567 | 1,527 | 3,406 | 5,677 | 3,817 |
| Turbot | 223 | 170 | 247 | 269 | 274 | 1,849 | 1,197 | 1,777 | 2,643 | 2,358 |
| Whiting | 30 | 24 | 78 | 174 | 172 | 17 | 14 | 56 | 140 | 159 |
| Witches | 378 | 87 | 72 | 85 | 121 | 669 | 125 | 108 | 158 | 267 |
| Other demersal | 2,340 | 1,388 | 1,316 | 1,667 | 2,420 | 2,218 | 1,595 | 1,622 | 1,687 | 2,432 |
| **Total demersal** | **22,439** | **22,831** | **26,850** | **31,278** | **34,322** | **30,655** | **35,627** | **35,193** | **51,825** | **59,873** |
| Blue whiting | 12,926 | 14,147 | 6,176 | 2,444 | 31 | 2,392 | 2,617 | 1,112 | 531 | 17 |
| Herring | 24,274 | 15,354 | 14,458 | 11,895 | 14,615 | 10,425 | 6,820 | 6,495 | 6,762 | 8,232 |
| Horse mackerel | 7,550 | 4,843 | 11,055 | 10,329 | 7,007 | 2,479 | 1,556 | 3,603 | 3,993 | 3,163 |
| Mackerel | 15,790 | 10,983 | 15,017 | 17,361 | 26,690 | 11,817 | 9,899 | 13,592 | 18,012 | 32,179 |
| Pilchards | 1,144 | 729 | 1,715 | 4,463 | 1,267 | 315 | 200 | 472 | 1,303 | 348 |
| Sardinelle aurita | 10,925 | 6,524 | 8,763 | 15,019 | 3,625 | 3,004 | 1,794 | 2,410 | 4,130 | 1,813 |
| Other pelagic | 743 | 407 | 688 | 1,490 | 1,070 | 904 | 377 | 299 | 358 | 358 |
| **Total pelagic** | **73,351** | **52,987** | **57,872** | **63,000** | **54,305** | **31,335** | **23,264** | **27,983** | **35,089** | **46,111** |
| Cuttlefish | 8 | 5 | 10 | 35 | 26 | 11 | 5 | 17 | 82 | 71 |
| Edible crabs | 3,030 | 2,504 | 2,155 | 1,869 | 1,771 | 3,478 | 2,792 | 2,281 | 2,152 | 2,293 |
| Lobsters | 25 | 23 | 23 | 25 | 16 | 376 | 364 | 300 | 317 | 229 |
| Nephrops | 188 | 356 | 398 | 296 | 77 | 1,098 | 1,053 | 880 | 784 | 358 |
| Patagonian squid | - | 739 | - | 3,453 | 1,493 | - | 739 | - | 5,724 | 4,003 |
| Pink shrimps | - | - | - | 2,843 | - | - | - | - | 5,118 | - |
| Queen scallops | 0 | - | 7 | 34 | 169 | 0 | - | 3 | 11 | 71 |
| Scallops | 21 | 12 | 3 | 8 | 55 | 26 | 28 | 4 | 9 | 105 |
| Squid | 754 | 80 | 92 | 92 | 100 | 1,612 | 259 | 347 | 393 | 556 |
| Velvet crabs | 6 | 5 | 13 | 1 | 0 | 11 | 10 | 13 | 1 | 0 |
| Whelks | 45 | 179 | 106 | 101 | 80 | 34 | 108 | 66 | 47 | 36 |
| Other shellfish | 944 | 625 | 154 | 143 | 323 | 1,303 | 634 | 234 | 287 | 529 |
| **Total shellfish** | **5,021** | **4,530** | **2,961** | **8,900** | **4,110** | **7,950** | **5,995** | **4,145** | **14,926** | **8,251** |
| **Total landings** | **100,811** | **80,347** | **87,684** | **103,178** | **92,736** | **69,940** | **64,885** | **67,321** | **101,841** | **114,235** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.j** Quantity and value of all landings by other UK vessels, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) [2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Other UK vessels** | | | | | | | | | | |
| Landings into the UK and Abroad | | | | | | | | | | |
| Bass | 663 | 748 | 674 | 674 | 645 | 3,969 | 4,284 | 4,460 | 4,788 | 5,021 |
| Black scabbardfish | 0 | - | 0 | - | 0 | 0 | - | 0 | - | 0 |
| Blue ling | 62 | 11 | 8 | 0 | 1 | 59 | 13 | 3 | 0 | 0 |
| Brill | 355 | 321 | 305 | 383 | 384 | 1,907 | 1,786 | 1,692 | 2,109 | 2,308 |
| Cod | 12,106 | 11,730 | 12,961 | 13,669 | 12,863 | 14,931 | 17,360 | 14,525 | 21,248 | 23,458 |
| Greenland halibut | 520 | 331 | 461 | 233 | 345 | 775 | 442 | 794 | 378 | 559 |
| Haddock | 4,295 | 4,180 | 4,496 | 5,513 | 5,380 | 3,549 | 4,094 | 3,958 | 5,676 | 6,060 |
| Hake | 1,852 | 1,110 | 1,037 | 983 | 1,417 | 3,340 | 2,226 | 1,822 | 1,589 | 2,218 |
| Lemon sole | 1,297 | 1,028 | 1,519 | 1,612 | 1,307 | 4,637 | 3,551 | 4,310 | 5,704 | 5,160 |
| Ling | 891 | 599 | 557 | 500 | 644 | 930 | 645 | 609 | 632 | 865 |
| Megrims | 1,549 | 1,366 | 1,784 | 1,784 | 1,814 | 3,781 | 3,551 | 4,377 | 4,877 | 5,290 |
| Monks | 5,017 | 3,659 | 3,793 | 4,782 | 5,418 | 11,897 | 10,278 | 10,800 | 14,986 | 17,205 |
| Plaice | 7,860 | 7,862 | 9,790 | 13,042 | 13,889 | 8,982 | 13,200 | 11,630 | 15,547 | 18,554 |
| Pollack | 2,026 | 1,705 | 1,648 | 1,609 | 1,946 | 3,139 | 3,421 | 3,372 | 3,599 | 4,623 |
| Red mullet | 35 | 5 | 79 | 171 | 68 | 29 | 17 | 477 | 906 | 91 |
| Redfish | 679 | 289 | 246 | 160 | 251 | 1,202 | 721 | 883 | 676 | 1,316 |
| Saithe | 3,423 | 3,787 | 4,366 | 4,437 | 4,819 | 2,247 | 2,753 | 3,491 | 4,081 | 4,910 |
| Sole | 2,414 | 2,113 | 2,246 | 2,185 | 2,189 | 18,320 | 15,518 | 17,094 | 19,572 | 19,943 |
| Turbot | 518 | 474 | 534 | 628 | 659 | 4,339 | 3,658 | 4,125 | 5,650 | 6,078 |
| Whiting | 3,690 | 2,349 | 2,269 | 2,252 | 2,178 | 2,577 | 1,589 | 1,428 | 1,844 | 2,104 |
| Witches | 937 | 314 | 288 | 329 | 351 | 1,435 | 424 | 478 | 629 | 616 |
| Other demersal | 8,663 | 7,359 | 7,161 | 7,781 | 9,347 | 8,610 | 7,719 | 7,476 | 8,500 | 9,627 |
| **Total demersal** | **58,851** | **51,338** | **56,222** | **62,725** | **65,914** | **100,657** | **97,252** | **97,803** | **122,991** | **136,009** |
| Blue whiting | 12,926 | 14,147 | 6,176 | 2,475 | 54 | 2,392 | 2,617 | 1,112 | 540 | 23 |
| Herring | 32,970 | 21,546 | 20,872 | 25,179 | 23,855 | 12,100 | 8,297 | 8,299 | 10,592 | 12,421 |
| Horse mackerel | 12,507 | 9,198 | 16,542 | 14,935 | 15,772 | 3,918 | 2,747 | 5,113 | 5,268 | 6,139 |
| Mackerel | 25,753 | 19,322 | 20,545 | 25,788 | 36,259 | 18,427 | 16,107 | 18,287 | 25,551 | 42,722 |
| Pilchards | 3,559 | 3,413 | 4,175 | 6,716 | 4,714 | 1,276 | 1,200 | 1,220 | 1,923 | 1,215 |
| Sardinelle aurita | 10,925 | 6,524 | 8,763 | 15,019 | 3,625 | 3,004 | 1,794 | 2,410 | 4,130 | 1,813 |
| Other pelagic | 4,509 | 4,036 | 3,898 | 6,297 | 5,390 | 2,824 | 1,536 | 1,702 | 1,350 | 1,327 |
| **Total pelagic** | **103,149** | **78,186** | **80,971** | **96,409** | **89,670** | **43,941** | **34,300** | **38,142** | **49,353** | **65,662** |
| Cuttlefish | 4,423 | 3,562 | 2,224 | 3,815 | 3,237 | 5,521 | 5,248 | 3,541 | 7,856 | 8,775 |
| Edible crabs | 13,015 | 14,896 | 14,011 | 15,256 | 16,508 | 16,400 | 18,634 | 16,001 | 18,565 | 21,163 |
| Lobsters | 1,903 | 1,746 | 1,678 | 1,603 | 1,949 | 21,886 | 21,034 | 15,381 | 15,145 | 19,478 |
| Nephrops | 12,179 | 12,989 | 12,472 | 11,775 | 11,868 | 26,580 | 26,171 | 20,458 | 20,399 | 28,308 |
| Patagonian squid | - | 739 | - | 3,453 | 1,493 | - | 739 | - | 5,724 | 4,003 |
| Pink shrimps | 10 | 13 | 25 | 2,866 | 47 | 11 | 15 | 38 | 5,199 | 49 |
| Queen scallops | 1,254 | 222 | 1,509 | 4,581 | 8,634 | 522 | 85 | 545 | 1,754 | 3,072 |
| Scallops | 8,452 | 8,480 | 10,277 | 12,015 | 14,269 | 13,249 | 17,901 | 14,473 | 17,916 | 24,718 |
| Squid | 1,353 | 459 | 536 | 560 | 774 | 4,233 | 1,991 | 2,137 | 2,131 | 3,514 |
| Velvet crabs | 786 | 567 | 398 | 287 | 372 | 1,279 | 826 | 626 | 518 | 588 |
| Whelks | 12,559 | 13,424 | 12,672 | 14,105 | 13,615 | 7,508 | 9,125 | 7,275 | 9,153 | 8,818 |
| Other shellfish | 22,962 | 25,422 | 8,794 | 9,033 | 13,025 | 20,742 | 14,832 | 13,291 | 7,095 | 5,965 |
| **Total shellfish** | **78,899** | **82,520** | **64,596** | **79,348** | **85,789** | **117,930** | **116,600** | **93,766** | **111,454** | **128,450** |
| **Total landings** | **240,899** | **212,044** | **201,789** | **238,482** | **241,373** | **262,528** | **248,152** | **229,712** | **283,797** | **330,121** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued ...)

**Table 1.1.k** Quantity and value of landings by all UK vessels into Scotland, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **UK vessels** | | | | | | | | | | |
| Landings into Scotland | | | | | | | | | | |
| Bass | 1 | 1 | 1 | 1 | 0 | 5 | 5 | 6 | 4 | 1 |
| Black scabbardfish | 57 | 26 | 81 | 104 | 36 | 87 | 28 | 123 | 170 | 90 |
| Blue ling | 271 | 222 | 360 | 384 | 76 | 363 | 290 | 397 | 494 | 102 |
| Brill | 1 | 1 | 1 | 2 | 2 | 3 | 6 | 5 | 6 | 7 |
| Cod | 7,115 | 7,645 | 9,350 | 12,617 | 10,994 | 14,649 | 16,054 | 16,721 | 24,783 | 24,161 |
| Greenland halibut | 30 | 144 | 317 | 418 | 62 | 56 | 233 | 574 | 984 | 202 |
| Haddock | 29,509 | 29,488 | 32,681 | 29,461 | 25,535 | 37,579 | 32,679 | 32,133 | 33,736 | 32,117 |
| Hake | 2,154 | 3,487 | 5,702 | 4,972 | 6,064 | 3,013 | 6,214 | 10,506 | 9,008 | 11,180 |
| Lemon sole | 946 | 933 | 607 | 525 | 564 | 2,416 | 2,321 | 1,282 | 1,187 | 1,612 |
| Ling | 2,511 | 2,571 | 3,579 | 3,795 | 3,774 | 3,084 | 3,161 | 4,204 | 5,299 | 5,621 |
| Megrims | 2,283 | 2,528 | 2,583 | 2,339 | 2,165 | 5,283 | 6,855 | 6,752 | 6,478 | 7,073 |
| Monks | 10,255 | 10,086 | 9,898 | 8,209 | 7,941 | 25,524 | 28,021 | 31,201 | 28,074 | 27,587 |
| Plaice | 776 | 832 | 672 | 678 | 773 | 686 | 658 | 486 | 490 | 627 |
| Pollack | 887 | 973 | 636 | 546 | 483 | 1,243 | 1,821 | 1,148 | 1,024 | 1,122 |
| Red mullet | 12 | 21 | 12 | 6 | 3 | 24 | 27 | 36 | 21 | 11 |
| Redfish | 234 | 174 | 175 | 428 | 119 | 249 | 178 | 209 | 500 | 198 |
| Saithe | 9,545 | 12,783 | 14,264 | 13,519 | 12,485 | 4,659 | 7,334 | 9,963 | 12,295 | 13,146 |
| Sole | 5 | 3 | 2 | 2 | 3 | 33 | 16 | 11 | 10 | 24 |
| Turbot | 41 | 46 | 42 | 42 | 48 | 333 | 340 | 309 | 338 | 424 |
| Whiting | 9,393 | 9,226 | 7,965 | 7,119 | 7,923 | 9,189 | 9,277 | 7,968 | 8,007 | 9,782 |
| Witches | 1,196 | 872 | 794 | 651 | 613 | 1,458 | 1,063 | 1,035 | 836 | 809 |
| Other demersal | 2,760 | 2,072 | 2,849 | 2,602 | 1,834 | 3,895 | 3,428 | 4,548 | 4,254 | 3,067 |
| **Total demersal** | **79,979** | **84,134** | **92,570** | **88,419** | **81,498** | **113,830** | **120,011** | **129,617** | **137,998** | **138,963** |
| Blue whiting | 21,886 | 15,345 | 11 | 4,937 | 1,324 | 2,686 | 1,449 | 0 | 982 | 595 |
| Herring | 45,158 | 32,367 | 25,188 | 27,566 | 25,326 | 8,387 | 8,272 | 7,722 | 7,952 | 12,794 |
| Horse mackerel | 1,394 | 633 | 839 | 1,167 | 2,215 | 340 | 149 | 226 | 497 | 1,183 |
| Mackerel | 95,788 | 86,619 | 94,557 | 95,180 | 89,142 | 63,749 | 64,634 | 79,737 | 78,025 | 102,259 |
| Pilchards | 114 | 164 | - | - | - | 3 | 14 | - | - | - |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 878 | 248 | 1,039 | 639 | 510 | 67 | 43 | 115 | 147 | 115 |
| **Total pelagic** | **165,217** | **135,376** | **121,633** | **129,488** | **118,516** | **75,232** | **74,562** | **87,800** | **87,604** | **116,947** |
| Cuttlefish | 0 | 0 | - | 0 | 0 | 0 | 0 | - | 0 | 0 |
| Edible crabs | 11,439 | 8,831 | 9,511 | 10,704 | 11,900 | 13,855 | 10,126 | 10,514 | 12,639 | 14,159 |
| Lobsters | 894 | 1,026 | 1,097 | 1,135 | 1,238 | 9,837 | 10,949 | 11,369 | 11,698 | 13,147 |
| Nephrops | 33,782 | 32,765 | 31,492 | 28,895 | 24,338 | 104,321 | 95,475 | 78,268 | 79,645 | 86,748 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 0 | - | - | - | 0 | 0 | - | - | - | 0 |
| Queen scallops | 4,301 | 4,562 | 4,498 | 7,473 | 9,357 | 1,693 | 1,700 | 1,872 | 2,904 | 3,771 |
| Scallops | 8,862 | 10,086 | 9,847 | 9,335 | 7,794 | 18,247 | 25,094 | 19,080 | 17,608 | 16,081 |
| Squid | 1,193 | 1,515 | 2,068 | 3,152 | 2,137 | 3,275 | 4,384 | 4,280 | 8,536 | 8,500 |
| Velvet crabs | 2,946 | 2,711 | 2,762 | 2,518 | 2,193 | 5,852 | 5,832 | 6,135 | 6,403 | 5,801 |
| Whelks | 456 | 255 | 363 | 350 | 239 | 264 | 162 | 193 | 191 | 138 |
| Other shellfish | 2,009 | 1,850 | 1,499 | 1,919 | 1,137 | 1,847 | 2,425 | 2,436 | 2,946 | 2,620 |
| **Total shellfish** | **65,882** | **63,601** | **63,137** | **65,481** | **60,333** | **159,190** | **156,147** | **134,147** | **142,568** | **150,965** |
| **Total landings** | **311,078** | **283,111** | **277,341** | **283,388** | **260,347** | **348,252** | **350,720** | **351,564** | **368,170** | **406,874** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.I** Quantity and value of landings by all UK vessels into the rest of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **UK vessels** | | | | | | | | | | |
| Landings into the Rest of the UK | | | | | | | | | | |
| Bass | 676 | 765 | 656 | 687 | 719 | 4,007 | 4,372 | 4,356 | 4,866 | 5,467 |
| Black scabbardfish | - | - | 0 | - | 0 | - | - | 0 | - | 0 |
| Blue ling | 1 | 0 | - | - | - | 1 | 0 | - | - | - |
| Brill | 290 | 282 | 242 | 281 | 283 | 1,601 | 1,605 | 1,394 | 1,560 | 1,746 |
| Cod | 5,638 | 2,154 | 2,270 | 2,028 | 1,697 | 7,082 | 4,238 | 3,941 | 3,779 | 3,297 |
| Greenland halibut | 313 | - | - | - | 0 | 500 | - | - | - | 0 |
| Haddock | 2,783 | 2,420 | 2,063 | 2,253 | 2,723 | 2,288 | 2,275 | 2,051 | 2,434 | 2,933 |
| Hake | 598 | 631 | 675 | 652 | 663 | 1,553 | 1,551 | 1,318 | 1,141 | 1,102 |
| Lemon sole | 1,030 | 811 | 1,392 | 1,404 | 1,047 | 3,912 | 2,986 | 4,027 | 5,105 | 4,294 |
| Ling | 529 | 435 | 366 | 322 | 418 | 525 | 461 | 404 | 391 | 536 |
| Megrims | 1,142 | 988 | 1,359 | 1,216 | 1,043 | 3,236 | 3,195 | 3,972 | 3,632 | 3,424 |
| Monks | 3,534 | 3,005 | 3,016 | 3,531 | 3,888 | 8,552 | 8,454 | 8,906 | 10,509 | 11,938 |
| Plaice | 2,023 | 2,015 | 2,291 | 2,254 | 2,186 | 2,769 | 2,792 | 2,912 | 2,856 | 3,000 |
| Pollack | 1,664 | 1,319 | 1,311 | 1,181 | 1,434 | 2,565 | 2,721 | 2,686 | 2,511 | 3,267 |
| Red mullet | 37 | 1 | 13 | 5 | 38 | 30 | 1 | 64 | 16 | 276 |
| Redfish | 194 | 164 | 126 | 106 | 113 | 581 | 649 | 701 | 606 | 614 |
| Saithe | 422 | 100 | 149 | 82 | 224 | 268 | 69 | 109 | 84 | 241 |
| Sole | 2,072 | 1,928 | 1,852 | 1,650 | 1,837 | 15,798 | 14,076 | 13,763 | 13,938 | 16,192 |
| Turbot | 302 | 312 | 291 | 365 | 397 | 2,532 | 2,503 | 2,370 | 3,037 | 3,800 |
| Whiting | 3,741 | 2,189 | 2,127 | 1,805 | 1,745 | 2,595 | 1,469 | 1,289 | 1,390 | 1,541 |
| Witches | 147 | 162 | 171 | 181 | 188 | 195 | 227 | 332 | 369 | 294 |
| Other demersal | 5,990 | 5,963 | 5,854 | 6,295 | 7,058 | 6,086 | 6,140 | 5,892 | 6,824 | 7,459 |
| **Total demersal** | **33,124** | **25,645** | **26,223** | **26,299** | **27,701** | **66,678** | **59,785** | **60,486** | **65,049** | **71,421** |
| Blue whiting | - | 0 | - | 32 | 23 | - | 0 | - | 9 | 6 |
| Herring | 5,587 | 5,861 | 6,423 | 8,024 | 5,934 | 1,081 | 1,421 | 1,808 | 2,343 | 2,521 |
| Horse mackerel | 4,958 | 4,425 | 5,604 | 4,610 | 6,724 | 1,439 | 1,228 | 1,542 | 1,275 | 1,884 |
| Mackerel | 4,515 | 4,103 | 5,708 | 4,719 | 5,280 | 3,397 | 3,190 | 4,796 | 3,956 | 5,213 |
| Pilchards | 2,415 | 2,694 | 2,459 | 2,263 | 3,481 | 961 | 1,000 | 748 | 624 | 878 |
| Sardinelle aurita | 0 | 0 | - | - | 0 | 0 | 0 | - | - | 0 |
| Other pelagic | 3,747 | 3,634 | 3,210 | 4,853 | 4,321 | 1,919 | 1,158 | 1,402 | 1,002 | 969 |
| **Total pelagic** | **21,222** | **20,716** | **23,405** | **24,501** | **25,763** | **8,798** | **7,996** | **10,296** | **9,209** | **11,473** |
| Cuttlefish | 4,419 | 3,559 | 2,217 | 3,830 | 3,258 | 5,514 | 5,245 | 3,532 | 7,886 | 8,843 |
| Edible crabs | 8,547 | 11,245 | 10,536 | 11,852 | 12,616 | 11,020 | 14,383 | 12,210 | 14,465 | 16,195 |
| Lobsters | 1,869 | 1,726 | 1,659 | 1,575 | 1,938 | 21,404 | 20,680 | 15,087 | 14,762 | 19,297 |
| Nephrops | 10,343 | 10,182 | 10,852 | 9,320 | 9,940 | 22,173 | 19,983 | 17,574 | 15,614 | 24,403 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 10 | 13 | 25 | 22 | 47 | 11 | 15 | 38 | 80 | 49 |
| Queen scallops | 1,489 | 63 | 1,929 | 4,565 | 13,575 | 522 | 24 | 717 | 1,715 | 4,794 |
| Scallops | 11,939 | 12,915 | 17,754 | 21,426 | 22,202 | 20,582 | 21,237 | 25,323 | 32,209 | 39,464 |
| Squid | 601 | 375 | 448 | 443 | 689 | 2,626 | 1,724 | 1,829 | 1,697 | 3,060 |
| Velvet crabs | 778 | 566 | 400 | 291 | 377 | 1,261 | 816 | 630 | 522 | 596 |
| Whelks | 12,533 | 13,263 | 12,558 | 14,027 | 13,585 | 7,504 | 9,029 | 7,204 | 9,123 | 8,812 |
| Other shellfish | 21,858 | 24,829 | 8,824 | 8,725 | 12,663 | 19,369 | 14,318 | 13,073 | 6,498 | 5,319 |
| **Total shellfish** | **74,385** | **78,735** | **67,203** | **76,078** | **90,892** | **111,986** | **107,456** | **97,216** | **104,571** | **130,831** |
| **Total landings** | **128,731** | **125,096** | **116,830** | **126,878** | **144,356** | **187,462** | **175,237** | **167,999** | **178,829** | **213,725** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.m** Quantity and value of landings by all UK vessels into the whole of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **UK vessels** | | | | | | | | | | |
| Landings into the UK | | | | | | | | | | |
| Bass | 677 | 766 | 657 | 687 | 720 | 4,012 | 4,377 | 4,361 | 4,870 | 5,468 |
| Black scabbardfish | 57 | 26 | 81 | 104 | 36 | 87 | 28 | 123 | 170 | 90 |
| Blue ling | 272 | 222 | 360 | 384 | 76 | 364 | 290 | 397 | 494 | 102 |
| Brill | 290 | 283 | 243 | 283 | 285 | 1,604 | 1,611 | 1,398 | 1,566 | 1,753 |
| Cod | 12,753 | 9,798 | 11,620 | 14,645 | 12,691 | 21,732 | 20,292 | 20,662 | 28,562 | 27,458 |
| Greenland halibut | 342 | 144 | 317 | 418 | 62 | 556 | 233 | 574 | 984 | 202 |
| Haddock | 32,292 | 31,908 | 34,744 | 31,714 | 28,259 | 39,867 | 34,955 | 34,184 | 36,170 | 35,050 |
| Hake | 2,752 | 4,118 | 6,376 | 5,624 | 6,727 | 4,566 | 7,765 | 11,823 | 10,150 | 12,282 |
| Lemon sole | 1,976 | 1,745 | 1,998 | 1,929 | 1,611 | 6,328 | 5,307 | 5,308 | 6,293 | 5,906 |
| Ling | 3,040 | 3,005 | 3,944 | 4,117 | 4,192 | 3,609 | 3,621 | 4,608 | 5,690 | 6,157 |
| Megrims | 3,425 | 3,516 | 3,941 | 3,555 | 3,208 | 8,519 | 10,050 | 10,724 | 10,110 | 10,496 |
| Monks | 13,790 | 13,092 | 12,915 | 11,740 | 11,829 | 34,076 | 36,476 | 40,107 | 38,583 | 39,526 |
| Plaice | 2,799 | 2,848 | 2,963 | 2,932 | 2,959 | 3,455 | 3,450 | 3,397 | 3,347 | 3,627 |
| Pollack | 2,551 | 2,292 | 1,947 | 1,726 | 1,917 | 3,808 | 4,543 | 3,834 | 3,535 | 4,388 |
| Red mullet | 49 | 22 | 25 | 11 | 41 | 54 | 28 | 100 | 37 | 287 |
| Redfish | 428 | 338 | 301 | 534 | 232 | 831 | 827 | 910 | 1,105 | 812 |
| Saithe | 9,966 | 12,883 | 14,413 | 13,601 | 12,709 | 4,927 | 7,404 | 10,072 | 12,378 | 13,387 |
| Sole | 2,077 | 1,931 | 1,855 | 1,652 | 1,841 | 15,830 | 14,092 | 13,774 | 13,948 | 16,216 |
| Turbot | 342 | 358 | 333 | 407 | 445 | 2,866 | 2,844 | 2,679 | 3,374 | 4,223 |
| Whiting | 13,133 | 11,415 | 10,092 | 8,924 | 9,668 | 11,784 | 10,746 | 9,257 | 9,397 | 11,323 |
| Witches | 1,342 | 1,034 | 965 | 832 | 802 | 1,653 | 1,290 | 1,368 | 1,205 | 1,103 |
| Other demersal | 8,751 | 8,035 | 8,703 | 8,898 | 8,891 | 9,981 | 9,568 | 10,440 | 11,078 | 10,527 |
| **Total demersal** | **113,103** | **109,779** | **118,792** | **114,718** | **109,199** | **180,508** | **179,796** | **190,103** | **203,046** | **210,383** |
| Blue whiting | 21,886 | 15,345 | 11 | 4,968 | 1,347 | 2,686 | 1,449 | 0 | 991 | 602 |
| Herring | 50,745 | 38,227 | 31,611 | 35,590 | 31,260 | 9,467 | 9,693 | 9,529 | 10,295 | 15,316 |
| Horse mackerel | 6,352 | 5,059 | 6,443 | 5,777 | 8,939 | 1,779 | 1,377 | 1,768 | 1,773 | 3,067 |
| Mackerel | 100,303 | 90,722 | 100,265 | 99,899 | 94,422 | 67,146 | 67,824 | 84,533 | 81,981 | 107,472 |
| Pilchards | 2,529 | 2,858 | 2,459 | 2,263 | 3,481 | 965 | 1,014 | 748 | 624 | 878 |
| Sardinelle aurita | 0 | 0 | - | - | 0 | 0 | 0 | - | - | 0 |
| Other pelagic | 4,625 | 3,882 | 4,249 | 5,492 | 4,831 | 1,985 | 1,201 | 1,517 | 1,149 | 1,085 |
| **Total pelagic** | **186,439** | **156,092** | **145,038** | **153,990** | **144,279** | **84,029** | **82,559** | **98,096** | **96,814** | **128,420** |
| Cuttlefish | 4,419 | 3,559 | 2,217 | 3,830 | 3,258 | 5,515 | 5,246 | 3,532 | 7,886 | 8,843 |
| Edible crabs | 19,986 | 20,076 | 20,047 | 22,556 | 24,516 | 24,875 | 24,509 | 22,724 | 27,103 | 30,354 |
| Lobsters | 2,764 | 2,752 | 2,757 | 2,710 | 3,177 | 31,241 | 31,629 | 26,456 | 26,460 | 32,444 |
| Nephrops | 44,125 | 42,946 | 42,343 | 38,215 | 34,278 | 126,495 | 115,459 | 95,842 | 95,259 | 111,150 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 10 | 13 | 25 | 22 | 47 | 11 | 15 | 38 | 80 | 49 |
| Queen scallops | 5,789 | 4,625 | 6,427 | 12,039 | 22,932 | 2,215 | 1,724 | 2,590 | 4,619 | 8,565 |
| Scallops | 20,801 | 23,001 | 27,601 | 30,760 | 29,996 | 38,829 | 46,332 | 44,403 | 49,817 | 55,545 |
| Squid | 1,793 | 1,890 | 2,516 | 3,595 | 2,826 | 5,900 | 6,108 | 6,110 | 10,233 | 11,560 |
| Velvet crabs | 3,724 | 3,276 | 3,163 | 2,809 | 2,570 | 7,113 | 6,648 | 6,764 | 6,924 | 6,397 |
| Whelks | 12,989 | 13,518 | 12,921 | 14,377 | 13,824 | 7,768 | 9,191 | 7,397 | 9,314 | 8,950 |
| Other shellfish | 23,867 | 26,680 | 10,323 | 10,644 | 13,800 | 21,215 | 16,743 | 15,509 | 9,444 | 7,939 |
| **Total shellfish** | **140,267** | **142,336** | **130,340** | **141,558** | **151,224** | **271,177** | **263,603** | **231,364** | **247,139** | **281,796** |
| **Total landings** | **439,809** | **408,207** | **394,171** | **410,266** | **404,703** | **535,714** | **525,957** | **519,563** | **546,999** | **620,600** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.n** Quantity and value of landings by all UK vessels abroad, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **UK vessels** | | | | | | | | | | |
| Landings Abroad | | | | | | | | | | |
| Bass | 38 | 49 | 41 | 50 | 31 | 214 | 236 | 247 | 318 | 198 |
| Black scabbardfish | 1 | 0 | - | 0 | 0 | 1 | 0 | - | 0 | 0 |
| Blue ling | 27 | 6 | 5 | 2 | 1 | 14 | 8 | 3 | 2 | 0 |
| Brill | 138 | 77 | 90 | 122 | 121 | 651 | 411 | 458 | 658 | 683 |
| Cod | 6,578 | 9,538 | 10,893 | 11,105 | 10,495 | 8,216 | 13,192 | 11,106 | 16,718 | 18,865 |
| Greenland halibut | 207 | 327 | 461 | 233 | 345 | 272 | 434 | 795 | 378 | 559 |
| Haddock | 1,195 | 1,148 | 1,553 | 1,900 | 1,574 | 923 | 1,387 | 1,326 | 1,900 | 1,887 |
| Hake | 1,824 | 1,942 | 1,545 | 1,300 | 1,378 | 2,810 | 2,874 | 3,575 | 2,407 | 2,321 |
| Lemon sole | 497 | 331 | 258 | 309 | 440 | 1,481 | 959 | 652 | 993 | 1,512 |
| Ling | 297 | 262 | 309 | 355 | 544 | 326 | 282 | 445 | 695 | 830 |
| Megrims | 546 | 836 | 1,018 | 1,298 | 1,392 | 944 | 1,404 | 1,947 | 3,149 | 3,847 |
| Monks | 2,077 | 2,334 | 2,157 | 2,651 | 3,285 | 5,055 | 5,874 | 7,047 | 8,972 | 11,158 |
| Plaice | 10,443 | 10,108 | 11,830 | 13,483 | 14,204 | 12,541 | 16,412 | 14,062 | 15,871 | 18,829 |
| Pollack | 143 | 169 | 232 | 277 | 392 | 329 | 370 | 527 | 856 | 1,111 |
| Red mullet | 143 | 290 | 240 | 325 | 170 | 381 | 1,274 | 1,438 | 1,663 | 521 |
| Redfish | 487 | 129 | 120 | 65 | 144 | 624 | 77 | 182 | 86 | 720 |
| Saithe | 1,806 | 2,857 | 2,836 | 2,526 | 3,106 | 1,407 | 2,185 | 2,426 | 2,433 | 2,991 |
| Sole | 869 | 435 | 507 | 576 | 360 | 5,774 | 3,325 | 4,301 | 6,000 | 3,848 |
| Turbot | 411 | 293 | 349 | 323 | 328 | 3,125 | 2,110 | 2,572 | 3,134 | 2,863 |
| Whiting | 59 | 70 | 146 | 292 | 324 | 49 | 52 | 108 | 238 | 296 |
| Witches | 403 | 297 | 157 | 340 | 217 | 703 | 354 | 239 | 701 | 431 |
| Other demersal | 6,795 | 9,767 | 6,147 | 16,355 | 12,546 | 4,124 | 3,652 | 3,046 | 4,577 | 5,003 |
| **Total demersal** | **34,987** | **41,264** | **40,895** | **53,884** | **51,398** | **49,965** | **56,872** | **56,501** | **71,751** | **78,476** |
| Blue whiting | 34,580 | 22,806 | 6,338 | 3,003 | 38 | 4,036 | 3,727 | 1,130 | 657 | 18 |
| Herring | 40,347 | 28,887 | 35,502 | 31,300 | 30,311 | 16,878 | 8,843 | 13,286 | 11,957 | 14,080 |
| Horse mackerel | 7,559 | 5,463 | 11,668 | 11,648 | 7,837 | 2,481 | 1,856 | 3,706 | 4,387 | 3,472 |
| Mackerel | 33,518 | 37,522 | 72,038 | 60,770 | 87,793 | 21,861 | 34,649 | 68,496 | 56,751 | 98,362 |
| Pilchards | 1,144 | 25,481 | 3,863 | 5,960 | 2,009 | 315 | 918 | 533 | 1,435 | 460 |
| Sardinelle aurita | 10,925 | 6,524 | 8,763 | 15,019 | 3,625 | 3,004 | 1,794 | 2,410 | 4,130 | 1,813 |
| Other pelagic | 2,033 | 2,283 | 2,741 | 3,862 | 6,055 | 1,990 | 1,242 | 1,273 | 2,463 | 3,378 |
| **Total pelagic** | **130,105** | **128,967** | **140,914** | **131,562** | **137,667** | **50,564** | **53,030** | **90,834** | **81,779** | **121,583** |
| Cuttlefish | 17 | 13 | 25 | 56 | 36 | 25 | 19 | 49 | 137 | 104 |
| Edible crabs | 3,119 | 2,555 | 2,174 | 1,880 | 1,778 | 3,547 | 2,822 | 2,296 | 2,174 | 2,305 |
| Lobsters | 26 | 24 | 24 | 25 | 16 | 387 | 366 | 303 | 321 | 230 |
| Nephrops | 394 | 554 | 556 | 463 | 245 | 2,242 | 2,000 | 1,917 | 1,791 | 1,466 |
| Patagonian squid | - | 739 | - | 3,453 | 1,493 | - | 739 | - | 5,724 | 4,003 |
| Pink shrimps | - | - | - | 2,843 | - | - | - | - | 5,118 | - |
| Queen scallops | 0 | 35 | 416 | 915 | 2,158 | 0 | 15 | 157 | 345 | 881 |
| Scallops | 21 | 27 | 4 | 17 | 57 | 26 | 54 | 6 | 22 | 108 |
| Squid | 806 | 207 | 186 | 203 | 210 | 1,800 | 695 | 691 | 808 | 1,119 |
| Velvet crabs | 6 | 5 | 13 | 1 | 0 | 11 | 10 | 13 | 2 | 1 |
| Whelks | 72 | 197 | 118 | 103 | 80 | 44 | 115 | 71 | 48 | 37 |
| Other shellfish | 1,032 | 744 | 183 | 212 | 380 | 1,348 | 974 | 273 | 368 | 620 |
| **Total shellfish** | **5,493** | **5,100** | **3,699** | **10,170** | **6,454** | **9,429** | **7,810** | **5,777** | **16,858** | **10,873** |
| **Total landings** | **170,585** | **175,330** | **185,508** | **195,617** | **195,520** | **109,958** | **117,712** | **153,112** | **170,388** | **210,932** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.o** Quantity and value of all landings by all UK vessels , by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) [2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **UK vessels** | | | | | | | | | | |
| Landings into the UK and Abroad | | | | | | | | | | |
| Bass | 715 | 815 | 698 | 737 | 751 | 4,226 | 4,613 | 4,609 | 5,188 | 5,666 |
| Black scabbardfish | 58 | 26 | 81 | 104 | 36 | 88 | 29 | 123 | 170 | 90 |
| Blue ling | 299 | 228 | 365 | 385 | 76 | 378 | 297 | 400 | 497 | 103 |
| Brill | 429 | 360 | 333 | 405 | 406 | 2,255 | 2,022 | 1,856 | 2,224 | 2,436 |
| Cod | 19,331 | 19,336 | 22,513 | 25,750 | 23,186 | 29,948 | 33,483 | 31,768 | 45,280 | 46,323 |
| Greenland halibut | 549 | 471 | 778 | 652 | 407 | 828 | 667 | 1,369 | 1,362 | 761 |
| Haddock | 33,487 | 33,056 | 36,297 | 33,614 | 29,832 | 40,790 | 36,342 | 35,510 | 38,070 | 36,937 |
| Hake | 4,576 | 6,061 | 7,922 | 6,923 | 8,106 | 7,376 | 10,639 | 15,398 | 12,556 | 14,603 |
| Lemon sole | 2,473 | 2,075 | 2,256 | 2,238 | 2,051 | 7,809 | 6,266 | 5,960 | 7,286 | 7,418 |
| Ling | 3,337 | 3,267 | 4,254 | 4,472 | 4,736 | 3,935 | 3,903 | 5,053 | 6,385 | 6,986 |
| Megrims | 3,971 | 4,353 | 4,959 | 4,853 | 4,599 | 9,463 | 11,454 | 12,671 | 13,259 | 14,344 |
| Monks | 15,867 | 15,426 | 15,072 | 14,391 | 15,115 | 39,131 | 42,350 | 47,155 | 47,555 | 50,684 |
| Plaice | 13,242 | 12,955 | 14,793 | 16,416 | 17,164 | 15,996 | 19,863 | 17,459 | 19,218 | 22,456 |
| Pollack | 2,693 | 2,461 | 2,179 | 2,003 | 2,309 | 4,137 | 4,913 | 4,361 | 4,391 | 5,499 |
| Red mullet | 192 | 312 | 265 | 336 | 210 | 434 | 1,302 | 1,538 | 1,700 | 808 |
| Redfish | 915 | 467 | 421 | 599 | 376 | 1,455 | 903 | 1,092 | 1,192 | 1,532 |
| Saithe | 11,773 | 15,740 | 17,249 | 16,127 | 15,815 | 6,334 | 9,589 | 12,498 | 14,811 | 16,378 |
| Sole | 2,946 | 2,366 | 2,362 | 2,228 | 2,201 | 21,605 | 17,417 | 18,075 | 19,948 | 20,064 |
| Turbot | 754 | 651 | 682 | 730 | 773 | 5,991 | 4,954 | 5,251 | 6,509 | 7,087 |
| Whiting | 13,192 | 11,485 | 10,238 | 9,216 | 9,992 | 11,833 | 10,798 | 9,365 | 9,636 | 11,619 |
| Witches | 1,746 | 1,330 | 1,122 | 1,172 | 1,019 | 2,357 | 1,644 | 1,606 | 1,906 | 1,534 |
| Other demersal | 15,546 | 17,803 | 14,850 | 25,252 | 21,437 | 14,105 | 13,220 | 13,486 | 15,655 | 15,529 |
| **Total demersal** | **148,090** | **151,043** | **159,688** | **168,602** | **160,598** | **230,473** | **236,668** | **246,604** | **274,798** | **288,859** |
| Blue whiting | 56,466 | 38,150 | 6,349 | 7,972 | 1,385 | 6,722 | 5,176 | 1,131 | 1,648 | 620 |
| Herring | 91,091 | 67,114 | 67,113 | 66,891 | 61,571 | 26,345 | 18,537 | 22,815 | 22,252 | 29,396 |
| Horse mackerel | 13,911 | 10,521 | 18,110 | 17,425 | 16,776 | 4,260 | 3,232 | 5,474 | 6,159 | 6,539 |
| Mackerel | 133,820 | 128,244 | 172,303 | 160,669 | 182,214 | 89,007 | 102,474 | 153,028 | 138,732 | 205,834 |
| Pilchards | 3,673 | 28,339 | 6,323 | 8,223 | 5,490 | 1,279 | 1,932 | 1,282 | 2,059 | 1,338 |
| Sardinelle aurita | 10,925 | 6,524 | 8,763 | 15,019 | 3,625 | 3,004 | 1,794 | 2,410 | 4,130 | 1,813 |
| Other pelagic | 6,658 | 6,165 | 6,990 | 9,354 | 10,885 | 3,975 | 2,443 | 2,790 | 3,612 | 4,463 |
| **Total pelagic** | **316,544** | **285,059** | **285,951** | **285,552** | **281,947** | **134,593** | **135,588** | **188,930** | **178,593** | **250,002** |
| Cuttlefish | 4,436 | 3,573 | 2,242 | 3,886 | 3,294 | 5,539 | 5,265 | 3,581 | 8,023 | 8,947 |
| Edible crabs | 23,105 | 22,630 | 22,221 | 24,436 | 26,294 | 28,422 | 27,332 | 25,020 | 29,277 | 32,658 |
| Lobsters | 2,789 | 2,775 | 2,780 | 2,735 | 3,193 | 31,628 | 31,995 | 26,759 | 26,781 | 32,674 |
| Nephrops | 44,519 | 43,500 | 42,900 | 38,678 | 34,523 | 128,736 | 117,459 | 97,759 | 97,050 | 112,616 |
| Patagonian squid | - | 739 | - | 3,453 | 1,493 | - | 739 | - | 5,724 | 4,003 |
| Pink shrimps | 10 | 13 | 25 | 2,866 | 47 | 11 | 15 | 38 | 5,199 | 49 |
| Queen scallops | 5,789 | 4,659 | 6,843 | 12,953 | 25,090 | 2,215 | 1,738 | 2,747 | 4,963 | 9,446 |
| Scallops | 20,823 | 23,028 | 27,605 | 30,777 | 30,052 | 38,855 | 46,385 | 44,409 | 49,839 | 55,653 |
| Squid | 2,600 | 2,097 | 2,702 | 3,798 | 3,036 | 7,700 | 6,803 | 6,801 | 11,041 | 12,678 |
| Velvet crabs | 3,730 | 3,281 | 3,176 | 2,810 | 2,571 | 7,124 | 6,658 | 6,778 | 6,926 | 6,398 |
| Whelks | 13,062 | 13,715 | 13,039 | 14,480 | 13,904 | 7,812 | 9,306 | 7,468 | 9,362 | 8,987 |
| Other shellfish | 24,898 | 27,424 | 10,506 | 10,856 | 14,181 | 22,563 | 17,718 | 15,783 | 9,813 | 8,560 |
| **Total shellfish** | **145,761** | **147,436** | **134,039** | **151,729** | **157,678** | **280,606** | **271,413** | **237,141** | **263,997** | **292,670** |
| **Total landings** | **610,395** | **583,537** | **579,679** | **605,882** | **600,223** | **645,672** | **643,669** | **672,675** | **717,387** | **831,531** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.p** Quantity and value of landings by foreign vessels into Scotland, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Foreign vessels** | | | | | | | | | | |
| Landings into Scotland | | | | | | | | | | |
| Bass | - | - | - | - | - | - | - | - | - | - |
| Black scabbardfish | 2,499 | 3,139 | 3,100 | 2,692 | 2,096 | 3,815 | 3,822 | 3,573 | 5,602 | 4,927 |
| Blue Ling | 3,534 | 2,517 | 2,906 | 3,027 (r) | 1,750 | 3,961 | 2,453 | 1,784 | 3,772 (r) | 2,235 |
| Brill | 0 | 0 | - | 0 | - | 0 | 0 | - | 1 | - |
| Cod | 602 | 507 | 603 | 396 (r) | 225 | 1,298 | 1,074 | 1,141 | 669 (r) | 460 |
| Greenland halibut | 164 | 362 | 833 | 628 (r) | 339 | 438 | 558 | 1,576 | 1,714 (r) | 1,078 |
| Haddock | 693 | 229 | 583 | 293 (r) | 198 | 1,285 | 235 | 684 | 358 (r) | 269 |
| Hake | 2,066 | 4,186 | 5,099 | 5,338 (r) | 6,120 | 3,338 | 6,894 | 10,222 | 9,190 (r) | 9,981 |
| Lemon sole | 13 | 2 | 7 | 5 | 1 | 40 | 6 | 20 | 12 | 1 |
| Ling | 839 | 1,409 | 1,157 | 1,036 (r) | 1,086 | 1,193 | 1,677 | 1,345 | 1,356 (r) | 1,577 |
| Megrims | 132 | 244 | 251 | 368 (r) | 280 | 371 | 716 | 644 | 933 (r) | 896 |
| Monks | 1,572 | 1,829 | 2,114 | 1,546 (r) | 1,444 | 4,027 | 4,464 | 6,530 | 5,211 (r) | 4,445 |
| Plaice | 14 | 5 | 4 | 11 | 1 | 18 | 4 | 3 | 9 | 1 |
| Pollack | 2 | 2 | 1 | 1 | 1 | 4 | 4 | 2 | 2 | 3 |
| Red mullet | - | - | - | - | 0 | - | - | - | - | 0 |
| Redfish | 661 | 399 | 721 | 727 (r) | 232 | 946 | 372 | 687 | 949 (r) | 327 |
| Saithe | 8,208 | 5,406 | 5,116 | 2,840 (r) | 4,906 | 3,934 | 2,297 | 3,524 | 2,631 (r) | 5,117 |
| Sole | - | 0 | 0 | - | - | - | 0 | 0 | - | - |
| Turbot | 2 | 3 | 0 | 5 | 1 | 13 | 19 | 3 | 33 | 7 |
| Whiting | 82 | 13 | 36 | 13 (r) | 47 | 77 | 12 | 35 | 14 (r) | 37 |
| Witches | 36 | 42 | 55 | 42 | 26 | 47 | 53 | 60 | 54 | 38 |
| Other demersal | 5,472 | 4,923 | 5,017 | 4,485 (r) | 3,168 | 4,412 | 4,182 | 4,509 | 4,004 (r) | 2,960 |
| **Total demersal** | **26,593** | **25,218** | **27,603** | **23,453** (r) | **21,921** | **29,219** | **28,843** | **36,340** | **36,515** (r) | **34,359** |
| Blue whiting | 19,971 | 43,949 | 17,250 | 26,203 | 2,091 | 3,409 | 5,715 | 3,092 | 6,300 | 1,154 |
| Herring | 19,571 | 19,263 | 10,140 | 4,116 | 7,176 | 4,119 | 5,036 | 3,210 | 1,403 | 4,054 |
| Horse mackerel | 543 | 28 | 5,656 | 2,038 | 1,117 | 134 | 6 | 2,200 | 1,001 | 922 |
| Mackerel | 23,102 | 20,253 | 21,609 | 38,660 (r) | 23,120 | 15,476 | 18,560 | 17,784 | 32,336 (r) | 31,958 |
| Pilchards | - | - | - | - | - | - | - | - | - | - |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 164 | 3,588 | 3,925 | 2,628 | 2 | 10 | 1,464 | 705 | 644 | 1 |
| **Total pelagic** | **63,352** | **87,082** | **58,579** | **73,644** (r) | **33,506** | **23,149** | **30,781** | **26,990** | **41,684** (r) | **38,089** |
| Cuttlefish | - | - | - | - | - | - | - | - | - | - |
| Edible crabs | 535 | 599 | 914 | 311 (r) | 27 | 1,928 | 676 | 983 | 495 (r) | 91 |
| Lobsters | 0 | 4 | 4 | 0 | - | 4 | 46 | 38 | 6 | - |
| Nephrops | 20 | 25 | 8 | 12 | 1 | 93 | 95 | 18 | 31 | 6 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | - | - | - | - | - | - | - | - | - | - |
| Queen scallops | - | - | - | - | - | - | - | - | - | - |
| Scallops | 124 | 82 | 53 | - | - | 248 | 152 | 102 | - | - |
| Squid | 25 | 26 | 25 | 35 (r) | 14 | 63 | 54 | 59 | 80 (r) | 36 |
| Velvet crabs | - | - | - | - | - | - | - | - | - | - |
| Whelks | - | - | - | 70 (r) | - | - | - | - | 33 (r) | - |
| Other shellfish | 60 | 194 | 84 | 187 (r) | 215 | 29 | 209 | 632 | 678 (r) | 840 |
| **Total shellfish** | **764** | **929** | **1,086** | **616** (r) | **257** | **2,365** | **1,232** | **1,832** | **1,322** (r) | **973** |
| **Total landings** | **90,709** | **113,229** | **87,269** | **97,713** (r) | **55,684** | **54,732** | **60,856** | **65,162** | **79,521** (r) | **73,422** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectley overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer distinguished in the tables. The figures have been included in Other shellfish.
Some 2010 figures have been revised downwards due to double counting arising from duplicated records in the vessel file.

(continued ...)

**Table 1.1.q** Quantity and value of landings by foreign vessels into the rest of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Foreign vessels** | | | | | | | | | | |
| Landings into the Rest of the UK | | | | | | | | | | |
| Bass | 15 | 20 | 18 | 12 | 21 | 81 | 113 | 125 | 90 | 158 |
| Black scabbardfish | - | - | - | - | - | - | - | - | - | - |
| Blue ling | - | - | 0 | 0 | - | - | - | 0 | 0 | - |
| Brill | 104 | 82 | 80 | 91 | 93 | 436 | 380 | 459 | 553 | 588 |
| Cod | 7,561 | 6,132 | 5,948 | 5,551 | 1,202 | 9,750 | 6,094 | 10,663 | 6,609 | 2,251 |
| Greenland halibut | 15 | 4 | 1 | 5 | 30 | 21 | 8 | 1 | 10 | 59 |
| Haddock | 2,958 | 1,920 | 885 | 865 | 518 | 1,994 | 897 | 961 | 665 | 634 |
| Hake | 38 | 27 | 17 | 27 | 50 | 77 | 71 | 53 | 49 | 210 |
| Lemon sole | 209 | 187 | 115 | 158 | 256 | 679 | 567 | 319 | 667 | 1,032 |
| Ling | 36 | 44 | 81 | 21 | 32 | 38 | 45 | 81 | 42 | 54 |
| Megrims | 315 | 327 | 323 | 218 | 246 | 701 | 861 | 755 | 447 | 551 |
| Monks | 704 | 443 | 383 | 427 | 603 | 1,790 | 1,254 | 1,333 | 1,414 | 1,745 |
| Plaice | 666 | 531 | 467 | 769 | 1,030 | 798 | 621 | 546 | 1,265 | 1,464 |
| Pollack | 38 | 35 | 16 | 21 | 22 | 65 | 52 | 37 | 52 | 54 |
| Red mullet | 138 | 48 | 33 | 25 | 112 | 315 | 212 | 138 | 101 | 480 |
| Redfish | 56 | 36 | 41 | 42 | 0 | 40 | 30 | 46 | 87 | 0 |
| Saithe | 289 | 362 | 314 | 112 | 3 | 96 | 105 | 261 | 48 | 4 |
| Sole | 853 | 640 | 625 | 744 | 923 | 6,889 | 4,919 | 5,283 | 7,493 | 9,362 |
| Turbot | 97 | 65 | 73 | 92 | 107 | 663 | 476 | 590 | 870 | 964 |
| Whiting | 448 | 325 | 83 | 154 | 222 | 1,891 | 326 | 65 | 133 | 197 |
| Witches | 31 | 49 | 61 | 48 | 42 | 47 | 95 | 116 | 102 | 85 |
| Other demersal | 1,796 | 1,411 | 1,291 | 1,232 | 1,712 | 1,922 | 1,385 | 1,743 | 2,150 | 2,414 |
| **Total demersal** | **16,366** | **12,688** | **10,855** | **10,614** | **7,225** | **28,293** | **18,511** | **23,575** | **22,849** | **22,307** |
| Blue whiting | - | - | - | - | - | - | - | - | - | - |
| Herring | - | 219 | 185 | 721 | 1,139 | - | 53 | 37 | 175 | 497 |
| Horse mackerel | 250 | 168 | 1,483 | 400 | 1,001 | 81 | 69 | 274 | 186 | 462 |
| Mackerel | 1,256 | 206 | 303 | 642 | 868 | 1,017 | 175 | 269 | 424 | 1,408 |
| Pilchards | - | - | - | - | - | - | - | - | - | - |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 0 | 0 | - | - | - | 0 | 0 | - | - | - |
| **Total pelagic** | **1,506** | **593** | **1,971** | **1,763** | **3,008** | **1,097** | **297** | **580** | **786** | **2,367** |
| Cuttlefish | 126 | 55 | 12 | 25 | 52 | 165 | 81 | 20 | 127 | 144 |
| Edible crabs | 55 | 65 | 228 | 62 | 72 | 39 | 45 | 357 | 43 | 57 |
| Lobsters | 1 | 1 | 1 | 2 | 2 | 8 | 12 | 11 | 26 | 19 |
| Nephrops | 176 | 144 | 123 | 147 | 190 | 358 | 266 | 195 | 263 | 446 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | - | - | - | - | - | - | - | - | - | - |
| Queen scallops | 31 | 14 | 5 | 2 | 53 | 16 | 5 | 1 | 1 | 19 |
| Scallops | 616 | 912 | 966 | 645 | 375 | 943 | 1,234 | 1,342 | 945 | 621 |
| Squid | 26 | 17 | 33 | 33 | 67 | 105 | 62 | 94 | 123 | 313 |
| Velvet crabs | - | 0 | - | - | - | - | 0 | - | - | - |
| Whelks | 129 | 26 | 36 | 23 | 13 | 77 | 10 | 15 | 16 | 5 |
| Other shellfish | 34 | 14 | 23 | 36 | 44 | 28 | 10 | 13 | 15 | 34 |
| **Total shellfish** | **1,194** | **1,247** | **1,427** | **976** | **867** | **1,739** | **1,725** | **2,048** | **1,559** | **1,657** |
| **Total landings** | **19,066** | **14,528** | **14,253** | **13,353** | **11,100** | **31,129** | **20,533** | **26,203** | **25,193** | **26,331** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.r** Quantity and value of landings by foreign vessels into the whole of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Foreign vessels** | | | | | | | | | | |
| Landings into the UK | | | | | | | | | | |
| Bass | 15 | 20 | 18 | 12 | 21 | 81 | 113 | 125 | 90 | 158 |
| Black scabbardfish | 2,499 | 3,139 | 3,100 | 2,692 | 2,096 | 3,815 | 3,822 | 3,573 | 5,602 | 4,927 |
| Blue ling | 3,534 | 2,517 | 2,906 | 3,027 | 1,750 | 3,961 | 2,453 | 1,784 | 3,772 | 2,235 |
| Brill | 104 | 82 | 80 | 91 | 93 | 436 | 381 | 459 | 554 | 588 |
| Cod | 8,163 | 6,639 | 6,551 | 5,947 | 1,427 | 11,048 | 7,168 | 11,804 | 7,278 | 2,710 |
| Greenland halibut | 179 | 366 | 833 | 633 | 369 | 459 | 565 | 1,577 | 1,724 | 1,137 |
| Haddock | 3,651 | 2,149 | 1,468 | 1,159 | 715 | 3,279 | 1,132 | 1,645 | 1,024 | 903 |
| Hake | 2,104 | 4,212 | 5,117 | 5,365 | 6,170 | 3,415 | 6,965 | 10,275 | 9,239 | 10,190 |
| Lemon sole | 222 | 190 | 122 | 163 | 257 | 719 | 573 | 338 | 679 | 1,033 |
| Ling | 875 | 1,453 | 1,238 | 1,057 | 1,118 | 1,231 | 1,721 | 1,426 | 1,398 | 1,631 |
| Megrims | 447 | 572 | 574 | 586 | 527 | 1,072 | 1,577 | 1,400 | 1,380 | 1,447 |
| Monks | 2,276 | 2,272 | 2,497 | 1,974 | 2,046 | 5,817 | 5,718 | 7,863 | 6,625 | 6,190 |
| Plaice | 680 | 536 | 471 | 780 | 1,032 | 817 | 625 | 549 | 1,274 | 1,465 |
| Pollack | 40 | 37 | 17 | 22 | 24 | 68 | 56 | 39 | 55 | 57 |
| Red mullet | 138 | 48 | 33 | 25 | 112 | 315 | 212 | 138 | 101 | 480 |
| Redfish | 716 | 435 | 762 | 769 | 232 | 986 | 402 | 733 | 1,036 | 327 |
| Saithe | 8,497 | 5,768 | 5,430 | 2,952 | 4,909 | 4,030 | 2,402 | 3,785 | 2,680 | 5,121 |
| Sole | 853 | 640 | 625 | 744 | 923 | 6,889 | 4,919 | 5,283 | 7,493 | 9,362 |
| Turbot | 99 | 68 | 73 | 97 | 108 | 676 | 495 | 593 | 903 | 971 |
| Whiting | 530 | 338 | 120 | 166 | 269 | 1,968 | 339 | 99 | 147 | 234 |
| Witches | 67 | 91 | 115 | 90 | 69 | 95 | 148 | 176 | 157 | 124 |
| Other demersal | 7,268 | 6,333 | 6,307 | 5,718 | 4,880 | 6,334 | 5,568 | 6,252 | 6,154 | 5,374 |
| **Total demersal** | **42,959** | **37,906** | **38,458** | **34,068** | **29,146** | **57,512** | **47,354** | **59,915** | **59,364** | **56,666** |
| Blue whiting | 19,971 | 43,949 | 17,250 | 26,203 | 2,091 | 3,409 | 5,715 | 3,092 | 6,300 | 1,154 |
| Herring | 19,571 | 19,482 | 10,325 | 4,837 | 8,315 | 4,119 | 5,089 | 3,247 | 1,578 | 4,552 |
| Horse mackerel | 793 | 196 | 7,139 | 2,438 | 2,118 | 215 | 75 | 2,474 | 1,188 | 1,383 |
| Mackerel | 24,358 | 20,459 | 21,912 | 39,302 | 23,988 | 16,493 | 18,735 | 18,053 | 32,760 | 33,366 |
| Pilchards | - | - | - | - | - | - | - | - | - | - |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 164 | 3,589 | 3,925 | 2,628 | 2 | 10 | 1,465 | 705 | 644 | 1 |
| **Total pelagic** | **64,858** | **87,675** | **60,551** | **75,406** | **36,514** | **24,246** | **31,078** | **27,569** | **42,470** | **40,456** |
| Cuttlefish | 126 | 55 | 12 | 25 | 52 | 165 | 81 | 20 | 127 | 144 |
| Edible crabs | 590 | 663 | 1,141 | 374 | 99 | 1,966 | 721 | 1,340 | 538 | 148 |
| Lobsters | 1 | 5 | 5 | 3 | 2 | 12 | 58 | 48 | 32 | 19 |
| Nephrops | 197 | 169 | 131 | 159 | 191 | 451 | 361 | 213 | 294 | 451 |
| Patagonian squid | - | - | - | - | - | 0 | - | - | - | - |
| Pink shrimps | - | - | - | - | - | 0 | - | - | - | - |
| Queen scallops | 31 | 14 | 5 | 2 | 53 | 16 | 5 | 1 | 1 | 19 |
| Scallops | 740 | 994 | 1,019 | 645 | 375 | 1,191 | 1,386 | 1,445 | 945 | 621 |
| Squid | 51 | 43 | 58 | 68 | 81 | 168 | 116 | 153 | 203 | 349 |
| Velvet crabs | - | 0 | - | - | - | 0 | 0 | - | - | - |
| Whelks | 129 | 26 | 36 | 92 | 13 | 77 | 10 | 15 | 49 | 5 |
| Other shellfish | 94 | 208 | 107 | 224 | 259 | 57 | 219 | 645 | 693 | 874 |
| **Total shellfish** | **1,959** | **2,176** | **2,513** | **1,591** | **1,125** | **4,103** | **2,957** | **3,881** | **2,881** | **2,630** |
| **Total landings** | **109,775** | **127,757** | **101,522** | **111,066** | **66,784** | **85,861** | **81,389** | **91,365** | **104,714** | **99,752** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued ...)

**Table 1.1.s** Quantity and value of landings by all vessels into Scotland, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) [2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **UK and Foreign vessels** | | | | | | | | | | |
| Landings into Scotland | | | | | | | | | | |
| Bass | 1 | 1 | 1 | 1 | 0 | 5 | 5 | 6 | 4 | 1 |
| Black scabbardfish | 2,556 | 3,166 | 3,182 | 2,795 | 2,132 | 3,902 | 3,850 | 3,695 | 5,772 | 5,017 |
| Blue Ling | 3,806 | 2,739 | 3,266 | 3,410 (r) | 1,826 | 4,324 | 2,743 | 2,181 | 4,266 (r) | 2,338 |
| Brill | 1 | 2 | 1 | 2 | 2 | 3 | 6 | 5 | 7 | 7 |
| Cod | 7,717 | 8,152 | 9,953 | 13,013 (r) | 11,219 | 15,947 | 17,128 | 17,862 | 25,452 (r) | 24,621 |
| Greenland halibut | 194 | 506 | 1,150 | 1,047 (r) | 401 | 493 | 790 | 2,150 | 2,698 (r) | 1,280 |
| Haddock | 30,202 | 29,717 | 33,264 | 29,754 (r) | 25,733 | 38,863 | 32,915 | 32,817 | 34,094 (r) | 32,386 |
| Hake | 4,221 | 7,673 | 10,801 | 10,310 (r) | 12,184 | 6,351 | 13,108 | 20,727 | 18,198 (r) | 21,161 |
| Lemon sole | 959 | 936 | 614 | 530 | 564 | 2,456 | 2,327 | 1,301 | 1,199 | 1,614 |
| Ling | 3,350 | 3,979 | 4,736 | 4,831 (r) | 4,860 | 4,277 | 4,837 | 5,549 | 6,655 (r) | 7,198 |
| Megrims | 2,415 | 2,773 | 2,834 | 2,707 (r) | 2,445 | 5,654 | 7,572 | 7,396 | 7,411 (r) | 7,968 |
| Monks | 11,827 | 11,916 | 12,012 | 9,755 (r) | 9,385 | 29,552 | 32,485 | 37,731 | 33,285 (r) | 32,033 |
| Plaice | 790 | 837 | 676 | 689 | 775 | 705 | 662 | 488 | 500 | 628 |
| Pollack | 889 | 975 | 636 | 547 | 485 | 1,246 | 1,825 | 1,150 | 1,026 | 1,124 |
| Red mullet | 12 | 21 | 12 | 6 | 3 | 24 | 27 | 36 | 21 | 12 |
| Redfish | 895 | 573 | 896 | 1,156 (r) | 350 | 1,196 | 550 | 896 | 1,448 (r) | 525 |
| Saithe | 17,753 | 18,189 | 19,380 | 16,359 (r) | 17,391 | 8,593 | 9,631 | 13,487 | 14,926 (r) | 18,263 |
| Sole | 5 | 3 | 2 | 2 | 3 | 33 | 16 | 11 | 10 | 24 |
| Turbot | 42 | 49 | 42 | 47 | 49 | 346 | 359 | 312 | 370 | 431 |
| Whiting | 9,475 | 9,239 | 8,002 | 7,131 (r) | 7,970 | 9,266 | 9,289 | 8,003 | 8,021 (r) | 9,819 |
| Witches | 1,232 | 914 | 849 | 692 | 640 | 1,506 | 1,117 | 1,095 | 890 | 848 |
| Other demersal | 8,232 | 6,995 | 7,866 | 7,087 (r) | 5,002 | 8,308 | 7,611 | 9,057 | 8,258 (r) | 6,027 |
| **Total demersal** | **106,572** | **109,352** | **120,173** | **111,872** (r) | **103,419** | **143,049** | **148,854** | **165,957** | **174,513** (r) | **173,322** |
| Blue whiting | 41,857 | 59,294 | 17,261 | 31,139 | 3,415 | 6,095 | 7,164 | 3,092 | 7,282 | 1,750 |
| Herring | 64,729 | 51,630 | 35,327 | 31,682 | 32,501 | 12,506 | 13,309 | 10,931 | 9,355 | 16,849 |
| Horse mackerel | 1,937 | 662 | 6,495 | 3,204 | 3,332 | 474 | 155 | 2,426 | 1,499 | 2,104 |
| Mackerel | 118,890 | 106,872 | 116,165 | 133,839 (r) | 112,262 | 79,225 | 83,194 | 97,520 | 110,361 (r) | 134,217 |
| Pilchards | 114 | 164 | - | - | - | 3 | 14 | - | - | - |
| Sardinelle aurita | - | - | - | - | - | - | - | - | - | - |
| Other pelagic | 1,042 | 3,836 | 4,965 | 3,266 | 512 | 76 | 1,507 | 820 | 792 | 116 |
| **Total pelagic** | **228,568** | **222,457** | **180,213** | **203,132** (r) | **152,022** | **98,380** | **105,343** | **114,790** | **129,288** (r) | **155,036** |
| Cuttlefish | 0 | 0 | - | 0 | 0 | 0 | 0 | - | 0 | 0 |
| Edible crabs | 11,974 | 9,430 | 10,424 | 11,015 (r) | 11,927 | 15,783 | 10,802 | 11,497 | 13,133 (r) | 14,250 |
| Lobsters | 894 | 1,030 | 1,101 | 1,136 | 1,238 | 9,841 | 10,995 | 11,407 | 11,703 | 13,147 |
| Nephrops | 33,802 | 32,789 | 31,499 | 28,906 | 24,340 | 104,414 | 95,570 | 78,286 | 79,676 | 86,753 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 0 | - | - | - | 0 | 0 | - | - | - | 0 |
| Queen scallops | 4,301 | 4,562 | 4,498 | 7,473 | 9,357 | 1,693 | 1,700 | 1,872 | 2,904 | 3,771 |
| Scallops | 8,986 | 10,168 | 9,899 | 9,335 | 7,794 | 18,495 | 25,247 | 19,182 | 17,608 | 16,081 |
| Squid | 1,218 | 1,541 | 2,093 | 3,188 (r) | 2,151 | 3,338 | 4,438 | 4,340 | 8,615 (r) | 8,536 |
| Velvet crabs | 2,946 | 2,711 | 2,762 | 2,518 | 2,193 | 5,852 | 5,832 | 6,135 | 6,403 | 5,801 |
| Whelks | 456 | 255 | 363 | 419 (r) | 239 | 264 | 162 | 193 | 224 (r) | 138 |
| Other shellfish | 2,069 | 2,044 | 1,583 | 2,106 (r) | 1,352 | 1,876 | 2,634 | 3,068 | 3,624 (r) | 3,461 |
| **Total shellfish** | **66,646** | **64,530** | **64,224** | **66,096** (r) | **60,590** | **161,555** | **157,379** | **135,980** | **143,890** (r) | **151,938** |
| **Total landings** | **401,787** | **396,340** | **364,610** | **381,100** (r) | **316,031** | **402,984** | **411,576** | **416,726** | **447,690** (r) | **480,296** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.
Some 2010 figures have been revised due to double counting arising from duplicated records in the vessel file.

(continued …)

**Table 1.1.t** Quantity and value of landings by all vessels into the rest of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **UK and Foreign vessels** | | | | | | | | | | |
| Landings into the Rest of the UK | | | | | | | | | | |
| Bass | 691 | 785 | 674 | 699 | 741 | 4,088 | 4,485 | 4,481 | 4,956 | 5,625 |
| Black scabbardfish | - | - | 0 | - | 0 | - | - | 0 | - | 0 |
| Blue ling | 1 | 0 | 0 | 0 | - | 1 | 0 | 0 | 0 | - |
| Brill | 393 | 364 | 322 | 372 | 376 | 2,037 | 1,986 | 1,853 | 2,113 | 2,334 |
| Cod | 13,199 | 8,286 | 8,218 | 7,579 | 2,899 | 16,832 | 10,332 | 14,604 | 10,388 | 5,548 |
| Greenland halibut | 327 | 4 | 1 | 5 | 30 | 521 | 8 | 1 | 10 | 60 |
| Haddock | 5,741 | 4,340 | 2,948 | 3,119 | 3,241 | 4,283 | 3,172 | 3,012 | 3,099 | 3,568 |
| Hake | 636 | 658 | 692 | 679 | 713 | 1,630 | 1,622 | 1,370 | 1,190 | 1,311 |
| Lemon sole | 1,240 | 998 | 1,506 | 1,562 | 1,303 | 4,592 | 3,553 | 4,345 | 5,772 | 5,326 |
| Ling | 565 | 479 | 446 | 343 | 450 | 563 | 505 | 485 | 432 | 590 |
| Megrim | 1,457 | 1,315 | 1,681 | 1,434 | 1,289 | 3,938 | 4,056 | 4,727 | 4,079 | 3,975 |
| Monks | 4,238 | 3,448 | 3,400 | 3,958 | 4,490 | 10,342 | 9,709 | 10,239 | 11,923 | 13,683 |
| Plaice | 2,689 | 2,546 | 2,758 | 3,023 | 3,217 | 3,567 | 3,414 | 3,458 | 4,121 | 4,464 |
| Pollack | 1,702 | 1,354 | 1,328 | 1,202 | 1,456 | 2,630 | 2,773 | 2,722 | 2,563 | 3,321 |
| Red mullet | 175 | 49 | 46 | 30 | 150 | 345 | 213 | 202 | 117 | 756 |
| Redfish | 249 | 200 | 168 | 148 | 113 | 621 | 678 | 747 | 693 | 614 |
| Saithe | 711 | 462 | 463 | 194 | 227 | 364 | 174 | 370 | 132 | 245 |
| Sole | 2,925 | 2,568 | 2,477 | 2,395 | 2,761 | 22,687 | 18,995 | 19,046 | 21,431 | 25,553 |
| Turbot | 399 | 377 | 364 | 457 | 504 | 3,195 | 2,980 | 2,960 | 3,907 | 4,763 |
| Whiting | 4,188 | 2,514 | 2,210 | 1,959 | 1,966 | 4,487 | 1,795 | 1,354 | 1,524 | 1,738 |
| Witches | 178 | 211 | 231 | 229 | 231 | 242 | 322 | 448 | 472 | 380 |
| Other demersal | 7,786 | 7,374 | 7,144 | 7,528 | 8,770 | 8,008 | 7,525 | 7,635 | 8,974 | 9,874 |
| **Total demersal** | **49,490** | **38,333** | **37,078** | **36,913** | **34,926** | **94,971** | **78,296** | **84,061** | **87,897** | **93,727** |
| Blue whiting | - | 0 | - | 32 | 23 | - | 0 | - | 9 | 6 |
| Herring | 5,587 | 6,080 | 6,609 | 8,745 | 7,074 | 1,081 | 1,474 | 1,845 | 2,518 | 3,018 |
| Horse mackerel | 5,208 | 4,593 | 7,087 | 5,010 | 7,725 | 1,520 | 1,296 | 1,816 | 1,462 | 2,346 |
| Mackerel | 5,770 | 4,309 | 6,011 | 5,361 | 6,148 | 4,414 | 3,365 | 5,065 | 4,380 | 6,621 |
| Pilchards | 2,415 | 2,694 | 2,459 | 2,263 | 3,481 | 961 | 1,000 | 748 | 624 | 878 |
| Sardinelle aurita | 0 | 0 | - | - | 0 | 0 | 0 | - | - | 0 |
| Other pelagic | 3,747 | 3,634 | 3,210 | 4,853 | 4,321 | 1,919 | 1,158 | 1,402 | 1,002 | 969 |
| **Total pelagic** | **22,728** | **21,309** | **25,376** | **26,264** | **28,772** | **9,895** | **8,294** | **10,876** | **9,995** | **13,840** |
| Cuttlefish | 4,544 | 3,614 | 2,230 | 3,855 | 3,310 | 5,680 | 5,326 | 3,552 | 8,012 | 8,986 |
| Edible crabs | 8,602 | 11,310 | 10,764 | 11,915 | 12,688 | 11,059 | 14,428 | 12,567 | 14,508 | 16,252 |
| Lobsters | 1,870 | 1,727 | 1,660 | 1,577 | 1,940 | 21,411 | 20,692 | 15,097 | 14,788 | 19,316 |
| Nephrops | 10,519 | 10,326 | 10,975 | 9,468 | 10,130 | 22,532 | 20,249 | 17,769 | 15,877 | 24,848 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 10 | 13 | 25 | 22 | 47 | 11 | 15 | 38 | 80 | 49 |
| Queen scallops | 1,520 | 76 | 1,933 | 4,567 | 13,628 | 539 | 28 | 719 | 1,716 | 4,813 |
| Scallops | 12,556 | 13,827 | 18,721 | 22,071 | 22,577 | 21,524 | 22,471 | 26,665 | 33,154 | 40,085 |
| Squid | 627 | 392 | 481 | 475 | 756 | 2,731 | 1,786 | 1,923 | 1,820 | 3,372 |
| Velvet crabs | 778 | 566 | 400 | 291 | 377 | 1,261 | 816 | 630 | 522 | 596 |
| Whelks | 12,662 | 13,289 | 12,594 | 14,050 | 13,598 | 7,581 | 9,039 | 7,219 | 9,139 | 8,817 |
| Other shellfish | 21,892 | 24,844 | 8,846 | 8,761 | 12,707 | 19,396 | 14,328 | 13,086 | 6,513 | 5,353 |
| **Total shellfish** | **75,580** | **79,982** | **68,630** | **77,054** | **91,759** | **113,725** | **109,180** | **99,264** | **106,130** | **132,489** |
| **Total landings** | **147,798** | **139,624** | **131,083** | **140,231** | **155,456** | **218,591** | **195,770** | **194,202** | **204,023** | **240,056** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

(continued …)

**Table 1.1.u** Quantity and value of landings by all vessels into the whole of the UK, by main species[1,3]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000)[2] | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **UK and Foreign vessels** | | | | | | | | | | |
| Landings into the UK | | | | | | | | | | |
| Bass | 692 | 786 | 675 | 699 | 741 | 4,093 | 4,490 | 4,486 | 4,960 | 5,626 |
| Black scabbardfish | 2,556 | 3,166 | 3,182 | 2,795 | 2,132 | 3,902 | 3,850 | 3,696 | 5,772 | 5,017 |
| Blue ling | 3,806 | 2,739 | 3,266 | 3,410 | 1,826 | 4,325 | 2,743 | 2,181 | 4,266 | 2,338 |
| Brill | 394 | 365 | 323 | 373 | 377 | 2,040 | 1,992 | 1,857 | 2,120 | 2,341 |
| Cod | 20,917 | 16,437 | 18,171 | 20,592 | 14,118 | 32,780 | 27,460 | 32,467 | 35,840 | 30,169 |
| Greenland halibut | 522 | 510 | 1,150 | 1,051 | 431 | 1,014 | 798 | 2,151 | 2,708 | 1,340 |
| Haddock | 35,943 | 34,057 | 36,212 | 32,873 | 28,974 | 43,146 | 36,087 | 35,829 | 37,194 | 35,953 |
| Hake | 4,856 | 8,331 | 11,493 | 10,989 | 12,897 | 7,980 | 14,730 | 22,098 | 19,389 | 22,472 |
| Lemon sole | 2,198 | 1,934 | 2,120 | 2,092 | 1,868 | 7,047 | 5,880 | 5,647 | 6,972 | 6,939 |
| Ling | 3,915 | 4,458 | 5,182 | 5,174 | 5,310 | 4,840 | 5,343 | 6,034 | 7,087 | 7,788 |
| Megrim | 3,872 | 4,088 | 4,515 | 4,141 | 3,734 | 9,592 | 11,627 | 12,123 | 11,490 | 11,943 |
| Monks | 16,065 | 15,364 | 15,412 | 13,714 | 13,875 | 39,893 | 42,194 | 47,970 | 45,208 | 45,716 |
| Plaice | 3,478 | 3,383 | 3,433 | 3,713 | 3,991 | 4,272 | 4,076 | 3,946 | 4,621 | 5,092 |
| Pollack | 2,591 | 2,329 | 1,964 | 1,748 | 1,941 | 3,876 | 4,598 | 3,872 | 3,590 | 4,445 |
| Red mullet | 187 | 70 | 58 | 36 | 153 | 369 | 240 | 238 | 138 | 768 |
| Redfish | 1,144 | 773 | 1,063 | 1,304 | 464 | 1,817 | 1,229 | 1,643 | 2,142 | 1,139 |
| Saithe | 18,463 | 18,651 | 19,844 | 16,553 | 17,618 | 8,957 | 9,806 | 13,857 | 15,058 | 18,508 |
| Sole | 2,930 | 2,571 | 2,479 | 2,396 | 2,764 | 22,719 | 19,011 | 19,057 | 21,441 | 25,577 |
| Turbot | 441 | 426 | 406 | 504 | 553 | 3,541 | 3,339 | 3,272 | 4,277 | 5,194 |
| Whiting | 13,663 | 11,753 | 10,212 | 9,090 | 9,936 | 13,752 | 11,085 | 9,357 | 9,544 | 11,557 |
| Witches | 1,409 | 1,125 | 1,080 | 921 | 870 | 1,748 | 1,438 | 1,543 | 1,362 | 1,227 |
| Other demersal | 16,018 | 14,369 | 15,010 | 14,615 | 13,772 | 16,315 | 15,136 | 16,692 | 17,233 | 15,901 |
| **Total demersal** | **156,062** | **147,685** | **157,251** | **148,785** | **138,345** | **238,020** | **227,150** | **250,018** | **262,410** | **267,049** |
| Blue whiting | 41,857 | 59,294 | 17,261 | 31,171 | 3,438 | 6,095 | 7,164 | 3,092 | 7,291 | 1,756 |
| Herring | 70,316 | 57,709 | 41,936 | 40,427 | 39,575 | 13,587 | 14,783 | 12,776 | 11,873 | 19,867 |
| Horse mackerel | 7,145 | 5,255 | 13,582 | 8,215 | 11,057 | 1,994 | 1,452 | 4,242 | 2,960 | 4,450 |
| Mackerel | 124,660 | 111,181 | 122,177 | 139,200 | 118,410 | 83,640 | 86,559 | 102,585 | 114,741 | 140,838 |
| Pilchards | 2,529 | 2,858 | 2,459 | 2,263 | 3,481 | 965 | 1,014 | 748 | 624 | 878 |
| Sardinelle aurita | 0 | 0 | - | - | 0 | 0 | 0 | - | - | 0 |
| Other pelagic | 4,789 | 7,470 | 8,174 | 8,120 | 4,833 | 1,995 | 2,665 | 2,222 | 1,794 | 1,086 |
| **Total pelagic** | **251,296** | **243,766** | **205,589** | **229,396** | **180,793** | **108,275** | **113,637** | **125,666** | **139,283** | **168,876** |
| Cuttlefish | 4,545 | 3,614 | 2,230 | 3,855 | 3,310 | 5,680 | 5,326 | 3,552 | 8,012 | 8,986 |
| Edible crabs | 20,576 | 20,739 | 21,188 | 22,930 | 24,615 | 26,842 | 25,230 | 24,064 | 27,641 | 30,502 |
| Lobsters | 2,765 | 2,757 | 2,762 | 2,713 | 3,178 | 31,253 | 31,687 | 26,504 | 26,491 | 32,462 |
| Nephrops | 44,322 | 43,115 | 42,475 | 38,374 | 34,469 | 126,946 | 115,820 | 96,055 | 95,553 | 111,602 |
| Patagonian squid | - | - | - | - | - | - | - | - | - | - |
| Pink shrimps | 10 | 13 | 25 | 22 | 47 | 11 | 15 | 38 | 80 | 49 |
| Queen scallops | 5,820 | 4,638 | 6,431 | 12,040 | 22,985 | 2,231 | 1,728 | 2,591 | 4,619 | 8,584 |
| Scallops | 21,541 | 23,995 | 28,620 | 31,406 | 30,371 | 40,019 | 47,718 | 45,847 | 50,762 | 56,166 |
| Squid | 1,845 | 1,933 | 2,574 | 3,663 | 2,907 | 6,068 | 6,224 | 6,263 | 10,435 | 11,909 |
| Velvet crabs | 3,724 | 3,276 | 3,163 | 2,809 | 2,570 | 7,113 | 6,648 | 6,764 | 6,924 | 6,397 |
| Whelks | 13,118 | 13,544 | 12,957 | 14,469 | 13,837 | 7,845 | 9,201 | 7,412 | 9,363 | 8,956 |
| Other shellfish | 23,961 | 26,888 | 10,430 | 10,868 | 14,059 | 21,272 | 16,962 | 16,154 | 10,137 | 8,814 |
| **Total shellfish** | **142,226** | **144,512** | **132,854** | **143,150** | **152,349** | **275,280** | **266,559** | **235,244** | **250,020** | **284,427** |
| **Total landings** | **549,584** | **535,964** | **495,693** | **521,331** | **471,487** | **621,575** | **607,346** | **610,928** | **651,713** | **720,352** |

(1) Main species are those where the total value landed into the UK or by UK vessels abroad was £2m or more in 2010.
(2) The methodology used to calculate value of landings was changed by the introduction of the Register of Buyers and Sellers (RBS) in September 2005 - see discussion in Annex 1 - Methodology for further details.
(3) Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated; when corrected the value failed to meet the £2m threshold and cockles are no longer separately distinguished in the tables. The figures have been included in Other shellfish.

**Table 1.1.v** Quantity, value and percentage of landings by Scottish vessels by species type : 2007 to 2011

| | Quantity | | | | | Value | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Landings by Scottish vessels as a per cent of landings by all UK vessels** | | | | | | | | | | |
| Demersal | 60.3% | 66.0% | 64.8% | 62.8% | 59.0% | 56.3% | 58.9% | 60.3% | 55.2% | 52.9% |
| Pelagic | 67.4% | 72.6% | 71.7% | 66.2% | 68.2% | 67.4% | 74.7% | 79.8% | 72.4% | 73.7% |
| Shellfish | 45.9% | 44.0% | 51.8% | 47.7% | 45.6% | 58.0% | 57.0% | 60.5% | 57.8% | 56.1% |
| **Total** | **60.5%** | **63.7%** | **65.2%** | **60.6%** | **59.8%** | **59.3%** | **61.4%** | **65.9%** | **60.4%** | **60.3%** |
| **Landings by Scottish vessels into Scotland as a per cent of landings by all Scottish vessels** | | | | | | | | | | |
| Demersal | 85.0% | 80.9% | 85.4% | 78.0% | 80.4% | 84.1% | 83.6% | 84.1% | 85.9% | 85.6% |
| Pelagic | 73.4% | 63.2% | 59.0% | 63.6% | 56.6% | 78.8% | 70.6% | 57.9% | 63.7% | 59.0% |
| Shellfish | 89.6% | 90.0% | 84.1% | 83.1% | 76.1% | 91.4% | 91.9% | 88.5% | 87.8% | 85.7% |
| **Total** | **79.1%** | **72.6%** | **70.8%** | **71.6%** | **66.8%** | **86.0%** | **83.5%** | **76.6%** | **79.9%** | **75.9%** |
| **Landings by Scottish vessels into the rest of the UK as a per cent of landings by all Scottish vessels** | | | | | | | | | | |
| Demersal | 0.9% | 0.6% | 1.0% | 0.7% | 1.6% | 1.0% | 1.2% | 1.6% | 1.0% | 2.2% |
| Pelagic | 0.0% | 0.1% | 0.4% | 0.2% | 0.0% | 0.0% | 0.0% | 0.4% | 0.2% | 0.0% |
| Shellfish | 9.7% | 9.2% | 14.9% | 15.2% | 20.7% | 7.7% | 7.0% | 10.3% | 10.9% | 12.7% |
| **Total** | **2.0%** | **1.8%** | **3.3%** | **3.3%** | **4.6%** | **3.6%** | **3.2%** | **4.0%** | **4.2%** | **4.8%** |
| **Landings by Scottish vessels into the whole of the UK as a per cent of landings by all Scottish vessels** | | | | | | | | | | |
| Demersal | 85.9% | 81.5% | 86.4% | 78.6% | 82.0% | 85.1% | 84.8% | 85.7% | 86.9% | 87.8% |
| Pelagic | 73.4% | 63.3% | 59.5% | 63.8% | 56.6% | 78.8% | 70.6% | 58.3% | 63.9% | 59.1% |
| Shellfish | 99.3% | 99.1% | 98.9% | 98.2% | 96.7% | 99.1% | 98.8% | 98.9% | 98.7% | 98.4% |
| **Total** | **81.1%** | **74.4%** | **74.1%** | **74.8%** | **71.4%** | **89.6%** | **86.6%** | **80.6%** | **84.2%** | **80.7%** |
| **Landings by Scottish vessels abroad as a per cent of landings by all Scottish vessels** | | | | | | | | | | |
| Demersal | 14.1% | 18.5% | 13.6% | 21.4% | 18.0% | 14.9% | 15.2% | 14.3% | 13.1% | 12.2% |
| Pelagic | 26.6% | 36.7% | 40.5% | 36.2% | 43.4% | 21.2% | 29.4% | 41.7% | 36.1% | 40.9% |
| Shellfish | 0.7% | 0.9% | 1.1% | 1.8% | 3.3% | 0.9% | 1.2% | 1.1% | 1.3% | 1.6% |
| **Total** | **18.9%** | **25.6%** | **25.9%** | **25.2%** | **28.6%** | **10.4%** | **13.4%** | **19.4%** | **15.8%** | **19.3%** |

**Table 1.1.w** Quantity, value and percentage of landings into Scotland by species type : 2007 to 2011

| | Quantity ('000 tonnes) | | | | | Value (£ thousands) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Landings into Scotland as a per cent of all landings into the UK** | | | | | | | | | | |
| Demersal | 68.3% | 74.0% | 76.4% | 75.2% | 74.8% | 60.1% | 65.5% | 66.4% | 66.5% | 64.9% |
| Pelagic | 91.0% | 91.3% | 87.7% | 88.6% | 84.1% | 90.9% | 92.7% | 91.3% | 92.8% | 91.8% |
| Shellfish | 46.9% | 44.7% | 48.3% | 46.2% | 39.8% | 58.7% | 59.0% | 57.8% | 57.6% | 53.4% |
| **Total** | **73.1%** | **73.9%** | **73.6%** | **73.1%** | **67.0%** | **64.8%** | **67.8%** | **68.2%** | **68.7%** | **66.7%** |
| **Landings into Scotland by Scottish vessels as a per cent of all landings into Scotland** | | | | | | | | | | |
| Demersal | 71.2% | 73.7% | 73.5% | 73.8% | 73.6% | 76.3% | 78.3% | 75.4% | 74.7% | 75.5% |
| Pelagic | 68.5% | 58.8% | 67.2% | 59.2% | 71.6% | 72.6% | 67.9% | 76.1% | 63.6% | 70.2% |
| Shellfish | 89.9% | 90.5% | 90.9% | 91.0% | 90.3% | 92.1% | 90.4% | 93.3% | 93.1% | 92.6% |
| **Total** | **72.8%** | **68.1%** | **73.4%** | **69.0%** | **75.8%** | **81.7%** | **80.2%** | **81.4%** | **77.4%** | **79.2%** |
| **Landings into Scotland by other UK vessels as a per cent of all landings into Scotland** | | | | | | | | | | |
| Demersal | 3.9% | 3.2% | 3.5% | 5.3% | 5.2% | 3.3% | 2.4% | 2.7% | 4.3% | 4.6% |
| Pelagic | 3.8% | 2.1% | 0.3% | 4.6% | 6.3% | 3.9% | 2.9% | 0.4% | 4.1% | 5.2% |
| Shellfish | 8.9% | 8.1% | 7.4% | 8.1% | 9.3% | 6.5% | 8.8% | 5.3% | 6.0% | 6.8% |
| **Total** | **4.6%** | **3.4%** | **2.6%** | **5.4%** | **6.5%** | **4.7%** | **5.0%** | **2.9%** | **4.8%** | **5.5%** |
| **Landings into Scotland by all UK vessels as a per cent of all landings into Scotland** | | | | | | | | | | |
| Demersal | 75.0% | 76.9% | 77.0% | 79.0% | 78.8% | 79.6% | 80.6% | 78.1% | 79.1% | 80.2% |
| Pelagic | 72.3% | 60.9% | 67.5% | 63.7% | 78.0% | 76.5% | 70.8% | 76.5% | 67.8% | 75.4% |
| Shellfish | 98.9% | 98.6% | 98.3% | 99.1% | 99.6% | 98.5% | 99.2% | 98.7% | 99.1% | 99.4% |
| **Total** | **77.4%** | **71.4%** | **76.1%** | **74.4%** | **82.4%** | **86.4%** | **85.2%** | **84.4%** | **82.2%** | **84.7%** |
| **Landings into Scotland by foreign vessels as a per cent of all landings into Scotland** | | | | | | | | | | |
| Demersal | 25.0% | 23.1% | 23.0% | 21.0% | 21.2% | 20.4% | 19.4% | 21.9% | 20.9% | 19.8% |
| Pelagic | 27.7% | 39.1% | 32.5% | 36.3% | 22.0% | 23.5% | 29.2% | 23.5% | 32.2% | 24.6% |
| Shellfish | 1.1% | 1.4% | 1.7% | 0.9% | 0.4% | 1.5% | 0.8% | 1.3% | 0.9% | 0.6% |
| **Total** | **22.6%** | **28.6%** | **23.9%** | **25.6%** | **17.6%** | **13.6%** | **14.8%** | **15.6%** | **17.8%** | **15.3%** |

**Table 1.1.x** Value and prices in real terms[1] of the main species[2] landed by Scottish vessels: 2007 to 2011

| | Value (£'000) at 2011 prices | | | | | Price (£ per tonne) at 2011 prices | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| Cod | 16,530 | 17,224 | 18,182 | 24,657 | 22,865 | 2,288 | 2,264 | 1,904 | 2,041 | 2,215 |
| Haddock | 40,993 | 34,449 | 33,270 | 33,237 | 30,877 | 1,404 | 1,193 | 1,046 | 1,183 | 1,263 |
| Hake | 4,442 | 8,987 | 14,315 | 11,253 | 12,385 | 1,631 | 1,815 | 2,079 | 1,894 | 1,851 |
| Ling | 3,308 | 3,480 | 4,686 | 5,902 | 6,122 | 1,353 | 1,304 | 1,268 | 1,486 | 1,496 |
| Megrims | 6,255 | 8,442 | 8,745 | 8,601 | 9,053 | 2,582 | 2,826 | 2,753 | 2,802 | 3,250 |
| Monks | 29,977 | 34,262 | 38,333 | 33,417 | 33,479 | 2,763 | 2,912 | 3,399 | 3,478 | 3,453 |
| Plaice | 7,721 | 7,117 | 6,147 | 3,766 | 3,903 | 1,435 | 1,397 | 1,229 | 1,116 | 1,192 |
| Saithe | 4,499 | 7,303 | 9,497 | 11,009 | 11,468 | 539 | 611 | 737 | 942 | 1,043 |
| Whiting | 10,188 | 9,838 | 8,369 | 7,995 | 9,516 | 1,072 | 1,077 | 1,050 | 1,148 | 1,218 |
| **Total demersal** | **142,894** | **148,936** | **156,898** | **155,758** | **152,851** | | | | | |
| Herring | 15,680 | 10,938 | 15,306 | 11,964 | 16,974 | 270 | 240 | 331 | 287 | 450 |
| Mackerel | 77,690 | 92,264 | 142,074 | 116,127 | 163,112 | 719 | 847 | 936 | 861 | 1,118 |
| **Total pelagic** | **99,784** | **108,205** | **158,993** | **132,605** | **184,341** | | | | | |
| Edible crabs | 13,233 | 9,292 | 9,509 | 10,991 | 11,496 | 1,312 | 1,201 | 1,158 | 1,197 | 1,175 |
| Lobsters | 10,724 | 11,710 | 11,996 | 11,939 | 13,196 | 12,104 | 11,380 | 10,885 | 10,539 | 10,606 |
| Nephrops | 112,447 | 97,521 | 81,508 | 78,647 | 84,309 | 3,477 | 3,196 | 2,679 | 2,923 | 3,721 |
| Queen scallops | 1,863 | 1,766 | 2,322 | 3,293 | 6,374 | 411 | 398 | 435 | 393 | 387 |
| Scallops | 28,185 | 30,430 | 31,565 | 32,754 | 30,935 | 2,278 | 2,092 | 1,822 | 1,746 | 1,960 |
| Squid | 3,817 | 5,141 | 4,918 | 9,141 | 9,164 | 3,062 | 3,138 | 2,271 | 2,823 | 4,051 |
| Velvet crabs | 6,434 | 6,231 | 6,486 | 6,575 | 5,810 | 2,186 | 2,295 | 2,335 | 2,606 | 2,642 |
| **Total shellfish** | **179,064** | **165,384** | **151,177** | **156,514** | **164,220** | | | | | |
| **Total landings** | **421,742** | **422,525** | **467,068** | **444,877** | **501,411** | | | | | |

(1) See Table 1.1 'Scottish vessels - All landings' for nominal values. Values in real terms were calculated by application of the HM Treasury Gross Domestic Product deflators, http://hm-treasury.gov.uk/data_gdp_index.htm

| Year | GDP deflator |
|---|---|
| 2007 | 90.8 |
| 2008 | 93.6 |
| 2009 | 94.8 |
| 2010 | 97.5 |
| 2011 | 100.0 |

(2) Main species are those landed by Scottish vessels with a value of £2 million or above in 2010.

**Table 1.2** Number of voyages and the quantity and value of landings by Scottish vessels by landing district: 2007 to 2011

| Landing country / district | Number of voyages | | | | | Quantity (tonnes) | | | | | Value (£ '000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| Scotland | | | | | | | | | | | | | | | |
| Aberdeen | 2,471 | 2,266 | 2,108 | 1,829 | 2,134 | 10,817 | 7,057 | 3,139 | 1,474 | 1,221 | 11,119 | 8,227 | 5,579 | 3,557 | 3,925 |
| Ayr | 6,159 | 5,938 | 6,013 | 6,309 | 6,281 | 7,189 | 7,672 | 7,398 | 10,897 | 12,658 | 9,472 | 9,195 | 9,205 | 10,799 | 11,817 |
| Buckie | 2,104 | 1,900 | 2,253 | 1,680 | 1,227 | 1,441 | 1,058 | 1,893 | 1,238 | 995 | 3,240 | 2,499 | 3,545 | 3,253 | 3,227 |
| Campbeltown | 9,603 | 8,615 | 8,783 | 8,954 | 7,802 | 5,650 | 4,970 | 4,818 | 4,954 | 4,556 | 12,899 | 12,314 | 10,372 | 11,359 | 12,140 |
| Eyemouth | 6,156 | 5,300 | 5,384 | 5,011 | 4,808 | 2,545 | 1,914 | 2,451 | 1,847 | 2,087 | 6,361 | 4,883 | 6,055 | 5,105 | 6,560 |
| Fraserburgh | 5,834 | 6,354 | 5,515 | 5,964 | 4,410 | 27,761 | 27,135 | 35,157 | 26,499 | 25,069 | 52,120 | 45,572 | 46,563 | 43,553 | 48,197 |
| Kinlochbervie | 674 | 635 | 748 | 778 | 703 | 4,359 | 4,879 | 7,132 | 7,683 | 6,335 | 7,362 | 9,177 | 11,793 | 13,750 | 12,266 |
| Lochinver | 1,756 | 1,718 | 1,739 | 1,138 | 1,151 | 4,089 | 2,680 | 3,231 | 2,381 | 3,436 | 7,864 | 6,176 | 6,970 | 5,135 | 8,088 |
| Mallaig | 2,854 | 2,779 | 2,596 | 2,371 | 1,774 | 4,214 | 3,705 | 3,550 | 4,092 | 3,858 | 10,206 | 9,538 | 7,890 | 8,237 | 9,139 |
| Oban | 4,126 | 3,926 | 3,871 | 3,914 | 3,104 | 3,327 | 3,231 | 2,855 | 3,135 | 2,805 | 8,483 | 8,006 | 6,792 | 7,527 | 7,235 |
| Orkney | 3,478 | 3,613 | 3,519 | 2,955 | 2,694 | 3,177 | 2,952 | 3,350 | 3,676 | 3,943 | 5,742 | 5,566 | 6,257 | 7,460 | 7,575 |
| Peterhead | 2,664 | 2,658 | 2,579 | 2,794 | 2,514 | 110,181 | 109,741 | 108,490 | 115,766 | 101,608 | 89,851 | 96,944 | 97,692 | 110,237 | 126,368 |
| Pittenweem | 5,093 | 5,130 | 5,389 | 4,503 | 4,091 | 1,824 | 1,737 | 2,117 | 1,590 | 1,364 | 4,617 | 4,289 | 4,538 | 3,923 | 4,498 |
| Portree | 7,745 | 6,831 | 6,657 | 6,120 | 5,067 | 2,405 | 2,685 | 1,870 | 2,024 | 1,956 | 8,524 | 9,729 | 7,716 | 8,343 | 7,785 |
| Scrabster | 2,803 | 2,821 | 3,124 | 3,270 | 3,169 | 9,825 | 10,914 | 13,809 | 13,018 | 11,443 | 15,992 | 18,687 | 23,441 | 24,585 | 25,337 |
| Shetland | 4,458 | 5,156 | 6,070 | 5,693 | 5,379 | 85,604 | 69,407 | 56,899 | 52,966 | 47,768 | 56,533 | 58,837 | 61,708 | 56,295 | 63,999 |
| Stornoway | 8,880 | 7,770 | 7,273 | 7,157 | 5,608 | 4,187 | 3,813 | 3,436 | 3,114 | 3,094 | 11,669 | 11,259 | 10,106 | 9,629 | 9,377 |
| Ullapool | 2,965 | 2,783 | 2,897 | 2,604 | 2,627 | 3,837 | 4,230 | 6,139 | 6,525 | 5,506 | 7,268 | 9,329 | 13,149 | 13,901 | 12,894 |
| Other UK | 1,861 | 1,458 | 2,914 | 2,517 | 2,995 | 7,291 | 6,730 | 12,332 | 12,082 | 16,365 | 13,804 | 12,462 | 17,800 | 18,396 | 24,288 |
| Denmark | 74 | 87 | 99 | 90 | 65 | 32,244 | 19,510 | 11,978 | 20,101 | 16,451 | 8,706 | 4,043 | 4,819 | 6,079 | 8,710 |
| Ireland | 44 | 138 | 159 | 153 | 212 | 4,456 | 3,181 | 4,514 | 5,300 | 4,620 | 1,882 | 3,397 | 6,909 | 5,780 | 7,053 |
| France | 56 | 113 | 112 | 133 | 115 | 405 | 782 | 668 | 823 | 631 | 894 | 2,120 | 2,003 | 2,094 | 1,466 |
| Netherlands | 465 | 296 | 241 | 109 | 90 | 6,219 | 4,973 | 4,726 | 2,468 | 2,010 | 12,172 | 9,056 | 7,390 | 3,690 | 3,096 |
| Norway [1] | 43 | 46 | 84 | 56 | 83 | 20,909 | 32,653 | 70,787 | 54,671 | 71,961 | 10,457 | 22,468 | 58,053 | 39,948 | 66,599 |
| Spain | 128 | 179 | 90 | 139 | 112 | 2,006 | 3,162 | 1,868 | 2,942 | 2,406 | 4,306 | 6,164 | 5,894 | 8,225 | 7,272 |
| Other foreign ports | 16 | 142 | 28 | 26 | 28 | 3,535 | 30,721 | 3,281 | 6,134 | 4,705 | 1,600 | 5,580 | 722 | 2,732 | 2,501 |
| **Total** | **82,510** | **78,652** | **80,245** | **76,267** | **68,243** | **369,496** | **371,493** | **377,889** | **367,400** | **358,850** | **383,144** | **395,517** | **442,962** | **433,590** | **501,411** |

(1) Because no Sales Notes were received for mackerel landed by Scottish vessels into Norway, the value of these landings were estimated for 2009 - see discussion in Annex 1 - Methodology for further details. We assess that the estimated figure is overstated by some £7million.

**Table 1.3** Quantity and value of landings by Scottish vessels abroad, by country of landing and species type: 2007 to 2011

| | | | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| EU: | **Denmark** | | | | | | | | | | | |
| | Demersal | Hake | 10 | 26 | 78 | 44 | 27 | 18 | 31 | 124 | 48 | 60 |
| | | Monks | 14 | 41 | 21 | 19 | 15 | 56 | 118 | 53 | 73 | 53 |
| | | Plaice | 299 | 437 | 403 | 677 | 753 | 418 | 872 | 511 | 813 | 992 |
| | | Other demersal | 2,002 | 6,009 | 4,415 | 13,486 | 9,228 | 836 | 1,395 | 1,684 | 2,220 | 1,667 |
| | | Total demersal | 2,325 | 6,513 | 4,917 | 14,226 | 10,023 | 1,327 | 2,416 | 2,372 | 3,154 | 2,773 |
| | Pelagic | Herring | 9,483 | 5,286 | 6,578 | 2,157 | 1,886 | 4,594 | 639 | 2,296 | 622 | 652 |
| | | Mackerel | 2,705 | 0 | - | 2,724 | 3,215 | 1,491 | 0 | - | 2,169 | 4,924 |
| | | Other pelagic | 17,727 | 7,709 | 482 | 991 | 1,325 | 1,287 | 985 | 149 | 125 | 345 |
| | | Total pelagic | 29,915 | 12,995 | 7,060 | 5,871 | 6,425 | 7,372 | 1,624 | 2,445 | 2,917 | 5,921 |
| | Shellfish | Total shellfish | 4 | 2 | 1 | 4 | 3 | 7 | 3 | 2 | 9 | 16 |
| | | **Total landings** | **32,244** | **19,510** | **11,978** | **20,101** | **16,451** | **8,706** | **4,043** | **4,819** | **6,079** | **8,710** |
| | **France** | | | | | | | | | | | |
| | Demersal | Hake | 0 | 0 | 2 | 20 | - | 0 | 0 | 5 | 25 | - |
| | | Monks | 0 | 0 | 11 | 35 | 1 | 1 | 2 | 36 | 116 | 3 |
| | | Plaice | 2 | 4 | 10 | 8 | 5 | 3 | 4 | 8 | 7 | 6 |
| | | Other demersal | 357 | 696 | 537 | 656 | 514 | 750 | 1,824 | 1,553 | 1,548 | 939 |
| | | Total demersal | 360 | 700 | 559 | 718 | 520 | 753 | 1,830 | 1,602 | 1,696 | 948 |
| | Pelagic | Herring | - | 1 | - | 1 | 0 | - | 0 | - | 0 | 0 |
| | | Mackerel | 1 | 10 | 7 | 3 | 11 | 0 | 10 | 9 | 4 | 16 |
| | | Other pelagic | 8 | 8 | 22 | 11 | 17 | 2 | 2 | 89 | 6 | 9 |
| | | Total pelagic | 9 | 18 | 28 | 15 | 29 | 2 | 11 | 98 | 10 | 25 |
| | Shellfish | Total shellfish | 36 | 63 | 81 | 90 | 83 | 138 | 279 | 303 | 387 | 492 |
| | | **Total landings** | **405** | **782** | **668** | **823** | **631** | **894** | **2,120** | **2,003** | **2,094** | **1,466** |
| | **Ireland** | | | | | | | | | | | |
| | Demersal | Hake | 229 | 763 | 858 | 519 | 344 | 372 | 1,082 | 2,246 | 965 | 700 |
| | | Monks | 64 | 250 | 334 | 449 | 739 | 176 | 633 | 993 | 1,609 | 2,344 |
| | | Plaice | 0 | - | - | 0 | 0 | 1 | - | - | 0 | 0 |
| | | Other demersal | 146 | 400 | 509 | 1,120 | 892 | 235 | 596 | 993 | 1,539 | 1,946 |
| | | Total demersal | 439 | 1,414 | 1,701 | 2,088 | 1,974 | 784 | 2,311 | 4,232 | 4,113 | 4,990 |
| | Pelagic | Herring | - | - | - | - | - | - | - | - | - | - |
| | | Mackerel | - | 205 | 1,849 | 520 | - | - | 132 | 1,550 | 414 | - |
| | | Other pelagic | 3,891 | 1,377 | 418 | 1,697 | 490 | 353 | 338 | 55 | 530 | 174 |
| | | Total pelagic | 3,891 | 1,582 | 2,267 | 2,217 | 490 | 353 | 469 | 1,605 | 944 | 174 |
| | Shellfish | Total shellfish | 126 | 185 | 546 | 995 | 2,156 | 745 | 617 | 1,072 | 724 | 1,890 |
| | | **Total landings** | **4,456** | **3,181** | **4,514** | **5,300** | **4,620** | **1,882** | **3,397** | **6,909** | **5,780** | **7,053** |
| | **Netherlands** | | | | | | | | | | | |
| | Demersal | Hake | 7 | 7 | 17 | 10 | 6 | 7 | 7 | 15 | 10 | 6 |
| | | Monks | 33 | 18 | 8 | 10 | 6 | 79 | 49 | 25 | 33 | 22 |
| | | Plaice | 4,212 | 3,823 | 3,915 | 2,026 | 1,739 | 5,783 | 5,128 | 4,811 | 2,365 | 2,254 |
| | | Other demersal | 1,829 | 1,031 | 745 | 414 | 253 | 6,150 | 3,758 | 2,477 | 1,268 | 799 |
| | | Total demersal | 6,081 | 4,879 | 4,685 | 2,460 | 2,004 | 12,019 | 8,942 | 7,328 | 3,678 | 3,081 |
| | Pelagic | Herring | - | - | - | - | 0 | - | - | - | - | 0 |
| | | Mackerel | 0 | 3 | 3 | 1 | 1 | 0 | 3 | 3 | 1 | 1 |
| | | Other pelagic | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | | Total pelagic | 1 | 5 | 3 | 1 | 1 | 1 | 3 | 3 | 1 | 1 |
| | Shellfish | Total shellfish | 137 | 90 | 38 | 7 | 4 | 153 | 111 | 59 | 12 | 14 |
| | | **Total landings** | **6,219** | **4,973** | **4,726** | **2,468** | **2,010** | **12,172** | **9,056** | **7,390** | **3,690** | **3,096** |
| | **Spain** | | | | | | | | | | | |
| | Demersal | Hake | 398 | 696 | 251 | 465 | 356 | 688 | 1,119 | 662 | 1,000 | 573 |
| | | Monks | 860 | 1,338 | 1,123 | 1,153 | 1,124 | 2,270 | 3,073 | 4,170 | 3,438 | 4,053 |
| | | Plaice | - | - | 0 | - | - | - | - | 0 | - | - |
| | | Other demersal | 570 | 841 | 427 | 1,060 | 728 | 897 | 1,041 | 880 | 2,647 | 2,010 |
| | | Total demersal | 1,828 | 2,876 | 1,800 | 2,678 | 2,208 | 3,854 | 5,233 | 5,713 | 7,086 | 6,636 |
| | Pelagic | Herring | - | - | - | - | - | - | - | - | - | - |
| | | Mackerel | - | - | - | - | - | - | - | - | - | - |
| | | Other pelagic | 8 | 60 | 1 | 98 | 104 | 17 | 136 | 0 | 351 | 450 |
| | | Total pelagic | 8 | 60 | 1 | 98 | 104 | 17 | 136 | 0 | 351 | 450 |
| | Shellfish | Total shellfish | 169 | 226 | 67 | 166 | 94 | 435 | 795 | 181 | 788 | 187 |
| | | **Total landings** | **2,006** | **3,162** | **1,868** | **2,942** | **2,406** | **4,306** | **6,164** | **5,894** | **8,225** | **7,272** |
| | **EU other** | | | | | | | | | | | |
| | Demersal | Hake | - | - | - | - | - | - | - | - | - | - |
| | | Monks | - | 0 | - | - | - | - | 0 | - | - | - |
| | | Plaice | - | 0 | 1 | - | - | - | 0 | 1 | - | - |
| | | Other demersal | 71 | 7 | 5 | - | - | 5 | 11 | 11 | - | - |
| | | Total demersal | 71 | 7 | 6 | - | - | 5 | 12 | 12 | - | - |
| | Pelagic | Herring | 1,841 | - | - | - | 984 | 269 | - | - | - | 191 |
| | | Mackerel | - | 1 | 0 | - | - | - | 1 | 0 | - | - |
| | | Other pelagic | 80 | - | 0 | - | - | 64 | - | 0 | - | - |
| | | Total pelagic | 1,920 | 1 | 0 | - | 984 | 333 | 1 | 0 | - | 191 |
| | Shellfish | Total shellfish | - | 4 | 3 | 8 | - | - | 12 | 13 | 11 | - |
| | | **Total landings** | **1,991** | **12** | **9** | **8** | **984** | **338** | **24** | **26** | **11** | **191** |
| Non-EU: | **Norway** | | | | | | | | | | | |
| | Demersal | Hake | 2 | - | 0 | 0 | - | 1 | - | 1 | 0 | - |
| | | Monks | 8 | - | 1 | - | - | 19 | - | 2 | - | - |
| | | Plaice | 91 | - | 0 | 0 | - | 121 | - | 0 | 0 | - |
| | | Other demersal | 893 | 1,236 | 10 | 23 | 26 | 176 | 79 | 8 | 19 | 19 |
| | | Total demersal | 995 | 1,236 | 11 | 23 | 26 | 317 | 79 | 11 | 19 | 19 |
| | Pelagic | Herring | 4,749 | 8,246 | 14,466 | 14,417 | 12,826 | 1,590 | 1,384 | 4,495 | 3,834 | 5,005 |
| | | Mackerel | 14,996 | 23,011 | 54,887 | 39,976 | 57,877 | 8,538 | 20,993 | 53,147 | 36,027 | 61,242 |
| | | Other pelagic | 169 | 160 | 1,423 | 254 | 1,233 | 11 | 11 | 400 | 68 | 333 |
| | | Total pelagic | 19,914 | 31,417 | 70,777 | 54,647 | 71,935 | 10,139 | 22,388 | 58,042 | 39,928 | 66,580 |
| | Shellfish | Total shellfish | 0 | - | 0 | - | - | 1 | - | 0 | - | - |
| | | **Total landings** | **20,909** | **32,653** | **70,787** | **54,671** | **71,961** | **10,457** | **22,468** | **58,053** | **39,948** | **66,599** |
| | **Non-EU Other** | | | | | | | | | | | |
| | Demersal | Hake | - | - | - | - | - | - | - | - | - | - |
| | | Monks | - | - | - | 1 | - | - | - | - | 1 | - |
| | | Plaice | - | - | - | - | - | - | - | - | - | - |
| | | Other demersal | 449 | 808 | 367 | 412 | 321 | 249 | 422 | 38 | 179 | 157 |
| | | Total demersal | 449 | 808 | 367 | 413 | 321 | 249 | 422 | 38 | 180 | 157 |
| | Pelagic | Herring | - | - | - | 2,832 | - | - | - | - | 739 | - |
| | | Mackerel | 25 | 3,310 | 275 | 185 | - | 14 | 3,613 | 194 | 122 | - |
| | | Other pelagic | 1,069 | 26,591 | 2,630 | 2,696 | 3,395 | 999 | 1,520 | 463 | 1,677 | 2,130 |
| | | Total pelagic | 1,094 | 29,901 | 2,905 | 5,713 | 3,395 | 1,013 | 5,133 | 657 | 2,539 | 2,130 |
| | Shellfish | Total shellfish | - | - | - | 0 | 5 | - | - | - | 1 | 23 |
| | | **Total landings** | **1,543** | **30,709** | **3,272** | **6,126** | **3,721** | **1,262** | **5,555** | **695** | **2,720** | **2,310** |
| Total abroad | | **Total demersal** | **12,548** | **18,433** | **14,045** | **22,606** | **17,077** | **19,309** | **21,246** | **21,308** | **19,926** | **18,603** |
| | | **Total pelagic** | **56,754** | **75,980** | **83,041** | **68,562** | **83,363** | **19,229** | **29,766** | **62,851** | **46,690** | **75,472** |
| | | **Total shellfish** | **473** | **570** | **737** | **1,271** | **2,344** | **1,479** | **1,816** | **1,632** | **1,932** | **2,622** |
| | | **Total landings abroad** | **69,774** | **94,983** | **97,824** | **92,439** | **102,784** | **40,017** | **52,827** | **85,790** | **68,548** | **96,697** |

**Table 1.4** Quantity and value of landings by Scottish vessels by main species[1] and vessel length group: 2011

| | Quantity (tonnes) | | | | | | | Value (£'000) | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Overall vessel length group (metres) | | | | | | | Overall vessel length group (metres) | | | | | | |
| | <=10 | >10-12 | >12 -15 | >15 -24 | >24 -40 | over 40 | Total | <=10 | >10-12 | >12 -15 | >15 -24 | >24 -40 | over 40 | Total |
| Cod | 37 | 19 | 23 | 2,759 | 7,405 | 80 | **10,323** | 76 | 34 | 43 | 5,920 | 16,544 | 248 | **22,865** |
| Haddock | 7 | 4 | 155 | 6,934 | 17,337 | 17 | **24,453** | 6 | 3 | 141 | 7,825 | 22,884 | 18 | **30,877** |
| Hake | - | 1 | 7 | 509 | 6,162 | 10 | **6,689** | - | 1 | 6 | 630 | 11,735 | 13 | **12,385** |
| Lemon sole | 1 | 0 | 9 | 335 | 348 | 50 | **743** | 3 | 0 | 23 | 920 | 1,085 | 226 | **2,258** |
| Ling | 2 | 0 | 9 | 862 | 3,215 | 4 | **4,092** | 2 | 0 | 13 | 1,206 | 4,895 | 6 | **6,122** |
| Megrims | 0 | 0 | 126 | 1,278 | 1,373 | 9 | **2,785** | 0 | 0 | 455 | 4,305 | 4,270 | 22 | **9,053** |
| Monks | 2 | 3 | 123 | 3,265 | 6,264 | 39 | **9,696** | 5 | 9 | 419 | 11,121 | 21,796 | 129 | **33,479** |
| Plaice | 4 | 1 | 18 | 396 | 1,531 | 1,326 | **3,275** | 3 | 1 | 13 | 302 | 1,826 | 1,758 | **3,903** |
| Saithe | 4 | - | 7 | 1,716 | 9,256 | 12 | **10,996** | 4 | - | 6 | 1,805 | 9,640 | 13 | **11,468** |
| Whiting | 2 | 1 | 70 | 3,246 | 4,445 | 50 | **7,814** | 1 | 0 | 66 | 3,610 | 5,798 | 39 | **9,516** |
| Other demersal | 14 | 6 | 54 | 1,149 | 3,095 | 9,499 | **13,816** | 27 | 8 | 197 | 2,233 | 6,535 | 1,926 | **10,926** |
| **Total demersa** | **73** | **35** | **601** | **22,449** | **60,430** | **11,096** | **94,684** | **126** | **57** | **1,382** | **39,877** | **107,009** | **4,399** | **152,851** |
| Herring | - | - | 0 | 185 | 1 | 37,530 | **37,717** | - | - | 0 | 88 | 1 | 16,885 | **16,974** |
| Mackerel | 654 | - | 10 | 127 | 45 | 145,120 | **145,955** | 718 | - | 12 | 154 | 57 | 162,170 | **163,112** |
| Other pelagic | 0 | - | 0 | 542 | 264 | 7,799 | **8,606** | 0 | - | 0 | 125 | 596 | 3,533 | **4,255** |
| **Total pelagic** | **654** | **-** | **10** | **853** | **310** | **190,450** | **192,277** | **718** | **-** | **13** | **367** | **654** | **182,589** | **184,341** |
| Edible crabs | 3,734 | 1,748 | 668 | 3,629 | 7 | 0 | **9,786** | 4,193 | 1,918 | 772 | 4,601 | 11 | 1 | **11,496** |
| Lobsters | 988 | 193 | 40 | 22 | 1 | 0 | **1,244** | 10,452 | 2,067 | 429 | 244 | 6 | 1 | **13,199** |
| Nephrops | 2,424 | 1,787 | 2,630 | 14,519 | 1,282 | 12 | **22,655** | 13,714 | 7,506 | 8,015 | 49,410 | 5,592 | 71 | **84,309** |
| Queen scallops | 7 | 3 | 2 | 15,132 | 1,312 | - | **16,457** | 8 | 2 | 4 | 5,948 | 412 | - | **6,374** |
| Scallops | 754 | 599 | 953 | 6,001 | 7,476 | - | **15,783** | 1,708 | 1,180 | 1,831 | 12,792 | 13,424 | - | **30,935** |
| Squid | 110 | 25 | 102 | 671 | 1,338 | 15 | **2,262** | 475 | 118 | 657 | 2,941 | 4,891 | 82 | **9,164** |
| Velvet crabs | 1,805 | 367 | 22 | 5 | - | - | **2,199** | 4,653 | 1,082 | 64 | 11 | - | - | **5,810** |
| Other shellfish | 947 | 156 | 37 | 278 | 81 | 3 | **1,502** | 1,636 | 242 | 77 | 797 | 172 | 8 | **2,932** |
| **Total shellfish** | **10,770** | **4,881** | **4,454** | **40,256** | **11,497** | **31** | **71,889** | **36,839** | **14,115** | **11,850** | **76,744** | **24,508** | **164** | **164,220** |
| **Total landings** | **11,496** | **4,915** | **5,065** | **63,559** | **72,237** | **201,577** | **358,850** | **37,683** | **14,172** | **13,245** | **116,988** | **132,171** | **187,152** | **501,411** |

(1) Main species are those where the total value landed by Scottish vessels was £2m or over in 2010.

**Table 1.5.a** Quantity and value of landings by Scottish vessels using demersal gears by main species[1]: 2011

**Demersal Gears**

| | Quantity (tonnes) | | | | | | | | Value (£'000) | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Demersal trawl[2] | Demersal seine | Demersal twin/multi trawl | Lines | Gill nets | Beam trawl | Other methods | Total | Demersal trawl[2] | Demersal seine | Demersal twin/multi trawl | Lines | Gill nets | Beam trawl | Other methods | Total |
| Cod | 8,104 | 1,061 | 1,109 | 24 | 3 | - | - | 10,301 | 17,965 | 2,325 | 2,474 | 53 | 7 | - | - | 22,823 |
| Haddock | 19,211 | 3,664 | 1,521 | 3 | 0 | - | - | 24,399 | 24,516 | 4,429 | 1,871 | 3 | 0 | - | - | 30,819 |
| Hake | 2,507 | 192 | 168 | 3,747 | 74 | - | - | 6,688 | 3,551 | 253 | 213 | 8,300 | 67 | - | - | 12,384 |
| Lemon sole | 578 | 40 | 120 | 1 | 0 | - | - | 738 | 1,722 | 134 | 390 | 2 | 0 | - | - | 2,248 |
| Ling | 2,202 | 57 | 578 | 1,168 | 87 | - | - | 4,091 | 3,243 | 87 | 836 | 1,823 | 133 | - | - | 6,121 |
| Megrim | 2,144 | 160 | 478 | 0 | 3 | - | - | 2,784 | 6,846 | 562 | 1,632 | 0 | 10 | - | - | 9,050 |
| Monks | 5,630 | 113 | 1,688 | 33 | 2,184 | - | - | 9,648 | 19,634 | 375 | 5,798 | 103 | 7,448 | - | - | 33,358 |
| Plaice | 1,871 | 129 | 1,255 | 1 | 0 | - | - | 3,256 | 6,009 | 1,381 | 1,115 | 1,223 | 112 | - | - | 9,840 |
| Saithe | 9,795 | 143 | 1,048 | 6 | 0 | - | - | 10,991 | 2,156 | 136 | 1,590 | 1 | 0 | - | - | 3,882 |
| Whiting | 5,464 | 1,389 | 915 | 0 | 0 | - | - | 7,768 | 10,246 | 141 | 1,071 | 5 | 0 | - | - | 11,463 |
| Other demersal | 6,934 | 561 | 510 | 747 | 43 | - | - | 8,795 | 6,749 | 1,753 | 978 | 0 | 0 | - | - | 9,481 |
| **Total demersal** | **64,440** | **7,508** | **9,389** | **5,729** | **2,394** | **-** | **-** | **89,461** | **102,638** | **11,574** | **17,967** | **11,513** | **7,776** | **-** | **-** | **151,469** |
| Other species[a] | 11,688 | 162 | 142 | 1,564 | 25 | - | 22 | 13,601 | 15,840 | 721 | 491 | 2,720 | 82 | - | 64 | 19,918 |

(a) Other species include pelagic and/or shellfish species

**Table 1.5.b** Quantity and value of landings by Scottish vessels using pelagic gears by main species[1]: 2011

**Pelagic Gears**

| | Quantity (tonnes) | | | | Value (£'000) | | | |
|---|---|---|---|---|---|---|---|---|
| | Purse seine | Pelagic trawl | Other methods | Total | Purse seine | Pelagic trawl | Other methods | Total |
| Herring | 0 | 35,832 | - | 35,832 | 0 | 16,081 | - | 16,081 |
| Mackerel | 1,968 | 137,289 | - | 139,257 | 2,827 | 153,516 | - | 156,343 |
| Other pelagic | 28 | 7,092 | - | 7,120 | 9 | 2,106 | - | 2,116 |
| **Total pelagic** | **1,997** | **180,212** | **-** | **182,209** | **2,837** | **171,703** | **-** | **174,540** |
| Other species[b] | 0 | 5,007 | - | 5,007 | 0 | 958 | - | 958 |

(b) Other species include demersal and/or shellfish species

**Table 1.5.c** Quantity and value of landings by Scottish vessels using shellfish gears by main species[1]: 2011

**Shellfish Gears**

| | Quantity (tonnes) | | | | | | Value (£'000) | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Creel fishing | *Nephrop* trawl[2] | Dredging | Hand Shellfishing | Other methods | Total | Creel fishing | *Nephrop* trawl[2] | Dredging | Hand Shellfishing | Other methods | Total |
| Edible crabs | 9,749 | 0 | 1 | 0 | - | 9,750 | 11,451 | 0 | 1 | 0 | - | 11,452 |
| Lobsters | 1,233 | 0 | 1 | 0 | - | 1,234 | 13,080 | 0 | 9 | 1 | - | 13,090 |
| Nephrops | 1,691 | 20,959 | 3 | 1 | - | 22,654 | 14,040 | 70,245 | 10 | 6 | - | 84,301 |
| Queen scallops | 1 | - | 15,319 | 0 | - | 15,320 | 0 | - | 5,875 | 0 | - | 5,876 |
| Scallops | 31 | - | 15,343 | 385 | - | 15,759 | 84 | - | 29,713 | 1,067 | - | 30,864 |
| Squid | 3 | 4 | 2 | - | - | 9 | 13 | 11 | 9 | - | - | 33 |
| Velvet crabs | 2,191 | - | 1 | 0 | - | 2,193 | 5,790 | - | 2 | 1 | - | 5,793 |
| Other shellfish | 510 | 0 | 152 | 704 | - | 1,367 | 519 | 0 | 230 | 1,876 | - | 2,625 |
| **Total shellfish** | **15,409** | **20,963** | **30,822** | **1,091** | **-** | **68,285** | **44,977** | **70,256** | **35,849** | **2,952** | **-** | **154,034** |
| Other species[c] | 92 | 125 | 68 | 0 | - | 285 | 104 | 156 | 231 | 0 | - | 492 |

(c) Other species include demersal and/or pelagic species

(1) Main species are those where the total value landed by Scottish vessels was £2m or over in 2010.
(2) Bottom trawl gears catching demersal species have been included as demersal trawls, whilebottom trawl gears catching nephrops have been included as nephrops trawls.

Table 1.6 Quantity and value of all landings by Scottish vessels by ICES area and main species[1]: 2011

| | Quantity ( tonnes) | | | | | | | | | | Value (£'000) | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ICES area | North Sea | | Area | Faroes | West Scotland | | Irish Sea | Rest of | Other | Total | North Sea | | Area | Faroes | West Scotland | | Irish Sea | Rest of | Other | Total |
| | IVa | IVb | IIa | Vb | VIa | VIb | VIIa | area VII | | | IVa | IVb | IIa | Vb | VIa | VIb | VIIa | area VII | | |
| **Species** | | | | | | | | | | | | | | | | | | | | |
| Cod | 9,784 | 356 | 1 | - | 107 | 37 | 1 | 38 | - | 10,323 | 21,609 | 847 | 4 | - | 232 | 97 | 2 | 75 | - | 22,865 |
| Haddock | 15,387 | 5,718 | 1 | - | 1,359 | 1,732 | 0 | 255 | - | 24,453 | 19,428 | 6,697 | 1 | - | 1,800 | 2,736 | 0 | 214 | - | 30,877 |
| Hake | 2,875 | 84 | 0 | - | 3,342 | 1 | 0 | 248 | 139 | 6,689 | 4,862 | 108 | 1 | - | 6,713 | 2 | 0 | 518 | 180 | 12,385 |
| Lemon sole | 422 | 227 | 0 | - | 16 | 18 | 0 | 60 | 0 | 743 | 1,259 | 732 | 0 | - | 32 | 28 | 0 | 205 | 0 | 2,258 |
| Ling | 2,001 | 13 | 0 | - | 1,683 | 268 | 0 | 125 | 2 | 4,092 | 2,942 | 18 | 0 | - | 2,601 | 367 | 0 | 191 | 3 | 6,122 |
| Megrims | 1,360 | 0 | 0 | 1 | 713 | 66 | - | 645 | - | 2,785 | 4,529 | 0 | 1 | 3 | 2,352 | 138 | - | 2,030 | - | 9,053 |
| Monks | 5,974 | 149 | 2 | - | 1,011 | 1,005 | 0 | 1,555 | - | 9,696 | 20,437 | 488 | 8 | - | 3,823 | 3,353 | 0 | 5,369 | - | 33,479 |
| Plaice | 593 | 2,634 | 0 | - | 29 | 0 | 2 | 18 | - | 3,275 | 493 | 3,358 | 0 | - | 23 | 0 | 1 | 27 | - | 3,903 |
| Saithe | 6,488 | 55 | 6 | 19 | 4,099 | 327 | - | 2 | - | 10,996 | 6,900 | 63 | 7 | 32 | 4,144 | 320 | - | 2 | - | 11,468 |
| Whiting | 6,916 | 593 | - | - | 79 | 6 | 0 | 219 | 2 | 7,814 | 8,572 | 640 | - | - | 94 | 7 | 0 | 202 | 1 | 9,516 |
| Other demersal | 1,787 | 6,462 | 49 | 13 | 961 | 235 | 5 | 3,864 | 438 | 13,816 | 3,747 | 1,612 | 70 | 43 | 1,386 | 255 | 9 | 3,340 | 463 | 10,926 |
| **Total demersal** | **53,587** | **16,291** | **61** | **32** | **13,399** | **3,695** | **9** | **7,028** | **581** | **94,684** | **94,778** | **14,563** | **93** | **77** | **23,202** | **7,304** | **13** | **12,174** | **647** | **152,851** |
| Herring | 15,436 | 594 | 14,045 | - | 7,641 | - | - | 0 | 0 | 37,717 | 7,479 | 287 | 5,354 | - | 3,854 | - | - | 0 | 0 | 16,974 |
| Mackerel | 54,535 | 359 | - | - | 85,568 | 2 | 1 | 5,491 | 0 | 145,955 | 78,488 | 455 | - | - | 78,597 | 1 | 1 | 5,570 | 0 | 163,112 |
| Other pelagic | 101 | 1,946 | 0 | - | 2,351 | - | - | 381 | 3,826 | 8,606 | 49 | 518 | 0 | - | 900 | - | - | 273 | 2,514 | 4,255 |
| **Total pelagic** | **70,071** | **2,899** | **14,046** | **-** | **95,561** | **2** | **1** | **5,872** | **3,827** | **192,277** | **86,015** | **1,260** | **5,354** | **-** | **83,351** | **1** | **1** | **5,844** | **2,515** | **184,341** |
| Edible crabs | 2,765 | 836 | - | - | 6,127 | 1 | 7 | 51 | - | 9,786 | 3,252 | 980 | - | - | 7,195 | 1 | 8 | 60 | - | 11,496 |
| Lobsters | 347 | 550 | - | - | 294 | - | 52 | 2 | - | 1,244 | 3,717 | 5,735 | - | - | 3,172 | - | 550 | 25 | - | 13,199 |
| Nephrops | 8,542 | 3,480 | - | - | 10,416 | - | 40 | 177 | - | 22,655 | 32,648 | 11,883 | - | - | 38,477 | - | 120 | 1,181 | - | 84,309 |
| Queen scallops | 11 | 0 | - | - | 3,581 | - | 12,865 | 0 | - | 16,457 | 9 | - | - | - | 1,472 | - | 4,893 | - | - | 6,374 |
| Scallops | 2,124 | 1,400 | - | - | 3,264 | - | 2,227 | 6,768 | - | 15,783 | 4,706 | 2,745 | - | - | 6,604 | - | 4,295 | 12,585 | - | 30,935 |
| Squid | 790 | 176 | - | - | 268 | 901 | 0 | 128 | 0 | 2,262 | 3,665 | 846 | - | - | 918 | 3,071 | 0 | 662 | 1 | 9,164 |
| Velvet crabs | 1,105 | 284 | - | - | 810 | - | - | 0 | - | 2,199 | 3,104 | 619 | - | - | 2,087 | - | - | 0 | - | 5,810 |
| Other shellfish | 321 | 176 | - | - | 743 | 2 | 92 | 168 | - | 1,502 | 327 | 281 | - | - | 1,962 | 25 | 56 | 281 | - | 2,932 |
| **Total shellfish** | **16,003** | **6,901** | **-** | **-** | **25,503** | **904** | **15,283** | **7,294** | **0** | **71,889** | **51,429** | **23,090** | **-** | **-** | **61,887** | **3,098** | **9,921** | **14,794** | **1** | **164,220** |
| **Total landings** | **139,662** | **26,091** | **14,107** | **32** | **134,462** | **4,601** | **15,293** | **20,194** | **4,408** | **358,850** | **232,222** | **38,913** | **5,447** | **77** | **168,440** | **10,402** | **9,935** | **32,812** | **3,162** | **501,411** |

(1) Main species are those where the total value landed by Scottish vessels was £2m or over in 2010.

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Aberdeen** | | | | | | | | | | |
| Cod | 272 | 240 | 170 | 84 | - | 526 | 479 | 299 | 132 | - |
| Haddock | 1,929 | 1,477 | 1,251 | 112 | - | 2,586 | 1,669 | 1,285 | 137 | - |
| Pollack | 99 | 79 | 17 | 20 | - | 114 | 118 | 30 | 33 | - |
| Saithe | 196 | 263 | 213 | 168 | 29 | 92 | 145 | 152 | 142 | 28 |
| Other demersal | 818 | 515 | 225 | 26 | 30 | 1,256 | 843 | 359 | 42 | 57 |
| **Total demersal** | **3,313** | **2,575** | **1,876** | **410** | **58** | **4,574** | **3,254** | **2,126** | **486** | **85** |
| Mackerel | 4 | 9 | 11 | 26 | 56 | 1 | 6 | 10 | 19 | 66 |
| Other pelagic | 5,076 | 2,763 | - | - | - | 637 | 250 | - | - | - |
| **Total pelagic** | **5,080** | **2,773** | **11** | **26** | **56** | **638** | **256** | **10** | **19** | **66** |
| Edible crabs | 255 | 256 | 294 | 286 | 264 | 293 | 275 | 314 | 305 | 295 |
| Lobsters | 83 | 93 | 130 | 121 | 175 | 881 | 1,006 | 1,286 | 1,194 | 1,815 |
| Nephrops | 289 | 219 | 203 | 33 | 43 | 1,006 | 690 | 493 | 85 | 145 |
| Scallops | 2,203 | 1,589 | 957 | 847 | 456 | 4,365 | 3,510 | 1,762 | 1,419 | 844 |
| Squid | 35 | 15 | 9 | 148 | 80 | 119 | 39 | 22 | 504 | 408 |
| Velvet crabs | 169 | 149 | 81 | 81 | 136 | 303 | 295 | 161 | 176 | 332 |
| Other shellfish | 2 | 2 | 3 | 3 | 1 | 4 | 1 | 1 | 6 | 0 |
| **Total shellfish** | **3,036** | **2,323** | **1,676** | **1,520** | **1,155** | **6,971** | **5,816** | **4,040** | **3,688** | **3,839** |
| **Total landings** | **11,429** | **7,670** | **3,563** | **1,956** | **1,269** | **12,183** | **9,325** | **6,175** | **4,194** | **3,990** |
| **Ayr** | | | | | | | | | | |
| Monks | 1 | 1 | 0 | 67 | - | 3 | 1 | 0 | 181 | - |
| Other demersal | 195 | 43 | 9 | 18 | 3 | 362 | 56 | 18 | 30 | 5 |
| **Total demersal** | **197** | **43** | **9** | **84** | **3** | **365** | **58** | **18** | **211** | **5** |
| **Total pelagic** | **0** | **2** | **3** | **1** | **3** | **0** | **2** | **6** | **1** | **4** |
| Cockles | 165 | 5 | - | 341 | - | 190 | 6 | - | 321 (r) | - |
| Edible crabs | 32 | 37 | 18 | 30 | - | 38 | 40 | 19 | 34 | - |
| Lobsters | 50 | 58 | 52 | 69 | 60 | 562 | 627 | 550 | 719 | 641 |
| Nephrops | 2,435 | 2,307 | 1,896 | 2,202 | 2,529 | 5,411 | 5,159 | 4,421 | 5,041 | 5,490 |
| Queen scallops | 4,282 | 4,552 | 4,388 | 7,427 | 9,344 | 1,673 | 1,685 | 1,821 | 2,876 | 3,758 |
| Razor fish | 6 | 65 | 124 | 33 | 133 | 17 | 178 | 270 | 84 | 359 |
| Scallops | 1,184 | 1,385 | 1,587 | 1,696 | 1,360 | 2,485 | 2,703 | 3,072 | 2,928 | 2,667 |
| Whelks | 113 | 94 | 114 | 121 | 110 | 71 | 69 | 63 | 63 | 63 |
| Other shellfish | 1 | 3 | 10 | 2 | 11 | 2 | 26 | 15 | 5 | 14 |
| **Total shellfish** | **8,269** | **8,508** | **8,188** | **11,922** | **13,547** | **10,450** | **10,493** | **10,232** | **12,072** (r) | **12,992** |
| **Total landings** | **8,465** | **8,553** | **8,200** | **12,007** | **13,554** | **10,815** | **10,553** | **10,255** | **12,284** (r) | **13,000** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.
Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated.

(continued…)

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Buckie** | | | | | | | | | | |
| Haddock | 34 | 9 | 11 | 22 | 54 | 39 | 8 | 10 | 23 | 56 |
| Other demersal | 186 | 55 | 58 | 45 | 47 | 365 | 147 | 124 | 95 | 127 |
| **Total demersal** | **219** | **65** | **69** | **67** | **102** | **404** | **155** | **133** | **118** | **183** |
| **Total pelagic** | **1** | **5** | **12** | **16** | **48** | **0** | **3** | **11** | **12** | **55** |
| Edible crabs | 52 | 37 | 39 | 42 | 45 | 59 | 39 | 39 | 44 | 51 |
| Nephrops | 542 | 310 | 253 | 285 | 274 | 1,411 | 835 | 547 | 731 | 948 |
| Scallops | 346 | 396 | 537 | 320 | 214 | 643 | 842 | 874 | 537 | 444 |
| Squid | 220 | 187 | 976 | 487 | 296 | 594 | 445 | 1,857 | 1,667 | 1,401 |
| Velvet crabs | 64 | 42 | 29 | 27 | 22 | 92 | 62 | 49 | 45 | 43 |
| Other shellfish | 22 | 36 | 18 | 13 | 15 | 80 | 150 | 96 | 132 | 148 |
| **Total shellfish** | **1,245** | **1,008** | **1,853** | **1,174** | **864** | **2,881** | **2,374** | **3,463** | **3,156** | **3,035** |
| **Total landings** | **1,465** | **1,077** | **1,933** | **1,257** | **1,014** | **3,285** | **2,533** | **3,607** | **3,287** | **3,273** |
| **Campbeltown** | | | | | | | | | | |
| **Total demersal** | **172** | **86** | **21** | **25** | **21** | **179** | **80** | **20** | **33** | **30** |
| Herring | 163 | 54 | 266 | 48 | 90 | 27 | 10 | 67 | 21 | 47 |
| Other pelagic | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| **Total pelagic** | **165** | **54** | **266** | **48** | **90** | **28** | **10** | **67** | **21** | **47** |
| Edible crabs | 1,141 | 467 | 423 | 451 | 330 | 1,440 | 512 | 422 | 430 | 320 |
| Green crabs | 18 | 20 | 22 | 20 | - | 10 | 11 | 12 | 10 | - |
| Lobsters | 45 | 51 | 48 | 53 | 45 | 528 | 574 | 513 | 562 | 467 |
| Nephrops | 4,116 | 3,351 | 2,747 | 3,349 | 3,561 | 10,160 | 8,693 | 6,607 | 7,927 | 10,017 |
| Queen scallops | 4 | 1 | 98 | 35 | - | 3 | 1 | 38 | 14 | - |
| Razor fish | 172 | 281 | 247 | 430 | 306 | 479 | 851 | 664 | 1,197 | 891 |
| Scallops | 836 | 1,310 | 1,327 | 1,345 | 1,374 | 1,596 | 2,396 | 2,241 | 2,330 | 2,778 |
| Velvet crabs | 402 | 377 | 338 | 286 | 238 | 815 | 826 | 750 | 615 | 529 |
| Whelks | 31 | 12 | 35 | 42 | 57 | 16 | 6 | 16 | 24 | 33 |
| Other shellfish | 4 | 9 | 10 | 7 | 22 | 33 | 31 | 22 | 17 | 26 |
| **Total shellfish** | **6,769** | **5,879** | **5,294** | **6,019** | **5,934** | **15,080** | **13,900** | **11,286** | **13,126** | **15,061** |
| **Total landings** | **7,107** | **6,019** | **5,581** | **6,093** | **6,044** | **15,286** | **13,991** | **11,373** | **13,180** | **15,139** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.

(continued...)

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Eyemouth** | | | | | | | | | | |
| Haddock | 214 | 128 | 138 | 30 | 223 | 238 | 116 | 133 | 35 | 283 |
| Whiting | 123 | 47 | 54 | 29 | 31 | 91 | 39 | 30 | 24 | 29 |
| Other demersal | 100 | 56 | 89 | 44 | 46 | 160 | 92 | 150 | 76 | 77 |
| **Total demersal** | **437** | **231** | **281** | **103** | **299** | **489** | **247** | **313** | **135** | **389** |
| Mackerel | 17 | 6 | 18 | 25 | 47 | 10 | 5 | 15 | 20 | 45 |
| Other pelagic | - | - | - | 0 | 0 | - | - | - | 0 | 0 |
| **Total pelagic** | **17** | **6** | **18** | **25** | **47** | **10** | **5** | **15** | **20** | **45** |
| Edible crabs | 149 | 198 | 211 | 215 | 247 | 200 | 214 | 226 | 238 | 318 |
| Lobsters | 98 | 112 | 149 | 149 | 192 | 1,060 | 1,151 | 1,594 | 1,401 | 1,962 |
| Nephrops | 1,835 | 1,620 | 1,792 | 1,254 | 1,308 | 4,700 | 3,844 | 4,001 | 3,168 | 4,000 |
| Scallops | 112 | 48 | 235 | 145 | 44 | 200 | 121 | 384 | 264 | 82 |
| Squid | 78 | 29 | 11 | 106 | - | 210 | 83 | 18 | 236 | - |
| Velvet crabs | 109 | 86 | 72 | 34 | 60 | 190 | 132 | 116 | 55 | 97 |
| Other shellfish | 21 | 18 | 3 | 0 | 16 | 13 | 10 | 1 | 1 | 52 |
| **Total shellfish** | **2,403** | **2,110** | **2,472** | **1,902** | **1,868** | **6,574** | **5,555** | **6,340** | **5,362** | **6,511** |
| **Total landings** | **2,858** | **2,348** | **2,771** | **2,030** | **2,213** | **7,072** | **5,808** | **6,669** | **5,516** | **6,944** |
| **Fraserburgh** | | | | | | | | | | |
| Cod | 591 | 559 | 459 | 419 | 330 | 1,026 | 1,011 | 791 | 776 | 645 |
| Haddock | 2,386 | 2,947 | 3,782 | 3,294 | 2,486 | 2,500 | 2,008 | 2,262 | 2,735 | 2,304 |
| Hake | 93 | 145 | 130 | 130 | 103 | 64 | 119 | 99 | 128 | 93 |
| Halibut | 65 | 81 | 63 | 49 | 22 | 387 | 409 | 402 | 366 | 210 |
| Lemon sole | 200 | 196 | 136 | 148 | 163 | 458 | 407 | 240 | 285 | 410 |
| Ling | 185 | 185 | 204 | 164 | 110 | 222 | 236 | 268 | 222 | 176 |
| Megrims | 341 | 333 | 246 | 129 | 101 | 710 | 823 | 604 | 267 | 284 |
| Monks | 1,675 | 1,696 | 1,289 | 1,056 | 792 | 4,109 | 4,726 | 4,105 | 3,372 | 2,758 |
| Plaice | 173 | 171 | 108 | 99 | 132 | 119 | 107 | 58 | 52 | 75 |
| Saithe | 684 | 598 | 579 | 400 | 539 | 291 | 317 | 382 | 344 | 599 |
| Whiting | 1,979 | 1,788 | 1,407 | 984 | 1,259 | 1,404 | 1,311 | 1,009 | 936 | 1,264 |
| Witches | 366 | 369 | 325 | 271 | 231 | 385 | 417 | 389 | 317 | 286 |
| Other demersal | 194 | 149 | 167 | 79 | 91 | 266 | 255 | 264 | 139 | 194 |
| **Total demersal** | **8,934** | **9,213** | **8,895** | **7,221** | **6,359** | **11,939** | **12,144** | **10,873** | **9,940** | **9,300** |
| Mackerel | 7,750 | 5,464 | 11,740 | 7,991 | 10,465 | 4,768 | 3,610 | 9,999 | 6,599 | 11,736 |
| Other pelagic | 313 | 2,361 | 3,213 | 8 | 880 | 55 | 688 | 956 | 3 | 400 |
| **Total pelagic** | **8,062** | **7,824** | **14,953** | **7,999** | **11,345** | **4,823** | **4,298** | **10,956** | **6,601** | **12,136** |
| Edible crabs | 345 | 332 | 338 | 430 | 481 | 469 | 435 | 449 | 573 | 650 |
| Lobsters | 8 | 12 | 22 | 20 | 26 | 85 | 121 | 251 | 188 | 261 |
| Nephrops | 11,266 | 11,219 | 11,889 | 10,961 | 6,809 | 35,613 | 30,101 | 23,893 | 25,496 | 25,203 |
| Scallops | 630 | 683 | 953 | 796 | 596 | 1,325 | 5,674 | 1,874 | 1,334 | 1,244 |
| Squid | 372 | 223 | 390 | 673 | 220 | 1,023 | 592 | 929 | 1,965 | 1,195 |
| Velvet crabs | 43 | 44 | 63 | 64 | 68 | 61 | 68 | 96 | 115 | 130 |
| Other shellfish | 9 | 5 | 5 | 2 | 3 | 15 | 4 | 6 | 4 | 4 |
| **Total shellfish** | **12,673** | **12,519** | **13,659** | **12,947** | **8,203** | **38,590** | **36,995** | **27,499** | **29,676** | **28,686** |
| **Total landings** | **29,669** | **29,557** | **37,507** | **28,166** | **25,907** | **55,352** | **53,437** | **49,328** | **46,217** | **50,122** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.

(continued...)

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Kinlochbervie** | | | | | | | | | | |
| Black scabbardfish | 48 | 23 | 57 | 65 | 33 | 72 | 21 | 71 | 105 | 86 |
| Blue ling | 159 | 127 | 244 | 224 | 68 | 229 | 163 | 304 | 326 | 92 |
| Cod | 233 | 234 | 413 | 415 (r) | 298 | 508 | 489 | 789 | 844 (r) | 711 |
| Cuckoo ray | - | - | 27 | 49 | 44 | - | - | 19 | 23 | 26 |
| Forkbeard | - | 66 | 80 | 99 | 119 | - | 49 | 62 | 101 | 133 |
| Greenland halibut | 20 | 10 | 114 | 101 | - | 31 | 22 | 197 | 206 | - |
| Haddock | 846 | 1,141 | 1,633 | 1,646 (r) | 996 | 1,035 | 1,369 | 1,918 | 2,052 (r) | 1,303 |
| Hake | 86 | 96 | 99 | 158 (r) | 253 | 152 | 125 | 95 | 181 (r) | 377 |
| Ling | 248 | 190 | 401 | 407 (r) | 392 | 291 | 248 | 485 | 550 (r) | 589 |
| Megrims | 322 | 312 | 432 | 577 (r) | 420 | 721 | 772 | 1,067 | 1,638 (r) | 1,343 |
| Monks | 991 | 933 | 1,170 | 1,158 (r) | 986 | 2,621 | 2,719 | 3,988 | 4,110 (r) | 3,627 |
| Portuguese dogfish | 51 | 34 | 14 | 20 | - | 45 | 26 | 17 | 21 | - |
| Red gurnards | 7 | 7 | 62 | 91 | 20 | 2 | 4 | 18 | 64 | 23 |
| Redfishes | 86 | 61 | 89 | 185 | 95 | 97 | 54 | 108 | 207 | 157 |
| Saithe | 473 | 731 | 1,420 | 1,434 (r) | 1,704 | 208 | 388 | 1,026 | 1,289 (r) | 1,652 |
| Spotted ray | - | - | 14 | 21 | 21 | - | - | 13 | 21 | 23 |
| Thornback ray | - | - | 38 | 28 | 26 | - | - | 49 | 32 | 37 |
| Tusk | 49 | 46 | 77 | 71 | 27 | 40 | 39 | 44 | 66 | 27 |
| Whiting | 78 | 79 | 114 | 179 | 118 | 74 | 79 | 116 | 194 | 141 |
| Other demersal | 320 | 180 | 203 | 133 | 158 | 369 | 263 | 356 | 278 | 296 |
| **Total demersal** | **4,017** | **4,269** | **6,698** | **7,060** (r) | **5,778** | **6,495** | **6,831** | **10,741** | **12,307** (r) | **10,644** |
| **Total pelagic** | **-** | **0** | **0** | **5** | **10** | **-** | **0** | **0** | **1** | **4** |
| Edible crabs | 149 | 122 | 167 | 335 | 374 | 173 | 143 | 171 | 385 | 427 |
| Nephrops | 154 | 151 | 167 | 75 | 84 | 434 | 453 | 480 | 305 | 432 |
| Squid | 34 | 199 | 103 | 289 | 253 | 64 | 551 | 222 | 533 | 766 |
| Other shellfish | 47 | 156 | 44 | 37 | 36 | 256 | 1,224 | 232 | 333 | 214 |
| **Total shellfish** | **385** | **629** | **480** | **735** | **746** | **927** | **2,371** | **1,106** | **1,556** | **1,839** |
| **Total landings** | **4,402** | **4,898** | **7,179** | **7,800** (r) | **6,534** | **7,423** | **9,203** | **11,847** | **13,865** (r) | **12,487** |
| **Lochinver** | | | | | | | | | | |
| Black scabbardfish | 2,029 | 2,232 | 2,089 | 1,805 | 1,624 | 3,056 | 2,464 | 1,373 | 3,511 | 3,834 |
| Blue ling | 2,306 | 1,533 | 2,303 | 1,882 (r) | 1,271 | 2,543 | 1,381 | 1,369 | 2,515 (r) | 1,626 |
| Bluemouth | 81 | 111 | 150 | 157 | 126 | - | 101 | 190 | 272 | 282 |
| Bream rays | 14 | 71 | 643 | 559 | 26 | 10 | 73 | 1,173 | 905 | 61 |
| Cod | 133 | 136 | 145 | 220 (r) | 107 | 275 | 261 | 289 | 423 (r) | 227 |
| Common mora | - | - | 0 | 25 | - | - | - | 0 | 63 | - |
| Conger eels | 17 | 36 | 43 | 37 | 40 | 12 | 18 | 28 | 40 | 44 |
| Forkbeard | - | 546 | 371 | 301 | 297 | - | 526 | 512 | 329 | 397 |
| Greenland halibut | 18 | 124 | 119 | 239 (r) | 242 | 56 | 72 | 142 | 510 (r) | 756 |
| Haddock | 1,033 | 263 | 360 | 306 (r) | 433 | 1,368 | 285 | 402 | 369 (r) | 656 |
| Hake | 2,468 | 3,917 | 4,965 | 5,646 | 6,677 | 3,967 | 6,620 | 9,938 | 9,689 | 10,947 |
| Leafscale gulper shark | 4 | 22 | 69 | 140 | - | 5 | 2 | 6 | 14 | - |
| Ling | 1,155 | 1,438 | 1,076 | 1,386 (r) | 1,505 | 1,631 | 1,696 | 1,251 | 1,931 (r) | 2,184 |
| Megrims | 201 | 275 | 242 | 381 | 312 | 548 | 813 | 643 | 968 | 1,014 |
| Monks | 1,602 | 1,763 | 1,375 | 1,020 (r) | 902 | 4,120 | 4,490 | 4,275 | 3,784 (r) | 2,937 |
| Portuguese dogfish | 627 | 491 | 371 | 69 | - | 1,013 | 305 | 182 | 76 | - |
| Rabbit fish | 286 | 242 | 258 | 296 | 268 | 185 | 138 | 83 | 80 | 73 |
| Redfishes | 180 | 145 | 198 | 485 (r) | 151 | 263 | 102 | 179 | 620 (r) | 208 |
| Roes | 17 | 21 | 8 | 31 (r) | 56 | 39 | 38 | 11 | 57 (r) | 134 |
| Roundnose grenadier | 1,613 | 1,452 | 1,511 | 1,410 | 764 | 610 | 1,231 | 996 | 1,228 | 940 |
| Saithe | 5,203 | 3,281 | 2,400 | 2,199 | 3,320 | 2,489 | 1,241 | 1,685 | 2,057 | 3,457 |
| Spurdog | 64 | 25 | 17 | 20 | - | 91 | 25 | 20 | 25 | - |
| Thornback ray | - | - | 27 | 21 | - | - | - | 29 | 33 | - |
| Tusk | 236 | 271 | 281 | 198 (r) | 213 | 226 | 159 | 177 | 128 (r) | 190 |
| Witches | 41 | 34 | 26 | 34 | 27 | 54 | 44 | 30 | 47 | 38 |
| Other demersal | 709 | 375 | 284 | 235 (r) | 290 | 827 | 420 | 264 | 270 (r) | 412 |
| **Total demersal** | **20,037** | **18,804** | **19,330** | **19,104** (r) | **18,649** | **23,388** | **22,504** | **25,248** | **29,942** (r) | **30,417** |
| **Total pelagic** | **-** | **2** | **3** | **0** | **0** | **-** | **3** | **2** | **1** | **1** |
| Nephrops | 852 | 857 | 903 | 403 | 598 | 2,500 | 2,523 | 2,418 | 1,528 | 2,456 |
| Squid | 42 | 34 | 61 | 68 | 260 | 96 | 74 | 114 | 133 | 975 |
| Other shellfish | 190 | 35 | 35 | 23 | 25 | 290 | 79 | 107 | 71 | 72 |
| **Total shellfish** | **1,084** | **925** | **999** | **493** | **884** | **2,886** | **2,676** | **2,639** | **1,732** | **3,503** |
| **Total landings** | **21,120** | **19,732** | **20,332** | **19,597** (r) | **19,533** | **26,275** | **25,183** | **27,889** | **31,675** (r) | **33,921** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.
Some 2010 figures have been revised downwards due to double counting arising from duplicated records in the vessel file.

(continued...)

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Mallaig** | | | | | | | | | | |
| Haddock | 330 | 151 | 202 | 543 | 516 | 370 | 129 | 204 | 700 | 875 |
| Hake | 131 | 132 | 107 | 209 | 52 | 133 | 109 | 81 | 240 | 80 |
| Ling | 14 | 6 | 38 | 84 | 69 | 13 | 6 | 52 | 112 | 95 |
| Megrims | 69 | 40 | 46 | 25 | 31 | 107 | 68 | 81 | 50 | 63 |
| Monks | 174 | 81 | 168 | 271 | 272 | 404 | 214 | 477 | 955 | 900 |
| Saithe | 7 | 0 | 30 | 33 | 51 | 3 | 0 | 18 | 30 | 50 |
| Witches | 65 | 50 | 46 | 32 | 45 | 59 | 44 | 47 | 29 | 40 |
| Other demersal | 340 | 269 | 142 | 82 | 72 | 341 | 262 | 178 | 88 | 110 |
| **Total demersal** | **1,130** | **729** | **779** | **1,278** | **1,108** | **1,431** | **833** | **1,139** | **2,203** | **2,214** |
| Sprats | 5 | - | 70 | 537 | 504 | 1 | - | 14 | 107 | 113 |
| Other pelagic | 1 | - | 62 | 14 | 41 | 0 | - | 16 | 4 | 14 |
| **Total pelagic** | **6** | **-** | **133** | **551** | **546** | **1** | **-** | **29** | **111** | **127** |
| Edible crabs | 123 | 55 | 355 | 484 | 634 | 135 | 56 | 379 | 554 | 711 |
| Nephrops | 2,811 | 2,688 | 2,059 | 1,624 | 1,771 | 8,124 | 7,771 | 5,651 | 4,837 | 6,097 |
| Razor fish | 38 | 20 | 93 | 47 | 74 | 113 | 61 | 263 | 132 | 194 |
| Scallops | 242 | 295 | 355 | 346 | 184 | 493 | 816 | 643 | 642 | 396 |
| Velvet crabs | 71 | 54 | 30 | 29 | 35 | 147 | 118 | 59 | 79 | 84 |
| Other shellfish | 17 | 39 | 15 | 15 | 69 | 173 | 236 | 103 | 77 | 303 |
| **Total shellfish** | **3,301** | **3,151** | **2,907** | **2,545** | **2,767** | **9,185** | **9,059** | **7,099** | **6,321** | **7,786** |
| **Total landings** | **4,437** | **3,880** | **3,818** | **4,375** | **4,421** | **10,617** | **9,891** | **8,267** | **8,636** | **10,127** |
| **Oban** | | | | | | | | | | |
| **Total demersal** | **105** | **28** | **14** | **24** | **16** | **130** | **27** | **13** | **29** | **24** |
| **Total pelagic** | **-** | **0** | **1** | **0** | **3** | **-** | **0** | **1** | **0** | **1** |
| Edible crabs | 1,149 | 828 | 711 | 1,048 | 1,032 | 1,240 | 883 | 693 | 1,106 | 1,094 |
| Lobsters | 73 | 70 | 79 | 75 | 60 | 814 | 735 | 787 | 798 | 654 |
| Nephrops | 1,052 | 1,149 | 859 | 917 | 838 | 4,200 | 4,037 | 2,927 | 3,255 | 3,359 |
| Razor fish | 2 | 35 | 102 | 104 | 139 | 5 | 103 | 272 | 273 | 377 |
| Scallops | 828 | 1,062 | 791 | 837 | 861 | 1,830 | 2,043 | 1,323 | 1,417 | 1,731 |
| Velvet crabs | 300 | 275 | 329 | 324 | 198 | 620 | 644 | 824 | 917 | 565 |
| Other shellfish | 25 | 9 | 10 | 14 | 12 | 79 | 43 | 32 | 35 | 32 |
| **Total shellfish** | **3,429** | **3,429** | **2,881** | **3,320** | **3,141** | **8,788** | **8,488** | **6,857** | **7,802** | **7,811** |
| **Total landings** | **3,535** | **3,457** | **2,896** | **3,344** | **3,160** | **8,919** | **8,515** | **6,871** | **7,831** | **7,836** |
| **Orkney** | | | | | | | | | | |
| **Total demersal** | **7** | **36** | **1** | **1** | **59** | **6** | **66** | **1** | **1** | **82** |
| **Total pelagic** | **8** | **7** | **3** | **2** | **10** | **4** | **4** | **3** | **2** | **10** |
| Edible crabs | 1,909 | 1,688 | 1,830 | 2,215 | 2,561 | 2,189 | 1,860 | 1,964 | 2,773 | 3,027 |
| Green crabs | 128 | 125 | 136 | 135 | 162 | 70 | 68 | 77 | 82 | 104 |
| Lobsters | 110 | 120 | 146 | 138 | 143 | 1,215 | 1,289 | 1,505 | 1,451 | 1,513 |
| Periwinkles | 65 | 58 | 70 | 72 | 54 | 178 | 72 | 82 | 153 | 109 |
| Scallops | 115 | 145 | 150 | 236 | 286 | 318 | 395 | 417 | 605 | 796 |
| Velvet crabs | 878 | 837 | 909 | 838 | 640 | 1,844 | 1,871 | 2,135 | 2,348 | 1,856 |
| Whelks | 143 | 11 | 101 | 29 | - | 80 | 6 | 53 | 15 | - |
| Other shellfish | 25 | 7 | 8 | 9 | 31 | 86 | 28 | 25 | 30 (r) | 82 |
| **Total shellfish** | **3,374** | **2,990** | **3,350** | **3,673** | **3,876** | **5,980** | **5,589** | **6,259** | **7,456** (r) | **7,487** |
| **Total landings** | **3,388** | **3,033** | **3,355** | **3,676** | **3,945** | **5,990** | **5,660** | **6,263** | **7,460** (r) | **7,580** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.
Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated. The other shellfish figure has been revised downwards accordingly.

(continued...)

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Peterhead** | | | | | | | | | | |
| Blue ling | 32 | 20 | 9 | 44 | - | 39 | 27 | 8 | 38 | - |
| Catfish | 142 | 144 | 192 | 175 | 135 | 225 | 235 | 294 | 290 | 252 |
| Cod | 3,584 | 4,036 | 5,008 | 7,627 | 6,744 | 7,607 | 8,617 | 9,070 | 15,063 | 14,897 |
| Greenland halibut | 9 | 19 | 0 | 46 | - | 22 | 43 | 0 | 93 | - |
| Haddock | 16,582 | 16,940 | 18,528 | 17,559 (r) | 15,552 | 21,358 | 19,216 | 17,997 | 20,203 (r) | 19,531 |
| Hake | 709 | 1,420 | 1,642 | 1,579 | 2,028 | 929 | 2,129 | 1,913 | 2,007 | 2,805 |
| Halibut | 112 | 140 | 104 | 77 | 47 | 585 | 679 | 577 | 524 | 419 |
| Lemon sole | 501 | 554 | 295 | 260 | 244 | 1,323 | 1,438 | 669 | 609 | 709 |
| Ling | 693 | 656 | 846 | 735 (r) | 933 | 856 | 813 | 962 | 972 (r) | 1,407 |
| Megrim | 423 | 476 | 437 | 324 (r) | 384 | 979 | 1,199 | 1,027 | 874 (r) | 1,236 |
| Monks | 2,128 | 1,998 | 1,747 | 1,189 (r) | 1,333 | 5,300 | 5,424 | 5,534 | 3,993 (r) | 4,470 |
| Norway pout | - | - | - | 291 | 60 | - | - | - | 15 | 5 |
| Plaice | 222 | 323 | 262 | 271 | 303 | 223 | 294 | 206 | 209 | 272 |
| Pollack | 613 | 591 | 387 | 328 | 298 | 854 | 1,082 | 656 | 588 | 694 |
| Redfishes | 107 | 53 | 11 | 46 | 49 | 100 | 56 | 11 | 60 | 64 |
| Roes | 31 | 31 | 31 | 37 | 44 | 71 | 82 | 76 | 97 | 118 |
| Saithe | 4,889 | 7,214 | 7,768 | 7,316 (r) | 7,600 | 2,477 | 4,302 | 5,580 | 6,857 (r) | 8,253 |
| Skates and rays | 67 | 52 | 41 | 21 | 49 | 54 | 37 | 34 | 17 | 40 |
| Turbot | 14 | 19 | 21 | 25 | 23 | 115 | 136 | 152 | 183 | 203 |
| Tusk | 54 | 40 | 41 | 31 | 27 | 49 | 38 | 28 | 29 | 29 |
| Whiting | 4,440 | 4,336 | 3,557 | 3,724 | 4,300 | 4,659 | 4,610 | 3,837 | 4,413 | 5,665 |
| Witches | 189 | 208 | 153 | 137 | 138 | 263 | 308 | 214 | 193 | 215 |
| Other demersal | 185 | 149 | 178 | 147 | 922 | 194 | 163 | 193 | 159 | 311 |
| **Total demersal** | **35,726** | **39,422** | **41,258** | **41,986** (r) | **41,213** | **48,283** | **50,928** | **49,036** | **57,485** (r) | **61,595** |
| Argentines | - | 2,256 | 3,931 | 346 | - | - | 1,150 | 704 | 137 | - |
| Blue whiting | 7,594 | 14,070 | 10,333 | 25,291 | 3,136 | 923 | 2,405 | 1,901 | 6,070 | 1,624 |
| Capelin | - | 1,332 | - | 2,331 | - | - | 314 | - | 527 | - |
| Herring | 39,848 | 32,916 | 27,033 | 24,021 | 22,280 | 8,145 | 8,404 | 8,467 | 7,048 | 11,883 |
| Horse mackerel | 1,897 | 242 | 4,446 | 340 | 1,177 | 469 | 36 | 1,658 | 100 | 980 |
| Mackerel | 59,395 | 55,622 | 57,403 | 69,238 | 57,374 | 39,273 | 43,055 | 47,150 | 56,447 | 66,105 |
| Other pelagic | 371 | 356 | 963 | - | 1 | 29 | 54 | 101 | - | 0 |
| **Total pelagic** | **109,104** | **106,794** | **104,109** | **121,566** | **83,969** | **48,838** | **55,418** | **59,981** | **70,329** | **80,592** |
| Edible crabs | 197 | 71 | 96 | 177 (r) | 239 | 1,472 | 82 | 109 | 298 (r) | 325 |
| Nephrops | 2,259 | 2,801 | 2,852 | 3,189 | 2,264 | 8,808 | 8,819 | 6,565 | 8,825 | 10,014 |
| Red crabs | - | 13 | 56 | 136 (r) | 166 | - | 11 | 123 | 427 (r) | 591 |
| Scallops | 297 | 289 | 659 | 484 | 176 | 535 | 564 | 1,092 | 829 | 340 |
| Squid | 157 | 235 | 124 | 399 (r) | 230 | 432 | 702 | 270 | 1,030 (r) | 927 |
| Velvet crabs | 24 | 18 | 12 | 23 | 23 | 41 | 26 | 18 | 45 | 46 |
| Whelks | 0 | 0 | 0 | 70 (r) | - | 0 | 0 | 0 | 33 (r) | - |
| Other shellfish | 6 | 162 | 29 | 30 | 15 | 46 | 230 | 552 | 138 | 119 |
| **Total shellfish** | **2,940** | **3,590** | **3,828** | **4,507** (r) | **3,113** | **11,335** | **10,435** | **8,730** | **11,625** (r) | **12,362** |
| **Total landings** | **147,771** | **149,806** | **149,195** | **168,060** (r) | **128,295** | **108,456** | **116,781** | **117,748** | **139,440** (r) | **154,549** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.
Some 2010 figures have been revised downwards due to double counting arising from duplicated records in the vessel file.

(continued…)

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| **Pittenweem** | | | | | | | | | | |
| **Total demersal** | **7** | **5** | **2** | **1** | **2** | **10** | **7** | **2** | **2** | **3** |
| **Total pelagic** | **1** | **0** | **9** | **18** | **17** | **1** | **0** | **8** | **17** | **15** |
| Edible crabs | 134 | 125 | 116 | 127 | 96 | 152 | 132 | 123 | 148 | 111 |
| Lobsters | 84 | 88 | 122 | 121 | 154 | 934 | 953 | 1,217 | 1,255 | 1,676 |
| Nephrops | 1,274 | 1,189 | 1,524 | 1,013 | 882 | 2,891 | 2,582 | 2,595 | 1,880 | 2,296 |
| Razor fish | 16 | 98 | 133 | 46 | 44 | 38 | 230 | 293 | 100 | 100 |
| Scallops | 42 | 21 | 74 | 69 | 21 | 77 | 36 | 116 | 116 | 69 |
| Squid | 112 | 16 | 1 | 86 | - | 324 | 40 | 2 | 239 | - |
| Surf clams | 60 | 101 | 94 | 107 | 39 | 65 | 142 | 105 | 147 | 59 |
| Velvet crabs | 94 | 92 | 91 | 49 | 56 | 157 | 169 | 160 | 107 | 131 |
| Other shellfish | 9 | 5 | 0 | 0 | 89 | 4 | 3 | 2 | 0 | 129 |
| **Total shellfish** | **1,824** | **1,736** | **2,155** | **1,620** | **1,381** | **4,642** | **4,287** | **4,614** | **3,993** | **4,571** |
| **Total landings** | **1,832** | **1,741** | **2,165** | **1,639** | **1,401** | **4,653** | **4,294** | **4,624** | **4,012** | **4,589** |
| **Portree** | | | | | | | | | | |
| **Total demersal** | **19** | **4** | **3** | **4** | **14** | **31** | **5** | **4** | **7** | **25** |
| Herring | - | 5 | 10 | 52 | 30 | - | 1 | 2 | 26 | 11 |
| Other pelagic | - | - | 0 | 0 | - | - | - | 0 | 0 | - |
| **Total pelagic** | **-** | **5** | **10** | **52** | **30** | **-** | **1** | **2** | **26** | **11** |
| Edible crabs | 611 | 315 | 355 | 578 | 607 | 742 | 366 | 410 | 674 | 723 |
| Lobsters | 17 | 12 | 16 | 30 | - | 174 | 132 | 182 | 342 | - |
| Nephrops | 1,396 | 1,385 | 1,233 | 1,150 | 995 | 6,843 | 7,344 | 6,536 | 6,794 | 6,218 |
| Scallops | 277 | 931 | 204 | 146 | 237 | 563 | 1,761 | 435 | 353 | 494 |
| Velvet crabs | 76 | 32 | 51 | 69 | 61 | 142 | 73 | 114 | 169 | 168 |
| Other shellfish | 9 | 4 | 7 | 3 | 23 | 28 | 60 | 71 | 39 | 249 |
| **Total shellfish** | **2,386** | **2,679** | **1,866** | **1,976** | **1,924** | **8,494** | **9,736** | **7,747** | **8,370** | **7,852** |
| **Total landings** | **2,405** | **2,687** | **1,879** | **2,032** | **1,968** | **8,524** | **9,742** | **7,753** | **8,404** | **7,887** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.

(continued…)

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Scrabster** | | | | | | | | | | |
| Black scabbardfish | 328 | 680 | 1,021 | 902 | 473 | 559 | 1,160 | 2,221 | 2,122 | 1,095 |
| Blue ling | 500 | 473 | 693 | 1,237 (r) | 484 | 648 | 597 | 484 | 1,362 (r) | 614 |
| Bream rays | - | 13 | 328 | 113 | - | - | 14 | 476 | 182 | - |
| Cod | 1,096 | 1,001 | 1,206 | 1,192 (r) | 991 | 2,344 | 2,171 | 2,180 | 2,300 (r) | 2,148 |
| Forkbeard | - | 16 | 42 | 42 | - | - | 13 | 48 | 35 | - |
| Greenland halibut | 132 | 333 | 894 | 648 (r) | 133 | 341 | 625 | 1,768 | 1,857 (r) | 453 |
| Haddock | 2,079 | 1,626 | 2,751 | 2,003 (r) | 1,884 | 3,073 | 1,908 | 3,226 | 2,475 (r) | 2,708 |
| Hake | 67 | 909 | 2,265 | 1,221 (r) | 1,404 | 88 | 1,995 | 5,121 | 2,822 (r) | 3,578 |
| Halibut | 27 | 18 | 27 | 20 | 10 | 175 | 110 | 148 | 109 | 54 |
| Ling | 347 | 495 | 901 | 625 (r) | 593 | 450 | 585 | 1,062 | 827 (r) | 910 |
| Megrims | 464 | 661 | 622 | 553 (r) | 511 | 1,188 | 1,957 | 1,725 | 1,572 (r) | 1,693 |
| Monks | 1,728 | 1,830 | 1,891 | 1,931 (r) | 1,930 | 4,469 | 5,134 | 5,599 | 6,956 (r) | 6,731 |
| Plaice | 77 | 42 | 54 | 67 | 61 | 70 | 35 | 38 | 48 | 48 |
| Pollack | 16 | 22 | 23 | 32 | 34 | 26 | 39 | 41 | 62 | 74 |
| Portuguese dogfish | 120 | 101 | 193 | 238 | 122 | 137 | 95 | 128 | 280 | 159 |
| Red gurnards | 29 | 45 | 77 | 96 | 82 | 19 | 12 | 20 | 37 | 23 |
| Redfishes | 305 | 233 | 576 | 414 (r) | 45 | 436 | 253 | 579 | 524 (r) | 81 |
| Roundnose grenadier | 437 | 504 | 345 | 238 | 72 | 219 | 386 | 155 | 283 | 112 |
| Saithe | 4,158 | 3,712 | 4,577 | 2,304 (r) | 1,961 | 2,057 | 1,959 | 3,135 | 2,042 (r) | 2,063 |
| Skates and rays | 120 | 111 | 95 | 68 | 35 | 101 | 84 | 79 | 57 | 31 |
| Tusk | 76 | 69 | 320 | 101 (r) | 117 | 66 | 55 | 245 | 67 (r) | 88 |
| Whiting | 442 | 400 | 559 | 416 | 428 | 465 | 449 | 615 | 464 | 527 |
| Witches | 44 | 45 | 42 | 35 | 35 | 44 | 50 | 52 | 44 | 44 |
| Other demersal | 251 | 238 | 286 | 198 (r) | 239 | 382 | 481 | 494 | 437 (r) | 421 |
| **Total demersal** | **12,842** | **13,576** | **19,786** | **14,693** (r) | **11,644** | **17,359** | **20,165** | **29,639** | **26,962** (r) | **23,653** |
| Argentines | - | - | 0 | 39 | - | - | - | 0 | 18 | - |
| Other pelagic | 1 | 1 | 7 | 3 | 6 | 0 | 1 | 1 | 1 | 3 |
| **Total pelagic** | **1** | **1** | **8** | **41** | **6** | **0** | **1** | **1** | **19** | **3** |
| Edible crabs | 3,173 | 2,518 | 3,214 | 2,823 | 2,899 | 4,315 | 3,153 | 3,737 | 3,573 | 3,728 |
| Lobsters | 73 | 79 | 115 | 130 | 146 | 864 | 908 | 1,193 | 1,382 | 1,565 |
| Mussels | 1,100 | 923 | 341 | 475 | - | 287 | 257 | 87 | 115 | - |
| Nephrops | 253 | 221 | 153 | 91 | 110 | 848 | 733 | 417 | 304 | 516 |
| Scallops | 537 | 464 | 538 | 477 | 528 | 1,015 | 1,224 | 1,170 | 840 | 1,506 |
| Squid | 46 | 133 | 113 | 373 | 283 | 105 | 395 | 255 | 998 | 1,004 |
| Velvet crabs | 191 | 135 | 121 | 118 | 112 | 397 | 264 | 250 | 264 | 261 |
| Whelks | 129 | 111 | 99 | 140 | 24 | 77 | 68 | 54 | 82 | 14 |
| Other shellfish | 4 | 6 | 25 | 7 | 9 | 5 | 6 | 20 | 15 | 30 |
| **Total shellfish** | **5,504** | **4,591** | **4,719** | **4,635** | **4,111** | **7,911** | **7,008** | **7,184** | **7,574** | **8,625** |
| **Total landings** | **18,347** | **18,168** | **24,512** | **19,370** (r) | **15,761** | **25,271** | **27,173** | **36,824** | **34,556** (r) | **32,281** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.
Some 2010 figures have been revised downwards due to double counting arising from duplicated records in the vessel file.

(continued...)

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Shetland** | | | | | | | | | | |
| Catfish | 18 | 23 | 41 | 46 | 40 | 25 | 34 | 55 | 72 | 74 |
| Cod | 1,642 | 1,844 | 2,448 | 2,976 | 2,631 | 3,384 | 3,910 | 4,277 | 5,775 | 5,743 |
| Cuckoo ray | - | - | 0 | 69 | 112 | - | - | 0 | 71 | 117 |
| Haddock | 3,788 | 4,145 | 3,105 | 2,516 | 2,728 | 4,986 | 5,035 | 3,589 | 3,136 | 3,425 |
| Hake | 135 | 235 | 184 | 190 | 254 | 143 | 285 | 207 | 224 | 344 |
| Lemon sole | 75 | 82 | 76 | 74 | 90 | 202 | 236 | 176 | 218 | 353 |
| Ling | 454 | 691 | 830 | 802 | 863 | 482 | 810 | 888 | 975 | 1,198 |
| Megrims | 475 | 602 | 703 | 634 | 633 | 1,126 | 1,769 | 1,982 | 1,841 | 2,193 |
| Monks | 2,168 | 2,660 | 2,548 | 1,659 | 1,846 | 5,183 | 7,222 | 8,024 | 5,515 | 6,210 |
| Norway pout | - | - | - | 294 | - | - | - | - | 41 | - |
| Plaice | 212 | 230 | 197 | 226 | 227 | 203 | 167 | 148 | 171 | 194 |
| Pollack | 131 | 253 | 186 | 136 | 112 | 207 | 532 | 379 | 287 | 275 |
| Saithe | 1,619 | 1,939 | 2,193 | 2,227 | 1,873 | 713 | 992 | 1,383 | 1,919 | 1,844 |
| Skates and rays | 192 | 206 | 199 | 69 | 20 | 170 | 200 | 224 | 69 | 21 |
| Spotted ray | - | - | - | 29 | 39 | - | - | - | 40 | 57 |
| Tusk | 31 | 35 | 46 | 40 | 32 | 20 | 28 | 30 | 35 | 31 |
| Whiting | 1,750 | 2,191 | 2,167 | 1,744 | 1,794 | 1,897 | 2,428 | 2,242 | 1,936 | 2,149 |
| Witches | 60 | 89 | 117 | 72 | 88 | 65 | 108 | 145 | 88 | 127 |
| Other demersal | 115 | 119 | 150 | 149 | 97 | 330 | 347 | 366 | 357 | 321 |
| **Total demersal** | **12,865** | **15,343** | **15,190** | **13,952** | **13,480** | **19,135** | **24,103** | **24,115** | **22,770** | **24,676** |
| Blue whiting | 29,180 | 42,460 | 6,928 | 5,849 | - | 4,532 | 4,510 | 1,191 | 1,212 | - |
| Herring | 24,419 | 16,493 | 4,725 | 7,542 | 9,440 | 4,286 | 4,268 | 1,418 | 2,255 | 4,608 |
| Horse mackerel | 40 | 222 | 2,047 | 2,861 | 2,146 | 5 | 57 | 768 | 1,398 | 1,120 |
| Mackerel | 51,588 | 45,754 | 46,900 | 56,235 (r) | 44,136 | 35,091 | 36,505 | 40,282 | 47,026 (r) | 56,113 |
| Other pelagic | 770 | 55 | - | 9 | - | 46 | 3 | - | 1 | - |
| **Total pelagic** | **105,997** | **104,985** | **60,600** | **72,495** (r) | **55,722** | **43,961** | **45,342** | **43,659** | **51,891** (r) | **61,841** |
| Edible crabs | 474 | 435 | 325 | 276 | 296 | 470 | 420 | 315 | 278 | 299 |
| Green crabs | 4 | 29 | 23 | 25 | 26 | 2 | 16 | 12 | 16 | 20 |
| Lobsters | 16 | 20 | 31 | 32 | 30 | 202 | 252 | 370 | 383 | 365 |
| Nephrops | 213 | 426 | 399 | 313 | 253 | 997 | 1,720 | 1,136 | 830 | 914 |
| Scallops | 862 | 878 | 912 | 1,077 | 910 | 2,108 | 1,817 | 2,498 | 3,030 | 1,574 |
| Squid | 104 | 130 | 143 | 228 | 157 | 323 | 401 | 387 | 646 | 642 |
| Velvet crabs | 191 | 300 | 340 | 268 | 263 | 396 | 725 | 786 | 673 | 814 |
| Other shellfish | 5 | 5 | 11 | 25 | 30 | 5 | 14 | 10 | 20 | 19 |
| **Total shellfish** | **1,870** | **2,222** | **2,184** | **2,244** | **1,965** | **4,502** | **5,363** | **5,515** | **5,876** | **4,647** |
| **Total landings** | **120,732** | **122,550** | **77,975** | **88,691** (r) | **71,167** | **67,598** | **74,809** | **73,289** | **80,537** (r) | **91,165** |
| **Stornoway** | | | | | | | | | | |
| **Total demersal** | **144** | **119** | **89** | **107** | **110** | **170** | **162** | **119** | **160** | **119** |
| **Total pelagic** | **1** | **0** | **18** | **0** | **21** | **0** | **0** | **5** | **0** | **14** |
| Edible crabs | 988 | 739 | 658 | 688 | 775 | 1,054 | 808 | 720 | 719 | 856 |
| Lobsters | 178 | 162 | 134 | 134 | 130 | 1,849 | 1,688 | 1,374 | 1,349 | 1,408 |
| Nephrops | 2,237 | 2,108 | 1,758 | 1,450 | 1,378 | 7,296 | 7,063 | 6,288 | 5,910 | 5,400 |
| Scallops | 337 | 416 | 468 | 459 | 402 | 689 | 902 | 1,004 | 859 | 811 |
| Velvet crabs | 302 | 257 | 283 | 286 | 268 | 585 | 531 | 588 | 664 | 715 |
| Other shellfish | 21 | 27 | 44 | 26 | 25 | 73 | 140 | 92 | 131 | 123 |
| **Total shellfish** | **4,063** | **3,709** | **3,345** | **3,043** | **2,977** | **11,545** | **11,132** | **10,066** | **9,631** | **9,312** |
| **Total landings** | **4,208** | **3,828** | **3,452** | **3,150** | **3,108** | **11,716** | **11,295** | **10,190** | **9,792** | **9,445** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.
Some 2010 figures have been revised downwards due to double counting arising from duplicated records in the vessel file.

(continued...)

**Table 1.7** Quantity and value of all landings into Scotland by district and main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| **Ullapool** | | | | | | | | | | |
| Blue ling | 807 | 583 | 14 | 20 | - | 863 | 570 | 14 | 21 | - |
| Bream rays | 0 | 19 | 186 | 208 | - | 0 | 20 | 403 | 350 | - |
| Cod | 67 | 57 | 74 | 56 | 50 | 121 | 124 | 122 | 102 | 121 |
| Forkbeard | - | 34 | 28 | 53 | 56 | - | 29 | 25 | 56 | 96 |
| Haddock | 805 | 760 | 1,492 | 1,709 | 787 | 1,116 | 1,023 | 1,773 | 2,187 | 1,168 |
| Hake | 403 | 747 | 1,377 | 1,156 | 1,395 | 623 | 1,634 | 3,240 | 2,889 | 2,920 |
| Ling | 201 | 291 | 421 | 618 | 386 | 273 | 412 | 563 | 1,054 | 626 |
| Megrims | 73 | 42 | 91 | 74 | 41 | 178 | 89 | 233 | 172 | 107 |
| Monks | 1,167 | 840 | 1,768 | 1,364 | 1,283 | 2,889 | 2,244 | 5,569 | 4,298 | 4,266 |
| Saithe | 508 | 442 | 192 | 275 | 308 | 254 | 280 | 120 | 244 | 309 |
| Whiting | 76 | 28 | 20 | 23 | - | 86 | 33 | 28 | 24 | - |
| Witches | 406 | 81 | 104 | 71 | 41 | 573 | 104 | 183 | 132 | 62 |
| Other demersal | 1,887 | 878 | 104 | 123 | 157 | 1,683 | 725 | 142 | 190 | 204 |
| **Total demersal** | **6,401** | **4,802** | **5,871** | **5,750** | **4,504** | **8,659** | **7,285** | **12,416** | **11,719** | **9,879** |
| Mackerel | 124 | 0 | 56 | 284 | 99 | 76 | 0 | 32 | 215 | 63 |
| Other pelagic | 1 | - | 0 | 1 | - | 0 | - | 0 | 0 | - |
| **Total pelagic** | **125** | **0** | **56** | **285** | **99** | **76** | **0** | **32** | **216** | **63** |
| Edible crabs | 1,069 | 1,194 | 1,263 | 797 | 1,025 | 1,317 | 1,372 | 1,393 | 990 | 1,291 |
| Nephrops | 808 | 783 | 811 | 593 | 637 | 3,120 | 3,186 | 3,300 | 2,744 | 3,215 |
| Red crabs | 98 | 23 | 7 | 55 | 50 | 45 | 14 | 20 | 264 | 263 |
| Scallops | 89 | 204 | 118 | 52 | 126 | 160 | 351 | 196 | 100 | 265 |
| Squid | 9 | 315 | 156 | 312 | 291 | 24 | 1,047 | 248 | 627 | 926 |
| Other shellfish | 19 | 13 | 14 | 13 | 5 | 149 | 132 | 149 | 146 | 58 |
| **Total shellfish** | **2,092** | **2,533** | **2,369** | **1,822** | **2,135** | **4,815** | **6,101** | **5,305** | **4,871** | **6,017** |
| **Total landings** | **8,617** | **7,335** | **8,296** | **7,857** | **6,738** | **13,550** | **13,387** | **17,753** | **16,806** | **15,959** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.

(continued…)

**Table 1.7** Quantity and value of all landings into Scotland : all Scottish ports by main species[1]: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| Black scabbardfish | 2,556 | 3,166 | 3,182 | 2,795 | 2,132 | 3,902 | 3,850 | 3,695 | 5,772 | 5,017 |
| Blue ling | 3,806 | 2,739 | 3,266 | 3,410 (r) | 1,826 | 4,324 | 2,743 | 2,181 | 4,266 (r) | 2,338 |
| Bluemouth | 99 | 117 | 156 | 161 | 130 | 0 | 106 | 196 | 278 | 287 |
| Boarfish | - | - | - | 22 | 12 | - | - | - | 1 | 1 |
| Bream - ray's | 38 | 104 | 1,160 | 880 | 47 | 46 | 107 | 2,055 | 1,436 | 115 |
| Catfish | 222 | 225 | 366 | 269 | 226 | 347 | 360 | 562 | 436 | 418 |
| Cod | 7,717 | 8,152 | 9,953 | 13,013 (r) | 11,219 | 15,947 | 17,128 | 17,862 | 25,452 (r) | 24,621 |
| Common mora | - | - | 0 | 25 | 21 | - | - | 0 | 63 | 3 |
| Conger eels | 32 | 54 | 83 | 78 | 78 | 21 | 30 | 48 | 61 | 66 |
| Cuckoo ray | - | - | 37 | 143 | 215 | - | - | 22 | 110 | 185 |
| Dogfish - other | 84 | 19 | 25 | 38 | 20 | 49 | 7 | 27 | 17 | 18 |
| Forkedbeard | 511 | 665 | 532 | 504 | 485 | 436 | 619 | 657 | 527 | 641 |
| Greenland halibut | 194 | 506 | 1,150 | 1,047 (r) | 401 | 493 | 790 | 2,150 | 2,698 (r) | 1,280 |
| Gurnard and latchet | 0 | 3 | 12 | 36 | 143 | 0 | 9 | 12 | 54 | 110 |
| Haddock | 30,202 | 29,717 | 33,264 | 29,754 (r) | 25,733 | 38,863 | 32,915 | 32,817 | 34,094 (r) | 32,386 |
| Hake | 4,221 | 7,673 | 10,801 | 10,310 (r) | 12,184 | 6,351 | 13,108 | 20,727 | 18,198 (r) | 21,161 |
| Halibut | 285 | 321 | 265 | 187 | 113 | 1,668 | 1,622 | 1,563 | 1,310 | 973 |
| John dory | 83 | 53 | 41 | 33 | 34 | 282 | 266 | 185 | 152 | 167 |
| Leafscale gulper shark | 6 | 22 | 69 | 143 | 4 | 6 | 2 | 6 | 17 | 1 |
| Lemon sole | 959 | 936 | 614 | 530 | 564 | 2,456 | 2,327 | 1,301 | 1,199 | 1,614 |
| Ling | 3,350 | 3,979 | 4,736 | 4,831 (r) | 4,860 | 4,277 | 4,837 | 5,549 | 6,655 (r) | 7,198 |
| Megrim | 2,415 | 2,773 | 2,834 | 2,707 (r) | 2,445 | 5,654 | 7,572 | 7,396 | 7,411 (r) | 7,968 |
| Monks | 11,827 | 11,916 | 12,012 | 9,755 (r) | 9,385 | 29,552 | 32,485 | 37,731 | 33,285 (r) | 32,033 |
| Norway pout | - | - | - | 585 | 60 | - | - | - | 56 | 5 |
| Plaice | 790 | 837 | 676 | 689 | 775 | 705 | 662 | 488 | 500 | 628 |
| Pollack | 889 | 975 | 636 | 547 | 485 | 1,246 | 1,825 | 1,150 | 1,026 | 1,124 |
| Portuguese dogfish | 1,004 | 750 | 578 | 327 | 122 | 1,501 | 511 | 327 | 377 | 159 |
| Rabbit fish | 362 | 319 | 281 | 311 | 278 | 235 | 345 | 137 | 84 | 76 |
| Red Gurnards | 45 | 65 | 152 | 232 | 191 | 27 | 20 | 43 | 121 | 84 |
| Redfish | 895 | 573 | 896 | 1,156 (r) | 350 | 1,196 | 550 | 896 | 1,448 (r) | 525 |
| Roes | 75 | 72 | 49 | 83 (r) | 123 | 184 | 168 | 174 | 350 (r) | 379 |
| Roundnose grenadier | 2,842 | 2,213 | 1,870 | 1,671 | 843 | 1,154 | 1,758 | 1,162 | 1,531 | 1,059 |
| Saithe | 17,753 | 18,189 | 19,380 | 16,359 (r) | 17,391 | 8,593 | 9,631 | 13,487 | 14,926 (r) | 18,263 |
| Skates and rays | 904 | 796 | 471 | 254 (r) | 163 | 816 | 683 | 455 | 232 (r) | 149 |
| Spotted ray | - | - | 16 | 59 | 96 | - | - | 16 | 71 | 114 |
| Spurdog | 440 | 179 | 332 | 54 | 0 | 474 | 226 | 423 | 75 | 0 |
| Thornback ray | - | - | 78 | 87 | 90 | - | - | 97 | 124 | 152 |
| Turbot | 42 | 49 | 42 | 47 | 49 | 346 | 359 | 312 | 370 | 431 |
| Tusk | 499 | 495 | 791 | 461 (r) | 429 | 450 | 350 | 542 | 344 (r) | 379 |
| White skate | - | - | 14 | 41 | 25 | - | - | 13 | 36 | 23 |
| Whiting | 9,475 | 9,239 | 8,002 | 7,131 (r) | 7,970 | 9,266 | 9,289 | 8,003 | 8,021 (r) | 9,819 |
| Witches | 1,232 | 914 | 849 | 692 | 640 | 1,506 | 1,117 | 1,095 | 890 | 848 |
| Other demersal | 718 | 548 | 504 | 412 (r) | 1,062 | 675 | 474 | 393 | 438 (r) | 506 |
| **Total demersal** | **106,572** | **109,352** | **120,173** | **111,872 (r)** | **103,419** | **143,049** | **148,854** | **165,957** | **174,513 (r)** | **173,322** |
| | | | | | | | | | | |
| Argentines | - | 2,257 | 3,931 | 390 | - | - | 1,150 | 705 | 156 | - |
| Blue whiting | 41,857 | 59,294 | 17,261 | 31,139 | 3,415 | 6,095 | 7,164 | 3,092 | 7,282 | 1,750 |
| Capelin | 0 | 1,332 | - | 2,331 | - | - | 314 | - | 527 | - |
| Herring | 64,729 | 51,630 | 35,327 | 31,682 | 32,501 | 12,506 | 13,309 | 10,931 | 9,355 | 16,849 |
| Horse mackerel | 1,937 | 662 | 6,495 | 3,204 | 3,332 | 474 | 155 | 2,426 | 1,499 | 2,104 |
| Mackerel | 118,890 | 106,872 | 116,165 | 133,839 (r) | 112,262 | 79,225 | 83,194 | 97,520 | 110,361 (r) | 134,217 |
| Sprats | 87 | 192 | 1,033 | 537 | 507 | 12 | 39 | 115 | 107 | 113 |
| Other pelagic | 1,068 | 220 | 0 | 9 | 4 | 68 | 18 | 0 | 2 | 3 |
| **Total pelagic** | **228,568** | **222,457** | **180,213** | **203,132 (r)** | **152,022** | **98,380** | **105,343** | **114,790** | **129,288 (r)** | **155,036** |
| | | | | | | | | | | |
| Cockles | 169 | 6 | 9 | 342 | - | 195 | 6 | 20 | 322 (r) | - |
| Edible crabs | 11,974 | 9,430 | 10,424 | 11,015 (r) | 11,927 | 15,783 | 10,802 | 11,497 | 13,133 (r) | 14,250 |
| Green crabs | 182 | 207 | 226 | 217 | 239 | 101 | 114 | 128 | 132 | 157 |
| Lobsters | 894 | 1,030 | 1,101 | 1,136 | 1,238 | 9,841 | 10,995 | 11,407 | 11,703 | 13,147 |
| Mussels | 1,100 | 923 | 346 | 476 | 0 | 287 | 257 | 89 | 115 | 0 |
| Nephrops | 33,802 | 32,789 | 31,499 | 28,906 | 24,340 | 104,414 | 95,570 | 78,286 | 79,676 | 86,753 |
| Periwinkles | 66 | 58 | 71 | 72 | 54 | 181 | 73 | 83 | 153 | 110 |
| Queen scallops | 4,301 | 4,562 | 4,498 | 7,473 | 9,357 | 1,693 | 1,700 | 1,872 | 2,904 | 3,771 |
| Razor fish | 257 | 526 | 718 | 666 | 719 | 707 | 1,496 | 1,785 | 1,799 | 1,965 |
| Red crabs | 205 | 39 | 71 | 194 (r) | 224 | 93 | 30 | 148 | 700 (r) | 882 |
| Scallops | 8,986 | 10,168 | 9,899 | 9,335 | 7,794 | 18,495 | 25,247 | 19,182 | 17,608 | 16,081 |
| Squid | 1,218 | 1,541 | 2,093 | 3,188 (r) | 2,151 | 3,338 | 4,438 | 4,340 | 8,615 (r) | 8,536 |
| Surf clams | 60 | 101 | 94 | 108 | 40 | 65 | 142 | 105 | 149 | 59 |
| Velvet crabs | 2,946 | 2,711 | 2,762 | 2,518 | 2,193 | 5,852 | 5,832 | 6,135 | 6,403 | 5,801 |
| Whelks | 456 | 255 | 363 | 419 (r) | 239 | 264 | 162 | 193 | 224 (r) | 138 |
| Other shellfish | 30 | 184 | 49 | 32 | 76 | 247 | 517 | 712 | 253 | 288 |
| **Total shellfish** | **66,646** | **64,530** | **64,224** | **66,096 (r)** | **60,590** | **161,555** | **157,379** | **135,980** | **143,890 (r)** | **151,938** |
| | | | | | | | | | | |
| **Total landings** | **401,787** | **396,340** | **364,610** | **381,100 (r)** | **316,031** | **402,984** | **411,576** | **416,726** | **447,690 (r)** | **480,296** |

(1) Main species are those where the quantity landed into Scottish districts was 20 tonnes or over in 2010.
Some 2010 figures have been revised downwards due to double counting arising from duplicated records in the vessel file
Subsequent to the publication of the 2010 bulletin it was discovered that the value of Cockles landings in 2010 had been incorrectly overstated.

**Table 1.8** Quantity and value of landings by species type into Scotland by foreign vessels, by nationality: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2007 | 2008 | 2009 | 2010 | 2011 | 2007 | 2008 | 2009 | 2010 | 2011 |
| Danish | | | | | | | | | | |
| Demersal | 62 | 54 | 246 | 598 | 140 | 53 | 121 | 546 | 272 | 152 |
| Pelagic | 12,063 | 6,758 | 9,490 | 17,784 | 11,756 | 5,110 | 5,568 | 6,549 | 13,726 | 10,708 |
| Shellfish | 13 | 23 | 7 | 12 | 3 | 73 | 87 | 17 | 30 | 6 |
| **Total** | **12,139** | **6,835** | **9,743** | **18,394** | **11,899** | **5,237** | **5,776** | **7,112** | **14,027** | **10,865** |
| Faroese | | | | | | | | | | |
| Demersal | 7,869 | 5,662 | 8,187 | 5,097 | 2,782 | 8,529 | 6,183 | 9,617 | 7,991 | 4,817 |
| Pelagic | 11,927 | 20,559 | 12,847 | 12,794 | 1 | 2,699 | 5,320 | 3,091 | 4,421 | 1 |
| Shellfish | 123 | 172 | 80 | 229 | 194 | 1,385 | 199 | 621 | 587 | 681 |
| **Total (rev)** | **19,919** | **26,392** | **21,113** | **18,120** | **2,977** | **12,613** | **11,701** | **13,329** | **12,999** | **5,499** |
| French | | | | | | | | | | |
| Demersal | 16,498 | 15,871 | 14,064 | 13,653 | 14,013 | 17,025 | 15,592 | 16,459 | 20,865 | 21,886 |
| Pelagic | 0 | 2 | 3 | 0 | - | 0 | 3 | 2 | 0 | - |
| Shellfish | 21 | 22 | 26 | 34 | 12 | 48 | 42 | 60 | 78 | 35 |
| **Total** | **16,519** | **15,895** | **14,092** | **13,687** | **14,025** | **17,074** | **15,636** | **16,521** | **20,943** | **21,921** |
| Irish | | | | | | | | | | |
| Demersal | 14 | - | 3 | 86 | 91 | 22 | - | 0 | 107 | 79 |
| Pelagic | 15,321 | 10,124 | 3,819 | 7,876 | 5,559 | 8,252 | 6,455 | 2,591 | 6,485 | 7,034 |
| Shellfish | 418 | 603 | 917 | 289 | 0 | 565 | 725 | 1,021 | 376 | 0 |
| **Total (rev)** | **15,753** | **10,727** | **4,740** | **8,251** | **5,650** | **8,839** | **7,179** | **3,612** | **6,968** | **7,113** |
| Norwegian | | | | | | | | | | |
| Demersal | 28 | 84 | 25 | 74 | 810 | 43 | 125 | 1 | 3 | 149 |
| Pelagic | 21,583 | 46,073 | 26,601 | 32,071 | 13,517 | 6,051 | 12,426 | 9,974 | 14,466 | 16,522 |
| Shellfish | - | - | - | - | - | - | - | - | - | - |
| **Total (rev)** | **21,611** | **46,157** | **26,626** | **32,145** | **14,328** | **6,094** | **12,551** | **9,975** | **14,469** | **16,672** |
| Spanish | | | | | | | | | | |
| Demersal | 1,771 | 3,160 | 4,797 | 3,725 | 3,953 | 2,658 | 5,905 | 8,857 | 6,748 | 6,897 |
| Pelagic | - | - | 0 | - | - | - | - | 0 | - | - |
| Shellfish | 7 | 5 | 3 | 0 | 0 | 19 | 17 | 9 | 1 | 1 |
| **Total** | **1,779** | **3,164** | **4,800** | **3,725** | **3,953** | **2,677** | **5,922** | **8,866** | **6,749** | **6,898** |
| Swedish | | | | | | | | | | |
| Demersal | - | - | - | - | - | - | - | - | - | - |
| Pelagic | 919 | 363 | 5,819 | 3,118 | 2,672 | 320 | 401 | 4,783 | 2,586 | 3,825 |
| Shellfish | - | - | - | - | - | - | - | - | - | - |
| **Total** | **919** | **363** | **5,819** | **3,118** | **2,672** | **320** | **401** | **4,783** | **2,586** | **3,825** |
| Other | | | | | | | | | | |
| Demersal | 350 | 388 | 282 | 220 | 132 | 889 | 917 | 859 | 529 | 379 |
| Pelagic | 1,539 | 3,202 | - | - | - | 716 | 609 | - | - | - |
| Shellfish | 180 | 104 | 53 | 51 | 48 | 273 | 163 | 104 | 250 | 250 |
| **Total** | **2,069** | **3,694** | **336** | **272** | **180** | **1,878** | **1,689** | **963** | **779** | **629** |
| **Total demersal** | **26,593** | **25,218** | **27,603** | **23,453** | **21,921** | **29,219** | **28,843** | **36,340** | **36,515** | **34,359** |
| **Total pelagic** | **63,352** | **87,082** | **58,579** | **73,644** | **33,506** | **23,149** | **30,781** | **26,990** | **41,684** | **38,089** |
| **Total shellfish** | **764** | **929** | **1,086** | **616** | **257** | **2,365** | **1,232** | **1,832** | **1,322** | **973** |
| **Total landings** | **90,709** | **113,229** | **87,269** | **97,712** | **55,684** | **54,732** | **60,856** | **65,162** | **79,520** | **73,422** |

Some 2010 figures have been revised due to double counting arising from duplicated records in the vessel file.

**Table 1.9** Percentage (tonnage) disposal of sea fish landed into Scotland by all vessels: 2007 to 2011

| | Demersal | | | | | Pelagic | | | | | Shellfish | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Type of disposal** | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| Human consumption | 99.4 | 99.2 | 99.1 | 99.7 | 99.8 | 90.9 | 92.7 | 100.0 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 99.9 | 100.0 |
| Klondyked | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | - | 0.0 | - | - | - | 0.0 | 0.0 | 0.0 | - | 0.0 |
| Meal and oil | 0.5 | 0.6 | 0.6 | 0.2 | 0.1 | 9.1 | 7.3 | 0.0 | 0.00 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Dumped or bait | 0.1 | 0.2 | 0.3 | 0.1 | 0.1 | - | 0.0 | 0.0 | 0.1 | - | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 |
| Other | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | - | 0.0 | - | - | - | 0.0 | 0.0 | - | 0.0 | 0.0 |

**Table 1.10** Total allowable catches, UK quota and uptake: 2007 to 2011

| Area | Species | Sea area | Year | EU total allowable catch | UK quota After exchanges | UK quota % of TAC | UK uptake Tonnes | UK uptake % of quota | Scottish PO Quota After exchanges | Scottish PO Quota % of TAC | Scottish PO uptake Tonnes | Scottish PO uptake % of quota |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North Sea | Cod | IIa(EU), IV | 2007 | 16,564 | 8,035 | 48.5 | 8,099 | 100.8 | .. | .. | .. | .. |
| | | | 2008 | 18,386 | 8,748 | 47.6 | 8,734 | 99.8 | .. | .. | .. | .. |
| | | | 2009 | 23,902 | 11,584 | 48.5 | 11,394 | 98.4 | 8,310 | 34.8 | 8,258 | 99.4 |
| | | | 2010 | 15,536 | 14,281 | 91.9 | 14,123 | 98.9 | 10,243 | 65.9 | 10,204 | 99.6 |
| | | | 2011 | 22,279 | 12,484 | 56.0 | 12,290 | 98.4 | 8,607 | 38.6 | 8,550 | 99.3 |
| | Haddock | IIa(EU), IV | 2007 | 46,983 | 36,841 | 78.4 | 26,725 | 72.5 | .. | .. | .. | .. |
| | | | 2008 | 37,626 | 31,914 | 84.8 | 27,352 | 85.7 | .. | .. | .. | .. |
| | | | 2009 | 32,679 | 28,704 | 87.8 | 28,388 | 98.9 | 25,213 | 77.2 | 24,987 | 99.1 |
| | | | 2010 | 21,241 | 25,368 | 119.4 | 24,980 | 98.5 | 20,169 | 95.0 | 19,935 | 98.8 |
| | | | 2011 | 26,432 | 24,347 | 92.1 | 23,278 | 95.6 | 19,009 | 71.9 | 18,227 | 95.9 |
| | Whiting | IIa(EU), IV | 2007 | 21,420 | 13,915 | 65.0 | 12,112 | 87.0 | .. | .. | .. | .. |
| | | | 2008 | 15,012 | 10,556 | 70.3 | 10,389 | 98.4 | .. | .. | .. | .. |
| | | | 2009 | 12,593 | 8,994 | 71.4 | 8,852 | 98.4 | 7,301 | 58.0 | 7,197 | 98.6 |
| | | | 2010 | 8,185 | 7,782 | 95.1 | 7,843 | 100.8 | 6,089 | 74.4 | 6,088 | 100.0 |
| | | | 2011 | 13,349 | 9,150 | 68.5 | 8,831 | 96.5 | 6,960 | 52.1 | 6,803 | 97.7 |
| | Saithe | IIa, III(EU), IV | 2007 | 59,160 | 10,069 | 17.0 | 9,443 | 93.8 | .. | .. | .. | .. |
| | | | 2008 | 65,232 | 11,901 | 18.2 | 11,777 | 99.0 | .. | .. | .. | .. |
| | | | 2009 | 60,448 | 12,918 | 21.4 | 12,530 | 97.0 | 8,469 | 14.0 | 8,269 | 97.6 |
| | | | 2010 | 39,291 | 12,094 | 30.8 | 11,966 | 98.9 | 7,084 | 18.0 | 7,045 | 99.5 |
| | | | 2011 | 43,842 | 10,451 | 23.8 | 10,295 | 98.5 | 5,667 | 12.9 | 5,555 | 98.0 |
| | Plaice | IIa(EU), IV | 2007 | 49,143 | 11,403 | 23.2 | 11,558 | 101.4 | .. | .. | .. | .. |
| | | | 2008 | 47,875 | 11,690 | 24.4 | 11,411 | 97.6 | .. | .. | .. | .. |
| | | | 2009 | 52,615 | 13,111 | 24.9 | 13,143 | 100.2 | 2,297 | 4.4 | 2,352 | 102.4 |
| | | | 2010 | 34,120 | 14,763 | 43.3 | 14,780 | 100.1 | 1,214 | 3.6 | 1,169 | 96.3 |
| | | | 2011 | 68,862 | 15,996 | 23.2 | 15,199 | 95.0 | 1,526 | 2.2 | 1,357 | 88.9 |
| | Sole | II, IV | 2007 | 14,920 | 1,406 | 9.4 | 1,207 | 85.8 | .. | .. | .. | .. |
| | | | 2008 | 12,710 | 930 | 7.3 | 852 | 91.6 | .. | .. | .. | .. |
| | | | 2009 | 13,910 | 974 | 7.0 | 942 | 96.7 | 49 | 0.4 | 45 | 90.7 |
| | | | 2010 | 9,042 | 1,207 | 13.3 | 941 | 78.0 | 58 | 0.6 | 42 | 73.4 |
| | | | 2011 | 14,050 | 1,082 | 7.7 | 787 | 72.7 | 161 | 1.1 | 71 | 44.1 |
| | Hake | IIa(EU), IV(EU) | 2007 | 1,850 | 397 | 21.5 | 360 | 90.7 | .. | .. | .. | .. |
| | | | 2008 | 1,896 | 2,198 | 115.9 | 1,936 | 88.1 | .. | .. | .. | .. |
| | | | 2009 | 1,808 | 3,147 | 174.1 | 3,152 | 100.2 | 1,174 | 64.9 | 1,174 | 100.0 |
| | | | 2010 | 1,935 | 1,989 | 102.8 | 1,897 | 95.4 | 716 | 37.0 | 655 | 91.4 |
| | | | 2011 | 1,935 | 1,932 | 99.8 | 1,920 | 99.4 | 1,040 | 53.7 | 1,052 | 101.2 |
| | Nephrops | IIa(EU), IV(EU) | 2007 | 26,144 | 24,837 | 95.0 | 21,207 | 85.4 | .. | .. | .. | .. |
| | | | 2008 | 26,144 | 24,660 | 94.3 | 19,618 | 79.6 | .. | .. | .. | .. |
| | | | 2009 | 24,837 | 23,699 | 95.4 | 21,929 | 92.5 | 16,316 | 65.7 | 15,466 | 94.8 |
| | | | 2010 | 24,688 | 22,835 | 92.5 | 18,899 | 82.8 | 15,601 | 63.2 | 14,083 | 90.3 |
| | | | 2011 | 23,454 | 21,828 | 93.1 | 13,945 | 63.9 | 14,397 | 61.4 | 9,811 | 68.1 |
| | Nephrops | IV (Norway) | 2007 | 1,300 | 61 | 4.7 | - | - | .. | .. | .. | .. |
| | | | 2008 | 1,250 | 60 | 4.8 | 4 | 6.7 | .. | .. | .. | .. |
| | | | 2009 | 1,210 | 53 | 4.4 | 13 | 23.5 | 51 | 4.2 | 12 | 23.0 |
| | | | 2010 | 1,200 | 56 | 4.7 | 7 | 11.6 | 50 | 4.1 | 7 | 13.1 |
| | | | 2011 | 1,200 | 64 | 5.3 | 4 | 5.8 | 62 | 5.1 | 4 | 6.0 |
| | Anglers | IIa(EU), IV(EU) | 2007 | 11,345 | 9,313 | 82.1 | 8,739 | 93.8 | .. | .. | .. | .. |
| | | | 2008 | 11,345 | 9,258 | 81.6 | 8,816 | 95.2 | .. | .. | .. | .. |
| | | | 2009 | 11,345 | 9,272 | 81.7 | 7,932 | 85.5 | 8,095 | 71.4 | 7,160 | 88.5 |
| | | | 2010 | 11,345 | 9,763 | 86.1 | 6,184 | 63.3 | 8,046 | 70.9 | 5,248 | 65.2 |
| | | | 2011 | 9,643 | 7,537 | 78.2 | 6,522 | 86.5 | 5,916 | 61.4 | 5,238 | 88.5 |
| | Anglers | IV (Norway) | 2007 | 1,650 | 282 | 17.1 | 273 | 96.8 | .. | .. | .. | .. |
| | | | 2008 | 1,610 | 258 | 16.0 | 231 | 89.5 | .. | .. | .. | .. |
| | | | 2009 | 1,550 | 246 | 15.9 | 233 | 94.6 | 200 | 12.9 | 195 | 97.7 |
| | | | 2010 | 1,540 | 194 | 12.6 | 166 | 85.4 | 131 | 8.5 | 116 | 88.3 |
| | | | 2011 | 1,500 | 251 | 16.7 | 107 | 42.7 | 137 | 9.1 | 62 | 45.1 |
| | Megrim | IIa(EU), IV(EU) | 2007 | 1,479 | 1,424 | 96.3 | 1,428 | 100.3 | .. | .. | .. | .. |
| | | | 2008 | 1,597 | 1,528 | 95.7 | 1,490 | 97.5 | .. | .. | .. | .. |
| | | | 2009 | 1,597 | 1,529 | 95.7 | 1,451 | 94.9 | 1,423 | 89.1 | 1,362 | 95.7 |
| | | | 2010 | 1,757 | 1,678 | 95.5 | 1,436 | 85.6 | 1,556 | 88.5 | 1,370 | 88.0 |
| | | | 2011 | 1,845 | 1,768 | 95.8 | 1,391 | 78.7 | 1,593 | 86.4 | 1,279 | 80.2 |

(continued ...)

**Table 1.10** Total allowable catches, UK quota and uptake: 2007 to 2011

| Area | Species | Sea area | Year | EU total allowable catch | UK quota After exchanges | UK quota % of TAC | UK uptake Tonnes | UK uptake % of quota | Scottish PO Quota After exchanges | Scottish PO Quota % of TAC | Scottish PO uptake Tonnes | Scottish PO uptake % of quota |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North Sea | Lemon so & witches | IIa(EU), IV(EU) | 2007 | 6,175 | 3,498 | 56.6 | 2,098 | 60.0 | .. | .. | .. | .. |
| | | | 2008 | 6,793 | 4,001 | 58.9 | 1,882 | 47.0 | .. | .. | .. | .. |
| | | | 2009 | 6,793 | 4,141 | 61.0 | 1,377 | 33.3 | 2,459 | 36.2 | 972 | 39.5 |
| | | | 2010 | 6,521 | 3,983 | 61.1 | 1,350 | 33.9 | 2,334 | 35.8 | 843 | 36.1 |
| | | | 2011 | 6,391 | 3,805 | 59.5 | 1,617 | 42.5 | 2,156 | 33.7 | 931 | 43.2 |
| | Skate & rays | IIa(EU), IV(EU) | 2007 | 2,190 | 1,020 | 46.6 | 706 | 69.2 | .. | .. | .. | .. |
| | | | 2008 | 1,643 | 766 | 46.6 | 763 | 99.6 | .. | .. | .. | .. |
| | | | 2009 | 1,643 | 757 | 46.1 | 662 | 87.5 | 317 | 19.3 | 310 | 98.0 |
| | | | 2010 | 1,397 | 677 | 48.4 | 658 | 97.2 | 289 | 20.7 | 285 | 98.6 |
| | | | 2011 | 1,397 | 870 | 62.3 | 773 | 88.8 | 350 | 25.1 | 338 | 96.5 |
| | Dabs & flounder | IIa(EU), IV(EU) | 2007 | 17,100 | 1,767 | 10.3 | 1,329 | 75.2 | .. | .. | .. | .. |
| | | | 2008 | 18,810 | 1,921 | 10.2 | 904 | 47.1 | .. | .. | .. | .. |
| | | | 2009 | 18,810 | 1,317 | 7.0 | 705 | 53.6 | 278 | 1.5 | 135 | 48.5 |
| | | | 2010 | 18,810 | 1,395 | 7.4 | 810 | 58.0 | 233 | 1.2 | 24 | 10.3 |
| | | | 2011 | 18,434 | 1,633 | 8.9 | 697 | 42.7 | 197 | 1.1 | 21 | 10.8 |
| | Turbot & brill | IIa(EU), IV(EU) | 2007 | 4,323 | 736 | 17.0 | 630 | 85.6 | .. | .. | .. | .. |
| | | | 2008 | 5,263 | 763 | 14.5 | 452 | 59.2 | .. | .. | .. | .. |
| | | | 2009 | 5,263 | 764 | 14.5 | 508 | 66.5 | 163 | 3.1 | 101 | 61.8 |
| | | | 2010 | 4,737 | 610 | 12.9 | 507 | 83.1 | 102 | 2.1 | 63 | 61.9 |
| | | | 2011 | 4,642 | 686 | 14.8 | 500 | 72.9 | 98 | 2.1 | 73 | 74.6 |
| | Spurdog | IIa(EU), IV(EU) | 2007 | 791 | 640 | 80.9 | 128 | 20.0 | .. | .. | .. | .. |
| | | | 2008 | 581 | 470 | 80.9 | 94 | 20.0 | .. | .. | .. | .. |
| | | | 2009 | 266 | 311 | 116.7 | 154 | 49.6 | 201 | 75.6 | 135 | 67.2 |
| | | | 2010 | 0 | 20 | 0.0 | 18 | 88.0 | 0 | 0.0 | 11 | 0.0 |
| | | | 2011 | 0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Herring | IVa,b | 2007 | 204,638 | 48,541 | 23.7 | 48,163 | 99.2 | .. | .. | .. | .. |
| | | | 2008 | 116,210 | 25,299 | 21.8 | 25,208 | 99.6 | .. | .. | .. | .. |
| | | | 2009 | 97,843 | 23,205 | 23.7 | 23,132 | 99.7 | 14,049 | 14.4 | 14,006 | 99.7 |
| | | | 2010 | 63,598 | 23,096 | 36.3 | 23,097 | 100.0 | 10,773 | 16.9 | 10,781 | 100.1 |
| | | | 2011 | 115,464 | 27,687 | 24.0 | 27,885 | 100.7 | 15,909 | 13.8 | 15,909 | 100.0 |
| | Herring | IVc, VIId | 2007 | 37,517 | 3,874 | 10.3 | 3,564 | 92.0 | .. | .. | .. | .. |
| | | | 2008 | 26,661 | 2,602 | 9.8 | 2,525 | 97.0 | .. | .. | .. | .. |
| | | | 2009 | 23,567 | 1,982 | 8.4 | 1,905 | 96.1 | 0 | 0.0 | 0 | 0.0 |
| | | | 2010 | 15,319 | 1,799 | 11.7 | 1,806 | 100.4 | 0 | 0.0 | 0 | 0.0 |
| | | | 2011 | 26,536 | 2,276 | 8.6 | 2,162 | 95.0 | 2 | 0.0 | 0 | 15.8 |
| | Mackerel | IIa (EU), III (EU), IV | 2007 | 19,677 | 1,127 | 5.7 | 1,027 | 91.1 | .. | .. | .. | .. |
| | | | 2008 | 18,149 | 492 | 2.7 | 436 | 88.6 | .. | .. | .. | .. |
| | | | 2009 | 23,450 | 1,354 | 5.8 | 1,318 | 97.3 | 810 | 3.5 | 810 | 100.0 |
| | | | 2010 | 15,243 | 1,754 | 11.5 | 1,724 | 98.3 | 800 | 5.2 | 791 | 98.9 |
| | | | 2011 | 20,002 | 1,761 | 8.8 | 1,683 | 95.6 | 996 | 5.0 | 914 | 91.8 |
| | Horse mackerel[1] | IVb, Ivc, VIId | 2007 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | | | 2008 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | | | 2009 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | | | 2010 | 30,143 | 4,396 | 14.6 | 1,900 | 43.2 | 164 | 0.5 | 0 | 0.0 |
| | | | 2011 | 42,955 | 4,700 | 10.9 | 1,790 | 38.1 | 1,508 | 3.5 | 46 | 3.1 |
| | Blue whiting | I-VIII, XII, XIV | 2007 | 279,058 | 55,565 | 19.9 | 53,653 | 96.6 | .. | .. | .. | .. |
| | | | 2008 | 175,466 | 35,172 | 20.0 | 35,105 | 99.8 | .. | .. | .. | .. |
| | | | 2009 | 74,058 | 6,358 | 8.6 | 6,332 | 99.6 | 158 | 0.2 | 156 | 98.7 |
| | | | 2010 | 48,138 | 7,622 | 15.8 | 6,995 | 91.8 | 5,019 | 10.4 | 4,490 | 89.5 |
| | | | 2011 | 10,042 | 1,508 | 15.0 | 1,358 | 90.1 | 1,330 | 13.2 | 1,331 | 100.1 |
| | Sandeel | IIa (EU), IV (EU) | 2007 | 152,717 | 3,774 | 2.5 | 1,657 | 43.9 | .. | .. | .. | .. |
| | | | 2008 | 355,228 | 7,010 | 2.0 | 6,259 | 89.3 | .. | .. | .. | .. |
| | | | 2009 | 177,500 | 4,104 | 2.3 | 3,616 | 88.1 | 3,616 | 2.0 | 3,616 | 100.0 |
| | | | 2010 | 115,375 | 3,983 | 3.5 | 3,966 | 99.6 | 3,981 | 3.5 | 3,966 | 99.6 |
| | | | 2011 | 242,250 | 6,312 | 2.6 | 6,102 | 96.7 | 6,283 | 2.6 | 6,102 | 97.1 |
| | Sprat | IIa (EU), IV (EU) | 2007 | 147,028 | 5,162 | 3.5 | 323 | 6.3 | .. | .. | .. | .. |
| | | | 2008 | 175,777 | 5,659 | 3.2 | 232 | 4.1 | .. | .. | .. | .. |
| | | | 2009 | 150,777 | 4,791 | 3.2 | 2,600 | 54.3 | 4,291 | 2.8 | 2,549 | 59.4 |
| | | | 2010 | 98,005 | 5,607 | 5.7 | 1,870 | 33.3 | 1,921 | 2.0 | 1,075 | 56.0 |
| | | | 2011 | 149,924 | 3,726 | 2.5 | 3,365 | 90.3 | 2,253 | 1.5 | 2,251 | 99.9 |

(1) In 2010 the sea areas for this stock were changed from IVa, IVb IVc to IVb,IVc,VIId.

(continued ...)

**Table 1.10** Total allowable catches, UK quota and uptake: 2007 to 2011

| Area | Species | Sea area | Year | EU total allowable catch | UK quota After exchanges | UK quota % of TAC | UK uptake Tonnes | UK uptake % of quota | Scottish PO Quota After exchanges | Scottish PO Quota % of TAC | Scottish PO uptake Tonnes | Scottish PO uptake % of quota |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **West of Scotland** | Cod | Vb (EU), | 2007 | 490 | 364 | 74.3 | 307 | 84.3 | .. | .. | .. | .. |
| | | VI, | 2008 | 402 | 281 | 69.9 | 281 | 100.0 | .. | .. | .. | .. |
| | | XII (int'l), | 2009 | 302 | 170 | 56.3 | 166 | 97.4 | 140 | 46.5 | 150 | 106.6 |
| | | XIVb (int'l | 2010 | 320 | 184 | 57.5 | 141 | 76.8 | 159 | 49.6 | 135 | 85.1 |
| | | | 2011 | 260 | 172 | 66.2 | 146 | 85.1 | 0 | 0.0 | 137 | 0.0 |
| | Haddock | Vb (EU), | 2007 | 11,815 | 9,746 | 82.5 | 4,422 | 45.4 | .. | .. | .. | .. |
| | | VI, | 2008 | 13,036 | 11,121 | 85.3 | 3,548 | 31.9 | .. | .. | .. | .. |
| | | XII (int'l), | 2009 | 9,395 | 8,582 | 91.3 | 5,330 | 62.1 | 8,190 | 87.2 | 5,306 | 64.8 |
| | | XIVb (int'l | 2010 | 7,670 | 7,228 | 94.2 | 5,346 | 74.0 | 6,610 | 86.2 | 5,045 | 76.3 |
| | | | 2011 | 5,753 | 5,096 | 88.6 | 3,126 | 61.3 | 4,391 | 76.3 | 2,913 | 66.4 |
| | Whiting | Vb(EU), | 2007 | 1,020 | 672 | 65.9 | 426 | 63.4 | .. | .. | .. | .. |
| | | VI, | 2008 | 765 | 503 | 65.8 | 377 | 75.0 | .. | .. | .. | .. |
| | | XII(int'l), | 2009 | 574 | 379 | 66.1 | 367 | 96.6 | 352 | 61.4 | 350 | 99.3 |
| | | XIVb(int'l) | 2010 | 431 | 304 | 70.4 | 263 | 86.7 | 225 | 52.2 | 241 | 107.0 |
| | | | 2011 | 323 | 155 | 48.0 | 86 | 55.4 | 0 | 0.0 | 77 | 0.0 |
| | Saithe | Vb(EU), | 2007 | 12,787 | 3,953 | 30.9 | 1,424 | 36.0 | .. | .. | .. | .. |
| | | VI, | 2008 | 14,100 | 3,708 | 26.3 | 2,847 | 76.8 | .. | .. | .. | .. |
| | | XII(int'l), | 2009 | 13,066 | 3,668 | 28.1 | 3,475 | 94.7 | 3,463 | 26.5 | 3,347 | 96.6 |
| | | XIVb(int'l) | 2010 | 8,493 | 3,718 | 43.8 | 3,168 | 85.2 | 3,535 | 41.6 | 3,044 | 86.1 |
| | | | 2011 | 9,682 | 5,316 | 43.8 | 4,544 | 85.5 | 4,956 | 51.2 | 4,283 | 86.4 |
| | Plaice | Vb(EU), | 2007 | 786 | 477 | 60.7 | 47 | 9.9 | .. | .. | .. | .. |
| | | VI, | 2008 | 786 | 786 | 100.0 | 32 | 4.1 | .. | .. | .. | .. |
| | | XII(int'l), | 2009 | 786 | 477 | 60.7 | 34 | 7.1 | 379 | 48.2 | 31 | 8.2 |
| | | XIVb(int'l) | 2010 | 707 | 417 | 59.0 | 31 | 7.5 | 332 | 46.9 | 26 | 8.0 |
| | | | 2011 | 693 | 371 | 53.5 | 30 | 8.0 | 312 | 45.0 | 27 | 8.7 |
| | Sole | Vb(EU), | 2007 | 68 | 14 | 20.6 | 3 | 21.4 | .. | .. | .. | .. |
| | | VI, | 2008 | 68 | 14 | 20.6 | 3 | 18.6 | .. | .. | .. | .. |
| | | XII(int'l), | 2009 | 68 | 14 | 20.6 | 2 | 12.1 | 5 | 6.9 | 1 | 29.8 |
| | | XIVb(int'l) | 2010 | 61 | 12 | 19.7 | 1 | 10.6 | 4 | 6.4 | 1 | 12.8 |
| | | | 2011 | 60 | 12 | 20.0 | 3 | 26.7 | 4 | 6.5 | 2 | 59.0 |
| | Anglers | Vb(EU), | 2007 | 5,155 | 2,029 | 39.4 | 1,734 | 85.5 | .. | .. | .. | .. |
| | | VI, | 2008 | 5,155 | 1,762 | 34.2 | 1,728 | 98.1 | .. | .. | .. | .. |
| | | XII(int'l), | 2009 | 5,567 | 2,147 | 38.6 | 2,064 | 96.1 | 1,899 | 34.1 | 1,862 | 98.1 |
| | | XIVb(int'l) | 2010 | 5,567 | 2,518 | 45.2 | 2,212 | 87.9 | 2,075 | 37.3 | 1,907 | 91.9 |
| | | | 2011 | 5,456 | 2,380 | 43.6 | 2,150 | 90.3 | 1,851 | 33.9 | 1,724 | 93.2 |
| | Nephrops | Vb(EU), | 2007 | 19,885 | 21,213 | 106.7 | 16,175 | 76.3 | .. | .. | .. | .. |
| | | VI | 2008 | 19,885 | 21,533 | 108.3 | 15,158 | 70.4 | .. | .. | .. | .. |
| | | | 2009 | 18,891 | 20,598 | 109.0 | 12,643 | 61.4 | 12,352 | 65.4 | 8,347 | 67.6 |
| | | | 2010 | 16,057 | 17,907 | 111.5 | 12,164 | 67.9 | 10,708 | 66.7 | 7,544 | 70.5 |
| | | | 2011 | 13,681 | 15,131 | 110.6 | 12,873 | 85.1 | 9,059 | 66.2 | 7,973 | 88.0 |
| | Megrim | Vb(EU), | 2007 | 2,880 | 936 | 32.5 | 854 | 91.2 | .. | .. | .. | .. |
| | | VI, | 2008 | 2,592 | 1,203 | 46.4 | 1,011 | 84.0 | .. | .. | .. | .. |
| | | XII(int'l), | 2009 | 2,799 | 1,240 | 44.3 | 1,118 | 90.1 | 1,110 | 39.7 | 1,039 | 93.6 |
| | | XIVb(int'l) | 2010 | 3,079 | 1,225 | 39.8 | 914 | 74.6 | 1,038 | 33.7 | 871 | 83.9 |
| | | | 2011 | 3,387 | 1,110 | 32.8 | 785 | 70.7 | 957 | 28.3 | 749 | 78.2 |
| | Pollack | Vb(EU), | 2007 | 450 | 165 | 36.7 | 21 | 12.7 | .. | .. | .. | .. |
| | | VI, | 2008 | 450 | 165 | 36.7 | 23 | 13.9 | .. | .. | .. | .. |
| | | XII(int'l), | 2009 | 450 | 165 | 36.7 | 25 | 15.0 | 76 | 16.9 | 23 | 30.1 |
| | | XIVb(int'l) | 2010 | 405 | 148 | 36.5 | 39 | 26.4 | 80 | 19.7 | 35 | 43.6 |
| | | | 2011 | 397 | 145 | 36.5 | 36 | 25.1 | 71 | 17.9 | 31 | 43.7 |
| | Spurdog | I. | 2007 | 2,828 | 2,828 | 100.0 | 677 | 23.9 | .. | .. | .. | .. |
| | | V, VI, VII, | 2008 | 2,004 | 735 | 36.7 | 184 | 25.1 | .. | .. | .. | .. |
| | | XII, XIV | 2009 | 1,002 | 431 | 43.0 | 391 | 90.6 | .. | .. | .. | .. |
| | | | 2010 | 0 | 43 | .. | 45 | 105.5 | .. | .. | .. | .. |
| | | | 2011 | 0 | 0 | .. | 1 | 0.0 | .. | .. | .. | .. |
| | Herring | Vb(EU), | 2007 | 33,340 | 17,758 | 53.3 | 17,640 | 99.3 | .. | .. | .. | .. |
| | | VIa(N), | 2008 | 26,540 | 14,277 | 53.8 | 14,086 | 98.7 | .. | .. | .. | .. |
| | | VIb | 2009 | 21,100 | 11,233 | 53.2 | 11,076 | 98.6 | 6,593 | 31.2 | 6,465 | 98.1 |
| | | | 2010 | 13,715 | 12,166 | 88.7 | 12,043 | 99.0 | 6,491 | 47.3 | 6,481 | 99.8 |
| | | | 2011 | 21,755 | 11,722 | 53.9 | 11,838 | 101.0 | 7,325 | 33.7 | 7,552 | 103.1 |
| | Mackerel | II(excl EU | 2007 | 256,363 | 132,856 | 51.8 | 132,674 | 99.9 | .. | .. | .. | .. |
| | | Vb(EU),V | 2008 | 234,082 | 125,078 | 53.4 | 124,492 | 99.5 | .. | .. | .. | .. |
| | | VIII(excl c | 2009 | 311,531 | 170,929 | 54.9 | 170,664 | 99.8 | 137,543 | 44.2 | 137,545 | 100.0 |
| | | XII(intl), | 2010 | 263,244 | 159,099 | 60.4 | 158,704 | 99.8 | 115,648 | 43.9 | 115,671 | 100.0 |
| | | XIVb(intl) | 2011 | 258,684 | 173,755 | 67.2 | 179,939 | 103.6 | 122,833 | 47.5 | 127,250 | 103.6 |
| | Herring | VIa | 2007 | 800 | 800 | 100.0 | 598 | 74.8 | .. | .. | .. | .. |
| | | (Clyde) | 2008 | 800 | 800 | 100.0 | 549 | 68.6 | .. | .. | .. | .. |
| | | | 2009 | 800 | 800 | 100.0 | 755 | 94.4 | 295 | 36.9 | 266 | 90.2 |
| | | | 2010 | 720 | 720 | 100.0 | 349 | 48.5 | 215 | 29.9 | 48 | 22.3 |
| | | | 2011 | 720 | 720 | 100.0 | 90 | 12.5 | 215 | 29.9 | 90 | 41.9 |
| | Horse | IIa, IVa, V | 2007 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | mackerel | VI, VII (ex | 2008 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | | VIII(excl c | 2009 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | | XII(intl), | 2010 | 98,986 | 15,652 | 15.8 | 15,216 | 97.2 | 2,333 | 2.4 | 2,336 | 100.1 |
| | | XIVb(intl) | 2011 | 156,587 | 15,939 | 10.2 | 14,945 | | 835 | 0.5 | 810 | 97.0 |
| | Hake | Vb(EU), | 2007 | 29,541 | 5,775 | 19.5 | 3,546 | 61.4 | .. | .. | .. | .. |
| | | VI,VII, | 2008 | 30,281 | 4,080 | 13.5 | 3,261 | 79.9 | .. | .. | .. | .. |
| | | XII(intl), | 2009 | 28,879 | 3,709 | 12.8 | 3,735 | 100.7 | 1,542 | 5.3 | 1,636 | 106.1 |
| | | XIVb(intl) | 2010 | 30,900 | 4,047 | 13.1 | 3,808 | 94.1 | 1,025 | 3.3 | 1,037 | 101.1 |
| | | | 2011 | 30,900 | 4,847 | 15.7 | 4,835 | 99.8 | 1,176 | 3.8 | 1,162 | 98.8 |

(continued ...)

**Table 1.10** Total allowable catches, UK quota and uptake: 2007 to 2011

| Area | Species | Sea area | Year | EU total allowable catch | UK quota After exchanges | UK quota % of TAC | UK uptake Tonnes | UK uptake % of quota | Scottish PO Quota After exchanges | Scottish PO Quota % of TAC | Scottish PO uptake Tonnes | Scottish PO uptake % of quota |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Area VII** | Cod | VIIa | 2007 | 1,462 | 724 | 49.5 | 432 | 59.7 | .. | .. | .. | .. |
| | | | 2008 | 1,199 | 617 | 51.5 | 539 | 87.4 | .. | .. | .. | .. |
| | | | 2009 | 899 | 456 | 50.7 | 399 | 87.6 | 3 | 0.3 | 1 | 44.8 |
| | | | 2010 | 674 | 387 | 57.4 | 291 | 75.1 | 5 | 0.7 | 1 | 20.8 |
| | | | 2011 | 506 | 188 | 37.2 | 169 | 90.1 | 3 | 0.6 | 1 | 30.0 |
| | Cod | VII(excl a) | 2007 | 4,743 | 595 | 12.5 | 598 | 100.5 | .. | .. | .. | .. |
| | | VIII, | 2008 | 4,316 | 448 | 10.4 | 450 | 100.5 | .. | .. | .. | .. |
| | | IX, | 2009 | 4,023 | 305 | 7.6 | 281 | 92.1 | 7 | 0.2 | 2 | 33.3 |
| | | X | 2010 | 4,023 | 326 | 8.1 | 309 | 94.9 | 10 | 0.2 | 8 | 85.3 |
| | | | 2011 | 4,023 | 493 | 12.3 | 443 | 89.8 | 31 | 0.8 | 29 | 94.2 |
| | Haddock | VII, | 2007 | 11,520 | 1,216 | 10.6 | 941 | 77.4 | .. | .. | .. | .. |
| | | VIII, | 2008 | 11,579 | 1,327 | 11.5 | 1,103 | 83.1 | .. | .. | .. | .. |
| | | IX, | 2009 | 11,579 | 1,578 | 13.6 | 1,196 | 75.8 | 171 | 1.5 | 148 | 86.6 |
| | | X | 2010 | 11,579 | 1,743 | 15.1 | 1,450 | 83.2 | 145 | 1.3 | 93 | 63.8 |
| | | | 2011 | 14,633 | 2,290 | 15.6 | 2,013 | 87.9 | 265 | 1.8 | 236 | 89.1 |
| | Whiting | VIIa | 2007 | 371 | 163 | 43.9 | 5 | 3.2 | .. | .. | .. | .. |
| | | | 2008 | 278 | 107 | 38.5 | 11 | 10.4 | .. | .. | .. | .. |
| | | | 2009 | 209 | 92 | 43.9 | 21 | 22.6 | 6 | 2.7 | 0 | 0.0 |
| | | | 2010 | 157 | 60 | 38.2 | 16 | 27.3 | 3 | 1.9 | 0 | 0.0 |
| | | | 2011 | 118 | 19 | 16.1 | 6 | 30.5 | 3 | 2.6 | 0 | 0.0 |
| | Whiting | VII(excl a) | 2007 | 19,940 | 2,269 | 11.4 | 636 | 28.0 | .. | .. | .. | .. |
| | | | 2008 | 19,940 | 2,085 | 10.5 | 702 | 33.7 | .. | .. | .. | .. |
| | | | 2009 | 16,949 | 1,578 | 9.3 | 968 | 61.4 | 105 | 0.6 | 90 | 86.1 |
| | | | 2010 | 14,407 | 1,153 | 8.0 | 1,048 | 90.9 | 55 | 0.4 | 37 | 66.7 |
| | | | 2011 | 16,568 | 1,143 | 6.9 | 1,000 | 87.5 | 134 | 0.8 | 87 | 65.0 |
| | Saithe | VII, | 2007 | 3,790 | 581 | 15.3 | 90 | 15.5 | .. | .. | .. | .. |
| | | VIII, | 2008 | 3,790 | 582 | 15.4 | 76 | 13.1 | .. | .. | .. | .. |
| | | IX, | 2009 | 3,790 | 481 | 12.7 | 113 | 23.4 | 154 | 4.1 | 0 | 0.0 |
| | | X | 2010 | 3,411 | 447 | 13.1 | 85 | 18.9 | 133 | 3.9 | 2 | 1.3 |
| | | | 2011 | 3,343 | 431 | 12.9 | 69 | 16.0 | 136 | 4.1 | 1 | 0.4 |
| | Plaice | VIIa | 2007 | 1,849 | 708 | 38.3 | 412 | 58.2 | .. | .. | .. | .. |
| | | | 2008 | 1,849 | 735 | 39.8 | 300 | 40.7 | .. | .. | .. | .. |
| | | | 2009 | 1,430 | 566 | 39.5 | 212 | 37.5 | 30 | 2.1 | 1 | 3.0 |
| | | | 2010 | 1,627 | 548 | 33.7 | 150 | 27.3 | 40 | 2.4 | 0 | 1.0 |
| | | | 2011 | 1,627 | 546 | 33.6 | 145 | 26.5 | 41 | 2.5 | 3 | 6.9 |
| | Plaice | VIId,e | 2007 | 5,050 | 1,615 | 32.0 | 1,135 | 70.3 | .. | .. | .. | .. |
| | | | 2008 | 5,050 | 1,369 | 27.1 | 1,134 | 82.8 | .. | .. | .. | .. |
| | | | 2009 | 4,646 | 1,387 | 29.9 | 1,324 | 95.5 | 3 | 0.1 | 3 | 113.3 |
| | | | 2010 | 4,274 | 1,361 | 31.8 | 1,344 | 98.8 | 3 | 0.1 | 3 | 103.4 |
| | | | 2011 | 4,665 | 1,382 | 29.6 | 1,382 | 100.0 | 7 | 0.2 | 6 | 86.1 |
| | Plaice | VIIf,g | 2007 | 417 | 72 | 17.3 | 61 | 85.3 | .. | .. | .. | .. |
| | | | 2008 | 491 | 94 | 19.1 | 62 | 66.4 | .. | .. | .. | .. |
| | | | 2009 | 422 | 58 | 13.7 | 56 | 96.2 | 0 | 0.0 | 0 | 200.0 |
| | | | 2010 | 451 | 60 | 13.3 | 55 | 90.8 | 0 | 0.0 | 0 | 0.0 |
| | | | 2011 | 410 | 49 | 12.0 | 45 | 92.2 | 0 | 0.0 | 1 | 250.0 |
| | Plaice | VIIh,j,k | 2007 | 337 | 42 | 12.5 | 20 | 47.6 | .. | .. | .. | .. |
| | | | 2008 | 303 | 32 | 10.6 | 12 | 37.8 | .. | .. | .. | .. |
| | | | 2009 | 256 | 39 | 15.3 | 32 | 81.1 | 0 | 0.1 | 0 | 0.0 |
| | | | 2010 | 218 | 48 | 22.0 | 35 | 72.1 | 0 | 0.1 | 0 | 0.0 |
| | | | 2011 | 185 | 45 | 24.3 | 44 | 98.2 | 2 | 0.8 | 1 | 86.7 |
| | Sole | VIIa | 2007 | 816 | 204 | 25.0 | 70 | 34.2 | .. | .. | .. | .. |
| | | | 2008 | 669 | 162 | 24.2 | 38 | 23.3 | .. | .. | .. | .. |
| | | | 2009 | 502 | 123 | 24.5 | 20 | 16.2 | 3 | 0.7 | 0 | 13.4 |
| | | | 2010 | 402 | 94 | 23.4 | 13 | 13.4 | 2 | 0.4 | 0 | 6.3 |
| | | | 2011 | 390 | 69 | 17.7 | 31 | 44.9 | 2 | 0.4 | 0 | 23.5 |

(continued ...)

**Table 1.10** Total allowable catches, UK quota and uptake: 2007 to 2011

| Area | Species | Sea area | Year | EU total allowable catch | UK quota After exchanges | UK quota % of TAC | UK uptake Tonnes | UK uptake % of quota | Scottish PO Quota After exchanges | Scottish PO Quota % of TAC | Scottish PO uptake Tonnes | Scottish PO uptake % of quota |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Area VII** | Sole | VIId | 2007 | 6,220 | 1,315 | 21.1 | 799 | 60.7 | .. | .. | .. | .. |
| | | | 2008 | 6,593 | 1,395 | 21.2 | 718 | 51.5 | .. | .. | .. | .. |
| | | | 2009 | 5,274 | 1,112 | 21.1 | 759 | 68.2 | 1 | 0.0 | 0 | 3.1 |
| | | | 2010 | 4,219 | 913 | 21.6 | 674 | 73.8 | 1 | 0.0 | 0 | 0.0 |
| | | | 2011 | 4,852 | 989 | 20.4 | 687 | 69.5 | 0 | 0.0 | 0 | 0.0 |
| | Sole | VIIe | 2007 | 900 | 531 | 59.0 | 529 | 99.6 | .. | .. | .. | .. |
| | | | 2008 | 765 | 465 | 60.8 | 464 | 99.7 | .. | .. | .. | .. |
| | | | 2009 | 650 | 371 | 57.1 | 377 | 101.5 | 1 | 0.2 | 1 | 103.2 |
| | | | 2010 | 618 | 365 | 59.1 | 362 | 99.2 | 2 | 0.3 | 2 | 83.3 |
| | | | 2011 | 710 | 431 | 60.7 | 423 | 98.2 | 1 | 0.1 | 1 | 100.0 |
| | Sole | VIIf,g | 2007 | 893 | 272 | 30.5 | 245 | 89.9 | .. | .. | .. | .. |
| | | | 2008 | 964 | 298 | 30.9 | 218 | 73.2 | .. | .. | .. | .. |
| | | | 2009 | 993 | 306 | 30.8 | 195 | 63.6 | 2 | 0.2 | 0 | 9.5 |
| | | | 2010 | 993 | 310 | 31.2 | 179 | 57.7 | 1 | 0.1 | 0 | 0.0 |
| | | | 2011 | 1,241 | 371 | 29.9 | 168 | 45.2 | 1 | 0.1 | 0 | 21.4 |
| | Sole | VIIh,j,k | 2007 | 650 | 138 | 21.2 | 91 | 65.9 | .. | .. | .. | .. |
| | | | 2008 | 650 | 108 | 16.6 | 80 | 73.9 | .. | .. | .. | .. |
| | | | 2009 | 553 | 103 | 18.6 | 58 | 56.0 | 0 | 0.1 | 0 | 23.9 |
| | | | 2010 | 498 | 93 | 18.7 | 51 | 54.4 | 0 | 0.1 | 0 | 33.3 |
| | | | 2011 | 423 | 73 | 17.3 | 54 | 74.5 | 3 | 0.6 | 1 | 40.7 |
| | Nephrops | VII | 2007 | 25,153 | 9,119 | 36.3 | 7,096 | 77.8 | .. | .. | .. | .. |
| | | | 2008 | 25,153 | 9,073 | 36.1 | 8,721 | 96.1 | .. | .. | .. | .. |
| | | | 2009 | 24,650 | 8,861 | 35.9 | 8,303 | 93.7 | 325 | 1.3 | 303 | 93.1 |
| | | | 2010 | 22,432 | 8,831 | 39.4 | 7,523 | 85.2 | 280 | 1.3 | 206 | 73.3 |
| | | | 2011 | 21,759 | 8,155 | 37.5 | 7,261 | 89.0 | 283 | 1.3 | 120 | 42.5 |
| | Anglers | VII | 2007 | 28,080 | 5,468 | 19.5 | 4,993 | 91.3 | .. | .. | .. | .. |
| | | | 2008 | 28,080 | 5,425 | 19.3 | 4,572 | 84.3 | .. | .. | .. | .. |
| | | | 2009 | 28,080 | 5,465 | 19.5 | 4,614 | 84.4 | 590 | 2.1 | 571 | 96.8 |
| | | | 2010 | 32,292 | 6,079 | 18.8 | 5,658 | 93.1 | 759 | 2.4 | 751 | 99.0 |
| | | | 2011 | 32,292 | 6,475 | 20.1 | 6,300 | 97.3 | 854 | 2.6 | 815 | 95.4 |
| | Megrim | VII | 2007 | 18,300 | 2,916 | 15.9 | 1,651 | 56.6 | .. | .. | .. | .. |
| | | | 2008 | 18,300 | 2,624 | 14.3 | 1,798 | 68.5 | .. | .. | .. | .. |
| | | | 2009 | 18,300 | 2,873 | 15.7 | 2,368 | 82.4 | 141 | 0.8 | 39 | 27.7 |
| | | | 2010 | 18,300 | 3,313 | 18.1 | 2,485 | 75.0 | 230 | 1.3 | 207 | 90.2 |
| | | | 2011 | 18,300 | 2,673 | 14.6 | 2,436 | 91.1 | 227 | 1.2 | 171 | 75.4 |
| | Pollack (Lythe) | VII | 2007 | 15,300 | 2,665 | 17.4 | 1,727 | 64.8 | .. | .. | .. | .. |
| | | | 2008 | 15,300 | 2,666 | 17.4 | 1,382 | 51.8 | .. | .. | .. | .. |
| | | | 2009 | 15,300 | 2,664 | 17.4 | 1,461 | 54.8 | 124 | 0.8 | 2 | 1.6 |
| | | | 2010 | 13,770 | 2,396 | 17.4 | 1,380 | 57.6 | 120 | 0.9 | 2 | 1.3 |
| | | | 2011 | 13,495 | 2,313 | 17.1 | 1,738 | 75.1 | 120 | 0.9 | 6 | 4.6 |
| | Herring | VIIa | 2007 | 4,800 | 4,699 | 97.9 | 4,630 | 98.5 | | | | |
| | | | 2008 | 4,800 | 4,948 | 103.1 | 4,897 | 99.0 | | | | |
| | | | 2009 | 4,800 | 4,824 | 100.5 | 4,594 | 95.2 | 2 | 0.0 | 0 | 0.3 |
| | | | 2010 | 4,800 | 5,030 | 104.8 | 4,981 | 99.0 | 3 | 0.1 | 0 | 0.0 |
| | | | 2011 | 5,280 | 5,313 | 100.6 | 5,205 | 98.0 | 4 | 0.1 | 0 | 0.0 |
| | Herring | VIIe,f | 2007 | 1,000 | 500 | 50.0 | 222 | 44.3 | .. | .. | .. | .. |
| | | | 2008 | 1,000 | 500 | 50.0 | 106 | 21.3 | .. | .. | .. | .. |
| | | | 2009 | 1,000 | 500 | 50.0 | 136 | 27.2 | 0 | 0.0 | 1 | 0.0 |
| | | | 2010 | 1,000 | 500 | 50.0 | 208 | 41.6 | 0 | 0.0 | 0 | 0.0 |
| | | | 2011 | 980 | 490 | 50.0 | 218 | 44.4 | 0 | 0.0 | 0 | 0.0 |
| | Sprat | VIId,e | 2007 | 6,144 | 3,226 | 52.5 | 2,706 | 83.9 | .. | .. | .. | .. |
| | | | 2008 | 6,144 | 4,626 | 75.3 | 3,366 | 72.8 | .. | .. | .. | .. |
| | | | 2009 | 6,144 | 4,581 | 74.6 | 2,763 | 60.3 | 0 | 0.0 | 0 | 0.0 |
| | | | 2010 | 5,532 | 4,429 | 80.1 | 4,404 | 99.4 | 0 | 0.0 | 0 | 0.0 |
| | | | 2011 | 5,421 | 3,147 | 58.1 | 3,135 | 99.6 | 0 | 0.0 | 0 | 0.0 |

(continued ...)

**Table 1.10** Total allowable catches, UK quota and uptake: 2007 to 2011

| Area | Species | Sea area | Year | EU total allowable catch | UK quota After exchanges | UK quota % of TAC | UK uptake Tonnes | UK uptake % of quota | Scottish PO Quota After exchanges | Scottish PO Quota % of TAC | Scottish PO uptake Tonnes | Scottish PO uptake % of quota |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Norway | Cod | I, II | 2007 | 16,974 | 7,608 | 44.8 | 7,480 | 98.3 | .. | .. | .. | .. |
| | | (Norway) | 2008 | 17,057 | 6,018 | 35.3 | 5,653 | 93.9 | .. | .. | .. | .. |
| | | | 2009 | 19,324 | 9,058 | 46.9 | 6,645 | 73.4 | .. | .. | .. | .. |
| | | | 2010 | 20,050 | 7,535 | 37.6 | 4,185 | 55.5 | .. | .. | .. | .. |
| | | | 2011 | 14,127 | 6,099 | 43.2 | 5,799 | 95.1 | .. | .. | .. | .. |
| | Haddock | I, II | 2007 | 3,000 | 1,407 | 46.9 | 1,464 | 104.1 | .. | .. | .. | .. |
| | | (Norway) | 2008 | 2,500 | 1,050 | 42.0 | 898 | 85.5 | .. | .. | .. | .. |
| | | | 2009 | 2,500 | 1,643 | 65.7 | 793 | 48.3 | .. | .. | .. | .. |
| | | | 2010 | 2,050 | 743 | 36.2 | 526 | 70.7 | .. | .. | .. | .. |
| | | | 2011 | 1,350 | 781 | 57.9 | 743 | 95.1 | .. | .. | .. | .. |
| | Saithe | I, II | 2007 | 3,950 | 477 | 12.1 | 348 | 73.0 | .. | .. | .. | .. |
| | | (Norway) | 2008 | 3,832 | 347 | 9.1 | 460 | 132.7 | .. | .. | .. | .. |
| | | | 2009 | 3,000 | 214 | 7.1 | 378 | 176.8 | .. | .. | .. | .. |
| | | | 2010 | 3,000 | 258 | 8.6 | 121 | 46.9 | .. | .. | .. | .. |
| | | | 2011 | 2,550 | 875 | 34.3 | 903 | 103.1 | .. | .. | .. | .. |
| | Redfish | I, II | 2007 | 1,500 | 250 | 16.7 | 184 | 73.7 | .. | .. | .. | .. |
| | | (Norway) | 2008 | 1,500 | 150 | 10.0 | 111 | 74.0 | .. | .. | .. | .. |
| | | | 2009 | 1,500 | 150 | 10.0 | 111 | 73.9 | .. | .. | .. | .. |
| | | | 2010 | 1,500 | 120 | 8.0 | 19 | 15.5 | .. | .. | .. | .. |
| | | | 2011 | 1,500 | 150 | 10.0 | 20 | 13.5 | .. | .. | .. | .. |
| | Greenland halibut | I, II | 2007 | 74 | 37 | 50.0 | 7 | 18.9 | .. | .. | .. | .. |
| | | (Norway) | 2008 | 50 | 25 | 50.0 | 6 | 25.2 | .. | .. | .. | .. |
| | | | 2009 | 50 | 25 | 50.0 | 8 | 31.6 | .. | .. | .. | .. |
| | | | 2010 | 50 | 20 | 40.0 | 0 | 0.5 | .. | .. | .. | .. |
| | | | 2011 | 50 | 25 | 50.0 | 9 | 37.6 | .. | .. | .. | .. |
| | Other species | I, II | 2007 | 450 | 240 | 53.3 | 42 | 17.4 | .. | .. | .. | .. |
| | | (Norway) | 2008 | 350 | 186 | 53.1 | 56 | 30.0 | .. | .. | .. | .. |
| | | | 2009 | 350 | 186 | 53.1 | 17 | 9.2 | .. | .. | .. | .. |
| | | | 2010 | 350 | 186 | 53.1 | 15 | 8.0 | .. | .. | .. | .. |
| | | | 2011 | 350 | 186 | 53.1 | 40 | 21.3 | .. | .. | .. | .. |
| | Herring | I, II | 2007 | 70,000 | 16,452 | 23.5 | 16,160 | 98.2 | .. | .. | .. | .. |
| | | | 2008 | 98,822 | 20,210 | 20.5 | 19,737 | 97.7 | .. | .. | .. | .. |
| | | | 2009 | 106,959 | 29,671 | 27.7 | 25,477 | 85.9 | 25,439 | 23.8 | 25,477 | 100.1 |
| | | | 2010 | 96,543 | 23,931 | 24.8 | 24,151 | 100.9 | 23,895 | 24.8 | 24,151 | 101.1 |
| | | | 2011 | 64,319 | 14,089 | 21.9 | 14,045 | 99.7 | 14,080 | 21.9 | 14,045 | 99.8 |
| Svalbard | Cod | I,IIb | 2007 | 15,457 | 7,608 | 49.2 | 7,480 | 98.3 | .. | .. | .. | .. |
| | | (Svalbard | 2008 | 16,211 | 2,879 | 17.8 | 2,633 | 91.5 | .. | .. | .. | .. |
| | | | 2009 | 19,793 | 1,726 | 8.7 | 1,987 | 115.1 | .. | .. | .. | .. |
| | | | 2010 | 22,356 | 2,067 | 9.2 | 1,026 | 49.7 | .. | .. | .. | .. |
| | | | 2011 | 25,975 | 2,573 | 9.3 | 2,409 | 93.6 | .. | .. | .. | .. |
| Faroes | Cod/ haddock | Vb | 2007 | 500 | 480 | 96.0 | 460 | 95.8 | .. | .. | .. | .. |
| | | (Faroes) | 2008 | 500 | 480 | 96.0 | 469 | 97.6 | .. | .. | .. | .. |
| | | | 2009 | 500 | 440 | 88.0 | 427 | 97.0 | .. | .. | .. | .. |
| | | | 2010 | 500 | 440 | 88.0 | 439 | 99.7 | .. | .. | .. | .. |
| | | | 2011 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | Saithe | Vb | 2007 | 2,700 | 1,016 | 37.6 | 408 | 40.2 | .. | .. | .. | .. |
| | | (Faroes) | 2008 | 2,425 | 807 | 33.3 | 358 | 44.3 | .. | .. | .. | .. |
| | | | 2009 | 2,425 | 816 | 33.6 | 666 | 81.6 | .. | .. | .. | .. |
| | | | 2010 | 2,425 | 862 | 35.5 | 706 | 81.9 | .. | .. | .. | .. |
| | | | 2011 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | Redfish | Vb | 2007 | 2,265 | 44 | 1.9 | 9 | 20.5 | .. | .. | .. | .. |
| | | (Faroes) | 2008 | 1,600 | 67 | 4.2 | 6 | 9.0 | .. | .. | .. | .. |
| | | | 2009 | 1,600 | 17 | 1.1 | 14 | 81.8 | .. | .. | .. | .. |
| | | | 2010 | 1,600 | 660 | 41.3 | 86 | 13.1 | .. | .. | .. | .. |
| | | | 2011 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | Ling/ blue ling | Vb | 2007 | 3,065 | 224 | 7.3 | 165 | 73.7 | .. | .. | .. | .. |
| | | (Faroes) | 2008 | 3,065 | 275 | 9.0 | 121 | 44.1 | .. | .. | .. | .. |
| | | | 2009 | 3,065 | 378 | 12.3 | 270 | 71.5 | .. | .. | .. | .. |
| | | | 2010 | 2,700 | 444 | 16.4 | 370 | 83.3 | .. | .. | .. | .. |
| | | | 2011 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | Flatfish | Vb | 2007 | 300 | 201 | 67.0 | 21 | 10.4 | .. | .. | .. | .. |
| | | (Faroes) | 2008 | 300 | 204 | 68.0 | 21 | 10.4 | .. | .. | .. | .. |
| | | | 2009 | 300 | 204 | 68.0 | 63 | 30.8 | .. | .. | .. | .. |
| | | | 2010 | 300 | 217 | 72.3 | 252 | 116.2 | .. | .. | .. | .. |
| | | | 2011 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | Other species | Vb | 2007 | 760 | 200 | 26.3 | 159 | 79.5 | .. | .. | .. | .. |
| | | (Faroes) | 2008 | 760 | 180 | 23.7 | 98 | 54.4 | .. | .. | .. | .. |
| | | | 2009 | 760 | 320 | 42.1 | 246 | 76.8 | .. | .. | .. | .. |
| | | | 2010 | 760 | 334 | 43.9 | 242 | 72.5 | .. | .. | .. | .. |
| | | | 2011 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | Blue whiting | Vb | 2007 | 18,000 | 4,396 | 24.4 | 2,813 | 64.0 | .. | .. | .. | .. |
| | | (Faroes) | 2008 | 12,240 | 4,385 | 35.8 | 3,042 | 69.4 | .. | .. | .. | .. |
| | | | 2009 | 3,000 | 1,320 | 44.0 | 0 | 0.0 | .. | .. | .. | .. |
| | | | 2010 | 2,700 | 1,187 | 44.0 | 974 | 82.0 | .. | .. | .. | .. |
| | | | 2011 | .. | .. | .. | .. | .. | .. | .. | .. | .. |

**Table** 1.11 Quantity and value of landings of key commercial stocks by Scottish vessels: 2007 to 2011

| | Quantity (tonnes) | | | | | Value (£'000) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Stock** | **2007** | **2008** | **2009** | **2010** | **2011** | **2007** | **2008** | **2009** | **2010** | **2011** |
| Atlanto Scandian Herring | 13,244 | 19,737 | 25,477 | 24,151 | 14,045 | 5,730 | 2,838 | 7,658 | 6,022 | 5,354 |
| Clyde Herring | 163 | 54 | 266 | 48 | 90 | 27 | 14 | 67 | 21 | 47 |
| North Sea Herring ([1]) | 32,624 | 15,690 | 14,004 | 11,160 (r) | 16,029 | 6,202 | 4,550 | 4,677 | 3,680 (r) | 7,766 |
| West of Scotland Herring | 12,027 | 10,141 | 6,750 | 6,400 | 7,552 | 2,256 | 2,852 | 2,177 | 1,958 | 3,807 |
| North Sea Mackerel ([2]) | 970 | 427 | 1,179 | 1,298 (r) | 1,569 | 567 | 322 | 944 | 1,102 (r) | 2,021 |
| West of Scotland Mackerel | 107,066 | 105,186 | 150,303 | 133,397 (r) | 144,386 | 69,996 | 82,433 | 133,604 | 111,957 (r) | 161,091 |
| West of Scotland Blue Ling | 132 | 115 | 182 | 136 | 74 | 162 | 153 | 183 | 171 | 101 |
| North Sea Cod | 6,512 | 6,909 | 9,051 | 11,567 | 10,141 | 13,567 | 14,729 | 16,288 | 22,976 | 22,459 |
| West of Scotland Cod (VIa) | 260 (r) | 229 (r) | 104 (r) | 114 (r) | 107 | 510 (r) | 457 (r) | 188 (r) | 225 (r) | 232 |
| Rockall Cod (VIb) | 26 | 40 | 48 | 23 | 37 | 50 | 96 | 90 | 51 | 97 |
| North Sea Haddock | 24,919 | 25,346 | 26,240 | 22,622 | 21,106 | 31,699 | 27,913 | 24,881 | 25,419 | 26,126 |
| West of Scotland Haddock (VIa) | 2,587 (r) | 1,694 (r) | 2,365 (r) | 2,408 (r) | 1,359 | 3,310 (r) | 1,970 (r) | 2,727 (r) | 2,917 (r) | 1,800 |
| Rockall Haddock (VIb) | 1,635 | 1,763 | 2,951 | 2,931 | 1,732 | 2,157 | 2,270 | 3,639 | 3,839 | 2,736 |
| North Sea Hake | 330 | 1,877 | 3,077 | 1,807 | 1,803 | 351 | 3,602 | 6,037 | 3,625 | 3,385 |
| West of Scotland Hake | 1,729 | 2,209 | 2,809 | 2,909 | 3,591 | 2,824 | 3,521 | 6,347 | 5,721 | 7,234 |
| North Sea Ling | 1,175 | 1,705 | 2,065 | 1,865 | 1,958 | 1,357 | 2,087 | 2,322 | 2,618 | 2,879 |
| West of Scotland Ling | 1,112 | 874 | 1,423 | 1,918 | 2,078 | 1,451 | 1,064 | 1,874 | 2,866 | 3,162 |
| North Sea Megrim | 1,411 | 1,471 | 1,426 | 1,410 | 1,355 | 3,219 | 4,111 | 3,783 | 3,888 | 4,512 |
| West of Scotland Megrim | 810 | 1,000 | 1,100 | 907 | 780 | 1,921 | 2,623 | 2,849 | 2,541 | 2,493 |
| North Sea Monkfish | 8,238 | 8,601 | 7,567 | 5,727 | 6,041 | 20,314 | 23,429 | 23,554 | 19,667 | 20,641 |
| West of Scotland Monkfish | 1,547 | 1,707 | 2,005 | 2,217 | 2,016 | 4,183 | 4,803 | 7,059 | 7,445 | 7,176 |
| North Sea Nephrops | 17,923 | 17,034 | 18,575 | 16,411 | 12,018 | 55,908 | 46,912 | 38,817 | 39,758 | 44,516 |
| West of Scotland Nephrops | 14,139 | 13,201 | 11,462 | 10,250 | 10,416 | 44,924 | 43,278 | 36,961 | 35,674 | 38,477 |
| North Sea Saithe | 6,612 | 8,612 | 8,820 | 7,856 | 6,546 | 3,233 | 4,956 | 6,137 | 7,209 | 6,967 |
| West of Scotland Saithe | 1,329 | 2,939 | 3,377 | 3,126 | 4,445 | 651 | 1,610 | 2,324 | 2,860 | 4,496 |
| North Sea Tusk | 76 | 79 | 86 | 70 | 71 | 59 | 69 | 56 | 64 | 70 |
| West of Scotland Tusk | 92 | 59 | 104 | 60 | 40 | 76 | 50 | 62 | 56 | 42 |
| North Sea Whiting | 9,063 | 8,721 | 7,456 | 6,533 | 7,511 | 8,806 | 8,788 | 7,392 | 7,345 | 9,212 |
| West of Scotland Whiting | 406 | 367 | 366 | 261 | 85 | 411 | 377 | 415 | 289 | 101 |
| Blue Whiting | 43,540 | 24,004 | 174 | 5,496 | 1,331 | 4,331 | 2,559 | 19 | 1,109 | 597 |
| Edible Crabs | 10,089 | 7,734 | 8,210 | 9,180 | 9,786 | 12,022 | 8,698 | 9,018 | 10,712 | 11,496 |
| Lobster | 878 | 1,020 | 1,102 | 1,133 | 1,244 | 9,674 | 10,852 | 11,377 | 11,636 | 13,199 |
| Scallops | 12,371 | 14,548 | 17,328 | 18,762 | 15,783 | 25,606 | 28,485 | 29,936 | 31,923 | 30,935 |
| Velvet Crabs | 2,944 | 2,714 | 2,778 | 2,523 | 2,199 | 5,845 | 5,832 | 6,152 | 6,408 | 5,810 |

(1) Includes NS Herring (IVa & IVb) and NS Herring (IVc).
(2) Includes NS Mackerel (IVa) and NS Mackerel (IVb & IVc).
The 2007 to 2010 West of Scotland Cod and Haddock figures have been revised due to double counting; the 2010 West of Scotland herring figure did not include landings in IVb; the 2010 North Sea Mackerel and West of Scotland Mackerel figures have been revised because the former was overstated and the latter understated.

**Table 2.1** Number, tonnage and engine power of active[1] Scottish based vessels by length group as at 31st December: 2002 to 2011

| | | Length group (metres) | | | | | | | Over 10m | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Year | 10m & under | >10 -12 | >12 -15 | >15 -24 | >24 -40 | Over 40 | Total | Number | Average |
| **Number of vessels** | 2002(r) | 1,615 | 187 | 87 | 356 | 159 | 39 | **2,443** | 828 | 20.5 |
| | 2003(r) | 1,588 | 177 | 93 | 320 | 120 | 39 | **2,337** | 749 | 20.2 |
| | 2004(r) | 1,595 | 171 | 98 | 305 | 118 | 38 | **2,325** | 730 | 19.9 |
| | 2005(r) | 1,567 | 174 | 96 | 295 | 116 | 38 | **2,286** | 719 | 19.9 |
| | 2006 | 1,518 | 171 | 102 | 282 | 117 | 34 | **2,224** | 706 | 19.9 |
| | 2007 | 1,494 | 175 | 98 | 276 | 114 | 34 | **2,191** | 697 | 19.7 |
| | 2008 | 1,492 | 171 | 95 | 281 | 131 | 35 | **2,205** | 713 | 19.7 |
| | 2009 | 1,483 | 167 | 90 | 279 | 123 | 32 | **2,174** | 691 | 20.2 |
| | 2010 | 1,485 | 163 | 87 | 265 | 122 | 28 | **2,150** | 665 | 20.1 |
| | 2011 | 1,470 | 157 | 86 | 238 | 116 | 28 | **2,095** | 625 | 20.0 |
| | | | | | | | | | **Total tonnage** | **Average tonnage** |
| **Total tonnage[2] (GT)** | 2002(r) | 5,871 | 2,425 | 1,712 | 34,582 | 43,466 | 43,604 | **131,661** | 125,790 | 151.9 |
| | 2003(r) | 5,894 | 2,266 | 1,998 | 31,607 | 33,550 | 48,678 | **123,992** | 118,098 | 157.7 |
| | 2004(r) | 5,914 | 2,231 | 2,168 | 30,824 | 33,104 | 49,237 | **123,477** | 117,563 | 161.0 |
| | 2005(r) | 5,839 | 2,274 | 2,142 | 30,376 | 31,961 | 49,136 | **121,728** | 115,889 | 161.2 |
| | 2006 | 5,649 | 2,253 | 2,284 | 29,603 | 32,364 | 44,831 | **116,984** | 111,335 | 157.7 |
| | 2007 | 5,476 | 2,309 | 2,189 | 29,678 | 31,575 | 45,360 | **116,587** | 111,111 | 159.4 |
| | 2008 | 5,414 | 2,267 | 2,104 | 30,657 | 35,747 | 49,936 | **126,124** | 120,709 | 169.3 |
| | 2009 | 5,353 | 2,200 | 2,013 | 30,285 | 33,311 | 51,651 | **124,812** | 119,459 | 172.9 |
| | 2010 | 5,330 | 2,126 | 1,895 | 29,270 | 33,154 | 48,564 | **120,339** | 115,008 | 172.9 |
| | 2011 | 5,283 | 2,004 | 1,850 | 26,392 | 31,842 | 48,564 | **115,935** | 110,652 | 177.0 |
| | | | | | | | | | **Total power** | **Average power** |
| **Engine power[3] (kW)** | 2002(r) | 80,489 | 21,727 | 13,419 | 110,979 | 109,188 | 101,186 | **436,989** | 356,499 | 430.6 |
| | 2003(r) | 80,652 | 20,556 | 15,419 | 98,993 | 83,245 | 122,163 | **421,028** | 340,376 | 454.4 |
| | 2004(r) | 81,562 | 20,120 | 16,690 | 94,888 | 82,345 | 128,644 | **424,250** | 342,688 | 469.4 |
| | 2005(r) | 82,073 | 20,816 | 16,597 | 93,018 | 79,825 | 128,388 | **420,718** | 338,645 | 471.0 |
| | 2006 | 80,131 | 20,398 | 17,803 | 89,554 | 81,046 | 115,532 | **404,465** | 324,334 | 459.4 |
| | 2007 | 78,753 | 21,258 | 17,440 | 89,354 | 78,735 | 115,862 | **401,403** | 322,650 | 462.9 |
| | 2008 | 78,692 | 21,254 | 17,168 | 92,275 | 84,865 | 126,495 | **420,749** | 342,057 | 479.7 |
| | 2009 | 78,035 | 21,291 | 16,021 | 91,278 | 78,299 | 129,917 | **414,841** | 336,806 | 487.4 |
| | 2010 | 78,337 | 20,812 | 15,268 | 87,711 | 77,610 | 121,175 | **400,913** | 322,576 | 485.1 |
| | 2011 | 78,121 | 20,102 | 15,432 | 78,340 | 73,509 | 121,175 | **386,679** | 308,558 | 493.7 |

(1) An active vessel is a fishing vessel that is registered (Register of Shipping and Seamen) and licenced to fish. During 2006, it was discovered that the UK Core Vessel file, the official source of information on UK vessels, had been notified of Scottish vessels becoming inactive (registerd but not licenced to fish). On FIN, the Scottish database for fishing activity these vessels were still recorded as active. An exercise was conducted to take this information on board into FIN, leading to an appreciable drop in the number of active vessels recorded. As this issue affected the figures for earlier years, these figures have been revised (r).
(2) Year on year tonnage comparisons should be made with caution, since these figures take no account of the phased replacement of GRT with GT during the period 1996-2003. See explanation in Section 2.2 Size of the Scottish Fleet for further details.
(3) Engine power in years before 2005 have been underestimated. See explanation in Section 2.2 Size of the Scottish Fleet for further details.
(4) The length group has been changed to reflect better the legislative requirements affecting fishing vessels - see commentary on page.

**Table 2.2** Number, tonnage and engine power of active Scottish based vessels by length group and age group as at 31st December 2011

| | | | Length group (metres) | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | 10m & under | >10 -12 | >12 -15 | >15 -24 | >24 -40 | Over 40 | Total |
| **Number of vessels** | Age Group (years) | Under 10 | 175 | 7 | 9 | 28 | 5 | 16 | 240 |
| | | 10<15 | 119 | 2 | 8 | 27 | 21 | 3 | 180 |
| | | 15<20 | 130 | 6 | 6 | 16 | 14 | 4 | 176 |
| | | 20<25 | 229 | 49 | 14 | 33 | 24 | 1 | 350 |
| | | 25<30 | 154 | 21 | 11 | 26 | 15 | 1 | 228 |
| | | 30<35 | 162 | 23 | 4 | 22 | 7 | - | 218 |
| | | 35 yrs & over | 197 | 38 | 27 | 82 | 26 | 2 | 372 |
| | | Not known | 304 | 11 | 7 | 4 | 4 | 1 | 331 |
| | | **Totals** | **1,470** | **157** | **86** | **238** | **116** | **28** | **2,095** |
| | | **Average age** | **24** | **28** | **28** | **27** | **25** | **13** | **25** |
| **Total tonnage[1] (GT)** | Age Group (years) | Under 10 | 612 | 88 | 256 | 4,632 | 1,836 | 34,059 | 41,484 |
| | | 10<15 | 542 | 28 | 152 | 4,672 | 8,107 | 4,778 | 18,279 |
| | | 15<20 | 463 | 81 | 113 | 2,166 | 4,222 | 6,283 | 13,329 |
| | | 20<25 | 857 | 696 | 325 | 4,559 | 5,981 | 814 | 13,231 |
| | | 25<30 | 587 | 267 | 242 | 3,181 | 3,415 | 477 | 8,168 |
| | | 30<35 | 618 | 296 | 90 | 2,179 | 1,397 | - | 4,579 |
| | | 35 yrs & over | 792 | 424 | 506 | 4,394 | 5,533 | 821 | 12,470 |
| | | Not known | 813 | 125 | 166 | 609 | 1,351 | 1,332 | 4,395 |
| | | **Totals** | **5,283** | **2,004** | **1,850** | **26,392** | **31,842** | **48,564** | **115,935** |
| | | **Average tonnage** | **4** | **13** | **21** | **110** | **272** | **1,749** | **63** |
| **Engine power[2] (kW)** | Age Group (years) | Under 10 | 12,866 | 1,620 | 2,949 | 11,833 | 3,745 | 87,210 | 120,222 |
| | | 10<15 | 9,266 | 231 | 1,564 | 12,707 | 18,425 | 12,503 | 54,697 |
| | | 15<20 | 8,196 | 1,129 | 982 | 6,031 | 9,601 | 13,604 | 39,543 |
| | | 20<25 | 12,611 | 7,471 | 2,551 | 12,642 | 13,558 | 2,398 | 51,232 |
| | | 25<30 | 7,304 | 2,012 | 1,830 | 9,117 | 8,035 | 1,790 | 30,088 |
| | | 30<35 | 7,180 | 2,472 | 699 | 6,942 | 3,458 | - | 20,751 |
| | | 35 yrs & over | 7,711 | 3,134 | 3,642 | 17,123 | 13,915 | 1,420 | 46,945 |
| | | Not known | 12,986 | 2,033 | 1,215 | 1,945 | 2,772 | 2,250 | 23,201 |
| | | **Totals** | **78,121** | **20,102** | **15,432** | **78,340** | **73,509** | **121,175** | **386,679** |
| | | **Average power** | **56** | **124** | **180** | **326** | **632** | **4,405** | **206** |

(1) Year on year tonnage comparisons should be made with caution, since these figures take no account of the phased replacement of GRT with GT during the period 1996-2003. See explanation in Section 2.2 Size of the Scottish Fleet for further details.
(2) Engine power in years before 2005 have been underestimated. See explanation in Section 2.2 Size of the Scottish Fleet for further details.

**Table 2.3** Number of active Scottish based vessels by district[1] and length group as at 31st December 2011

| | Length group (metres) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **District** | **10m & under** | **>10 -12** | **>12 -15** | **>15 -24** | **>24 -40** | **Over 40** | **Over 10m** | **Total** |
| Aberdeen | 80 | 5 | 4 | 1 | - | - | 10 | 90 |
| Buckie | 47 | 4 | 2 | 15 | 10 | - | 31 | 78 |
| Eyemouth | 84 | 11 | 4 | 7 | 1 | - | 23 | 107 |
| Fraserburgh | 100 | 1 | 7 | 58 | 27 | 11 | 104 | 204 |
| Peterhead | 44 | - | - | 16 | 28 | 6 | 50 | 94 |
| Pittenweem | 104 | 8 | 5 | 3 | - | - | 16 | 120 |
| Scrabster | 115 | 9 | 3 | 4 | 2 | - | 18 | 133 |
| **Total - East Coast** | **574** | **38** | **25** | **104** | **68** | **17** | **252** | **826** |
| Orkney | 109 | 25 | 9 | 4 | 5 | - | 43 | 152 |
| Shetland | 132 | 6 | 4 | 16 | 9 | 8 | 43 | 175 |
| Stornoway | 175 | 19 | 9 | 23 | - | 1 | 52 | 227 |
| **Total - Islands** | **416** | **50** | **22** | **43** | **14** | **9** | **138** | **554** |
| Ayr | 78 | 4 | 16 | 27 | 21 | 2 | 70 | 148 |
| Campbeltown | 92 | 18 | 9 | 19 | - | - | 46 | 138 |
| Kinlochbervie | 18 | 2 | 1 | 2 | - | - | 5 | 23 |
| Lochinver | 12 | 1 | - | 1 | - | - | 2 | 14 |
| Mallaig | 35 | 2 | 2 | 16 | 1 | - | 21 | 56 |
| Oban | 84 | 18 | 4 | 16 | - | - | 38 | 122 |
| Portree | 117 | 14 | 5 | 3 | - | - | 22 | 139 |
| Ullapool | 44 | 10 | 2 | 7 | 12 | - | 31 | 75 |
| **Total - West Coast** | **480** | **69** | **39** | **91** | **34** | **2** | **235** | **715** |
| **Total** | **1,470** | **157** | **86** | **238** | **116** | **28** | **625** | **2,095** |

(1) A district is an administrative area which encompasses a length of coastline within which there are a number of ports.

**Table 2.4** Number of active Scottish based vessels by main fishing method ([1]) as at 31st December: 2002 to 2011

| | 10m & under | | | | Over 10m | | | | | | | | | | | | | | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Pelagic | | | | Demersal | | | | | Shellfish | | | | Over | |
| Year | *Nephrop* trawls | Creel fishing | Other[2] | Total | Purse seine | Pelagic trawl | Other | Total | Trawl[3] | Seine | Lines | Other[4] | Total | *Nephrop* trawls | Creel fishing | Other | Total | 10 m Total | |
| 2002(r) | 94 | 1,399 | 122 | **1,615** | 9 | 24 | - | **33** | 319 | 44 | 6 | 11 | **380** | 204 | 117 | 94 | **415** | **828** | **2,443** |
| 2003(r) | 99 | 1,371 | 118 | **1,588** | 8 | 21 | - | **29** | 272 | 33 | 4 | 11 | **320** | 193 | 115 | 92 | **400** | **749** | **2,337** |
| 2004(r) | 103 | 1,371 | 121 | **1,595** | 6 | 20 | - | **26** | 265 | 33 | 9 | 10 | **317** | 181 | 112 | 94 | **387** | **730** | **2,325** |
| 2005(r) | 100 | 1,347 | 120 | **1,567** | 6 | 19 | - | **25** | 255 | 34 | 9 | 10 | **308** | 177 | 115 | 94 | **386** | **719** | **2,286** |
| 2006 | 98 | 1,299 | 121 | **1,518** | 5 | 16 | - | **21** | 247 | 33 | 10 | 10 | **300** | 171 | 121 | 93 | **385** | **706** | **2,224** |
| 2007 | 95 | 1,292 | 107 | **1,494** | 5 | 17 | - | **22** | 241 | 35 | 9 | 9 | **294** | 172 | 120 | 89 | **381** | **697** | **2,191** |
| 2008 | 86 | 1,296 | 110 | **1,492** | 4 | 20 | - | **24** | 234 | 35 | 14 | 12 | **295** | 188 | 122 | 84 | **394** | **713** | **2,205** |
| 2009 | 81 | 1,288 | 114 | **1,483** | 4 | 21 | - | **25** | 214 | 37 | 15 | 8 | **274** | 194 | 117 | 81 | **392** | **691** | **2,174** |
| 2010 | 79 | 1,292 | 114 | **1,485** | 4 | 20 | - | **24** | 199 | 33 | 14 | 10 | **256** | 190 | 117 | 78 | **385** | **665** | **2,150** |
| 2011 | 80 | 1,285 | 105 | **1,470** | 4 | 20 | - | **24** | 179 | 28 | 15 | 7 | **229** | 177 | 118 | 77 | **372** | **625** | **2,095** |

(1) The main fishing method specified on a vessel's licence application may differ from the actual fishing gear used in individual voyages.
(2) The 10m & under 'other' fishing method category includes mechanical dredging; suction dredging, and shell fishing by hand.
(3) The over 10m 'Demersal Trawl' category includes; demersal single trawl, demersal pair trawl, demersal twin/multi trawl and beam trawl.
(4) The over 10m 'Demersal Other' category includes; demersal gill nets and other demersal.

**Table 2.5** Number of active Scottish based vessels by main fishing method ([1]) as at 31st December: 2002 to 2011

| | 10m & under | | | | Over 10m | | | | | | | | | | | | | | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Pelagic | | | | Demersal | | | | | Shellfish | | | | Over | |
| District | *Nephrop* trawls | Creel fishing | Other[2] | Total | Purse seine | Pelagic trawl | Other | Total | Trawl[3] | Seine | Lines | Other[4] | Total | *Nephrop* trawls | Creel fishing | Other | Total | 10 m Total | |
| Aberdeen | 2 | 77 | 1 | 80 | - | - | - | - | 1 | - | - | - | 1 | 5 | 3 | 1 | 9 | 10 | 90 |
| Buckie | 9 | 34 | 4 | 47 | - | - | - | - | 17 | 4 | 1 | - | 22 | 2 | 2 | 5 | 9 | 31 | 78 |
| Eyemouth | 12 | 70 | 2 | 84 | - | - | - | - | 5 | 2 | - | - | 7 | 13 | 3 | - | 16 | 23 | 107 |
| Fraserburgh | 1 | 77 | 22 | 100 | 2 | 9 | - | 11 | 52 | 6 | - | 1 | 59 | 31 | 1 | 2 | 34 | 104 | 204 |
| Peterhead | 1 | 39 | 4 | 44 | 2 | 2 | - | 4 | 34 | 4 | - | - | 38 | 7 | - | 1 | 8 | 50 | 94 |
| Pittenweem | 11 | 92 | 1 | 104 | - | - | - | - | 1 | 1 | - | - | 2 | 13 | 1 | - | 14 | 16 | 120 |
| Scrabster | 5 | 105 | 5 | 115 | - | - | - | - | 2 | 2 | - | - | 4 | 2 | 9 | 3 | 14 | 18 | 133 |
| **Total - East Coast** | **41** | **494** | **39** | **574** | **4** | **11** | **-** | **15** | **112** | **19** | **1** | **1** | **133** | **73** | **19** | **12** | **104** | **252** | **826** |
| Orkney | 1 | 102 | 6 | 109 | - | - | - | - | 7 | - | - | - | 7 | 6 | 28 | 2 | 36 | 43 | 152 |
| Shetland | 3 | 109 | 20 | 132 | - | 8 | - | 8 | 18 | 6 | - | - | 24 | 3 | 1 | 7 | 11 | 43 | 175 |
| Stornoway | - | 171 | 4 | 175 | - | 1 | - | 1 | 7 | - | - | - | 7 | 14 | 26 | 4 | 44 | 52 | 227 |
| **Total - Islands** | **4** | **382** | **30** | **416** | **-** | **9** | **-** | **9** | **32** | **6** | **-** | **-** | **38** | **23** | **55** | **13** | **91** | **138** | **554** |
| Ayr | 14 | 51 | 13 | 78 | - | - | - | - | 10 | - | 8 | 2 | 20 | 18 | 1 | 31 | 50 | 70 | 148 |
| Campbeltown | 6 | 80 | 6 | 92 | - | - | - | - | 4 | - | - | - | 4 | 26 | 8 | 8 | 42 | 46 | 138 |
| Kinlochbervie | 2 | 16 | - | 18 | - | - | - | - | 3 | - | - | - | 3 | 1 | 1 | - | 2 | 5 | 23 |
| Lochinver | - | 12 | - | 12 | - | - | - | - | 1 | - | - | - | 1 | - | 1 | - | 1 | 2 | 14 |
| Mallaig | 1 | 29 | 5 | 35 | - | - | - | - | 8 | 2 | - | - | 10 | 10 | - | 1 | 11 | 21 | 56 |
| Oban | 4 | 73 | 7 | 84 | - | - | - | - | 5 | - | - | - | 5 | 7 | 15 | 11 | 33 | 38 | 122 |
| Portree | 6 | 108 | 3 | 117 | - | - | - | - | 2 | - | - | - | 2 | 11 | 9 | - | 20 | 22 | 139 |
| Ullapool | 2 | 40 | 2 | 44 | - | - | - | - | 2 | 1 | 6 | 4 | 13 | 8 | 9 | 1 | 18 | 31 | 75 |
| **Total - West Coast** | **35** | **409** | **36** | **480** | **-** | **-** | **-** | **-** | **35** | **3** | **14** | **6** | **58** | **81** | **44** | **52** | **177** | **235** | **715** |
| **Total** | **80** | **1,285** | **105** | **1,470** | **4** | **20** | **-** | **24** | **179** | **28** | **15** | **7** | **229** | **177** | **118** | **77** | **372** | **625** | **2,095** |

(1) The main fishing method specified on a vessel's licence application may differ from the actual fishing gear used in individual voyages.
(2) The 10m & under 'other' fishing method category includes mechanical dredging; suction dredging, and shell fishing by hand.
(3) The over 10m 'Demersal Trawl' category includes; demersal single trawl, demersal pair trawl, demersal twin/multi trawl and beam trawl.
(4) The over 10m 'Demersal Other' category includes; demersal gill nets and other demersal.

**Table 2.6** Number of Scottish based vessels by main fishing method ([1]) and length group as at 31st December 2011

| | Length group (metres) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **Main fishing method** | **10m & under** | **>10 -12** | **>12 -15** | **>15 -24** | **>24 -40** | **Over 40** | **Over 10m** | **Total** |
| Demersal single trawl | 18 | 6 | 8 | 76 | 49 | - | 139 | **157** |
| Demersal pair trawl | - | - | - | 9 | 9 | 1 | 19 | **19** |
| Seine net | - | - | - | 16 | 12 | - | 28 | **28** |
| Lines | 31 | - | - | - | 13 | 2 | 15 | **46** |
| Demersal gill nets | 4 | - | - | - | 5 | - | 5 | **9** |
| Demersal twin/mult trawl | - | - | - | 9 | 7 | - | 16 | **16** |
| Beam trawl | 1 | - | 1 | - | 3 | 1 | 5 | **6** |
| Other demersal | - | - | - | 1 | 1 | - | 2 | **2** |
| **Demersal total** | **54** | **6** | **9** | **111** | **99** | **4** | **229** | **283** |
| Purse seine | - | - | - | - | - | 4 | 4 | **4** |
| Pelagic trawl | - | - | - | - | - | 20 | 20 | **20** |
| **Pelagic total** | **-** | **-** | **-** | **-** | **-** | **24** | **24** | **24** |
| Creel fishing | 1,285 | 95 | 15 | 8 | - | - | 118 | **1,403** |
| Nephrops trawl | 80 | 45 | 46 | 81 | 5 | - | 177 | **257** |
| Mechanical dredging | 16 | 6 | 15 | 38 | 12 | - | 71 | **87** |
| Suction dredging | 1 | 1 | 1 | - | - | - | 2 | **3** |
| Shell fishing by hand | 34 | 4 | - | - | - | - | 4 | **38** |
| **Shellfish total** | **1,416** | **151** | **77** | **127** | **17** | **0** | **372** | **1,788** |
| **Total** | **1,470** | **157** | **86** | **238** | **116** | **28** | **625** | **2,095** |

(1) For description of main fishing method see Annex 2: Glossary of Terms.

Table 2.7.a Effort of regulated gears in the Cod Recovery Zone ([1]) in kwDays ('000) by Scottish based over 10 metre vessels by area and gear type, 2000 to 2011

| | | Whitefish Gear | Nephrops Gear [2] | Industrial Trawl | Beam trawl mesh >=120mm | Beam trawl mesh >=80 and mesh <120mm | Gill Nets | Trammel Nets | Long lines |
|---|---|---|---|---|---|---|---|---|---|
| North Sea | 2000 | 33,747 | 4,866 | - | - | 5,345 | 32 | - | 78 |
| | 2001 | 30,655 | 5,352 | 4 | - | 6,049 | 63 | - | 89 |
| | 2002 | 24,341 | 8,538 | - | 972 | 4,584 | 47 | - | 104 |
| | 2003 | 16,079 | 10,011 | 6 | 867 | 3,766 | 197 | - | 57 |
| | 2004 | 12,684 | 9,486 | 5 | 695 | 4,609 | 197 | - | 4 |
| | 2005 | 12,158 | 9,108 | 2 | 731 | 4,185 | 166 | - | - |
| | 2006 | 11,661 | 8,678 | 0 | 603 | 3,109 | 294 | - | 8 |
| | 2007 | 11,023 | 8,887 | 12 | 350 | 2,800 | 321 | - | 1 |
| | 2008 | 12,176 | 9,196 | - | 69 | 1,355 | 417 | - | 277 |
| | 2009 | 12,246 | 8,348 | 33 | 53 | 561 | 376 | - | 621 |
| | 2010 | 10,443 | 8,307 | 28 | - | 144 | 441 | - | 301 |
| | 2011 | 9,995 | 6,826 | - | - | - | 608 | - | 183 |
| West of Scotland | 2000 | 7,453 | 5,065 | 14 | 5 | 98 | 13 | 2 | 74 |
| | 2001 | 8,523 | 4,903 | 4 | - | 85 | 14 | 1 | 88 |
| | 2002 | 7,566 | 4,797 | 2 | - | 104 | 7 | - | 182 |
| | 2003 | 5,723 | 5,761 | 30 | 60 | - | 47 | 1 | 125 |
| | 2004 | 4,502 | 5,334 | 7 | 151 | - | 67 | 0 | 148 |
| | 2005 | 2,635 | 4,587 | 41 | 120 | - | 39 | - | 307 |
| | 2006 | 2,100 | 4,381 | - | 81 | - | 1 | - | 371 |
| | 2007 | 1,986 | 4,694 | 0 | 2 | - | 1 | - | 519 |
| | 2008 | 1,990 | 4,809 | - | - | - | 6 | - | 379 |
| | 2009 | 2,229 | 4,525 | - | - | - | - | - | 703 |
| | 2010 | 2,361 | 3,787 | - | - | - | - | - | 723 |
| | 2011 | 2,101 | 3,570 | - | - | - | 12 | - | 695 |
| Irish Sea | 2000 | 111 | 64 | - | - | - | - | - | - |
| | 2001 | 119 | 34 | - | - | - | - | - | 13 |
| | 2002 | 84 | 18 | - | - | - | - | - | - |
| | 2003 | 93 | 45 | - | - | - | - | - | 3 |
| | 2004 | 32 | 94 | - | - | - | - | - | - |
| | 2005 | 4 | 34 | - | - | - | 1 | - | - |
| | 2006 | 3 | 7 | - | - | - | - | - | - |
| | 2007 | - | 17 | - | - | 1 | - | - | - |
| | 2008 | - | 22 | - | - | 1 | - | - | - |
| | 2009 | - | 31 | - | - | - | - | - | - |
| | 2010 | 2 | 27 | - | - | - | - | - | - |
| | 2011 | 0 | 44 | - | - | - | - | - | - |

(1) For description of cod recovery zone see Annex 2: Glossary of Terms.

(2) Includes effort by vessels which are exempt from effort controls under Article 11 of Council Regulation (EC) 1342/2008.

**Table 2.7.b Effort of regulated gears in kwDays ('000) by Scottish based over 10 metre vessels by whether in Cod Recovery Zone ([1]) or not and gear type, 2000 to 2011**

| | | Whitefish Gear | Nephrops Gear [1] | Industrial Trawl | Beam trawl mesh >=120mm | Beam trawl mesh >=80 and mesh <120mm | Gill Nets | Trammel Nets | Long lines |
|---|---|---|---|---|---|---|---|---|---|
| CRZ ([1]) | 2000 | 41,311 | 9,996 | 14 | 5 | 5,443 | 46 | 2 | 152 |
| | 2001 | 39,298 | 10,289 | 8 | 0 | 6,134 | 77 | 1 | 190 |
| | 2002 | 31,991 | 13,353 | 2 | 972 | 4,688 | 54 | - | 286 |
| | 2003 | 21,895 | 15,817 | 36 | 927 | 3,766 | 244 | 1 | 185 |
| | 2004 | 17,219 | 14,914 | 12 | 846 | 4,609 | 264 | 0 | 153 |
| | 2005 | 14,798 | 13,729 | 44 | 851 | 4,185 | 205 | - | 307 |
| | 2006 | 13,764 | 13,066 | 0 | 684 | 3,109 | 295 | - | 379 |
| | 2007 | 13,009 | 13,598 | 12 | 352 | 2,801 | 321 | - | 520 |
| | 2008 | 14,166 | 14,026 | 0 | 69 | 1,356 | 423 | - | 655 |
| | 2009 | 14,474 | 12,904 | 33 | 53 | 561 | 376 | - | 1,324 |
| | 2010 | 12,805 | 12,121 | 28 | - | 144 | 441 | - | 1,024 |
| | 2011 | 12,096 | 10,440 | - | - | - | 620 | - | 878 |
| non-CRZ | 2000 | 2,646 | 1,403 | - | 15 | 95 | 591 | 75 | 242 |
| | 2001 | 2,653 | 946 | - | - | 2 | 713 | 103 | 332 |
| | 2002 | 2,791 | 418 | - | - | 7 | 647 | 112 | 306 |
| | 2003 | 3,130 | 489 | - | 88 | - | 838 | 51 | 150 |
| | 2004 | 2,960 | 444 | 1 | 100 | - | 1,184 | 13 | 184 |
| | 2005 | 2,579 | 419 | 5 | 25 | - | 1,118 | - | 544 |
| | 2006 | 2,180 | 388 | - | 21 | - | 672 | - | 1,020 |
| | 2007 | 1,743 | 368 | - | - | 4 | 395 | - | 1,158 |
| | 2008 | 1,897 | 507 | 8 | - | - | 654 | - | 1,815 |
| | 2009 | 2,700 | 530 | 1 | - | 1 | 601 | - | 950 |
| | 2010 | 2,861 | 462 | - | - | - | 649 | - | 998 |
| | 2011 | 2,032 | 551 | - | - | - | 632 | - | 1,017 |
| proportion in CRZ | 2000 | 94% | 88% | 100% | 25% | 98% | 7% | 3% | 39% |
| | 2001 | 94% | 92% | 100% | - | 100% | 10% | 1% | 36% |
| | 2002 | 92% | 97% | 100% | 100% | 100% | 8% | - | 48% |
| | 2003 | 87% | 97% | 100% | 91% | 100% | 23% | 1% | 55% |
| | 2004 | 85% | 97% | 91% | 89% | 100% | 18% | 3% | 45% |
| | 2005 | 85% | 97% | 90% | 97% | 100% | 16% | - | 36% |
| | 2006 | 86% | 97% | - | 97% | 100% | 31% | - | 27% |
| | 2007 | 88% | 97% | 100% | 100% | 100% | 45% | - | 31% |
| | 2008 | 88% | 97% | 0% | 100% | 100% | 39% | - | 27% |
| | 2009 | 84% | 96% | 97% | 100% | 100% | 39% | - | 58% |
| | 2010 | 82% | 96% | 100% | - | 100% | 40% | - | 51% |
| | 2011 | 86% | 95% | - | - | - | 50% | - | 46% |

(1) For description of cod recovery zone see Annex 2: Glossary of Terms.
(2) Includes effort by vessels which are exempt from effort controls under Article 11 of Council Regulation (EC) 1342/2008.

**Table 2.8** Number of fishermen employed on Scottish based vessels: 2002 to 2011

| Year | Regular | Part time | Crofters | Total[1] | Total Scottish labour force [2] | Employment in fishing as % of Scottish labour force |
|---|---|---|---|---|---|---|
| 2002 | 4,369 | 1,233 | 105 | 5,707 | 2,357,500 | 0.2 |
| 2003 | 3,968 | 1,238 | 70 | 5,276 | 2,379,700 | 0.2 |
| 2004 | 4,124 | 1,052 | 99 | 5,275 | 2,430,600 | 0.2 |
| 2005 | 3,952 | 1,110 | 93 | 5,155 | 2,450,500 | 0.2 |
| 2006 | 4,109 | 999 | 97 | 5,205 | 2,498,100 | 0.2 |
| 2007 | 4,408 | 951 | 65 | 5,424 | 2,524,700 | 0.2 |
| 2008 | 4,585 | 807 | 56 | 5,448 | 2,529,400 | 0.2 |
| 2009 | 4,403 | 946 | 60 | 5,409 | 2,492,400 | 0.2 |
| 2010 | 4,257 | 909 | 52 | 5,218 | 2,468,600 | 0.2 |
| 2011 | 4,067 | 877 | 52 | 4,996 | 2,463,800 | 0.2 |

(1) Figures are limited to those employed on vessels which submit landing declarations to Marine Scotland port offices. They exclude, for example, those employed in cockle picking.
(2) Source : 2011 Annual Population Survey

**Table 2.9** Number of fishermen employed on Scottish based vessels, by district: 2011

| District | Regular | Part time | Crofters | Total |
|---|---|---|---|---|
| Aberdeen | 70 | 48 | - | 118 |
| Buckie | 170 | 48 | - | 218 |
| Eyemouth | 135 | 48 | - | 183 |
| Fraserburgh | 657 | 131 | - | 788 |
| Peterhead | 370 | 28 | - | 398 |
| Pittenweem | 114 | 51 | - | 165 |
| Scrabster | 161 | - | - | 161 |
| **Total East Coa** | **1,677** | **354** | **-** | **2,031** |
| | | | | |
| Orkney | 260 | 113 | - | 373 |
| Shetland | 236 | 197 | - | 433 |
| Stornoway | 320 | 62 | 17 | 399 |
| **Total Islands** | **816** | **372** | **17** | **1,205** |
| | | | | |
| Ayr | 512 | 45 | - | 557 |
| Campbeltown | 271 | 41 | - | 312 |
| Kinlochbervie | 41 | - | 1 | 42 |
| Lochinver | 19 | 2 | 1 | 22 |
| Mallaig | 105 | 7 | - | 112 |
| Oban | 247 | - | - | 247 |
| Portree | 162 | 32 | 33 | 227 |
| Ullapool | 217 | 24 | - | 241 |
| **Total West Coa** | **1,574** | **151** | **35** | **1,760** |
| | | | | |
| **All districts** | **4,067** | **877** | **52** | **4,996** |

**Table 2.10** Number of fishermen employed on Scottish based vessels, by region: 2011

| Region | Total employed in fishing | Total Scottish labour force [1] | Employment in fishing as % of Scottish labour force |
|---|---|---|---|
| Aberdeenshire | 1,233 | 130,900 | 0.94 |
| Angus | 56 | 50,400 | 0.11 |
| Argyll & Bute | 535 | 38,700 | 1.38 |
| City of Aberdeen | 15 | 117,500 | 0.01 |
| City of Edinburgh | 10 | 251,100 | 0.00 |
| Dumfries and Galloway | 233 | 63,500 | 0.37 |
| East Lothian | 74 | 45,800 | 0.16 |
| Eilean Siar, Orkney & Shetla | 1,205 | 34,400 | 3.50 |
| Fife | 165 | 168,500 | 0.10 |
| Highland | 828 | 113,700 | 0.73 |
| Inverclyde | 13 | 34,900 | 0.04 |
| Moray | 218 | 43,800 | 0.50 |
| North Ayrshire | 32 | 53,400 | 0.06 |
| Scottish Borders | 99 | 52,600 | 0.19 |
| South Ayrshire | 280 | 46,700 | 0.60 |

(1) Source : 2011 Annual Population Survey

## Annex 5 - Districts and ports in Scotland


Districts are administrative areas which encompass a length of coastline including several ports within there area of responsibility. A key the districts and their associated ports follows on the next page.

Districts are shown in bold with their associated ports listed below.

**Aberdeen (FO*)**
Aberdeen
Arbroath
Catterline
Gourdon
Johnshaven
Montrose
Stonehaven

**Ayr (FO*)**
Annan
Ayr
Ballantrae
Cumbraes
Drummore
Dunure
Girvan
Kirkcudbright
Largs & Greenock
Maidens
Portpatrick
Stranraer
Troon & Saltcoats
Whithorn

**Buckie (FO*)**
Buckie
Burghead
Findochty
Hopeman
Lossiemouth
Portknockie

**Campbeltown (FO*)**
Ardrishaig
Arran
Bruichladdich
Bute
Campbeltown
Carradale
Colonsay
Crinan
Gigha
Islay
Jura
Port Askaig
Port Ellen
Tarbert
Tayinloan
Tayvallich
West Loch Tarbert

**Eyemouth (F0*)**
Burnmouth
Cove
Dunbar
Eyemouth
Granton
North Berwick
Port Seton
St Abbs

**Fraserburgh (FO*)**
Gardenstown
Macduff
Pennan
Portsoy
Rosehearty
Sandhaven & Pitullie
Whitehills

**Kinlochbervie (FO*)**
Eriboll
Kinlochbervie
Scourie

**Lochinver (FO*)**
Culkein/Drumbeg
Kylesku
Lochinver

**Mallaig (FO*)**
Ardnamurchan
Arisaig
Corpach
Glenuig
Mallaig
Salen

**Oban (FO*)**
Coll
Fort William
Loch Buie (Mull)
Loch Scridain (Mull)
Luing
Oban
Tiree
Tobermory (Mull)

**Orkney**
Hoy
Kirkwall (FO*)
Rousay
S Ronaldsay
Sanday
Stromness
Stronsay
Tingwall
Westray

**Peterhead (FO*)**
Boddam
Peterhead
Port Errol

**Pittenweem**
Anstruther (FO*)
Burntisland
Crail
Methil & Leven
Pittenweem
St Andrews
St Monans

**Portree (FO*)**
Bracadale
Broadford
Dunvegan
Kyle
Portree
Sleat
Snizort
Strathaird
Torridon

**Scrabster (FO*)**
Avoch
Brora
Dunbeath
Helmsdale
Invergordon
Inverness
John O'Groats
Keiss
Lybster
Portmahomack
Portskerra
Scrabster
Wick

**Shetland**
Central Mainland
Lerwick (FO*)
Northmavine
S Mainland & Fair Isle
Scalloway
Skerries
West Mainland
Whalsay
Yell, Fetlar & Unst

**Stornoway (FO*)**
Barra
Benbecula
Bernera (Lewis)
Berneray (N Uist)
Grimsay
Lochs
North Harris
North Uist
Portnaguran & Ness
Scalpay
South Harris
South Uist & Eriskay
Stornoway

**Ullapool (FO*)**
Achiltibuie
Aultbea
Gairloch
Ullapool

* **FO** demarks the location of fishery offices, the administration base for each district.

## Annex 6 – Cod Recovery Zone




The Cod Recovery Zone (CRZ) is sea areas in which restrictions exist on fishing effort by vessels 10 metres or over using certain regulated gears. These measures aim to reduce cod mortality and encourage recovery of the vulnerable cod stocks.

## A NATIONAL STATISTICS PUBLICATION FOR SCOTLAND

Official and National Statistics are produced to high professional standards set out in the Code of Practice for Official Statistics at http://www.statisticsauthority.gov.uk/assessment/code-of-practice/code-of-practice-for-official-statistics.pdf. Both undergo regular quality assurance reviews to ensure that they meet customer needs and are produced free from any political interference.

Statistics assessed, or subject to assessment, by the UK Statistics Authority carry the National Statistics label, a stamp of assurance that the statistics have been produced and explained to high standards and that they serve the public good.

Further information about Official and National Statistics can be found on the UK Statistics Authority website at www.statisticsauthority.gov.uk

## SCOTTISH GOVERNMENT STATISTICIAN GROUP

### Our Aim

To provide relevant and reliable information, analysis and advice that meet the needs of government, business and the people of Scotland.

For more information on the Statistician Group, please see the Scottish Government website at www.scotland.gov.uk/statistics

### Correspondence and enquiries

Enquiries on this publication should be addressed to:

Patrick McDonald
Marine Scotland Science
Marine Scotland
1-B South, Victoria Quay
Edinburgh, EH6 6QQ
Telephone: 0131 244 6441
Fax: 0131 244 6288
e-mail:
fisheriesstatistics@scotland.gsi.gov.uk

General enquiries on Scottish Government statistics can be addressed to:

Office of the Chief Statistician
Scottish Government
1N.04, St Andrews House
EDINBURGH EH1 3DG
Telephone: (0131) 244 0442
e-mail: statistics.enquiries@scotland.gsi.gov.uk

Further contact details, e-mail addresses and details of previous and forthcoming publications can be found on the Scottish Government Website at www.scotland.gov.uk/statistics

### Complaints and suggestions

If you are not satisfied with our service, please write to the Chief Statistician, Mr Roger Halliday, 4N.05, St Andrews House, Edinburgh, EH1 3DG, Telephone: (0131) 244 0302, e-mail roger.halliday@scotland.gsi.gov.uk. We also welcome any comments or suggestions that would help us to improve our standards of service.

### ScotStat

If you would like to be consulted about new or existing statistical collections or receive notification of forthcoming statistical publications, please register your interest on the Scottish Government ScotStat website at www.scotland.gov.uk/scotstat

### Crown Copyright

Further copies are available from Patrick McDonald
Marine Analytical Unit
Marine Scotland Science
Marine Scotland
Area 1B South, Victoria Quay
Edinburgh EH6 6QQ

Cover image : Keith Mutch, Marine Scotland Communications Team



ISBN: 978-1-78256-067-8

The Scottish Government
St Andrew's House
Edinburgh
EH1 3DG

Produced for the Scottish Government by APS Group Scotland
DPPAS13288 (09/12)

Published by the Scottish Government, September 2012