

## ANNELIDA

## Polychaeta

Compiled by Gerard Beal

The list of polychaetes was compiled from several published and unpublished lists. Among the most important published sources were Castello *et al.* (1995), Arián (1987), Mackie and Erséus (1997), and Holte and Brautigard (1997). Publications on the polychaete fauna of Germany (Hartmann-Schröder 1996, Rüggeberg 1998), and many short papers on numerous in cite here, were also used. Unpublished lists of polychaetes of the Mediterranean and Black Seas established by Dr K. Arvanitidis (Heraklion, Greece), for the English Channel, the French Atlantic, and northern coast of Spain, by Dr J.C. Dauvin and F. Gentil, and Dr G. Rachelet (Bay of Biscay from west of Brittany to the coast of Galicia at 09° W), respectively, have provided unpublished lists. H. G. Hanser provided information concerning Iceland and Greenland. Drs R. Barnich and D. Fiege generously helped in correcting the general list and especially the Aphroditidae, Polynoidae, Acanthidae, Pholoidae, Fulepeltidae, Sigalionidae, Magelonidae, Owenidae and the Serpulinidae. Dr Mary E. Petersen reviewed the list in general and especially the Chaetopteridae, Cirratulidae, Coarctatae, Ctenodrilidae, Fauvelinopsidae, Longosomatidae, Pholoidae and some Spionidae. The compiler is extremely grateful to all that assisted.

The classification of polychaete families into orders have changed significantly in recent years and it is likely that these changes will continue to occur.

The FRMS project has tended to be conservative in relation to classifications to minimize confusing non-specialist readers. Therefore systematic hierarchy has been delimited to family level and families, genera and species have been arranged in alphabetic order. The Pogonophora have been reduced to the rank of Family within the Polychaeta by Rouse and Fauchald (1997), who revert them to the name Siboglinidae (Müller, 1914) within the Order Sabellida. However, few non-specialists will be aware of this change so the Pogonophora have been kept distinct in this volume.

However due to this kind of compilation from very different origins, it was necessary to decide among several nomenclatural denominations of genus and species. In fact, only few families have been recently studied taking into account all the species of the FRMS geographical extension. This list is expected to be improved in terms of taxonomy and also in terms of the validity of some species with future research. Therefore apart from the printed version please check the web site for updated information.

## References

- Arián, A.H. 1987. Bibliografía ibérica de Poliquetos. Base de datos y Catálogo de especies (Iberian Bibliography about Polychaeta. Data Base and Catalogue of Species). *Publicaciones de Biología de la Universidad de Navarra. Serie Zoológica*, 16.
- Arvanitidis, C. 2000. Polychaete fauna of the Aegean Sea: Inventory and new information. *Bulletin of Marine Sciences*, 66: 73-95.
- Rüggeberg, M. 1998. Polychaeten aus der Deutschen Bucht. *Coarctatae Forschungsvorhaben Senckenberg* 202, 314 p.
- Castello, A., Abbiadi, M., Padalamenti, F., Bazzoli, C.N., Carriere, C., Camb, M.C., Giargrande, A., Grazina, M.F., Tanera, P., Tardicci, C., Somaschini, A. & Sordano, P. 1995. Annelidi Polychaeta, Pogonophora, Echiura, Sipunculida 45 pp. In: *Checklist delle specie della fauna italiana*, 45. Calderini, Bologna: 1-44.
- Hartmann-Schröder, G. 1996. Annelida. *Bestimmungsstab Polychaeta Die Tierwelt Deutschlands* 56, Teil, 648 p. M 1 294. Afd. 11/1996. 2 neuartige neue Art. Nege.
- Holte, T. & Brautigard, T. 1997. Class Polychaeta (phylum Annelida), pp 114-129. In: Brautigard, T. & Holte, T. 1997. *Distribution of marine benthic macroorganisms in Norway. A checklist catalogue. Preliminary Edition. Research Report for Directorate for Nature Management* 409 pp.
- Mackie, A.S.Y. & Erséus, C. 1997. Annelida. In: Howson, C.M. and Pictor, R. P. (eds), *The Species Directory of the Marine Fauna and Flora of the British Isles and surrounding Seas*. Marine Conservation Society, Ross on Wye, pp 109-146.
- Rouse, G.W. & Fauchald, K. 1997. Cladistics and polychaetes. *Zoologica Scripta* 28, 119-204.
- Class Polychaeta**
- Family Acanthidae**
- Eucanthe*
- tubifex* Peters, 1887
- Eupanthalis*
- kufereri* McIntosh, 1876
- Eupolydora*
- gula* (Grube, 1855)
- Panthous*
- overstei* Kinberg, 1856
- Polydora*
- maxillosus* (Ranzani, 1817)
- Family Acanthiidae**
- Acanthura*
- frontifilis* (Grube, 1860)
- Chaetiviniella*
- arctica* Averincev, 1980
- hiscayensis* Tschudi, 1874
- Faehellegella*
- hiscayensis* Kalmus, 1985
- mediterranea* Kalmus, 1985
- Marracheta*
- corax* Westheide, 1981
- clavicornis* (M. Sars, 1835)
- hiscayensis* Friesicht, 1977
- nordensis* Hartmann-Schröder, 1996
- prilymna* Filison, 1962
- Family Acanthomatidae**
- Acanthomata*
- prilymna* Bunke, 1967
- litorale* Bunke, 1967
- Family Aleiagidae**
- Aleiaga*
- reynaudi* Audouin & Milne-Edwards, 1833
- Aleiagina*
- parvula* C. Sars & Parcer, 1861
- Corynorhynchus*
- albomaculatus* Eschsch., 1855
- Kochia*
- lepidota* (Kerbn, 1845)
- Nasides*
- canzani* Delle Chiaje, 1828
- Platohemis*
- capitata* (Grube, 1876)
- tenus* (Apost, n. 1897)
- Rhynchonereulla*
- angelina* (Kinberg, 1866)
- fulgens* Greeff, 1885
- gracilis* A. Costa, 1864
- nuchii* (Apstein, 1897)
- musata* (Greeff, 1876)
- petersii* (Langenhans, 1905)
- retosa* (Craff, 1885)
- Torrea*

- lucida* (Delle Chiaje, 1828)  
**Variete**  
*crystallina* Grube, 1876  
*formosa* Claparède, 1870  
*longistoma* (T. & Suter, 1895)  
*textaculata* Taugenhan, 1880
- Family Ampharetidae**  
*Adercudon*  
*plejei* Mackie, 1994  
*Allmaria*  
*romjui* Hertz, 1915  
**Amage**  
*adspersa* (Grube, 1863)  
*auricula* Malmgren, 1866  
*gallata* Marion, 1875  
*scotica* Clark, 1952  
*Amagopsis*  
*klugei* Pergamem & Hildebrand in Chelivich, 1964  
**Ampharete**  
*balnea* E. Jasar, 1955  
*acutifrons* (Grube, 1860)  
*fasciata* Filasov, 1941  
*finmarchica* (M. Sars, 1864)  
*goes* Malmgren, 1866  
*gracilis* Rioja, 1911  
*hadvicensis* Malmgren, 1867 sensu Hesse, 1917  
*petersenae* Zirkov, 1997  
*vega* (Wirda, 1881)  
**Ampharete**  
*gunneri* (M. Sars, 1831)  
*midas* (Gosse, 1851)  
*ninsonae* Zirkov, 1985  
*sundewalli* Malmgren, 1864  
**Amythasides**  
*macroglossus* Filasov, 1955  
**Anobothrus**  
*gracilis* (Malmgren, 1866)  
**Asabellides**  
*siberica* (Wu, 1881)  
**Ascheroplax**  
*crinus* Eblers, 1987  
**Eclystippe**  
*smalli* (Fauvel, 1936)  
**Cyphanastrimum**  
*abyssalis* Day, 1967  
*pallascens* (Théel, 1879)  
**Hypania**  
*antigua* (Oudemans, 1896)  
*brevispinis* (Grube, 1860)  
*invalida* (Grube, 1860)  
**Hypanota**  
*kawalerzki* (Grube, 1877)  
**Isolda**  
*hydahensis* Augener, 1918  
**Lysippe**  
*lignata* Malmgren, 1866  
**Lysippidae**  
*fragilis* (Wellfleet, 1871)  
**Melania**  
*albivittata* Mackie & Pleijel, 1994  
*collare* Delireva, 1984  
*cristata* (M. Sars, 1851)  
*elizabethae* McIntosh, 1884 sensu Markie  
*islandica* Sæmundsson, 1989  
*manuceroideus* Fauvel, 1916  
*palmata* Grube, 1870  
**Melina Ampharete**  
*laubersi* (Deshayes, 1978)  
**Melinaopsis**  
*arenica* (Annenkov, 1911)  
**Melythasides**  
*laubersi* Deshayes, 1978  
**Mugga**  
*hathylus* Holthe, 1986  
*wahrbergi* Eliason, 1955
- Neosabellides**  
*oceanus* (Fauvel, 1909)  
**Nucella**  
*harmoniae* Deshayes & Laubert, 1977  
**Paranymphon**  
*arcturus* Birstell, 1987  
**Sabellides**  
*brucealis* M. Sars, 1856  
*actinocirrata* (M. Sars, 1853)  
**Samytha**  
*vecreata* (M. Sars, 1846)  
**Samythella**  
*neglecta* Wellfleet, 1917  
**Saxone**  
*virata* Malmgren, 1865  
**Saxomopsis**  
*Wreni* Hesse, 1917  
**Schekanus**  
*enigmatica* (Lahille, 1923)  
**Travepasia**  
*reticulata* Jirík, 1986
- Family Amphionemidae**  
**Amphionema**  
*rastrum* (Pallas, 1766)  
**Chione**  
*venustum* Quoy & Gaimard, 1825  
*viridis* Schmarda, 1861  
**Chionopsis**  
*nitens* (McIntosh, 1881)  
**Farythia**  
*complanata* (Pallas, 1766)  
*guyana* Kinberg, 1857  
**Hermadice**  
*carunculata* (Pallas, 1766)  
**Hippare**  
*goudichaudi* (Audouin & Milne Edwards, 1830)  
**Lampherus**  
*canariensis* Langerhans, 1881  
*humb.* (Fauschold, 1977)  
*peristomata* Fauvel, 1850  
**Notopygia**  
*megalops* Melnink, 1865  
**Paramphionema**  
*jeffreysi* (McIntosh, 1868)  
**Pareurythia**  
*hirsuta* (M. Sars, 1862)
- Family Anthonomidae**  
**Anthonomus**  
*viridis* Hartman & Ross, 1964
- Family Aphroditiidae**  
**Aphrodita**  
*aculeata* Linnaeus, 1758  
*alta* Kinberg, 1846  
*perornata* Roule, 1898  
**Aphrogetia**  
*alba* Kinberg, 1856  
**Eastmanice**  
*filicostis* Kinberg, 1856  
*hystris* (Sars, 1850)  
*producta* Grube, 1876  
*perdara* subsp. *hollandica* McIntosh, 1900  
**Pontogera**  
*chrysozona* (Baird, 1845)  
*sericea* Filars, 1867
- Family Aplousobranchiidae**  
**Apuste branchus**  
*remus* Orhage, 1982  
*nulbergi* (Théel, 1874)
- Family Archelidae**  
**Archella**  
*romi* Fauvel, 1940  
*geniculata* (Claparède, 1868)  
*uvular* (Munro, 1804)  
**Diosoreis**

*brattstroemi* Fauchald, 1972  
*filum* (Claparède, 1868)  
*Naemmetapes*  
*terrebellidis* Wirtén, 1986  
*Laternarantus*  
*johleus* Teneselli, 1961  
*parvius* de Saint Joseph, 1886  
*Natocerus*  
*arcachonis* Quatrefages, 1843  
*voturus* McIntosh, 1869  
*Oligonephus*  
*fontinalis* Spengel, 1887  
*parvulus* Cuvier, 1809

**Family Arenicolidae**

*Aharenicola*  
*claparèdei* (Levinson, 1881)  
*pusilla* (Olivier, 1865)  
*Arenicola*  
*crustata* Stimpson, 1856  
*defodiens* Cadman & Nelson-Smith, 1977  
*marina* (Linnaeus, 1758)  
*Arenicolidae*  
*branchialis* (Audouin & Milne Edwards, 1833)  
*grubbi* Claparède, 1868  
*ecaudata* (Johnson, 1835)  
*Branchiomolana*  
*vincens* Langenhans, 1881

**Family Calamyzidae**

*Calamyzas*  
*amphitetrastola* Ardouveau, 1922

**Family Capitellidae**

*Bulda*  
*johannis* Garwood & Hamber, 1988  
*Capitella*  
*capitata* (Fabricius, 1760)  
*glardi* (Menni, 1893)  
*hermaphrodita* Hancock & Noble, 1967  
*minima* Langenhans, 1880  
*Capitellatus*  
*dispar* (Ehlers, 1907)  
*Pausybranchus*  
*caucus* (Grube, 1846)  
*corneus* Grube, 1876  
*gayanae* Fisig, 1887  
*Heteromastus*  
*filiformis* (Claparède, 1864)  
*Leucocapitella*  
*dolfini* (Fauvel, 1916)  
*glabra* Hartman, 1947  
*Leachides*  
*norsvegicus* Fauchald, 1977  
*Mastobranchius*  
*dolfini* Fauvel, 1916  
*trinchesei* Eisig, 1887  
*Mediomastus*  
*capensis* Pazy, 1961  
*carripi* Ben Pihlu, 1976  
*fragilis* Rasmussen, 1979  
*Neopseudocapitella*  
*brasiliensis* Rullier & Amoureux, 1979  
*Natunastus*  
*aberrans* Day, 1857  
*agassizi* McIntosh, 1885  
*excavatus* de Saint Joseph, 1886  
*formosus* Fisig, 1887  
*latericus* M. Sars, 1851  
*lineatus* Claparède, 1870  
*profundus* Fisig, 1887  
*robustus* (Kieferstein, 1862)  
*Natoprius*  
*oculatus* Arwidsson, 1907  
*Parecapitella*  
*nuttalliana* Kistegaard, 1983  
*Pseudocapitella*

*malimbica* Thomassin, 1976  
*Peresiella*  
*elysiensis* Harmelin, 1966  
*Pseudocapitella*  
*incerta* Fauvel, 1913  
*incerta* subsp. *aberrans* Amoureux, 1972  
*Pseudoleucocapitella*  
*fauchali* Harmelin, 1964  
*Pseudonastus*  
*delinzei* Capaccioni-Azzani & Manin, 1992  
*Pseudonectonurus*  
*sulphurea* Warren & Parker, 1994

**Family Chaetopteridae**

*Chaetopterus*  
*norsvegicus* M. Sars, 1855  
*sarsi* Boeck in M. Sars, 1851  
*variopedatus* (Menni, 1894)  
*Mesochaetopterus*  
*minutus* (Claparède, 1868)  
*sagittarius* (Claparède, 1868)  
*Phyllochaetopterus*  
*anglicus* Potts, 1914  
*gracilis* Grube, 1862  
*major* Claparède, 1876  
*varialis* Claparède, 1870  
*Spirachaetopterus*  
*bergensis* Gilg, 1969  
*volitans* (Ruge, 1917)  
*costatus* (Claparède, 1868)  
*typicus* M. Sars, 1856

**Family Chrysopetalidae**

*Aharonia*  
*gondei* Webster, 1884  
*royesi* Kiermann, Lachier & Ramos, 1974  
*Chrysopetala*  
*debilis* (Crispe, 1819)  
*Dyspanetus*  
*leucopileus* Pehlgreen, 1966  
*caucus* (Langenhans, 1880)  
*gracilis* Herman, 1965  
*palaeophorus* Hartmann-Schöder, 1974  
*pygmaeus* Levinson, 1885  
*Heteropala*  
*bellis* Johnson, 1897  
*Palaenotus*  
*chrysalis* Schmidt, 1861  
*schmarzli* Moe-Kovaski, 1962  
*Vignaniella*  
*vatica* (Kisteleva, 1992)

**Family Clavelinidae**

*Aphelinorhina*  
*filiformis* (Kieferstein, 1862)  
*marioni* (de Saint Joseph, 1854)  
*macmorchi* (Southem, 1914)  
*terrata* (Pisces, 1962)  
*virgata* (Christie, 1984)  
*Caulleriella*  
*nitida* (Southem, 1914)  
*hirculata* (Kieferstein, 1862)  
*hollmanni* (Southem, 1914)  
*parva* Gilland, 1979  
*viridis* (Langenhans, 1880)  
*zelandica* (McIntosh, 1911)  
*Clavelinone*  
*chamaelea* (G. A. Harsen, 1878)  
*fontinaliana* McIntosh, 1864  
*capitellata* (de Saint Joseph, 1854)  
*carpentaria* (McIntosh, 1911)  
*gibber* Woucham & Chambers, 1994  
*macrophthalma* Langenhans, 1880  
*setosa* Malmgren, 1867  
*Curculius*  
*abyssorum* Hansen, 1878  
*caudatus* (Levinson, 1883)

- curvatus* (O.F. Miller, 1776)  
*chrysochloris* Claparède, 1868  
*incrustatus* McIntosh, 1916  
*granulosus* Langerhans, 1884  
**Curjfoemia**  
*reticulata* (Ehlers, 1905)  
*reticulata* (Morse, 1862)  
**Cochinereis**  
*incrustatus* Fauvel, 1914  
**Dendroceria**  
*ata* (Quatrefoies, 1866)  
*caulleryi* Dehance, 1923  
*cruciatum* Perard, 1843  
*diversa* Hartman, 1951  
*fimbriata* sensu Gibson 1998  
*saxicola* (Grube, 1845)  
*verticillulata* (Nelle Chajje, 1877-1876)  
**Monticellina**  
*dorsobranchium* (Kirkegaard, 1959)  
*heterochama* (Lambert, 1961)  
*testulata* (Hammer, 1960)  
**Protactinomeris**  
*chrysochloris* (Claparède, 1868)  
**Tharyx**  
*multibranchiata* (Grube, 1863)  
*rotunda* Tschapl, 1994  
**Timareta**  
*anehydrantha* (Schmarda, 1861)  
*dryloghius* (Münzeller, 1879)  
*dolifus* (Fauvel, 1928)  
*filigera* (Delle Chiaje, 1838)  
*norvegica* (Quatrefoies, 1866)  
**Family Cassuridae**  
**Cassura**  
*caeva* sensu Angdalen & Fred, 1982  
*longicirrata* Wehner & Benedict, 1985  
*pygmaeorhynchus* Jones, 1956  
*voyeri* Lauthier, 1967  
**Family Ciendroididae**  
**Aphoropharyx**  
*hermanni* Wilfert, 1974  
**Ciendroides**  
*parvulus* Schmitt, 1885  
*sepiatus* (Schmidt, 1857)  
**Reticurus**  
*heryi* Peveman & George, 1991  
**Rhaphidrilus**  
*nemanna* (Mantz, 1910)  
**Zepherus**  
*mannixia* (Zeppelin, 1883)  
**Family Diuradriidae**  
**Diuradrilus**  
*fenestratus* Gieslach, 1952  
*caerri* Gieslach, 1952  
*maius* Remane, 1924  
*subterraneus* Remane, 1924  
**Family Darsillidae**  
**Aphoragrus**  
*purpureus* Westheide, 1974  
**Arenatrocha**  
*minuta* (Lillj., 1854)  
**Demophilus**  
*eggsi* Weldon, 1886  
*gynaciliatus* O. Schmidt, 1857  
*maius* Harmes, 1889  
*voetteoides* Schmidt, 1848  
**Darsillea**  
*albimaculata* Akesson & Rice, 1995  
*clavata* (McIntosh, 1885)  
*cruciatiformis* (Malmgren, 1865)  
*castor* Tschapl, 1960  
*remani* (Anger, 1912)  
*reticulata* (Grube, 1865)  
**iphitime**  
*caenota* Fauvel, 1914  
*krummanz* Kirkegaard, 1977  
*pagrus* Page & Legendre, 1974  
**Micromiphitime**  
*cosmetandra* (Ong, 1990)  
**Marycomphala**  
*lyxandrae* Nuzzo, 1958  
**Ophryomara**  
*hatchi* Parent, 1968  
**Ophryotrocha**  
*dubia* Hartmann-Schöder, 1974  
*guelachi* Hartmann-Schöder, 1974  
*gorynioides* (Forsk., 1824)  
*gracilis* Huth, 1973  
*hartmanni* Huth, 1973  
*harmanni* (subsp. *medusa* Parent), 1962  
*irinae* Tzeulin, 1960  
*latronum* (a Giese & Racc., 1962  
*littoralis* (Lewinen, 1975)  
*longistylis* Jerslov, 1973  
*narrowifera* Akesson, 1975  
*oculata* Akesson, 1977  
*ochrocerama* (Mun. Abell & Comes, 1951)  
*guyilli* (subsp. *guyilli* Claparède & Merzlikov, 1967)  
*guyilli* (subsp. *aberti* (McIntosh, 1885)  
*saluta* Akesson, 1974  
*scarlata* Avenicev, 1989  
*socialis* Ockelmann & Akesson, 1990  
**Polypiphitime**  
*lethifera* (Ong, 1978)  
**Paraphryotrocha**  
*sachneta* (Ellison, 1967)  
**Paragradilus**  
*psammophilus* Westheide, 1965  
**Parusia**  
*caeva* (Wehner & Benedict, 1984)  
*chason* (Ong, 1978)  
*maculata* (Ong, 1978)  
*negidematata* (Ong, 1978)  
**Penihansia**  
*cruciatata* Campoy & San Martín, 1980  
**Procladrella**  
*keffersiana* (McIntosh, 1889)  
**Psuillatocha**  
*akessoni* Westheide & von Nordheim, 1985  
**Schistomeringos**  
*caeva* (Wehner & Benedict, 1984)  
*neglecta* (Fauvel, 1928)  
*reticulata* (Ong, 1978)  
*rudolphi* (Delle Chiaje, 1828)  
**Trilobodrilus**  
*axi* Westheide, 1967  
*holderi* Remane, 1924  
**Family Fulepethidae**  
**Grutentegus**  
*nugentii* Penibere, 1966  
*krumanni* Penibere, 1966  
**Family Eusoidae**  
**Anoplura**  
*implex* Langerhans, 1884  
**Eusoida**  
*antennata* (Lamarek, 1818)  
*aphraditidis* (Pallas, 1788)  
*caribaea* Grube, 1846  
*chubata* Fauchald, 1974  
*floridana* (Poules, 1867)  
*harmeni* (A. Douie & M. ne-Edwards, 1931)  
*mervegica* (Linnaeus, 1767)  
*oerstedii* Stimpson, 1843  
*pernata* (O.F. Miller, 1776)  
*pygmaea* Grube, 1866  
*rubromaculata* Ehlers, 1868  
*reticulata* (Quatrefoies, 1866)  
*schubertiana* (Claparède, 1870)  
*venta* (Moore, 1902)

- torquata* Quatrefages, 1865  
*vittata* (Delle Chiaje, 1829)
- Lysibranchea**  
*paucibranchiata* Cantone, 1981
- Lysidice**  
*caliana* Grube, 1850  
*margaretaea* Claparède, 1848  
*nivea* Audouin & Milne Edwards, 1833
- Morphoa**  
*bellii* (Audouin & Milne Edwards, 1833)  
*fallax* Marion & Brachet, 1874  
*kimbergi* McIntosh, 1910  
*singulinea* (Montagu, 1815)  
*vaticata* Langenhans, 1881
- Nematoneis**  
*unicornis* (Grube, 1840)
- Palola**  
*siciliensis* (Grube, 1840)
- Family Euliphyidae**  
**Paracauliphysa**  
*latica* (Cantone & Grassia, 1991) n. comb.
- Family Euphrasidae**  
**Euphrasina**  
*armadillo* Sars, 1851  
*borealis* Oersted, 1847  
*circareppanqua* Amoureux, 1982  
*foliosa* Audouin & Milne-Edwards, 1833  
*mytilosa* Savigny, 1818
- Euphrasine**  
*curva* M. Sars, 1821
- Palmyreuphrasine**  
*paradisa* Faivel, 1988
- Family Euxelapidae**  
**Fouxiopsis**  
*caerules* Kristmann & Lauter, 1974  
*brattgardii* Emswold, 1977  
*brevis* (Hamman, 1965)  
*cabinchi* Amoureux, 1982  
*fauchoaldi* Kristmann & Lauter, 1974  
*jamaequensis* Núñez in Núñez, Ocaña & Brin, 1997  
*algae* Hamman-Schroeder, 1983  
*scabra* Hamman & Fauchald, 1971
- Family Flabellogender**  
**Brada**  
*granulosa* Hamman, 1986  
*incruentia* Steg-Bowicz, 1948  
*inhabita* (Bathke, 1843)  
*nigra* (Hansen, 1879)  
*vibora* (Bathke, 1843)
- Diplocypris**  
*glauca* (Malmgren, 1867)  
*hirtulus* (Hansen, 1879)  
*longimanus* (Marenzeller, 1895)
- Flabellogera**  
*affinis* M. Sars, 1829  
*biscapanis* Kellner, 1984  
*diplochaitus* (Oca, 1970)  
*infundibulata* H.P. Johnson, 1961
- Hyphaga**  
*lywenna* Hamman, 1966
- Pherusa**  
*arctica* Steg-Bowicz, 1948  
*falcata* Steg-Bowicz, 1948  
*flabellata* (M. Sars in G.O. Sars, 1872)  
*fucicola* Tsch  
*monilifera* (Delle Chiaje, 1841)  
*plumosa* (O.F. Müller, 1776)
- Promis**  
*erica* (Claparède, 1870)
- Therochasma**  
*californica* (Fliers, 1987)
- Family Glycyndae**  
**Glycynd**  
*alba* (O.F. Müller, 1776)  
*alba* subsp. *adspersa* Faivel, 1979  
*capitata* Oersted, 1843  
*caenea* O'Connor, 1987  
*convoluta* subsp. *summita* Rinja, 1918  
*dayi* O'Connor, 1987  
*gigantea* Quatrefages, 1864  
*lapidum* Quatrefages, 1845  
*mimica* Hamman, 1965  
*mutata* (Brachet, 1870)  
*mycephala* Fliers, 1987  
*rosa* Audouin & Milne Edwards, 1833  
*teselata* Grube, 1867  
*teselata* subsp. *minor* La Greca, 1946  
*tridactyla* Schmaed, 1861  
*unicornis* Savigny, 1818
- Glycyndella**  
*atlantica* Wesenberg-Lund, 1940  
*magellanica* (McIntosh, 1864)
- Hemipodus**  
*septentrionalis* Reule, 1896
- Family Goniadidae**  
**Glycinia**  
*hankuana* Graviet, 1904  
*marumani* (M. Sars, 1864)
- Goniada**  
*emerta* Audouin & Milne-Edwards, 1833  
*exima* Jahnke, 1970  
*galeata* Rioja, 1923  
*maculata* Oersted, 1843  
*norvegica* Oersted, 1844  
*pallida* Brachet, 1858
- Goniadella**  
*bobretskii* (Annenkova, 1925)  
*galeata* Rioja, 1923  
*gracilis* (Verrill, 1922)  
*unicirra* Agassiz, 1846
- Progonosia**  
*regularis* Hamman, 1965
- Family Hesiniidae**  
**Amphidurus**  
*fuscescens* (Marenzeller, 1875)
- Amphioneis**  
*herrmanni* Girard, 1895
- Dolichostelia**  
*carpenter* McIntosh, 1901
- Glyphohesime**  
*hali* Fricke, 1950
- Cypris**  
*brachylaps* (Hamann-Schroeder, 1959)  
*galeata* (Averakov, 1996)  
*mackai* Pleijel, 1997  
*mediterranea* Pleijel, 1997  
*propinqua* Marion & Brachet, 1875  
*rosea* (Malm, 1874)
- Hesiona**  
*splendida* Savigny, 1818  
*steensiguii* de Quatrefages, 1886
- Hesionides**  
*orensis* Fiedrich, 1937  
*gracia* Fricke, 1950  
*maxima* Westheide, 1967
- Hesionina**  
*similis* (Fricke, 1925)
- Kiefersteina**  
*curata* (Kieferstein, 1862)  
*curata* subsp. *hibernica* (Southern, 1914)
- Leocrates**  
*atlantica* (McIntosh, 1885)  
*chinaensis* Kellner, 1986
- Microptilactinus**  
*aberrans* (Webster & Benes, 1977)  
*hijurcanus* Hamman-Schroeder, 1954  
*aphippaphorus* Claparède  
*fragilis* Brachet, 1870  
*listeria* Westheide, 1967

- pseudoharrans* Campoy & Vlequez, 1982  
*szelkowi* Meeznikova, 1865  
*szelkowi* subsp. *ovata* Riva, 1924  
*southwari* Westheide, 1967  
*smithi* Bobretzky, 1870  
*tyrrheneus* Zaccarelli Vancini, 1967
- Neretopsis**  
*aphraditoides* (O. Fabricius, 1780)  
*ovata* (Malmgren, 1867)  
*arantiana* (M. Sars, 1862)  
*atlantica* (Chamberlin, 1920)  
*longimanus* (M. Sars, 1862)  
*multispinosa* (Théel, 1879)  
*punctata* (O. F. Müller, 1768)
- Ophiadromus**  
*aperta* (Ehlers, 1864)  
*flavosus* (Delile Chiaje, 1825)  
*longimanus* (Tentzel), 1974  
*pollatus* (Claparède, 1864)  
*pelagicus* (Claparède, 1864)
- Oreus**  
*pilla* Ehlers, 1864
- Perthaea**  
*longicauda* Ehlers, 1864
- Podarka**  
*obscura* Verill, 1873
- Podarkopsis**  
*orientalis* (La Greca, 1947)  
*capensis* (Day, 1963)  
*gulangau* Lauther, 1961  
*holgolandica* Hilbig & Dittmer, 1970
- Syllis**  
*ovata* Quatrefages, 1864  
*assimilis* (Pryde, 1914)
- Family Heterohellicidae**  
**Heterohellica**  
*hermsi* van Beneden, 1858
- Family Ichthyotomidae**  
**Ichthyotomus**  
*longimanus* Fixig, 1906
- Family Inpsillidae**  
**Phylacrophorus**  
*pictus* Grassef, 1879  
*infirmus* Reibisch, 1875
- Family Lacydoniidae**  
**Lacydonia**  
*elusioni* Hartmann-Schroder, 1906  
*laweei* Lauther, 1975  
*marina* Maman & Bobretzky, 1875
- Family Langosmatidae**  
**Heterospia**  
*longissima* Ehlers, 1874  
*mediterranea* Lauther, Picard & Ramos, 1973  
*redsea* Taltier, Picard & Ramos, 1973
- Family Lepidostheychidae**  
**Lepidostheychus**  
*appendicularis* Southern, 1909  
*brevis* Grube, 1855  
*brevis* (Claparède, 1870)  
*nationalis* Reibisch, 1899  
*unicinctus* Fauvel, 1915
- Mesopau**  
*caeca* Vignier, 1886  
*trachota* (Reibisch, 1895)  
*maggi* Southern, 1909
- Pachysoma**  
*curium* Reibisch, 1955
- Palagasia**  
*longicauda* Grassef, 1879  
*serrata* Southern, 1909
- Family Lumbrikeridae**  
**Abyssonura**  
*abyssorum* (McIntosh, 1885)  
*ovata* (Fauvel, 1974) sensu Miura, 1980  
**Abyssonura**  
*ovata* subsp. *aegulohata* (Winnem, 1881)  
**Aggammis**  
*alpida* (Widén, 1901)  
*tentaculata* Masia, 1920  
**Eranna**  
*elidasi* (McIntosh, 1885)  
**Lumbrikerus**  
*adriatica* (Fauvel, 1940)  
**Lumbrikerides**  
*acuta* (Verill, 1875)  
*ambrosii* Miura, 1980  
*carpini* (Ramos, 1976)  
*lautheri* Miura, 1967  
*neogaea* Ramos, 1976  
**Lumbrikeropsis**  
*germanicus* Miura, 1980  
*magnificata* Winnem, 1881  
*paradox* (de Saun Joseph, 1888)  
**Lumbrikerus**  
*agostus* Fauchald, 1974  
*albidendata* (Ehlers, 1908)  
*antonia* Fauchald, 1974  
*bifrons* (Kinberg, 1865)  
*virgata* (Ehlers, 1867)  
*chthonius* (Clark, 1957)  
*coactus* (Ramos, 1804)  
*flabellata* (Page, 1924)  
*gracilis* (Ehlers, 1866)  
*hibernica* (McIntosh, 1901)  
*inflata* (Moore, 1911)  
*latrofructuata* (de Saun Joseph, 1888)  
*lawelli* Audouin & Milne Edwards, 1874  
*longicauda* Canone, 1989  
*ovochama* Aug, 1908  
*ovata* Ramos, 1976  
*pseudofragilis* Amati et al., 1977  
*ovata* Fauchald, 1974  
**Ninoe**  
*ovata* (Gilchrist, 1968)  
*nigripes* Verill, 1873  
**Parasponia**  
*brevis* (McIntosh, 1903)  
*fusca* (Moore, 1911)  
*mixta* (Théel, 1879)  
**Scotetoma**  
*debilis* (Grube, 1878)  
*emendata* subsp. *melis* (Ramos, 1976)  
*fragilis* (O. F. Müller, 1776)  
*frankenburgensis* (Kinberg, 1865)  
*impurum* (Claparède, 1868)  
*roviensis* (Fauvel, 1940)  
*trachota* (Schmarda, 1861)
- Family Mageloniidae**  
**Magelona**  
*altus* Wilson, 1956  
*agulonei* Harmelin, 1966  
*filiformis* Wilson, 1959  
*johnstoni* Figue, Licher & Mackie, 2000  
*minuta* Filosa, 1962  
*maritima* (Johnston, 1845)  
*papillata* (Müller, 1858) (sensu Fauvel, 1927)  
*ovata* Moore, 1907  
*wilsoni* Gilchrist, 1966
- Family Melidomidae**  
**Arundilla**  
*catenata* (Malmgren, 1865)  
*constricta* (Claparède, 1870)  
**Charisma**  
*laevis* (M. Sars, 1861)  
**Clymenella**  
*cincta* (de Saun Joseph, 1894)  
*ovata* (Tatey, 1855)  
**Clymenopsis**

- constricta* (Wesenberg Lund, 1948)
- Clymenura*
- borealis* (Arwidsson, 1906)
  - clypeata* (re Sars in Kroyer, 1894)
  - johnstoni* (McIntosh, 1913)
  - lankesteri* (McIntosh, 1885)
  - leucopygia* (Günther, 1860)
  - pelorai* (Thér., 1879)
  - tenuta* (Day, 1917)
  - tricuspidata* (Hollan & Reys, 1967)
- Eurylymene*
- affinis* (M. Sars in G. O. Sars, 1872)
  - edictus* (C. sparède, 1870)
  - dromedrochelyensis* (M. Sars in G. O. Sars, 1872)
  - hutchini* E. Wieser, 1962
  - lanthracoides* (O. Sjöström, 1864)
  - persedi* (C. sparède, 1873)
  - paternitana* (Günther, 1860)
  - robusta* (Arwidsson, 1906)
- Johnstonia*
- clymenoides* Quatrefages, 1865
- Leucon*
- plumiceps* (M. Sars in G. O. Sars, 1872)
- Lymbiclymene*
- cylindricaudata* Sars, 1877
  - minor* Andersen, 1906
- Metastylomene*
- santiandarensis* (Rioja, 1917)
- Maldane*
- arctica* Delinova, 1985
  - glebifex* Grube, 1860
  - malmgreni* McIntosh, 1885
  - uxori* Malmgren, 1865
- Maldanella*
- harai* (Izuka, 1967)
- Melanogobus*
- gata* (Izuka, 1967)
- Micranclymene*
- aurorata* Arwidsson, 1906
  - tricuspidata* Arwidsson, 1906
- Micromaldane*
- annulirostrata* Meunier, 1897
- Nannasche*
- lunaticum* (Fahnestock, 1880)
  - maculata* Arwidsson, 1906
  - minor* Andersen, 1906
  - quadrangulata* Arwidsson, 1906
  - peruviana* Johnson, 1901
  - trispinata* Arwidsson, 1906
- Natropactus*
- oculatus* Arwidsson, 1906
- Pemiopectus*
- forealis* Arwidsson, 1906
  - tenius* (Thér., 1879)
  - terricola* Quatrefages, 1865
- Pocilloella*
- affinis* (M. Sars, 1872)
  - challengeriae* (Rioja, 1931)
  - gracilis* (M. Sars, 1861)
  - inphoseta* (Cilanti, 1898)
  - praetermissa* (Malmgren, 1864)
- Prothella*
- ingrasima* Arwidsson, 1906
  - quadrilobata* (M. Sars, 1856)
- Prortymene*
- kueltieri* (Sars, 1856)
- Rhodine*
- gracilior* Talbot, 1879
  - lancea* Malmgren, 1864
- Family Mysidomidae**
- Mysidomus*
- almus* von Gröb., 1884
  - asteriae* (Marenzeller, 1891)
  - hutchini* E. Wiesner, 1967
  - carpentieri* (von Gröb., 1884)
  - trivijerum* Eicken, 1827
  - giganteum* Nansen, 1885
  - glebicum* Eicken, 1827
  - ingolfi* Jägersten, 1880
  - parvicornis* Eicken, 1827
  - placum* von Gröb., 1884
- Protomysidomus*
- gocynophorus* Egidio, 1982
- Family Nephthyidae**
- Aglaophamus*
- agilis* (Langerhans, 1879)
  - malmgreni* (Thér., 1870)
  - rubella* (Michaelson, 1896)
- Internephthys*
- trivialis* (Fahnestock, 1880)
- Micronephthys*
- margae* Sar Maria, 1982
  - montana* (Thér., 1879)
  - montana* (Noyes, 1980)
  - sphaerocirrata* (Wesenberg Lund, 1949)
  - hammeri* (Augener, 1912)
- Nephtys*
- assimilis* Oersted, 1843
  - brevis* (Lubbock & Vieillot, 1885)
  - canea* (Fahnestock, 1880)
  - crucata* (O. F. Millier, 1876)
  - cuviana* (Fahnestock, 1866)
  - cuviana* subsp. *longicornis* Jakubova, 1970
  - hamburgii* Savigny, 1818
  - hystricu* McIntosh, 1900
  - incisa* Malmgren, 1865
  - incisa* subsp. *filabata* (Reid, 1911)
  - karshvalensis* McIntosh, 1908
  - longicauda* Oersted, 1842
  - paradava* Malm, 1874
  - punta* Reiner, 1984
  - pubera* Reiner, 1985
- Family Nereididae**
- Ceratonereis*
- lancea* Malmgren, 1867
- Ceratonereis*
- annulata* (Amoureux, 1882)
  - brevis* (Langerhans, 1884)
  - costae* (Grube, 1840)
  - hutchini* (Pisig, 1870)
  - maritima* (Karlberg, 1866)
  - virata* (Langerhans, 1884)
- Euryeris*
- altonalis* (Ellison, 1962)
  - longicauda* (Johnson, 1840)
- Lernaeidae*
- desquamis* (Pausel, 1929)
  - jaquetum* (Gibbs, 1895)
  - persica* (Wesenberg-Lund, 1949)
  - pusillus* (Langerhans, 1880)
- Micronereis*
- verzegata* (Claparède, 1863)
- Nannolygaster*
- heparum* (Audouin & Milne-Edwards, 1824)
- Nemaneis*
- quadraniceps* (Cay in Blanchard, 1849)
- Neanthes*
- agullana* (Day, 1967)
  - fasciata* (Hannemann-Schäffer, 1875)
  - caudata* (Dejean-Chiappe, 1828)
  - flexipes* (Fahnestock, 1888)
  - furcata* (Savigny, 1818)
  - grandis* (Stimpson, 1833)
  - irrorata* (Malmgren, 1867)
  - longicauda* (McIntosh, 1885)
  - succinea* (Frey & Leuckert, 1845)
  - viens* (M. Sars, 1872)
  - willis* (Day, 1974)
- Nereis*
- dromedroica* (O. F. Millier, 1876)

- falcaria* (Willeb., 1905)  
*fallax* Quatrefages, 1862  
*falsa* Quatrefages, 1865  
*furcholensis* (Langerhans, 1879)  
*gibberna* Day, 1960  
*gigas* Cosnier & Dantec, 1976  
*jakobsii* Kinberg, 1866  
*lamellosa* Ehlers, 1868  
*maroccanus* Amoureux, 1976  
*pelagica* Linnaeus, 1758  
*persica* Fauvel, 1911  
*rossi* Ehlers, 1868  
*zoureni* Malmgren, 1867
- Perinereis**  
*cultrifera* (Grube, 1840)  
*macrurus* (Claparède, 1870)  
*maritima* (Audouin & Milne-Edwards, 1833)  
*nanica* (Savigny, 1818)  
*oliveirae* (Horsf., 1889)  
*rullieri* Plat., 1974  
*tanais* Langerhans, 1851  
*tomitsetis* (Fauvel, 1915)
- Platynereis**  
*corinna* (Delle Chiaje, 1841)  
*dameritii* (Audouin & Milne-Edwards, 1833)  
*maxillimanus* (Moquin-Tandon, 1869)  
*nathae* Abbati & Castell, 1992  
*pirchella* Gravies, 1899
- Pseudonereis**  
*annula* Cosnier, 1899
- Rathynereis**  
*anacutan* Cosnier, 1982  
*farocensis* Kirkegaard, 1998  
*tenneriffensis* Núñez, 1984
- Uronereis**  
*zghal* Ben Amor, 1980
- Wehneronereis**  
*glauca* (Claparède, 1870)
- Family Nereitidae**
- Rathynereis**  
*heptagnus* Faubel, 1978
- Megonereis**  
*olevata* Magagnoli, 1966  
*suedmarka* Findeh, 1961
- Mesonereis**  
*armoricana* Suedmark, 1959  
*brachyantha* Jovin, 1963  
*duroniophaga* Núñez in Núñez, Ocaña & Brito, 1997  
*fages* Suedmark, 1959  
*intermedia* Wilke, 1953  
*ravennata* Lévi, 1952
- Micronereis**  
*minuta* (Suedmark, 1959)
- Nanilla**  
*antennata* O. Schmidt, 1848  
*marginata* Tillyer, 1970  
*mediterraneanus* Schlieper, 1925  
*stygicola* Ax, 1957
- Nereitidum**  
*gracile* Remane, 1925  
*marinum* Faubel, 1976  
*mediterraneanum* Remane, 1925  
*simplex* Lévi, 1953  
*triglochastoides* Remane, 1925
- Nereitidopsis**  
*hyalina* Jovin, 1966
- Paronereis**  
*imicola* Jovin & Suedmark, 1964
- Thalassochonius**  
*psipholocatus* Ax, 1954
- Family Onconereidae**
- Halla**  
*grosvenorana* (Delle Chiaje, 1828)  
*sulfurea* Langerhans, 1880
- Oenone**  
*fulgida* (Savigny, 1818)
- Family Claupehidae**
- Apnaupehis**  
*bilimonta* (Reard, 1870)  
*bilimonta* subsp. *gryllus* (Molander & Her, 1866)  
*bremanii* (Fauvel, 1916)  
*omata* (Fauvel, 1928)  
*rigida* (Claparède, 1868)  
*tubus* (Langerhans, 1880)  
*willisi* Canone & Bellan, 1994
- Diopatra**  
*madeiranus* Langerhans, 1880  
*magalhana* Delle Chiaje, 1841
- Egiphiopatra**  
*huguesiana* subsp. *monna* Day, 1957
- Hyalonereis**  
*edwardsi* Roule, 1906  
*robusta* Sæmboed, 1977  
*schicola* (C.F. Mill. et, 1976)
- Longibrachium**  
*atlanticum* (Day, 1973)
- Nothura**  
*britannica* (McIntosh, 1903)  
*convexipoda* (M. Sars, 1835)  
*geophiliformis* Moore, 1907
- Nothura**  
*hypurana* (Hansen, 1867)
- Onuphis**  
*eremita* Audouin & Milne-Edwards, 1833  
*fontis* Castell, 1985  
*iberica* Hartmann-Schröder, 1971  
*optima* (Verrill, 1873)  
*rullieriana* (Amoureux, 1977)
- Parahyalonereis**  
*apollonia* Hartmann-Schröder, 1971
- Paradiopatra**  
*anthippe* Arvanitidis & Koukourou, 1997  
*fibrosa* (Fauvel, 1974)  
*hartmannae* (Kirkegaard, 1980)  
*hispanica* Amoureux, 1972  
*lepta* (Chamberlain, 1919)  
*quadririspata* (M. Sars in C.F. Sars, 1872)
- Rhinophrachium**  
*agassizi* Ehlers, 1867  
*brachibrachiatum* (Ehlers, 1871)
- Family Opheliidae**
- Atanotrypanella**  
*arctica* (McIntosh, 1879)
- Atanella**  
*cristata* Filippi, 1861  
*polyphthalma* Kudenze, 1887
- Estomus**  
*finlandicus* (Ziegelmeier, 1941)
- Raxum**  
*grosvenori* (McIntosh, 1908)
- Ophelia**  
*amurensis* Bellan & Costa, 1987  
*biocornis* (Savigny), 1818  
*burviki* Quatrefages, 1866  
*cahisa* Amoureux & Denis, 1981  
*leubter* Bellan & Costa, 1987  
*limacina* (Rathke, 1843)  
*neglecta* Schneider, 1867  
*rathkei* (McIntosh, 1908)  
*ruoffensis* Augener, 1910  
*transiens* (Kamoharui, 1971)
- Ophelina**  
*abramisana* Step-Bowitz, 1948  
*arctica* (Oersted, 1843)  
*caucasicus* (Rathke, 1843)  
*brachata* (Pettibone, 1954)  
*cylindricaudata* (Hansen, 1878)  
*cylindricaudata* subsp. *minima* Hartmann-Schröder, 1974  
*fulgolandana* Augener, 1912



- arvensis* Hazemann-Schneider, 1974  
*modesta* Stimp-Bowitz, 1946  
*norvegica* Stimp-Bowitz, 1945  
*apuleiobrancheus* Wiedn, 1981
- Polyphthalmas**  
*gracilis* (Dajozian, 1879)
- Tachysyrphus**  
*jeffreyi* McIntosh, 1879
- Tramusa**  
*forbesi* Johnston, 1840
- Family Orhiniidae**
- Leptocrotopus**  
*bergueletensis* (McIntosh, 1885) sensu Ramos 1976  
*mammatus* Day, 1927
- Naineris**  
*laevigata* (Günther, 1855)  
*quadriceps* Day, 1905  
*quadriceps* (Fabricius, 1780)
- Orhinia**  
*nemata* (McIntosh, 1910)  
*haren* (Fauvel, 1919)  
*arvensis* (Rosa, 1914)  
*cruentata* (Audouin & Milne-Edwards, 1833)  
*latreillei* (Audouin & Milne-Edwards, 1831)  
*versulata* (Savigny, 1820)
- Philo**  
*foveata* subsp. *arjmanus* (Fauvel, 1925)  
*foveata* subsp. *atlantica* (Fauvel, 1925)  
*foveata* subsp. *foveata* (Claparède, 1870)  
*foveata* subsp. *usitans* (Eisig, 1914)  
*foveata* subsp. *ligustica* (Orland, 1896)  
*foveata* subsp. *typica* Eisig, 1914  
*grahni* (McIntosh, 1916)  
*huffei* (Fletcher, 1874)  
*norvegicus* (Sars, 1872)
- Pratinerea**  
*capaxifera* (Rohdendorf, 1870)  
*ovata* (Claparède, 1864)
- Schroederella**  
*lableri* Badalamenti & Castelli, 1991
- Sentanea**  
*basal* Meun, 1937  
*ovata* F. rig, 1914
- Socioplas**  
*armatus* (D. F. Müller, 1776)  
*chevalieri* (Fauvel, 1901)  
*chevalieri* subsp. *caudatus* Harmelin, 1969
- Family Owenidae**
- Myriachele**  
*demiglossa* Hansen, 1879  
*fragilis* Nilsen & Heltne, 1981  
*heeri* Malmgren, 1867  
*ovata* (Zetter, 1923)
- Owman**  
*fulviformis* Delle Chiaje, 1842
- Family Paracydoniidae**
- Paracydonia**  
*paradisa* (Fauvel, 1913)
- Family Parsonidae**
- Aedidira**  
*mediterranea* Laubier & Ramos, 1974
- Arctidea**  
*ahorensis* Laubier & Ramos, 1974  
*chironchata* Hartman, 1964  
*abyssalis* Laubier & Ramos, 1974  
*altharvosa* Penibone, 1957  
*arvensis* Laubier, 1967  
*assini* Zebbie, 1959  
*carpensis* subsp. *hansoni* Laubier & Ramos, 1974  
*catheriniae* Laubier, 1967  
*corvata* Laubier, 1967  
*claudiae* Laubier, 1967  
*foveata* Hartman, 1967  
*fragilis* Webster, 1879  
*fragilis* subsp. *mediterranea* Laubier & Ramos, 1974  
*hansoni* Stelzer, 1968  
*laubieri* Hartley, 1981  
*meritana* Kutzmann & Laubier, 1975  
*minuta* Southward, 1956  
*montana* Laubier, 1967  
*neosuevica* Hartman, 1965 sensu Laubier & Ramos, 1974  
*cf. philumae* Brown, 1976  
*pseudannae* Kutzmann & Laubier, 1975  
*quadrilobata* Webster & Benedict, 1967  
*roberti* Flanley, 1981  
*simonsi* Laubier & Ramos, 1974  
*suevica* Flanagan, 1920  
*suevica* subsp. *aridionalis* Laubier & Ramos, 1974  
*suevica* subsp. *simplex* Day, 1903  
*trilobata* Laubier & Ramos, 1975  
*warsi* Penibone, 1965
- Cirrophorus**  
*branchicus* Ehlers, 1908  
*fulvatus* (Hartman, 1947)
- Levinseia**  
*gracilis* (Taubert, 1879)
- Paradonnia**  
*arvensis* Gilmarec, 1966  
*drachi* Laubier & Ramos, 1974  
*eliasii* Mackie, 1991  
*fulvata* (Levinse, 1884)  
*hansoni* Castelli, 1985  
*harpagonea* (Soreb, 1967)  
*lyra* (Southern, 1914)
- Paromides**  
*myrtilus* Kutzmann & Laubier, 1975  
*neapolitana* Cerruti, 1909
- Parosia**  
*arvensis* Hartman, 1965
- Family Parergonitidae**
- Syngocapitella**  
*subterranea* Knäuper, 1934
- Family Pectinariidae**
- Pectinaria**  
*autentica* (D. F. Müller, 1776)  
*atlantica* subsp. *mediterranea* Nilsen, 1978  
*belgica* (Pallas, 1766)  
*granulata* (Linnaeus, 1767)  
*hyperborea* (Malmgren, 1866)  
*laroni* (Malmgren, 1866)  
*neapolitana* Claparède, 1870
- Petta**  
*pusilla* Malmgren, 1866
- Family Pholidae**
- Pholus**  
*arvensis* Oersted, 1843  
*heltnei* Oersted, 1843  
*foveata* Kitzmann, 1963  
*ovata* Johnston, 1879  
*inigo* (D. F. Müller, 1776)  
*minuta* (Fabricius, 1780)  
*pullida* Chambers, 1884  
*synophthalmica* Claparède, 1868  
*taeta* Stimpson, 1854
- Photoidea**  
*drospogillatus* (Maczeneller, 1891)
- Family Phyllocaelidae**
- Carachia**  
*dahurii* Iargerhan, 1860  
*lanesoligera* Chernavsky, 1887
- Chastoparia**  
*nitens* Malmgren, 1867
- Etania**  
*arvensis* Malmgren, 1867  
*barbata* (Malmgren, 1863)  
*flava* (Fabricius, 1780)  
*foveata* Quatrefores, 1864

- jacota* M. Sars, 1872  
*longa* (Fabricius, 1780)  
*picta* Quatrefages, 1865  
*spetchbergensis* Malmgren, 1865  
*saecula* Bergström, 1914  
*symphonodonta* (Delle Chiaje, 1822)
- Fulacella**  
*trifurcata* de Saint Joseph, 1888
- Fulcula**  
*parva* de Saint Joseph, 1888  
*cruciatum* Hartman & Fauchald, 1971  
*cunea* Grube, 1866  
*bilobata* (Johnston, 1840)  
*capitata* Pleijel, 1987  
*flavescens* Bohrenzki, 1868  
*fuscicornis* de Saint Joseph, 1888  
*hanseni* Pleijel, 1987  
*impasta* Quatrefages, 1865  
*macronulata* Pleijel, 1987  
*muscula* Pleijel, 1987  
*ornata* de Saint Joseph, 1888  
*quadrifurcata* de Saint Joseph, 1888  
*trifurcata* Diveser, 1915  
*tripunctata* McIntosh, 1874  
*venusta* de Saint Joseph, 1888  
*varicostata* Hanse, 1959  
*valida* (Linnaeus, 1767)
- Fumida**  
*nickolmanni* Fjthø-Jacobsen, 1927  
*arctica* (Annenkova), 1946  
*brachyemera* Bergström, 1914  
*punctifera* (Grube, 1860)  
*ranguana* (Oersted, 1842)
- Gammatyllis**  
*nana* de Saint Joseph, 1888
- Heurania**  
*augeneri* (Friedrich, 1917)  
*cathena* (Lambert, 1962)  
*coronata* subsp. *longicauda* Miranch, 1952  
*elongata* (Southern, 1914)  
*serena* (Hartmann-Schröder, 1960)
- Iuglia**  
*planophana* (Fjthø, 1864)
- Myxidae**  
*hudsonata* Langerhans, 1880  
*lineata* Thiel, 1879  
*rareca* Langerhans, 1880  
*sotherni* Hanse, 1954
- Nereophylla**  
*lutea* (Malmgren, 1865)  
*parva* (Sars, 1872)  
*parvula* (C. Sars, 1870)  
*rufiginosa* (de Saint Joseph, 1888)
- Notaphyllum**  
*americanum* Verrill, 1885  
*foliosum* (M. Sars, 1875)
- Purvanilla**  
*knaueri* (Malmgren, 1867)  
*wahlbergi* (Malmgren, 1865)
- Paraleone**  
*abyssus* Hanmann-Schröder, 1975
- Phyllodiscus**  
*albivittata* Grube, 1860  
*hermannidis* de Saint Joseph, 1888  
*cirrus* Malmgren, 1865  
*gorselli* Audouin & Milne-Edwards, 1874  
*greenlandica* Oersted, 1842  
*lamelligera* (Linnaeus, 1791)  
*lamimata* Savigny, 1818  
*lineata* (Claparède, 1870)  
*longifrons* Ben-Eliahu, 1972  
*longipes* Kuhnberg, 1866  
*macrocapitata* de Saint Joseph, 1888  
*macrophallus* (Schmiedeknecht, 1861)  
*maculata* (Linnaeus, 1767)  
*mediterranea* Langerhans, 1880  
*malmgreni* Grube, 1860  
*musca* Oersted, 1842  
*ovata* (McIntosh, 1877)  
*protomyxidae*  
*hemina* Hartmann-Schröder, 1962  
*exigua* (Elliott, 1862)  
*Psocidomyxidae*  
*limbata* de Saint Joseph, 1888  
*sphaerica* Petersen & Pleijel, 1993  
*Psorocera*  
*slavnikovi* Arnerkova, 1946  
*macronema* (Grube, 1860)  
*microcephala* Claparède, 1870  
*limbata* (de Saint Joseph, 1888)  
*Psorocirrus*  
*midastenta* Pleijel, 1987  
*Sligo*  
*fusigera* Malmgren, 1865  
*oliveri* Pleijel, 1990
- Family Pilargidae**  
*Amoestargus*  
*hemata* (Hartman, 1960)  
*Arcuatoxylus*  
*impulata* (Karschell, 1953)  
*horvathi* Fjthø & Bergmann  
*gracilior* McIntosh, 1879  
*Glyphobastena*  
*idota* Friedrich, 1950  
*Litocera*  
*straminea* Pearson, 1970  
*Olagus*  
*shandji* Kazmann, Lambier & Ramos, 1974  
*Pilargis*  
*populata* Rasmussen, 1971  
*verrucosa* de Saint Joseph, 1888
- Sigambra**  
*constricta* (Southern, 1911)  
*parva* (Day, 1967)  
*monticola* (Trenswell, 1941)
- Synaldis**  
*albida* (Langerhans, 1881)  
*diana* Kazmann, Lambier & Ramos, 1974
- Family Pionidae**  
*Pionus*  
*parva* Siewing, 1951  
*serena* (Southern, 1914)
- Family Psephenidae**  
*Eteobius*  
*mirabilis* Lambier & Ramos, 1972  
*Psephenus*  
*farachaldi* Filate & Carriere, 1976  
*fulgens* Claparède in Fjthø, 1875  
*serpens* Allen, 1904
- Family Polygordiidae**  
*Polygordius*  
*appandicatus* Fripponi, 1885  
*erythrophthalmus* (Giant, 1860)  
*lanceus* Schneider, 1866  
*esapolitanus* Fripponi, 1884  
*arctodes* Langerhans, 1881  
*mercurii* Wellbeck in Hempelmann, 1904  
*vittata* Perrier, 1874
- Family Polysaccus**  
*Acanthosaccus*  
*asperimus* (M. Sars, 1861)  
*Achilax*  
*astericola* (Delle Chiaje, 1841)  
*Adys*  
*ovatus* (McIntosh, 1876)  
*Alona*  
*galatunsa* (M. Sars, 1875)  
*Alonidans*  
*nurantica* (Verrill, 1885)

- Almanella*  
*schubertiana* McIntosh, 1885
- Auxurtaemilla*  
*malis* (S&S, 1863)
- Bathypeltaria*  
*abyssicola* (Fauvel, 1913)  
*kirkgaardii* (Uschakov, 1971)
- Bathyfornella*  
*affinis* Fauvel, 1914
- Bathyura*  
*nobilis* Ditlevsen, 1917
- Bylgides*  
*arcticeps* (Schäfer, 1881)  
*annulata* Pettibone, 1993  
*elegans* (Théel, 1879)  
*grommidurus* (Malmgren, 1867)  
*grommus* (Malmgren, 1867)  
*sarsi* (Kinberg in Malmgren, 1865)
- Diplacanthum*  
*parvidentatum* (Fliedner, 1962)
- Eupa*  
*elizabethae* McIntosh, 1900  
*kinbergi* (Malmgren, 1865)  
*sarsi* (Malmgren, 1865)
- Fucaria*  
*villosa* Malmgren, 1865
- Furca*  
*anoculata* Hartman & Schröder, 1975  
*kalverhu* (McIntosh, 1900)  
*tasmanigenera* Kirkgaard & Bille, 1980  
*monticola* Czerniavsky, 1882  
*sericea* (M. Sars, 1861)  
*norstedti* Malmgren, 1865  
*setosa* (Moore, 1907)
- Gastropoda*  
*adonouera* (Malmgren, 1867)  
*curiosa* (Pallas, 1766)
- Gnathia*  
*janseoni* (Hartman & Schröder, 1974)
- Gorgonapolydora*  
*concolor* (Fauvel, 1917)
- Hormathoe*  
*longipalpa* (M. Sars, 1861)  
*abyssicola* Didenko, 1894  
*alba* (Malmgren, 1865)  
*axilipes* McIntosh, 1876  
*brevitata* (Grube, 1860)  
*caprea* (Hansen, 1879)  
*halim* Daniech & Fiege, 2000  
*hawaiiensis* (Théel, 1879)  
*casahullitica* Bito, Núñez & Bacallado, 1991  
*longipalpa* M. Sars, 1861  
*ova* Kirkgaard, 1980  
*extremata* (Grube, 1860)  
*fragilis* Moore, 1910  
*fraserthamsoni* McIntosh, 1897  
*gileberti* Day, 1960  
*globifera* (G. O. Sars, 1873)  
*gorgonia* (A. Agénès, 1918)  
*inbivata* (Tanner, 1967)  
*imbricata* (Steph. Murray) (Bobretzky, 1881)  
*impro* (Johnson, 1825)  
*ingolfiana* (Ditlevsen, 1917)  
*joubini* Fauvel, 1917  
*lagusoides* (Steph. Murray) Day, 1963  
*longipalpa* (Grube, 1860)  
*microstoma* Fliedner, 1967  
*oculinarum* (Storm, 1879)  
*pagansbacheri* (Michaëler, 1896)  
*pikou* (Inés & Le Lannou, 1975)  
*reticulata* (Claparède, 1870)  
*spinifera* (Ehlers, 1864)  
*tomazetti* (McIntosh, 1885)  
*villosa* Malmgren, 1865  
*vittacea* (Storm, 1876)
- varidii* (Schäfer, 1881)
- Hermadionella*  
*truncata* (Moore, 1907)
- Heteropolydora*  
*nordgaardii* (F. Cervera), 1907
- Lagysa*  
*aesquespina* (Angerhans, 1884)  
*elizabethae* McIntosh, 1900  
*finovata* (Savigny, 1818)  
*peracua* McIntosh, 1885  
*talimani* (Roule, 1898)  
*taurica* (Czerniavsky, 1882)
- Lepidathona*  
*argus* (Hulsem, 1900)  
*brunnea* Day, 1960  
*olegans* (Grube, 1860)  
*maculata* Poite, 1910
- Lepidomachus*  
*brunneus* (Quatrefages, 1865)  
*emulans* (Grube, 1870)  
*claus* (Montagu, 1808)  
*squarrosa* (Linnaeus, 1758)  
*teniseta* (Cuvier, 1802)
- Leuza*  
*novae* (M. Sars, 1863)
- Macellicephalo*  
*incerta* (Fauvel, 1914)  
*lahti* (Reyss, 1971)  
*longipalpa* (Uschakov, 1955)  
*ovotilis* (McIntosh, 1885)  
*vittacea* (Ditlevsen, 1887)
- Malmgrenella*  
*andreae* (McIntosh, 1876)  
*annulata* (de Saúl Joseph, 1888)  
*caprea* (McIntosh, 1876)  
*darkeni* (Pettibone, 1992)  
*glabra* (Malmgren, 1865)  
*hilanae* (Pettibone, 1993)  
*lyngmani* (Malmgren, 1867)  
*lunata* (Pellegrin, 1870)  
*marphyata* (McIntosh, 1876)  
*monticola* (Tebble & Chambers, 1982)
- Malaena*  
*luna* (Malmgren, 1865)
- Necochaeta*  
*granulata* (Munzeller, 1892)
- Neolagisca*  
*arachi* (Reyss, 1961)
- Nemipolydora*  
*paralaxa* (Storm, 1888)
- Paradye*  
*cinasilinda* (Poite, 1910)
- Polaruschukov*  
*polara* (Uschakov, 1976)  
*reyssi* (Pettibone, 1976)
- Polynoe*  
*antilliana* (Augener, 1906)  
*caeliaca* (Fauvel, 1913)  
*luna* (Audin & M. J. Edwards, 1837)  
*longissima* (Blainville, 1828)  
*scolopendrina* (Savigny, 1818)
- Robertsonella*  
*synophthalma* (McIntosh, 1885)
- Sarantona*  
*macrophthalma* (Fauvel, 1917)
- Schadya*  
*pellucida* (Ehlers, 1864)
- Wilsonella*  
*furcasetosa* (Schäfer, 1881)
- Family *Panostzilidae*  
*Panostzilus*  
*finovatus* (Uschakov, 1971)
- Family *Pentodontidae*  
*Fragaria*  
*euchaeta* (Chun, 1888)

- Pomarine*  
*petagius* Græf, 1879
- Family Protodrilidae**  
*Protodrilus*  
*chaetifer* (Remane, 1926)  
*symbioticus* Girard, 1904
- Protodrilus*  
*adhaerens* Jägerskiöld, 1952  
*affinis* Jouin, 1968  
*albus* Jouin, 1970  
*brevis* Jouin, 1970  
*ciliatus* Jägerskiöld, 1952  
*flavocapitatus* (T. Ljanić, 1877)  
*gracilis* Nordheim, 1884  
*Fatscheki* Pierantoni, 1908  
*helgolandicus* von Nordheim, 1883  
*hypoleucus* Armand, 1901  
*leuckarti* Fatschek, 1880  
*mirabilis* Chernysky, 1881  
*oculifer* Pierantoni, 1908  
*purpureus* (Schneider, 1868)  
*robustus* Jägerskiöld, 1952  
*subcapitatus* Jägerskiöld, 1940  
*scleroides* Langerhans, 1880  
*similis* Jouin, 1972  
*sparagoides* Pierantoni, 1903
- Family Psammodrillidae**  
*Psammodrillus*  
*bataviensis* Swedmark, 1952
- Psammodrillidae*  
*faurei* Swedmark, 1952
- Family Quedidae**  
*Quetta*  
*caudicera* Hartman, 1966
- Family Sabellariidae**  
*Lygdami*  
*maratus* (Allen, 1904)
- Phalacrostemma*  
*classi* (Marenzeller, 1895)  
*elegans* Fauvel, 1914  
*norvegicum* Ståhlgren, 1971
- Sabellaria*  
*ataca* Gravier, 1901  
*atracata* (Linnæus, 1767)  
*spinulosa* Leuckart, 1849  
*taurina* (Rathke, 1817)
- Family Sabellidae**  
*Amphiglena*  
*mediterranea* (Lydell, 1851)
- Augeneriella*  
*lagunari* Girard, 1906
- Hispura*  
*crassirostris* (Sars, 1851) comb. nov.  
*fabricii* (Krøyer, 1852)  
*mariae* Le Rancin, 1883  
*vola* (Grube, 1863)  
*voluicornis* (Malmgren, 1864)
- Branchiomma*  
*bakusense* Johanneson, 1977  
*bathelense* (Grube, 1878)  
*bathyz* (Dalyell, 1853)  
*incompletum* (M. Sars in G. O. Sars, 1872)  
*infantum* (Krøyer, 1856)  
*turrisum* (Grube, 1865)  
*lucullanum* (Delle Chiaje, 1828)  
*monii* P. Knight-Jones, 1904  
*springerum* P. Knight-Jones, 1954
- Chone*  
*azurum* (Claparède, 1870)  
*aromata* Giangrande, 1997  
*collaris* Langerhans, 1880  
*duneri* Malmgren, 1867  
*faurei* McIntosh, 1916  
*filicaudata* Southem, 1914  
*infundibuliformis* Krøyer, 1856  
*longueta* Giangrande, 1997  
*longicirrata* Sars, 1872  
*paucibranchiata* (Krøyer, 1856)
- Demonax*  
*brachyoma* (Claparède, 1870)  
*cambrensis* Knight-Jones & Walker, 1985  
*langerhansii* (Knight-Jones, 1911)  
*saxicola* (Grube, 1861)  
*tenacillans* (Grube, 1870)  
*tomasi* Giangrande, 1994  
*toruli* Knight-Jones & Walker, 1985
- Pseudemonax*  
*ornata* Banse, 1957
- Fuchone*  
*analis* (Krøyer, 1865)  
*capensis* Day, 1961  
*elegans* Verrill, 1853  
*papillosa* (M. Sars, 1851)  
*rosea* Langerhans, 1884  
*rubella* Flixer  
*rubrolineata* (M. Sars, 1861)  
*southerni* subsp. *southerni* Banse, 1970  
*southerni* subsp. *inletus* Banse, 1970
- Fabricia*  
*sabella* (Fühnenberg, 1836)  
*stellaris* subsp. *stellaris* (O. F. Millen, 1774)  
*stellaris* subsp. *navatica* (Banse, 1946)  
*stellaris* subsp. *caspica* (Zemlévitch, 1922)
- Fabriciella*  
*balnea* Frensch, 1839  
*tonensis* Banse, 1956
- Garbunavia*  
*malmgreni* (Hansen, 1878)
- Hypsiocoma*  
*stichophthalma* (Grube, 1863)
- Jasminera*  
*candela* (Grube, 1867)  
*ocudata* Langerhans, 1880  
*elegans* de Saini Joseph, 1894  
*oculata* Langerhans, 1884  
*schaudinni* Augener, 1905
- Lanana*  
*krøyeri* Malmgren, 1865  
*salmacis* Claparède, 1870
- Maryanika*  
*assuaria* (Boume, 1883)  
*caspica* Arsenkova, 1929
- Megalomma*  
*juvaresi* (Rinjia, 1917)  
*vesiculatum* (Montagu, 1815)  
*vigilans* (Claparède, 1870)
- Myalesta*  
*aesthetica* (Claparède, 1870)  
*infundibulum* (Renier, 1864)  
*varii* Krøyer, 1856  
*steensgrupi* Krøyer, 1856
- Nothulus*  
*placotaenta* (Schmarda, 1861)  
*rectangularata* Levinson, 1881
- Novofabricia*  
*bilobata* Marin & Giangrande, 1991
- Oriopsis*  
*alata* subsp. *pectinata* Banse, 1957  
*armandi* (Claparède, 1864)  
*cursoria* (Quatrefoires, 1865)  
*eimeri* subsp. *eimeri* (Langerhans, 1884)  
*eimeri* subsp. *persiana* Her-Flixer, 1973  
*magellanae* Plate, 1995  
*hymerus* Knight-Jones, 1981  
*hispidifloratus* Plate, 1995  
*melnikovi* Caillery & Mesnil, 1896
- Panopaea*  
*africana* Amoureux & Rullier, 1974
- Perkinsiana*

- rubra* (Langenshans, 1884)  
*ruficalis* (Langenshans, 1884)
- Potamogethus**  
*brevilunatus* Hartmann-Schrdler, 1977  
*filiformis* Hartmann-Schrdler, 1977  
*malmgreni* Hansen, 1878  
*spathiferus* (Ehlers, 1887)
- Potamogeton**  
*murrayi* (Macrost, 1916)
- Prasinilla**  
*neglecta* (M. Sars, 1851)  
*rossi* (M. Sars, 1851)  
*rubra* Binja, 1908
- Pseudofabricia**  
*aberrans* Camene, 1970
- Pseudofriaticula**  
*analis* Fitzhugh, C. Enguarde & Simbula, 1994  
*capensis* (Mort, 1917)  
*longipoda* Fitzhugh, C. Enguarde & Simbula, 1994
- Pseudopotamilla**  
*ceresina* (Grube, 1870)  
*retiformis* (Bruguiere, 1789)
- Sabella**  
*discifera* Grube, 1874  
*fabrici* Fauvel, 1927  
*stellata* Savigny, 1810  
*postuma* Savigny, 1816  
*rossi* Kröyer, 1856  
*spallanzani* (Viviani, 1805)  
*variabilis* Langenshans, 1884
- Family Saccocirridae**  
**Saccocirrus**  
*major* (Fierabini, 1867)  
*papilliferus* Bobretsky, 1877  
*parvus* Gerlach, 1957
- Family Scalihringmidae**  
**Acallocheilus**  
*intermedius* (de Saumegre, 1894)
- Ispohrancheus**  
*jeffreysi* McIntosh, 1865
- Polyphya**  
*crassa* (Oersted, 1847)  
*crassa* subsp. *fauveli* (Tribes, 1859)
- Pseudocalibregma**  
*parvum* (Hansen, 1878)
- Scalihringma**  
*returum* Mackie, 1891  
*inflatum* Rathke, 1847
- Setocheugma**  
*brachyate* Hartman, 1965
- Sclerocheilus**  
*minimus* Grube, 1861
- Family Serpulidae**  
**Aporanus**  
*impulliferus* Philippi, 1844  
*umilis* Marion & Bobretsky, 1874
- Bathysermilia**  
*langenshansii* Fauvel, 1909
- Chlumponia**  
*varrula* (Stimpson, 1844)
- Ditrupe**  
*arctica* (O.F.M.C., 1876)
- Ficopromia**  
*enigmatica* (Fauvel, 1927)
- Filograna**  
*implana* Berkeley, 1878
- Filigranula**  
*annulata* (O.G. Costa, 1861)  
*obliquata* (O.G. Costa, 1861)  
*gracilis* Langenshans, 1884  
*stellata* (Southward, 1967)
- Hyalopromia**  
*cineraria* (Marenzeller, 1857)  
*marenselleri* (Langenshans, 1884)
- varicogona* (Ber. Fuchs & Fries, 1906)
- Hydrades**  
*athicops* Grube, 1870  
*arcticus* Zibrowius, 1972  
*brachyacanthus* Binja, 1941  
*acanthus* (Vermi, 1877)  
*drampha* Muel, 1861  
*elegans* (Haswell, 1887)  
*exaeris* Olfers, 1934  
*harmata* (Fries, 1921)  
*heterocerus* (Grube, 1878)  
*homocerus* (Fries, 1917)  
*max* (Grube, 1878)  
*niger* Zibrowius, 1971  
*norvegicus* (Gunnell, 1768)  
*ovipositorialis* Augener, 1925  
*opercularis* (Treadwell, 1929)  
*pseudocuneatus* subsp. *africanus* Zibrowius, 1971  
*pseudocuneatus* subsp. *pseudocuneatus* Zibrowius, 1968  
*steinus* (Ber. Fuchs, 1912)  
*trichodon* Zibrowius, 1971
- Janina**  
*finchellata* (Delle Chiaje, 1822)  
*spissa* (Langenshans, 1884)
- Jansophila**  
*marenselleri* (Cautley & Meunier, 1896)
- Metovermilia**  
*arctica* Kupfermann, 1957  
*multicostata* (Philippi, 1844)  
*tata* Zibrowius, 1971
- Nonvermilia**  
*falcatoga* (Rathke, 1806)
- Planostegus**  
*crystallinus* sensu Zibrowius, 1968  
*langenshansii* (Marenzeller, 1891)  
*tridentatus* (Fabricius, 1779)
- Pomatoceras**  
*lamarchi* (Quoy & Gaimard, 1825)  
*rugosus* (Linnaeus, 1767)
- Pomatoteros**  
*lorentis* (Baute, 1865)
- Procula**  
*adhera* Fauvel, 1909
- Prata**  
*arctica* (Hansen, 1878)
- Pravula**  
*glabifera* (Thiel, 1876)  
*intestinum* (Savigny, 1818)  
*lustrata* Binja, 1917  
*similis* Marion & Bobretsky, 1875  
*tubularis* (Montagu, 1847)
- Pseudovermilia**  
*occidentalis* Zibrowius, 1968
- Rhodopsis**  
*pusilla* Bush, 1905
- Salmactina**  
*dytteri* (Huxley, 1855)  
*edificata* (Claparède, 1868)  
*lustrata* (Claparède, 1868)  
*setosa* Langenshans, 1884
- Semivermilia**  
*agglutinata* (Marenzeller, 1857)  
*arenata* (O.G. Costa, 1861)  
*arctica* (O.G. Costa, 1861)  
*pomatolegoides* (Zibrowius, 1969)  
*torulosa* (Delle Chiaje, 1822)
- Serpula**  
*caerulicola* Fossati & Mellica, 1991  
*caerulicola* Langenshans, 1884  
*caerulicola* (Marenzeller, 1857)  
*tohuwaco* Binja, 1917  
*vernacularis* (Linnaeus, 1767)
- Spiriserpula**  
*massiliensis* (Zibrowius, 1968)

- Spiradiscus*  
*granulata* Fauvel, 1906
- Spirabranchius*  
*tuna* (Günther, 1862)  
*polyretina* (Philipp, 1844)  
*terracina* (Schmarda, 1861)
- Verrilltopus*  
*eliazoni* Zibrowius, 1976  
*infundibulum* (Philipp, 1844)  
*lobata* (G. O. Sars, 1861)  
*montis-durani* Zibrowius, 1969  
*retrocurvatus* (Rohde, 1862)
- Viverratulus*  
*digeratus* Zibrowius, 1979
- Family Sigambriidae**
- Euthaleneus*  
*arctica* (Peters, 1854)
- Claparèdeparagena*  
*inclusa* (Claparède, 1868)
- Pantherosiphonopsis*  
*minor* (Pruvot & Racovitza, 1895)  
*zelandica* (McIntosh, 1876)
- Lathrolebanus*  
*jobeni* (Malmgren, 1867)
- Lecania*  
*hystrix* (Fleets, 1874)
- Nerleanus*  
*tetragona* (Oersted, 1845)
- Parasiphonius*  
*hibernica* (McIntosh, 1876)
- Pelagenia*  
*arenaria* (Delle Chiaje, 1830)
- Sigambra*  
*mathildae* Audouin & Milne Edwards in Cuvier, 1830  
*sgambra* (Delle Chiaje, 1830)
- Sphenella*  
*huxi* (Johnston, 1823)  
*reticulata* (Claparède, 1868)  
*jeffreysi* (McIntosh, 1876)  
*fenestrata* (Ehlers, 1864)
- Family Sphaerodoridae**
- Clavodora*  
*adriaticum* Katsman, 1973  
*fauvelii* Deshayères, 1980
- Commenstradomus*  
*castrimeneus* (Lübber, 1961)
- Ephraella*  
*abyssorum* (Hansen, 1878)  
*crustacea* (Müller, 1894)  
*peripatit* (Claparède, 1867)  
*ramana* (Deshayères, 1980)
- Furcula*  
*hamuliformis* Sarda Harvey, 1987
- Sphaerodorida*  
*claparèdei* (Giesb., 1866)  
*fauvelii* (Hermann-Schröder, 1992)  
*longiparapodium* Karamann, 1971
- Sphaerodoretus*  
*hutchi* (Rebecq, 1923)  
*disticus* (Flörke, 1962)  
*minuta* (Wehler & Henschel, 1867)  
*rhodii* (Deshayères, 1980)  
*lanceus* (Deshayères, 1980)  
*longiparapodium* (Deshayères, 1980)  
*maurina* (Deshayères, 1980)  
*parva* (Ehlers, 1913)  
*philippi* (Fauvel, 1911)  
*shibana* (Deshayères, 1980)  
*stans* (Oersted, 1847)
- Sphaerodorum*  
*gracile* (Rohde, 1843)  
*aphanoplerum* (Mann & Alva, 1988)
- Family Sphaerettidae**
- Sphaeretta*  
*arctica* (M. Sars, 1851)  
*arctica* (Stimpson, 1854)
- Sphaeretta*  
*concolorata* (Johnson, 1844)  
*Wiereni* (Harman, 1948)
- Family Sponidiidae**
- Aspidia*  
*oxycephala* (Sars, 1867)  
*paucibranchiata* Southern, 1914
- Atheraspia*  
*drutcha* (Mackie & Duff, 1982)
- Apogonaspia*  
*pygmaea* (Harman, 1955)
- Auraspia*  
*dibrombata* (Mann et al., 1981)
- Boreaspia*  
*polybranchia* (Tagwell, 1985)  
*redota* (Hess, 1920)  
*semibranchiata* (Guetir, 1980)
- Boreaspidiella*  
*lygerica* (Ferreira, 1898)
- Dipolydora*  
*armata* (Langerhans, 1880)  
*comitosa* (Mason, 1895)  
*conna* (Oersted, 1843)  
*flava* (Claparède, 1870)  
*gladii* (Mason, 1896)  
*truggerhansii* (Mason, 1896)  
*quadrilobata* (Jacobi, 1887)  
*rogersi* (Mann, 1996)  
*saintjosephi* (E'ason, 1920)  
*viridis* (Schmarda, 1861)
- Duplo*  
*arctica* (Harman, 1941)
- Loonice*  
*apophloegi* (Söderström, 1920)  
*baltica* (Söderström, 1920)  
*cirrata* (M. Sars, 1851)  
*gami* (Söderström, 1920)
- Melanocera*  
*clavata* (Kieferstein, 1862)  
*fuliginosa* (Claparède, 1868)  
*girardi* (Lutereff, 1843)  
*tetracera* (Schmarda, 1861)  
*vaughani* (Johnston, 1827)
- Marenzelleria*  
*viridis* (Verrill, 1873)  
*Woron* (Auzener, 1917)
- Micraspia*  
*atlantica* (Langerhans, 1880)  
*mercuriana* (Claparède, 1868)
- Misaspia*  
*zelandica* (Berkeley, 1917)
- Parapriaspia*  
*pinata* (Fleets, 1901)
- Polydora*  
*calata* (Johnston, 1823)  
*calonia* (Mason, 1907)  
*caerula* (Bosc, 1802)  
*guillei* (Lambert & Ramis, 1974)  
*hermanni* (Harner, 1956)  
*haptata* (Claparède, 1870)  
*limicola* (Antonikova, 1974)  
*parhami* (Jones, 1962)  
*pulchra* (Carazzi, 1895)  
*spongicola* (E. & C. Berkeley, 1950)
- Prionaspia*  
*lanceolata* (Lambert, 1966)  
*expansa* (Lambert, 1962)  
*currifera* (Wier, 1880)  
*decipiens* (Raja, 1931)  
*duha* (Day, 1861)  
*shibana* (Fauvel, 1920)  
*fallax* (Söderström, 1920)  
*fauvelii* (Macinlek, 1985)

- malmgreni* Czaparède, 1870  
*multibranchiata* Berkeley & Berkeley, 1977  
*plumosa* (M. Sars, 1872)  
*saccharina* Macke & Hartley, 1990  
*salzi* (Lambier, 1970)  
*sexoculata* Augener, 1918  
*staetsenigi* Malmgren, 1867  
*tripunctata* Mordvilke, 1985
- Pseudopnyctopora*  
*arcanensis* (Czaparède, 1868)  
*kempii* (Southern, 1921)  
*paucibranchiata* (Okada, 1937)  
*pulchra* (Carazzi, 1895)
- Pygospio*  
*elegans* Czaparède, 1867
- Scalolepis*  
*harrisi* (Westl., 1856)  
*comitibus* (Raja, 1918)
- Scotepus*  
*errantulus* (De la Crijpe, 1828)
- Serrotelepis*  
*foliata* (Audouin & Milne Edwards, 1833)  
*korsunii* Sikorski, 1994  
*longirostris* (Quatrefages, 1843)  
*maestrii* (Hellan & Lagardère, 1971)  
*quadrata* (O. F. Müller, 1799)  
*tridentata* (Southern, 1914)
- Spio*  
*armata* (Thulin, 1957)  
*arenaticornis* Marfagi, 1817  
*decoratus* Anshitzky, 1870  
*filicornis* (O. F. Müller, 1796)  
*goniosiphata* Thulin, 1957  
*martiniensis* Mesnil, 1896  
*multiculata* (Raja, 1918)
- Spiraphanes*  
*hutchinsii* (Czaparède, 1870)  
*krøyeri* subsp. *krøyeri* Grube, 1860  
*krøyeri* subsp. *repsii* (Lauterbach, 1964)  
*wigleyi* Penhale, 1962
- Streblospio*  
*heredieri* Webster, 1979  
*dekhuyzenii* Horst, 1905  
*strubbsii* (Buchanan, 1890)
- Family Spirobidae**
- Bushigella*  
*atlantica* (P. Knight-Jones, 1978)  
*evoluta* (Rush, 1910)  
*hosiadi* (Rzhavsky, 1988)  
*verruca* (O. Fabricius, 1780)
- Circeus*  
*armatissima* (de Saint Joseph, 1884)  
*armatissima* subsp. *fragilis* Krøyer & Knight-Jones, 1975  
*pagani* Knight-Jones & Knight-Jones, 1977  
*spulatum* (Linnaeus, 1758)
- Dexiospira*  
*convoluta* (Malmgren, 1867)
- Janus*  
*actinata* (Wesenberg-Lund, 1952)  
*paganscheri* (Quatrefages, 1865)
- Jugaria*  
*granulata* (Linnaeus, 1767)  
*quadrangetum* (Stimpson, 1854)  
*similis* (Rush, 1910)
- Leodora*  
*larva* (Quatrefages, 1865)
- Neodexiospira*  
*brasiliensis* (Grube, 1872)  
*pseudocurrugeta* (Rush, 1904)
- Neomicrobittis*  
*azaricus* Zibrowius, 1972
- Nidificaria*  
*chilensis* (P. Lanchiani, 1849)  
*clava* (Harris, 1968)
- Paradexiospira*  
*cancelata* (O. Fabricius, 1780)  
*violacea* (Levinsen, 1884)
- Paralimnospira*  
*virata* (Fabricius, 1780)  
*malinai* (Caullery & Mesnil, 1897)
- Pämalina*  
*berkeleyana* (Raja, 1942)  
*hutchinsonii* (Zibrowius, 1968)  
*molana* (Czaparède, 1868)  
*maerchi* (Levinsen, 1887)
- Protolimnospira*  
*striata* (Quievreux, 1963)
- Singilaria*  
*psuedomilneri* (Thibout-Quievreux, 1965)
- Spirorbis*  
*emallinacea* de Silva & Krøyer-Jones, 1967  
*convexus* Gee, 1964  
*gonus* Knight-Jones & Knight-Jones, 1994  
*infundibulatus* Harris & Krøyer-Jones, 1964  
*isobornus* (Hutchinson & Quievreux, 1962)  
*maerchi* (Caullery & Mesnil, 1897)  
*maerchi* (Rush, 1910)  
*maerchi* (Levinsen, 1887)  
*nidus* (Rush, 1910)  
*penturus* (Fischwald & Mordvilke, 1983)  
*puilla* (Rathke, 1827)  
*rugosa* (Gee & Knight-Jones, 1967)  
*serratus* (Rush, 1910)  
*spirorbis* (Linnaeus, 1758)  
*tridentatus* (Levinsen, 1883)
- Vinaria*  
*volvumensis* (Zibrowius, 1968)  
*koehleri* (Caullery & Mesnil, 1897)
- Family Sternaspidae**
- Sternaspis*  
*foveata* (Stimpson, 1857)  
*cutana* (Ranzani, 1817)
- Family Syllidae**
- Amblyosyllis*  
*fumiverticilla* (Malmgren, 1867)  
*corrigens* (Czaparède, 1864)  
*formosa* (Czaparède, 1863)  
*granaia* (Sarda, 1981)  
*immatura* (Langenhans, 1879)  
*lineolata* (A. Costa, 1864)  
*magdalenensis* (Langenhans, 1879)
- Astilobus*  
*sylliverticillus* (Langenhans, 1864)
- Autolytus*  
*olevanus* (Malmgren, 1867)  
*borealis* (Cognati, 1957)  
*brachycephalus* (Marenzeller, 1874)  
*convolutus* (Cognati, 1953)  
*edwardsii* (de Saint Joseph, 1887)  
*ahhensis* (de Saint Joseph, 1887)  
*gracilior* (Wesenberg-Lund, 1947)  
*iraxensis* (de Saint Joseph, 1887)  
*langenhansii* (Gudholm, 1967)  
*langenhansii* (de Saint Joseph, 1887)  
*longipinnicirratulus* López, San Martín & Jiménez, 1993  
*lugens* (de Saint Joseph, 1885)  
*magadan* (de Saint Joseph, 1887)  
*neapolitanus* (Cagnati, 1953)  
*parvulus* (de Saint Joseph, 1887)  
*petrus* (de Saint Joseph, 1887)  
*prismaticus* (O. Fabricius, 1780)  
*prolifer* (O. F. Müller, 1798)  
*punctatus* (de Saint Joseph, 1887)  
*quadridentatus* (Langenhans, 1864)  
*rufus* (Czaparède, 1864)  
*rubrolineatus* (Gudholm, 1967)  
*rubropunctatus* (Grube, 1860)  
*rubrovinctus* (Czaparède, 1864)

- sarda* San Martín & Alós, 1987  
*vestitae* Malaquin, 1893  
*usneae* Imajima, 1966  
*verrilli* Marenzeller, 1872
- Brauchsia**  
*exilis* (Gravier, 1900)
- Branta**  
*arminis* (Langerhans, 1881)  
*otokaki* (Csernikusky, 1881)  
*temurumata* (Claparède, 1864)
- Calamyzia**  
*amphistomoides* Artzt, 1912
- Diaplozella**  
*cinnata* Giddealm, 1962
- Ehlersia**  
*convoluta* (Rathke, 1841)  
*ferruginea* Langerhans, 1881
- Euryzella**  
*suberosata* Ehlers, 1864
- Fuzyllis**  
*astivilla* Marenzeller, 1875  
*Hamsteadii* Malmgren, 1867  
*intermedia* de Saint Joseph, 1887  
*lamelligera* Marion & Habenschlag, 1875  
*montisorensis* Malmgren, 1867
- Exogone**  
*acerata* San Martín & Paragay, 1900  
*brevis* (Claparède, 1864)  
*cognata* Caselli, Radakamenti & Tardici, 1987  
*convoluta* Campoy, 1982  
*dispar* (Webster, 1879)  
*fauveli* Cogneti, 1961  
*fuscifera* Flaxson, 1967  
*gambica* Lanera, Soriano & San Martín, 1994  
*hohen* (Webster & Benedict, 1884)  
*indignis* (Langerhans, 1879)  
*nitida* Dierstedt, 1845  
*parahomocysta* subsp. *mediterranea* San Martín, 1984  
*rotunda* Neville, 1933  
*virgata* (Claparède, 1868)
- Fuzulinia**  
*marionensis* Gravier, 1900
- Graebosyllis**  
*clavata* (Claparède, 1861)  
*alvaredoi* (San Martín, 1984)  
*halim* (Hartmann-Schröder, 1960)  
*rotunda* Paragay & San Martín, 1902  
*surinamica* (Sarda, 1984)  
*lucibata* (Claparède, 1868)  
*neopulvina* (Crandrich, 1930)  
*pusilla* (Thjordan, 1879)  
*swedmarki* (Giddealm, 1962)  
*viator* (San Martín, 1984)  
*viridis* (San Martín, 1984)
- Haplozella**  
*chamaeleon* Faucher, 1960  
*spyracola* (Grube, 1855)  
*spongicola* subsp. *reticulata* Marion, 1877
- Heterolana**  
*dentata* Martin, Alós & Sarda, 1990
- Myrianda**  
*pinnigera* (Moriagu, 1808)
- Odonosyllis**  
*ctenostoma* Claparède, 1868  
*duperronia* Claparède, 1864  
*fulgurans* (Audouin & Milne-Edwards, 1811)  
*gibba* Claparède, 1862  
*polydentata* de Saint Joseph, 1887
- Opisthodonta**  
*incerta* Langerhans, 1879  
*planchonata* Southern, 1914
- Opisthosyllis**  
*brunnea* Langerhans, 1879  
*viridis* Langerhans, 1879
- Palposyllis**  
*gracilissima* Hartmann-Schröder, 1977  
*gracilissima* Hartmann-Schröder, 1977
- Paraplozella**  
*brevis* Day, 1944  
*olegaria* (Pierantoni, 1907)  
*gestans* (Pierantoni, 1907)  
*labronica* Cogneti, 1965  
*minuta* (Pierantoni, 1907)  
*papillata* (Pierantoni, 1907)
- Paraprocraustes**  
*cracostata* San Martín & Alós, 1989
- Paraphaerocystis**  
*indra* Marenzeller, 1872
- Paraplozella**  
*peresi* Faucher, 1968
- Peinia**  
*amphiphthalma* Stewing, 1954
- Pionosyllis**  
*verrucata* Southern, 1914  
*amphiphthalma* Capoccianni & San Martín, 1990  
*compacta* Malmgren, 1867  
*dianus* Nützel & San Martín, 1991  
*diversata* (Keffstein, 1862)  
*goringensis* Hartmann-Schröder, 1977  
*lamelligera* de Saint Joseph, 1886  
*longicauda* de Saint Joseph, 1886  
*magagneti* McIntosh, 1869  
*marionensis* San Martín, 1984  
*propreusmanni* Faustin & Lee, 1987  
*pulligera* (Kohn, 1852)  
*serrulata* Lopez, San Martín & Jirón, 1997  
*verrucata* Langerhans, 1879
- Platysyllis**  
*brevis* Hartmann-Schröder, 1956
- Pracraustes**  
*curvicauda* Claparède, 1868  
*cornuta* (Agassiz, 1844)  
*fuscata* Langerhans, 1879  
*murphythalma* (Marenzeller, 1874)  
*girta* Ehlers, 1864  
*peruviana* (C.F. Millier, 1776)
- Pracraustes**  
*holgeriana* Malaquin, 1893  
*nematodes* Langerhans, 1884  
*peresi* Gravier, 1900  
*pari* Ben-Flatau, 1977
- Pseudobrania**  
*subterranea* Hartmann-Schröder, 1977
- Pseudosyllis**  
*halicaria* San Martín, 1984
- Pseudosyllis**  
*brunneus* Grube, 1867
- Spermosyllis**  
*rotunda* Claparède, 1864
- Sphaerosyllis**  
*adetae* San Martín, 1984  
*aurata* Hanse, 1959  
*helvensis* Russell, 1989  
*brevis* Hartmann-Schröder, 1960  
*bulbosa* Southern, 1914  
*campoyi* San Martín, 1992  
*capensis* Day, 1941  
*claparèdei* Ehlers, 1864  
*cryptica* Ben-Flatau, 1977  
*marionensis* Claparède, 1867  
*gambica* Somaschini & San Martín, 1994  
*granulata* Perkins, 1981  
*gruvana* Somaschini & San Martín, 1994  
*hyaria* Claparède, 1861  
*longicauda* Webster & Benedict, 1887  
*ovigera* Langerhans, 1879  
*papillifera* Neville, 1933  
*paifera* Claparède, 1868  
*polycephala* Perkins, 1981  
*raylei* Perkins, 1981



- terralis* Fliesser, 1926  
*thomasi* San Martín, 1984  
*varifera* Hartmann-Schröder, 1960
- Strepasphyllus*  
*arenosa* Webster & Benedict, 1884  
*hirsutata* Southem, 1914  
*templatus* San Martín, 1984  
*varicosus* Webster & Benedict, 1884  
*websteri* Southem, 1914
- Syllides*  
*articulocirrata* Gilardi, 1979  
*batesi* Perkins, 1881  
*heredesi* Ransie, 1971  
*involuta* Webster & Benedict, 1884  
*identatus* Westheide, 1974  
*edemula* C. S. Gardner, 1868  
*fulvus* (Mannon & Bohetzký, 1871)  
*japonicus* Imai, 1906  
*tinguicirrata* Clavier, 1841  
*pusillusconvolutus* San Martín, 1984
- Syllis*  
*acmillaris* (O. F. Millier, 1776)  
*atlantica* Cogneti, 1960  
*brevispinus* (Grube, 1867)  
*castriata* Malmgren, 1867  
*alternata* Moore, 1908  
*caeca* Quatrefages, 1866  
*fenestrata* (Carpén, 1882)  
*limicola* Czerniavsky, 1881  
*bouvieri* Gravice, 1900  
*ovata* (Katzmann, 1971)  
*orbiculatus* Campoy, 1982  
*compacta* Gravice, 1900  
*corallitica* Verill, 1900  
*coralliticoides* Augener, 1922  
*crux* Núñez & San Martín, 1991  
*cutellata* McIntosh, 1868  
*czerniavskyi* (Czerniavsky, 1881) nov. comb.  
*ferrari* Alos & San Martín, 1987  
*garcia* (Campoy, 1982)  
*gerlachi* (Hartmann-Schröder, 1960)  
*gerundensis* Alos & Campoy, 1987  
*griphonovus* (Hartmann-Schröder, 1960)  
*gracilis* Grube, 1860  
*hyalina* Grube, 1862  
*ineta* (O. Fabricius, 1780)  
*kabilica* (Ben Eljeh, 1977)  
*katzmanni* (Katzmann, 1971)  
*lankai* Ehlers, 1864  
*laquei* San Martín, 1984  
*lutea* Hartmann-Schröder, 1960  
*mediterranea* (Ben-Eljeh, 1977)  
*neplataca* Calvary & Mesli, 1916  
*nidaroskensis* Rieckenberg, 1967  
*nigrans* Bohetzký, 1870  
*nigricornis* Grube, 1867  
*nuchalis* (Hartmann-Schröder, 1960)  
*oceredi* (Malmgren, 1867)  
*ortmanni* Haswell, 1920  
*prasinus* (Czerniavsky, 1881)  
*prolifera* Krohn, 1852  
*pubinata* (Langerhans, 1876)  
*rauca* (Langerhans, 1876)  
*schubertii* Hartmann-Schröder, 1960  
*torquata* Mannon & Bohetzký, 1871  
*truncata* subsp. *cryptica* (Ben-Eljeh, 1977)  
*variegata* Grube, 1860  
*vitata* (Grube, 1866)  
*vivipara* Krohn, 1860  
*westheidei* San Martín, 1984  
*zonata* (Haswell, 1873)
- Trypanosyllis*  
*acalis* Langerhans, 1879  
*caelinea* Claparède, 1868  
*gigantea* (McIntosh, 1865)
- rasa* (Grube, 1867)  
*zebra* (Grube, 1866)
- Umbellusyllis*  
*clavata* (Langerhans, 1879)  
*fasciata* M. Sars, 1865
- Xenosyllis*  
*zebra* (Ehlers, 1864)
- Family Terebellidae**
- Acausma*  
*trilobata* (M. Sars, 1867)
- Amphipora*  
*affinis* Malmgren, 1866  
*alcicornis* Fauve, 1906  
*curvata* (O. F. Millier, 1771) sp. 1776  
*edwardsi* (Quatrefages, 1866)  
*erataca* Langerhans, 1881  
*gracilis* de Saint Joseph, 1899  
*rubra* (Risso, 1828)  
*variabilis* (Risso, 1826)
- Amphiritides*  
*gracilis* (Grube, 1860)  
*kuchimanni* Arvanitidis & Kourkouras, 1994
- Arizama*  
*praharsidea* Malmgren, 1866
- Azinura*  
*flexuosa* (Grube, 1866)  
*maculata* (Dalyell, 1853)  
*mirabilis* (McIntosh, 1865)
- Raffera*  
*hesleri* (Annerkova, 1924)
- Ehlersia*  
*hirsuta* Reule, 1896
- Eupliella*  
*dibromchiata* (Fauvel, 1909)
- Eupolymina*  
*astutata* (Malmgren, 1866)  
*neidensis* (Delle Chiaje, 1828)
- Euthelopus*  
*rotundatus* McIntosh, 1865
- Hauchella*  
*trilobata* (McIntosh, 1865)
- Lanassa*  
*norwicensis* Malmgren, 1866  
*venusta* (Malm, 1874)
- Lanice*  
*conchiloga* (Pallas, 1766)
- Laphoria*  
*fenestrata* Malmgren, 1866
- Laomen*  
*chironchiata* Malmgren, 1866  
*ebromchiata* (M. Sars, 1865)
- Laima*  
*merum* (Savigny, 1818)
- Lysilla*  
*loveni* Malmgren, 1866  
*nitida* Langerhans, 1884
- Neonamphitrite*  
*affinis* (Malmgren, 1866)  
*edwardsi* (Quatrefages, 1866)  
*figulus* (Dalyell, 1853)  
*graysi* (Malmgren, 1866)  
*gracilior* Malmgren, 1866
- Nicolia*  
*venusta* (Malmgren, 1818)  
*westheidei* Clavier, 1844
- Orchobranchus*  
*flaviceps* Kerguelen & Mackie, 1986
- Paranaphitrite*  
*tetrabranchia* Tjeltveit, 1976
- Parathelepus*  
*collaris* (Southem, 1914)
- Phrosilla*  
*arosa* Setlow, 1954  
*aurata* (Langerhans, 1881)
- Pivta*

- retarea* (Grube, 1860)  
*retata* (G.F. Millier, 1776)  
*reticulata* (Dalyell, 1843)  
*malinensis* Saphronova, 1997  
*mediterranea* de Gaillance, 1970  
*mirabilis* (McIntosh, 1885)  
*unibrachia* Day, 1963
- Psittella*  
*latiniensis* (Peacock, 1969)
- Polycirrus*  
*arcticus* M. Sars, 1855  
*arenarius* Caullery, 1916  
*aurantiacus* Grube, 1860  
*calanarium* Claparède, 1868  
*denticulatus* de Saint Joseph, 1894  
*haemuloides* (Claparède, 1864)  
*johanni* Bobresky in Anzenkova, 1974  
*leudem* Pilgrum, 1962  
*medusa* Grube, 1850  
*norvegicus* (Willebræk, 1912)  
*paludosus* (Claparède, 1864)  
*plumosus* Willebræk, 1912  
*tenuesens* Langerhans, 1888
- Prælen*  
*græfi* (Langerhans, 1884)  
*malinensis* (Sokolowicz, 1990)
- Streblospio*  
*barb* (Malmgren, 1885)  
*hester* Day, 1955  
*intertexta* M. Sars, 1872
- Terebello*  
*eberbergi* Grube, 1870  
*lapidaria* Linnaeus, 1767
- Thelopus*  
*cinnamomus* (Fabricius, 1780)  
*setosus* (Quatrefages, 1865)  
*tenerulus* (Grube, 1854)
- Family Tomopteridae**  
*Tomopteris*  
*agassizi* (Rosa, 1908)  
*biancali* Terio, 1947  
*cavalli* Rosa, 1907  
*duccii* Rosa, 1907  
*dumekeri* Rosa, 1907  
*elegans* Chun, 1888  
*eschscholzi* Greeff, 1879  
*expansa* Caroli, 1932  
*heligolandica* Greeff, 1875  
*kefersteini* Greeff, 1879  
*krøyeri* Støp-Bowitz, 1948  
*longus* Greeff, 1879  
*lignata* Rosa, 1908  
*marginalis* Caroli, 1932  
*maritima* Terio, 1947  
*notialis* Apricir, 1900  
*ovata* Rosa, 1908  
*portenopea* Caroli, 1932  
*pediculata* Terio, 1947  
*planarum* Terio, 1947  
*planitons* Apricir, 1900  
*polyglandulata* Caroli, 1932  
*septentrionalis* Stenstrup, 1849  
*tenax* Caroli, 1932
- Family Trichobranchidae**  
*Octobranchus*  
*flaviceps* Kingston & Markie, 1980  
*lingulatus* (Grube, 1863)
- Terebellidae*  
*carnea* Bobresky, 1881  
*stoerum* M. Sars, 1874
- Trichobranchus*  
*glacialis* Malmgren, 1865  
*rosæus* (Malm, 1874)
- Family Trichochaetidae**

- Trichochaeta*  
*multisetosa* (Oersted, 1844)  
*natsumi* (Fauvel, 1916)
- Family Typhlocybaeidae**  
*Sigrella*  
*komolevskyi* Wagner, 1872
- Typhlocyba*  
*lancastrata* Southern, 1910  
*levinseni* Southern, 1910  
*labifera* Tazewell, 1865
- Typhlocyba*  
*muelleri* Busch, 1851  
*phyllodes* Reibisch, 1895

## Oligochaeta

Compiled by C. Erséus and R. Healy

This list was compiled by Brenda Healy (family Enchytraeidae) and C. Erséus (all other families).

Naididae is primarily a freshwater group, but the species included here occur sometimes or exclusively in brackish water. The most comprehensive and still useful review of naidids is Sperber's (1948) monograph, but for the partly marine genus *Paronais*, Brinkhurst and Coates (1985) should also be considered.

The marine members of the Tubificidae have been subject to extensive systematic studies in recent years, in particular by C. Erséus, but since the publication of the key to marine and estuarine European species by Brinkhurst (1982), there is no compiled information other than that to be gathered from the primary taxonomical literature (e.g. Brinkhurst 1985, 1986; Erséus 1982, 1987a-h, 1989, 1987a-h and 1997). Some tubificids are restricted to brackish water, but the majority of species are indeed marine, some species occurring at bathyal or even abyssal depths.

The single megascolecoid included, *Pontodrilus bermudensis*, known from the Mediterranean Sea, is an earthworm (Easton 1984). It is widely distributed in marine beaches throughout the tropics and subtropics of the world, and one of the few, if not the only, earthworm in marine habitats.

The revision and taxonomy of European Enchytraeidae by Nielsen & Christiansen (1959, 1961, 1963) provides the basis for the present list of this family, but over 30 European species have been subsequently added and more species await description. Taxonomic difficulties, and the lack of a modern guide to European species, mean that enchytraeids continue to be neglected and are almost never identified, even to genus, in surveys of marine fauna. Faunistic studies have been concentrated in principally the western Baltic, western Scandinavia and continental North Sea coasts, Iceland, Ireland, Wales, and the Atlantic coast of France. There are some records from Svalbard, Barents Sea, Belaye More (White Sea), the eastern Baltic, and Scotland, but few from the coasts of the Iberian Peninsula or the Mediterranean.

Marine enchytraeids are mainly associated with habitats in the upper intertidal, and only the genus *Grania* is widespread in offshore benthos. Most records are from intertidal deposits, and tidal debris around high water mark where there is some overlap with the terrestrial fauna. The most commonly reported terrestrial species in saltmarshes and tidal debris are included in the list (six spp.). The lower salinity limit for most brackishwater