

VLAAMSE OVERHEID

DEPARTEMENT MOBILITEIT EN OPENBARE WERKEN  
WATERBOUWKUNDIG LABORATORIUM

## Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing

Bestek 16EB/05/04

Survey Vessel De Parel II (left) & Deurganckdok – East terminal (right)



**Deelrapport 2.5 : 13-uursmeting Sediview gemiddeld tij 24/10/2007  
Parel II**

**Report 2.5 : Through Tide Measurement Sediview Average Tide  
24/10/2007 Parel II**

8 April 2008

I/RA/11283/06.120/MSA



i.s.m.



wl | delft hydraulics

en



International Marine and Dredging Consultants (IMDC)  
Wilrijkstraat 37-45 Bus 4 - 2140 Antwerpen – België  
tel: +32.3.270.92.95 - fax: +32.3.235.67.11  
E-mail : info@imdc.be



## Document Control Sheet

### Document Identification

<b>Title:</b>	Deelrapport 2.5 : 13-uursmeting Sediview gemiddeld tij 24/10/2007 Parell II
<b>Project:</b>	Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing
<b>Client</b>	Waterbouwkundig Laboratorium
<b>File reference:</b>	I/RA/11283/06.120/MSA
<b>File name</b>	K:\PROJECTS\11\11283 - Opvolging aanslibbing dgd\10-Rap\DGD2\RA06120_ParellII_autumn07\RA06120_2410_ParellII_v20.doc

### Revisions

Version	Date	Author	Description
2.0	08/04/08	JCA	Final report
1.0	01/03/08	YDK	Concept

### Distribution List

Name	# ex.	Company/authorities	Position in reference to the project
Joris Vanlede	7 hard copy	Waterbouwkundig Laboratorium	Client
Frederik Roose	3 hard copy	Afdeling Maritieme Toegang	Client

### Approval

Version	Date	Author	Project manager	Commissioner
2.0	08/04/08	JCA	MBO	MSA
1.0	01/03/08	YDK	MBO	MSA



## TABLE OF CONTENTS

<b>1. INTRODUCTION .....</b>	<b>1</b>
1.1. THE ASSIGNMENT .....	1
1.2. PURPOSE OF THE STUDY .....	1
1.3. OVERVIEW OF THE STUDY .....	2
1.3.1. Reports.....	2
1.3.2. Measurement actions .....	3
1.4. STRUCTURE OF THE REPORT .....	4
<b>2. THE MEASUREMENT CAMPAIGN.....</b>	<b>5</b>
2.1. OVERVIEW OF THE PARAMETERS .....	5
2.2. DESCRIPTION OF THE MEASUREMENT CAMPAIGN ON OCTOBER 24 <sup>TH</sup> .....	8
2.3. THE EQUIPMENT .....	10
2.3.1. ADCP.....	10
2.3.2. OBS - CTD.....	10
2.3.3. Pump Sampler.....	10
<b>3. COURSE OF THE MEASUREMENTS.....</b>	<b>11</b>
3.1. MEASUREMENT PERIODS .....	11
3.2. HYDRO-METEOROLOGICAL CONDITIONS DURING THE MEASUREMENT CAMPAIGN .....	11
3.2.1. Vertical tide during the measurements .....	11
3.2.2. Meteorological data.....	12
3.3. NAVIGATION INFORMATION .....	12
3.4. REMARKS ON DATA .....	13
<b>4. PROCESSING OF DATASETS.....</b>	<b>14</b>
4.1. CALIBRATION OF THE TURBIDITY SENSORS .....	14
4.2. METHODOLOGY OF PROCESSING OF THE ADCP DATA WITH SEDIVIEW .....	14
4.2.1. Acoustic backscatter theory.....	14
4.2.2. Water sampling and transect sailing .....	15
4.2.3. Calibration for suspended sediment concentration within Sediview .....	15
4.2.4. Sediview configuration .....	15
4.2.5. Output.....	18
<b>5. PRELIMINARY ANALYSIS OF THE DATA .....</b>	<b>20</b>
5.1. OCTOBER 24 <sup>TH</sup> 2007 SURVEY.....	20
5.2. INTERCOMPARISON WITH EARLIER SURVEYS ON NOVEMBER 17 <sup>TH</sup> 2005, MARCH 22 <sup>ND</sup> 2006 AND SEPTEMBER 27 <sup>TH</sup> 2006.....	20
<b>6. REFERENCES.....</b>	<b>31</b>

## APPENDICES

<b>APPENDIX A.</b>	<b>OVERVIEW OF MEASUREMENTS .....</b>	<b>A-1</b>
A.1	OVERVIEW OF THE MEASUREMENT LOCATIONS FOR THE WHOLE HCBS2 AND DEURGANCKDOK MEASUREMENT CAMPAIGN .....	A-2
A.2	OVERVIEW OF ALL MEASUREMENT LOCATIONS HCBS AND DEURGANCKDOK MEASUREMENT SUMMER CAMPAIGN .....	A-6
A.3	MEASUREMENT OVERVIEW DEURGANCKDOK 24/10/2007 .....	A-7
<b>APPENDIX B.</b>	<b>TIDAL DATA .....</b>	<b>B-1</b>
<b>APPENDIX C.</b>	<b>NAVIGATION INFORMATION AS RECORDED ON SITE.....</b>	<b>C-1</b>
<b>APPENDIX D.</b>	<b>UNESCO PPS-78 FORMULA FOR CALCULATING SALINITY .....</b>	<b>D-1</b>
<b>APPENDIX E.</b>	<b>CONTOURPLOTS OF FLOW VELOCITIES, SEDIMENT CONCENTRATION AND SEDIMENT FLUX PER SAILED TRANSECT .....</b>	<b>E-1</b>
<b>APPENDIX F.</b>	<b>DISCHARGE AND SEDIMENT FLUX FOR THE TOTAL CROSS-SECTIONF-1</b>	
<b>APPENDIX G.</b>	<b>AVERAGE SEDIMENT CONCENTRATION FOR THE TOTAL CROSS- SECTION</b>	<b>G-1</b>
<b>APPENDIX H.</b>	<b>TEMPORAL VARIATION OF TOTAL FLUX, TOTAL DISCHARGE AND SUSPENDED SEDIMENT CONCENTRATION .....</b>	<b>H-1</b>
<b>APPENDIX I.</b>	<b>OVERVIEW OF HCBS2 AND AANSLIBBING DEURGANCKDOK REPORTSI-1</b>	

## LIST OF TABLES

TABLE 1-1: OVERVIEW OF DEURGANCKDOK REPORTS .....	2
TABLE 2-1: TRANSECT OF THE FLOW MEASUREMENTS (UTM31 ED50) .....	9
TABLE 2-2: POSITIONS OF THE CALIBRATION POINTS FOR SEPTEMBER 24 <sup>TH</sup> 2007 AT DEURGANCKDOK. ....	9
TABLE 2-3: MAIN CONFIGURATION SETTINGS OF ADCP 1200KHZ WORKHORSE .....	10
TABLE 3-1: HIGH AND LOW TIDE AT LIEFKENSHOEK ON 24/10/2007 .....	11
TABLE 3-2: COMPARISON OF THE TIDAL CHARACTERISTICS OF 24/10/2007 WITH THE AVERAGE TIDE, THE AVERAGE NEAP TIDE AND THE AVERAGE SPRING TIDE OVER THE DECADE 1991-2000 FOR LIEFKENSHOEK. ....	12
TABLE 4-1: EXTRAPOLATION METHODS FOR TOP AND BOTTOM VARIABLES .....	17
TABLE 4-2: REFERENCE POINTS AT THE END OF THE MUD FLATS ON LEFT AND RIGHT BANK .....	18
TABLE 5-1: WATER VOLUME DURING EBB, FLOOD AND MEASUREMENT CAMPAIGN ON 17/11/2005 (SPRING TIDE), 22/03/2006 (NEAP TIDE), 27/09/2006 (AVERAGE TIDE) & 24/10/2007 (AVERAGE TIDE).....	29
TABLE 5-2: SS MASS DURING EBB, FLOOD AND MEASUREMENT CAMPAIGN ON 17/11/2005 (SPRING TIDE), 22/03/2006 (NEAP TIDE), 27/09/2006 (AVERAGE TIDE) & 24/10/2007 (NEAP TIDE).....	30

## LIST OF FIGURES

FIGURE 2-1: ELEMENTS OF THE SEDIMENT BALANCE .....	5
FIGURE 2-2: DETERMINING A SEDIMENT BALANCE.....	6
FIGURE 2-3: TRANSPORT MECHANISMS .....	7
FIGURE 2-4: MAP OF SAILED TRANSECT AND CALIBRATION POINTS .....	9
FIGURE 4-1: UNMEASURED REGIONS IN THE CROSS SECTION (FROM RD INSTRUMENTS, 2003) .....	16
FIGURE 4-2: MEASURED AND ESTIMATED DISCHARGES AND SEDIMENT FLUXES WITHIN SEDIVIEW (DRL, 2005) ..	16
FIGURE 4-3: BOTTOM ESTIMATE OF THE SEDIMENT CONCENTRATION .....	17
FIGURE 5-1: FRESH WATER DISCHARGE 11 – 21 NOVEMBER OF 2005.....	21
FIGURE 5-2: FRESH WATER DISCHARGE 14 – 24 MARCH OF 2006.....	22
FIGURE 5-3: FRESH WATER DISCHARGE 21 SEPTEMBER – 1 OCTOBER OF 2006 .....	22
FIGURE 5-4: FRESH WATER DISCHARGE 18 OCTOBER – 28 OCTOBER OF 2007.....	23
FIGURE 5-5: MEAN FRESH WATER DISCHARGE .....	23
FIGURE 5-6: A) PERPENDICULAR CURRENT VELOCITY ON 17/11/2005, B) ON 22/03/2006, C) ON 27/09/2006 AND D) ON 24/10/2007 AT 3H AFTER HIGH WATER .....	24
FIGURE 5-7: A) SUSPENDED SEDIMENT CONCENTRATION ON 17/11/2005, B) ON 22/03/2006, C) ON 27/09/2006 AND D) ON 24/10/2007 AT 3H AFTER HIGH WATER .....	25
FIGURE 5-8: A) PERPENDICULAR CURRENT VELOCITY ON 17/11/2005, B) ON 22/03/2006, C) ON 27/09/2006 AND D) ON 24/10/2007 AT 1H AFTER HIGH WATER.....	26
FIGURE 5-9: A) SUSPENDED SEDIMENT CONCENTRATION ON 17/11/2005, B) ON 22/03/2006, C) ON 27/09/2006 AND D) ON 24/10/2007 AT 1H AFTER HIGH WATER.....	27
FIGURE 5-10: TOTAL DISCHARGE 17/11/2005, 22/03/2006, 27/09/2006 & 24/10/2007 .....	28
FIGURE 5-11: TOTAL FLUX 17/11/2005, 22/03/2006, 27/09/2006 & 24/10/2007 .....	30





## 1. INTRODUCTION

### 1.1. The assignment

This report is part of the set of reports describing the results of the long-term measurements. This report is part of the set of reports describing the results of the long-term measurements conducted in Deurganckdok aiming at the monitoring and analysis of silt accretion. This measurement campaign is an extension of the study "Extension of the study about density currents in the Beneden Zeeschelde" as part of the Long Term Vision for the Scheldt estuary. It is complementary to the study 'Field measurements high-concentration benthic suspensions (HCBS 2)'.

The terms of reference for this study were prepared by the 'Departement Mobiliteit en Openbare Werken van de Vlaamse Overheid, Afdeling Waterbouwkundig Laboratorium' (16EB/05/04). The repetition of this study was awarded to International Marine and Dredging Consultants NV in association with WL|Delft Hydraulics and Gems International on 10/01/2006. The project term was prolonged with an extra year from April 2007 till March 2008.

Waterbouwkundig Laboratorium– Cel Hydrometrie Schelde provided data on discharge, tide, salinity and turbidity along the river Scheldt and provided survey vessels for the long term and through tide measurements. Afdeling Maritieme Toegang provided maintenance dredging data. Agentschap voor Maritieme Dienstverlening en Kust – Afdeling Kust and Port of Antwerp provided depth sounding measurements.

The execution of the study involves a twofold assignment:

- Part 1: Setting up a sediment balance of Deurganckdok covering a period of one year, i.e. 04/2007 – 03/2008
- Part 2: An analysis of the parameters contributing to siltation in Deurganckdok

### 1.2. Purpose of the study

The Lower Sea Scheldt (Beneden Zeeschelde) is the stretch of the Scheldt estuary between the Belgium-Dutch border and Rupelmonde, where the entrance channels to the Antwerp sea locks are located. The navigation channel has a sandy bed, whereas the shallower areas (intertidal areas, mud flats, salt marshes) consist of sandy clay or even pure mud sometimes. This part of the Scheldt is characterized by large horizontal salinity gradients and the presence of a turbidity maximum with depth-averaged concentrations ranging from 50 to 500 mg/l at grain sizes of 60 - 100  $\mu\text{m}$ . The salinity gradients generate significant density currents between the river and the entrance channels to the locks, causing large siltation rates. It is to be expected that in the near future also the Deurganckdok will suffer from such large siltation rates, which may double the amount of dredging material to be dumped in the Lower Sea Scheldt.

Results from the study may be interpreted by comparison with results from the HCBS and HCBS2 studies covering the whole Lower Sea Scheldt. These studies included through-tide measurement campaigns in the vicinity of Deurganckdok and long term measurements of turbidity and salinity in and near Deurganckdok.

The first part of the study focuses on obtaining a sediment balance of Deurganckdok. Aside from natural sedimentation, the sediment balance is influenced by the maintenance and capital dredging works. This involves sediment influx from capital dredging works in the Deurganckdok, and internal relocation and removal of sediment by maintenance dredging works. To compute a sediment balance an inventory of bathymetric data (depth soundings), density measurements of the

deposited material and detailed information of capital and maintenance dredging works will be made up.

The second part of the study is to gain insight in the mechanisms causing siltation in Deurganckdok, it is important to follow the evolution of the parameters involved, and this on a long and short term basis (long term & through-tide measurements). Previous research has shown the importance of water exchange at the entrance of Deurganckdok is essential for understanding sediment transport between the dock and the Scheldt river.

### 1.3. Overview of the study

#### 1.3.1. Reports

Reports of the project 'Opvolging aanslibbing Deurganckdok' between April 2006 till March 2007 are summarized in Table 1-1. An overview of the HCBS2 and 'Opvolging aanslibbing Deurganckdok' (between April 2007 till March 2008) reports are given in APPENDIX I.

This report 2.5, is one of a set of reports that makes understand the sediment transport between Deurganckdok and the river Scheldt, which belongs to the first part of this project (DGD1).

Table 1-1: Overview of Deurganckdok Reports

Report	Description of Opvolging aanslibbing Deurganckdok between April 2006 till March 2007
<b>Sediment Balance: Bathymetry surveys, Density measurements, Maintenance and construction dredging activities</b>	
1.1	Sediment Balance: Three monthly report 1/4/2006 – 30/06/2006 (I/RA/11283/06.113/MSA)
1.2	Sediment Balance: Three monthly report 1/7/2006 – 30/09/2006 (I/RA/11283/06.114/MSA)
1.3	Sediment Balance: Three monthly report 1/10/2006 – 31/12/2006 (I/RA/11283/06.115/MSA)
1.4	Sediment Balance: Three monthly report 1/1/2007 – 31/03/2007 (I/RA/11283/06.116/MSA)
1.5	Annual Sediment Balance (I/RA/11283/06.117/MSA)
1.6	Sediment balance Bathymetry: 2005 – 3/2006 (I/RA/11283/06.118/MSA)
<b>Factors contributing to salt and sediment distribution in Deurganckdok: Salt-Silt (OBS3A) &amp; Frame measurements, Through tide measurements (SiltProfiling &amp; ADCP)</b>	
2.1	Through tide measurement Siltprofiler 21/03/2006 Laure Marie (I/RA/11283/06.087/WGO)
2.2	Through tide measurement Siltprofiler 26/09/2006 Stream (I/RA/11283/06.068/MSA)
2.3	Through tide measurement Sediview spring tide 22/03/2006 Veremans (I/RA/11283/06.110/BDC)
2.4	Through tide measurement Sediview average tide 27/09/2006 Parel 2 (I/RA/11283/06.119/MSA)
2.5	Through tide measurement Sediview average tide 24/10/2007

<b>Report</b>	<b>Description of Opvolging aanslibbing Deurganckdok between April 2006 till March 2007</b>
	(I/RA/11283/06.120/MSA)
2.6	Salt-Silt distribution & Frame Measurements Deurganckdok 13/3/2006 – 31/05/2006 (I/RA/11283/06.121/MSA)
2.7	Salt-Silt distribution & Frame Measurements Deurganckdok 15/07/2006 – 31/10/2006 (I/RA/11283/06.122/MSA)
2.8	Salt-Silt distribution & Frame Measurements Deurganckdok 15/01/2007 – 15/03/2007 (I/RA/11283/06.123/MSA)
<b>Boundary Conditions: Upriver Discharge, Salt concentration Scheldt, Bathymetric evolution in access channels, dredging activities in Lower Sea Scheldt and access channels</b>	
3.1	Boundary conditions: Three monthly report 1/1/2007 – 31/03/2007 (I/RA/11283/06.127/MSA)
3.2	Boundary conditions: Annual report (I/RA/11283/06.128/MSA)
<b>Analysis</b>	
4	Analysis of Siltation Processes and Factors (I/RA/11283/06.129/MSA)
<b>Calibration</b>	
6.1	Winter Calibration (I/RA/11291/06.092/MSA)
6.2	Summer Calibration and Final Report (I/RA/11291/06.093/MSA)

### 1.3.2. Measurement actions

Following measurements have been carried out during the course of this project:

1. Monitoring upstream discharge in the Scheldt river
2. Monitoring Salt and sediment concentration in the Lower Sea Scheldt taken from on permanent data acquisition sites at Lillo, Oosterweel and up- and downstream of the Deurganckdok.
3. Long term measurement of salt distribution in Deurganckdok.
4. Long term measurement of sediment concentration in Deurganckdok
5. Monitoring near-bed processes in the central trench in the dock, near the entrance as well as near the landward end: near-bed turbidity, near-bed current velocity and bed elevation variations are measured from a fixed frame placed on the dock's bed.
6. Measurement of current, salt and sediment transport at the entrance of Deurganckdok for which ADCP backscatter intensity over a full cross section are calibrated with the Sediview procedure and vertical sediment and salt profiles are recorded with the SiltProfiler equipment
7. Through tide measurements of vertical sediment concentration profiles -including near bed highly concentrated suspensions- with the SiltProfiler equipment. Executed over a grid of points near the entrance of Deurganckdok.

8. Monitoring dredging activities at entrance channels towards the Kallo, Zandvliet and Berendrecht locks
9. Monitoring dredging and dumping activities in the Lower Sea Scheldt

In situ calibrations were conducted on several dates to calibrate all turbidity and conductivity sensors, a description can be found in IMDC (2006a; 2007a; 2008c).

#### **1.4. Structure of the report**

This report is the factual data report of the through tide measurements at Deurganckdok on the 24<sup>th</sup> of October, 2007. The first chapter comprises an introduction. The second chapter describes the measurement campaign and the equipment. Chapter 3 describes the course of the actual measurements. The results and processed data are presented in Chapter 4, whereas chapter 5 gives a preliminary analysis of the data.

## 2. THE MEASUREMENT CAMPAIGN

### 2.1. Overview of the parameters

The first part of the study aims at determining a sediment balance of Deurganckdok and the net influx of sediment. The sediment balance comprises a number of sediment transport modes: deposition, influx from capital dredging works, internal replacement and removal of sediments due to maintenance dredging (Figure 2-1).




Figure 2-1: Elements of the sediment balance

A net deposition can be calculated from a comparison with a chosen initial condition  $t_0$  (Figure 2-2). The mass of deposited sediment is determined from the integration of bed density profiles recorded at grid points covering the dock. Subtracting bed sediment mass at  $t_0$  leads to the change in mass of sediments present in the dock (mass growth). Adding cumulated dry matter mass of dredged material removed since  $t_0$  and subtracting any sediment influx due to capital dredging works leads to the total cumulated mass entered from the Scheldt river since  $t_0$ .




Figure 2-2: Determining a sediment balance

The main purpose of the second part of the study is to gain insight in the mechanisms causing siltation in Deurganckdok. The following mechanisms will be aimed at in this part of the study:

- Tidal prism, i.e. the extra volume in a water body due to high tide
- Vortex patterns due to passing tidal current
- Density currents due to salt gradient between the Scheldt river and the dock
- Density currents due to highly concentrated benthic suspensions




Figure 2-3: Transport mechanisms

These aspects of hydrodynamics and sediment transport have been landmark in determining the parameters to be measured during the project. Measurements will be focussed on three types of timescales: one tidal cycle, one neap-spring cycle and seasonal variation within one year.

Following data are being collected to understand these mechanisms:

- Monitoring the freshwater input (discharge) from the tributaries into the river Scheldt.
- Monitoring salinity and sediment concentration in the Lower Sea Scheldt at permanent measurement locations at Oosterweel, up- and downstream of the Deurganckdok.
- Long term measurement of salinity and suspended sediment distribution in Deurganckdok.
- Monitoring near-bed processes (current velocity, turbidity, and bed elevation variations) in the central trench in the dock, near the entrance as well as near the current deflecting wall location.
- Dynamic measurements of flow pattern, salinity and sediment transport at the entrance of Deurganckdok.
- Through tide measurements of vertical sediment concentration profiles -including near bed high concentrated benthic suspensions.
- Monitoring dredging activities at the entrance channels towards the Kallo, Zandvliet and Berendrecht locks as well as dredging and dumping activities in the Lower Sea Scheldt and Deurganckdok in particular.

In situ calibrations were conducted on several dates to calibrate all turbidity and conductivity sensors.

## 2.2. Description of the measurement campaign on October 24<sup>th</sup>

Flow velocity, Turbidity, Salinity and Temperature measurements were conducted on the 24th of October from 7h57 MET until 20h20 MET.

The purpose of the measurements was to determine the cross-section distribution of the suspended sediment concentration, the sediment flux and flow velocity during a complete tidal cycle.

Measurements were undertaken on the DGD transect (Figure 2-4), being the cross section between the river Scheldt and the dock itself.

For measurements in Deurganckdok the terms 'left bank' and 'right bank' will be used to address the North quay wall and South quay wall respectively.

From the survey vessel Parel II a measurement cycle was completed every 25 minutes. The vessel with a mounted ADCP sailed a fixed transect from the left bank to the right bank and vice versa (Table 2-1). Profiles were gathered to calibrate the ADCP transects for temperature, salinity and suspended sediment concentration to be used in Sediview.

Two calibration profiles were collected for each transect (Table 2-2):

- One before sailing the transect at the bank where the start of the transect was (Left bank during the flood; Right bank during the ebb)
- One after sailing the transect at the bank where the transect ended (Right bank during flood, left bank during the ebb).

During these calibrations, a fish with a CTD-OBS was lowered to the bottom. The downcast was interrupted at two depths, one in the upper half of the water column (between 4 and 7 m from the water surface), and one at 4 meters above the bottom. At these depths samples were taken for calibration, and are used as 'ground truth' for all suspended sediment concentration measurements (OBS and Sediview). The other instruments logged continuously during the downcast. Conductivity, Temperature and Depth was logged by the CTD-probe, while turbidity was recorded by the OBS.



Table 2-1 Transect of the Flow Measurements (UTM31 ED50)

Measurement location	Left Bank Easting	Left Bank Northing	Right Bank Easting	Right Bank Northing	Avg Length [m]	Avg Course [degr.]
Transect DGD	588541	5684527	588765	5684056	521	334.6




Figure 2-4: Map of sailed transect and calibration points

Table 2-2: Positions of the calibration points for September 24<sup>th</sup> 2007 at Deurganckdok.

Measurement point	Bank	Easting (UTM31 ED50)	Northing (UTM31 ED50)
<b>Flood</b>			
DGDau	Left	588561	5684369
DGDbu	Right	588682	5684113
<b>Ebb</b>			
DGDad	Left	588623	5684470
DGDbd	Right	588745	5684214

## 2.3. The equipment

### 2.3.1. ADCP

The current measurements were conducted using an RD Instruments ADCP 1200 kHz Workhorse. For positioning the GPS onboard the vessel Parel II was used. For the measurement of the heading a gyrocompass was installed.

This 1200 KHz ADCP system was mounted on a steel pole underneath the central axis of the vessel. The transducer set was looking vertically downwards to the bottom. Transceiver unit and computer system were connected to peripherals such as the differential GPS-receiver, the heave compensator and the gyrocompass.

During the measurements the ADCP constantly measured upstream from the vessel. The acquisition software of Winriver was used. The main settings are given in Table 2-3.

*Table 2-3: Main Configuration Settings of ADCP 1200kHz Workhorse*

<b>Main configuration settings:</b>
Cell depth : 0.5 m
Number of Water pings per ensemble: 2
Number of Bottom Track pings per ensemble: 2
Time between ensembles: 0
Averaging: None
Speed of Sound: Fixed 1500 m/s
Salinity 0 psu
3-beam solution: enabled

### 2.3.2. OBS - CTD

A D&A type OBS 3A was used to measure depth, conductivity, temperature and turbidity.

Measured parameters by the OBS 3A sensor: temperature (°C), conductivity (µS/cm), absolute pressure (m), turbidity (NTU)

On the Parel II, the OBS 3A device was mounted on a towfish. The resulting record is filled-up with GPS-time, sample number, and planimetric position of the GPS-receiver. Sampling frequency is 1 reading per second.

The technical details on the OBS 3A are given in the winter calibration Report of the HCBS 1 measurement campaign. (IMDC, 2006a)

### 2.3.3. Pump Sampler

A water sampler was attached nearby the turbidity sensor taking water samples. Samples were collected in 1 litre sampling bottles. The pumping speed of the water sampler was tested at the start of the measurement campaign on board. Dye was used to time the duration between the intake of the dye and exit at the sampling end of the sampler on board. The duration between intake and exit at the end was 32 seconds.

### 3. COURSE OF THE MEASUREMENTS

#### 3.1. Measurement periods

At Deurganckdok ADCP tracks were sailed once every 25 minutes for 13 hours, in total 28 cross-sections.

Calibration profiles were taken at 2 locations (left bank, right bank). During every cycle, 1 calibration profile was taken serving as the second calibration of the previous transect and as the first calibration point of the current transect, resulting in a total of 50 profiles. APPENDIX A gives the start and end points of the tracks, the sailed length and the course.

#### 3.2. Hydro-meteorological conditions during the measurement campaign

##### 3.2.1. Vertical tide during the measurements

The vertical tide was measured at the Hansweert, Liefkenshoek and Schelle tidal gauges. Graphs of the tide at Hansweert, Liefkenshoek and Schelle on the 24th of October can be found in APPENDIX B. Table 3-1 gives the most important characteristics (high and low tide) of the tide at those gauges on the 24th of October 2007.

*Table 3-1: High and low tide at Liefkenshoek on 24/10/2007*

<b>Liefkenshoek Tidal Gauge</b>		
<b>24 October 2007</b>		
	<b>Time [MET]</b>	<b>Water level [m TAW]</b>
<b>HW (1)</b>	01:30	5.03
<b>LW (2)</b>	08:00	-0.09
<b>HW (3)</b>	13:50	4.97
<b>LW (4)</b>	20:40	-0.52

In Table 3-2 the tidal characteristics of the tide on the 24th of October are compared to the average tide over the decade 1991-2000 (AMT, 2003).

Table 3-2: Comparison of the tidal characteristics of 24/10/2007 with the average tide, the average neap tide and the average spring tide over the decade 1991-2000 for Liefkenshoek.

	<b>Neap tide (1991 - 2000)</b>	<b>Avg Tide (1991 - 2000)</b>	<b>Spring Tide (1991 - 2000)</b>	<b>Tide 24/10/2007</b>
<b>Water level [m TAW]</b>				
HW (1)	4.63	5.19	5.63	5.03
LW (2)	0.39	0.05	-0.18	-0.09
HW (3)	-	-	-	4.97
LW (4)	-	-	-	-0.52
<b>Tidal difference [m]</b>				
Falling (1 to 2)	4.24	5.14	5.81	5.12
Rising (2 to 3)	4.24	5.14	5.81	5.06
Falling (3 to 4)	-	-	-	5.49
<b>Duration [hh:mm]</b>				
Falling (1 to 2)	6:40	6:50	7:02	6:30
Rising (2 to 3)	5:59	5:34	5:16	5:50
Falling (3 to 4)	-	-	-	6:50
Tide (1 to 3)	12:39	12:24	12:18	12:20
Tide (2 to 4)	-	-	-	12:40
<b>Tidal coefficient</b>				
Falling (1 to 2)	0.82	1.00	1.13	1.00
Rising (2 to 3)	0.82	1.00	1.13	0.98
Falling (3 to 4)	-	-	-	1.07

The tidal coefficients from 0.98 up to 1.07 for the measured tide of the 24th of October indicate that this tide has a quite equivalent tidal range as the average tide for the decade of 1991-2000.

### 3.2.2. Meteorological data

Meteorological data at Antwerpen, Hove meteorological station for 24/10/2007, has been obtained from Wunderground (2008)..

On the 24th of October 2007, the air temperature varied between 2 and 9°C. The wind blew from NorthEast at an average velocity of 9 km/h. The sky was mostly cloudy but no rainfall occurred.

### 3.3. Navigation information

An overview of the navigation at the measurement location is given in APPENDIX C.

### **3.4. Remarks on data**

Shipwakes were removed from the data. Transects have been sailed just outside of the dock, starting before and ending behind the dock entrance corners (see Appendix A.3). Start and end ensembles of the processed transect have been determined as the first and last ensembles between the projection of the quay walls. This explains why flux estimations for left and right side are close to zero most of the time.

## 4. PROCESSING OF DATASETS

### 4.1. Calibration of the turbidity sensors

A crucial aspect of the accuracy and reliability of the data concerns the calibration of the instruments before the measurement campaign. The calibration procedure is described in calibration report 2.09 (IMDC, 2008c).

### 4.2. Methodology of processing of the ADCP data with Sediview

DRL Software's Sediview was used to process the ADCP data. Sediview is designed to derive estimates of suspended sediment concentration throughout the water column using acoustic backscatter data obtained by ADCPs manufactured by RD Instruments of San Diego, California.

#### 4.2.1. Acoustic backscatter theory

The acoustic theory governing backscatter from particles suspended in the water column is complex, but the following simplified formula serves to introduce the main factors that are relevant:

$$E = SL + SV + Constant - 20\log(R) - 2\alpha_w R$$

Where:

- $E$  = echo intensity,
- $SL$  = transmitted power,
- $SV$  = backscatter intensity due to the particles suspended in the water column,
- $\alpha_w$  = a coefficient describing the absorption of energy by the water,
- $R$  = the distance from the transducer to the measurement bin.

The term  $20\log(R)$  is a simple geometric function which accounts for the spherical spreading of the beam. The constant is required because each ADCP has specific performance characteristics.

In order to measure the suspended sediment concentration in the water column it is necessary to relate the backscattered sound intensity to the mass concentration in the water. For the purposes of measuring solids concentration on site, it can be shown that the relationship is as follows (derived from Thorne and Campbell, 1992 and Hay, 1991 in DRL (2003)):

$$\text{Log}_{10} M_r = \{dB + 2r(\alpha_w + \alpha_s) - K_s\} S^{-1}$$

Where:

- $M(r)$  = mass concentration per unit volume at range,  $r$
- $S$  = relative backscatter coefficient
- $K_s$  = site and instrument constant
- $dB$  = the measured relative backscatter intensity (corrected for beam spreading)
- $\alpha_w$  = water attenuation coefficient
- $\alpha_s$  = sediment attenuation coefficient, which is a function of the effective particle size

In this expression there are four unknowns:  $S$ ,  $K_s$ ,  $\alpha_w$  and  $\alpha_s$ . These parameters are to be determined within Sediview.

## **4.2.2. Water sampling and transect sailing**

To calibrate Sediview for suspended sediment concentration, two water samples are taken at the beginning and at the end of each transect (see 3.1). Both samples are taken within the range of reliable data of the ADCP. For the near-surface sample this means in bin 3 or 4, for the near-bed sample this means at about one or two meter above the sidelobe.

Water sampling is done together with CTD-OBS measurement in order to have two independent suspended sediment concentration measurements for each sample. OBS measurements were compared to the water samples and recalibrated as mentioned in § 4.1. These OBS SS concentrations were recalibrated using the conversion equations in 4.1. The water samples were used for Sediview calibration, while cross-calibrated OBS measurements were used as a back up check. The salinity and temperature was used to compute the acoustic water absorption (water attenuation coefficient). All water samples were analysed as is described in 4.2.3.1.

## **4.2.3. Calibration for suspended sediment concentration within Sediview**

### **4.2.3.1. Calibration workset**

The calibration workset consists of ADCP-files, sampling times, sampling depths, SSC obtained from water samples and SSC, temperature and salinity obtained from CTD-OBS readings.

The suspended sediment concentration of the water samples was determined. One-litre samples were filtered over a preweighed desiccated 0.45 micron filter, after which the filter is dried in an oven at 105°C, cooled and weighed (NEN 6484).

### **4.2.3.2. SSC calibration per ensemble pair**

In the Sediview calibration process the following parameters must be defined: the site and instrument constant ( $K_s$ ), the relative backscatter coefficient ( $S$ ) and the effective particle size per ensemble-pair (near-surface sample and near-bed sample) in order to fit the Sediview-estimate with the suspended sediment concentration of the water samples. These parameter sets may not differ too much from the previous parameter sets, as the environmental conditions will not change that much over a small time interval. To obtain a smooth progress in time of  $K_s$ ,  $S$  and effective particle size an iterative approach is used.

## **4.2.4. Sediview configuration**

### **4.2.4.1. Discharge and suspended sediment concentration estimates**

The ADCP measures most of the water column from just in front of the ADCP to 6% above the bottom. The shallow layer of water near the bottom is not used to compute discharge and suspended sediment concentration due to side-lobe interference. When the ADCP sends out an acoustic pulse, a small amount of energy is transmitted in side lobes rather than in the direction of the ADCP beam. Side lobe reflection from the bottom can interfere with the water echoes and can give erroneous data. The thickness of the side lobe layer is 6% of the distance from the transducers to the bottom.

Near the banks the water depth is too shallow for the ADCP to profile.

For each of those unmeasured regions, Sediview will make an estimate of the discharges and suspended sediment concentration. The measured and unmeasured regions in the cross section are shown in Figure 4-1 and Figure 4-2.




Figure 4-1: Unmeasured regions in the cross section (from RD Instruments, 2003)




Figure 4-2: Measured and estimated discharges and sediment fluxes within Sediview (DRL, 2005)

#### 4.2.4.1.1 Top/bottom estimates

The sediment concentration and discharge at the top of the water column is assumed to be the same as the concentration and discharge in the first measured bin.

The sediment concentration between the bottom and the lowest valid bin is assumed to be 140% of the lowest valid bin. Siltprofiles taken by the SiltProfiler on board the Scheldewacht II at the entrance of Deurganckdok on 23/10/2007 (IMDC, 2008d) show that the bottom value of the SSC is approximately 180% of the SSC-value at 2 meter above the bottom (position of the sidelobe). As the concentration grows approximately linear from the lowest valid bin to the bottom, and as Sediview uses a constant concentration factor for these deepest bins, we use a concentration factor of 140% (Figure 4-3).






Figure 4-3: Bottom estimate of the sediment concentration

Table 4-1: Extrapolation methods for top and bottom variables

<b>Variable</b>	<b>Top</b>	<b>Bottom</b>
Discharge Method	Constant	Power
Concentration factor	100%	140%

The discharge for the bottom water layer is estimated by using the power method. Chen (1991) discusses the theory of power laws for flow resistance. Simpson and Oltmann (1990) discuss Chen's power law equivalent of Manning's formula for open channels (with  $b=1/6$ ) (RD Instruments, 2003).

$$u / u^* = 9.5(z / z_0)^b$$

Where:

- $z$  = Distance to the channel bed [m]
- $u$  = Velocity at distance  $z$  from bed [m/s]
- $u^*$  = Shear velocity [m/s]
- $z_0$  = Bottom roughness height [m]
- $b$  = Exponent (1/6)

#### 4.2.4.1.2 Edge estimates

The shape of the edges of the cross section is assumed to be near-rectangular due to the quay walls of Deurganckdok. Five data ensembles are to be averaged to determine the left and right bank mean velocities used for calculation of edge estimates.

The distance from start- and endpoint to the bank is calculated from the theoretical start- and endpoint at the bank to the effective start- and endpoint. The theoretical points are taken at the quay walls

Table 4-2: Reference points at the end of the mud flats on left and right bank

<b>Coordinates (UTM31 ED50)</b>	<b>Easting Left bank</b>	<b>Northing Left bank</b>	<b>Easting Right bank</b>	<b>Northing Right bank</b>
Deurganckdok	588541	5684527	588765	5684056

The formula for determining the near shore discharge is:

$$Q_{shore} = CV_m L d_m \text{ [m}^3\text{/s]}$$

Where:

- C = Coefficient (0.35 for triangular, 0.91 for rectangular shape)
- $V_m$  = Mean water velocity in the first or the last segment [m/s]
- L = Distance from the shore to the first or the last segment specified by the user [m]
- $d_m$  = Depth of the first or the last segment [m]

The coefficient (C) has been set to 0.91 (rectangular shape of Deurganckdok quay walls).

#### **4.2.4.2. Contour plots of the transects**

All contour plots show perpendicular and parallel projected values on the straightened sailed transects. The heading of the straightened sailed transect is defined by picking 2 points in the straight part of the line after having corrected the heading of the ADCP compass. The compass offset is derived from a comparison of the ADCPs bottom track with the external GPS data.

#### **4.2.5. Output**

General transect information containing start-stop coordinates of each sailed transects with stop time, track length and heading is given in APPENDIX A.

In APPENDIX E, four contourplots were generated for each transect showing the distribution of suspended sediment concentration & sediment flux as well as the flow velocity perpendicular and parallel to the transect. The following conventions were used:

- Distances on the X-axis were referenced to the starting point of the transect, the start of the sailed transect is always at distance equal to zero.
- Left bank is always shown left, right bank on the right side. For Deurganckdok, left bank was taken to be the western quay wall and the right bank to be the eastern quay wall considering the dock as being a tributary to the Scheldt river.
- Perpendicular flow velocities and fluxes are positive for downstream flow (ebb, out of Deurganckdok), negative for upstream flow (flood, inbound).
- Parallel flow velocities are positive for flow going from the left bank to the right bank, and negative for flow going from the right bank to the left bank.
- Absolute Depth is given in meters above TAW.

Also a depth-averaged velocity plot was generated for the flow velocity perpendicular to the transect. (See APPENDIX E).

Tables in APPENDIX F give the values for discharges and sediment fluxes for the total cross-section and the average sediment concentration is shown in APPENDIX G.

- Mid = measured part of the cross-section
- Top = top part of the cross-section
- Bottom = bottom part underneath the sidelobe
- Edge (left, right) = edge estimates to left & right bank
- Total = Mid+Top+Bottom+ Edge values

The graph in APPENDIX H gives the temporal variation of the total flux and total discharge for the whole through tide measurement at Deurganckdok.

## 5. PRELIMINARY ANALYSIS OF THE DATA

### 5.1. October 24<sup>th</sup> 2007 survey

As Deurganckdok is situated along the part of the Scheldt river under tidal influence, it is subject to complex current fields near its entrance. The measured current field shows a vortex pattern depending on the tidal phase. During ebbing tide the vortex at the entrance of the dock is a counter-clockwise one and during rising tide it is a clockwise one. This is shown in the contour plots by inflow (negative) on the western side (left) and outflow on the eastern side of the entrance during ebbing tide and vice versa for flooding tide. (APPENDIX E).

During slack water we see a current field with opposing current directions in the upper part of the water column compared to the lower part of the water column. For high water we see inflow (negative) near the bottom and outflow (positive) near the surface. This particular pattern is probably an example of the expected salt density currents occurring near the entrance of Deurganckdok. The same event is seen at low water when the dock contains waters of higher salinity than the river; here we see an outflow near the bottom and inflow near the surface.

From the backscatter interpretation into suspended sediment concentration we see in general a higher concentration during slack water and during rising tide compared to during ebb tide.

Considering the sediment fluxes APPENDIX H shows that incoming transport is dominating during flood while a residual outgoing sediment transport can be observed from HW until the end of the measurement.

### 5.2. Intercomparison with earlier surveys on November 17<sup>th</sup> 2005, March 22<sup>nd</sup> 2006 and September 27<sup>th</sup> 2006

On November 17<sup>th</sup> 2005, March 22<sup>nd</sup> 2006 and September 27<sup>th</sup> the same transect has been sailed during through tide measurements, a description is given by IMDC (2005), IMDC (2006c) and IMDC (2006d). Conditions near the entrance of Deurganckdok have been simulated in Delft3D and processed by IMDC (2006g) in order to compare simulation with observed data.

It is important to underline that lower fresh water discharges from the tributaries were recorded during the measurement campaigns (Figure 5-1, Figure 5-2, Figure 5-3 and Figure 5-4): on 17/11/2005 and 22/03/2006 the discharges prior to the measurements were about 90 m<sup>3</sup>/s; on 27/09/2006 about 30 m<sup>3</sup>/s and on 24/10/2007 about 45 m<sup>3</sup>/s. All measurement days correspond to the mean discharge  $-1\sigma$ , which is rather low (Figure 5-5).

The results presented in Figure 5-5 are based on a long-term simulation over a period of 30 year (1971-2000) with the SIGMA-model for MKBA (IMDC, 2006g). The mean discharge is the annual average ten days' discharge, calculated with simulated long-term measurements. The high and low discharges are also annual average ten days' discharges, but with an absolute maximum of mean discharge  $+2\sigma$  and an absolute minimum of mean discharge  $-2\sigma$ .

The same circulation pattern as described above is found to have occurred at those days. In Figure 5-6 and Figure 5-7 the four measurements have been compared for about 3h after high water, sediment distribution as well as current pattern in the cross section are almost identical. The western side of the dock is situated at the left of these figures, the eastern side at the right. Current velocity is about 0.2-0.4 m/s on the right bank side and in the upper part of the water column and about  $-0.2$  m/s on the left bank side. Suspended sediment concentration ranges from 30 to 100 mg/l going up from top right side towards bottom left side.

In Figure 5-8 and Figure 5-9 the circulation pattern and sediment concentration have been compared for the same days but at about 1h after high water. Again the current pattern is almost identical on both days with a salt wedge intruding near the bottom of the dock and compensatory outflow of fresher water near the surface. Sediment distribution ranges for both measurements between 50 and 150 mg/l with a very similar pattern across the cross section at the dock's entrance.

The volume of water, crossing the dock's entrance during flood or ebb on a measurement day, was calculated by integrating the discharge curve (Figure 5-10) during flood and ebb respectively. Table 5-1 shows the results. During flood on the 24<sup>th</sup> of October 2007, 2.865.000m<sup>3</sup> water crossed the entrance and during ebb 7 649 000m<sup>3</sup>. Comparing to the other campaigns, the volume during ebb is rather high and during flood rather low. The higher volume during ebb could be explained by the expansion of the dock last year. The Table 5-1 shows also the theoretical expected estimates of the volume during ebb and flood, which is result of a multiplication of area of Deurganckdok and tidal difference. The expected volume of water during ebb is smaller than the calculated water volume and during flood the expected volume is larger than the calculated volume. The differences mean that the calculated values during ebb are probably an overestimation of the reality and during flood an underestimation.

The mass of the suspended sediment, crossing dock's entrance during flood or ebb on a measurement day, was calculated on a similar manner as the volume. The flux curve was integrated (Figure 5-11) and (Table 5-2) shows the results. During ebb 24<sup>th</sup> of October of 2007, 34 tonnes SS crossed the entrance and during flood 157 tonnes. 141 tonnes SS was deposited in the dock during the tidal cycle. Comparing with other campaigns, 141 tonnes are very low (Table 5-2). Since flux is calculated with discharge and SS concentration, a similar overestimation and underestimation as the water volumes will achieve in the calculated SS masses.




Figure 5-1: Fresh water discharge 11 – 21 November of 2005.




Figure 5-2: Fresh water discharge 14 – 24 March of 2006




Figure 5-3: Fresh water discharge 21 September – 1 October of 2006




Figure 5-4: Fresh water discharge 18 October – 28 October of 2007




Figure 5-5: Mean fresh water discharge




Figure 5-6: a) Perpendicular current velocity on 17/11/2005, b) on 22/03/2006, c) on 27/09/2006 and d) on 24/10/2007 at 3h after high water






Figure 5-7: a) Suspended sediment concentration on 17/11/2005, b) on 22/03/2006, c) on 27/09/2006 and d) on 24/10/2007 at 3h after high water







Figure 5-8: a) Perpendicular current velocity on 17/11/2005, b) on 22/03/2006, c) on 27/09/2006 and d) on 24/10/2007 at 1h after high water




Figure 5-9: a) Suspended sediment concentration on 17/11/2005, b) on 22/03/2006, c) on 27/09/2006 and d) on 24/10/2007 at 1h after high water




Figure 5-10: Total discharge 17/11/2005, 22/03/2006, 27/09/2006 & 24/10/2007

Table 5-1: Water volume during ebb, flood and measurement campaign on 17/11/2005 (Spring tide), 22/03/2006 (Neap tide), 27/09/2006 (Average tide) & 24/10/2007 (Average tide)

<b>Measurement Day</b>		<b>17/11/2005</b>	<b>22/03/2006</b>	<b>27/09/2006</b>	<b>24/10/2007</b>
<b>Ebb</b>	Volume [1000x m <sup>3</sup> ]	6 620	7 122	5 914	7 649
	Duration [HH:MM]	6:50	6:20	6:40	7:24
	Estimated Volume [1000x m <sup>3</sup> ]	4 276	3 511	3 946	5 592
	Tidal Difference [m]	5.70	4.68	5.26	5.49
<b>Flood</b>	Volume [1000x m <sup>3</sup> ]	-5 558	-3 517	-5 224	- 2 865
	Duration [HH:MM]	5:24	6:10	5:48	5:11
	Estimated Volume [1000x m <sup>3</sup> ]	-4 186	-3 286	-3 931	-5 154
	Tidal Difference [m]	5.58	4.38	5.24	5.06
<b>Net</b>	Volume [1000x m <sup>3</sup> ]	1 062	3 605	690	4 784
	Duration [HH:MM]	12:14	12:30	12:28	12:38
	Estimated Volume [1000x m <sup>3</sup> ]	90	225	15	438
<b>Fresh water (Schelle)</b>	Volume [1000x m <sup>3</sup> ]	3 987	4 248	1 473	2 069
	Duration [HH:MM]	12:14	12:30	12:28	12:35
<b>Measurement Campaign</b>	Volume [1000x m <sup>3</sup> ]	-144	3 904	879	4 848
	Duration [HH:MM]	11:09	12:51	12:43	12:23
<b>Deurganckdok</b>	Area [1000x m <sup>2</sup> ]	750.154	750.154	750.154	1018.606




Figure 5-11: Total Flux 17/11/2005, 22/03/2006, 27/09/2006 & 24/10/2007

Table 5-2: SS Mass during ebb, flood and measurement campaign on 17/11/2005 (Spring tide), 22/03/2006 (Neap tide), 27/09/2006 (Average tide) & 24/10/2007 (Neap tide)

Measurement Day		17/11/2005	22/03/2006	27/09/2006	24/10/2007
<b>Ebb</b>	SS Mass [Tonnes]	-210	-267	-126	34
	Duration [HH:MM]	6:50	6:20	6:40	7:24
	Tidal Difference [m]	5.70	4.68	5.26	5.49
<b>Flood</b>	SS Mass [Tonnes]	-277	-338	-256	-175
	Duration [HH:MM]	5:24	6:10	5:48	5:11
	Tidal Difference [m]	5.58	4.38	5.26	5.06
<b>Net</b>	SS Mass [Tonnes]	-487	-605	-382	-141
	Duration [HH:MM]	12:14	12:30	12:28	12:35
<b>Measurement Campaign</b>	SS Mass [Tonnes]	-484	-648	-371	-139
	Duration [HH:MM]	11:09	12:51	12:43	12:35

## 6. REFERENCES

AMT (2003). Intern rapport, Getij-informatie Scheldebekken 1991-2000.

IMDC (2002). Studie Densiteitsstroming in het kader van LTV Schelde, Stroom- en saliniteitsmeting t.h.v. Deurganckdok uitgevoerd op 12/06/2002, I/RA/11216/02.042/CMA.

IMDC (2005a). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 1: Test survey 17/02/2005, I/RA/11265/05.008/MSA.

IMDC (2005b). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 2.1: Deurganckdok 17/02/2005, I/RA/11265/05.009/MSA.

IMDC (2005c). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 2.2: Zandvliet 17/02/2005, I/RA/11265/05.010/MSA.

IMDC (2005d). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 2.3: Liefkenshoek 17/02/2005, I/RA/11265/05.0011/MSA.

IMDC (2005e). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 2.4: Schelle 17/02/2005, I/RA/11265/05.0012/MSA.

IMDC (2005f). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 2.5: Deurganckdok 16/02/2005, I/RA/11265/05.013/MSA.

IMDC (2005g). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 2.6: Kallosluis 18/02/2005, I/RA/11265/05.014/MSA.

IMDC (2005h). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 2.7: Near bed continuous monitoring: february 2005, I/RA/11265/05.015/MSA.

IMDC (2005i). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 3: Settling velocity INSSEV february 2005, I/RA/11265/05.016/MSA.

IMDC (2005j). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 4: Cohesive sediment properties february 2005, I/RA/11265/05.017/MSA

IMDC (2005k). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 5.1: Overview of ambient conditions in the river Scheldt January-June 2005, I/RA/11265/05.018/MSA.

IMDC (2005l). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 5.2: Overview of ambient conditions in the river Scheldt July-December 2005, I/RA/11265/05.019/MSA.

IMDC (2006a) Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 6.1 Calibration Winter 15 March & 14 April 2006? I/RA/11291/06.092/MSA.

IMDC (2006b) Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 7.1 21 March 2006 Scheldewacht – Deurganckdok, I/RA/11291/06.094/MSA.

IMDC (2006c) Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 7.2 22 March 2006 Parel 2 – Deurganckdok (downstream), I/RA/11291/06.095/MSA.

IMDC (2006d) Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 7.3 22 March 2006 Laure Marie – Liefkenshoek, I/RA/11291/06.096/MSA.

IMDC (2006e) Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 7.4 23 March 2006 Parel 2 – Schelle, I/RA/11291/06.097/MSA.

IMDC (2006f) Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 7.5 23 March 2006 Laure Marie – Deurganckdok (downstream), I/RA/11291/06.098/MSA.

IMDC (2006g) Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 7.6 23 March 2006 Veremans – Waarde, I/RA/11291/06.099/MSA.

IMDC (2006h) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing. Deelrapport 2.1 Opmeting stroming en zout- en sedimentbeweging aan de ingang van het Deurganckdok (SiltProfiler), I/RA/11283/06.087/WGO.

IMDC (2006i) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing. Deelrapport 2.3. Opmeting stroming en zout-en sedimentbeweging aan de ingang van het Deurganckdok (ADCP), I/RA/11283/06.110/BDC

IMDC (2006j). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 8.1: Vaste meetopstelling in zake bodemgedrag, I/RA/11291/06.100/MSA.

IMDC (2006k) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing. Deelrapport 2.6 Zout en slibverdeling Deurganckdok 17/03/2006 – 23/05/2006, I/RA/11283/06.121/MSA.

IMDC (2006l) Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 5.3 Overview of ambient conditions in the river Scheldt – Januari-June 2006 (I/RA/11291/06.089/MSA), in opdracht van AWZ.

IMDC (2006m): Studie van de stromingsvelden en sedimentuitwisseling aan de ingang van Deurganckdok. Current and Sediment flux measurements November 17th 2005 (I/RA/15030/06.021/BDC).

IMDC (2006n). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 9: Valsnelheid slib – INSSEV, I/RA/11291/06.102/MSA, in opdracht van AWZ.



IMDC (2006o). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 2.7: Silt distribution and frame measurements 15/07/2006 – 31/10/2006. (I/RA/11291/06.122/MSA).

IMDC (2006p). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 5.3 Overview of ambient conditions in the river Scheldt – Januari-June 2006 (I/RA/11291/06.089/MSA), in opdracht van AWZ.

IMDC (2007a). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 6.2 Summer calibration and Final report, I/RA/11291/06.093/MSA.

IMDC (2007b). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 5.4 Overview of ambient conditions in the river Scheldt – July-December 2006 (I/RA/11291/06.089/MSA), in opdracht van AWZ.

IMDC (2007c). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 11.1 Through tide Measurement Sediview & Siltprofiel 27/9 Stream - Liefkenshoek (I/RA/11291/06.104/MSA), in opdracht van AWZ.

IMDC (2007d). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 11.2 Through tide Measurement Sediview 27/9 Veremans - Raai K (I/RA/11291/06.105/MSA), in opdracht van AWZ.

IMDC (2007e). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 11.3 Through tide Measurement Sediview & Siltprofiel 28/9 Stream - Raai K (I/RA/11291/06.106/MSA), in opdracht van AWZ.

IMDC (2007f). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 11.4 Through tide Measurement Sediview 28/9 Veremans - Waarde(I/RA/11291/06.107/MSA), in opdracht van AWZ.

IMDC (2007g). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 11.5 Through tide Measurement Sediview 28/9 Parel 2 - Schelle (I/RA/11291/06.108/MSA), in opdracht van AWZ.

IMDC (2007h). Uitbreiding studie densiteitsstromingen in de Beneden Zeeschelde in het kader van LTV Meetcampagne naar hooggeconcentreerde slibsuspensies Deelrapport 11.6 Through tide Measurement Salinity Distribution 26/9 Scheldewacht – Deurganckdok in opdracht van AWZ.

IMDC (2007i). Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing. Deelrapport 1.1 Sediment Balance: Three monthly report 1/4/2006 – 30/06/2006 (I/RA/11283/06.113/MSA)

IMDC (2007j). Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing. Deelrapport 1.2 Sediment Balance: Three monthly report 1/7/2006 – 30/09/2006 (I/RA/11283/06.114/MSA)

IMDC (2007k). Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing. Deelrapport 1.3 Sediment Balance: Three monthly report 1/10/2006 – 31/12/2006 (I/RA/11283/06.115/MSA)

IMDC (2007l). Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing. Deelrapport 1.4 Sediment Balance: Three monthly report 1/1/2007 – 31/03/2007 (I/RA/11283/06.116/MSA)

IMDC (2007m) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 1.5 Annual Sediment Balance (I/RA/11283/06.117/MSA)

IMDC (2007n) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 2.2 Through tide measurement SiltProfiler 26/09/2006 Stream  
(I/RA/11283/06.068/MSA)

IMDC (2007o) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 2.7 Salt-Silt distribution & Frame Measurements Deurganckdok 15/07/2006 –  
31/10/2006 (I/RA/11283/06.122/MSA)

IMDC (2007p) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 2.8 Salt-Silt distribution & Frame Measurements Deurganckdok 15/01/2007 –  
15/03/2007 (I/RA/11283/06.123/MSA)

IMDC (2007q) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 3.1 Boundary conditions: Three monthly report 1/1/2007 – 31/03/2007  
(I/RA/11283/06.127/MSA)

IMDC (2007r) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing  
Deelrapport 1.10: Sediment Balance: Three monthly report 1/4/2007 – 30/06/2007  
(I/RA/11283/07.081/MSA)

IMDC (2007s) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 1.11: Sediment Balance: Three monthly report 1/7/2007 – 30/09/2007  
(I/RA/11283/07.082/MSA)

IMDC (2007t) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing. Deelrapport  
2.16: Salt-Silt distribution Deurganckdok summer (21/6/2007 – 30/07/2007)  
(I/RA/11283/07.092/MSA)

IMDC (2007v) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 3.10: Boundary conditions: Three monthly report 1/04/2007 – 30/06/2007  
(I/RA/11283/07.097/MSA)

IMDC (2007w) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 3.11: Boundary conditions: Two monthly report 1/07/2007 – 30/09/2007  
(I/RA/11283/07.098/MSA)

IMDC (2008a) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 2.17: Salt-Silt distribution & Frame Measurements Deurganckdok autumn (17/9/2007-  
10/12/2007) (I/RA/11283/07.093/MSA)

IMDC (2008b) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 1.12: Sediment Balance: Four monthly report 1/9/2007 – 31/12/2007  
(I/RA/11283/07.083/MSA)

IMDC (2008c) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 2.09: Calibration stationary equipment autumn (I/RA/11283/07.095/MSA)

IMDC (2008d) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 2.10: Through tide measurement SiltProfiler 23 October 2007  
(I/RA/11283/07.086/MSA)

IMDC (2008e) Langdurige metingen Deurganckdok: Opvolging en analyse aanslibbing.  
Deelrapport 3.12: Boundary conditions: Three monthly report 1/9/2007 – 31/12/2007  
(I/RA/11283/07.099/MSA)

TV SAM (2006a) Langdurige stationaire ADCP stroommetingen te Oosterweel dukdalf 01/2005-06/2005. 42SR S032PIB 2A.

TV SAM (2006b) Langdurige stationaire ADCP stroommetingen te Oosterweel dukdalf 07/2005-12/2005. 42SR S033PIB 2A.

TV SAM (2006c) Langdurige stationaire ADCP stroommetingen te Oosterweel dukdalf 01/2006-06/2006. 42SR S032PIB 2A.

Unesco (1983). Algorithms for computation of fundamental properties of seawater, UNESCO Technical Papers in Marine Science, 44. UNESCO, France.

Wunderground (2008). Weather Underground: [www.wunderground.com](http://www.wunderground.com)




# **APPENDIX A.**


## **OVERVIEW OF MEASUREMENTS**



## A.1 Overview of the measurement locations for the whole HCBS2 and Deurganckdok measurement campaign




Annex Figure A-1: Overview of the measurement locations




Annex Figure A-2: Overview of the measurement locations at Deurganckdok





Annex Figure A-3: Transect S in Schelle



Annex Figure A-4: Transect W in Waarde

## A.2 Overview of all measurement locations HCBS and Deurganckdok measurement summer campaign

*Annex Table A-1: coordinates of theoretical transects*


<b>Transect</b>	<b>Start Easting</b>	<b>Start Northing</b>	<b>End Easting</b>	<b>End Northing</b>
I	590318.00	5683302.00	590771.00	5684257.00
K	588484.00	5684924.00	589775.00	5685384.00
SCHELLE	592645.07	5665794.06	592952.68	5665682.28
DGD	588764.88	5684056.49	588540.95	5684526.94
Y	589059.09	5684948.36	587898.76	5683076.56
WAARDE	573541.00	5696848.20	571318.00	5694932.90

*Annex Table A-2: coordinates of SiltProfiler gauging locations*

<b>SP</b>	<b>EASTING</b>	<b>NORTHING</b>
1	588737	5684638
2	588690	5684562
3	588643	5684486
4	588596	5684411
5	588549	5684335
6	588606	5684217
7	588653	5684293
8	588700	5684368
9	588747	5684444
10	588793	5684520
11	588850	5684402
12	588803	5684326
13	588756	5684250
14	588709	5684174
15	588662	5684099

### A.3 Measurement overview Deurganckdok 24/10/2007

<i>FileName</i>	<i>End time [hh:mm MET]</i>	<i>Time of HW [hh:mm]</i>	<i>Easting start (UTM31 ED50)</i>	<i>Northing start (UTM31 ED50)</i>	<i>Easting end (UTM31 ED50)</i>	<i>Northing end (UTM31 ED50)</i>	<i>Transect length [m]</i>	<i>Transect heading [°]</i>
2001DGDtrl_sub.csv	08:00	6:28	588762.9	5684059	588547.3	5684528	517	335
2003DGDtrl_sub.csv	08:19	-5:32	588775.2	5684061	588544.5	5684528	521	334
2006DGDtrl_sub.csv	08:41	-5:10	588756	5684076	588550.2	5684524	493	335
2008DGDtrl_sub.csv	09:00	-4:51	588779.2	5684067	588549.6	5684531	517	334
2011DGDtrl_sub.csv	09:19	-4:32	588768.4	5684067	588548.9	5684528	511	335
2013DGDtrl_sub.csv	10:00	-4:14	588761.8	5684072	588548.1	5684529	505	335
2016DGDtrl_sub.csv	10:06	-3:45	588783.3	5684067	588548.5	5684528	517	333
2019DGDtrl_sub.csv	10:27	-3:24	588780.5	5684071	588553.2	5684528	511	334
2022DGDtrl_sub.csv	10:52	-2:59	588792.4	5684070	588546.3	5684527	519	332
2025DGDtrl_sub.csv	11:28	-2:23	588802.9	5684075	588550.9	5684531	521	331
2028DGDtrl_sub.csv	11:58	-1:53	588797.2	5684071	588551.7	5684528	518	332
2031DGDtrl_sub.csv	12:27	-1:25	588767.9	5684069	588548.8	5684530	511	335
2034DGDtrl_sub.csv	13:05	-0:46	588777.6	5684068	588548.6	5684528	514	334
2037DGDtrl_sub.csv	13:45	-0:06	588771.6	5684065	588544.5	5684527	514	334
2039DGDtrl_sub.csv	14:06	0:14	588764.1	5684077	588545.4	5684529	502	334
2042DGDtrl_sub.csv	14:35	0:43	588759.6	5684072	588548.8	5684529	503	335
2045DGDtrl_sub.csv	15:05	1:12	588763.8	5684066	588548.8	5684528	510	335
2048DGDtrl_sub.csv	15:33	1:41	588768.2	5684073	588547.2	5684528	505	334
2051DGDtrl_sub.csv	16:01	2:09	588758.4	5684079	588547.8	5684528	496	335
2054DGDtrl_sub.csv	16:38	2:46	588750.1	5684091	588549.5	5684529	482	335
2057DGDtrl_sub.csv	17:04	3:11	588756.4	5684077	588550.1	5684527	495	335
2060DGDtrl_sub.csv	17:30	3:38	588758.6	5684071	588549.7	5684530	504	336
2063DGDtrl_sub.csv	18:02	4:10	588756.7	5684067	588554	5684532	507	336
2066DGDtrl_sub.csv	18:37	4:45	588744.1	5684079	588549.6	5684527	488	337
2069DGDtrl_sub.csv	19:14	5:22	588761.6	5684068	588550.9	5684532	509	336
2072DGDtrl_sub.csv	19:35	5:43	588757.7	5684074	588552.7	5684532	502	336
2075DGDtrl_sub.csv	20:04	6:12	588767	5684063	588552.2	5684532	516	335
2078DGDtrl_sub.csv	20:24	6:32	588773.1	5684065	588554.5	5684532	516	335



Annex Figure A-5: Location of start en end points of the sailed tracks




## **APPENDIX B. TIDAL DATA**





### 11283 - Winter 2007 SURVEY



Measured tide on 24/10/2007

Data processed by:



Location:  
River Scheldt

Date:  
24/10/2007

In association with:



I/RA/11283/06.120/MSA



## **APPENDIX C.**

### **NAVIGATION INFORMATION AS RECORDED ON SITE**



<b>Ship:</b>	<b>Parel II</b>
<b>Location:</b>	<b>Deurganckdok</b>

<b>Nr.</b>	<b>Time (MET)</b>	<b>Type ship</b>	<b>Direction (In, Out)</b>
<b>1</b>	08:19	inland ship 1800T	in
<b>2</b>	08:36	inland ship + 3 dumb barges	in
<b>3</b>	08:39	inland ship	in
<b>4</b>	08:40	dumb barge	out
<b>5</b>	08:40	dumb barge	out
<b>6</b>	08:45	tugboat	in
<b>7</b>	08:53	sea ship	in
<b>8</b>	09:09	dumb barge	in
<b>9</b>	09:22	tugboat	out
<b>10</b>	09:26	sea ship	out
<b>11</b>	09:32	tugboat	in
<b>12</b>	09:37	tugboat	in
<b>13</b>	09:47	tugboat	in
<b>14</b>	10:05	tugboat	in
<b>15</b>	10:12	inland ship	out
<b>16</b>	10:25	inland ship	in
<b>17</b>	10:31	inland ship	in
<b>18</b>	10:40	sea ship	out
<b>19</b>	10:42	inland ship	in
<b>20</b>	10:51	inland ship	out
<b>21</b>	10:58	inland ship	in
<b>22</b>	11:26	inland ship	out
<b>23</b>	11:40	inland ship	in
<b>24</b>	12:22	inland ship	in
<b>25</b>	12:27	sea ship	in
<b>26</b>	12:40	inland ship	in
<b>27</b>	13:16	inland ship	out
<b>28</b>	13:26	inland ship	in
<b>29</b>	13:26	inland ship	in
<b>30</b>	13:27	inland ship	in

<b>Nr.</b>	<b>Time (MET)</b>	<b>Type ship</b>	<b>Direction (In, Out)</b>
<b>31</b>	13:43	inland ship	out
<b>32</b>	14:03	inland ship	in
<b>33</b>	14:19	inland ship	out
<b>34</b>	14:22	dumb barge Combi	out
<b>35</b>	14:27	dumb barge Combi	in
<b>36</b>	15:08	inland ship	in
<b>37</b>	15:42	inland ship	out
<b>38</b>	15:42	inland ship	out
<b>39</b>	15:45	dumb barge Combi	out
<b>40</b>	15:50	inland ship	out
<b>41</b>	16:03	inland ship	out
<b>42</b>	16:05	dumb barge Combi	in
<b>43</b>	16:25	dumb barge Combi	out
<b>44</b>	16:33	inland ship	out
<b>45</b>	16:40	dumb barge Combi	in
<b>46</b>	16:58	inland ship	in
<b>47</b>	17:40	sea ship	in
<b>48</b>	17:40	tugboat	in
<b>49</b>	18:00	sea ship	
<b>50</b>	18:10	dumb barge	
<b>51</b>	19:00	sea ship	
<b>52</b>	19:00	inland ship	
<b>53</b>	19:35	inland ship	out
<b>54</b>	19:42	dumb barge Combi	out
<b>55</b>	19:50	sea ship	out
<b>56</b>	19:52	inland ship	out
<b>57</b>	20:02	inland ship	out

**APPENDIX D.**

**UNESCO PPS-78 FORMULA FOR CALCULATING**

**SALINITY**





**Practical Salinity Scale (PPS 78) Salinity in the range of 2 to 42**

Constants from the 19th Edition of Standard Methods

R cond.ratio	0.0117	$R = \frac{C}{42.914 \text{mS/cm}}$							
<b>C</b> Cond at t	<b>0.5</b>	<b>Input conductivity in mS/cm of sample</b>							
<b>t</b> deg. <b>C</b>	<b>22.00</b>	<b>Input temperature of sample solution</b>							
<b>P</b> dBar	<b>20</b>	<b>Input pressure at which sample is measured in decibars</b>							
Rp	1.0020845	$R_p = 1 + \frac{p(e_1 + e_2p + e_3p^2)}{1 + d_1t + d_2t^2 + (d_3 + d_4t)R}$							
rt	1.1641102	$r_t = c_0 + c_1t + c_2t^2 + c_3t^3 + c_4t^4$							
Rt	0.0099879	$R_t = \frac{R}{R_p \times r_t}$							
Delta S	-0.0010	$\Delta S = \frac{(t-15)}{1+k(t-15)} (b_0 + b_1R_t^{1/2} + b_2R_t^{3/2} + b_3R_t^2 + b_4R_t^{5/2} + b_5R_t^2)$							
<b>S = Salinity</b>	<b>0.257</b>	$S = a_0 + a_1R_t^{1/2} + a_2R_t^{3/2} + a_3R_t^2 + a_4R_t^{5/2} + a_5R_t^2 + \Delta S$							
a0	0.0080	b0	0.0005	c0	0.6766097	d1	3.426E-02	e1	2.070E-04
a1	-0.1692	b1	-0.0056	c1	2.00564E-02	d2	4.464E-04	e2	-6.370E-08
a2	25.3851	b2	-0.0066	c2	1.104259E-04	d3	4.215E-01	e3	3.989E-12
a3	14.0941	b3	-0.0375	c3	-6.9698E-07	d4	-3.107E-03		
a4	-7.0261	b4	0.0636	c4	1.0031E-09				
a5	2.7081	b5	-0.0144						
		k	0.0162						

R = ratio of measured conductivity to the conductivity of the Standard Seawater Solution

Conductivity Ratio R is a function of salinity, temperature, and hydraulic pressure. So that we can factor R into three parts i.e.

$R = R_t \times R_p \times r_t$

$R = C(S,t,p)/C(35,15,0)$

C = 42.914 mS/cm at 15 deg C and 0 dbar pressure ie C(35,15,0) where 35 is the salinity

Ocean pressure is usually measured in decibars. 1 dbar = 10^-1 bar = 10^5 dyne/cm^2 = 10^4 Pascal.



# **APPENDIX E. CONTOURPLOTS OF FLOW VELOCITIES, SEDIMENT CONCENTRATION AND SEDIMENT FLUX PER SAILED TRANSECT**



This page is intentionally left blank.

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2001DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                       08:00: h = -0.09 m+TAW  
                       13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

07:56 - 08:00

Time after HW [HH:MM]

6:28

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2001DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**07:56 - 08:00**

Time after HW [HH:MM]

**6:28**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2003DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                               08:00: h = -0.09 m+TAW  
                               13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

08:15 - 08:18

Time after HW [HH:MM]

-5:32

Data Processed by:



In association with :

I/RA/11283/06.120/MSA



# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2003DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                 08:00: h = -0.09 m+TAW  
                                 13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

08:15 - 08:18

Time after HW [HH:MM]

-5:32

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2006DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

08:38 - 08:41

Time after HW [HH:MM]

-5:10

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2006DGDtrl\_sub.csv

Location:

Transect DGD



Date / Time [MET] :

24-Oct-2007

08:38 - 08:41

Time after HW [HH:MM]

-5:10

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2008DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

08:56 - 09:00

Time after HW [HH:MM]

-4:51

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2008DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

08:56 - 09:00

Time after HW [HH:MM]

-4:51

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2011DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

09:15 - 09:19

Time after HW [HH:MM]

-4:32

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2011DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                               08:00: h = -0.09 m+TAW  
                               13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**09:15 - 09:19**

Time after HW [HH:MM]

**-4:32**

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2013DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

09:34 - 09:37

Time after HW [HH:MM]

-4:14

Data Processed by:



In association with :

I/RA/11283/06.120/MSA



# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2013DGDtlr\_sub.csv

Location:

Transect DGD



Date / Time [MET] :

24-Oct-2007

09:34 - 09:37

Time after HW [HH:MM]

-4:14

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2016DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                       08:00: h = -0.09 m+TAW  
                       13:50: h = 4.97 m+TAW

Date / Time [MET] :  
**24-Oct-2007**  
**10:02 - 10:06**  
 Time after HW [HH:MM]  
**-3:45**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2016DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**10:02 - 10:06**

Time after HW [HH:MM]

**-3:45**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2019DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                       08:00: h = -0.09 m+TAW  
                       13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

10:23 - 10:26

Time after HW [HH:MM]

-3:24

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2019DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**10:23 - 10:26**

Time after HW [HH:MM]

**-3:24**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2022DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                       08:00: h = -0.09 m+TAW  
                       13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

10:48 - 10:52

Time after HW [HH:MM]

-2:59

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2022DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

10:48 - 10:52

Time after HW [HH:MM]

-2:59

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2025DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

11:24 - 11:28

Time after HW [HH:MM]

-2:23

Data Processed by:



In association with :

I/RA/11283/06.120/MSA



# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2025DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                               08:00: h = -0.09 m+TAW  
                               13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**11:24 - 11:28**

Time after HW [HH:MM]

**-2:23**

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2028DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

11:54 - 11:58

Time after HW [HH:MM]

-1:53

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2028DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

11:54 - 11:58

Time after HW [HH:MM]

-1:53

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2031DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

12:22 - 12:26

Time after HW [HH:MM]

-1:25

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2031DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**12:22 - 12:26**

Time after HW [HH:MM]

**-1:25**

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2034DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

13:01 - 13:04

Time after HW [HH:MM]

-0:46

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2034DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**13:01 - 13:04**

Time after HW [HH:MM]

**-0:46**

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2037DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

13:41 - 13:45

Time after HW [HH:MM]

-0:06

Data Processed by:



In association with :

I/RA/11283/06.120/MSA



# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2037DGDtlr\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**13:41 - 13:45**

Time after HW [HH:MM]

**-0:06**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2039DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

14:02 - 14:05

Time after HW [HH:MM]

0:14

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2039DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                       08:00: h = -0.09 m+TAW  
                       13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

14:02 - 14:05

Time after HW [HH:MM]

0:14

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2042DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                       08:00: h = -0.09 m+TAW  
                       13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**14:31 - 14:34**

Time after HW [HH:MM]

**0:43**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2042DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**14:31 - 14:34**

Time after HW [HH:MM]

**0:43**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2045DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

15:01 - 15:04

Time after HW [HH:MM]

1:12

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2045DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                 08:00: h = -0.09 m+TAW  
                                 13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**15:01 - 15:04**

Time after HW [HH:MM]

**1:12**

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2045DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

15:01 - 15:04

Time after HW [HH:MM]

1:12

Data Processed by:



In association with :

I/RA/11283/06.120/MSA



# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2048DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

15:30 - 15:33

Time after HW [HH:MM]

1:41

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2051DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

15:58 - 16:01

Time after HW [HH:MM]

2:09

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2051DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

15:58 - 16:01

Time after HW [HH:MM]

2:09

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2054DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

16:35 - 16:38

Time after HW [HH:MM]

2:46

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2054DGDtrl\_sub.csv

Location:

Transect DGD



Date / Time [MET] :

24-Oct-2007

16:35 - 16:38

Time after HW [HH:MM]

2:46

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2057DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                       08:00: h = -0.09 m+TAW  
                       13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

16:59 - 17:03

Time after HW [HH:MM]

3:11

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2057DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**16:59 - 17:03**

Time after HW [HH:MM]

**3:11**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2060DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**17:26 - 17:29**

Time after HW [HH:MM]

**3:38**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA



# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2060DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**17:26 - 17:29**

Time after HW [HH:MM]

**3:38**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2063DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

17:58 - 18:02

Time after HW [HH:MM]

4:10

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2063DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

17:58 - 18:02

Time after HW [HH:MM]

4:10

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2066DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                               08:00: h = -0.09 m+TAW  
                               13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**18:33 - 18:36**

Time after HW [HH:MM]

**4:45**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2066DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                       08:00: h = -0.09 m+TAW  
                       13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

18:33 - 18:36

Time after HW [HH:MM]

4:45

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2069DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**19:10 - 19:14**

Time after HW [HH:MM]

**5:22**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2069DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

19:10 - 19:14

Time after HW [HH:MM]

5:22

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2072DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                  08:00: h = -0.09 m+TAW  
                                  13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**19:32 - 19:35**

Time after HW [HH:MM]

**5:43**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA



# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2072DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

24-Oct-2007

19:32 - 19:35

Time after HW [HH:MM]

5:43

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2075DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :  
**24-Oct-2007**  
**20:01 - 20:04**  
Time after HW [HH:MM]  
**6:12**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2075DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:                    01:30: h = 5.03 m+TAW  
                                 08:00: h = -0.09 m+TAW  
                                 13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**20:01 - 20:04**

Time after HW [HH:MM]

**6:12**

Data Processed by:



In association with :



I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283





Equipment(s):  
ADCP

Sourcefile:

2078DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                       08:00: h = -0.09 m+TAW  
                       13:50: h = 4.97 m+TAW

Date / Time [MET] :  
**24-Oct-2007**  
**20:20 - 20:23**  
 Time after HW [HH:MM]  
**6:32**

Data Processed by:



In association with :

I/RA/11283/06.120/MSA

# Through tide Sediview measurement neap tide 24/10/2007

11283




Equipment(s):  
ADCP

Sourcefile:

2078DGDtrl\_sub.csv

Location:

Transect DGD



HW/LW:            01:30: h = 5.03 m+TAW  
                      08:00: h = -0.09 m+TAW  
                      13:50: h = 4.97 m+TAW

Date / Time [MET] :

**24-Oct-2007**

**20:20 - 20:23**

Time after HW [HH:MM]

**6:32**

Data Processed by:



In association with :



I/RA/11283/06.120/MSA



## **APPENDIX F.DISCHARGE AND SEDIMENT FLUX FOR THE TOTAL CROSS-SECTION**





Discharge distribution over the cross section: positive is from dock to river

<i>Filename</i>	<i>Time to HW [hh:mm]</i>	<i>Qmid [m<sup>3</sup>/s]</i>	<i>Qtop [m<sup>3</sup>/s]</i>	<i>Qbottom [m<sup>3</sup>/s]</i>	<i>Qleft [m<sup>3</sup>/s]</i>	<i>Qright [m<sup>3</sup>/s]</i>	<i>Qtotal [m<sup>3</sup>/s]</i>
2001DGDtrl_sub.csv	6:28	102	-85	10	8	2	37
2003DGDtrl_sub.csv	-5:32	-38	-78	-2	-1	0	-120
2006DGDtrl_sub.csv	-5:10	-208	-86	-16	-52	4	-357
2008DGDtrl_sub.csv	-4:51	-296	-86	-20	2	0	-400
2011DGDtrl_sub.csv	-4:32	-268	-83	-18	-4	1	-373
2013DGDtrl_sub.csv	-4:14	-131	-75	-10	2	1	-213
2016DGDtrl_sub.csv	-3:45	-26	-42	-4	-1	-3	-77
2019DGDtrl_sub.csv	-3:24	-25	-3	-1	6	-17	-39
2022DGDtrl_sub.csv	-2:59	82	1	7	2	-4	87
2025DGDtrl_sub.csv	-2:23	-71	24	-7	0	-1	-56
2028DGDtrl_sub.csv	-1:53	-123	-4	-11	0	-14	-152
2031DGDtrl_sub.csv	-1:25	-151	-24	-11	-2	-1	-189
2034DGDtrl_sub.csv	-0:46	-179	7	-14	1	-14	-198
2037DGDtrl_sub.csv	-0:06	322	73	19	-7	-7	399
2039DGDtrl_sub.csv	0:14	209	182	15	38	0	444
2042DGDtrl_sub.csv	0:43	258	148	16	-16	2	409
2045DGDtrl_sub.csv	1:12	213	194	16	8	3	433
2048DGDtrl_sub.csv	1:41	251	184	17	-15	3	440
2051DGDtrl_sub.csv	2:09	207	141	12	-30	3	333
2054DGDtrl_sub.csv	2:46	160	93	11	-51	3	216
2057DGDtrl_sub.csv	3:11	230	99	16	-23	4	326
2060DGDtrl_sub.csv	3:38	199	99	15	-9	1	305
2063DGDtrl_sub.csv	4:10	207	68	15	-4	1	287
2066DGDtrl_sub.csv	4:45	85	11	7	37	7	147
2069DGDtrl_sub.csv	5:22	233	-8	18	-10	0	233
2072DGDtrl_sub.csv	5:43	183	-18	17	-14	1	168
2075DGDtrl_sub.csv	6:12	246	-18	21	-7	1	243
2078DGDtrl_sub.csv	6:32	103	-92	11	6	1	29

Discharge distribution over the cross section: positive is from dock to river

<i>Filename</i>	<i>Time to HW [hh:mm]</i>	<i>Fmid [kg/s]</i>	<i>Ftop [kg/s]</i>	<i>Fbottom [kg/s]</i>	<i>Fleft [kg/s]</i>	<i>Fright [kg/s]</i>	<i>Ftotal [kg/s]</i>
2001DGDtrl_sub.csv	6:28	1	-3	0	0	0	-2
2003DGDtrl_sub.csv	-5:32	-3	-3	0	0	0	-6
2006DGDtrl_sub.csv	-5:10	-9	-4	-1	-2	0	-15
2008DGDtrl_sub.csv	-4:51	-20	-5	-2	0	0	-26
2011DGDtrl_sub.csv	-4:32	-28	-6	-2	0	0	-36
2013DGDtrl_sub.csv	-4:14	-15	-5	-1	0	0	-22
2016DGDtrl_sub.csv	-3:45	0	-4	0	0	0	-4
2019DGDtrl_sub.csv	-3:24	1	-1	1	0	-1	1
2022DGDtrl_sub.csv	-2:59	2	0	1	0	0	3
2025DGDtrl_sub.csv	-2:23	-9	0	0	0	0	-9
2028DGDtrl_sub.csv	-1:53	-4	-1	0	0	0	-6
2031DGDtrl_sub.csv	-1:25	-5	-1	0	0	0	-6
2034DGDtrl_sub.csv	-0:46	-4	0	0	0	0	-5
2037DGDtrl_sub.csv	-0:06	1	1	1	0	0	2
2039DGDtrl_sub.csv	0:14	0	5	0	2	0	8
2042DGDtrl_sub.csv	0:43	1	3	1	-1	0	4
2045DGDtrl_sub.csv	1:12	-23	3	2	1	0	-17
2048DGDtrl_sub.csv	1:41	-1	2	1	-1	0	2
2051DGDtrl_sub.csv	2:09	1	2	0	-1	0	2
2054DGDtrl_sub.csv	2:46	1	1	0	-1	0	1
2057DGDtrl_sub.csv	3:11	1	1	0	-1	0	2
2060DGDtrl_sub.csv	3:38	1	1	0	0	0	3
2063DGDtrl_sub.csv	4:10	2	1	0	0	0	3
2066DGDtrl_sub.csv	4:45	0	0	0	1	0	2
2069DGDtrl_sub.csv	5:22	4	0	1	0	0	4
2072DGDtrl_sub.csv	5:43	3	-1	1	0	0	3
2075DGDtrl_sub.csv	6:12	8	-1	1	0	0	8
2078DGDtrl_sub.csv	6:32	2	-6	1	0	0	-3

Concentration distribution over the cross section.

<i>Filename</i>	<i>Time to HW [hh:mm]</i>	<i>Cmid [mg/l]</i>	<i>Ctop [mg/l]</i>	<i>Cbottom [mg/l]</i>	<i>Cleft [mg/l]</i>	<i>Crigh [mg/l]</i>	<i>Ctotal [mg/l]</i>
2001DGDtrl_sub.csv	6:28	7	39	27	31	18	-56
2003DGDtrl_sub.csv	-5:32	79	39	31	31	30	51
2006DGDtrl_sub.csv	-5:10	45	41	37	33	64	42
2008DGDtrl_sub.csv	-4:51	66	58	85	46	51	65
2011DGDtrl_sub.csv	-4:32	103	72	99	74	46	96
2013DGDtrl_sub.csv	-4:14	118	73	92	90	32	101
2016DGDtrl_sub.csv	-3:45	-18	100	-74	129	37	49
2019DGDtrl_sub.csv	-3:24	-36	288	-1528	75	32	-23
2022DGDtrl_sub.csv	-2:59	21	-20	183	53	29	33
2025DGDtrl_sub.csv	-2:23	126	19	23	41	69	158
2028DGDtrl_sub.csv	-1:53	36	130	33	48	33	38
2031DGDtrl_sub.csv	-1:25	33	29	37	34	24	33
2034DGDtrl_sub.csv	-0:46	23	9	21	16	21	23
2037DGDtrl_sub.csv	-0:06	3	12	53	44	35	6
2039DGDtrl_sub.csv	0:14	1	29	33	53	27	18
2042DGDtrl_sub.csv	0:43	3	19	48	44	18	9
2045DGDtrl_sub.csv	1:12	-108	16	140	89	36	-39
2048DGDtrl_sub.csv	1:41	-2	13	30	34	14	4
2051DGDtrl_sub.csv	2:09	4	12	20	23	16	7
2054DGDtrl_sub.csv	2:46	4	13	33	18	13	6
2057DGDtrl_sub.csv	3:11	5	13	18	36	12	6
2060DGDtrl_sub.csv	3:38	7	11	15	13	11	9
2063DGDtrl_sub.csv	4:10	9	12	13	28	10	10
2066DGDtrl_sub.csv	4:45	5	-17	35	28	16	11
2069DGDtrl_sub.csv	5:22	17	42	33	24	16	17
2072DGDtrl_sub.csv	5:43	19	44	33	23	21	17
2075DGDtrl_sub.csv	6:12	31	53	56	39	32	31
2078DGDtrl_sub.csv	6:32	20	62	51	53	36	-91



## **APPENDIX G. AVERAGE SEDIMENT CONCENTRATION FOR THE TOTAL CROSS-SECTION**



<i>Transect name</i>	<i>Time [hh:mm MET]</i>	<i>Time after HW [hh:mm]</i>	<i>Average measured SS Concentration [mg/l]</i>
2001DGDtrl_sub.csv	07:56	06:26	23
2003DGDtrl_sub.csv	08:15	-05:34	23
2006DGDtrl_sub.csv	08:38	-05:12	30
2008DGDtrl_sub.csv	08:56	-04:54	41
2011DGDtrl_sub.csv	09:15	-04:35	54
2013DGDtrl_sub.csv	09:34	-04:16	54
2016DGDtrl_sub.csv	10:02	-03:48	52
2019DGDtrl_sub.csv	10:23	-03:27	49
2022DGDtrl_sub.csv	10:48	-03:02	46
2025DGDtrl_sub.csv	11:24	-02:26	60
2028DGDtrl_sub.csv	11:55	-01:55	41
2031DGDtrl_sub.csv	12:22	-01:28	30
2034DGDtrl_sub.csv	13:00	-00:50	25
2037DGDtrl_sub.csv	13:41	-00:09	33
2039DGDtrl_sub.csv	14:02	00:12	33
2042DGDtrl_sub.csv	14:31	00:41	29
2045DGDtrl_sub.csv	15:00	01:10	49
2048DGDtrl_sub.csv	15:29	01:39	17
2051DGDtrl_sub.csv	15:57	02:07	15
2054DGDtrl_sub.csv	16:34	02:44	14
2057DGDtrl_sub.csv	16:59	03:09	13
2060DGDtrl_sub.csv	17:26	03:36	11
2063DGDtrl_sub.csv	17:58	04:08	11
2066DGDtrl_sub.csv	18:33	04:43	20
2069DGDtrl_sub.csv	19:10	05:20	21
2072DGDtrl_sub.csv	19:31	05:41	22
2075DGDtrl_sub.csv	20:00	06:10	34
2078DGDtrl_sub.csv	20:20	06:30	38
2037DGDtrl_sub.csv	07:56	06:26	23

<i>Tide</i>	<i>Concentration [mg/l]</i>		
	<i>Average</i>	<i>Minimum</i>	<i>Maximum</i>
Ebb	41	23	60
Flood	23	11	49







**APPENDIX H.**

**TEMPORAL VARIATION OF TOTAL FLUX, TOTAL  
DISCHARGE AND SUSPENDED SEDIMENT  
CONCENTRATION**






Total discharge through the measured cross section, positive is from dock to river



Total flux through the measured cross section, positive is from dock to river



Suspended sediment concentration through the measured cross section



**APPENDIX I.**

**OVERVIEW OF HCBS2 AND AANSLIBBING**

**DEURGANCKDOK REPORTS**





<b>Report</b>	<b>Description of HCBS2</b>
<b>Ambient Conditions Lower Sea Scheldt</b>	
5.3	Overview of ambient conditions in the river Scheldt – January-June 2006 (I/RA/11291/06.088/MSA)
5.4	Overview of ambient conditions in the river Scheldt – July-December 2006 (I/RA/11291/06.089/MSA)
5.5	Overview of ambient conditions in the river Scheldt : RCM-9 buoy 84 & 97 (1/1/2007 -31/3/2007) (I/RA/11291/06.090/MSA)
5.6	Analysis of ambient conditions during 2006 (I/RA/11291/06.091/MSA)
<b>Calibration</b>	
6.1	Winter Calibration (I/RA/11291/06.092/MSA)
6.2	Summer Calibration and Final Report (I/RA/11291/06.093/MSA)
<b>Through tide Measurements Winter 2006</b>	
7.1	21/3 Scheldewacht – Deurganckdok – Salinity Distribution (I/RA/11291/06.094/MSA)
7.2	22/3 Parel 2 – Deurganckdok (I/RA/11291/06.095/MSA)
7.3	22/3 Laure Marie – Liefkenshoek (I/RA/11291/06.096/MSA)
7.4	23/3 Parel 2 – Schelle (I/RA/11291/06.097/MSA)
7.5	23/3 Laure Marie – Deurganckdok (I/RA/11291/06.098/MSA)
7.6	23/3 Veremans Waarde (I/RA/11291/06.099/MSA)
<b>HCBS Near bed continuous monitoring (Frames)</b>	
8.1	Near bed continuous monitoring winter 2006 (I/RA/11291/06.100/MSA)
<b>INSSEV</b>	
9	Settling Velocity - INSSEV summer 2006 (I/RA/11291/06.102/MSA)
<b>Cohesive Sediment</b>	
10	Cohesive sediment properties summer 2006 (I/RA/11291/06.103/MSA)
<b>Through tide Measurements Summer 2006</b>	
11.1	Through Tide Measurement Sediview and Siltprofiler 27/9 Stream - Liefkenshoek (I/RA/11291/06.104/MSA)
11.2	Through Tide Measurement Sediview 27/9 Veremans - Raai K (I/RA/11291/06.105/MSA)
11.3	Through Tide Measurement Sediview and Siltprofiler 28/9 Stream - Raai K (I/RA/11291/06.106/MSA)
11.4	Through Tide Measurement Sediview 28/9 Veremans - Waarde(I/RA/11291/06.107/MSA)
11.5	Through Tide Measurements Sediview 28/9 Parel 2 - Schelle (I/RA/11291/06.108/MSA)
11.6	Through Tide measurement 26/9 Scheldewacht – Deurganckdok – Salinity Distribution (I/RA/11291/06.161/MSA)

<b>Analysis</b>	
12	Report concerning the presence of HCBS layers in the Scheldt river (I/RA/11291/06.109/MSA)

<b>Report</b>	<b>Description</b>
<b>Sediment Balance: Bathymetry surveys, Density measurements, Maintenance and construction dredging activities</b>	
1.10	Sediment Balance: Three monthly report 1/4/2007 - 30/06/2007 (I/RA/11283/07.081/MSA)
1.11	Sediment Balance: Three monthly report 1/7/2007 – 30/09/2007 (I/RA/11283/07.082/MSA)
1.12	Sediment Balance: Three monthly report 1/10/2007 – 31/12/2007 (I/RA/11283/07.083/MSA)
1.13	Sediment Balance: Three monthly report 1/1/2007 – 31/03/2007 (I/RA/11283/07.084/MSA)
1.14	Annual Sediment Balance (I/RA/11283/07.085/MSA)
<b>Factors contributing to salt and sediment distribution in Deurganckdok: Salt-Silt (OBS3A) &amp; Frame measurements, Through tide measurements (SiltProfiling &amp; ADCP) &amp; Calibrations</b>	
2.09	Calibration stationary equipment autumn (I/RA/11283/07.095/MSA)
2.10	Through tide measurement Siltprofiler 23 October 2007 (I/RA/11283/07.086/MSA)
2.11	Through tide measurement Salinity Profiling winter (I/RA/11283/07.087/MSA)
2.12	Through tide measurement Sediview winter (I/RA/11283/07.088/MSA)
2.13	Through tide measurement Sediview winter (I/RA/11283/07.089/MSA)
2.14	Through tide measurement Sediview winter (I/RA/11283/07.090/MSA)
2.15	Through tide measurement Siltprofiler (to be scheduled) (I/RA/11283/07.091/MSA)
2.16	Salt-Silt distribution Deurganckdok summer (21/6/2007 – 30/07/2007) (I/RA/11283/07.092/MSA)
2.17	Salt-Silt distribution & Frame Measurements Deurganckdok autumn (17/09/2007 - 10/12/2007) (I/RA/11283/07.093/MSA)
2.18	Salt-Silt distribution & Frame Measurements Deurganckdok winter (18/02/2008 - 31/3/2008) (I/RA/11283/07.094/MSA)
2.19	Calibration stationary & mobile equipment winter (I/RA/11283/07.096/MSA)
<b>Boundary Conditions: Upriver Discharge, Salt concentration Scheldt, Bathymetric evolution in access channels, dredging activities in Lower Sea Scheldt and access channels</b>	
3.10	Boundary conditions: Three monthly report 1/4/2007 – 30/06/2007 (I/RA/11283/07.097/MSA)
3.11	Boundary conditions: Three monthly report 1/7/2007 – 30/09/2007 (I/RA/11283/07.098/MSA)
3.12	Boundary conditions: Three monthly report 1/10/2007 – 31/12/2007 (I/RA/11283/07.099/MSA)
3.13	Boundary conditions: Three monthly report 1/1/2008 – 31/03/2008 (I/RA/11283/07.100/MSA)
3.14	Boundary conditions: Annual report (I/RA/11283/07.101/MSA)
<b>Analysis</b>	
4.10	Analysis of Siltation Processes and Factors (I/RA/11283/07.102/MSA)