

Session 2: Sea food production

Generate evidence and advice for management of wild-capture fisheries and aquaculture — to help sustain safe and sufficient seafood supplies

(7) VISTools - Fishing vessels as automatic data-gathering platforms – a win-win for fishers and scientists

Lancelot Blondeel¹, Pedro Rappé, Brahim Al Farisi, Wim Allegaert

¹ Flanders Research Institute for Agriculture, Fisheries and Food (ILVO), Fisheries and Aquatic Production, Ankerstraat 1, 8400 Oostende, Belgium

A skipper of a fishing vessel has access to various sources of information that help him manage his work. Sensors track the location (e.g., GPS/VMS), monitor any fishing activity (e.g., towing force, depth), fuel use and register landed catch (i.e., via an electronic weighing scale). These sensors gather valuable data, but none of that are of any use, if data are not integrated, stored or processed.

By automating data collection from conventional equipment on-board and coupling this information with economic parameters (e.g. fish prices and fuel prices), the VISTools-project aims to (1) develop a business intelligence tool for fishers and (2) evaluate the possibility of sharing this information for research purposes. With this approach, we hope fishers gain new insight in the economic performance of their fishery. This could trigger behavioural changes that increase the efficiency of the vessel and simultaneously reduce the impact on the environment. Additionally, the business intelligence tool incentivizes fishers to keep gathering information that have great scientific relevance, and share this information under clearly defined conditions. This data could open new research possibilities including catch prediction models, decision support tools, avoidance of sensitive areas, and real time closures. This high resolution of spatial information can also lead to better advice to fisheries management and governmental bodies (e.g., real time monitoring of quota usage).

The first results of this project have led to the development of a proof-of-concept business intelligence tool that logs the landings of a single test vessel and automatically tracks economic performance. With this tool, a vessel owner can evaluate the economic performance and catches of a vessel at haul level. Since all sensor data have a geographic component, all landings data can be tracked to a certain location and provide insights in the economic performance of the fishing grounds (heat map). The six months' worth of data have already proven to provide interesting insights for the skippers and vessel owner, and is very promising for scientific research.

Work related to ICES via WK SCINDI (Workshop on Science with Industry Initiatives)

(8) Scientific surveys: the backbone to fisheries science

Loes Vandecasteele¹ and **Lies Vansteenbrugge**¹

¹ Flanders Research Institute for Agriculture, Fisheries and Food ILVO, Animal Sciences Unit – Fisheries and Aquatic production, Ankerstraat 1, 8400 Oostende, Belgium. E-mail: Loes.Vandecasteele@ilvo.vlaanderen.be

Within the EU Data Collection Framework, Belgium is responsible for 2 scientific surveys, both supported by ICES: the Belgian beam trawl survey (BTS) and the demersal young fish survey (DYFS). The surveys occur in the third quarter and serve as a data gathering platform to increase knowledge on the marine ecosystem.

During the BTS, 62 stations are sampled along the south-east coast of the UK by RV Belgica. The initial purpose of this survey is to monitor trends in demersal fish stocks, especially sole (*Solea solea*) and plaice (*Pleuronectes platessa*) by collecting information on length, weight, age, sex and maturity. The Belgian BTS survey index is used in the assessments of both North Sea sole and plaice. However, all fish species are weighted and measured and since 2009 also epi-benthos is collected, counted and weighted by species. Since 2011, marine litter is collected, categorized and weighted and this data is supplied to OSPAR and WGML.

The DYFS is concentrated in the Belgian Part of the North Sea where 33 stations are sampled by RV Simon Stevin. The purpose is to monitor trends in mainly juvenile flatfish such as sole (*Solea solea*), plaice (*Pleuronectes platessa*), dab (*Limanda limanda*) and round fish such as whiting (*Merlangius merlangus*) and brown shrimp (*Crangon crangon*). Catch