

Time-domain wave propagation modelling for assessing the impact of WEC farms on the wave field and the local morphodynamics and sediment transport

Jaramillo-Torres, M.G.¹, Carpintero Moreno E.², Stratigaki Vasiliki², Troch Peter²

¹ Instituto de Investigaciones Oceanológicas, Universidad Autónoma de Baja California, Carr. Transpeninsular 3917, 22870, Ensenada, México.

² Department of Civil Engineering, Ghent University, Technologiepark 60, 9052 Ghent, Belgium.

mgjatorres@gmail.com; efrain.carpinteromoreno@ugent.be; vicky.stratigaki@ugent.be; peter.troch@ugent.be;

Ocean waves carry part of the energy transferred from the atmosphere to the sea surface over long distances. Some of this energy can be harvested using wave energy converters (WECs). The performance (energy extraction) of isolated WECs and WEC arrays is strongly dependent on: i) the dominant sea-state [1]; ii) its temporal and spatial variability; iii) the wave-structure interaction within the WEC array; and iv) on the local environmental features.

The most common approach to estimate the power absorbed by WECs is considering bulk parameters to represent the directional wave spectrum [2,3]. This approximation is not entirely accurate, particularly at regions with complex and variable wave conditions [4]. A full description of the waves, through the directional wave spectrum or the sea surface elevation, is desirable for such cases. Both can be approached by employing numerical simulations. In the literature, the wave energy redistribution around WECs has been widely simulated using the spectral numerical model SWAN (Simulating WAVes Nearshore) [5,6], where WECs are represented as obstacles [7]. However, the SWAN model cannot solve the evolution of individual waves nor wave-structure interactions. Consequently, the wave-induced velocity field is not resolved, and hence the sediment transport cannot be adequately estimated using this model. For that reason, using a phase-resolving model is more convenient. Different numerical models have been used to resolve the wave propagation and far-field wake effects by the presence of WEC arrays [8, 9].

In this work, we propose to use the MILDwave phase-resolving wave propagation model, developed at Ghent University [9, 10, 11], coupled with a wave-structure interaction solver to take into account the WEC performance and its effects on the near and far-field [12]. It is intended to obtain the wave-induced velocity field, which will be used to solve the advection-diffusion equation for sediment transport due to the presence of WECs. For the numerical simulations, the boundary and initial conditions will be determined to carry out test cases with different WEC array configurations and for different scenarios of incident wave conditions. Finally, to analyze the effects on sediment transport and morphodynamics, several parameters will be studied. Such as bed shear stress, erosion and sedimentation, and other morphological indexes that had been previously established [13].



COST is supported by the EU Framework Programme Horizon 2020. COST (European Cooperation in Science and Technology) is a funding agency for research and innovation networks. COST Actions help connect research initiatives across Europe and enable scientists to grow their ideas by sharing them with their peers.

References

1. G.A. Aggidis, C.J. Taylor (2017). Overview of wave energy converter devices and the development of a new multi-axis laboratory prototype. IFAC-Papers OnLine, Pages 15651-15656.
2. A. Babarit (2015). A database of capture width ratio of wave energy converters. Renewable Energy, Elsevier. Volume 80, Pages 610-628, ISSN 0960-1481.
3. Guillou, N.; Lavidas, G.; Chapalain, G. (2020). Wave Energy Resource Assessment for Exploitation. A Review. Journal of Marine Science and Engineering. 8, no. 9: 705.
4. J-B. Saulnier, A. Clément, A. F. de O. Falcão, T. Pontes, M. Prevosto, P. Ricci (2011). Wave groupiness and spectral bandwidth as relevant parameters for the performance assessment of wave energy converters, Ocean Engineering, Volume 38, Issue 1, Pages 130-147.
5. O'Dea, A., Haller, M. C., y Özkan Haller, H. T. (2018). The impact of wave energy converter arrays on wave-induced forcing in the surf zone. Ocean Engineering, 161: 322–336.
6. Atan, R., Finnegan, W., Nash, S., y Goggins, J. (2019). The effect of arrays of wave energy converters on the nearshore wave climate. Ocean Engineering, 172: 373–384.
7. The SWAN Team (2019). SWAN Cycle III version 41.20AB, April 15, Delft University of Technology, SWAN Scientific and Technical Documentation. Vol 104.
8. Verao Fernandez, Gael, Vicky Stratigaki, and Peter Troch (2019). “Irregular Wave Validation of a Coupling Methodology for Numerical Modelling of Near and Far Field Effects of Wave Energy Converter Arrays.” Energies 12 (3).
9. Troch, Peter, & Stratigaki, V. (2016). Phase-resolving wave propagation array models. In M. Foley (Ed.), Numerical modelling of wave energy converters : state-of-the-art techniques for single devices and arrays (pp. 191–216). Elsevier.
10. Troch, P. MILDwave (1998). A Numerical Model for Propagation and Transformation of Linear Water Waves; Internal Report; Department of Civil Engineering, Ghent University: Zwijnaarde, Belgium.
11. Vasarmidis, P.; Stratigaki, V.; Troch, P. (2019). Accurate and Fast Generation of Irregular Short Crested Waves by Using Periodic Boundaries in a Mild-Slope Wave Model. *Energies*, 12, 785.
12. Stratigaki, V., Troch, P., & Forehand, D. (2019). A fundamental coupling methodology for modeling near-field and far-field wave effects of floating structures and wave energy devices. Renewable Energy, 143, 1608–1627.
13. Sierd de Vries, Meagan Wengrove, Judith Bosboom (2020). 1 - Marine Sediment Transport. Helene Burningham, Miriam Fernandez-Nunez (2020). 9 - Shoreline Change Analysis. Sandy Beach Morphodynamics. Editor(s): Derek W.T. Jackson, Andrew D. Short. Elsevier.



COST is supported by the EU Framework Programme Horizon 2020. COST (European Cooperation in Science and Technology) is a funding agency for research and innovation networks. COST Actions help connect research initiatives across Europe and enable scientists to grow their ideas by sharing them with their peers.

Acknowledgements

Vasiliki Stratigaki is a postdoctoral researcher (fellowship 1267321N) of the FWO (Fonds Wetenschappelijk Onderzoek - Research Foundation Flanders), Belgium.

M.G. Jaramillo-Torres is a research assistant of the Mexican Center for Research and Innovation on Marine Energy (CEMIE-Oceano) funded by the National Research Council in Mexico (CONACYT) and the Secretariat of Energy (SENER), Mexico.

Efrain Carpintero Moreno; Special acknowledgments to the supporting consortium of the Blue Accelerator project; Agentschap Innoveren & Ondernemen, Europees fonds voor regionale ontwikkeling, Europese Unie, West-Vlaanderen.



COST is supported by the EU Framework Programme Horizon 2020. COST (European Cooperation in Science and Technology) is a funding agency for research and innovation networks. COST Actions help connect research initiatives across Europe and enable scientists to grow their ideas by sharing them with their peers.