

Information Management**Introducing the World Register of Introduced Marine Species (WRiMS)**

Mark John Costello^{1,2,*}, Stefanie Dekeyzer³, Bella S. Galil⁴, Pat Hutchings⁵, Stelios Katsanevakis⁶, Shyama Pagad⁷, Tamara B. Robinson⁸, Xavier Turon⁹, Leen Vandepitte³, Bart Vanhoorne³, Kevin Verfaillie³, Richard C. Willan¹⁰ and Marc Rius^{11,12}

¹School of Environment, University of Auckland, Auckland 1142, New Zealand

²Faculty of Biosciences and Aquaculture, Nord University, Bodø, Norway

³Flanders Marine Institute (VLIZ), InnovOcean Site, Oostende, Belgium

⁴The Steinhardt Museum of Natural History, Tel Aviv University, Tel Aviv 69978, Israel

⁵Australian Museum Research Institute, Sydney NSW 2101, Australia and Biological Sciences, Macquarie University, North Ryde 2109, Australia

⁶Department of Marine Sciences, University of the Aegean, 81100 Mytilene, Greece

⁷IUCN SSC Invasive Species Specialist Group, University of Auckland, Auckland, New Zealand

⁸Centre for Invasion Biology, Department of Botany and Zoology, Stellenbosch University, Matieland, 7602, South Africa

⁹Center for Advanced Studies of Blanes (CEAB, CSIC), Accés a la Cala Sant Francesc 14, 17300 Blanes (Girona), Spain

¹⁰Museum and Art Gallery of the Northern Territory, Darwin, NT 0829, Australia

¹¹School of Ocean and Earth Science, University of Southampton, National Oceanography Centre, European Way, Southampton, SO14 3ZH, United Kingdom

¹²Department of Zoology, Centre for Ecological Genomics and Wildlife Conservation, University of Johannesburg, 2006 Johannesburg, South Africa

*Corresponding author

E-mail: m.costello@auckland.ac.nz

Citation: Costello MJ, Dekeyzer D, Galil BS, Hutchings P, Katsanevakis S, Pagad S, Robinson TB, Turon X, Vandepitte L, Vanhoorne B, Verfaillie K, Willan RC, Rius M (2021) Introducing the World Register of Introduced Marine Species (WRiMS). *Management of Biological Invasions* 12(4): 792–811, <https://doi.org/10.3391/mbi.2021.12.4.02>

Received: 22 December 2020

Accepted: 23 August 2021

Published: 8 October 2021

Thematic editor: Joana Dias

Copyright: © Costello et al.

This is an open access article distributed under terms of the Creative Commons Attribution License (Attribution 4.0 International - CC BY 4.0).

OPEN ACCESS**Abstract**

A major historical challenge for the management of anthropogenic introductions of species has been the absence of a globally standardised system for species nomenclature. For over a decade, the World Register of Marine Species (WoRMS) has provided a taxonomically authoritative classification and designation of the currently accepted names for all known marine species. However, WoRMS mainly focuses on taxonomy and does not specifically address species introductions. Here, we introduce the World Register of Introduced Marine Species (WRiMS), a database directly linked to WoRMS that includes all introduced marine species, distinguishing native and introduced geographic ranges. Both the WoRMS and WRiMS contents are continually updated by specialists who add citations of original species descriptions, key taxonomic literature, images and notes on native and introduced geographic distributions. WRiMS editors take responsibility for assessing the validity of species records by critically evaluating if a species has been introduced to a region, erroneously identified and/or potentially naturally present in a region but previously unnoticed. WRiMS currently contains 2,714 introduced species. The amount and quality of the information entered depend on the availability of experts to update its contents. Because WRiMS is global and it combines species taxonomic and geographic information with links to other resources and expertise, it is currently the most comprehensive standardised database of marine introduced species. In addition, WRiMS forms the basis for a future global early warning system of marine species introductions.

Key words: invasive, alien, naturalised, non-indigenous, ocean, biodiversity informatics

Introduction

Humans have intentionally and unintentionally moved species around the world since they started navigating the seas (Carlton 1985, 1989). These introduced species are variously called alien, exotic, non-native, non-indigenous and introduced alien species (Essl et al. 2018; Pyšek et al. 2020). Introduced species are a primary driver of global biodiversity change (Pecl et al. 2017), having both ecological and economic impacts across large geographic areas (Parker et al. 1999; David et al. 2017; Anton et al. 2019). Considering these impacts, there is an urgent need to document species introductions (Ojaveer et al. 2018). As a result, regional online lists detailing the presence and distribution of introduced species have been compiled (e.g., Katsanevakis et al. 2012; Robinson et al. 2016). A decade ago, there were over 250 lists (Sellers et al. 2010) and nowadays the Global Invasive Species Information Network lists 193 websites (Anon. 2019). These lists aim to support informed management decisions. For example, they are used to identify species that are not yet present in a region but for which vectors with the potential for transporting species exist (Roy et al. 2014) and the creation of “watch lists” of high-risk species (Faulkner et al. 2014). Should these species be likely to survive the environmental conditions in the new range, they can be added to a watch list of potential invaders (Swart and Robinson 2019). This helps focus monitoring and swift action should a new species introduction be recorded. However, there are several problems associated with the use of these regional lists, including the use of different taxonomic nomenclatures and bias due to available expertise. Thus, there have been calls for a single coordinated system that integrates all the knowledge within these lists into a single global database (Riccardi et al. 2000; Hulme and Weser 2011; McGeoch et al. 2012, 2016). Such a centralised system would allow standardising and achieving quality control at global level, aid risk assessment and be more cost-efficient for management of species introduction’s nomenclature and knowledge.

The first step for listing introduced species is to give them the “correct” name. Using the scientifically most up to date name is critical because the allocation of the name links to the relevant information on its diagnostic characteristics, geographic distribution, ecology and possible environmental, economic and health impacts. However, this initial step may prove very challenging (Pyšek et al. 2013). There are almost 240,000 named marine species with 570,000 marine species names (Horton et al. 2020), and their classification changes in response to new scientific knowledge and hypotheses (Costello et al. 2010, 2013). This is complicated by the fact that some species have tens of scientific names for one biologically valid species (Appeltans et al. 2012; Horton et al. 2018). The great diversity of marine species means that it is beyond the skills of even a person familiar with the local fauna and flora to identify every single species found in the community.

As such, a species newly noted in an area may be allocated the wrong name because it was misidentified or misnamed, and thus the wrong species name may be added to the regional list of introduced species. In some areas where the native fauna is still being described, undescribed native species may be wrongly identified as an introduced species (Hutchings et al. 2002). This means that regional lists of introduced biota often have inaccuracies that can limit their value. Another challenge of regional lists is that the problem of species introductions is a global one, with the introduction of most species being associated with international trade and transport (Essl et al. 2015; Ojaveer et al. 2018) and aquaculture (Lavesque et al. 2020). Thus, local experts may not be able to decide if an unfamiliar species is introduced or native. For example, distinguishing native from introduced polychaetes (Kupriyanova et al. 2013) and unicellular plankton (Gómez 2008, 2019; Gómez et al. 2019) can be challenging. These challenges make comparisons among regions extremely difficult without a global perspective. Thus, there is an urgent need for an integrated database that details the global distribution of marine introduced species and accounts for the most up to date taxonomic nomenclature and classification.

While there are numerous online sources of data on introduced species (Table 1), these are not directly linked to the current taxonomic names and classification of species. To improve the efficiency of allocating the correct name to a newly noted species and mitigating the above challenges, researchers require an open access species database with expert validated nomenclature, species distributions, identification guides and contact details of experts. In the past decade, two global marine biodiversity databases have been established. The first one is the World Register of Marine Species (WoRMS, www.marinespecies.org) that provides a scientifically validated classified checklist of about 238,000 described marine species linked to source literature, synonyms, and contact details of taxonomic experts, amongst other information (Costello et al. 2013, 2018; Horton et al. 2017). This database is continually edited by about 300 experts. The second database is the Ocean Biodiversity (formerly Biogeographic) Information System (OBIS, www.iobis.org) that publishes standardised spatial and temporal records on reported locations of over 155,000 marine species (Wood et al. 2006; Costello et al. 2007, 2015). However, until recently, no open access, standardised, expert-edited list of marine introduced species has been available. This is despite the acknowledgement that such a database is key to tracking transboundary spatial patterns in biological invasions, especially considering contemporary climate change (Robinson et al. 2020).

Here we present the World Register of Introduced Marine Species (WRiMS), the first consolidated expert-edited world list of all introduced marine species (Rius et al. 2021). WRiMS is structurally linked to WoRMS, which means that the taxonomic information of the species found in WRiMS is automatically updated by the WoRMS experts.

Table 1. Examples of online databases related to marine introduced species and their scope. See Ricciardi et al. (2000) for a list of 27 regional and national databases concerning introduced species.

| Database | Scope |
|---|---|
| Global Invasive Species Database GISD http://www.iucngisd.org/gisd/ | Profiles on knowledge of selected invasive species. |
| Global Register of Introduced and Invasive Species (GRIIS) http://www.griis.org/ | Checklists of species introduced to particular countries (Pagad et al. 2018). |
| European Alien Species Information Network - EASIN https://easin.jrc.ec.europa.eu/ | Lists species introduced to Europe (Katsanevakis et al. 2012). |
| OBIS www.iobis.org | Primary data on the distribution of marine species in space and time. |
| GBIF www.gbif.org | Primary data on the distribution of species in space and time. |
| Aquamaps www.aquamaps.org | Maps of the geographic ranges of aquatic species predicted by their environmental range. |
| FishBase www.fishbase.org | Wide range of data on all fish species. |
| SeaLifeBase www.sealifebase.org | Like FishBase in design and structure, but for non-fish marine species. |
| AquaNIS http://www.corpi.ku.lt/databases/index.php/aquanis | A flexible multi-criteria search engine (by taxonomy, geography, pathways, biological traits, status in recipient habitat, etc) of marine introduced species. |
| Belgian Forum on Invasive Species (BFIS) https://ias.biodiversity.be/ | Belgium |
| National Invasive Species Information Centre https://www.invasivespeciesinfo.gov/animals/main.shtml | USA |
| Centre for invasive species and ecosystem health https://www.invasive.org/ | USA |
| National Estuarine and Marine Exotic Species Information System (NEMESIS) https://invasions.si.edu/nemesis/ | USA |
| Invasive Species Compendium Centre for Agriculture and Bioscience International https://www.cabi.org/isc | Worldwide all-taxon scope. |
| NIMPIS database https://www.marinepests.gov.au/pests/nimpis | Profiles on knowledge of selected invasive species in Australia. |

Materials and methods

Data sources and history

In 2008 and 2009 the IUCN Invasive Species Specialist Group (ISSG) worked on a project with the aim of developing resources for OBIS, which produced a first annotated dataset of marine introduced and invasive species for WoRMS. In 2013–2014, ISSG worked with the Flanders Marine Institute (VLIZ) on a data collection project developed within the framework of the Biology Project of the European Marine Observation and Data Network (EMODNet) to complete trait information related to “invasiveness” for marine species. WRiMS defines invasive species as introduced species that are “*spreading geographically, or where scientific evidence of negative impacts on native biodiversity has been recorded*” and provides a glossary of its terminology on its website.

Data were extracted from over 3,600 publications listed on the WRiMS website, including compilations at global (e.g., Molnar et al. 2008), regional (e.g., Streftaris et al. 2005), national (e.g. Galil 2007) and local (e.g. Marchini

et al. 2015a) scale inventories. Available information on species' abundance, evidence of impacts on biodiversity, and pathways of introduction and spread were documented. Mistaken or uncertain records, such as suspected misidentifications, species not introduced by human action but naturally spreading, and cryptogenic species, are all too often included in inventories and propagated through the literature (Marchini et al. 2015b). These questionable records are checked by the editors.

Data validation

WRiMS records are validated by the editors based on defined criteria on taxonomic identity and introduction status (following Marchini et al. 2015b), starting with a critical examination of primary (original introduction) records. For inclusion, at least one of the following criteria confirming the introduced status of a species is required: (a) comparison with scientific reference material (e.g., specimens, photographs, video); (b) examination of specimens by a taxonomic expert; and/or (c) molecular analysis.

The unequivocal designation of a species as “introduced” requires knowledge on its native range and likely vectors and pathways of introduction. Thus, based on this criterion, records requiring additional evidence before being classified as introduced in WRiMS include: (1) species of unknown native origin (cryptogenic species; *sensu* Carlton 1996); (2) widespread species with unknown biogeographic history; (3) species unlikely to have been introduced by human action (natural range expanding species); and (4) new records of species in the deep-sea (typically below 200 m depth) because such species may be rarely recorded but have very wide distributions.

Only species supported by reliable records, i.e., providing enough evidence that the species was present alive and has been collected in environments open to the sea, are included in WRiMS. Based on this criterion, records that require additional evidence before inclusion in WRiMS comprise: (1) freshwater species occasionally recorded in transitional environments that are unlikely to establish breeding populations and to spread further to other coastal environments; (2) species identified from shells (molluscs, serpulid worms, barnacles and other crustaceans, bryozoans, brachiopods) as they may have been transported as non-living material; (3) evidence of the species based only on dead or detached parts of the organisms, benthic species identified from unattached or floating specimens, or fragments unable to re-attach or generate viable propagules; and (4) species recorded exclusively from their associated vectors, e.g. moored vessels, ballast water or ballast tanks, gas or oil platforms.

Database structure and software

WRiMS is part of the Aphia platform, which is an infrastructure designed to capture taxonomic and related data and information in a structured way

(Vandepitte et al. 2015, 2018). The Aphia platform is a Microsoft Structured Query Language (MS SQL) database, containing more than 400 data-fields. Within Aphia, about 500 experts maintain several Global, Regional and Thematic Species Databases. WRiMS is one of the Thematic Species Databases of Aphia, as it groups existing taxa based on a specific theme (in this case “introduced”). As the relevant information for introduced species can be quite specific, a number of database fields and features have been made available specifically for WRiMS, to allow the editorial community of WRiMS to capture all relevant information. These extra database fields include: “Origin”, “Invasiveness” and “Occurrence”. The fields were added to the geographic distribution module of Aphia, so each separate distribution record can have these three properties assigned. Thus, a species distribution record can be considered introduced in a certain location rather than the species being introduced everywhere it occurs. The pathways and vectors per location were added as a note to the species record. The terminology used in WRiMS is intended to be self-explanatory and is listed and defined in Table 2.

Management

WRiMS is part of WoRMS, and as such it reports to the WoRMS Steering Committee and Editorial Board. The Steering Committee is elected by all taxonomic, regional and thematic editors of the underlying Aphia database. The Steering Committee decides on the general direction of WoRMS. In addition, WRiMS also relies on the taxonomic editors as they keep the taxonomy of WoRMS up to date on a voluntary basis (Costello et al. 2013; Vandepitte et al. 2015; Horton et al. 2017). WRiMS has its own steering committee (Rius et al. 2021), which is in charge of identifying data gaps and coordinating activities. Following the founding principles of WoRMS, its predecessor the European Register of Marine Species (ERMS) (Costello 2000), and the former Society for the Management of Electronic Biodiversity Data (SMEBD), the content is owned by the WoRMS Editorial Board which includes WRiMS editors and follows their terms of reference and conditions of participation (Box 1). Individual editors retain the full rights to use their own data and information, but have also given the Editorial Board the right and responsibility to publish, disseminate, expand and update the content. Thus, an editor cannot place restrictions on the dissemination of the data (it is published open-access), nor ask for their content to be removed, for example if they resign or retire or have a dispute with other editors, VLIZ, or the WoRMS or WRiMS committees. The WoRMS Steering Committee is responsible for coordinating all editors in the database, both those with taxonomic and thematic responsibilities. Where WRiMS requires special features or changes to Aphia that may affect other WoRMS editors, then the WoRMS Steering Committee may need to approve them.

Table 2. Terminology used in WRiMS. For a more detailed marine ecology glossary see Costello et al. (2020).

| Invasiveness | Definition with respect to an introduced species |
|----------------------------|--|
| Invasive | Spreading geographically, or where scientific evidence of negative impacts on native biodiversity has been recorded. |
| Invasiveness not specified | “Invasiveness” has not been specified or evidence of impact documented. |
| Invasiveness uncertain | “Invasiveness” is uncertain and evidence of impact is not clear. |
| Management recorded | Species is being managed to prevent introduction and/or spread. |
| Not invasive | Which do not spread, or not shown to have impacts on native biodiversity. |
| Of concern | Species that have not displayed any invasiveness in the country or sea area where they have been introduced but are known to be invasive in their introduced range elsewhere; and whose life stage forms can be dispersed through ballast water and or hull fouling. |

Self-explanatory terminology

Origin: Alien; Native; Native endemic; Native non-endemic; Origin uncertain; Origin unknown.

Location: Introduced country and/or sea area; Native country and/or native sea area; Source country and/or sea area.

Occurrence: Absent; Border Intercept; Detected in invasion pathway; Detected in the wild; Eradicated; Eradication unconfirmed; Established; Established and expanding; Established and stable; Extirpated; In captivity/cultivated; Introduction unverified; Occurrence Not specified; Present/controlled; Recorded in error; Reported; Sometimes present.

Impact: Adverse habitat modification; Alters bio-geochemical/hydrologic cycles; Alters trophic interactions; Aquatic transport; Consumes native species (predator or herbivore); Damage to marine structures or archaeology; Genetic impacts: hybridisation and introgression; Human health; Induces novel behavioural or eco-physiological responses; Loss or gain of aquaculture/commercial/recreational harvest; Loss of public/tourist amenity; Other impact – undefined or uncertain; Outcompetes native species for resources and/or space; Pathogen/parasite or carrier of a pathogen/parasite; Water abstraction or nuisance fouling.

Pathways and vectors: Aquaculture: accidental; Bio-control: accidental translocation with deliberate bio-control release; Bio-control: deliberate translocation as a bio-control agent; Canals: natural range expansion through man-made canals; Debris: transport of species on human generated debris; Fisheries: accidental as bait; Fisheries: accidental with deliberate translocations of fish or shellfish; Fisheries: accidental with fishery products, packing or substrate; Fisheries: deliberate translocations of fish or shellfish to establish or support fishery; Individual release: accidental release by individuals; Individual release: deliberate release by individuals; Natural dispersal; Pathway/vector: Other; Pathway/vector: Unknown; Plant introductions: accidental with deliberate plant translocations; Plant introductions: deliberate translocation of plant species; Recreational equipment: accidental with recreational equipment; Scientific research: accidental release with research activities; Scientific research: deliberate release with research activities; Seaplanes: accidental as attached or free-living fouling organisms; Ships: accidental as attached or free-living fouling organisms; Ships: accidental associated with cargo; Ships: accidental with ballast water, sea water systems, live wells or other deck basins; Ships: accidental with solid ballast; Ships: general.

The WRiMS editors are responsible for the quality and quantity of content in WRiMS. Editors can be thematic or taxonomic in focus and can edit the WRiMS content in their allocated field online. In addition, the editors can provide information directly to the “Data Management Team” for entry into WRiMS. The WRiMS steering committee appoints new editors and replaces those who retire. Editors may resign or be appointed at any time. This committee consists of at least five persons with terms of two years and no more than six years in total. Decisions are by consensus, and if consensus is not possible then a vote is taken with the Chair only voting if necessary. The citation of WRiMS includes all active editors in alphabetical order. Changes to these practices can be made following consultation with all WRiMS editors and the WoRMS Steering Committee.

Results

As of 18th December 2020, 2,714 marine species of 34 phyla were included in WRiMS (Table 3). Of these, 2,159 were confirmed introductions, of which 11% (213 Animalia, 17 Chromista and 23 Plantae) were classified as

Box 1.

Terms of Reference for the Steering Committee, editors and data management team of the World Register of Marine Species and associated databases, including the World Register of Introduced Marine Species (WRiMS).

This document establishes the basis on which data and/or intellectual property (IPR) is provided to the World Register of Marine Species database and associated databases (WoRMS) and how these data and IPR are managed. The associated databases may be defined geographically, taxonomically, or by other themes.

By voluntarily providing data or other documented expertise or assistance to WoRMS you as WoRMS editor accept the terms laid out below.

The governance structure of WoRMS comprises three components:

1. The **WoRMS editorial board (WoRMS editors)** includes all active editors and data providers.
2. The **WoRMS steering committee (WoRMS SC)** leads the editorial board. The WoRMS SC members appoint a chair and vice-chair by majority vote. The SC will have 12 elected members and 1 ex officio DMT member. Elections will be organized yearly, with a rotation time of 3 years for each member to ensure continuity and renewal. All taxonomic and theme editors and data provider head managers are eligible for candidacy and can nominate candidates.
3. The **WoRMS data management team (WoRMS DMT)** is appointed by VLIZ to run the database.

Together WoRMS DMT and WoRMS SC further consult to decide WoRMS policy, plan future developments, raise funding, and promote public use of the database.

Your rights as editor or data provider:

1. You keep the right to use and publish any data which you have provided without needing to inform the WoRMS SC.
2. You can provide your data to WoRMS either via the online interface or by direct communication with WoRMS DMT.
3. Your contributions will be acknowledged in all publications of the database and derivatives of it, either personally or by your membership to the editorial board.
4. You will receive reports on the actions taken by the WoRMS SC and DMT.
5. You will be invited to vote and nominate candidates (including self-nominations) for the WoRMS SC, at least one month prior to the elections.

You further agree that:

6. The data provided to the database can only be removed for scientific reasons, with larger datasets only to be removed after approval by the WoRMS SC.
7. You have taken reasonable measures to ensure that the data provided is scientifically correct, and free of copyright infringements, and to inform the DMT in case of doubts.
8. You will inform the DMT of errors in the database, copyright infringements or plagiarism by third parties.
9. When you use the online editing interface, you will follow the suggested procedures in the online manual, and if needed request support and clarification from the DMT at info@marinespecies.org and the chief editor for your taxon group.
10. You agree to respond to requests from DMT or users to add or correct data as soon as feasible.
11. You delegate to the WoRMS SC and the DMT the authority to take the necessary actions to **store, copy and disseminate** the database, to **modify** the provided data to protect the integrity and scientific correctness of the database, to further develop the database and promote its use.

A non-exhaustive list of WoRMS SC and DMT activities is laid out below.

Responsibilities and roles of the WoRMS SC:

1. Responsibility to **represent the editors** in all matters relating to the databases, including liaison with other international programs, projects and initiatives concerning the databases, in close collaboration with the Data Management Team (DMT).
2. Responsibility for the **scientific correctness** of the database, and for identifying data gaps.
3. Act to appoint or replace editors who contribute to or validate content of the database,
4. Responsibility to evaluate database download requests, to **license the use** of downloads through a standard agreement application form, and to negotiate exceptional uses of the databases outside the standard license.
5. Act to inform the editors and DMT of infringements in use of the databases and undertake necessary corrective actions.

Responsibilities and roles of the WoRMS DMT:

1. Responsibility for **online publishing** of the database including: taking all necessary actions to insure the database is online at all times; protecting the integrity of the database and the persistence of the unique identifiers; archiving the databases at regular intervals in a secure facility; acting as a first line of support to users; informing editors of remaining unresolved questions.
2. Act to **provide copies** of the databases to third parties upon prior approval by WoRMS SC.
3. Responsibility for informing the WoRMS SC Chair of infringements in use of the databases, and for undertaking necessary corrective actions.
4. Act to **supervise editing activities**, control access and editing rights of editors, support the editors in the use of the online editing environment, upload species registers or other information, maintain the taxonomy in close consultation with, or upon request of, the editors.
5. Act to organize workshops for WoRMS editors and to organize the yearly elections for the WoRMS SC.

Table 3. The number of marine taxon names (including above species level), species names (including synonyms), and accepted species names in WRiMS per kingdom and phylum. The percentage of WoRMS species in WRiMS is shown per taxon, with above average values (> 2.13%) in bold. Note that 265 species in WRiMS are not strictly marine but brackish water, and some 236 species are in WRiMS because they have been mistakenly classified as introduced. The number of accepted species that are both introduced and considered invasive in any place and time is also listed. A breakdown of introduced/invasive species for phyla with over 300 species is, [1] Arthropoda: Merostomata 1/0; Pycnogonida 8/1; Hexanauplia 82/11; Malacostraca 232/40; Ostracoda 1/0; Branchiopoda 4/1; Collembola 1/1; Insecta 3/1. [2] Chordata: Ascidiacea 73/21; Actinopterygii 225/30; Elasmobranchii 15/1; Aves 1/1; Mammalia 2/0; Reptilia 3/0. [3] Mollusca: Bivalvia 141/24; Cephalopoda 6/0; Gastropoda 207/18; Polyplacophora 5/0.

| Taxon | Taxon names | Species names | Accepted species | % in WoRMS | Invasive species |
|---------------------------------|-------------|---------------|------------------|--------------|------------------|
| <i>All biota</i> | 7 974 | 3 410 | 2 714 | 1.46 | 253 |
| Kingdom Animalia | 5 881 | 2 477 | 2 020 | 1.25 | 213 |
| Phylum Annelida | 591 | 288 | 252 | 0.02 | 24 |
| Phylum Arthropoda [1] | 1 387 | 521 | 429 | 2.18 | 55 |
| Phylum Branchiopoda | 7 | 1 | 1 | 0.92 | 1 |
| Phylum Bryozoa | 340 | 161 | 136 | 0.24 | 13 |
| Phylum Chaetognatha | 9 | 3 | 2 | 2.56 | 0 |
| Phylum Chordata [2] | 1 235 | 573 | 521 | 2.27 | 53 |
| Phylum Cnidaria | 397 | 167 | 135 | 2.50 | 17 |
| Phylum Ctenophora | 19 | 4 | 4 | 1.41 | 2 |
| Phylum Echinodermata | 107 | 25 | 20 | 2.00 | 2 |
| Phylum Entoprocta | 10 | 4 | 4 | 0.02 | 0 |
| Phylum Mollusca [3] | 1 484 | 644 | 450 | 1.32 | 42 |
| Phylum Nematoda | 17 | 3 | 1 | 0.05 | 1 |
| Phylum Nemertea | 11 | 2 | 2 | 0.15 | 0 |
| Phylum Platyhelminthes | 95 | 27 | 25 | 0.23 | 0 |
| Phylum Porifera | 113 | 43 | 29 | 0.48 | 3 |
| Phylum Rotifera | 9 | 1 | 1 | 0.55 | 0 |
| Phylum Sipuncula | 33 | 10 | 8 | 6.41 | 0 |
| Kingdom Bacteria | 23 | 3 | 3 | 0.15 | 0 |
| Phylum Cyanobacteria | 7 | 1 | 1 | 0.13 | 0 |
| Phylum Firmicutes | 3 | 0 | 0 | 0.00 | 0 |
| Phylum Proteobacteria | 9 | 2 | 2 | 0.25 | 0 |
| Kingdom Chromista | 1 101 | 465 | 322 | 2.32 | 17 |
| Phylum Bigyra | 6 | 1 | 1 | 1.39 | 0 |
| Phylum Cercozoa | 13 | 4 | 4 | 1.79 | 0 |
| Phylum Ciliophora | 30 | 5 | 4 | 0.19 | 0 |
| Phylum Cryptophyta | 5 | 1 | 1 | 0.96 | 0 |
| Phylum Foraminifera | 279 | 98 | 78 | 1.10 | 2 |
| Phylum Haptophyta | 21 | 5 | 5 | 1.58 | 0 |
| Phylum Myzozoa | 217 | 122 | 87 | 7.63 | 6 |
| Phylum Ochrophyta | 511 | 229 | 142 | 0.00 | 9 |
| Phylum Oomycota | 5 | 0 | 0 | 0.00 | 0 |
| Kingdom Plantae | 927 | 457 | 361 | 4.40 | 23 |
| Phylum (Division) Charophyta | 17 | 6 | 5 | 17.14 | 0 |
| Phylum (Division) Chlorophyta | 229 | 108 | 87 | 4.26 | 7 |
| Phylum (Division) Rhodophyta | 583 | 318 | 245 | 4.24 | 10 |
| Phylum (Division) Tracheophyta | 91 | 25 | 24 | 9.43 | 6 |
| Kingdom Fungi | 37 | 8 | 8 | 0.63 | 0 |
| Phylum (Division) Ascomycota | 28 | 7 | 7 | 0.75 | 0 |
| Phylum (Division) Microsporidia | 7 | 1 | 1 | 0.45 | 0 |

invasive. Species which may or may not have been introduced comprise 124 classified as being of unknown origin. Some 265 non-marine taxa are included, as well as brackish water taxa (e.g., charophyte plants) because they are sometimes included in marine literature. The most species-rich introduced phyla were Mollusca (450), Arthropoda (429, including 407 crustaceans), Chordata (521, of which 406 are fish and 107 are tunicates), Annelida worms (252, all polychaetes), and red algae (245) (Table 3). Overall,

Box 2.

Example of a summary of knowledge on an introduced species in WRiMS.

Microcosmus squamiger is a solitary ascidian (Pyuridae, Ascidiacea, Chordata) characterised by a thick, brownish and sturdy tunic, covered by epibionts (www.marinespecies.org/introduced/aphia.php?p=taxdetails&id=236666#images). It was first described in 1927 from samples collected in Australia (<http://www.marinespecies.org/introduced/aphia.php?p=sourcedetails&id=130459>).

In the last fifty years, *M. squamiger* has spread around the world (<http://www.marinespecies.org/introduced/aphia.php?p=sourcedetails&id=192512>). This species is now found along a large number of coastlines, including western Europe, South Africa, and California (www.marinespecies.org/introduced/aphia.php?p=taxdetails&id=236666#distributions).

Given that this species has managed to establish itself in many coastlines around the world, and that most introduced sites are around large commercial ports, the most likely vector of the introduction is via transoceanic shipping (<http://www.marinespecies.org/introduced/aphia.php?p=taxdetails&id=236666#notes>). Genetic studies have confirmed its Australian origin and showed that there is no significant genetic differentiation among the sites where this species has been introduced (<http://www.marinespecies.org/introduced/aphia.php?p=sourcedetails&id=192512>), indicating a high connectivity across the introduced range.

around 1% of species in WoRMS were listed in WRiMS. An example of the information available for an introduced species is shown in Box 2.

The Mediterranean Sea, especially its eastern part, has the most introduced species of any of the sea regions in the world (Table 4, Figure 1). Other European seas also featured high on the list of introductions. Of the geographic distribution records in WRiMS, 11% of the species were recorded as invasive in some place and time.

Discussion

WRiMS provides the first global open-access platform for expert-validated geographic distribution records of introduced marine species linked to the WoRMS standardised species taxonomic nomenclature and classification. WRiMS currently contains 2,159 introduced marine species, constituting *ca.* 1% of all known marine species. It is reasonable to expect that many more species have been introduced and have not yet been detected, either because they have not been searched for, not survived, or because they have not become abundant. The field of invasion science inherently suffers regional biases in sampling and taxonomic effort (Nuñez and Pauchard 2010; Mead et al. 2011), directly affecting WRiMS and other similar online databases. As a result, the patterns reported here (e.g., Figure 1) are influenced by all these biases. In addition, due to geographic and taxonomic gaps, and errors in the literature and online sources, users of WRiMS should realise that it may also contain mistakes of data entry and outdated information.

Table 4. Number of species reported to be Introduced and Invasive for each standardised sea area in WRiMS. B.C. = British Columbia. “Mediterranean Sea” overlaps with Mediterranean Eastern and Western; these areas in turn (partly) overlap with the ***Seas. Numbers for these (* & ***) regions cannot be added up, as they include overlapping species, which would provide erroneous numbers. The major Mediterranean sub-areas are represented separately. All areas are International Hydrographic Organization Sea Areas (Flanders Marine Institute (2020)).

| Sea Area | Introduced | Invasive | % | Sea Area | Introduced | Invasive | % |
|--------------------------|------------|----------|----|---------------------|------------|----------|-----|
| Mediterranean Sea | 1030 | 73 | 7 | East China Sea | 11 | 1 | 9 |
| * Mediterranean Eastern | 643 | 50 | 8 | Rio de La Plata | 11 | 0 | 0 |
| * Mediterranean Western | 115 | 16 | 14 | Irish Sea | 10 | 1 | 10 |
| *** Aegean Sea | 178 | 20 | 11 | Bay of Fundy | 6 | 4 | 67 |
| *** Adriatic Sea | 132 | 9 | 7 | Lakshadweep Sea | 6 | 0 | 0 |
| *** Ionian Sea | 58 | 5 | 9 | Gulf of Siam | 5 | 2 | 40 |
| *** Tyrrhenian Sea | 41 | 1 | 2 | Yellow Sea | 5 | 1 | 20 |
| *** Alboran Sea | 19 | 3 | 16 | Arabian Sea | 5 | 0 | 0 |
| *** Ligurian Sea | 16 | 2 | 13 | Bay of Bengal | 5 | 0 | 0 |
| *** Strait of Gibraltar | 2 | 0 | 0 | Bristol Channel | 5 | 0 | 0 |
| North Sea | 216 | 25 | 12 | Gulf St Lawrence | 5 | 0 | 0 |
| North Atlantic Ocean | 160 | 41 | 26 | West Scotland | 5 | 0 | 0 |
| North Pacific Ocean | 153 | 42 | 27 | Finland Gulf | 4 | 1 | 25 |
| Black Sea | 89 | 6 | 7 | Riga Gulf | 4 | 1 | 25 |
| Baltic Sea | 86 | 8 | 9 | Banda Sea | 4 | 0 | 0 |
| English Channel | 82 | 13 | 16 | Gulf of Iran | 4 | 0 | 0 |
| Celtic Sea | 64 | 16 | 25 | Gulf of Suez | 4 | 0 | 0 |
| Kattegat | 54 | 2 | 4 | Red Sea | 4 | 0 | 0 |
| Marmara Sea | 50 | 1 | 2 | Bothnia Gulf | 3 | 1 | 33 |
| Skagerrak | 50 | 1 | 2 | Arafura Sea | 3 | 0 | 0 |
| Biscay Bay | 49 | 3 | 6 | Bering Sea | 3 | 0 | 0 |
| South-east Alaska & B.C. | 48 | 2 | 4 | Sea of Okhotsk | 3 | 0 | 0 |
| Caribbean Sea | 44 | 5 | 11 | Sea of Azov | 2 | 2 | 100 |
| Mexico Gulf | 42 | 7 | 17 | Barents Sea | 2 | 0 | 0 |
| Indian Ocean | 35 | 19 | 54 | Beaufort Sea | 2 | 0 | 0 |
| South Atlantic Ocean | 25 | 10 | 40 | Chukchi Sea | 2 | 0 | 0 |
| Tasman Sea | 25 | 2 | 8 | Gulf of Aden | 2 | 0 | 0 |
| Gulf of Guinea | 19 | 1 | 5 | Gulf of Oman | 2 | 0 | 0 |
| Sea of Cortez | 18 | 0 | 0 | Timor Sea | 2 | 0 | 0 |
| South Pacific Ocean | 17 | 6 | 35 | White Sea | 2 | 0 | 0 |
| Bass Strait | 16 | 2 | 13 | Inland Sea of Japan | 1 | 1 | 100 |
| Gulf of Alaska | 15 | 1 | 7 | Norwegian Sea | 1 | 1 | 100 |
| Japan Sea/East Sea | 14 | 5 | 36 | Burma Sea | 1 | 0 | 0 |
| Arctic Ocean | 13 | 0 | 0 | Labrador Sea | 1 | 0 | 0 |
| Coral Sea | 12 | 1 | 8 | Makasar Strait | 1 | 0 | 0 |
| Great Australian Bight | 12 | 1 | 8 | Malacca Strait | 1 | 0 | 0 |
| South China Sea | 12 | 1 | 8 | Singapore Strait | 1 | 0 | 0 |
| Philippine Sea | 11 | 2 | 18 | Solomon Sea | 1 | 0 | 0 |
| | | | | TOTAL | 1101 | 108 | 10 |

Data management

Groom et al. (2017) made seven recommendations for data management of introduced species, namely: (1) creation of data management plans; (2) increase interoperability of information sources; (3) documentation of data through metadata; (4) application of existing standards for data formatting; (5) adoption of controlled vocabularies; (6) increase data availability; (7) ensure long-term data preservation. Presently, WRiMS has fulfilled all these recommendations by establishing a social and technical infrastructure system for the management of introduced marine species which is interoperable with WoRMS, OBIS, and associated databases.




Figure 1. Map indicating the numbers of Introduced and Invasive species in seas as reported in the World Register of Introduced Marine Species.

The content is formatted in a relational database (Aphia) with controlled vocabularies based on commonly used classifications (Vandepitte et al. 2015). It is open-access and archived monthly with a Digital Object Identifier (DOI) to ensure long-term preservation of content (Ayhong et al. 2019).

A major challenge in developing WRiMS has been verifying the veracity of reports of species introductions. Too often, comments in the scientific literature suggest a species may be introduced without providing justification (Marchini et al. 2015b). The species may have been previously unreported from the area, misidentified and/or misnamed, or be a natural extension of its geographic range perhaps associated with climate change. Such speculation can lead to the perpetuation of incorrect information in both the literature and online databases. Another issue is the misuse of the term “invasive”, which is often loosely applied to species that are not yet invasive or have naturally expanded their geographic range (perhaps due to climate change). WRiMS started with a list of some 2,200 species, which was reduced by 10%, and further taxonomic scrutiny may reduce the list further. Over-counting introductions may be a problem in taxonomically difficult taxa, such as microalgae and macro-invertebrates. For example, a critical synthesis of national inventories of introduced marine species of EU member states (Tsiamis et al. 2019) included 52 microalgae. However, Gómez (2019) questioned whether any of these species were really introduced to European seas. Another assessment found that only 52% of amphipod crustaceans alleged in the literature to be introduced could be

confirmed as species introductions (Marchini and Cardeccia 2017). Only attentive and meticulous validation by experienced taxonomists may help avoid costly risk assessment and the establishment of monitoring systems of “fake” NIS.

Future needs

Terminology related to invasive species has been debated and subject to many proposals over the past decades (e.g., Richardson et al. 2000; Colautti and MacIsaac 2004; Ricciardi and Cohen 2007; Blackburn et al. 2011, 2014; Jeschke et al. 2014; Ojaveer et al. 2015; Bacher et al. 2018; Essl et al. 2018). The currently used terminology in WRiMS may change should the scientific community develop more standardised terminology. Further, revisions of sub-categories more allied to the marine environment may be implemented, especially in describing introduction pathways, vectors and impacts.

In addition to an up to date terminology and context, users need open-access information and images to aid identification of the species of concern and their relatives (to avoid confusing them). WRiMS provides this feature through WoRMS and links to external online databases, although this is not designed as a guide to species identification. An online guide to marine species identification would be a welcome addition to available resources (Costello 2020).

Two decades ago, a single globally coordinated data system for all introduced species was proposed, part of which would include an early warning system to aid monitoring of species' spread (Ricciardi et al. 2000). WRiMS provides this centralised system for marine species and is an important first step in providing scientists and management authorities with access to quality information and expertise on all introduced marine species. The date of first reported occurrence (~ introduction) has been found to be the best predictor of whether a species becomes invasive (Byers et al. 2015) and is recorded in WRiMS when available. However, knowledge of repeated introductions is also important to report because “propagule pressure” increases the likelihood of an introduced species' survival and becoming invasive (Simberloff 2009; Viard et al. 2016; Liebold et al. 2017; Redding et al. 2019). What would build well on WRiMS is a system where users could report suspected records of introductions and re-introductions and get them validated by experts. This would be facilitated by WRiMS developing and maintaining a list of relevant experts by geographical area and they being notified automatically when such a record is reported. It could provide an early-warning system of the geographic spread of introduced species and support networking of experts and managers (Simpson et al. 2006). The technology for this system exists. For example, iNaturalist already provides a free online system for citizen scientists to upload photographs of any species and have their identification confirmed

by experts. Such a system could also report if species are no longer present at a location, whether due to intentional removal, or natural factors.

To be viable in the long-term, biodiversity databases that need sustained expert involvement, such as WRiMS, require both engagement from the community of experts, succession planning, and support from an institution to host a centralised database (Costello et al. 2014, 2018). WRiMS provides this continuity of expertise through an editorial board and technical support ensured by its host institution, VLIZ. Its editors are conversant in both taxonomy and invasion ecology, and are often specialised in identifying regional biota. The need for detailed taxonomic information, museum vouchers and genetic data (e.g. Rius and Teske 2013) must also be stressed. However, like any scientific endeavour, its success will depend on the availability of resources to facilitate and prioritise experts' engagement. Such resources may arise from involving major users of introduced species data in WRiMS development, including using WRiMS as a foundation for an effective global early warning system for marine species introductions.

Acknowledgements

WRiMS came about through funding from the University of Auckland, Census of Marine Life's OBIS funding, and EMODnet Biology (to Mark Costello), and LifeWatch Belgium (from VLIZ). We acknowledge the Research Foundation Flanders (FWO) who, as part of the Belgian contribution to LifeWatch, provided funding to organise the second WRiMS workshop held at VLIZ, in Oostende, Belgium, during the 23rd–25th of April 2018. We thank Dr Keith Hayes for providing valuable datasets on introduced marine species, including annotations on pathways, vectors and impacts. Wim Decock and Thomas Lanssens of VLIZ assisted database development. We thank Georgina Valls Domedel, Aibin Zhan and other members of the editorial board of WRiMS for their efforts editing and updating the database. We thank the reviewers of this paper for their constructive criticisms.

Funding declaration

There was no funding external to the authors institutions for the preparation of this paper. The authors are solely responsible for the paper and its approval for publication.

Authors' contribution

MJC led and all authors contributed to the writing of the paper and the creation of the underlying database and data reported in this paper.

References

- Anon. (2019) Global Invasive Species Information Network, providing free and open access to invasive species data. <http://www.gisin.org> (accessed 10 December 2019)
- Anton A, Geraldi NR, Lovelock CE, Apostolaki ET, Bennett S, Cebrian J, Krause-Jensen D, Marba N, Martinetto P, Pandolfi JM, Santana-Garcon J, Duarte CM (2019) Global ecological impacts of marine exotic species. *Nature Ecology and Evolution* 3: 787–800, <https://doi.org/10.1038/s41559-019-0851-0>
- Appeltans W, Ahyong ST, Anderson G, Angel MV, Artois T, Bailly N, Bamber R, Barber A, Bartsch I, Berta A, Błażewicz-Paszkowycz M, Bock P, Boxshall G, Boyko CB, Brandão SN, Bray RA, Bruce NL, Cairns SD, Chan TY, Chan L, Collins AG, Cribb T, Curini-Galletti M, Dahdouh-Guebas F, Davie PJF, Dawson MN, De Clerck O, Decock W, De Grave S, de Voogd NJ, Domning DP, Emig CC, Ercsés C, Eschmeyer W, Fauchald K, Fautin DG, Feist SW, Franssen CHJM, Furuya H, Garcia-Alvarez O, Gerken S, Gibson D, Gittenberger A, Gofas S, Gómez-Daglio L, Gordon DP, Guiry MD, Hoeksema BW, Hopcroft R, Jaume D, Kirk P, Koedam N, Koenemann S, Kolb JB, Kristensen RM, Kroh A, Lambert G, Lazarus DB, Lemaitre R, Longshaw M, Lowry J, Macpherson E, Madin LP, Mah C, Mapstone G, McLaughlin P, Meland KL, Messing CG, Mills CE, Molodtsova TN,

- Mooi R, Neuhaus B, Ng PKL, Nielsen C, Norenburg J, Opresko DM, Osawa M, Paulay G, Perrin W, Pilger JF, Poore GCB, Pugh P, Read GB, Reimer JD, Rius M, Rocha RM, Rosenberg G, Saiz-Salinas JJ, Scarabino V, Schierwater B, Schmidt-Rhaesa A, Schnabel KE, Schotte M, Schuchert P, Schwabe E, Segers H, Self-Sullivan C, Shenkar N, Siegel V, Sterrer W, Stöhr S, Swalla B, Tasker ML, Thuesen EV, Timm T, Todaro A, Turon X, Tyler S, Uetz P, van der Land J, van Ofwegen LP, van Soest RWM, Vanaverbeke J, Vanhoorne B, Walker-Smith G, Walter TC, Warren A, Williams G, Wilson SP, Hernandez F, Mees J, Costello MJ (2012) The magnitude of global marine species diversity. *Current Biology* 22: 1–14, <https://doi.org/10.1016/j.cub.2012.09.036>
- Bacher S, Blackburn TM, Essl F, Genovesi P, Heikkilä J, Jeschke JM, Jones G, Keller R, Kenis M, Kueffer C, Martinou AF (2018) Socio-economic impact classification of alien taxa (SEICAT). *Methods in Ecology and Evolution* 9: 159–168, <https://doi.org/10.1111/2041-210X.12844>
- Blackburn TM, Pysek P, Bacher S, Carlton JT, Duncan RP, Jarosik V, Wilson JR, Richardson DM (2011) A proposed unified framework for biological invasions. *Trends in Ecology and Evolution* 26: 333–339, <https://doi.org/10.1016/j.tree.2011.03.023>
- Blackburn TM, Essl F, Evans T, Hulme PE, Jeschke JM, Kühn I, Kumschick S, Markova Z, Mrugała A, Nentwig W, Pergl J (2014) A unified classification of alien species based on the magnitude of their environmental impacts. *PLoS Biology* 12: e1001850, <https://doi.org/10.1371/journal.pbio.1001850>
- Carlton JT (1985) Transoceanic and interoceanic dispersal of coastal marine organisms: the biology of ballast water. *Oceanography and Marine Biology* 23: 313–371
- Carlton JT (1989) Man's role in changing the face of the ocean: biological invasions and implications for conservation of near-shore environments. *Conservation Biology* 3: 265–273, <https://doi.org/10.1111/j.1523-1739.1989.tb00086.x>
- Carlton JT (1996) Biological invasions and cryptogenic species. *Ecology* 77: 1653–1655, <https://doi.org/10.2307/2265767>
- Colautti RI, MacIsaac HJ (2004) A neutral terminology to define 'invasive' species. *Diversity and Distributions* 10: 135–141, <https://doi.org/10.1111/j.1366-9516.2004.00061.x>
- Costello MJ (2000) Developing species information systems: the European Register of Marine Species. *Oceanography* 13: 48–55, <https://doi.org/10.5670/oceanog.2000.09>
- Costello MJ (2020) Taxonomy as the key to life. *Megataxa* 1: 105–113, <https://doi.org/10.11646/megataxa.1.2.1>
- Costello MJ, Stocks K, Zhang Y, Grassle JF, Fautin DG (2007) About the Ocean Biogeographic Information System, <http://hdl.handle.net/2292/5236> (accessed 16 September 2021)
- Costello MJ, Coll M, Danovaro R, Halpin P, Ojaveer H, Miloslavich P (2010) A census of marine biodiversity knowledge, resources and future challenges. *PLoS ONE* 8: e12110, <https://doi.org/10.1371/journal.pone.0012110>
- Costello MJ, Bouchet P, Boxshall G, Fauchald K, Gordon DP, Hoeksema BW, Poore GCB, van Soest RWM, Stöhr S, Walter TC, Vanhoorne B, Decock W, Appeltans W (2013) Global coordination and standardisation in marine biodiversity through the World Register of Marine Species (WoRMS) and related databases. *PLoS ONE* 8: e51629, <https://doi.org/10.1371/journal.pone.0051629>
- Costello MJ, Appeltans W, Bailly N, Berendsohn WG, de Jong Y, Edwards M, Froese R, Huettmann F, Los W, Mees J, Segers H, Bisby FA (2014) Strategies for the sustainability of online open-access biodiversity databases. *Biological Conservation* 173: 155–165, <https://doi.org/10.1016/j.biocon.2013.07.042>
- Costello MJ, Vanhoorne B, Appeltans W (2015) Progressing conservation of biodiversity through taxonomy, data publication and collaborative infrastructures. *Conservation Biology* 29: 1094–1099, <https://doi.org/10.1111/cobi.12496>
- Costello MJ, Horton T, Kroh A (2018) Sustainable biodiversity databasing: international, collaborative, dynamic, centralised. *Trends in Ecology and Evolution* 33: 803–805, <https://doi.org/10.1016/j.tree.2018.08.006>
- Costello MJ, Harris PT, Pearce B, Fiorentino A, Bourillet J-F, Hamylton SM (2020) A glossary of terminology used in marine biology, ecology, and geology. In: Goldstein MI, DellaSala DA (eds), *Encyclopedia of the World's Biomes*, vol. 4. Elsevier, pp 471–478, <https://doi.org/10.1016/B978-0-12-409548-9.11944-X>
- Discovering Biodiversity (2018) A Decadal plan for taxonomy and biosystematics in Australia and New Zealand 2018–2027. <https://www.science.org.au/files/userfiles/support/reports-and-plans/2018/taxonomy-decadal-plan-hi-res-v200618.pdf>
- Erol E, Cansoy CE, Aybar OO (2020) Assessment of the impact of fouling on vessel energy efficiency by analyzing ship automation data. *Applied Ocean Research* 105: 102418, <https://doi.org/10.1016/j.apor.2020.102418>
- Essl F, Bacher S, Blackburn T, Booy O, Brundu G, Brunel S, Cardoso AC, Eschen R, Gallardo B, Galil B, García-Berthou E, Genovesi P, Groom Q, Harrower C, Hulme PE, Katsanevakis S, Kenis M, Kühn I, Kumschick S, Martinou AF, Nentwig W, O'Flynn C, Pagad S, Pergl J, Pyšek P, Rabitsch W, Richardson DM, Roques A, Roy HE, Scalera R, Schindler S, Seebens H, Vanderhoeven S, Vilà M, Wilson JR, Zenetos A, Jeschke JM (2015) Crossing frontiers in tackling pathways of biological invasions. *BioScience* 65: 769–782, <https://doi.org/10.1093/biosci/biv082>

- Essl F, Bacher S, Genovesi P, Hulme PE, Jeschke JM, Katsanevakis S, Kowarik I, Kühn I, Pyšek P, Rabitsch W, Schindler S (2018) Which taxa are alien? Criteria, applications, and uncertainties. *BioScience* 68: 496–509, <https://doi.org/10.1093/biosci/biy057>
- Faulkner KT, Robertson MP, Rouget M, Wilson JR (2014) A simple, rapid methodology for developing invasive species watch lists. *Biological Conservation* 179: 25–32, <https://doi.org/10.1016/j.biocon.2014.08.014>
- Fitridge I, Dempster T, Guenther J, de Nys R (2012) The impact and control of biofouling in marine aquaculture: a review. *Biofouling* 28: 649–669, <https://doi.org/10.1080/08927014.2012.700478>
- Flanders Marine Institute (2018) IHO Sea Areas, version 3. <http://www.marineregions.org>. <https://doi.org/10.14284/323> (accessed 16 September 2021)
- Galil BS (2000) A sea under siege - alien species in the Mediterranean. *Biological Invasions* 2: 177–186, <https://doi.org/10.1023/A:1010057010476>
- Galil B (2007) Seeing Red: Alien species along the Mediterranean coast of Israel. *Aquatic Invasions* 2: 281–312, <https://doi.org/10.3391/ai.2007.2.4.2>
- Galil B (2009) Taking stock: inventory of alien species in the Mediterranean Sea. *Biological Invasions* 11: 359–372, <https://doi.org/10.1007/s10530-008-9253-y>
- Galil B (2018) Poisonous and venomous: marine alien species in the Mediterranean Sea and human health. In: Mazza G, Tricarico E (eds), *Invasive species and human health*. CAB Invasives Series No. 10, pp 1–15, <https://doi.org/10.1079/9781786390981.0001>
- Galil BS, Marchini A, Occhipinti-Ambrogi A (2018) East is east and West is west? Management of marine bioinvasions in the Mediterranean Sea. *Estuarine, Coastal and Shelf Science* 201: 7–16, <https://doi.org/10.1016/j.ecss.2015.12.021>
- Galil BS, McKenzie C, Bailey S, Campbell M, Davidson I, Drake L, Hewitt C, Occhipinti-Ambrogi A, Piola R (2019) ICES Viewpoint background document: Evaluating and mitigating introduction of marine non-native species via vessel bio-fouling. ICES Ad Hoc Report 2019, 17 pp, <http://doi.org/10.17895/ices.pub.4680>
- Gómez F (2008) Phytoplankton invasions: comments on the validity of categorizing the non-indigenous dinoflagellates and diatoms in European Seas. *Marine Pollution Bulletin* 56: 620–628, <https://doi.org/10.1016/j.marpolbul.2007.12.014>
- Gómez F (2019) Comments on the non-indigenous microalgae in the European seas. *Marine Pollution Bulletin* 148: 1–2, <https://doi.org/10.1016/j.marpolbul.2019.07.048>
- Gómez F, Artigas LF (2019) Are there Invasive Planktonic Microbes? *Journal of Marine Science Research and Oceanography* 2: 5, <https://doi.org/10.33140/JMSRO.02.02.05>
- Groom QJ, Adriaens T, Desmet P, Simpson A, De Wever A, Bazos I, Cardoso AC, Charles L, Christopoulou A, Gazda A, Helmissaari H, Hobern D, Joeseffson M, Lucy F, Marisavljevic D, Oszako T, Pergl J, Petrovic-Obradovic O, Prevot C, Ravn HP, Richards G, Roques A, Roy HE, Rozenberg M-A, Scalera R, Tricarico E, Tirkhova T, Vercayie D, Zenetos A, Vanderhoeven S (2017) Seven recommendations to make your invasive alien species data more useful. *Frontiers in Applied Mathematics and Statistics* 3: 13, <https://doi.org/10.3389/fams.2017.00013>
- Horton T, Gofas S, Kroh A, Poore GCB, Read G, Rosenberg G, Stöhr S, Bailly N, Boury-Esnault N, Brandão SN, Costello MJ, Decock W, Dekeyzer S, Hernandez F, Mees J, Paulay G, Vandepitte L, Vanhoorne B, Vranken S (2017) Improving nomenclatural consistency: a decade of experience in the World Register of Marine Species. *European Journal of Taxonomy* 389: 1–24, <https://doi.org/10.5852/ejt.2017.389>
- Horton T, Kroh A, Ahyong S, Bailly N, Boyko CB, Brandão SN, Costello MJ, Gofas S, Hernandez F, Holovachov O, Mees J, Paulay G, Rosenberg G, Decock W, Dekeyzer S, Lanssens T, Vandepitte L, Vanhoorne B, Verfaillie K, Adlard R, Adriaens P, Agatha S, Ahn KJ, Akkari N, Alvarez B, Anderson G, Angel MV, Arango C, Artois T, Atkinson S, Bank R, Barber A, Barbosa JP, Bartsch I, Bellan-Santini D, Bernot J, Berta A, Bezerra TN, Bieler R, Blanco S, Blasco-Costa I, Blazewicz M, Bock P, Böttger-Schnack R, Bouchet P, Boury-Esnault N, Boxshall G, Bray R, Breure B, Bruce NL, Cairns S, Cárdenas P, Carstens E, Chan BK, Chan TY, Cheng L, Churchill M, Coleman CO, Collins AG, Corbari L, Cordeiro R, Cornils A, Coste M, Crandall KA, Cremonte F, Cribb T, Cutmore S, Dahdouh-Guebas F, Daly M, Daneliya M, Dauvin JC, Davie P, De Broyer C, De Grave S, de Mazancourt V, de Voogd NJ, Decker P, Decraemer W, Defaye D, d'Hondt JL, Dippenaar S, Dohrmann M, Dolan J, Domning D, Downey R, Ector L, Eisendle-Flöckner U, Eitel M, Encarnação SCd, Enghoff H, Epler J, Ewers-Saucedo C, Faber M, Feist S, Figueroa D, Finn J, Fišer C, Fordyce E, Foster W, Frank JH, Franssen C, Furuya H, Galea H, Garcia-Alvarez O, Garic R, Gasca R, Gaviria-Melo S, Gerken S, Gibson D, Gibson R, Gil J, Gittenberger A, Glasby C, Glover A, Gómez-Noguera SE, González-Solís D, Gordon D, Grabowski M, Gravili C, Guerra-García JM, Guidetti R, Guiry MD, Hadfield KA, Hajdu E, Hallermann J, Hayward BW, Hendrycks E, Herbert D, Herrera Bachiller A, Ho Js, Hodda M, Høeg J, Hoeksema B, Hooper JN, Houart R, Hughes L, Hyžný M, Iniesta LFM, Iseto T, Ivanenko S, Iwataki M, Janssen R, Jarms G, Jaume D, Jazdzewski K, Jersabek CD, Józwiak P, Kabat A, Kantor Y, Karanovic I, Karthick B, Kim YH, King R, Kirk PM, Klautau M, Kociolek JP, Köhler F, Kolb J, Kotov A, Kremenetskaia A, Kristensen RM, Kulikovskiy M, Kullander S, Lambert

- G, Lazarus D, Le Coze F, LeCroy S, Leduc D, Lefkowitz EJ, Lemaitre R, Liu Y, Lörz AN, Lowry J, Ludwig T, Lundholm N, Macpherson E, Madin L, Mah C, Mamo B, Mamos T, Manconi R, Mapstone G, Marek PE, Marshall B, Marshall DJ, Martin P, Mast R, McFadden C, McInnes SJ, Meidla T, Meland K, Merrin KL, Messing C, Miljutin D, Mills C, Moestrup Ø, Mokievsky V, Molodtsova T, Monniot F, Mooi R, Morandini AC, Moreira da Rocha R, Moretzsohn F, Mortelmans J, Mortimer J, Musco L, Neubauer TA, Neubert E, Neuhaus B, Ng P, Nguyen AD, Nielsen C, Nishikawa T, Norenburg J, O'Hara T, Opresko D, Osawa M, Osigus HJ, Ota Y, Páll-Gergely B, Patterson D, Paxton H, Peña-Santiago R, Perrier V, Perrin W, Petrescu I, Picton B, Pilger JF, Pisera AB, Polhemus D, Poore GC, Potapova M, Pugh P, Read G, Reich M, Reimer JD, Reip H, Reuscher M, Reynolds JW, Richling I, Rimet F, Ríos P, Rius M, Rogers DC, Rützler K, Sabbe K, Saiz-Salinas J, Sala S, Santagata S, Santos S, Sar E, Satoh A, Saucède T, Schatz H, Schierwater B, Schmidt-Rhaesa A, Schneider S, Schönberg C, Schuchert P, Senna AR, Serejo C, Shaik S, Shamsi S, Sharma J, Shear WA, Shenkar N, Shinn A, Short M, Sicinski J, Sierwald P, Simmons E, Sinniger F, Sivell D, Sket B, Smit H, Smit N, Smol N, Souza-Filho JF, Spelda J, Sterrer W, Stienen E, Stoev P, Stöhr S, Strand M, Suárez-Morales E, Summers M, Suppan L, Suttle C, Swalla BJ, Taiti S, Tanaka M, Tandberg AH, Tang D, Tasker M, Taylor J, Taylor J, Tchesunov A, ten Hove H, ter Poorten JJ, Thomas JD, Thuesen EV, Thurston M, Thuy B, Timi JT, Timm T, Todaro A, Turon X, Tyler S, Uetz P, Uribe-Palomino J, Utevsky S, Vacelet J, Vachard D, Vader W, Väinölä R, Van de Vijver B, van der Meij SE, van Haaren T, van Soest RW, Vanreusel A, Venekey V, Vinarski M, Vonk R, Vos C, Walker-Smith G, Walter TC, Watling L, Wayland M, Wesener T, Wetzel CE, Whipps C, White K, Wieneke U, Williams DM, Williams G, Wilson R, Witkowski A, Witkowski J, Wyatt N, Wylezich C, Xu K, Zanol J, Zeidler W, Zhao Z (2020) World Register of Marine Species. <http://www.marinespecies.org> (accessed 9 March 2020)
- Hutchings PA, Hilliard RWL, Coles S (2002) Species Introductions and potential for marine pest invasions into tropical marine communities, with special reference to the Indo-Pacific. *Pacific Science* 56: 223–233, <https://doi.org/10.1353/psc.2002.0017>
- Hutchings P, Lavesque N (2020) I know who are, but do others know? Why correct scientific names are so important for the biological sciences. *Zoosymposia* 19: 151–163, <https://doi.org/10.11646/zoosymposia.19.1.16>
- Hulme PE, Weser C (2011) Mixed messages from multiple information sources on invasive species: a case of too much of a good thing? *Diversity and Distributions* 17: 1152–1160, <https://doi.org/10.1111/j.1472-4642.2011.00800.x>
- Jeschke JM, Bacher S, Blackburn TM, Dick JT, Essl F, Evans T, Gaertner M, Hulme PE, Kühn I, Mrugała A, Pergl J (2014) Defining the impact of non-native species. *Conservation Biology* 28: 1188–1194, <https://doi.org/10.1111/cobi.12299>
- Kaluza P, Kolzsch A, Gastner MT, Blasius B (2010) The complex network of global cargo ship movements. *Journal of the Royal Society Interface* 7: 1093–1103, <https://doi.org/10.1098/rsif.2009.0495>
- Katsanevakis S, Bogucarskis K, Gatto F, Vandekerckhove J, Deriu I, Cardoso AC (2012) Building the European Alien Species Information Network (EASIN): a novel approach for the exploration of distributed alien species data. *BioInvasions Records* 1: 235–245, <https://doi.org/10.3391/bir.2012.1.4.01>
- Katsanevakis S, Zenetos A, Belchior C, Cardoso AC (2013) Invading European Seas: assessing pathways of introduction of marine aliens. *Ocean and Coastal Management* 76: 64–74, <https://doi.org/10.1016/j.ocecoaman.2013.02.024>
- Katsanevakis S, Wallentinus I, Zenetos A, Leppäkoski E, Çınar ME, Öztürk B, Grabowski M, Golani D, Cardoso AC (2014) Impacts of marine invasive alien species on ecosystem services and biodiversity: a pan-European review. *Aquatic Invasions* 9: 391–423, <https://doi.org/10.3391/ai.2014.9.4.01>
- Kupriyanova EK, Wong E, Hutchings PA (eds) (2013) Invasive Polychaete Identifier. Version 1.1. <http://polychaetes.australianmuseum.net.au/> (accessed 16 September 2021)
- Lasram FBR, Mouillot D (2009) Increasing southern invasion enhances congruence between endemic and exotic Mediterranean fish fauna. *Biological Invasions* 11: 697–711, <https://doi.org/10.1007/s10530-008-9284-4>
- Lavesque N, Hutchings P, Abe H, Daffe G, Gunton L, Glasby CJ (2020) Confirmation of the exotic status of *Marphysa victori* Lavesque, Daffe, Bonifacio & Hutchings, 2017 (Annelida) in French waters and synonymy of *Marphysa bulla* Liu, Hutchings & Kupriyanova, 2018. *Aquatic Invasions* 15: 355–366, <https://doi.org/10.3391/ai.2020.15.3.01>
- Liebholt AM, Yamanaka T, Roques A, Augustin S, Chown SL, Brocknerhoff EG, Pyšek P (2018) Plant diversity drives global patterns of insect invasions. *Scientific Reports* 8: 1–5, <https://doi.org/10.1038/s41598-018-30605-4>
- Lin Y, Gao Z, Zhan A (2015) Introduction and use of non-native species for aquaculture in China: status, risks and management solutions. *Reviews in Aquaculture* 7: 28–58, <https://doi.org/10.1111/raq.12052>
- Mack CM, D'Antonio CM (1998) Impacts of biological invasions on disturbance regimes. *Trends in Ecology and Evolution* 13: 195–198, [https://doi.org/10.1016/S0169-5347\(97\)01286-X](https://doi.org/10.1016/S0169-5347(97)01286-X)

- Marchini A, Cardeccia A (2017) Alien amphipods in a sea of troubles: cryptogenic species, unresolved taxonomy and overlooked introductions. *Marine Biology* 164: 69, <https://doi.org/10.1007/s00227-017-3093-1>
- Marchini A, Ferrario J, Sfriso A, Occhipinti-Ambrogi A (2015a) Current status and trends of biological invasions in the Lagoon of Venice, a hotspot of marine NIS introductions in the Mediterranean Sea. *Biological Invasions* 17: 2943–2962, <https://doi.org/10.1007/s10530-015-0922-3>
- Marchini A, Galil BS, Occhipinti-Ambrogi A (2015b) Recommendations on standardizing lists of marine alien species: lessons from the Mediterranean Sea. *Marine Pollution Bulletin* 101: 267–273, <https://doi.org/10.1016/j.marpolbul.2015.09.054>
- Matthews J, Beringen R, Creemers R, Hollander HD, Kessel NV, Kleef HV, Koppel S, Lemaire A, Odé B, Verbrugge LN, Hendriks AJ (2017) A new approach to horizon-scanning: identifying potentially invasive alien species and their introduction pathways. *Management of Biological Invasions* 8: 37–52, <https://doi.org/10.3391/mbi.2017.8.1.04>
- Mead A, Carlton JT, Griffiths CL, Rius M (2011) Revealing the scale of marine bioinvasions in developing regions: a South African re-assessment. *Biological Invasions* 13: 1991–2008, <https://doi.org/10.1007/s10530-011-0016-9>
- McGeoch MA, Butchart SH, Spear D, Marais E, Kleynhans EJ, Symes A, Chanson J, Hoffmann M (2010) Global indicators of biological invasion: species numbers, biodiversity impact and policy responses. *Diversity and Distributions* 16: 95–108, <https://doi.org/10.1111/j.1472-4642.2009.00633.x>
- McGeoch MA, Spear D, Kleynhans EJ, Marais E (2012) Uncertainty in invasive alien species listing. *Ecological Applications* 22: 959–971, <https://doi.org/10.1890/11-1252.1>
- McGeoch MA, Genovesi P, Bellingham PJ, Costello MJ, McGrannachan C, Sheppard A (2016) Prioritizing species, pathways, and sites to achieve conservation targets for biological invasion. *Biological Invasions* 18: 299–314, <https://doi.org/10.1007/s10530-015-1013-1>
- Molnar JL, Gamboa RL, Revenga C, Spalding MD (2008) Assessing the global threat of invasive species to marine biodiversity. *Frontiers in Ecology and the Environment* 6: 485–492, <https://doi.org/10.1890/070064>
- Núñez MA, Pauchard A (2010) Biological invasions in developing and developed countries: does one model fit all? *Biological Invasions* 12: 707–714, <https://doi.org/10.1007/s10530-009-9517-1>
- Oguz T, Fach B, Salihoglu B (2008) Invasion dynamics of the alien ctenophore *Mnemiopsis leidyi* and its impact on anchovy collapse in the Black Sea. *Journal of Plankton Research* 30: 1385–1397, <https://doi.org/10.1093/plankt/fbn094>
- Ojaveer H, Galil BS, Minchin D, Olenin S, Amorim A, Canning-Clode J, Chainho P, Copp GH, Gollasch S, Jelmert A, Lehtiniemi M (2014) Ten recommendations for advancing the assessment and management of non-indigenous species in marine ecosystems. *Marine Policy* 44: 160–165, <https://doi.org/10.1016/j.marpol.2013.08.019>
- Ojaveer H, Galil BS, Campbell ML, Carlton JT, Canning-Clode J, Cook EJ, Davidson AD, Hewitt CL, Jelmert A, Marchini A, McKenzie CH (2015) Classification of non-indigenous species based on their impacts: considerations for application in marine management. *PLoS Biology* 13: e1002130, <https://doi.org/10.1371/journal.pbio.1002130>
- Ojaveer H, Galil BS, Carlton JT, Alleway H, Gouletquer P, Lehtiniemi M, Marchini A, Miller W, Occhipinti-Ambrogi A, Peharda M, Ruiz GM, Williams SL, Zaiko A (2018) Historical baselines in marine bioinvasions: Implications for policy and management. *PLoS ONE* 13: e0202383, <https://doi.org/10.1371/journal.pone.0202383>
- Olenin S, Minchin D (2011) Biological introductions to the systems: macroorganisms. In: Elliott M, Kennish MJ (eds), *Human-Induced Problems (Uses and Abuses)*. Treatise on Estuarine and Coastal Science, vol. 8. Elsevier, pp 149–183, <https://doi.org/10.1016/B978-0-12-374711-2.00808-1>
- Olenin S, Narščiūsis A, Minchin D, David M, Galil B, Gollasch S, Marchini A, Occhipinti-Ambrogi A, Ojaveer H, Zaiko A (2014) Making non-indigenous species information systems practical for management and useful for research: an aquatic perspective. *Biological Conservation* 173: 98–107, <https://doi.org/10.1016/j.biocon.2013.07.040>
- Pagad S, Genovesi P, Carnevali L, Schigel D, McGeoch MA (2018) Introducing the global register of introduced and invasive species. *Scientific Data* 5: 170202, <https://doi.org/10.1038/sdata.2017.202>
- Parker IM, Simberloff D, Lonsdale WM, Goodell K, Wonham M, Kareiva PM, Williamson MH, Von Holle B, Moyle PB, Byers JE, Goldwasser L (1999) Impact: toward a framework for understanding the ecological effects of invaders. *Biological Invasions* 1: 3–19, <https://doi.org/10.1023/A:1010034312781>
- Pecl GT, Araújo MB, Bell JD, Julia Blanchard J, Bonebrake TC, Chen I-C, Clark TD, Colwell RK, Danielsen F, Evengård B, Falconi L, Ferrier S, Frusher S, Garcia RA, Griffiths RB, Hobday AJ, Jarzyna MA, Jennings S, Lenoir J, Linnetved HI, Martin VY, McCormack PC, McDonald J, Mitchell NJ, Mustonen T, Pandolfi JM, Pettorelli N, Popova E, Robinson SA, Scheffers BR, Shaw JD, Sorte CJB, Strugnell JM, Sunday JM, Tuanmu MN, Vergés ACV, Wernberg T, Wapstra E, Williams SE (2017) Biodiversity redistribution under climate

- change: Impacts on ecosystems and human well-being. *Science* 355: 1389, <https://doi.org/10.1126/science.aai9214>
- Pyšek P, Hulme PE, Meyerson LA, Smith GF, Boatwright JS, Crouch NR, Figueiredo E, Foxcroft LC, Jarošík V, Richardson DM, Suda J (2013) Hitting the right target: taxonomic challenges for, and of, plant invasions. *AOB Plants* 5: plt042, <https://doi.org/10.1093/aobpla/plt042>
- Pyšek P, Hulme PE, Simberloff D, Bacher S, Blackburn TM, Carlton JT, Dawson W, Essl F, Foxcroft LC, Genovesi P, Jeschke JM, Kuhn I, Liebold AM, Mandrak NE, Meyerson LA, Pauchard A, Pergl J, Roy HE, Seebens H, Kleunen Mv, Vila M, Wingfield MJ, Richardson DM (2020) Scientists' warning on invasive alien species. *Biological Reviews* 95: 1511–1534, <https://doi.org/10.1111/brv.12627>
- Redding DW, Pigot AL, Dyer EE, Şekercioğlu ÇH, Kark S, Blackburn TM (2019) Location-level processes drive the establishment of alien bird populations worldwide. *Nature* 571: 103–106, <https://doi.org/10.1038/s41586-019-1292-2>
- Ricciardi A, Cohen J (2007) The invasiveness of an introduced species does not predict its impact. *Biological Invasions* 9: 309–315, <https://doi.org/10.1007/s10530-006-9034-4>
- Ricciardi A, Steiner WW, Mack RN, Simberloff D (2000) Toward a global information system for invasive species. *BioScience* 50: 239–244, [https://doi.org/10.1641/0006-3568\(2000\)050\[0239:TAGISF\]2.3.CO;2](https://doi.org/10.1641/0006-3568(2000)050[0239:TAGISF]2.3.CO;2)
- Richardson DM, Pyšek P, Rejmánek M, Barbour MG, Panetta FD, West CJ (2000) Naturalization and invasion of alien plants: concepts and definitions. *Diversity and Distributions* 6: 93–107, <https://doi.org/10.1046/j.1472-4642.2000.00083.x>
- Richardson DM, Pyšek P, Carlton JT (2011) A compendium of essential concepts and terminology in invasion ecology. In: Richardson DM (ed), Fifty years of invasion ecology. The legacy of Charles Elton. Wiley-Blackwell, Oxford, pp 409–420, <https://doi.org/10.1002/9781444329988.ch30>
- Rius M, Teske PR (2013) Cryptic diversity in coastal Australasia: a morphological and mitochondrial genetic analysis of habitat-forming sibling species. *Zoological Journal of the Linnean Society* 168: 597–611, <https://doi.org/10.1111/zoj.12036>
- Rius M, Ah Yong S, Costello MJ, Galil BS, Gollasch S, Hutchings P, Katsanevakis S, Lejeune C, Marchini A, Occhipinti A, Pagad S, Poore GCB, Robinson TB, Sterrer W, Turon X, Willan RC, Zhan A (2021) World Register of Introduced Marine Species (WRiMS). <http://www.marinespecies.org/introduced> (accessed 18 June 2021)
- Robinson TB, Alexander ME, Simon CA, Griffiths CL, Peters K, Sibanda S, Miza S, Groenewald B, Majiedt P, Sink KJ (2016) Lost in translation? Standardising the terminology used in marine invasion biology and updating South African alien species lists. *African Journal of Marine Science* 38: 129–140, <https://doi.org/10.2989/1814232X.2016.1163292>
- Robinson TB, Martin N, Loureiro TG, Matikınca P, Robertson MP (2020) Double trouble: The implications of climate change for biological invasions. *NeoBiota* 62: 463–487, <https://doi.org/10.3897/neobiota.62.55729>
- Roy HE, Peyton J, Aldridge DC, Bantock T, Blackburn TM, Britton R, Clark P, Cook E, Dehnen-Schmutz K, Dines T, Dobson M (2014) Horizon scanning for invasive alien species with the potential to threaten biodiversity in Great Britain. *Global Change Biology* 20: 3859–3871, <https://doi.org/10.1111/gcb.12603>
- Ruiz GM, Fofonoff PW, Carlton JT, Wonham MJ, Hines AH (2000) Invasion of coastal marine communities in North America: apparent patterns, processes, and biases. *Annual Review of Ecology, Evolution, and Systematics* 31: 481–531, <https://doi.org/10.1146/annurev.ecolsys.31.1.481>
- Sala E, Kizilkaya Z, Yildirim D, Ballesteros E (2011) Alien marine fishes deplete algal biomass in the eastern Mediterranean. *PLoS ONE* 6: e17356, <https://doi.org/10.1371/journal.pone.0017356>
- Seebens H, Gastner MT, Blasius B, Courchamp F (2013) The risk of marine bioinvasion caused by global shipping. *Ecology Letters* 16: 782–790, <https://doi.org/10.1111/ele.12111>
- Seebens H, Schwartz N, Schupp PJ, Blasius B (2016) Predicting the spread of marine species introduced by global shipping. *Proceedings of the National Academy of Sciences* 113: 5646–5651, <https://doi.org/10.1073/pnas.1524427113>
- Seebens H, Blackburn TM, Dyer EE, Genovesi P, Hulme PE, Jeschke JM, Pagad S, Pyšek P, Winter M, Arianoutsou M, Bacher S (2017) No saturation in the accumulation of alien species worldwide. *Nature Communications* 8: 14435, <https://doi.org/10.1038/ncomms14435>
- Seebens H, Blackburn TM, Dyer EE, Genovesi P, Hulme PE, Jeschke JM, Pagad S, Pyšek P, van Kleunen M, Winter M, Ansong M (2018) Global rise in emerging alien species results from increased accessibility of new source pools. *Proceedings of the National Academy of Sciences* 115: E2264–E2273, <https://doi.org/10.1073/pnas.1719429115>
- Sellers E, Simpson A, Curd-Hetrick S (2010) List of Invasive Alien Species (IAS) Online Information Systems. A 'living document' based on a preliminary draft document, prepared for the Experts Meeting Towards the Implementation of a Global Invasive Species Information Network (GISIN), Baltimore, Maryland, USA, 6–8 April 2004. <http://www.gisnetwork.org/Documents/draftiasdbs.pdf>
- Sexton JP, McIntyre PJ, Angert AL, Rice KJ (2009) Evolution and ecology of species range limits. *Annual Review of Ecology, Evolution, and Systematics* 40: 415–436, <https://doi.org/10.1146/annurev.ecolsys.110308.120317>

- Simberloff D (2009) The role of propagule pressure in biological invasions. *Annual Review of Ecology, Evolution, and Systematics* 40: 81–102, <https://doi.org/10.1146/annurev.ecolsys.110308.120304>
- Simpson A, Sellers E, Grosse A, Xie Y (2006) Essential elements of online information networks on invasive alien species. *Biological Invasions* 8: 1579–1587, <https://doi.org/10.1007/s10530-005-5850-1>
- Steen F, Aragay J, Zuljevic A, Verbruggen H, Mancuso FP, Bunker F, De Clerck O (2017) Tracing the introduction history of the brown seaweed *Dictyota cyanoloma* (Phaeophyceae, Dictyotales) in Europe. *European Journal of Phycology* 52: 31–42, <https://doi.org/10.1080/09670262.2016.1212998>
- Streftaris N, Zenetos A, Papathanassiou E (2005) Globalisation in marine ecosystems: the story of non-indigenous marine species across European seas. *Oceanography and Marine Biology: An Annual Review* 43: 419–453, <https://doi.org/10.1201/9781420037449.ch8>
- Sun Y, Wong E, Keppel E, Williamson JE, Kupriyanova EK (2017) A global invader or a complex of regionally distributed species? Clarifying the status of an invasive calcareous tubeworm *Hydroides dianthus* (Verrill, 1873) (Polychaeta: Serpulidae) using DNA barcoding. *Marine Biology* 164: 28, <https://doi.org/10.1007/s00227-016-3058-9>
- Swart C, Robinson TB (2019) Horizon scanning for alien predatory crabs: Insights from South Africa. *African Journal of Marine Science* 41: 125–135, <https://doi.org/10.2989/1814232X.2019.1588782>
- Treviño L, Lodeiros C, Vélez-Falcones J, Chávez-Alcivar C, Isea-León F, Bermúdez-Medrandá AE, Vélez-Chical JC, Cruz-Quintana Y, Leal D, Santana-Piñeros AM, Rodríguez-Pesantes D (2020) Suspended culture evaluation of Pacific oyster *Crassostrea gigas* in a tropical estuary. *Aquaculture Research* 51: 2052–2061, <https://doi.org/10.1111/are.14556>
- Tsiamis K, Palialexis A, Stefanova K, Gladan ŽN, Skejić S, Despalatović M, Cvitković I, Dragičević B, Dulčić J, Vidjak O, Bojanić N, Zulevic A, Aplikioti M, Argyrou M, Josphides M, Michaelides N, Jakobsen HH, Staehr PA, Ojaveer H, Letiniemi M, Masse C, Zentos A, Castriota L, Livi S, Mazziotti C, Schembri PJ, Evans J, Bartolo AG, Kabuta SH, Smolders S, Knegetering E, Gittenberger A, Gruszaka P, Krasniewski W, Bartillotti C, Tuaty-Guerra M, Canning-Clode J, Costa AC, Parente MI, Botelho AZ, Micael J, Miodonski JV, Carreira GP, Lopes V, Nadaffi R, Florin A, Barry P, Stebbing PD, Cardoso AC (2019) Non-indigenous species refined national baseline inventories: A synthesis in the context of the European Union’s Marine Strategy Framework Directive. *Marine Pollution Bulletin* 145: 429–435, <https://doi.org/10.1016/j.marpolbul.2019.06.012>
- Vandepitte L, Vanhoorne B, Decock W, Dekeyzer S, Trias Verbeeck A, Bovit L, Hernandez F, Mees J (2015) How Aphia - the platform behind several online and taxonomically oriented databases - can serve both the taxonomic community and the field of biodiversity informatics. *Journal of Marine Science and Engineering* 3: 1448–1473, <https://doi.org/10.3390/jmse3041448>
- Vandepitte L, Vanhoorne B, Decock W, Vranken S, Lanssens T, Dekeyzer S, Verfaillie K, Horton T, Kroh A, Hernandez F, Mees J (2018) A decade of the World Register of Marine Species - General insights and experiences from the Data Management Team: Where are we, what have we learned and how can we continue? *PLoS ONE* 13: e0194599, <https://doi.org/10.1371/journal.pone.0194599>
- Viard F, David P, Darling JA (2016) Marine invasions enter the genomic era: three lessons from the past, and the way forward. *Current Zoology* 62: 629–642, <https://doi.org/10.1093/cz/zow053>
- Wood JB, Zhang PY, Costello MJ, Grassle JF (2006) An introduction to OBIS, www.iobis.org. In: Miloslavich P, Klein E (eds), Caribbean marine biodiversity: the known and the unknown. DEStech Publications Inc., Lancaster Pennsylvania USA, pp 23–24
- Zenetos A, Corsini-Foka M, Crocetta F, Gerovasileiou V, Karachle PK, Simboura N, Tsiamis K, Pancucci-Papadopoulou MA (2018) Deep cleaning of alien and cryptogenic species records in the Greek Seas (2018 update). *Management of Biological Invasions* 9: 209–226, <https://doi.org/10.3391/mbi.2018.9.3.04>