

the brine shrimp *artemia* bibliography

1985



européan aquaculture society

(formerly European Mariculture Society)

Prinses Elisabethlaan, 60

B-8401 Bredene - Belgium

THE BRINE SHRIMP
ARTEMIA
BIBLIOGRAPHY
1985

BY

Robert P. McCourt
Artemia Bibliographic Center
Hofstra University
Hempstead
New York 11550
U.S.A.

Patrick Lavens
Artemia Reference Center
J. Plateaustraat 22
B-9000 Ghent
Belgium



State University of Ghent, Belgium
Laboratory for Mariculture

EDITORS

Danny Verschelle

Patrick Lavens

Patrick Sorgeloos

Published by the Artemia Reference Center, 1985^C

FORWARD

The present bibliography is a further updated version of EMS Special Publication No. 5 "Updated Bibliography on the Brine Shrimp Artemia" which was published in 1980. The original bibliography was published in 1976 as "A Bibliography of the Brine Shrimp *Artemia salina* L. (EMS Special Publication No. 1). As was the case with the 1980 version, this version is also computer-based and therefore a subject-index is included.

At present, the bibliography is implemented on a DIGITAL MICROSYSTEMS DMS-3, HINET/CPM Operating System using DBASE II (Ashton-Tate) at the State University of Ghent (Belgium) and on a Apple IIe using BOOKENDS (Sensible Software) at Hofstra University (New York-USA). It may well be possible to implement it on other computers using these or other programs. Further information concerning this can be obtained from R.P. McCourt at Hofstra University.

Again, publications which mention the brine shrimp only as a source of food with no information about the brine shrimp itself, no details regarding the specific way in which the brine shrimp was used, or no information comparing the brine shrimp with other food sources are not included. This has resulted in the omission of a few publications which were included in the previous versions. These references (over 700) are available in a separate bibliography and copies are available from Hofstra University. Also a few publications which could not be located and did not clearly pertain to the brine shrimp have been omitted from this version.

We plan to continue updating the bibliography following the publication of this version and authors or investigators who are aware of new or old materials that should be included are asked to send complete citations (including copies if possible) to both of the cited institutions. In return, periodic updates will be sent to those individuals or institutions supplying this information. Within the limitations of time and staff, specific searches of the data bases will be supplied by either institution.

August 12, 1985

Robert P. McCourt
Patrick Lavens

A GUIDE TO USERS

The Artemia bibliography 1985 is a computer implemented data-base. This results in some cases in rather unlogic alphabetical order because the algorithm used for the alphabetisation takes also into account the punctuation marks and/or spaces.

The rank in the classification for this bibliography is the following: space/'/,/-/.A...Z/a....z.
This means that e.g.

Brown, D.A. (Ed)-1974 comes before Brown, D.A.-1969
Da Costa comes before Daborn
De Waart comes before Debaissieux
D'Hondt comes before Da Costa
Al-Attar comes before Aladin
Van der Linden comes before Vandel

We are aware that under this form retrieval of a particular reference can take some more time. However, we feel that this is a minor price to pay for a computerized bibliography which allows rapid ordering of future additions, retrieval on a key-word index and selected print-out jobs upon request.

The editors.

1.
Abatzopoulos, Th.J.; Triantaphyllidis, C.D.; Kastritsis, C.D.-1985.
Preliminary studies of some Artemia populations from Northern Greece.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.
2.
Abbate, C.-1964.
Le ghiandiole del guacio dell'Artemia salina Leach Richerche
morfologiche e cytochimiche.
Rc.Accad.naz.XL,4(13-14):45-55.
3.
Ablett, R.F.; Richards, R.H.-1980.
Suitability of twenty-four-hour and forty-eight-hour unfed Artemia as
an early foodstuff for "O" group Dover sole (*Solea solea* L.)
production.
Aquaculture, 19:371-377.
4.
Abonyi, A.-1914.
Kiserleti adatok az Artemia-nem megismereschiz.
Matematikai es termeszettudomanyi i ertesito, Budapest, 32:94-163.
5.
Abonyi, A.-1915.
Experimentelle Daten zum Erkennen der Artemia-Gattung.
Z.wiss.Zool., 114:95-168.
6.
Abreu-Grobois, A.-1985.
Review on the genetics of the genus Artemia.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, Antwerp, Belgium.
7.
Abreu-Grobois, F.A.; Beardmore, J.A.-1980.
International Study on Artemia. II. Genetic characterization of
Artemia populations-an electrophoretic approach:133-146.
In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics,
Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E.
Jaspers; Universa Press, Wetteren,Belgium, 318 pp.
8.
Abreu-Grobois, F.A.; Beardmore, J.A.-1982.
Genetic differentiation and speciation in the brine shrimp Artemia:
245-376.
In: Mechanism of Speciation. Progress in Clinical and Biological
Research. Ed. Barigozzi, C.; Alan R. Liss, Inc. New York, U.S.A.
9.
Acey, R.; Helder, J.C.; Bagshaw, J.C.-1981, Gene expression in
developing Artemia: Changes in abundant soluble proteins.
J. Cell Biol., 91(2,2):375a, Abstract Number 21060.

10.

Achari, G.P.K.-1971.

Occurrence of the brine shrimp *Artemia salina*, in Karsewar island off Tuticorin, Gulf of Marmar.

Indian J.Fish., 18:196.

11.

Adam, A.; Moffatt, J.G.-1966.

Dismutation reactions of nucleoside polyphosphates. V. Syntheses of P₁,P₄-di (guanosine-5') tetraphosphate and P₁, P₃-di (guanosine-5') triphosphate.

J.Am.chem.Soc., 88:838-842.

12.

Adam, N.-1979.

Onderzoek naar het vetzuurpatroon van *Artemia salina* L. gevoed met inerte voedsels.

Thesis, Katholieke industriële hogeschool, Gent (Belgium), 32 pp.

13.

Adisukresno, S.; Escritor, G.L.; Mintardjo, K.-1980.

Mass production of *Macrobrachium post* larvae in the Brackishwater Aquaculture Development Centre (BADC): 431-449.

In: Giant Prawn 1980. International Foundation for Science, Stockholm, Sweden.

14.

Adron, J.W.; Blair, A.; Cowey, C.B.-1974.

Rearing of plaice (*Pleuronectes platessa*) larvae to metamorphosis using an artificial diet.

National Marine Fisheries Service. Fishery Bulletin, 72(2): 353-357.

15.

Adron, J.W.; Blair, A.; Cowey, C.B.-1977.

Rearing of plaice larvae to metamorphosis using an artificial diet. Actes de Colloques du C.N.E.X.O., 4: 67.

16.

Ahmadi, M.R.-1985.

The first report of *Artemia* occurrence in Shurabil Lake in Iran.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, Antwerp, Belgium.

17.

Aiken, R.B.; Hillman, J.P.-1978.

Positive phototaxis of the brine shrimp *Artemia Salina* to monochromatic light, Can.J.Zool., 56(4):708-711.

18.

Akhorov F.; Oleynikova, F.A.-1976.

Material to the study of *Artemia salina* from the Sasykul Lake (Pamir). Biological basis of fisheries in water bodies of Middle Asia and Kazakhstan.

Materials of 15th Research Conference, Dushanbe:43-45.

19.
Al-Ameeri, A.; Watanabe, T.; Al-Hajj, A.; Sulman, S.-1980.
Juvenile shrimp production in 1979.
Techn. Rep. Kuwait Inst. for Scientific Research, KSIR/PP1014/FRM-RT-R-8003, 23pp.
20.
Al-Uthman, H.S.-1971.
Ecological observations on *Artemia salina* (L.) (Anostraca: Artemiida) in Iraq.
Bulletin of the Biological Research Centre, 5:49-65.
21.
Aladin, N.V.-1978.
Hypoosmotic regulation in the marine cladoceran *Penilia avirostris*.
(In russian).
Zhurnal Evolyutsionni Biokhimii, 14:517-519.
22.
Aladin, N.V.-1983.
Amphiosmotic regulation in the euryhaline cladoceran, *Moina mongolica*.
Gidrobiol. Zh., 19(1):76-81.
23.
Alayse-Danet, A-M.-1980.
Aspartate transcarbamylase in *Artemia* during early stages of development: 259-276.
In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 664 pp.
24.
Alayse-Danet, A-M.; Charlou, J.L.; Jezequel, J.F.-1980.
Effets du cuivre et du zinc sur les larves et les adultes d'*Artemia salina*.
Actualités de Biochimie Marine, 2:61-74.
25.
Alayse-Danet, A-M.; Charlou, J.L.; Jezequel, M.; Samain, J.F.-1979.
Modèle de détection rapide des effets sublétaux des polluants:
Modification des taux d'amylase et de trypsine d'*Artemia salina* contaminées par le cuivre ou le zinc.
Mar. Biol., 51(1):41-46.
26.
Alessio, G.-1974.
Riproduzione artificiale di orata *Sparus auratus* (L.) Osteichthyes, Sparidae). III. Produzione su vasta scala di fito e zooplancton per l'alimentazione delle larve e degl' avannotti.
Boll. Pesca Piscic. drobiol., 29(2):133-147.

27.
Alessio, G.-1975.
Riproduzione artificiale de orata, *Sparus aurata* (L.) (Osteichthys, Sparidae): 50 primi risultati sull'allevamento ed alimentazione delle larve e degli avonnotti.
Boll. Pesca Piscic. Idrobiol., 30(1): 71-92.
28.
Alessio, G.-1976.
Tecniche e metodiche generali di riproduzione artificiale della spigola, *Dicentrarchus labrax* (L.) (Osteichthys, Serranidae).
I.C.S., Rapp. tec. int., 4: 1-20.
29.
Alessio, G.; Bronzi, P.; Gandolfi, G.; Schreiber, B.-1973.
Techniche e metodiche generali di riproduzione artificiale dell'orata, *Sparus auratus* (L.) (Osteichthys, Sparidea).
Investigacion Pesquera, 39(2): 417-428.
30.
Alessio, G.; Gandolfi, G.; Schreiber, B.-1976.
Induction de la ponte, élevage et alimentation des larves et des alevins des poissons euryhalins.
Etud. Rev. C.G.P.M., 55: 143-157.
31.
Ali, S.; Ripley, S.D.-1968.
Handbook of the birds of India and Pakistan. Volume 1.
Oxford, 224 pp.
32.
Allee, W.C.-1926.
Some interesting animal communities of northern Utah.
Scient.Mon., Lond., 23:481-495.
33.
Allee, W.C.; Emerson, A.E.; Park, O.; Park, T.; Smith, K.P. (Eds)-1949.
Principles of animal ecology.
W.B. Saunders Co., Philadelphia, U.S.A., 849 pp.
34.
Allen, R.P.-1956.
The flamingos: their life history and survival.
Research Report no.5, National Audubon Society, New York, U.S.A., 285 pp.
35.
Allende, J.E.; Tarrago, A.; Shatkin, A.J.-1978.
Interaction of wheat protein synthesis elongation factor 1 with GTP analogs.
Archs Biochem.Biophys., 187(2):335-338.

36.
Alvarez, V.; Matthews, J.J.B.L.-1975.
Experimental studies on the deep-water pelagic community of
Korsfjorden, Western Norway. Feeding and assimilation by *Chiridius*
armatus (Crustacea:Copepoda).
Sarsia, 58:67-78.
37.
Alyakrinskaya, I.O.-1976.
Quantitative content of haemoglobin in haemolymph of *Artemia salina*
from the South-Eastern part of Sivash.
Zool.Zh., 55(10):1463-1467.
38.
Alyakrinskaya, I.O.-1979.
On the haemolymph and blood volume in some invertebrates. (in
russian): 126-129.
In: *Respiratory Proteins of some Groups of Contemporary Invertebrates*.
Ed. Korzhuev, P.A.; Nauka, Moscow, U.S.S.R., 172 pp.
39.
Alyakrinskaya, I.O.-1979.
Protein content in the haemolymph or blood of invertebrates. (in
russian): 135-142.
In: *Respiratory Proteins of some Groups of Contemporary Invertebrates*.
Ed. Korzhuev, P.A.; Nauka, Moscow, U.S.S.R., 172 pp.
40.
Amat Domenech, F.-1979.
Diferenciacion y distribucion de las poblaciones de *Artemia* (Crustaceo
Branquiopodo) de Espana.
Thesis, University of Barcelona (Spain), 251pp.
41.
Amat Domenech, F.-1980.
Differentiation in *Artemia* strains from Spain.
In: *The brine shrimp Artemia*. Vol. 1. Morphology, Genetics,
Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A.Roels;E.
Jaspers; Universa Press, Wetteren,Belgium,318pp.
42.
Amat, F.-1980.
Antecedentes, estado actual y perspectivas del empleo de *Artemia*
salina en acuicultura.
Informes Tecnicos Instituto de Investigaciones Pesquera, 75: 3-24.
43.
Amat, F.-1980.
Diferenciacion y distribucion de las poblaciones de *Artemia*
(Crustaceo, Branquiopoda) de Espana. I. Analisis morfologico. Estudios
alometricos referidos al crecimiento y a la forma.
Investigaciones Pesquera, 44(1):217-240.

44.

Amat, F.-1980.

Diferenciacion y distribucion de las poblaciones de Artemia (Crustaceo, Branchiopoda) de Espana. II. Incidencia del la salinidad ambiental sobre la morfologia y el desarrollo.

Investigaciones Pesquera, 44(3):485-503.

45.

Amat, F.-1982.

Diferenciacion y distribucion de las poblaciones de Artemia de Espana. III. Oviparismo y ovoviviparismo. Estudio cualitativo y cuantitativo.

Investigaciones Pesquera, 46(1):3-13.

46.

Amat, F.-1982.

Diferenciacion y distribucion de las poblaciones de Artemia de Espana. IV. Biometria de quistes y nauplius.

Investigaciones Pesquera, 46(1):55-62.

47.

Amat, F.-1982.

Diferenciacion y distribucion de las poblaciones de Artemia de Espana. V. Magnitudes nucleares y cromosomas.

Investigaciones Pesquera, 46(2):263-274.

48.

Amat, F.-1983.

Diferenciacion y distribucion de las poblaciones de Artemia de Espana. VI. Biogeografia.

Investigaciones Pesquera, 47(2):231-240.

49.

Amat, F.-1983.

Zygogenetic and parthenogenetic Artemia in Cadiz sea-side salterns.

Marine Ecol., Progress Series, 13(2-3):291-293.

50.

Amat, F.-1985.

Life history of a Great Salt Lake Artemia population kept under outdoor culture.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

51.

Amat,F.; Hontoria, G.; Navarro, J.C.-1985.

A preliminary nutritional evaluation of different Artemia nauplii as food for marine fish and prawn larvae.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

52.
Amiard-Triquet, C.; Lassus, P.; Amiard, J.C.; Devineau, J.; Denuit, C.-1981.
Influence des procédures expérimentales sur la détermination de la toxicité aigue de quelques polluants à l'égard de divers organismes marins et euryhalins: 485-496.
In: *Les Tests de Toxicité Aigue en Milieu Aquatique, Méthodology - Standardisation - Interpretation*. Ed. Leclerc, H.; D. Dive; Inst. Nat. de la Santé et de la Rech. Méd., Paris, France.
53.
Amons, R.; Moller, W.-1980.
Studies on the acidic proteins from the large subunit of *Artemia salina* ribosomes: 601-608.
In: *Genetics and Evolution of RNA Polymerases, tRNA and Ribosomes*. Eds Osawa, S.; H. Ozeki; H. Uchida; T. Yura, University of Tokyo Press, Tokyo, Japan.
54.
Amons, R.; Pluijms, W.; Kriek, J.; Moller, W.-1982.
The primary structure of protein eL12'/eL12'-P from the large subunit of *Artemia salina* ribosomes.
FEBS Letters, 146(1):143-147.
55.
Amons, R.; Pluijms, W.; Moller, W.-1979.
The primary structure of ribosomal protein EL 12/EL 12-P from *Artemia salina* 80S ribosomes.
FEBS, Letters, 104:85-89.
56.
Amons, R.; Pluijms, W.; Roobol, K.; Moller, W.-1979.
Sequence homology between EF-1a, the a-chain of elongation from *Artemia salina* and elongation factor EF-Tu from *Escherichia coli*.
FEBS Letters, 153(1):37-42.
57.
Amons, R.; Schrier, I.-1981.
Removal of sodium dodecyl sulfate from proteins and peptides by gel filtration.
Anal. Biochem., 116:439-443.
58.
Amons, R.; Van Agthoven, A.; Pluijms, W.; Moller, W.-1978.
A comparison of the alanine-rich sequences of the L-7-L-12 ribosomal proteins from rat liver, *Artemia salina* and *Escherichia coli* with the amino terminal region of the alkali light chain A-1.
1, FEBS, Letters, 86(2):282-284.
59.
Amons, R.; Van Agthoven, A.; Pluijms, W.; Moller, W.; Higo, K.; Itoh, T.; Osawa, S.-1977.
A comparison of the amino terminal sequence of the L-7 L-12 type proteins of *Artemia salina* and *Saccharomyces cerevisiae*.
FEBS, Letters, 81(2):308-310.

60.

Anadon, A.-1980.
Anatomia del ojo nauplial de Artemia sp. (Crustacea: Anostraca) adulta.
Rev. Fac. Cienc. Univ. Oviedo (Ser. Biol.), 20-21:135-148.

61.

Anadon, A.-1980.
Inervacion del ojo nauplial de Artemia sp. (Crustacea : Anostraca) adulta.
Rev. Fac. Cienc. Univ. Oviedo (Ser. Biol.), 20-21:149-156.

62.

Anadon, A.-1981.
Revision de la estructura del rabdoma en el ojo nauplial de crustaceos.
Rev. Fac. Cienc. Univ. Oviedo (Ser. Biol.), 22:67-75.

63.

Anadon, A.-1983.
Structure du rhabdome de l'oeil nauplien adulte d'Artemia (Anostraca).
Crustaceana (Leiden), 45(2):145-153.

64.

Anadon, A.-1983.
Ultraestructura del ojo nauplial de Artemia sp. (Crustacea, Anostraca) adulta.
Morfologia Normal y Patologica, 7(1):185-199.

65.

Anadon, A.; Anadon, E.-1980.
Nauplius eye and adjacent organs of adult Artemia:41-60.
In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics,
Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A.Roels;E.
Jaspers; Universa Press, Wetteren,Belgium,318pp.

66.

Anderson, D.T.(Ed.)-1973.
Embryology and phylogeny in Annelids and Arthropods.
Pergamon Press, New York, U.S.A.

67.

Anderson, D.T.-1967.
Larval development and segment formation in the branchiopod crustaceans Limnadia stanlejana (Conchostraca) and Artemia salina (Anostraca).
Aust.J.Zool., 15:47-91.

68.

Anderson, D.T.-1982.
Chapter 1, Embryology: 1-41.
In: The Biology of Crustacea. Volume 2. Embryology, Morphology and Genetics. Ed. Abele, L.G.; D.E. Bliss; Academic Press, New York,
U.S.A.

69.

Anderson, E.D.; Lochhead, J.H.; Lochhead, M.S.; Huebner, E.-1970.
The origin and structure of the tertiary envelope in thick-shelled
eggs of the brine shrimp, *Artemia*.
J.Ultrastruct.Res., 32:497-525.

70.

Anderson, E.D.; Smith, L.L., jr.-1971.
An automatic brine shrimp feeder.
Progve Fish Cult., 33(2):118-119.

71.

Anderson, G.C.-1958.
Some limnological features of a shallow saline meromictic lake.
Limnol. Oceanogr., 3:259-270.

72.

Anderson, G.C.-1977.
The effects of parasitism on energy flow through laboratory shrimp
populations.
Mar. Biol., 42:239-251.

73.

Anderson, J.W.; Stephens, G.C.-1969.
Uptake of organic material by aquatic invertebrates. VI. Role of
epiflora in apparent uptake of glycine by marine animals.
Mar.Biol., 4:243-249.

74.

Anderson, O.R.; Be, A.W.M.-1976.
A cytochemical fine structure study of phagotrophy in a planktonic
foraminifer, *Hastigerina pelagica* (d'Orbigny).
Biol.Bull., 151:437-449.

75.

Anderson, O.R.; Swanberg, N.R.; Bennet, P.-1984.
An estimate of predation rate and relative preference for algal versus
crustacean prey by a spongiosa skeletal radiolarian.
Mar. Biol., 78: 205-207.

76.

Anderson, W.-1970.
A preliminary study of the relationship of saltponds and wildlife,
South Francisco Bay.
Calif.Fish Game, 56:240-252.

77.

Andrews, M.T.; Bagshaw, J.C.-1982.
Histones an 5S RNA genes in a single cloned fragment of *Artemia* DNA.
J. Cell Biol., 95(2,2):220a, Abstract Number 100050.

78.

Andrews, M.T.; Perry, B.A.; Smolenski, P.D.; Bagshaw, J.C.-1983.
5-S related sequences are interspersed with histone genes in *Artemia*.
Fedn Proc., 42(7):1757, Abstract Number 3.

79.

Andrews, M.T.; Vaughn, J.C.; Bagshaw, J.C.-1984.
Organization of histone and 5S RNA genes in *Artemia*.
Fedn Proc., 43(6):1558, Abstract Number 826.

80.

Angelo, L.S.-1970.
Hemolymph proteins of *Artemia salina*.
Thesis, San Francisco State College, U.S.A.

81.

Angelovic, J.W.; Engel, D.W.-1968.
Interaction of gamma irradiation and salinity on respiration of brine shrimp (*Artemia salina*) nauplii.
Radiat. Res., 35(1):102-108.

82.

Angelovic, J.W.; Engel, D.W.-1969.
Interaction of gamma irradiation and salinity on respiration of brine shrimp nauplii.
Circ. Fish Wildl. Serv., 309:47-52.

83.

Angelovic, J.W.; Engel, D.W.-1970.
Effects of radiation on estuarine organisms.
Marine Pollution Bulletin, 1:103-105.

84.

Angelovic, J.W.; White, J.C., jr.; Engel, D.W.-1966.
Influence of salinity on the response of estuarine animals to ionizing radiation.
Association of Southeastern Biologists Bulletin, 13:29.

85.

Anger, K.; Dawirs, R.R.; Anger, V.; Costlow, J.D.-1981.
Effects of early starvation periods on zoeal development of brachyuran crabs.
Biol. Bull., 161: 199-212.

86.

Anger, K.; Dietrich, A.-1984.
Feeding rates and gross growth efficiency in *Hyas araneus* L. larvae
(Decapoda: Majidae) reared in the laboratory.
J. exp. mar. Biol. Ecol., 77(1,2):169-181.

87.

Aniello, M.S.; Singh, T.-1980.
Some studies on the larviculture of the giant prawn *Macrobrachium rosenbergii*.50-58.
In: Giant Prawn 1980, Bangkok, Thailand, June 1980. IFS Provisional Report No. 9. International Foundation for Science, Stockholm, Sweden, 771 pp.

88.
Anikin, W.P.-1899.
Einige biologische Beobachtungen ueber die Crustaceen der Gattung
Artemia (in Russian).
Mitteilungen des kais.Univ.Tomsk., 14:103 pp.
89.
Anonymous-1861.
Great Salt Lake.
Scient.Am., 9:131-132.
90.
Anonymous-1947.
Brine shrimp and other crustaceans.
Turtox Leaflet no.27.
91.
Anonymous-1955.
Brine shrimp used in residue tests.
Fm Chem., 118(9):26.
92.
Anonymous-1955.
Shrimp for residue test.
Agr.Chem., 10(9):99.
93.
Anonymous-1956.
Brine shrimp, miracle feed for or practical flop.
Utah Fish Game Bull., 12:1-14.
94.
Anonymous-1956.
The McCullough brine shrimp hatcher.
Aquar.J., 27(9):333-334.
95.
Anonymous-1958.
Notes on the culture of Artemia.
Aquar.J., 29(8):311.
96.
Anonymous-1961.
Methods for the culture of Artemia.
Ward's natural science establishment, Leaflet no.10.
97.
Anonymous-1963.
The brine shrimp is a good food converter.
New Scient., 364(7):333.

98.

Anonymous-1972.

Report of the National Marine Fisheries Service Gulf Coastal Fisheries Center, Fiscal Years 1970 and 1971.

U.S. Department of Commerce. National Oceanic and Atmospheric Administration. NOAA Technical Memorandum NMFS SER-1. 26 pp.

99.

Anonymous-1972.

Report of the First Session of the ACMRR/IABO Working Party on Aquaculture. Advisory Committee on Marine Resources.

FAO, ACMRR: 7/73/WP.6. 16 pp.

100.

Anonymous-1972.

Incubation et nutrition d'Artemia salina.

COB/DS/Rapport de Stage 72.5, 13 pp.

101.

Anonymous-1973.

Pacific island mariculture conference.

Univ. Hawaii, Hawaii Inst. Mar. Biol., Coconut Island, Kanehoe, Hawaii, Feb. 6-8, 1973, 21 pp.

102.

Anonymous-1974.

Algae and brine shrimp treat sewage and help produce crops and seafood.

Science and Engineering News from NOAA, July, 1974. U.S. Department of Commerce. pp. 1-7.

103.

Anonymous-1974.

Fishes. Guidelines for the breeding, care and management of laboratory animals. Committee on standards, National Academy of Science, National.

Research Council, Washington DC, U.S.A.

104.

Anonymous-1975.

Studies on the prawn: 13-29.

In: Annual Report. Aquaculture Department. Southeast Asian Fisheries Development Center, Tigbauan, Iloilo, Philippines, 72 pp.

105.

Anonymous-1976.

Static method for acute toxicity tests with brine shrimp, Artemia salina. Bioassay procedures for the Ocean Disposal Permit Program. Environmental Res. Lab.:26-30. Office of Res. and Dev. U.S. Environmental Protection Agency. Gulf Breeze, Florida, U.S.A., (E.P.A.-600/9-76-010), 96 pp.

106.

Anonymous-1977.

Further studies on waste treatment using Artemia and biological impacts in the lower Brazas river.

Center for Research in the Water Resources News, 13(3):1.

107.

Anonymous-1977.

South China Sea Fisheries Development and Coordinating Programme 1977. Joint SCSP/SEAFDEC Workshop on Aquaculture Engineering. Vol.

2. Technical Report, 453 pp.

108.

Anonymous-1978.

Production of brine shrimp on Christmas Island.

Environmental Consultants, Inc. Final Technical Report 1975-1977.

Prepared for Ministry of Natural Resources Development. Gilbert Islands Goverment, 231 pp.

109.

Anonymous-1978.

Aquaculture development for Hawaii.

Aquaculture Planning Program, Department of Planning and Economic Development, State of Hawaii, 222 pp.

110.

Anonymous-1978.

Aquaculture development in Asia through regional cooperative efforts: 21-52.

In: Regional workshop on "Aquaculture Development Strategies for Asia". Asian Institute of Aquaculture, Seafdec Aquaculture Department, Manila-Philippines, 376 pp.

111.

Anonymous-1978.

Aquaculture in the United States. Constraints and opportunities. National Academy of Sciences, Washington DC, U.S.A., 123 pp.

112.

Anonymous-1978.

Continuation of studies on waste treatment using Artemia and biological impacts in the lower Brazas river.

Center for Research in Water Resources News, 14(4):22-23.

113.

Anonymous-1978.

Experiencias sobre cultivos de larvas de *Palaemon serratus*, *Penaeus kerathurus* y *Sparus auratus*, realizadas en el laboratorio del Mar Menor del Instituto Espanol de Oceanografia.

Boln Inst.esp.Oceanogr., 4:1-54.

114.

Anonymous-1978.

Filipino aquaculturist goes into egg production of brine shrimp. Asian Aquaculture, 1(2):5.

115.
Anonymous-1978.
Regional Workshop on "Aquaculture Development Strategies for Asia".
Asian Institute of Aquaculture, Seafdec Aquaculture Department,
Manila-Philippines, 376 pp.
116.
Anonymous-1978.
L'aquaculture du loup: la production de juvéniles. Techniques de
production.
Supplément au Bulletin CNEXO, No.114, 16pp.
117.
Anonymous-1979.
Brine shrimp.
Freshwater and marine Aquarium, 2(4):20-23.
118.
Anonymous-1979.
Informe sobre la Artemia salina.
In: PEMARES : Plan de explotacion marisquera y de cultivos marinos de
la region suratlantica. Memoria annual 1979.
119.
Anonymous-1979.
Planta experimental de Artemia: 33-41.
In: PEMARES : Plan de explotacion marisquera y de cultivos marinos de
la region suratlantica. Memoria annual 1979.
120.
Anonymous-1979.
Report on brine shrimp symposium.
The Mono Lake Newsletter, 2(2):10.
121.
Anonymous-1979.
Fisheries Research 1974-1977.
Ministry of Agriculture, Fisheries and Food. Fisheries Laboratory,
Lowestoft, Suffolk, United Kingdom, 80 pp.
122.
Anonymous-1979.
Mono Lake: Paradise In Peril.
Position Paper of the Mono Lake Committee, Oakland, U.S.A., 22 pp.
123.
Anonymous-1979.
Research on Artemia salina in the Philippines.
Asian Aquaculture, 2(1):4.
124.
Anonymous-1979.
Research on Artemia salina in the Philippines.
SEAFDEC newsletter, 2(3):11.

125.

Anonymous-1980.

Studio sobre el cultivo experimental de Artemia salina en estanques salinas. Ensayos preliminares sobre la produccion intensiva de huevos cisticos: 23-25.

In: PEMARES : Plan de exploitation marisquera y de cultivos marinos de la region suratlantica. Memoria annual:23-25.

126.

Anonymous-1980.

Visit by U.S. delegation initiates aquaculture exchange with China.
Aquaculture Magazine, 7(1): 14-20.

127.

Anonymous-1980.

Thai freshwater prawn and brine shrimp farming. Report on a study of economics, marketing and processing requirements.
FAO Report THA:75:008:80/WP17, 124 pp.

128.

Anonymous-1980.

Artemia eggs that pay in energy.
Fish Farmer, 3(3):48-49.

129.

Anonymous-1981.

Laboratory Animal Management. Marine Invertebrates.
Committee on Marine Invertebrates. Institute of Laboratory Animal Resources. Assembly of Life Sciences. Nat. Res. Counc. National Academy Press, Washington, D.C., U.S.A., 382 pp.

130.

Anonymous-1981.

The Mono Lake Newsletter.

Post Office Box 29, Lee Vining, California, U.S.A., 16 pp.

131.

Anonymous-1982.

Sea Grant Reports on: Brine shrimp quality varies.
Sea Grant Today, 12(1):7.

132.

Anonymous-1985.

Belgian focus on top quality brine shrimp.
Fish Farming Int., 12(3):22-23.

133.

Anonymous-1985.

Brine shrimp can be harvested on Canada's prairies.
Fish Farming Int., 12(1):20.

134.

Anraku, M.; Omori, M.-1963.

Preliminary survey of the relationship between the feeding habit and the structure of the mouth-parts of marine copepods.

Limnol. Oceanogr., 8: 116-126.

135.

Anteunis, A.-1964.

Les membranes annelées dans l'oeuf d'*Artemia salina*. Etude de microscopie électronique.

Bull. Assoc. Anat., Paris. 49:168-173.

136.

Anteunis, A.; Fautrez-Firlefyn, N.-1961.

Ultrastructure du cortex et du plasme sous-cortical de l'oeuf d'*Artemia salina*.

C.r.Seanc.Soc.Biol., 155(6):1393-1394.

137.

Anteunis, A.; Fautrez-Firlefyn, N.; Fautrez, J.-1961.

Formation de la première ébauche du blastocète dans l'oeuf d'*Artemia salina*.

Expl Cell Res., 25(2):463-465.

138.

Anteunis, A.; Fautrez-Firlefyn, N.; Fautrez, J.-1962.

Origine et ultrastructure des grains metachromatiques dans l'oeuf d'*Artemia salina*.

Expl Cell Res., 28(3):592-594.

139.

Anteunis, A.; Fautrez-Firlefyn, N.; Fautrez, J.-1966.

A propos d'un complexe tubulé mitochondrial ordonné dans le jeune oocyte d'*Artemia salina*.

J.Ultrastr.Res., 15(1-2):122-130.

140.

Anteunis, A.; Fautrez-Firlefyn, N.; Fautrez, J.-1966.

L'incorporation de cellules nourricières par l'oocyte d'*Artemia salina*. Etude au microscope électronique.

Archs Biol., 77:665-676.

141.

Anteunis, A.; Fautrez-Firlefyn, N.; Fautrez, J.-1966.

La structure de ponts intercellulaires "obtures" et "ouverts" entre oogonies et oocytes dans l'ovaire d'*Artemia salina*.

Archs Biol., 77:645-664.

142.

Anteunis, A.; Fautrez-Firlefyn, N.; Fautrez, J.-1967.

L'accrolement des pronuclei de l'oeuf d'*Artemia salina*.

J.Ultrastr.Res., 20:206-210.

143.

Anteunis, A.; Fautrez-Firlefyn, N.; Fautrez, J.-1968.
Ultrastructure du nucleole expulsé dans le cytoplasme de l'oocyte
d'Artemia salina.
C.r.hebd.Seanc.Acad.Sc., Paris, 266:1862-1863.

144.

Anteunis, A.; Fautrez-Firlefyn, N.; Fautrez, J.; Lagasse, A.-1964.
L'ultrastructure du noyau vitellin atypique dans l'oeuf d'*Artemia salina*.
Expl Cell Res. 35:239-247.

145.

Antonov, A.S.; Favorova, O.O.; Belozerski, A.N.-1963.
The nucleotide composition of the desoxyribonucleic acids of animals
and plants.
Doklady Akademii Nauk SSSR, Biol. Sci. Sect., 147(1/6):1232-1235.

146.

Appelbaum, S.-1978.
Verhaltensstudie zur Futteraufnahme von Larven der Kleinen Marane
(*Coregonus Albula* (L.)).
Arch. FischWiss., 29(1/2): 85-91.

147.

Aquacop-1977.
Elevage larvaire de peneides en milieu tropical.
Actes de Colloques du C.N.E.X.O., 4: 179-191.

148.

Aquacop-1977.
Production de masse de post-larves de *Macrobrachium rosenbergii* (De
Man) en milieu tropical: Unite pilote.
Actes de Colloques du C.N.E.X.O., 4: 213-232.

149.

Aquacop-1980.
Mass production of *Macrobrachium rosenbergii* juveniles in french
Polynesia: predevelopment phase results: 87.
In: Abstracts "Symposium on Coastal Aquaculture" (Cochin, India, Jan.
12-18th 1980). The Marine Biological Association of India,Cochin,
India, 1980pp.

150.

Aquacop-1983.
Penaeid larval rearing in the Centre Oceanologique du Pacifique: 123-
127.
In: CRC Handbook of Mariculture. Volume I. Crustacean Aquaculture. Ed.
McVey, J. P.; CRC Press, Boca Raton, Florida, U.S.A.

151.

Aquacop-1983.

Intensive larval rearing in clear water of *Macrobrachium rosenhaueri* (De Man, annuenue stock) at the Centre Oceanologique du Pacifique, Tahiti: 179-187.

In: CRC Handbook of Mariculture. Volume I. Crustacean Aquaculture. Ed. McVey, J.P.; CRC Press, Boca Raton, U.S.A.

152.

Aramant, R.-1980.

Biogenic amines in crustaceans: A microspectrofluorometric analysis. Comp. Biochem. Physiol., 66C:29-36.

153.

Aramant, R.; Elofsson, R.-1976.

Distribution of monoaminergic neurons in the nervous system of non-Malacostracan Crustaceans.

Cochin, India, 196pp.

154.

Aramant, R.; Elofsson, R.-1976.

Monoaminergic neurons in the nervous system of Crustaceans. Cell Tissue Res., 170(2):231-252.

155.

Areekul, S.; Harwood, R.F.-1960.

Two organisms suitable for bioassaying specific acaricides.

J.agric.Food Chem., 8:32-36.

156.

Arnau, J.I.-1982.

Possibilidades de la acuicultura en el litoral Espana.

Set Ediciones y Artes Grafics, S.A., Madrid.

157.

Arnold, C.R.; Bailey, W.H.; Williams, T.D.; Johnson, A.; Lasswell, J.L.-1977.

Laboratory spawning and larval rearing of red drum and southern flounder.

Proc. Ann. Conf. SE. Ass. Fish Wildlife Agencies, 31: 437-440.

158.

Arnold, C.R.; Lasswell, J.L.; Bailey, W.H.; Williams, T.D.; Fable, W.A., Jr.-1976.

Methods and techniques for spawning and rearing spotted seatrout in the laboratory.

Proc. Am. Conf. SE. Ass. Fish Wildlife Agencies, 30: 167-178.

159.

Aronovich, T.M.; Spektorova, L.V.-1971.

Cultivation of food organisms in connection with the problem of artificial propagation of young stages of marine fishes (in Russian).

Proc. All-Union Res.Inst.Mar.Fish.Ocean., 81:190-204.Fish.Res.Bd Can., translation series, no.2385, 18 pp.

160.

Aronovich, T.M.; Spektorova, L.V.-1974.

Survival and fecundity of *Brachionus calyciflorus* in water of different salinities.

Hydrobiol.J., 10:71-74.

161.

Artom, C.-1905.

Osservazioni generali sull'*Artemia salina* Leach delle saline di Cagliari.

Zool.Anz., 29(9):284-291.

162.

Artom, C.-1906.

Osservazioni e raffronto tra le Artemie sessute e le Artemie parthenogenetiche.

Biologica,Torino,1(1):1-4.

163.

Artom, C.-1906.

La variazione dell'*Artemia salina* (Linn.) di Cagliari sotto l'influsso della salsedine.(Sunto.).

Atti Accad.Sci., Torino,41:971-972,

164.

Artom, C.-1906.

Note critiche alle osservazione del Loeb sull'*Artemia salina*.

Biol.Zbl., 26(7):204-208.

165.

Artom, C.-1906.

Il numero dei chromosomi e la maturazione dell'uovo dell'*Artemia* partenogenetica di Capodistria e dell'*Artemia* di Gagliari.

Biologica,Torino, 1(2):5-10.

166.

Artom, C.-1906.

Ricerche sperimentali sul modo di riprodursi dell'*Artemia salina* Lin. di Cagliari.

Biol.Zbl., 26(1):26-32.

167.

Artom, C.-1907.

Ricerche sperimentali sulla variazione dell'*Artemia salina* Lin. di Cagliari.

Biologica,Torino,1(14):247-264.

168.

Artom, C.-1907.

La variazione dell'*Artemia salina* (Linn.) di Cagliari sotto l'influsso della salsedine.

Memorie Accad.Sci.Torino,57:221-254.

169.

Artom, C.-1907.

La naturazione, la fecondazione e i primi stadi di sviluppo dell'uovo dell'Artemia salina Lin. di Cagliari:495-515.
Biologica Raccolta di Scritta di Biologia Torino. 1.

170.

Artom, C.-1911.

Analisi comparativa della sostanza cromatica nelle mitosi di maturazione e nelle prime mitosi di segmentazione dell'uovo dell'Artemia sessuata di Cagliari (univalens) e dell'uovo. Arch.Zellforsch., 7(2):277-295.

171.

Artom, C.-1911.

La sistematica del genere Artemia in relazione col numero dei cromosomi delle cellule sessuali e in relazione col numero e colla grandezza delle cellule somatiche.

Biol.Zbl., 31(4):104-108.

172.

Artom, C.-1912.

Le basi citologiche di una nuova sistematica del genere Artemia. Sulla dipendenza tra il numero dei cromosomi delle cellule germinative, e la grandezza dei nuclei delle cellule somatiche.

Arch. Zellforsch., 9(1):87-113.

173.

Artom, C.-1920.

Nuovi fatti e nuovi problemi sulla biologia e sulla sistematica del genere Artemia.

Atti Accad.naz.Lincei Rc., 29(1):468-472.

174.

Artom, C.-1920.

Nuovi fatti e nuovi problemi sulla biologia e sulla sistematica del genere Artemia. Nota II.

Atti Accad.naz.Lincei Rc., 29:497-501.

175.

Artom, C.-1920.

Nuovi fatti e nuovi problemi sulla biologia e sulla sistematica del genere Artemia. Nota III.

Atti Accad.naz.Lincei Rc., 29(2,1-2):65-68.

176.

Artom, C.-1921.

Dati citologici sul tetraploidismo dell'Artemia salina di Margherita di Savoia (Puglia).

Atti Accad.naz.Lincei Rc., 30:66-69.

177.

Artom, C.-1921.

Il significato delle rasse e delle specie tetraploidi e il problema della loro origine.

Riv.Biol., 3(3):265-278.

178.

Artom, C.-1921.

Specie micropireniche e macropireniche del genere Artemia.

Ric. Morf., 2(1-2):137-155.

179.

Artom, C.-1922.

Nuovi dati sulla distribuzione geografica e sulla biologia delle due specie (microperenica e macroperenica) del genere Artemia.

Atti Accad.naz.Lincei Rc., 31:529-532.

180.

Artom, C.-1923.

Il tetraploidismo dei maschi dell'Artemia salina di Odessa in relazione con alcuni problemi generali di genetica.

Atti Accad.naz.Lincei Rc., 32:505-507.

181.

Artom, C.-1923.

L'Artemia salina come oggetto di esperimento per alcuni problemi di genetica.

Int.Revue ges.Hydrobiol.Hydrogr., 11(1-2):148-157.

182.

Artom, C.-1923.

Nouveaux faits et nouveaux problèmes sur la biologie et sur la systématique du genre d'Artemia.

Annls Biol., 27:140.

183.

Artom, C.-1924.

Ancora delltetraploidismo dei maschi dell'Artemia salina di Odessa in relazione con alcuni problemi generali di genetica.

Atti Accad.naz.Lincei Rc., 33:34-36.

184.

Artom, C.-1925.

Segmentazioni anormali all'inizio dello sviluppo in uova dell'Artemia salina diploide di Cagliari.

Atti Accad.naz.Lincei Rc., 1(10):605-608.

185.

Artom, C.-1925.

Grandezza cellulare e gigantismo nei due regni della natura.

C.r.Ass.Anat., 20:96-101.

186.

Artom, C.-1925.

Le correlazioni obbligatorie del vero tetraploidismo. (Gigantismo e
grandezza cellulare).

Atti Accad.naz.Lincei Rc., 2(9):355-358.

187.

Artom, C.-1926.

Tetraploidismo e gigantismo. Esame comparativo degli stadi
postembrionali dell'*Artemia salina* diploide e tetraploide.
Int.Revue ges.Hydrobiol.Hydrogr., 16(1-2):51-80.

188.

Artom, C.-1927.

Il diploidismo e il tetraploidismo dell'*Artemia salina*.
Z.indukt.Abstamm.-u.VererbLehre, 46(1):42.

189.

Artom, C.-1928.

Il diploidismo e il tetraploidismo dell'*Artemia salina*.
Z.indukt.Abstamm.-u.VererbLehre, Suppl.B1:384-386.

190.

Artom, C.-1928.

La polyploidie dans ses correlations morphologiques et biologiques.
C.r.Séanc.Soc.Biol., 98:29-49.

191.

Artom, C.-1929.

Il differenziamento e l'accrescimento degli elementi nervosi
dell'*Artemia salina* diploide e tetraploide durante lo sviluppo.
C.r.Ass.Anat., 24:35-40.

192.

Artom, C.-1929.

Il diploidismo dell'*Artemia salina* di Cette.
Boll.Soc.ital.Biol.sper., 4:862-864.

193.

Artom, C.-1929.

L'accrescimento degli elementi nervosi dell'*Artemia salina* diploide e
tetraploide durante lo sviluppo.
Monitore zool.ital., 40(3):106-114.

194.

Artom, C.-1929.

Osservazioni preliminari sulla maturazione dell'uovo e sui primi
stadii di sviluppo dell'*Artemia salina* di Cette.
Boll.Soc.med.-chir.Pavia, 43:571-578.

195.

Artom, C.-1930.

L'origine e l'evoluzione della partenogenesi dell'*Artemia salina*
diploide di Sete (Cette).

Atti Accad.naz.Lincei Rc., 11(7):699-704.

196.

Artom, C.-1931.

L'origine e l'evoluzione della partenogenesi attraverso i differenti biotipi di una specie collettiva (*Artemia salina* L.) con speciale riferimento al biotipo partenogenetico di Sete.

Memorie R.Accad.Ital., 2(1):1-57.

197.

Assaf, G.; Cohen, Y.-1984.

Method of and apparatus for pre-treating make-up water contaminated with nutrients.

U.S. Patent. US 4,446,025. (Cl. 210-602; C02F3), May 1, 1984. 6 pp.

198.

Aubert, M.; Bittel, R.; Laumond, F.; Romeo, M.; Donnier, B.; Barelli, M.-1972.

Utilisation d'une chaîne trophodynamique de type pélagique pour l'étude des transferts des pollutions métalliques.

Rev.int.Oceanogr.med., CERBOM,28:27-52.

199.

Aubert, M.; Desirotte, N.-1969.

Théorie formalisée de la diffusion des produits chimiques en mer.

Rev.int.Oceanogr.med., CERBOM,13-14:125-156.

200.

Aubert, M.; Petit, L.; Donnier, B.; Barelli, M.-1973.

Transfert de polluants métalliques au consommateur terrestre à partir du milieu marin.

Rev.int.Oceanogr.med., CERBOM,30:39-59.

201.

Audouin, A.-1836.

Examen des crustacés rapportés de la saline de Marignane.

Annls Sci.nat., 6:226-231.

202.

Audouin, A.-1837.

Séance du 1er février 1837. Annales de la Société entomologique de France.

Annls Soc.ent.Fr., Paris,6:9-10.

203.

Auerbach, C.-1963.

Stages in the cell cycle and germ cell development : 152-168.

In: Radiation effects in physics, chemistry and biology. Proc.

2nd Int.Congr.Rad.Res. Eds Ebert, M.;A. Howard; North-Holland

Publ.Co., Amsterdam.

204.

Augenfeld, J.M.-1969.

The role of Na⁺ - K⁺ activated, ouabain-sensitive ATPase in the response of *Artemia salina* L. to salinity changes.

Life Sciences,8(2):973-978.

205.

Augusti-Tocco; Monroy, A.-1972.

Gene controlled regulatory processes in the development of marine organisms : 291-341.

In: Biochemical Biophysical Perspectives in Marine Biology, Vol.2;Eds Malins, D.C.;J.R. Sargent. Academic Press, New York (U.S.A.).

206.

Austerberry, C.F.; Bagshaw, J.C.-1979.

Biochemical analysis of development failure in Great Salt Lake Embryos: 71-83.

A.H. Warner; University Microfilms International, Ann Arbor, Michigan, U.S.A.), 239pp.

207.

Austerberry, C.F.; Hudson, R.A.; Bagshaw, J.C.-1979.

Di-N-Butyl phthalate hydrolyzing enzyme (S) from developing larvae of the brine shrimp, *Artemia salina*.

Fedn Proc.Fedn Am.Socs exp.Bio., 38:674.

208.

Austin, B.; Allen, A.-1981.

Microbiology of laboratory-hatched brine shrimp.

Aquaculture, 26:369-383.

209.

Axelrod, H.R.; Schutz, L.P.-1971.

Aquarium Fishes : 85-95.

T.F.H. Publications, Inc., Neptune City, New Jersey, U.S.A.:

210.

Azari-1985.

The use of *Artemia* from Ormia Lake as food for sturgeon fry.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

211.

Baas-Becking, L.G.M.-1928.

On organisms living in concentrated brine.

Tijdschr.ned.dierk.Vereen., 1:6-9.

212.

Baas-Becking, L.G.M.-1931.

Historical notes on salt and salt manufacturing.

Scient.Mon. N.Y., 32:434-446.

213.

Baas-Becking, L.G.M.-1934.

Geobiologie.

Den Haag The Netherlands.

214.

Baas-Becking, L.G.M.; Karstens, W.K.H.; Kanner, M.-1936.
Salzeffekte und Milieu bei *Artemia salina* L. nebst Bemerkungen über
Ionenantagonismus.
Protoplasma, 25:32-40.

215.

Baccetti, B.-1970.
The spermatozoon of Arthropoda. IX. The sperm cells as an index of
arthropod phylogenesis: 169-180.
In: International Symposium of Comparative Spermatology, Rome and
Sienna. Ed. Baccetti, B. Academic Press, New York, U.S.A.

216.

Baert, P.-1982.
Optimalisatie van primaire zuiveringssystemen bij de intensieve teelt
van het pekelkreeftje *Artemia*.
Thesis. State University of Ghent, Ghent, Belgium, 93 pp.

217.

Bagatova; I.B.; Goussev, E.E.; Schmakova, Z.I.-1979.
Biological grounds for mass obtaining of *Artemia salina* L. nauplii
from diapausing eggs.
Proc. 7th Japan-Soviet Joint Symp. Aquaculture, Sept. 1978, Tokyo,
Japan.

218.

Bagchi, M.K.; Roy, R.; Gupta, N.K.; Mehta, H.B.; Woodley, C.L.; Wahba,
A.J.-1983.
A comparative study of the eIF-2-ancillary factor activities from
rabbit reticulocytes and brine shrimp embryos.
Fedn Proc., 42(7):1795, Abstract Number 225.

219.

Bagshaw, J.C.-1969.
Studies on transfer RNA and protein synthesis during development of
the brine shrimp, *Artemia salina*.
Thesis, University of Tennessee, U.S.A., Diss. Abstr., 31:1688.

220.

Bagshaw, J.C.-1976.
DNA dependent RNA polymerases from *Artemia salina*. Subunit structure
of polymerase II.
Nucleic Acids Res., 3(6):1449-1461.

221.

Bagshaw, J.C.-1976.
Subunit structure of RNA polymerase II from *Artemia*.
ICN/UCLA conf. Molec. Mech. contr. gene expression, abstracts:18.

222.

Bagshaw, J.C.-1979.

Introduction: 1.

In: Biochemistry of Artemia development. Eds Bagshaw, J.C.; A.H. Warner; University Microfilms International, Ann Arbor, Michigan, U.S.A.

223.

Bagshaw, J.C.-1979.

Histone gene expression in the brine shrimp, *Artemia salina*.

11th Int.Congr. on Biochemistry, Toronto, Canada.

224.

Bagshaw, J.C.-1980.

Biochemistry of Artemia development. Report on a symposium held in Toronto (Canada) in July 1979: 3-9.

In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636 PP.

225.

Bagshaw, J.C.-1981.

Structure and expression of histone genes in synchronously developing Artemia.

Fedn Proc., 40(6):1648, Abstract Number 629.

226.

Bagshaw, J.C.-1982.

Developmentally regulated gene expression in Artemia: Histone gene expression in newly hatched larvae.

Developmental Genetics, 3(1):41-51.

227.

Bagshaw, J.C.; Acey, R.-1979.

Stage-specific gene expression in Artemia: 136-149, In: Biochemistry of Artemia development. Eds Bagshaw, J.C.; A.H. Warner, University Microfilms International, Ann Harbor, Michigan, U.S.A., 239 pp.

228.

Bagshaw, J.C.; Acey, R.; Helder, A.C.; Talley-Brown, S.J.-1980.

Developmentally regulated genes in Artemia.

Fedn Proc., 39:2013, Abstract Number 2145.

229.

Bagshaw, J.C.; Acey, R.; Helder, J.C.-1980.

RNA polymerases and transcriptional switches in developing Artemia: 278-283.

In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636 pp.

230.
Bagshaw, J.C.; Andrews, M.T.-1982.
Cerebrus in charon: Histone and 5S RNA genes in a single closed
fragment of *Artemia* DNA.
Fedn Proc., 41(4):1038, Abstract Number 4490.

231.
Bagshaw, J.C.; Andrews, M.T.; Perry, B.A.-1984.
Chapter 7. Organization and expression of histone genes in the brine
shrimp, *Artemia*: 181-196.
In: Histone genes. Structure, Organization and Regulation. Eds Stein,
C.S.; J.L. Stein; W.F. Marzluff; John Wiley ans Sons, New York,
U.S.A.

232.
Bagshaw, J.C.; Andrews, M.T.; Perry, B.A.-1984.
Histone genes of *Artemia*: Organization, expression and interspersion
of apparent 5S ribosomal RNA genes.
Cell Biochem., O(8B): 75, Abstract number 1040.

233.
Bagshaw, J.C.; Bernstein, R.S.; Bond, B.H.-1977.
Isolated nuclei, RNA polymerases and the transcriptional "off" switch
in *Artemia*.
Fedn Proc., 36(3):807.

234.
Bagshaw, J.C.; Bernstein, R.S.; Bond, B.H.-1978.
DNA dependent RNA polymerases from *Artemia salina*. Decreasing
polymerase activities and number of polymerase II molecules in
developing larvae.
Differentiation, 10(1):13-22.

235.
Bagshaw, J.C.; Birndorf, H.C.; D'Alessio, J.M.-1975.
RNA polymerases from developing *Artemia salina* embryos.
Fedn Proc., 34(3):5-28.

236.
Bagshaw, J.C.; D'Alessio, J.M.-1976.
RNA polymerases and transcriptional switches in *Artemia salina*
embryos.
Fedn Proc., 35(7):296.

237.
Bagshaw, J.C.; D'Alessio, J.M.-1977.
RNA polymerase in developing brine shrimp embryos: here it comes,
there it goes.
2nd Ann. Colloq., College Biol. Sci., Ohio State Univ.

238.
Bagshaw, J.C.; D'Alessio, J.M.-1978.
Characterization of cytoplasmic RNA polymerases from dormant encysted
embryos of *Artemia*.
Fedn Proc., 37(6):1636.

239.

Bagshaw, J.C.; Finamore, F.J.; Novelli, G.D.-1970.
Changes in transfer RNA in developing brine shrimp.
Devl Biol., 23(1):23-35.

240.

Bagshaw, J.C.; Talley-Brown, S.J.-1980.
Structure ans expression of histone genes in synchronously developing
Artemia.
J. Cell Biol., 87(2,2):274a, Abstract number R 2116.

241.

Bagshaw, J.C.; Warner, A.H.-1979.
Biochemistry of *Artemia* development.
University Microfilms International (Ann Arbor, MI-U.S.A.), 240 pp.

242.

Bahner, L.H.; Nimmo, D.R.-1976.
Precision live-feeder for flow-through larval culture of food chain
bioassays.
Progve Fish Cult., 38:51-52.

243.

Bahner, L.H.; Wilson, A.J.; Sheppard, J.M.; Patrick, J.M.; Goodman,
L.R.; Walsh, G.E.-1977.
Kepone bioconcentration, accumulation, loss and transfer through
estuarine food chains.
Chesapeake Sci., 18:299-308.

244.

Bahnweg, G.; Sparrow, F.K.-1974.
A new species of *Thraustochytrium* from Antarctic regions with notes on
the distribution of zoosporic fungi in the Antarctic marine
ecosystems.
Am.J.Bot., 61(7):754-766.

245.

Baid, I.C.-1958.
Occurence of *Artemia salina* in Sambhar Lake, Rajasthan.
Curr. Sci., 27(2):58-59.

246.

Baid, I.C.-1959.
Occurrence of neoteny in the genus *Artemia*.
Nature, 184(4679):73-75.

247.

Baid, I.C.-1963.
The effect of salinity on growth and form of *Artemia salina* (L.).
J.exp.Zool., 153(3):279-283.

248.

Baid, I.C.-1964.
Neoteny in the genus *Artemia*.
Acta zool., Szeged, 45:167-177.

249.

Baid, I.C.-1964.

Preliminary notes on crustacean fauna of Sambhar Lake.
Sci.Cult., 30:153-154.

250.

Baid, I.C.-1965.

Experimental studies in the population of *Artemia salina* L.
Naturwissenschaften, 52(3):68.

251.

Baid, I.C.-1966.

Survival of *Artemia* in different media.
Mesopotamia, 1:,

252.

Baid, I.C.-1967.

On the development of *Artemia salina* L. (Crustacea: Anostraca).
J.Bombay nat.Hist.Soc., 64(3):432-439.

253.

Baid, I.C.-1968.

The arthropod fauna of Sambhar Lake, Rajasthan India.
Oikos, 19:292-303.

254.

Baid, I.C.; Ramaswami, L.S.-1965.

Neurosecretory cells in *Artemia salina* L.
Experientia, 21(9):528-529.

255.

Baird, W.-1849.

Natural history of the British Entomostraca.
Royal Society of London, 348 pp.

256.

Baird, W.-1852.

Monograph of the family Branchipodidae, a family of Crustaceans
belonging to the division Entomostraca with a description of a new
genus and two new species belonging to the family
Limnadiida.

Proc.zool.Soc.Lond., 20:18-31.

257.

Baird, W.-1854.

Monograph of the family Branchiopodidae, a family of Crustaceans
belonging to the division Entomostraca with a description of a new
genus and species of the family, and 2 new species belonging to
the family limnadiida.

Ann.Mag.nat.His., 14:216

258.

259.

Baird, W.B.-1854.

The Lymington brine shrimp, and the Fezzan worm.

Excelsior: helps to progress in religion, science, and literature, London, 1:229-232.

260.

Baker, M.J.-1966.

Autecology of Artemia: Factors influencing hemoglobin synthesis and cyst production.

Thesis, San Francisco State College, U.S.A., 117 pp.

261.

Ballardin, E.; Cervini, A.M.; Metalli, P.-1963.

Radiosensibilità e poliploidia in Artemia salina.

Atti Ass.genet.ital., 8:251-252.

262.

Ballardin, E.; Metalli, P.-1963.

Osservazioni sulla biologia di Artemia salina Leach. Tecniche di coltura e fenomeni riproduttivi.

Rc.Ist.lomb.Sci.Lett., B97:194-254.

263.

Ballardin, E.; Metalli, P.-1965.

Sulla relazione fra poliploidia e radiosensibilità in oviciti di Artemia salina Leach.

Boll.Zool., 32:613-618.

264.

Ballardin, E.; Metalli, P.-1965.

Riparazione del danno radioindotto in biotipi diversi di Artemia salina Leach.

Atti Ass.genet.ital., 10:243-244.

265.

Ballardin, E.; Metalli, P.-1966.

Azione die raggi X sulla ovoginese e sul ritmo di muta in Artemia salina Leach.

Boll.Zool., 33:195-196.

266.

Ballardin, E.; Metalli, P.-1966.

The life span of different strains of Artemia salina after single and fractionated X-ray exposures.

Int.Congr.Radiat.Res., 3:28. Abstract Number 106.

267.

Ballardin, E.; Metalli, P.-1967.

Variante ereditaria spontanea di Artemia salina partenogenetica tetraploide.

Atti Ass.genet.ital., 12:505-508.

268.

Ballardin, E.; Metalli, P.-1968.

Osservazioni sui maschi di linee pure di *Artemia salina* partogenetica dopo selezione o irraggiamento.

Boll.Zool., 35:443-450.

269.

Ballardin, E.; Metalli, P.-1968.

Stima di alcune componenti della "fitness" in *Artemia salina* pasteno genetica diploide irradiata per piu generazione.

Atti Ass.genet.ital., 13:341-345.

270.

Ballardin, E.; Metalli, P.-1972.

Osservazioni sulla trasmissione di caratteri in *Artemia salina* partogenetica.

Boll.Zool., 39(4):551-564.

271.

Ballario, P; Bergami, M.; Cacace, M.G.; Scala, F.; Silvestri, L.-1978.

Alpha,alpha-trehalase from the brine shrimp *Artemia salina*.

Purification and properties.

Comp.Biochem.Physiol., 61B(2):265-270.

272.

Baltres, A.; Medesan, A.-1978.

High magnesium calcite in faecal pelklets of *Artemia salina* from Techiroghiol Lake.

Experientia, 36:627.

273.

Baptist, J.P.; Lewis, C.W.-1968.

Transfer of Zinc 65 and Chromium 51 through an estuarine food chain.

Circ.Fish Wildl.Serv., Wash. 289:22-29.

274.

Baptist, J.P.; Lewis, C.W.-1969.

Transfer of 65Zn and 51Cr through an estuarine food chain: 420-430.

In: Symposium on Radioecology. Eds Nelson, D.J.;F.C. Evans.Fed.Sci.Tech.infor., Michigan, U.S.A.

275.

Barahona-Fernandes, M.H.; Conan, G.-1981.

Daily food intake of reared larvae of the european seabass (*Dicentrarchus labrax* L.) statistical analysis and modeling.

Rapp. P.-v. Reun. Cons. int. Explor. Mer, 178: 41-44.

276.

Barahona-Fernandes, M.H.; Girin, M.-1976.

Preliminary tests on the optimal pellet-adaptation age for sea bass larvae (Pisces, *Dicentrarchus labrax* L. 1758).

Aquaculture, 8:283-290.

277.
Barahona-Fernandes, M.H.; Girin, M.-1977.
Effect of different food levels on the growth and survival of
laboratory-reared sea-bass larvae (*Dicentrarchus labrax* (L.)).
Actes de Colloques du CNEXO, 4:69-84.

278.
Barahona-Fernandes, M.H.; Girin, M.; Metailler, R.-1977.
Expériences de conditionnement d'alevins de bar (Pisces, *Dicentrarchus labrax*) à différents aliments composés.
Aquaculture, 10:53-63.

279.
Baratelli, L.-1985.
First metrical data on the length of the prophasic chromosomes of
diploid and tetraploid Artemia.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

280.
Barbieri, L.; Zamboni, M.; Lorenzoni, E.; Montanaro, L.; Sperti, S.;
Stirpe, F.-1980.
Inhibition of protein synthesis in vitro by proteins from the seeds of
Momordica charantia (bitter pear melon).
Biochem., 186:443-452.

281.
Bardach, J.E.; Ryther, J.H.-1968.
The status and potential of aquaculture. Vol.II. Particularly fish
culture.
American Institute of Biological Sciences, Washington DC, U.S.A., 275
pp.

282.
Bardach, J.E.; Ryther, J.H.; McLarney, W.O.-1972.
Aquaculture: the farming and husbandry of freshwater and marine
organisms.
Wiley-Interscience, New York, U.S.A., 868 pp.

283.
Bargman, G.J.-1976.
Larval brine shrimp nauplii, a potentially useful model to study
cystic fibrosis.
Tex. Rep. Biol. Med., 34(1):37-43.

284.
Bargman, G.J.; Weisz, L.-1974.
Cystic fibrosis (CF) and respiratory energy production.
Pediatr. Res., 8:190.

285.
Barigozzi, C.-1934.
Diploidismo e tetraploidismo in *Artemia salina* di Margherita di
Savoia.
Boll. Soc. Ital. Biol. Sper., 9(2):195-197.

286.

Barigozzi, C.-1934.

Diploidismo, tetraploidismo e octoploidismo dell'Artemia salina partenogenetica di Margherita di Savoia.
Boll.Soc.ital.Biol.sper., 9(9):906-908.

287.

Barigozzi, C.-1934.

I rapporti fra assetto cromosomico e sistematica.
Attual.zool., 1:1-52.

288.

Barigozzi, C.-1936.

I caratteri fenotipici del biotipo tetraploide partenogenetico di Artemia salina in relazione agli altri biotipi partenogenetici.
Archo zool.ital., 22:1-16.

289.

Barigozzi, C.-1936.

Il legame genetico fra i biotipi partenogenetici di Artemia salina.
Archo zool.ital., 23:33-77.

290.

Barigozzi, C.-1938.

Sull'allevamento dell'Artemia salina in acquario.
Boll.Soc.ital.Biol.sper., 13(8):654-655..

291.

Barigozzi, C.-1938.

Anfigonia e poliploidismo in Artemia salina.
Boll.Soc.ital.Biol.sper., 13(8):655-656.

292.

Barigozzi, C.-1939.

La biologia di Artemia salina Leach studiata in aquario (Morfologia e velocità di sviluppo).

Atti Soc.ital.Sci.nat., 78(2):137-160.

293.

Barigozzi, C.-1940.

Relazione fra numero cromosomico e grandezza nucleare in Artemia salina Leach.

Scientia genet., 2(1):42-66.

294.

Barigozzi, C.-1941.

Cytogenetical analysis of two wild populations of Artemia salina in connection with polyploidism: 57-58.

In: Proc. 7th International Genetical Congress, Edinburgh, Scotland, 23-30 August, 1939. Cambridge University Press.

295.

Barigozzi, C.-1941.

I cromosomi nei tessuti somatici di Artemia salina Leach.
Boll.Soc.ital.Biol.sper., 16(11):720-721.

296.

Barigozzi, C.-1942.
I fenomeni cromosomici nelle cellule somatiche di *Artemia salina* Leach.
Chromosoma, Abteilung B, 2(3):251-292.

297.

Barigozzi, C.-1942.
L'azione della colchicina sulla morfologia e sulla struttura dei cromosomi, studiata nelle cellule somatiche di *Artemia salina*.
Chromosoma, Abteilung B, 2(3):293-307.

298.

Barigozzi, C.-1943.
Wirkung des Colchicins auf die Morfologie und Struktur Chromosomen untersucht an Korperzellen von *Artemia salina* Leach.
Chem.ZentBl., 1:2406.

299.

Barigozzi, C.-1944.
I fenomeni cromosomici delle cellule germinali in *Artemia salina* Leach.
*Chromosoma, B*2(6):549-575.

300.

Barigozzi, C.-1946.
Uber die geographische Verbreitung der Mutanten von *Artemia salina* Leach.
Arch.Julius Klaus-Stift., 21:479-482.

301.

Barigozzi, C.-1957.
Differentiation des génotypes et distribution géographique d'*Artemia salina* Leach: Données et problèmes.
Annls Biol., 33(5-6):241-250.

302.

Barigozzi, C.-1960.
Genetic systems in sessile and semi-sessile organisms: 559-567.
In: Perspectives in marine biology; Ed. Buzzati-Traverso,
A.A;University of California (U.S.A.).

303.

Barigozzi, C.-1972.
Problems of speciation in the genus *Artemia*: 61-66.
In: Proc.5th European Marine Biology Symposium; Ed. Battaglia,
B.;Piccin Editore, Padova, Italy, 348 pp.

304.

Barigozzi, C.-1974.
Artemia: A survey of its significance in genetic problems: 221-252.
In: Evolutionary Biology, Volume 7; Eds Dobzhansky, T.;M.K. Hecht;W.C. Steere; Plenum Press, New York, U.S.A., 314 pp.

305.

Barigozzi, C.-1980.

An interdisciplinary symposium on the brine shrimp Artemia in the U.S.A.

Experientia, 36:627.

306.

Barigozzi, C.-1980.

Genus Artemia: Problems of systematics: 147-153.

In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology. Eds Persoone, G.; P.

Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren Belgium, 318 pp.

307.

Barigozzi, C.; Badaracco, G.; Baratelli, L.; Plevani, P.; Ginelli, E.-1985.

Further data on repetitive DNA and speciation in Artemia.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

308.

Barigozzi, C.; Badarocco, G.; Plevani, P.; Baratelli, L.; Profeta, S.; Ginelli, E.; Meneveri, R.-1984.

Heterochromatin in the genus Artemia.

Chromosoma, 90(5): 332-337.

309.

Barigozzi, C.; Baratelli Zambruni, C.; Piccinelli, M.; Prosdocimi, T.-1968.

Mutanti spontanei in Artemia salina bissessuata.

Atti Ass.genet.ital., 13:339-340.

310.

Barigozzi, C.; Bartelli Zambruni, L.-1982.

Presence and absence of chromacenters in populations of Artemia. Rend.Sc.fis.mat. e nat. Lincei, 71(5):122-125.

311.

Barigozzi, C.; Fantoni, L.-1942.

L'azione della colhicina sul nauplius di Artemia salina Leach., Monitore zool.ital., 53(3-4):69-74.

312.

Barigozzi, C.; Metalli, P.-1980.

Report Workshop III. Species-characterization in Artemia: 301-302.

In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics,

Radiobiology, Toxicology. Eds. Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers. Universa Press, Wetteren, Belgium, 318 pp.

313.

Barigozzi, C.; Piccinelli, M.; Prosdocimi, T.-1969.

Description of some spontaneous mutants of Artemia salina.

Atti Ass.genet.ital., 14:169-181.

314.

Barigozzi, C.; Tosi, M.-1957.

Nuovi dati sul numero cromosomico di *Artemia salina* anfigonica.

Atti Ass.genet.ital., Ric.Sci. Suppl., 27:105-107.

315.

Barigozzi, C.; Tosi, M.-1959.

New data on tetraploidy of amphigonic *Artemia salina* Leach and on triploids resulting from crosses between tetraploids and diploids.

Atti Ass.genet.ital.

Ric.Sci. Suppl., 29:129-132.

316.

Barker-Jorgensen, C.-1966.

Biology of suspension feeding.

International Series of monographs in pure and applied biology.

Division: Zoology. Vol.27. Ed. Kerkut, G.A.; Pergamon Press, Oxford,

357 pp.

317.

Barker-Jorgensen, C.-1966.

Feeding: 69-133.

In: Marine Biology III. Proceedings of the 3rd International Interdisciplinary Conference. Ed. Edmondson, W.T., New York Academy of Sciences. Interdisciplinary Communications Progr.

318.

Barlow, D.I.; Sleigh, M.A.-1980.

The propulsion and use of water currents for swimming and feeding in larval and adult *Artemia*: 61-73.

In: The brine shrimp *Artemia*. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology. Eds Persoone, G.;P.

Sorgeloos;O.A.Roels;E. Jaspers; Universa Press, Wetteren Belgium, 318 PP.

319.

Barnabe, G.; Rene, F.-1973.

Réproduction contrôlée et production d'alevins chez la dorade *Sparus auratus* Linne 1758.

C. r. Acad. Sci. Paris, 276(10): 1621-1624.

320.

Barnard, K.H.-1929.

Contributions to the crustacean fauna of South Africa.

No.10. A revision of South African Branchiopoda (Phyllopoda).

Ann.S.Afr.Mus., 29(1):181-272.

321.

Barnes, B.A.; Visconti, J.A.-1964.

The use of *Artemia salina* in the bioassay of Digitalis: 33.

In: American Pharmaceutical Association, Abstracts of papers presented at New York City Meeting 1964.

322.

Barnes, H.; Morris, R.J.; Achituv, Y.-1978.
Changes in the biochemical composition of *Balanus balanoides* (L.)
under experimental conditions: The effect of a starch diet.
J. exp. mar. biol. ecol., 31: 267-281.

322.

Barnet, E.A.-1981.

Feeding relationships of *Artemia* on *Dactyloccopsis* and other food
species.

M.S. Thesis, University of Wales.

323.

Barrera, T.C.-1980.

Distribucion geografica e importancia de *Artemia* en Mexico y
evaluacion de la poblacion en el sur de la Bahia de Ceuta, Sinaloa,
Mexico.

Reporte de investigacion, 6:18 pp.

323.

Barret, R.E.-1970.

Raise your own brine shrimp: 95-99.

In: *Discovering Nature Indoors*. Ed. Pringle, L.; The Natural History
Press. Garden City, New York, U.S.A.

324.

Barrois, T.-1893.

Liste des phyllopodes récueillis en Syrie.

Revue biologique du nord de la France, 5:24-39.

325.

Bartel, L.-1976.

Sulfonamide sensitivity of brine shrimp, *Artemia salina*: An approach
to anion transport mechanism.

Thesis, Oregon State University, Corvallis, Oregon, U.S.A.

326.

Bartlett, K.H.; Trust, T.J.-1978.

Isolation of multi drug resistant salmonellas from brine shrimp diets
used in ornamental aquaria.

J.appl.Bact., 45(3):21.

327.

Bartley, D.M.; Carlberg, J.M.; Van Olst, J.C.; Ford, R.F.-1980.

Growth and conversion efficiency of juvenile american lobsters
(*Homarus americanus*) in relation to temperature and feeding level.

Proc. World Maricul. Soc., 11: 355-368.

328.

Bartsch, A.-1956.

Das schlupfen der larven von *Artemia salina*.

Mikrokosmos, 45(12):271-272.

329.

Bateson, W.-1894.

Branchipus and Artemia: 96-101.

In: Materials for the study of variation; MacMillian Co., London, U.K.

330.

Batuecas, B.; Calleja, M.; Valverde, J.R.; Marco, R.; Garesse, R.-1985.

Cloning and genetic organization of Artemia mitochondrial DNA.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

331.

Batuecas, B.; Garesse, R.; Marco, R.-1982.

The isolation of the yolk granules DNA in the crustacean Artemia and the storage of mitochondria in the yolk granules of the dormant gastrulae.

Biol. Cell, 45(51):160. Abstract Number 340.

332.

Baust, J.G.; Lawrence, A.L.-1979.

Enhancement of chill tolerance in larval Artemia salina. Cooling regimens and multiple type cryoprotectant exposure:421-428., In: Proc. 10th Ann. Meeting WMS. Ed. Avault, J.W., jr.; Louisiana State University, Baton Rouge, LA-U.S.A., 899pp.

333.

Baust, J.G.; Lawrence, A.L.-1980.

Freezing tolerance in larval Artemia: 115-122.

In: The brine shrimp Artemia. Vol. 2. Morphology, Genetics, Radiobiology, Toxicology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636 pp.

334.

Baust, J.G.; Lawrence, A.L.-1980.

Ontogenetic variability of chill tolerance in larval Artemia salina.

I. Single type cryoprotectants.

Aquaculture, 20:305-311.

335.

Baust, J.G.; Lawrence, A.L.-1980.

Ontogenetic variability of chill tolerance in larval Artemia salina.

II. Dual cryoprotectants.

Aquaculture, 20:313-321.

336.

Baust, J.G.; Lawrence, A.L.; Condon, G.-1978.

Enhancement of chill tolerance in larval Artemia salina. I. Single phase cryoprotectant exposure.

Cryobiology, 15:682.

337.

Bayl, E.R.; Sutcliffe, W.H., jr.-1963.

Dissolved organic matter in seawater as a source of particulate food.
Limnol.Oceanogr., 8:369-371.

338.

Bayly, I.A.E.-1967.

The general biological classification of aquatic environments with
special reference to those of Australia: 78-104.

In: Australian Inland waters and their fauna: eleven studies.Ed.
Weatherly, A.H. Australian Nature University Press, New South Wales.

339.

Bayly, I.A.E.-1969.

The occurrence of calanoid copepods in athalassic saline waters in
relation to salinity and anionic proportions.

Verh. int. Verein. Limnol., 17:449-455.

340.

Bayly, I.A.E.-1970.

Further studies on some saline lakes of south-east Australia.

Australian Journal of Freshwater Research, 21:117-129.

341.

Bayly, I.A.E.-1972.

Salinity tolerance and osmotic behavior of animals in athalassic
saline and marine hypersaline waters: 233-268.

In: Annual review of ecology and systematics. Vol.3; Ed.Johnston,
R.F.; Annual Reviews Inc., Palo Alto, (CA-U.S.A.).

342.

Bayly, I.A.E.; Williams, W.D.-1973.

Inland waters and their ecology.

Longman Australia Pty.

Ltd., Hawthorn, Victoria(Australia).

343.

Be, A.W.A.; Caron, D.A.; Anderson, O.R.-1981.

Effects of feeding frequency on life processes of the planktonic
foraminifer *Globigerinoides sacculifer* in laboratory culture.

J. Mar. Biol. Ass. U.K., 61: 257-277.

344.

Beadle, L.C.-1943.

An ecological survey of some inland saline waters of Algeria.

J.Linn.Soc., 41:218-242.

345.

Beadle, L.C.-1943.

Osmotic regulation and the faunas of inland waters.

Biol.Rev., 18:172-183.

346.

Beadle, L.C.-1957.

Comparative physiology: Osmotic and ionic regulation in aquatic animals: 329-356.

In: Annual Review of Physiology. Volume 19.; Eds Hall, V.E.; F.A. Fuhrman; A.C. Giese.; Annual Reviews, Inc. Academic press. New York, U.S.A.

347.

Beadle, L.C.-1959.

Osmotic and ionic regulation in relation to the classification of brackish and inland saline waters.

Arch.Oceanogr.Limnol., 11(Suppl.):143-151.

348.

Beadle, L.C.-1969..

Osmotic regulation and the adaptation of freshwater animals to inland saline waters.

Verh.int.Verein.Limnol., 17:421-429.

349.

Beadle, L.C.-1974.

Chapter 19. Temporary, saline and thermal waters: Lake Chilwa: 259-282.

In: The Inland Waters of Tropical Africa: An Introduction to Tropical limnology. Longman, London and New York.

350.

Beard, T.W.-1968.

Guppies in Sea Water.

Pet Fish Monthly, November: 334.

351.

Beard, T.W.; Wickins, J.F.-1980.

Breeding of Penaeus monodon Fabricius in laboratory recirculation systems.

Aquaculture, 20: 79-89.

352.

Beardmore, J.A.; Abreu-Grobois, F.A.-1983.

9. Taxonomy and evolution in the brine shrimp Artemia: 153-164.

In: Protein Polymorphism: Adaptive and Taxonomic Significance.

Systematics Association Special Volume Number 24. Academic Press, New York, U.S.A.

353.

Beck, A.D.; Bengston, D.A.-1981.

International Study on Artemia. XXII. Nutrition in aquatic toxicology: Diet quality of geographical strains of the brine shrimp Artemia: 161-169.

In: Aquatic Toxicology and Hazard Assessment. ASTM Spceial Technical Publication 766.; Eds. Pearson, J.G.; R.B. Foster; W.E. Bishop; A.S.T.M., Philadelphia, Pennsylvania, U.S.A.

354.

Beck, A.D.; Bengtson, D.A.; Howell, W.H.-1980.

International Study on Artemia. V. Nutritional value of five geographical strains of Artemia: effects on survival and geographical strains of Artemia: effects on survival and growth of.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels,E.Jaspers; Universa Press, Wetteren, Belgium, 428 pp.

355.

Beck, A.D.; Poston, H.A.-1980.

Effects of diet on survival and growth of atlantic silverside (*Menidia menidia*).

Progve Fish-Cult., 42(3):138-143.

356.

Beck, A.D.; Simpson, K.L.-1979.

Panel discussion: 517-527.

In: Cultivation of fish fry and its live food. EMS Spec. Publ.No. 4.

Eds Styczynska-Jurewicz, E.;T. Backiel;E. Jaspers;G. Persoone;

Institute for Marine Scientific Research, Bredene.

357.

Becker, E.-1942.

Ueber Eigenschaften, Verbreitung und die genetische entwicklungsphysiologische Bedeutung der Pigmente der ommatin und ommingruppe (omnochrome) bei de Arthropoden.

Z.VererbLehre,80:157-352.

358.

Bedier, E.-1981.

Pilot scale production of sea bass (*Dicentrarchus labrax*) fry.

Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer, 178: 530-532.

359.

Beers, P.C.-1970.

Diguanosine tetraphosphate pyrophosphohydrolase in the development of Artemia salina.

Thesis. University of Windsor, Canada.

360.

Behning, A.-1912.

Artemia salina aus dem Astrachanschen Gouvernement in Russland.

Zool.Anz., 39(5,6):196-199.

361.

Beklemishev, W.N.-1964.

Principles of comparative anatomy of invertebrates, Vol.2.

Oceanologie. (translation).

University of Chicago Press.

362.
Belk, D.-1974.
Zoogeography of the Arizona Anostraca with a key to the North American species.
Thesis. Arizona State University, Tempe, U.S.A., 90 pp.
363.
Belk, D.-1975.
Key to the Anostraca (fairy shrimps) of North America.
SWest.Nat., 20(1):91-103.
364.
Belk, D.-1977.
Zoogeography of the Arizona USA fairy shrimps (Crustacea Anostraca).
J.Ariz.Acad.Sci., 12(2):70-78.
365.
Belk, D.; Cole, G.A.-1975.
Adaptational biology of desert temporary-pond inhabitants: 207-266.
In: Environmental Physiology of desert organisms; Ed. Hadley,N.F.;
Dowden, Hutchinson and Ross, Inc., Stroudsbourg, U.S.A.
366.
Bellair, P.-1951.
La Ramba des Daouada (Fezzan).
Trav.Inst.Rech.sahar., 7:69-85.
367.
Bellini, L.-1957.
Studio delle amilase nello sviluppo di *Artemia salina* Leach.
Atti Accad.naz.Lincei Rc., 23(5):303-307.
368.
Bellini, L.-1957.
Studio delle dipeptidase e proteinasi nello sviluppo di *Artemia salina* Leach.
Atti Accad.naz.Lincei Rc., 22(B):340-346.
369.
Bellini, L.-1959.
Studio delle fenilfosfatasi nello sviluppo di *Artemia salina* Leach.
Atti Accad.naz.Lincei Rc., 26:47-53.
370.
Bellini, L.-1960.
Osservazioni sugli acidi nucleici nello sviluppo di *Artemia salina* Leach.
Ricerca scient., 30(6):816-822.
371.
Bellini, L.; De Vincentiis, M.-1960.
Observations on the end products of protein metabolism in diploid and tetraploid *Artemia salina* Leach.
Expl Cell Res., 21:239-241.

372.

Bellini, L.; De Vincentiis, M.-1960.

Sulla eliminazione di ammoniaca in *Artemia salina* Leach, diploide e tetraploide.

Rendiconti degli Istituti Scientifici della Università di Camerino, 1(1):60-66.

373.

Bellini, L.; Scollo Lavizzari, G.-1958.

Studio delle lipasi nello sviluppo di *Artemia salina* Leach.

Atti Accad.naz.Lincei Rc., 24(8):92-95.

374.

Bellisai, I.-1929.

Ricerche sulle reazioni fototassiche di *Artemia salina*.

R.Comitato talassografico italiano, 165:1-22.

375.

Bellisai, I.-1929.

Variazioni nella fototassi di *Artemia salina*.

Pubblicazioni dell'Istituto di Biologia Marina del Tirreno in San Bartolomeo (Cagliari), 16:227-230. Monitore zool. ital., 40(8):227-230.

376.

Benesch, R.-1969.

Zur Ontogenie und Morphologie von *Artemia salina* L.

Zool.Jb.Anat., 86:307-458.

377.

Bengtson, D.A.; Beck, A.D.; Lussier, S.M.; Migneault, D.; Olney, C.E.-1981.

International Study on Artemia. XXXI. Nutritional effects in toxicity tests: use of different Artemia geographical strains: 399-416.

Ecotoxicological testing for the marine environment. 1984. Vol. 2. G. Persoone; E. Jaspers; C. Claus (Eds). State University Ghent and Inst. Mar. Scient. Res., Bredene, Belgium, 588 pp.

378.

Bengtson, D.A.; Beck, A.D.; Poston, H.A.-1978.

Comparative effects of live and artificial diets on growth and survival of juvenile Atlantic silversides Menidia menidia:159-173.

In: Proc. 9th Ann. Meeting WMS, Ed. Avault, J.W.jr.; Louisiana State University, Baton Rouge, U.S.A., 807 pp.

379.

Benijts, F.; Vandepitte, G.; Sorgeloos, P.-1977.

Energetic aspects of the metabolism of hydrated Artemia cysts: 79-87.

In: Fundamental and applied research on the brine shrimp, *Artemia salina* (L.) in Belgium. EMS Spec. Publ. No. 2. Eds Jaspers, E.; G.

Persoone. Inst. Mar. Sc. Res., Bredene, Belgium, 110 pp.

380.

Benjits, F.; Vanvoorden, E.; Sorgeloos, P.-1976.

Changes in the biochemical composition of the early larval stages of the brine shrimp, *Artemia salina* L.: 1-9.

In: Proc. 10th European Symposium on Marine Biology. Vol.1. Eds Persoone, G.; E. Jaspers; Universa Press, Wetteren, Belgium, 620 pp.

381.

Benjits, F.; Versichele, D.-1975.

The role of water-sediment interaction in the Ostend Sluice-dock with regard to the toxicity of pollutants to invertebrate larvae.

In: Sublethal effects of toxic chemicals on aquatic animals. Eds Koeman, J.H.; J.J.T.W.A. Strik; Elsevier Scientific Publishing Co, Amsterdam The Netherlands, 234 pp.

382.

Benoit, D.; Syrett, R.; Hale, J.-1969.

Automatic live brine shrimp feeder.

Trans. Am. Fish. Soc., 98(3):532-533.

383.

Bergami, M.; Cacace, G.-1978.

Direct coupling of reducing oligosaccharides to amino-sepharose: Purification of A,A-trehalose from *Artemia salina*.

In: Aff. Chromatog., Proc. Intern. Symp. Eds Hoffmann-Ostenhof, O.; M. Breitenbach; F. Koller; et al., Pergamon Press, U.S.A.

384.

Bergami, M.; Cacace, G.-1979.

Affinity chromatography of α , α -trehalase: Coupling of oligosaccharides to aminohexyl-separose.

Eur. J. Appl. Microbiol. Technol., 7:53-57.

385.

Berger, M.; Engels, W.; Rahman, H.-1962.

Die Entwicklung des Salzkrebses *Artemia*.

Mikrokosmos, 51:33-390.

386.

Bernaerts, F.-1982.

The aerobic and anaerobic metabolism of *Artemia*.

Ph.D. Thesis. Universitaire Instelling Antwerpen, Belgium. 326 pp.

387.

Bernaerts, F.; Decleir, W.-1983.

The anaerobic metabolism during ontogeny in *Artemia*.

Archs internat. Physiol. Biochim., 91(1):B2.

388.

Bernaerts, F.; Doumen, C.; Sebrechts, J.; Kupers, L.; Van der Linden, A.; Van den Branden, C.; Decleir, W.-1981.

The aerobic metabolism during ontogeny in *Artemia salina*.

Biol. Jb., Dodonaea, 49:49-56.

389.
Bernaerts, F.; Slegers, L.-1984.
The oxygen consumption in relation to temperature for three strains of adult *Artemia*.
Comp. Physiol. Biochem. (Congress Liège), C27-28.
390.
Bernaerts, F.; Slegers, L.; Peersman, G.-1985.
Comparison of the aerobic and anaerobic metabolism for four strains of *Artemia*.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.
391.
Bernaerts, F.; Veenhof, N.; Decleir, W.-1982.
The anaerobic metabolism of *Artemia* spec.:130-131.
In : Exogenous and endogenous influences on metabolic and neural control. Volume 2:Abstracts. Eds A.D.F. Addink et al.; Pergamon Press, U.S.A.
392.
Bernardino,A.-1978.
Intensive culture of *Artemia salina* for small-scale hatchery use.
SEAFDEC technical report, 17pp.
393.
Bernhard, M.-1977.
Chemical contamination of culture media: assessment, avoidance and control: 1459-1499.
In: Marine Ecology,3,Cultivation-Part 3. Ed. Kinne,O.; Wiley and Sons, New York, U.S.A.
394.
Bernstein, R.S.-1976.
RNA synthesis activity in isolated nuclei from developing brine shrimp, *Artemia salina*.
Thesis. Wayne State University, U.S.A., 56pp.
395.
Berrigan, M.E.; Willis, S.A.; Halscott, K.R.-1978.
Evaluation of diets used in the larviculture of *Macrobrachium rosenbergii*.
Completion Report. U.S. Dept.of Commerce. NOAA,NMFS, PL 88-309, No. 2-298-R-1, Job 1.
396.
Bertalanffy, L. von; Krywienczyk, J.-1953.
Surface rule in crustaceans.
Am.Nat., 87(833):107-110.
397.
Berthelemy-Okazaki, N.-1985.
Regulation of cyst formation in the brine shrimp *Artemia*.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

398.

Bes, J.-C.; Carataro, A.; Gaubin, Y.; Planel, H.-1983.
Aspects ultrastructuraux de l'embryon dormant Artemia.
Bull. Ass. Anat., Paris, 69(198):255-264.

399.

Betz, J.M.; Blogoslawski, W.J.-1982.
Toxicity of *Gonyaulax tamarensis* var. *excavata* cells to brine shrimp
Artemia salina L.
J. Pharm. Sci., 71(4):463-465.

400.

Beviss-Challinor, M.H.; Field, J.G.-1982.
Analysis of a benthic community food web using isotopically labeled
potential food.
Mar. Ecol. Progress Series, 9(3):223-230.

401.

Bhargava, S.C.; Alam, M.-1980.
Occurrence of *Artemia salina* (Crustacea: Phyllopoda) in Didwana lake,
Rajasthan, India.
J. Bombay Natural History Soc., 77(1):158-159.

402.

Bhargava, S.C.; Jakher, G.R.; Saxena, M.M.; Sinha, R.K.-1985.
Ecology of Artemia in Didwana Salt Lake (India).
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

403.

Bhargava, S.C.; Jakher, G.R.; Saxena, M.M.; Sinha, R.K.-1985.
Laboratory culture and nutritional assessment of Artemia from Didwana
Salt Lake (India).
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

404.

Bhargava, S.C.; Jakher, G.R.; Saxena, M.M.; Sinka, R.K.-1985.
Rearing of Artemia in a salt pan near Sambhar Lake (India).
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

405.

Bianchi, U.; Piroda, G.-1968.
Sospetta presenza di polimorfismo enzimatico entro linee di
discendenza di *Artemia salina* partenogenetica.
Cagl.U.Fac.Sci.Semin.Sci.Rend., 38:119-125.

406.

Bianchi, U.; Piroda, G.-1968.
Interazioni enzimatiche in omogenati di *Artemia salina*
partenogenetica. Alterazioni nel quadro eletroforetico di alcune
fosfomonoesterasi alcalini.
Riv.Biol., 61:579-588.

407.
Bier, K.-1973.
Somatic polyploidy in animals structure and function of the giant chromosomes: 180-188 (in german).
P. Sitte; Gustav Fischer Verlag, Jena, East Germany, 790 pp.
408.
Bigford, T.E.-1978.
Effect of several diets on survival, development time, and growth of laboratory-reared spider crab, *Libinia emarginata*, larvae.
Fish.Bull., U.S., 76(1):59-64.
409.
Biggs, D.C.-1977.
Field studies of fishing, feeding and digestion in siphonophores.
Mar.Behav.Physiol., 4(4):261-274.
410.
Bijl J.; Dive, D.; Van Peteghem, C.-1981.
Comparison of some bioassay methods for mycotoxin studies.
Environm. Pollution (Ser. A), 23(3):173-182.
411.
Bijl, J.; Van Peteghem, C.; Dive, D.-1982.
A comparative study of some bioassay methods for the detection of trichothecenes in food.
Journal of Protozoology, 29(2):298-299. Abstract Number 71.
412.
Binet, P.-1963.
Influence de la composition ionique du milieu extérieur sur les conditions thermiques du développement d'*Artemia salina*, Crustacé Phyllopode.
J.Physiol., Paris, 55:200-201.
413.
Binet, P.-1963.
Influence des ions lithium et strontium sur le développement d'*Artemia salina*, Crustacé Phyllopode à diverses températures.
C.r.Seanc.Soc.Biol., 157(10):1710-1711.
414.
Binkowski, F.P.; Czeskleba, D.G.-1980.
Methods and techniques for collecting and culturing lake sturgeon eggs and larvae.
Paper presented at the 11th Ann. Meeting WMS, Aquaculture New Orleans 80, March 5-9, 1980; New Orleans, U.S.A.
415.
Birch, D.J.; McLenan, A.G.-1980.
Uracil-DNA glycosylase in developing embryos of the brine shrimp (*Artemia salina*).
Biochem. Soc. Trans., 8:730-731.

416.

Birkett, L.-1969.

The nitrogen balance in plaice, sole and perch.
J.exp.Biol., 50:375-386.

417.

Birnbaum, D.L.-1973.

The effects of the interactions between doses of gamma radiation and dissolved oxygen levels on the hatchability of the eggs of *Artemia salina*.

Thesis. Hofstra University, Hempstead, New York, U.S.A.

418.

Birndorf, H.C.; D'Alessio, J.; Bagshaw, J.C.-1975.

DNA dependent RNA polymerases from *Artemia* embryos. Characterization of polymerases I and II from nauplius larvae.
Devl Biol., 45(1):34-43.

419.

Bishop, R.-1978.

Methods to maximize utilization of brine shrimp in a production hatchery for *Macrobrachium rosenbergii*: Appendix A.
In: FAO Report THA/75/008/78/WP2, 18 pp.

420.

Black, J.D.-1951.

Living brine shrimp in the laboratory.
Aquarium, Philad., 20:61.

421.

Blake, R.W.-1979.

The development of the brine shrimp *Artemia salina* (L.): A morphometric study.
J.Linn.Soc., 65:255-260.

422.

Blanchard, C.E.-1985.

Pioneer neurons and the early development of the nervous system in *Artemia*.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

423.

Blanchard, R.-1891.

Résultats d'une excursion zoologique en Algerie.
Mem.Soc.zool.Fr., 4:208-245.

424.

Blanchard, R.-1897.

Artemia salina sur les cotes de l'Océan.
L'intermédiaire des Biologistes, 1(3):59.

425.

Blanchard, R.; Richard, J.-1890.

Sur les crustacés de Sebkhas et des Chotts d'Algérie.

Bull.Soc.zool.Fr., 15:136-138.

426.

Blanquet, Y.; Planel, H.; Gregoriev, H.G.; Gasset, G.; Benevolensky, V.A.; Delpoux, M.; Jacquot, C.; Popov, V.J.; Pianezzi, B.; Mar., A.M. Preliminary results of the Biobloc experiment n the Cosmos 782 flight: effects of cosm rays on brine shrimp eggs and tobacco seeds: 165-168. In: Cospar, Life Sciences and Space Research, volume 15. Eds. Holmquist, r.; A.C. Stickland; Pergamon Press, Oxford & New York.

427.

Blaxter, J.H.S.-1970.

Light,fishes:213-320.

In: Marine Ecology, Vol.I.Environmental Factors. Part 1.Ed. Kinne, O. Wiley-Interscience, London, U.K., 681pp.

428.

Bliss, D.E. (Editor-in Chief)-1982.

The Biology of Crustacea. Volumes 1-8.

Academic Press, New York, U.S.A.

429.

Blust, R.-1981.

Het voorkomen van Fe, Cu en Ca in *Artemia salina* L.

Thesis. Universitaire Instelling Antwerpen, Wilrijk, Belgium, 55 pp.

430.

Blust, R.-1984.

Development of a flow-through system for the study of toxicity and bio-accumulation processes in aquatic invertebrates: 299-313.

In: Ecotoxicological testing for the marine environment. Vol. 2. Eds. Persoone, G.; C. Claus; E. Jaspers; State Univ. Ghent & Inst. Mar. Scient. Res. Bredene, Belgium.

431.

Blust, R.; Declerq, W.-1983.

Bioaccumulation and binding of Fe, Cu and Zn in *Artemia* sp.

Archs int. Physiol. Biochim., 91(1):B3-B4.

432.

Blust, R.; Doumen, C.; Van der Linden, A.-1985.

The influence of Aqueous copper chemistry on metal toxicity and accumulation in the brine shrimp, *Artemia*.

In: Book af Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

433.

Blust, R.; Doumen, C.; Verheyen, E.-1984.

The effect of chelation on copper availability to the brine shrimp *Artemia*.

Comp. Physiol. Biochem. (Congress Liège), C50-51.

434.

Bock, K.J.; Mann, H.-1969.
Salinity dependent effects of tensids (in german).
Ber. dt. wiss. Kommn. Meeresforsch., 20:278-281.

435.

Bocquet, C.-1967.
Structure génétique du sexe chez les crustacés.
Annls Biol., 4:225-239.

436.

Bodea, C.; Ciurdaru, V.-1968.
Sterol content of some Crustacea.
Rev. Roum. Biochim., 5(2):87-90.

437.

Bogatova, I.B.; Shmakova, Z.I.-1980.
Activation of diapausing eggs of *Artemia salina* (in russian).
Gidrobiol. Zh., 16(3):108-110.

438.

Boghen, A.D.; Castell, J.D.; Conklin, D.E.-1982.
In search of a reference protein to replace "vitamin-free casein" in
lobster nutrition studies.
Can. J. Zool., 60(4): 2033-2038.

439.

Boghen, A.D.; Castell, J.D.; Robichaud, M.; Conklin, D.E.-1980.
Effects of certain dietary proteins on growth and development of
juvenile lobsters (*Homarus americanus*).
Paper presented at the 11th Ann. Meeting WMS, Aquaculture New Orleans
80 , March 5-9, 1980; New Orleans (LA-U.S.A.).

440.

Bohra, O.P.-1980,A note on *Artemia* culture from a local strain.
Abstract: 131.
In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in
Aquaculture. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers;
Universa Press, Wetteren, Belgium, 428 pp.

441.

Bombeo, R.F.-1985.
Growth and survival of *Penaeus monodon* and *Chanos chanos* fry fed with
Artemia singly or in combination with artificial diet.
In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

442.

Bond, A.D.; McClelland, B.W.; Einstein, J.R.; Finamore, F.J.-1972.
Ascorbic acid-2-sulphate of the brine shrimp *Artemia salina*.
Archs Biochem. Biophys., 153(1):207-214.

443.

Bond, R.M.-1933.

Observations on *Artemia "franciscana"* Kellogg especially on the relation of the environment to morphology.

Int.Revue ges.Hydrobiol.Hydrogr., 28(1/2):117-125.

444.

Bond, R.M.-1933.

A contribution to the study of the natural food-cycle in aquatic environments, with particular consideration of micro-organisms and dissolved matter.

Bull.Bingham Oceanogr.Coll., 4:1-89.

445.

Bond, R.M.-1934, Report on phyllopod Crustacea (Anostraca, Notostraca and Conchostraca) including a revision of the Anostraca of the Conchostraca of the Indian Empire.

Mem.Conn.Acad.Arts Sci., 10(5):29-62.

446.

Bond, R.M.-1937.

A method for rearing *Artemia salina*: 205-206.

In: Culture methods for invertebrate animals, Eds Needham, J.G.; P.S. Galtsoff; F.E. Lutz; P.S. Welch. Dover Publications, Inc., 1959, New York.

447.

Boner, P.L.-1983.

Using brine shrimp in the antitumor fractionation of *Kalanchoe tubiflora* (Crassulaceae).

Paper presented at 130th APHA Annual Meeting, New Orleans, Louisiana, April 11, 1983.

448.

Bonham, K.; Palumbo, R.F.-1951.

Effects of X-rays on snails, crustacea, and algae.

Growth, 15:155-188.

449.

Bookhout, C.G.-1972.

The effect of salinity on molting and larval development of *Pagurus alatus* Fabricius reared in the laboratory: 173-187.

In: Proc. 5th European Marine Biology Symposium. Ed. Battaglia B.; Piccin Editore, Padova, Italy, 348 pp.

450.

Bookhout, C.G.; Costlow, J.D., jr.-1970.

Nutritional effects of *Artemia* from different locations on larval development of crabs.

Helgolander wiss.Meeresunters., 20:435-442.

451.

Boone, E.; Baas-Becking, L.G.M.-1931.

Salt effects on eggs and nauplii of *Artemia salina* L.

J.gen.Physiol., 14:753-763.

452.
Boothe, P.N.-1978.
Effects of temperature on the chronic toxicity of a pesticide and its metabolites to *Artemia salina*.
Pharmacologist, 15:145.
453.
Bornatowicz, N.-1981.
Bestimmung der akuten Toxizität an Artemia Nauplien. (Determination of acute toxicity in *Artemia nauplii*): 1-7.
In: Österreichisches Forschungszentrum Seibersdorf GesmbH (OEFZS). Berlin, Germany. Number 4118, BL-364/81.
454.
Boroughs, H.; Chipman, W.A.; Rice, T.R.-1957.
Laboratory experiments on the uptake, accumulation and loss of radionuclides by marine organisms.
Publ.nat.Acad.Sci., 551:80-87.
455.
Boroughs, H.; Townsley, S.J.; Ego, W.-1958.
The accumulation of ^{90}Y from an equilibrium mixture of ^{90}Sr by *Artemia salina*.
Limnol.Oceanogr., 3(4):413-417.
456.
Bossuyt, E.-1976.
Technologische aspekten van de massakweek van het pekelkreeftje *Artemia salina* L.
Thesis. State University of Ghent, Belgium, 86 pp.
457.
Bossuyt, E.; Sorgeloos, P.-1980.
Technological aspects of the batch culturing of *Artemia* in high densities: 133-152.
In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E, Jaspers; Universa Press, Wetteren, Belgium, 428 pp.
458.
Bossuyt, E.; Sorgeloos, P.-1981.
Batch production of adult *Artemia* in 2 m³ and 5 m³ air-water-lift operated raceways.
In: World Conference on Aquaculture. Venice, Italy. Poster Number 17.
459.
Boswell, J.L.-1966.
Some effects of acute ^{60}Co gamma radiation on four developmental stages of the brine shrimp, *Artemia salina* (L.).
Thesis, Texas A&M University, U.S.A., 88 pp; Diss.Abstr., 1967, 27:2540.

460.

Botnariuc, N.; Orghidan, T.-1953.

Phyllopoda. Fauna Republici Populare Romane.

Volume IV, Crustacea. Academia Republicii Populare Romane, Bucharest, 4(2):100 pp.

461.

Boublik, M.; Hellman, W.-1978.

Comparison of *Artemia salina* and *Escherichia coli* ribosome structure by electron microscopy.

Proc.natn.Acad.Sci.U.S.A., 75:2829-2833.

462.

Boublik, M.; Hellmann, W.; Jenkins, F.; Staehlin, T.; Trachsel, H.-1983.

Structure of eukaryotic 40S initiation complex by electron microscopy. Fedn Proc., 42(7):2172, Abstract Number 2424.

463.

Boublik, M.; Hellmann, W.; Staehelin, T.; Trachsel, H.-1983.

Electron microscopy study of eukaryotic 40S initiation complex in protein synthesis.

Eur. J. Cell Biol., 32(1):136-142.

464.

Boublik, M.; Wydro, R.M.; Hellman, W.; Jenkins, F.-1978.

Structural similarity of ribosomes from *Escherichia coli* and *Artemia salina*:242-243.

In: Electron Microscopy, Vol.II, 9th international congress of the electron microscopic society of Canada. Ed. Sturges, J.M.

465.

Boublik, M.; Wydro, R.M.; Hellman, W.; Jenkins, F.-1979.

Structure of functional *A. salina-E. coli* hybrid ribosome by electron microscopy.

Journal of supramolecular structure, 10:397-404.

466.

Boulesteix, R.-1964.

Sur la présence de l'uricase chez les crustacés.

C.r.hebd.Seanc.Acad.Sci., Paris, 258:3098-3100.

467.

Boulesteix, R.-1965.

Sur la présence de l'allantoicase et de l'urease chez les crustacés.

C.r.hebd.Seanc.Acad.Sci., Paris, 260:1767-1768.

468.

Boulton, A.P.; Huggins, A.K.-1970.

Glycolytic activity in crustaceans.

Comp.Biochem.Physiol., 33(3):491-498.

469.

Boulton, A.P.; Huggins, A.K.-1977.

Biochemical changes occurring during morphogenesis of the brine shrimp *Artemia salina* and the effect of alterations in salinity.
Comp.Biochem.Physiol., 57A:17-22.

470.

Bovill, E.W.-1966.

Missions to the Niger. II. The Bornu Mission 1822-25.
Hakluyt Soc. Publ. Cambridge University Press.

471.

Bovill, E.W.-1968.

The Niger explored.

Oxford University Press, London, U.K., 263 pp.

472.

Bowen, S.T.-1962.

The genetics of *Artemia salina*. I. The reproductive cycle.
Biol.Bull., 122(1):25-32.

473.

Bowen, S.T.-1963.

The genetics of *Artemia salina*. II. White eye, a sex-linked mutation.
Biol.Bull., 124(1):17-23.

474.

Bowen, S.T.-1963.

The genetics of *Artemia salina*. III. Effects of X-irradiation and of freezing upon cysts.
Biol.Bull., 125(3):431-440.

475.

Bowen, S.T.-1964.

Crossing over between the X and Y in *Artemia salina*.
Genetics, 50(2):236-237.

476.

Bowen, S.T.-1964.

The genetics of *Artemia salina*. IV. Hybridization of wild populations of mutant stocks.
Biol.Bull., 126(3):333-344.

477.

Bowen, S.T.-1965.

The genetics of *Artemia salina*. V. Crossing over between the X and Y chromosomes.
Genetics, 52(3):695-710.

478.

Bowen, S.T.; Carl, J.R.-1985.

Ecological isolation in *Artemia*: population differences in potassium tolerance in the *A. franciscana* superspecies.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

479.

Bowen, S.T.; Davis, M.L.; Fenster, S.R.; Lindwall, G.A.-1980.
Sibling species of *Artemia*: 155-167.
In: The brine shrimp *Artemia*. Vol. 1. Morphology,
Genetics, Radiobiology, Toxicology. Eds Persoone, G.; P.
Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren Belgium, 318
pp.

480.

Bowen, S.T.; Durkin, J.P.; Sterling, G.; Clark, L.S.-1978.
Artemia hemoglobins: genetic variation in parthenogenetic and
zygogenetic populations.
Biol.Bull., 155:273-287.

481.

Bowen, S.T.; Fogarino, E.A.; Hitchner, K.N.; Dana, G.L.; Chow, H.S.;
Buoncristiani, M.R.; Carl, J.R.-1985.
Ecological isolation in *Artemia*: population differences in tolerance
of anion concentrations.
Journal of Crustacean Biology, 5(1): 106-129.

482.

Bowen, S.T.; Hanson, J.-1962.
A gynandromorph of the brine shrimp *Artemia salina*.
Genetics, 47(3):277-280.

483.

Bowen, S.T.; Hanson, J.; Dowling, P.; Poon, M.-C.-1966.
The genetics of *Artemia salina*. VI. Summary of mutations.
Biol.Bull., 131(2):230-250.

484.

Bowen, S.T.; Hitchner, K.N.; Dana, G.L.-1984.
Artemia speciation: Ecological isolation: 102-114.
In: Vernal Pools and Intermittent Streams. Eds Jain, S.; P. Moyle.
Institute of Ecology Publication No. 28, University of California,
Davis, U.S.A.

485.

Bowen, S.T.; Lebherz, H.G.; Poon, M.-C.; Chow, H.S.; Crigliatti, T.A.-
1969.
The hemoglobins of *Artemia salina*. I. Determination of phenotype by
genotype and environment.
Comp.Biochem.Physiol., 31:733-747.

486.

Bowen, S.T.; Moise, H.W.; Waring, G.; Poon, M.-C.-1976.
The hemoglobins of *Artemia salina*. III. Characterization.
Comp.Biochem.Physiol., 55B:99-103.

487.

Bowen, S.T.; Sterling, G.-1978.
Esterase and malate dehydrogenase isozyme polymorphisms in 15 *Artemia*
populations.
Comp.Biochem.Physiol., 61B:593-595.

488.

Bowen, S.T.; Sterling, G.; Barkan, J.-1977.
The hemoglobins of *Artemia salina*. IV. A model for genetic control of
hemoglobin 1, hemoglobin 2 and hemoglobin X.
Biochem.Genet., 15(5-6):409-422.

489.

Bowman, T.E.; Abele, L.G.-1982.
Classification of the recent *Custacea*:1-27.
In: *The Biology of Crustacea*. Volume I. Systematics, the Fossil
Record, and Biogeography. Eds Bliss, D.E.; L. Abele; Academic Press.
New York, U.S.A.

490.

Boyd, J.-1974.
A simple, rapid method for collecting pan hatched brine shrimp..
Progve Fish Cult., 36(1):57.

491.

Bradbury, J.P.-1971.
Limnology of Zuni Salt Lake, New Mexico.
Bull.Am.Geol.Soc., 82:379-398.

492.

Braddock, J.C.-1958.
The use of brine shrimp for laboratory demonstrations of feeding in
Hydra.
Turtox News, 36(10):242-243.

493.

Bradley, D.J.; Forward, R.B., Jr.-1984.
Phototaxis of adult brine shrimp, *Artemia salina*.
Can. J. Zool., 62(12): 2357-2360.

494.

Bradley, W.H.-1963.
Chapter 23. Paleolimnology: 621-666.
In: *Limnology in North America*. Ed. Frey, D.G.; University of
Wisconsin Press, Madison, Wisconsin, U.S.A.

495.

Bragg, P.W.; Daum III, H.A.; Wahba, A.J.-1985.
Interspecific similarities in the mRNA for eukaryotic elongation
factor Tu.
Fedn Proc., 44: 1801.

496.

Brahmachary, R.L.-1973.
Molecular embryology of invertebrates.
Adv.Morphogenesis, 10:115-173.

497.
Brand, C.W.; Colvin, L.B.-1977.
Compounded diets for early postlarval *Penaeus californiensis*: 811-820.
In: Proc. 8th Ann. Meeting WMS, Ed. Avault, J.W., jr.; Louisiana State
University, Baton Rouge, U.S.A., 984 pp.

498.

Bratland, P.; Solemdal, P.-1971.

Selective breeding of marine fish. I. Automatized feeding of pelagic fish larvae under controlled environmental conditions.

ICES-CM E29:572-579.

499.

Bratland, P.; Solemdal, P.-1972.

Selective breeding of marine fish. I. Automatized feeding of pelagic fish larvae under controlled environmental conditions.

Aquaculture, 1(1):75-79.

500.

Brauer, A.-1893.

Zur Kenntniss der Reifung des parthenogenetisch sich entwickelnden Eies von *Artemia salina*.

Arch.mikrosk.Anat.EntwMech., Bonn, 43:162-222.

501.

Brauer, A.-1893.

Zur Kenntniss der Reifung des parthenogenetisch sich entwickelnden Eies von *Artemia salina*.

Zool.Anz., 16(417):138-140.

502.

Brauer, A.-1909.

Die süsswasserfauna Deutschlands. Eine Exkursionsfauna. Heft 10.

Phyllopoda.

Verlag Gustav Fischer, Jena:1-6.

503.

Brauer, F.-1886.

Über *Artemia* und *Branchipus*.

Zool.Anz., 9(225):364-365.

504.

Braum, J.G.-1975.

Contribution of zooplankton to the formation of phaeo-pigments in marine environments.

Bol.Inst.esp.Oceanogr., 200:1.

505.

Braum, J.G.-1980.

The feeding of *Artemia* on *Phaeodactylum tricornutum*: 197-208.

In: The brine shrimp *Artemia*. Vol. 2. Physiology,

Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636 pp.

506.

Braunhut, H.N.-1972.

Method and materials used for hatching used for hatching brine shrimp. U.S. Patent No 3, 673-986.

507.

Brechin, G.; Phillips, D.-1979.
The ebbing tide at Mono Lake.
Sierra Club Bulletin, 64:57-58.

508.

Breckner, A.-1909.
Uber den Einfluss von Salzlosungen auf niedere Krebse.
Schriften des Naturwissen-Schaftlichen Versisn fur Schlesweg-Holstein,
14:418-419.

509.

Breckner, A.-1909.
Vorlaufige Mitteilungen uber experimentelle Untersuchungen an Artemia
salina.
Verh.Mitt.siebenb.Ver.Naturw., 58:100-152.

510.

Bremner, T.A.; Edwards, K.A.-1985.
Inverse effects of ethidium bromide on superoxide dismutase and
lactate dehydrogenase of Artemia salina embryos.
J. exp. Zool., 234(1): 1-5.

511.

Briggs, L.C.-1960.
Tribes of the Sahara.
Harvard University Press, Cambridge, U.S.A., 295 pp.

512.

Briggs, S.A.-1869.
Animal from Salt Lake (Artemia fertilis).
Hardwicke's science Gossip:78-80.

513.

Brine, C.J.; Austin, P.R.-1981.
Chitin isolates: Species variation in residual amino acids.
Physiol. Biochem., 70b:173-178.

514.

Briquel, C.-1882.
Note sur l'Artemia salina.
Crepin-Leblanc, Nancy, France.

515.

Brisset, P.J.-1981.
Technique d'élévage en mass d'un crustacé branchipode (Artemia) sur
nourriture inerte dans un système à renouvellement continu en eau.
Thesis. University of Lille, France, 85 pp.

516.

Brisset, P.J.; Versichele, D.; Bossuyt, E.; De Ruyck, L.; Sorgeloos,
P.-1982.
High density flow-through culturing of brine shrimp Artemia on inert
feeds - Preliminary results with a modified culture system.
Aquacultural Eng., 1(2):115-119.

517.

Broch, E.S.-1979.
Ecology of Artemia salina in spotted sulphate lakes of the Onak Peninsula, Washington: 30.
In: Book of Abstracts, International Symposium on the Brine Shrimp. Corpus Christi, Texas, U.S.A., Artemia Reference Center, Ghent, Belgium, 137 pp.

518.

Brock, J.A.-1983.
Diseases (infectious and noninfectious), metazoan parasites, predators, and public health considerations in Macrobrachium culture and fisheries: 329-370.
In: CRC Handbook of Mariculture. Volume I. Crustacean Aquaculture. Ed. McVey, J.P. CRC Press, Inc., Boca Raton, Florida, U.S.A., 422 pp.

519.

Bronders-Lefever, H.; Govaert-Mallebrancke, P.; Martens, F.; Staes, J.; Cobut, J.; Mignolet, J.; Parent, J.-1977.
Waarnemingen en proeven bij de lessen dierkunde op ekologische basis. VIII. Kweek en waarnemingen van dieren in het laboratorium. 4. Kweken van pekelkreeftjes (*Artemia salina*).
Dok.Min.Nat.Opv.Ned.Kultuur, 49:41-78.

520.

Brouillet, S.-1977.
Approche technique et économique comparée d'éclosseries- nurseries de bar et de la sole.
Mémoire de DEA Halieutique, 79 pp.

521.

Brown, B.; Ahsanullah, M.-1971.
Effect of heavy metals on mortality and growth.
Mar.Pollut.Bull., 2(12):182-187.

522.

Brown, E.E.; Gratzek, J.B.-1980.
Fish Farming Handbook. Food, Bait, Tropicals and Goldfish:227-229.
AVI Publishing Company, Inc.

523.

Brown, F.A., jr.; Stephens, G.C.-1951.
A culture method for Artemia salina.
Turtox News, 29(7):121.

524.

Brown, G.G.-1966.
Ultrastructural studies on crustacean spermatozoa and fertilization.
Ph.D. Thesis. University of Miami, Florida, U.S.A.

525.

Brown, G.G.-1969.
Some ultrastructural aspects of spermatogenesis and sperm morphology in the brine shrimp Artemia salina Leach (Crustacea:Branchiopoda).
Proc.Iowa Acad.Sci., 76:473-486.

526.
Brown, G.G.-1970.
Some comparative aspects of selected spermatozoa and crustacean phylogeny: 183-205.
In: Int. Symp. Comp. Spermatology, Rome and Siena, 1969. Ed. Bacetti, B.; Academic Press, New York, U.S.A.
527.
Brown, R.F.-1969.
The effect of some mycotoxins on the brine shrimp, *Artemia salina*.
J.Am.Oil Chem.Soc., 46:119.
528.
Brown, R.F.; Wildman, J.D.; Eppley, R.M.-1968.
Temperature-dose relationship with aflatoxin on the brine shrimp, *Artemia salina*.
J.Ass.agric.Chem., 51:905-906.
529.
Browne, R.A.-1980.
Acute response versus reproductive performance in five strains of brine shrimp exposed to copper sulfate.
Marine Environmental Research, 3:185-193.
530.
Browne, R.A.-1980.
Competition experiments between parthenogenetic and sexual strains of the brine shrimp, *Artemia salina*.
Ecology, 61(3):471-474.
531.
Browne, R.A.-1980.
Reproductive pattern and mode in the brine shrimp.
Ecology, 61(3):466-470.
532.
Browne, R.A.-1982.
The costs of reproduction in brine shrimp.
Ecology, 63(1):43-47.
533.
Browne, R.A.-1983.
Divergence of demographic and reproductive variables over 25 years in laboratory and natural populations of the brine shrimp, *Artemia*.
Crustaceana (Leiden), 45(2):164-168.
534.
Browne, R.A.-1983.
Cross-breeding experiments between Mediterranean sexual populations of the brine shrimp *Artemia*.
Biol. Bull., 165: 506. (Abstract).

535.

Browne, R.A.-1985.

Intrapopulational differences in life history traits of obligately parthenogenetic clones of the brine shrimp, *Artemia*.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

536.

Browne, R.A.; MacDonald, G.H.-1982.

Biogeography of the brine shrimp, *Artemia*; Distribution of parthenogenetic and sexual populations.

J. Biogeogr., 9: 331-338.

537.

Browne, R.A.; Sallee, S.E.; Grosch, D.S.; Segreti, W.O.; Purser, S.M.-1984.

Partitioning genetic and environmental components of reproduction and lifespan in *Artemia*.

Ecology, 65: 949-960.

538.

Bruggeman, E.; Baeza-Mesa, M.; Bossuyt, E.; Sorgeloos, P.-1980.

Improvements in the decapsulation of *Artemia* cysts: 309-315.

In: Cultivation of fish fry and its live food. EMS Spec. Publ. No. 4. Eds Styczynska-Jurewicz, E.; T. Backiel; E. Jaspers; G. Persoone. Inst. Mar. Sc. Res., Bredene, Belgium, 534 pp.

539.

Bruggeman, E.; Sorgeloos, P.; Vanhaecke, P.-1980.

Improvements in the decapsulation technique of *Artemia* cysts: 261-269.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.; P. Sorgeloos; O. Roels, E.

Jaspers; Universa Press, Wetteren, Belgium, 428 pp.

540.

Bruggeman, M.-1966.

Prisonniers des sables du Fezzan (Libye) les Daouada.

L'Abeille, Lucerne, 35:8-11.

541.

Brune, D.E.-1980.

Design and operation of a flowing-bed reactor for brine shrimp culture.

Paper presented at the 11th Ann. Meeting WMS, Aquaculture New Orleans 80, March 5-9, 1980; New Orleans, U.S.A.

542.

Brune, D.E.-1982.

Design and development of a flowing bed reactor for brine shrimp culture.

Aquacultural Eng., 1:63-70.

543.
Brune, D.E.-1985.
An explanation of size diversity among Artemia cohorts; a model of food uptake kinetics.
In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.
544.
Brune, D.E.; Anderson, T.H.-1984.
The application of process kinetics in predicting optimum performance of batch and continuous brine shrimp cultures.
J. World Maricul. Soc., 15.
545.
Brune, D.E.; Reach, C.D.; O'Connor, J.T.-1981.
Inland saltwater as a medium for the production of biomass; 79-93.
In: Third Symposium on Biotechnology in Energy Production and Conservation. Ed. Scott, C.D.; Interscience, John Wiley and Sons, New York, U.S.A.
546.
Bryan, P.G.; Madraisau, B.B.-1977.
Larval rearing and development of *Siganus lineatus* (Pisces: Siganidae) from hatching through metamorphosis.
Aquaculture, 10(3):243-252.
547.
Bryant, P.L.; Matty, A.J.-1980.
Optimisation of Artemia feeding rate for carp larvae (*Cyprinus carpio* L.).
Aquaculture, 21:203-212.
548.
Bryant, P.L.; Matty, A.J.-1981.
Adaptation of carp (*Cyprinus carpio*) larvae to artificial diets. 1. Optimum feeding rate and adaptation age for a commercial diet.
Aquaculture, 23: 275-286.
549.
Bucker, H.-1973.
The biostack experiment on Apollo-16.
Advis. Group Aerosp. Res. Dev. Conf. Proc., 110:C5-1-C5-6. -
550.
Bucker, H.-1974.
The biostack experiments I and II aboard Apollo 16 and 17: 43-50.
In: COSPAR Life Sciences and Space Research XII. Ed. Sneath, P.H.A.; Akademie-Verlag, Berlin, Germany.

551.

Bucker, H.-1975.

Biostack-A study of the biological effects of HZE galactic cosmic radiation:343-354.

In: Biomedical results of Apollo, section IV. Inflight experiments, NASA SP-368.

552.

Bucker, H.-1976.

Die biologische Wirkung der kosmischen Teilchenstrahlung, Ergebnisse der Biostack-Experimente im Apollo-Program: 31-50.

In: Strahlungsschutz in Forschung und Praxis. Band XVI.

553.

Bucker, H.; Horneck, G.-1974.

Studies on the effects of cosmic heavy high energy particles on different biological systems in the Biostack experiments I and II flown on board Apollo 16 and 17.

Radiat.Res., 59(1):149-150.

554.

Bucker, H.; Horneck, G.-1975.

Studies on the effects of cosmic HZE-particles on different biological systems in the Biostack experiments I and II flown on board Apollo 16 and 17.

Radiat.Res., 5th Int.Congr.:1138-1151.

555.

Bucker, H.; Horneck, G.-1975.

The biological effectiveness of heavy high energy particles of cosmic radiation studies in the Apollo 16 and 17 Biostack experiments.

Acta Astronautica,2(3-4):247-264.

556.

Bucker, H.; et al.(26 authors)-1972.

Biomedical experiments, chapter 27:1-10.

In: Apollo 16 prelim.Sci.Rep., NASA SP-315.

557.

Bucker, H.; et al.(23 authors)-1973.

Biostack experiment: (25-1)-(25-10).

In: Apollo 17 Prelim.Sci.Rep., NASA SP-330.

558.

Bucker, H.;Facius, R.; Hildebrand, D.; Horneck, G.; Reitz, G.; Scheidemann, U.; Schafer, M.; Thomas, C.; Toth, B.; and 24 others-1974.

14. Biostack III. Experiment MA-107: (14)1-28.

In: Apollo-Soyez Project. Preliminary Science Report. NASA. Washington, D.C. NASA TM X-58173.

559.

Bucks, D.A.W.; Bowen, S.T.-1979.

The naupliar hemoglobins of three populations of *Artemia*:100-112.
In: Biochemistry of *Artemia* Development. Eds Bagshaw, J.C.;A.H.
Warner; University Microfilms International, Ann Arbor, U.S.A.,
239 pp.

560.

Buikema, A.L.; Cairns, J., jr.-1980.

Aquatic Invertebrate Bioassays. A.S.T.M., Technical Publication 715.
A.S.T.M., Philadelphia, Pennsylvania U.S.A., 209 pp.

561.

Bujor, P.-1906.

Nouvelle contribution à l'étude de la faune des lacs salés de
Roumanie.

Annls scient.Univ.Jassy,3(1):1-3.

562.

Bujor, P.-1911.

Contribution à la biologie de l'"*Artemia salina*" Leach.
Annls Biol., 1:208-220.

563.

Bullock, T.H.; Horridge, G.A.-1965.

Structure and function in the nervous system of invertebrates. Volumes
I and II.

Freeman and Company. San Francisco, California, U.S.A.

564.

Bungenberg De Jong, C.M.-1957.

Polypliody in animals.

Bibliographia genetica,17:111-228.

565.

Burillo, S.L.; Sillero, A.; Gunther Sillero, M.A.-1982.

Partial purification and properties of protease D from larvae of
Artemia salina.

Comp. Biochem. Physiol., 71B(1):89-93.

566.

Burlakova, E.V.; Kakushkina, M.L.; Karneeva, N.V.-1966.

Effect of oxidized oleic acid on the hatching of larvae from the eggs
of *Artemia salina*.

Nauch.Cokl.Vyssh.Shk., Biol.Nauki:114-116.

567.

Busa, W.B.-1982.

Regulation of dormancy by intracellular pH in *Artemia* embryos.

Ph.D. Thesis. University of California, California, U.S.A., 91 pp.

568.

Busa, W.B.-1982.

Cellular dormancy and the scope of pH-mediated metabolic regulation: 417-426.

In: Intracellular pH: Its Measurement, Regulation and Utilization in Cellular Functions. Alan R. Liss, Inc., New York, U.S.A.

569.

Busa, W.B.; Crowe, J.H.-1983.

Intracellular pH regulates transitions between dormancy and development of brine shrimp (*Artemia salina*) embryos.

Science, 221(4608):366-368.

570.

Busa, W.B.; Crowe, J.H.; Matson, G.B.-1982.

Intracellular pH and the metabolic status of dormant and developing *Artemia* embryos.

Archs Biochem. Biophys., 216(2):711-718.

571.

Busa, W.B.; Crowe, J.H.; Matson, G.B.-1982.

Intracellular pH changes during transitions between anaerobic dormancy and aerobic development in *Artemia salina*.

Biophys. J., 37(2,2):407a, Abstract Number W-AM Po152.

572.

Butchinsky, P.N.-1897.

Die Fauna der Lamane bei Odessa.

Novorssoosk Obshsc. 17:.

573.

Butchinsky, P.N.-1900.

Die Metazoenfauna der Salzsee Limane bei Odessa.

Zool.Anz., 23:495-497.

574.

Buu-Hoi, N.P.; Pham-Huu-Chanh-1970.

Effect of various types of carcinogens on the hatching of *Artemia salina* eggs.

J.US Nat.Canc.Inst., 44(4):795-799.

575.

Byers, B.-1975.

Dow hopes brine shrimp solve waste problem.

The Houston Chronicle, August 27.

576.

Cacace, M.G.; Ballario, P.; Colapicchioni, C.; Bergami, M.-1980.

DNA polymerase in *Artemia* embryos:285-291.

In: The brine shrimp *Artemia*. Vol. 2. Physiology,

Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers. Universa Press, Wetteren, Belgium, 636 pp.

577.

Calcott, P.H.; Fatig, III, R.O.-1984.

Inhibition of chitin metabolism by avermectin in susceptible organisms.

J. Antibiot., Tokyo, 37(3):253-259.

578.

Calcott, P.H.; Fatig, III, R.O.-1984.

Avermectin modulation of GABA binding to membranes of rat brain, brine shrimp and a fungus, *Nucor niehei*.

J. Antibiot. Tokyo, 37(7):797-801.

579.

Calman, W.T.-1913.

Red water and brine shrimps.

Nature, 91:505.

580.

Camara, M.R.; De Castro, E.V.-1983.

Artemia salina L. (Anostraea) : uma opção para a aquicultura do nordeste do Brasil.

Revta Bras. Zool., S. Paulo, 1(3):145-147.

581.

Camara, M.R.; Rocha, R.-1985.

Artemia Culture in Brazil: An overview.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept.1-5, 1985, Antwerp, Belgium.

582.

Cameron, D.-1977.

Unique brine shrimp farm thrives under deft control.

The Miami Herald, Saturday May 21, 1977.

583.

Cameron, F.E.-1953.

A study of the living organisms of some saline ponds in the Kamloops area of British Columbia.

Thesis, University of British Columbia, Canada, 47pp.

584.

Campillo, A.-1975.

Données pratiques sur l'élevage au laboratoire des larves de *Palaemon serratus* (Pennant).

Revue Trav.Inst.Pech.marit., 39:395-405.

585.

Cano, A.; Carratala, M.; Castell, J.V.; Cervera, M.; Lorente, P.;

Manteca, M.; Marco, R.; Osuna, C.; Pestana, A.; Renart, J.; Ruiz, A.-1977.

Estudios bioquímicos sobre el desarrollo de la *Artemia*:97-109.

In : Av.Bioquim. Eds Cornudella, L. et al. Salv.Ed.

586.

Cano, A.; Cruces, J.; Estepa, I.; Gallego, M.E.; Gunther Sillero, M.A.; Heredia, C.F.; Llorente, P.; Olalla, A.; Osuna, C.; Pestana, A.; J..

Developmental changes of enzyme levels during *Artemia salina* differentiation:150-166.

In: Biochemistry of *Artemia* development. Eds Bagshaw, J.C.; A.H. Warner. University Microfilms International, Ann Arbor, U.S.A., 239 pp.

587.

Cano, A.; Estepa, I.; Pestana, A.-1980.

Regulation of histone acetylation in *Artemia*:367-378.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636 pp.

588.

Cano, A.; Estepa, I.; Pestana, A.-1980.

Substrate regulation of histone acetyltransferase from *Artemia salina*.

Biochem.biophys.Res.Commun., 92:163.

589.

Cano, A.; Pestana, A.-1976.

Regulation of histone acetyltransferase activity during the development of *Artemia salina*. Characterization of an inhibitor in nauplius larvae.

Devl Biol., 54(2):276-287.

590.

Cano, A.; Pestana, A.-1976.

Regulation of histone acetylation during the development of *Artemia salina*: 02-7-195.

In: Abstracts of the 100th Int. Congr. Biochemistry, Hamburg, F.R.G., July 25-31, 1976.

591.

Cano, A.; Pestana, A.-1979.

Purification and properties of a histone acetyltransferase from *Artemia salina*. Highly efficient with H1 histone.

Eur. J. Biochem., 97:65-72.

592.

Cantini Cortellezzi, G.; Scurti, J.C.; Codignola, A.; FiusselloF. Obert, N.; Vinai, A.-1977.

Miceti termofili. II. Tossicità e antibioi.

Allonia, 22:123-128.

593.

Canton, J.H.; Wegman, R.C.C.; Vulto, T.J.A.; Verhoef, C.H.; Van Esch, G.J.-1978.

Toxicity-, accumulation- and elimination studies of a-hexachlorocyclohexane (a-HCH) with saltwater organisms of different trophic levels.

Water Research, 12:687-690.

594.

Capasso, R.; Iacobellis, N.S.; Bottalico, A.; Randazzo, G.-1984.
Structure-activity relationships of the eremophilane phomenone and PR-toxin.
Phytochemistry, 23(12): 2781-2784.

595.

Carey, F.G.-1965.

Chitin synthesis in vitro by crustacean enzymes.
Comp.Biochem.Physiol., 16:155-158.

596.

Cargo, D.G.-1975.

Comments on the laboratory culture of Scyphozoa: 145-154.
In: Culture of marine invertebrate animals. Eds Smith,W.L.;M.H. Chanley; Plenum Press, New York, U.S.A., 388 pp.

597.

Carlberg, J.M.; Van Olst, J.C.-1976.

Brine shrimp (*Artemia salina*) consumption by the larval stages of the american lobster (*Homarus americanus*) in relation to food density and water temperature: 379-389.

In: Proc. 7th Ann.Meeting WMS., Ed. Avault, J.W., jr.Louisiana State University, Baton Rouge, U.S.A., 729 pp.

598.

Carpelan, L.H.-1953.

The hydrobiology of Alviso salt ponds.

Thesis, Stanford University, Stanford, California, U.S.A., 197 pp.

599.

Carpelan, L.H.-1957.

Hydrobiology of the Alviso salt ponds.

Ecology, 38(3):375-390.

600.

Carpenter, J.F.; Conte, F.P.-1982.

The effects of external salinity in carbon dioxide incorporation into free amino acids in *Artemia* nauplii.

Am. Zool., 22(4):896, Abstract Number 274.

601.

Carpenter, J.F.; Hand, S.C.-1983.

pH-sensitive control points of carbohydrate catabolism in encysted embryos of *Artemia*.

Am. Zool., 23(4):891, Abstract Number 63.

602.

Carter, C.K.-1971.

Some ecological considerations of Farmington Bay and adjacent Great Salt Lake State Park.

Report NSF Grant no. GY-9120. Univ. Utah Press, Salt Lake City, U.S.A., 247 pp.

603.

Caserio, G.; Mascherpa, G.; Marubini, E.-1970.

Possibilità di utilizzazione di *Artemia salina* come animale test per la evidenziazione di pesticidi organofosforati nelle carni.

Archo vet.ital., 21:49-61.

604.

Casper, T.C.; Van Montfrans, M.-1973.

Culture of *Artemia*.

SEA Scope, 3(2):4-5.

605.

Caspers, H.-1952.

Untersuchungen über die Tierwelt von Meeressalinen an der Bulgarischen Kuste des Schwarzen Meeres.

Zool.Anz., 148:243-259.

606.

Caspers, H.-1957.

Black Sea and Sea of Azov: 801-890.

In: Marine Ecology and Paleoecology. Vol.1. Ed. Hedgpeth, J.W.; Geol.Soc.America, Memoir 67:1296 pp.

607.

Caspers, H.-1979.

The role of *Artemia* in the ecosystem of a hypersaline lagoon in Laysan Atoll: 33.

In: Book of Abstracts, International Symposium on the Brine Shrimp *Artemia salina*. Corpus Christi, Texas, U.S.A., Aug. 20-23, 1979. Artemia Reference Center, Ghent, Belgium, 137 pp.

608.

Caspers, H.-1980.

The ecosystem of hypersaline lagoons in Laysan atoll and on the Hawaiian island Kauai.

In: Proc. International Symposium on Athalassic (Inland) Salt Lakes, Adelaide (Australia), Oct.21-25, 1979.

609.

Caspers, H.-1981.

20. On the ecology of hypersaline lagoons on Laysan Atoll and Kauai Island, Hawaii, with special reference to Laysan duck, *Anaslaysanensis* Rothschild.

Hydrobiologia, 81(2):261-270.

610.

Cassel, J.D.-1937.

The morphology of *Artemia salina*.

Thesis, Stanford University, Stanford, California, U.S.A., 108 pp.

611.
Cassidy, J.D.-1965.
Aspects of ultrastructure and cytochemistry during oogenesis in *Artemia salina*.
Biol.Bull., 129:402-403.
612.
Cassidy, J.D.-1966.
Ultrastructural relationships between developing oocyte and auxiliary cells in *Artemia salina*.
Biol.Bull., 131:385-386.
613.
Cassidy, J.D.; Beauregard, L.J.-1967.
Isotopic analysis of oogenesis in *Habrobracon* and *Artemia*.
Biol. Bull., 133: 461.
614.
Cassidy, J.D.; Starmer, C.F.; Beauregard, L.J.-1968.
Quantitative radioautography of vitellogenesis in *Artemia*.
Biol.Bull., 135:412.
615.
Castelo Branco, M.A.-1980.
Estudo da evolucao de biomassa de *Artemia salina* L. (1758) num tanque sem renovacao de agua.
Relatorio de Estagio no INIP, 1978-1979,80 pp.
616.
Castritsi-Catharios, J.-1985.
Carbon, Nitrogen, Oxygen and Hydrogen stable isotope ratios in *Artemia* from different geographical origin.
In: Book of Abstracts. Second International Sympsum on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.
617.
Castritsi-Catharios, J.-1985.
Short term toxicity of oil dispersant mixtures on *Artemia*.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept, 1-5, 1985, Antwerp, Belgium.
618.
Castritsi-Catharios, J.; Apostolopoulos, N.; Kiortsis, B.; Katsorchis, T.-1983.
Les effets de la préhumidification sur le taux d'éclosion, l'ultrastructure du chorion, la taille de cystes d'*Artemia*.
Rapp. Comm. int. Mer Medit., 28(6): 285.
619.
Castritsi-Catharios, J.; Karka, A.; Moraiti, M.-1980.
Toxicité de détergents et d'un dispersant sur *Artemia salina* Leach.
Revue Trav., Inst. Pech. marit., 44(4): 355-364.

620.

Castritsi-Catharios, J.; Kiortsis, V.; Moraiti-Ioannidou, M.-1983.
Toxic effects of the detergents and a dispersant on Artemia.
Etud. Pollut. Mer.Mediterr., 6: 813-815.

621.

Castritsi-Catharios, J.; Konstantinidis, B.; Kiortsis, B.-1984.
Occurrence of Artemia in two solar saltworks near Missolonghi, Greece
(Anostraca).
Crustaceana, 47(3):321-,

622.

Castro, T.; Castro, G.; de Lara, R.-1985.
Survey of an experimental culture of a non-native Artemia strain in
waters from the former Texcoco Lake in the state of Mexico.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

623.

Castro, T.; Gallardo, C.-1985.
Artemia sp. en investigacion y docencia.
Universidad Autonoma Metropolitana-Xochimilco, 43 pp.

624.

Castro, T.; Sanchez, L.; de Lara, R.-1985.
Natural Sources of brine shrimp Artemia in Mexico.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

625.

Castro, T.; Vargas, L.-1981.
Estudio cuantitativo de larvas nauplio provenientes de quistes de dos
poblaciones de Artemia de diferentes localidades.
Reporte de investigacion 23, Universidad autonoma metropolitana,
Mexico, 10 pp.

626.

Caujolle, F.; Pham-Huu-Chanh, D.; Kan, P.-1963.
Etude sur l'action comparée des Tween 60 et Tween 80 sur l'éclosion
des oeufs d'Artemia salina.
Ann.Pharm.Cent.Franc., 21(3):270.

627.

Caujolle, F.; Pham-Huu-Chanh, D.; Kan, P.-1964.
Toxicité du sulphate de beryllium sur les oeufs d'Artemia salina.
Ann.Pharm.Cent.France, 22(3):248.

628.

Caujolle, F.; Pham-Huu-Chanh, D.; Kan, P.; Moulas, F.-1965.
Toxicité comparée du zinc et du cadmium à l'égard des oeufs d'Artemia
salina.
Ann.Pharm.Cent.France., 23(2):81-84.

629.
Cenatiempo, Y.; Twardowski, T.; Shoeman, R.; Ernst, H.; Brot, N.; Weissbach, H.; Shatkin, A.J.-1984.
Two initiation sites detected in the small s1 species of reovirus mRNA by dipeptide synthesis in vitro.
Proc. Nat. Acad. Sci. U.S.A., 81(4): 1084-10088.
630.
Certes, A.-1881.
Sur la vitalité des germes de l'Artemia salina et du Blepharisma laterita.
C.r.hebd.Seanc.Acad.Sc., Paris, 93:750-752.
631.
Cervera, M.-1978.
Los enzimas del metabolismo del DNA en los proceos de diferenciacion celular: Las DNAsas de Artemia salina.
Ph.D. Thesis. Facultad de la Farmacia del la Universidad Complutense de Madrid, Spain, 237 pp.
632.
Cervera, M.; Castell, V.J.; Marco, R.-1976.
Characterization of a DNase activity associated to an RNA protein complex in Artemia salina: O1-8-062.
In: Abstracts of the 10th Int.Congr.Biochemistry, Hamburg(F.R.G.), July 25-31, 1976.
633.
Cervera, M.; Martin, E.; Domingo, A.; Vallejo, C.G.; Marco, R.-1980.
DNase activity during early development in Artemia: 293-304.
In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren Belgium, 636 pp.
634.
Cervera, M.; Vallejo, C.G.; Marco, R.-1977.
Las actividades DNAsisas durante el desarollo temprano de Artemia salina: 99, Abstract Number 166.
In: VII Congreso de la Sociedad Espanola de Bioquimica (Pamploma), Spain.
635.
Cervini, A.-1965.
Il mutante spontaneo "Curly"(Cr) del ceppo diploide anfigonico Hidalgo di Artemia salina.
Atti Ass.genet.ital., 10:343-345.
636.
Cervini, A.; Giavelli, S.-1965.
Effect of low temperature on radiosensitivity of Artemia oocytes.
Prog.Biochem.Pharm., Milan,1:203-206.

637.

Cervini, A.; Giavelli, S.-1965.

Radiosensitivity of different meiotic stages of oocytes in parthenogenetic diploid *Artemia salina* Leach.

Mutat.Res., 2(5):452-456.

638.

Chaga, I.L.-1976..

A possibility of cultivation of *Artemia salina* in south Primorye.
Izv.Tinro,100:125-129.

639.

Chaika, I.G.; Oleinikova, F.A.-1975.

Collection of living feeds in Crimea saline lakes by means of a separating device.

Trudy Vses.nauchno.issled.Inst.morsk.ryb.Khoz.Okeanogr., 109:159-176.

640.

Chang, E.S.; O'Connor, J.D.-1983.

Chapter 5. Metabolism and transport of carbohydrates and lipids: 263-287.

In: The Biology of Crustacea. Internal Anatomy and Physiological Regulation. Eds Bliss, D.E.; L.H. Mantel. Academic Press, New York, U.S.A.

641.

Chapman, J.-1968..

The relative adaptive values of parthenogenesis and zygogenesis.
Thesis, San Francisco State College, U.S.A., 76 pp.

642.

Charniaux-Cotton, H.-1960.

Sex determination: 411-447.

In: The physiology of Crustacea. Vol.1. Metabolism and growth.Ed. Waterman, T.H.; Academic Press, New York, U.S.A., 670 pp.

643.

Chasan, D.J.-1981.

Mono Lake vs. Los Angeles: a tug-of-war for precious water.
Smithsonian, 11(11):42-51.

644.

Chattopadhyay, S.K.-1983.

Part I. Isolation and identification of additional quarternary alkaloids from the roots of *Thalictrum foliolosum* DC (Ranunculaceae).

Part II. Isolation and structure determination of alancine, a new alkaloid from the stembark of *Alangium lamarckii* Thw. (Alangiaceae).

Part III. Screening of some isoquinolone-derived alkaloids for potential pharmacological activity using the brine shrimp (*Artemia salina*) bipassay.

Ph.D. Thesis. University of Pittsburgh, Pennsylvania, U.S.A., 192 pp.

645.
Chave, E.H.; Lobel, P.S.; Culp, J.B.; Chave, K.E.; Losey, G.S.-1974.
Marine and freshwater aquarium systems for tropical animals.
Sea Grant Advisory Report, UNIHI-Seagrant-AR-74-01, 96 pp.

646.
Checkley, D.M., Jr.-1984.
Relation of growth to ingestion for larvae of atlantic herring Clupea
harengus and other fish.
Mar. Ecol. - Progress Series, 18(3): 215-224.

647.
Chen, F.Y.-1979.
Progress and problems of netcage culture of grouper (*Epinephelus*
tauvina F.) in Singapore:260-271.
In: Proc. 10th Ann. Meeting WMS. Ed. Avault, J.W., jr. Louisiana State
University, Baton Rouge, U.S.A., 899pp.

648.
Chen, Q.-1975.
The resources of *Artemia salina* L. and the method for raising the
hatching rate of its cysts. (in chinese).
Zool. J., 3: 21-23.

649.
Chernovsky, A.A.-1949.
Haliella taurica Tshernovskij, sp.n.-eine Massenart der
Tendipedidae
(Diptera) in Salzseen der Krim (in russian).
Entomologisheskoe obozrenie, 30(3-4):250-252.

650.
Chevreux, E.-1898..
Crustaces:355-360.
In: Coup d'oeil sur la faune du département de Loire-Inferieure.La
ville de Nantes et la Loire-Inferieure,2. Ed. Bureau, L.

651.
Chineah, V.-1980.
Recent innovation in the larval rearing of *Macrobrachium*
rosenbergii
(De Man) in Mauritius: 107-111.
In: Giant Prawn 1980. International Foundation for Science, Stockholm,
Sweden.

652.
Chipman, W.A.-1958.
Accumulation of radioactive materials by fishery organisms.
Paper presented at the 11th annual meeting of the Gulf and Caribbean
Fisheries Institute ,Nov.17-21,1958, Miami Beach, Florida,
U.S.A., 14 pp.

653.
Chipman, W.A.-1958.
Biological accumulation of radioactive materials.
Proc.1st Ann.Texas Conf.Util.Atom.Ener., Misc.Publ.A.M.Coll.Texas,
pp.36-41.
654.
Chipman, W.A.-1972.
Ionizing radiation: 1579-1658.
In: Marine Ecology, Vol.I.Environmental Factors. Part 3.Ed. Kinne, O.
Wiley-Interscience, London, U.K.:1245-1774.
655.
Chirinos-De Vildoso, A.; Chuman, E.D.-1964.
Notas sobre el desarrollo de huevos y larvas del pejerrey, *Odontesthes*
(Austromenidia) regia regia (Humboldt).
Bol.Inst.Mar.Peru,1:1-31.
656.
Chow, V.-1968.
Physiology of *Artemia*: effect of nutrition and oxygen tension on
survival and haemoglobin production.
Thesis, San Francisco State College, U.S.A.
657.
Churchill, L.-1984.
Differences in phosphorylation of the two large subunits of brine
shrimp Na,K-ATPase.
J. exp. Zool., 231(3): 335-341.
658.
Churchill, L.-1984.
A reversal in relative mobility of the two large subunits of brine
shrimp (Na⁺ + K⁺)-adenosinetriphosphatase.
J. exp. Zool., 231: 351-354.
659.
Churchill, L.; Hall, C.C.; Peterson, G.L.; Hokin, L.E.; Ruoho, A.E.-
1980.
Differences in ouabain-binding between the two large subunits of brine
shrimp Na⁺, K⁺ adenosine triphosphatase.
J. Supramolecular Structure, 4(Suppl.): 100a.
660.
Churchill, L.; Hall, C.C.; Peterson, G.L.; Ruoho, A.E., Hokin, L.E.-
1984.
Photoaffinity labeling of the ouabain binding site in Na,K-ATPase in
developing brine shrimp.
J. exp. Zool., 231(3): 343-350.
661.
Chyser, C.-1882.
Nachtrag zu Sills Mitteilungen über die in den Salzsolteichen
Siebenburgens vorkommende *Artemia*.
Verh.Mitt.siebenb.Ver.Naturw., 12:56-59.

662.

Ciabatti, O.; Floris, G.-1929.

Influenza di vari estratti endocrini, e in particolare di corteccia surrenale, sull'Artemia salina.

Pubblicazioni dell'Istituto di Biologia Marina del Tirrenio in San Bartolomeo (Cagliari), 12:209-230.

663.

Ciabatti, O.; Floris, G.-1930.

Ricerche sull'influenza di estratti endocrini sull'ontogenesi di Artemia salina.

R. Comitato talassographico italiano, 173:1-32.

664.

Cimaderville, J.M.; Hardesty, B.-1930.

Influenza di vari estratti endocrini e in particolare di corteccia surrenale, sull'Artemia salina.

Scritti Biologica, (Siena), 5: 209-230.

665.

Cimaderville, J.M.; Hardesty, B.-1974.

Isolation and partial characterization of a transfer RNA binding factor from two eukaryotic sources.

Fedn Proc., 33:1286.

666.

Cimaderville, J.M.; Kramer, G.; Pinphanichakam, P.; Konecki, D.; Hardesty, B.-1975.

Initiation of polypeptide chain initiation by a nonhemin-regulated translational repressor from Friend leukemia cells.

Archs Biochem.Biophys., 171(1):145-153.

667.

Clark, L.S.-1974.

Hemoglobin variation and reproductive isolation in Artemia.

Thesis, San Francisco State College, U.S.A.

668.

Clark, L.S.; Bowen, S.T.-1976.

The genetics of Artemia salina.VII. Reproductive isolation.

J.Hered., 67(6):385-388.

669.

Clarke, W.E.-1895.

On the ornithology of the delta of the Rhone.

Ibis, 1:173-211.

670.

Clarke, W.E.-1898.

On the ornithology of de delta of the Rhone (second contribution).

Ibis, 4:465-485.

671.

Claus, C.-1886.

Über die Charaktere der Gattung Artemia im Gegensatze zu Branchipus.
Anz.Akad.Wiss.Wien, 23(7):43-45.

672.

Claus, C.-1886.

Untersuchungen über die Organisation und Entwicklung von Branchipus
und Artemia nebst vergleichenden Bemerkungen über andere Phyllopoden.
Arb.zool.Inst.Univ.Wien, 6:267-370.

673.

Claus, C.; Benijts, F.; Sorgeloos, P.-1977.

Comparative study of different geographical strains of the brine
shrimp Artemia salina: 91-105.

In: Fundamental and applied research on the brine shrimp, Artemia
salina (L.) in Belgium. EMS Special Publication No. 2. Eds Jaspers,
E;G. Persoone. Inst.Mar.Sc.Res., Bredene Belgium 110 pp.

674.

Claus, C.; Benijts, F.; Vandeputte, G.; Gardner, W.-1979.

The biochemical composition of the larvae of two strains of Artemia
salina (L.) reared on two different algal foods.

J.exp.mar.Biol.Ecol., 36:171-183.

675.

Clauwaert, J.; Nieuwenhuysen, P.; De Clercq, R.-1974.

Physico-chemical characterization of ribosomes from dormant embryos
and nauplii of Artemia salina.

Archs int.Physiol.Biochim., 82:972-973.

676.

Claybrook, D.L.-1983.

Chapter 3. Nitrogen metabolism: 163-213.

In: The Biology of Crustacea. Volume 5. Internal Anatomy and
Physiological Regulation. Eds Bliss, D.E.; L.H. Mantel. Academic
Press, New York, U.S.A.

677.

Clayton, W.A.; Jr.; Lasker, H.R.-1982.

Effects of light and dark treatments on feeding by the reef coral
Pocillopora damicornis (Linnaeus).

J. exp. mar. Biol. Ecol., 63(3): 269-279.

678.

Clegg, J.S.-1962.

Free glycerol in dormant cysts of the brine shrimp, Artemia salina,
and its disappearance during development.

Biol.Bull., 123:295-301.

679.

Clegg, J.S.-1964.

The control of emergence and metabolism by external osmotic pressure
and the role of free glycerol in developing cysts of Artemia salina.
J.exp.Biol., 41:879-892.

680.
Clegg, J.S.-1965.
The origin of trehalose and its significance during the formation of encysted dormant embryos of *Artemia salina*.
Comp.Biochem.Physiol., 14:135-143.
681.
Clegg, J.S.-1966.
Protein synthesis in the absence of cell division during the development of *Artemia salina* embryos.
Nature, 212:517-519.
682.
Clegg, J.S.-1967.
Metabolic studies of cryptobiosis in encysted embryos of *Artemia salina*.
Comp.Biochem.Physiol., 20:801-809.
683.
Clegg, J.S.-1973.
Do dried cryptobionts have a metabolism: 141-146.
In: *Anhydrobiosis*. Eds Crowe, J.H.;J.S. Clegg;Dowden, Hutchinson and Ross, Inc., 477 pp.
684.
Clegg, J.S.-1974.
Biochemical adaptations associated with the embryonic dormancy of *Artemia salina*.
Trans.Amer.Microsc.Soc., 93(4):481-490.
685.
Clegg, J.S.-1974.
Interrelationships between water and metabolism in *Artemia salina* cysts: hydration-dehydration from the liquid and vapor phases.
J.exp.Biol., 61:291-308.
686.
Clegg, J.S.-1976.
Hydration measurements on individual *Artemia* cysts.
J.exp.Zool., 198(2):267-272.
687.
Clegg, J.S.-1976.
Interrelationships between water and cellular metabolism in *Artemia* cysts. V. Radio carbon dioxide incorporation.
J.biophys.biochem.Cytol., 89(3):369-380.
688.
Clegg, J.S.-1976.
Interrelationships between water and metabolism in *Artemia* cysts. II. Carbohydrates.
Comp.Biochem.Physiol., 53A:83-87.

689.

Clegg, J.S.-1976.

Interrelationships between water and metabolism in *Artemia* cysts. III. Respiration.

Comp.Biochem.Physiol., 53A:89-93.

690.

Clegg, J.S.-1977.

Interrelationships between water and cellular metabolism in *Artemia salina* cysts. VI. RNA and protein synthesis.

J.biophys.biochem.Cytol., 91(1):143-154.

691.

Clegg, J.S.-1978.

Hydration-dependent metabolic transitions and the state of cellular water in *Artemia* cysts: 117-153.

In: Dry biological systems. Eds Crowe, J.H.;J.S. Clegg. Academic Press, New York, U.S.A., 357pp.

692.

Clegg, J.S.-1978.

Interrelationships between water and cellular metabolism in *Artemia* cysts. VIII. Sorption isotherms and derived thermodynamic quantities. J.biophys.biochem.Cytol., 94(2):123-138.

693.

Clegg, J.S.-1979.

Metabolism and the intracellular environment : The vicinal-water network model: 363-413.

In: Cell-associated Water. Eds Drost-Hansen, W.; J.S. Clegg. Academic Press, New York, U.S.A., 440 pp.

694.

Clegg, J.S.-1979.

The hydration-dependence of metabolism in *Artemia* cysts: 223-232.

In: Biochemistry of *Artemia* development. Eds Bagshaw, J.C.;A.H. Warner. University Microfilms International, Ann Arbor, U.S.A., 239 pp.

695.

Clegg, J.S.-1981.

Intracellular water, metabolism, and cellular architecture.

Collective Phenomena, 3: 289-312.

696.

Clegg, J.S.-1981.

Metabolic consequences of the extent and disposition of the aqueous intracellular environment.

J. exp. Zool., 215: 303-313.

697.

Clegg, J.S.-1982.

Interrelationships between water and cell metabolism in *Artemia* cysts: IX. Evidence for organization of soluble cytoplasmic enzymes: 23-39.
In: Cold Spring Harbor Symposium on Quantitative Biology. Volume XLVI. Organization of the Cytoplams. Cold Spring Harbor Laboratory; Cold Spring Harbor, New York, U.S.A.

698.

Clegg, J.S.-1982.

Alternative views on the role of water in cell function: 365-383.
In: Biophysics of Water. Ed. Franke, F., John Wiley and Sons, New York, U.S.A.

699.

Clegg, J.S.-1984.

Interrelationships between water and cellular metabolism in *Artemia* cysts.
Cell Biophysics, 6(3): 153-169.

700.

Clegg, J.S.; Cavagnaro, J.-1976.

Interrelationships between water and cellular metabolism in *Artemia* cysts. IV. ATP and cyst hydration.
J.biophys.biochem.Cytol., 88(2):159-166.

701.

Clegg, J.S.; Conte, F.P.-1980.

A review of the cellular and developmental biology of *Artemia*: 11-54.
In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636 pp.

702.

Clegg, J.S.; Drost-Hansen, W.-1982.

Density of intracellular water.

J. Biol. Physics, 10(2): 75-84.

703.

Clegg, J.S.; Evans, D.R.-1962.

Free glycerol in dormant cysts of the brine shrimp, *Artemia salina*.

Am.Zool., 2(3):399.

704.

Clegg, J.S.; Golub, A.L.-1969.

Protein synthesis in *Artemia salina*. II. Resumption of RNA and protein synthesis upon cessation of dormancy in the encysted gastrula.
Devl Biol., 19:178-200.

705.

Clegg, J.S.; Lovallo, J.-1977.

Interrelationships between water and cellular metabolism in *Artemia* cysts. VII. Free aminoacids.

J.biophys.biochem.Cytol., 93(1):161-168.

706.

Clegg, J.S.; McClean, V.E.R.; Szwarnowski, S.; Sheppard, R.J.-1984.
Microwave dielectric measurements (0.8-7.0 GHZ) on *Artemia* cysts at
variable water content.

Physics in Biology and Medicine, 29(11): 1409-1420.

707.

Clegg, J.S.; Seitz, P.; Seitz, W., Hazlewood, C.F.-1981.

Cellular response to water loss.

Cryobiology, 18(6): 613-614.

708.

Clegg, J.S.; Seitz, P.; Seitz, W.; Hazlewood, C.F.-1982.
Cellular responses to extreme water loss: The water-replacement
hypothesis.

Cryobiology, 19: 306-316.

709.

Clegg, J.S.; Szwarnowski, S.; McClean, V.E.R.; Sheppard, R.J.; Grant,
E.H.-1982.

Interrelationships between water and cell metabolism in *Artemia* cysts.

X. Microwave dielectric studies.

Biochim. biophys. Acta, 721: 458-468.

710.

Clegg, J.S.; Warner, A.H.; Finamore, F.J.-1967.

Evidence for the function of P1, P4-diguanosine 5'- tetraphosphate in
the development of *Artemia salina*.

J.biol.Chem., 242(8):1938-1943.

711.

Clegg, J.S.; Zettlemoyer, A.C.; Hsing, H.H.-1978.

On the residual water content of dried but viable cells.

Experientia, 34:734-736.

712.

Clutter, R.I.-1972.

Reef and lagoon productivity. South Pacific Islands.

FAO, Fisheries Development Agency, FAO 21658, 68 pp.

713.

Codreanu, R.-1957.

Sur quatre espèces nouvelles de Microsporidies parasites de l'*Artemia salina* (L.) de Roumanie.

Annls Sci.nat., 19:561-572.

714.

Codreanu, R.; Codreanu-Balcescu, D.-1979.

Infections produced by *Metschnikovia* yeasts as hemocoelic parasites of
Daphnia magna and *Artemia salina* from Romania: 33-34.

In: Progress in Invertebrate Pathology; Prague, Czechoslovakia.

715.
Codreanu, R.; Codreanu-Balcescu, D.-1981.
On two *Metschnikovia* yeast species producing hemocoelic infections in *Daphnia magna* and *Artemia salina* (Crustacea, Phyllopoda) from Romania.
J. Invertebrate Pathology, 37: 22-27.
716.
Codreanu-Balcescu, D.; Condreanu, R.-1980.
Parasitoses massives des populations du crustacé *Artemia salina* et du chironomide *Halliella noctivaga* dominantes dans la faune de lac sursalé Tekirghiol: 305-314.
In: "Pontus Euxinus, Studii si Cercetari" Muz. St. Constanta.
717.
Coffin, H.G.-1958.
The laboratory culture of *Pagurus samuelis* (Stimpson) (Crustacea, Decapoda).
Walla Walla College Publication, Department of Biological Science, 22: 1-5.
718.
Cognie, D.-1976.
Production d'*Artemia salina* (L.) en grands volumes recyclés. Abstract: 35-36.
Proc. 10th European Marine Biology Symposium, Vol. 1; Eds Persoone, G.; E. Jaspers; Universa Press, Wetteren, Belgium, 620pp.
719.
Cognie, D.; Hirata, T.-1979.
Elevage larvaire de Pénéides à l'échelle pilote.
CNEXO-Base Oceanologique de Mediterranee, 15 pp.
720.
Cohen, D.; Finkel, A.; Sussman, M.-1976.
On the role of algae in larviculture of *Macrobrachium rosenbergii*.
Aquaculture, 8(3):199-207.
721.
Cohenour, R.E.-1965.
Great Salt Lake, Utah and its environment: 201-214.
In: *Second symposium on salt*. Vol. 1; Ed. Rau J.L.; Northern Ohio Geol. Soc., Inc., Cleveland, Ohio, U.S.A.
722.
Cole, G.A.-1968.
Desert limnology.
In: *Desert Biology*. Ed. Brown, G.W., jr.; Academic Press, New York, U.S.A.
723.
Cole, G.A.; Brown, R.J.-1967.
The chemistry of *Artemia* habitats.
Ecology, 48(5):858-861.

724.

Cole, G.A.; Whiteside, M.C.-1965.

Kiatuthlanna -- A limnological appraisal. II. Chemical factors and biota.

Plateau, 38: 36-48.

725.

Cole, H.A.-1968.

The scientific cultivation of sea fish and shellfish.

Fish.News int., 7(6):20-28.

726.

Coleman, D.E.-1979.

Chamber for the culture of microorganisms.

Progve Fish Cult., 41(2):110.

727.

Coleman, D.E.-1980.

Effects of density and antibiotics on bacterial growth and the hatching of *Artemia salina* L.

Thesis. University of Hawaii, U.S.A.

728.

Coleman, D.E; Nakagawa, L.K.; Nakamura, R.M.; Chang, E.-1980.

The effect of antibiotics on the hatching of *Artemia* cysts: 153-157.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

729.

Coles, S.L.-1969.

Quantitative estimates of feeding and respiration for three scleractinian corals.

Limnol.Oceanogr., 14:949-953.

730.

Colla, A.S.; Sailmain, L.; Delgado, L.-1961.

Sobre la germinacion de los huevos de *Artemia salina* Var. Milhausenii de la salina de Hidalgo.

Arch.Cienc.Biol.natur., 4-5:187-202.

731.

Collings, D.W.-1947.

The culture of brine shrimp.

Aquarium, Philad., 16(39):57.

732.

Collins, N.C.-1977.

Ecological studies of terminal lakes-their relevance to problems in limnology and population biology: 411-420.

In: "Desert Terminal Lakes": Proceedings international conference on desertic terminal lakes. Ed. Greer, D.C.; Utah water research Laboratory, Logan, Utah, U.S.A., 436 pp.

733.

Collins, N.C.-1978.

The ecological significance of egg size differences among brine shrimp (*Artemia salina*) populations.

Bull.ecol.Soc.Am., 59(2):57.

734.

Collins, N.C.-1980.

Population ecology of *Ephydria cinerea* Jones (Diptera:Ephydriidae), the only benthic metazoan of the Great Salt Lake, U.S.A.

Hydrobiologia, 68(2): 99-112.

735.

Collins, N.C.-1980.

Comparison of *Artemia* strains: survival and growth of nauplii as a function of ionic composition, osmosity, and temperature of the medium. Abstract; 123.

In: The brine shrimp *Artemia*. Vol. 2. Ecology, Culturing, Usein Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren,Belgium, 636pp.

736.

Collins, N.C.; Sterling, G.-1980.

Relationships among total dissolved solids conductivity, and osmotic for five *Artemia* habitats (Anostraca: Artemiidae).

Gt Basin Nat., in press.

737.

Colvin, J.-1932.

Studies on growth of *Artemia salina* var. *principalis* Simon.

Thesis, Stanford University, U.S.A.

738.

Compton, S.; Chick, E.W.; Keene, C.; Benner, J.-1976.

Afla-toxin B carry-over in cigarette smoke.

Am.Rev.resp.Dis., 113(4):151.

739.

Conklin, D.E.; D'Abromo, L.R.; Bordner, C.E.; Baum, N.A.-1980.

A successful purified diet for the culture of juvenile lobsters: The effect of lecithin.

Aquaculture, 21: 243-249.

740.

Conklin, D.E.; Goldblatt, M.J.; Bordner, C.E.; Baum, N.A.; McCormick, T.B.-1978.

Artificial diets for the lobster, *Homarus americanus*: a revaluation: 243-250.

In: Proc.9th Meeting WMS; Ed. Avault, J.W. jr.; Louisiana State University, Baton Rouge, U.S.A., 807 pp.

741.

Conklin, D.E.; Provasoli, L.-1978.

Biphasic particulate media for the culture of filter-feeders.

Biol.Bull., 154:47-54.

742.

Conover, R.J.-1960.
The feeding behavior and respiration of some marine planktonic
Crustacea.
Biol.Bull., 119:399-415.

743.

Conover, R.J.-1964.
Food relations and nutrition of zooplankton.
Proc.Symposium University of Rhode Island, October 18-
19, 1963, Experimental Marine Ecology, occasional publication no.2:81-91.

744.

Conover, R.J.-1970.
Cultivation of plankton populations.
Convener's report on an informal session, held on Sept.10, during the
International Helgoland symposium 1969. Helgolander wiss.Meeresunters.,
21:401-444.

745.

Conover, R.J.-1978.
Transformation of organic matter: 221-499.
In: Marine Ecology, vol.IV. Dynamics. Ed. Kinne, O.; Wiley and sons,
New York, U.S.A., 746 pp.

746.

Conroy, P.J.; Nodes, J.T.-1973.
Acid-soluble ribonucleotides in the brine shrimp (*Artemia salina*).
Bioch.Soc.Trans., 1:954-956.

747.

Conte, F.P.-1977.
Molecular mechanisms in the branchipod larval salt gland (Crustacea):
143-159.
In: Proc.Symp. on water regulations in membrane transport implants and
animals, Philadelphia (PA-U.S.A.) Aug.17-19, 1976. Eds Jungreis, A.M.;
Hodges; Kleinzelten; Schultz. Academic.

748.

Conte, F.P.-1979.
The physiology and biochemistry of the crustacean larval salt gland:
Artemia salina: 38-39.
In: Book of Abstracts. International Symposium on the Brine
Shrimp, *Artemia salina*, Corpus Christi, Texas, U.S.A.,
Aug. 20-23, 1979; Artemia Reference Center, Ghent, Belgium, 137pp.

749.

Conte, F.P.-1980.
Role of C-4 pathway in crustacean chloride cell function.
Am.J.Physiol., 238(3):R219-R223.,

750.

Conte, F.P.-1984.
Structure and function of the crustacean larval salt gland.
Int. Review Cytol., 91:45-104.

751.

Conte, F.P.; Carpenter, J.F.-1983.

Bioenergetics of electrolyte metabolism in larval crustaceans: Saline dependent CO fixation pathway utilized information of amino acids: 146.

In: Proceedings of the Second International Conference on Aquaculture Nutrition: Biochemical and Physiological Approaches to Shellfish Nutrition. Eds Pruder, G.D.; C.J. Langdon; D.E. Conklin.

752.

Conte, F.P.; Conte, P.A.-1985.

Ecology of Oregon's Great Salt Lake: Lake Albert.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

753.

Conte, F.P.; Dantzler, W.H.; Beyenbach, K.W.-1980.

The electrical potential difference across the epithelium of the crustacean larval salt gland, *Artemia salina*.

Am.J.Physiol. in press.

754.

Conte, F.P.; Droukas, P.C.; Ewing, R.D.-1977.

Development of sodium regulation and de novo synthesis of Na+K-activated ATPase in larval brine shrimp *Artemia salina*.

J.exp.Zool., 202(3):339-361.

755.

Conte, F.P.; Edwards, A.-1972.

Effect of ouabain upon oxygen consumption in larval brine shrimp, *Artemia salina*.

Thesis. Oregon State University, U.S.A.

756.

Conte, F.P.; Hootman, S.R.; Harris, P.J.-1972.

Neck organ of *Artemia salina* nauplii. A larval salt gland.

J.comp.Physiol., 80:239-246.

757.

Conte, F.P.; Lowy, J.; Carpenter, J.; Edwards, A.; Smith, R.; Ewing, R.D.-1980.

Aerobic and anaerobic metabolism of *Artemia* nauplii as a function of salinity: 126-136.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

758.

Conte, F.P.; Peterson, G.L.; Ewing, R.D.-1973.

Larval salt gland of *Artemia salina* nauplii. Regulation of protein synthesis by environmental salinity.

J.comp.Physiol., 82(3):277-289.

759.

Conte, F.S.-1978.

Penaeid shrimp culture: Current status and direction of research:
333-343.

In: Drugs and food from the sea. Myth or reality? Eds Kraul, P.N.; C.J. Sindermann. Univ.Oklahoma, Norman, U.S.A.

760.

Conway, R.A.; Waggy, G.T.; Speigel, M.H.; Berglund, R.L.-1983.

Environmental fate and effects of ethylene oxide.

Environmental Science and Technology, 17(2): 107-112.

761.

Cook, H.L.-1976.

Problems in shrimp culture in the South China Sea Region.

South China Sea Fisheries Development and Coordinating
Programme, Manila-Philippines, SCS/76/WP/40, 46 pp.

762.

Cook, H.L.; Murphy, M.A.-1969.

The culture of larval penaeid shrimp.

Trans.Am.Fish.Soc., 98(4):751-754.

763.

Cooper, S.D.; Winkler, D.W.; Lenz, P.H.-1984.

The effect of grebe predation on a brine shrimp population.

J. Anim. Ecol., 53: 51-64.

764.

Copeland, D.E.-1964.

Mitochondrial pump in the osmoregulatory tissues of mosquito larvae
and of Artemia.

J.biophys.biochem.Cytol., 23(2):20.

765.

Copeland, D.E.-1965.

The salt secretory elements of Artemia.

J.biophys.biochem.Cytol., 27(22A).

766.

Copeland, D.E.-1966.

Salt transport organelle in Artemia salina (brine shrimp).

Science,N.Y., 151(3709):470-471.

767.

Copeland, D.E.-1967.

A study of salt secreting cells in the brine shrimp (Artemia salina).
Protoplasma, 63:363-384.

768.

Corazza, L.; Saylor, W.W.-1983.

Nutritional value of Artemia salina in broiler starter diets.

Poultry Science, 62:846-852.

769.

Corbin, J.S.; Fujimoto, M.M.; Iwai, T.Y., Jr.-1983.
Feeding practices and nutritional considerations for *Macrobrachium rosenbergii* culture in Hawaii: 391-412.
In: CRC Handbook of Mariculture. Volume I. Crustacean Aquaculture. Ed. McVey, J.P.;CRC press, Boca Raton, Florida, U.S.A.

770.

Corner, E.D.S.; Cowey, C.B.-1964.
Some nitrogenous constituents of the plankton.
Oceanogr.Mar.Biol.Ann.Rev., 2:147-167.

771.

Corner, E.D.S.; Rigler, F.H.-1958.
The modes of action of toxic agents. III. Mercuric chloride and N-amylmercuric chloride on crustaceans.
J.mar.biol.Ass.U.K., 37:85-96.

772.

Corner, E.D.S.; Sparrow, B.W.-1956.
The modes of action of toxic agents. I. Observations on the poisoning of certain crustaceans by copper and mercury.
J.mar.biol.Ass.U.K., 35(3):531-548.

773.

Corner, E.D.S; Sparrow, B.W.-1957.
The modes of action of toxic agents. II. Factors influencing the toxicities of mercury compounds to certain Crustacea.
J.mar.biol.Ass.U.K., 36:459-472.

774.

Costa, P.F.-1983.
Biologia e cultura de *Artemia salina* Leach, 1812.
Manual de Maricultura- Projeto Cabo Frio, Ministério da marinha (IPQM), Rio de Janeiro, Brasil, IV-1/IV-24.

775.

Costlow, J.D., jr.; Kinne, O.-1969.
Life histories and species selection in cultivation: 39-222.
In: Marine Biology.VOLUME V.Proc. 5th interdisciplinary conference on Marine Biology. Ed.Costlow, J.D., jr. Gordon and Breach, Science Publishers, New York, U.S.A., 606 pp.

776.

Cottarelli, V.; Mura, G.-1974.
Su alcuni Anostraci della furchia asiatica (Crustacea, Phyllopoda).
Fragmenta Entomologica, 10(1):39-51.

777.

Cox F.E.G.; Dales, R.P.; Green, J.; Morton, J.E.; Nichols, D.; Wakelin, D.-1970.
Practical Invertebrate Zoology: 265-267.
University of Washington Press, Seattle, Washington, U.S.A.

778.

Cox, J.L.-1974.

The use of the dilution water effect as a water quality criterion.
Bulletin of Environmental Contamination and Toxicology, 11(3):256-257.

779.

Crear, D.-1980.

Observations on the reproductive physiology of milkfish populations
(*Chanos chanos*) from hypersaline ponds on Christmas Island (Pacific
Ocean).

Paper presented at the 11th Ann. Meeting WMS, Aquaculture New Orleans
80, March 5-9, 1980; New Orleans, U.S.A.

780.

Creutzberg, F.-1975.

Chapter 8. Orientation in space: Animals: 555-655.

In: Marine Ecology. Volume II. Physiological Mechanisms. Part 2. Ed.
Kinne, O.; John Wiley & Sons, New York, U.S.A.

781.

Criel, G.-1972.

Elektronenmikroskopisch onderzoek van de schaalklier bij *Artemia*
salina Leach.

Ph. D. Thesis. State University of Ghent, Belgium, 220 pp.

782.

Criel, G.-1977.

An electron microscopic study of the white and brown shell glands of
Artemia salina:47-48.

In: Fundamental and Applied Research on the brine shrimp, *Artemia*
salina (L.) in Belgium. EMS Spec.Publ.no2. Eds Jaspers, E.;G.Persoone.
Inst.for Mar.Sc.Res., Bredene,Belgium, 11Opp.

783.

Criel, G.-1980.

Morphology of the female genital apparatus of *Artemia*: a review: 75-
86.

In: The brine shrimp *Artemia*. Vol. 1. Morphology,
Genetics,Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A.
Roels;E. Jaspers; Universa Press, Wetteren,Belgium, 318pp.

784.

Criel, G.-1980.

Ultrastructural observations on the oviduct of *Artemia*: 87-95.

In: The brine shrimp *Artemia*. Vol. 1. Morphology,
Genetics,Radiobiology, Toxicology. Eds Persoone, G.;P.
Sorgeloos;O.A.Roels;E. Jaspers; Universa Press, Wetteren,Belgium,
318pp.

785.

Croghan, P.C.-1958.

Ionic fluxes in *Artemia salina* (L.).
J.exp.Biol., 35(2):425-436.

786.
Croghan, P.C.-1958.
The mechanism of osmotic regulation in *Artemia salina* (L.): The physiology of the branchiae.
J.exp.Biol., 35(1):234-242.
787.
Croghan, P.C.-1958.
The mechanism of osmotic regulation in *Artemia salina* (L.): The physiology of the gut.
J.exp.Biol., 35(1):243-249.
788.
Croghan, P.C.-1958.
The osmotic and ionic regulation of *Artemia salina* (L.).
J.exp.Biol., 35(1):219-233.
789.
Croghan, P.C.-1958.
The survival of *Artemia salina* (L.) in various media.
J.exp.Biol., 35(1):213-218.
790.
Cronin, E.A.; Post, F.J.-1977.
Report of a dematiaceous hyphomycete from the Great Salt Lake, Utah.
Mycologia, 64(4):846-847.
791.
Crook, R.B.-1969.
Molecular weight and subunit studies of *Artemia* hemoglobin.
Thesis. San Francisco State College, U.S.A.
792.
Crowe, J.H.-1971.
Anhydrobiosis: an unsolved problem.
Am.Nat., 105:563-574.
793.
Crowe, J.H.; Clegg, J.S. (Eds)-1978.
Dry Biological Systems.
Academic Press, New York, U.S.A., 357 pp.
794.
Crowe, J.H.; Clegg, J.S.-1973.
Anhydrobiosis.
Dowden, Hutchinson and Ross, Inc., Stroudsburg, U.S.A., 477 pp.
795.
Crowe, J.H.; Cooper, A.F., Jr.-1971.
Cryptobiosis.
Scient.Am., 225(6):30-36.

796.

Crowe, J.H.; Cooper, L.C.-1982.
Uptake of iron by brine shrimp, *Artemia salina*.
Molecular Physiol., 2(3): 171-180.

797.

Crowe, J.H.; Crowe, L.M., O'Dell, S.J.-1981.
Ice formation during freezing of *Artemia* cysts of variable water
contents.
Molecular Physiol., 1: 145-152.

798.

Crowe, J.H.; Crowe, L.M.; Chapman, D.-1984.
Preservation of membranes in anhydrobiotic organisms: The role of
trehalose.
Science, 223: 701-703.

799.

Crowe, J.H.; Crowe, L.M.; O'Dell, S.J.-1980.
Freezing in cysts of brine shrimp with variable water contents.
Cryobiology, 17(6): 622, Abstract Number 91.

800.

Cruces, J.F.; Diaz, V.; Quntanilla, M.; Renart, J.; Sebastian, J.-
1984.
Purification and subunit structure of RNA polymerase II from different
stages of *Artemia* development.
Eur. J. Biochem., 141(2): 279-282.

801.

Cruces, J.F.; Diaz-Guerra, M.; Renart, J.; Sebastian, J.-1982.
Characterization and properties of nuclear DNA from the crustacean
Artemia.
Biol. Cell. 45(2): 172, Abstract Number 374.

802.

Cruces, J.F.; Diaz-Guerra, M.; Sebastian, J.; Renart, J.-1985.
Organization and sequence of S rRNA genes in *Artemia*.
In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

803.

Cruces, J.F.; Osuna, C.; Sebastian, J.-1976.
Identificacion de un inhibidor de la transcripcion in vitro en
embriones enquistados de *Artemia salina*.
1st Congr.Feder.Espanola Soc.Biol.Exper., Madrid, Spain.

804.

Cruces, J.F.; Sebastian, J.-1977.
Transcripcion in vitro del DNA de *Artemia salina* tratado con nucleasa
S1.
7th Congr.Soc.Espanola Bioquim.Abstr.No 139.

805.
Cruces, J.F.; Sebastian, J.-1978, Isolation and characterization of nuclear DNA from *Artemia salina* larvae.
Fed. Eur. Biochem. Soc., 12th Meeting, Dresden, G.D.R., 1978.
806.
Cruces, J.F.; Sebastian, J.; Renart, J.-1980.
Organization of ribosomal RNA genes in *Artemia* larvae.
Eur. J. Cell Biol. 22:6, Abstract Number G 17.
807.
Cruces, J.F.; Sebastian, J.; Renart, J.-1981.
Molecular properties of the ribosomal RNA from *Artemia* larvae.
Biochem. Soc. Trans., 9(2): 267, Abstract Number Thu-S31-28.
808.
Cruces, J.F.; Sebastian, J.; Renart, J.-1981.
Restriction mapping of the RNA genes from *Artemia* larvae.
Biochem. biophys. Res. Comm., 98(2): 404-409.
809.
Cruces, J.F.; Sebastian, J.; Renart, J.-1982.
Ribosomal ribonucleic acids from the crustacean *Artemia*.
FEBS Letters, 137(1): 108-110.
810.
Cunningham, P.A.-1976.
Effects of Dimilin on reproduction in brine shrimp.
Am.Zool., 16(2).
811.
Cunningham, P.A.-1976.
Effects of Dimilin (TH 6040) on reproduction in the brine shrimp
Artemia salina.
Envir.Entomol., 5(4):701-706.
812.
Cunningham, P.A.; Grosch, D.S.-1978.
A comparative study of the effects of mercuric chloride and methyl mercury chloride on reproductive performance in the brine shrimp,
Artemia salina.
Envir.Pollut., 15:83-100.
813.
Cure, V.; Snaider, A.-1966.
Research experiments referring to artificial feeding of carp larvae
(in Roumenian).
Bul.Inst.Cerc.pisc., 25(4):31-45.
814.
Currier, J.; Klee, A.J.; Smith, M.-1972.
Beginner's guide to brine shrimp.
San Francisco Aquarium Society Special Publications no.8, San Francisco, California, U.S.A., 17 pp.

815.

Curtis, R.F.; Coxon, D.T.; Levett, G.-1974.
Toxicity of fatty acids in assays for mycotoxins using the brine shrimp (*Artemia salina*).
Food Cosm. Toxicol., 12(2):233-235.

816.

Cusmano, G.-1909.
Sul grasso dell'*Artemia salina* (Linn.) di Cagliari.
Biologica, Torino, 2(11):1-7.

817.

Cuyvers, L.-1981.
Aquaculture 1980: 11-13.
In: A digest of research in the Sea Grant Program, other government agencies, industry, and foreign countries. University of Delaware Sea Grant College Program. Newark, Delaware, U.S.A.

818.

Czeczuga, B.-1971.
Studies on the carotenoids in *Artemia salina* L. eggs.
Comp.Biochem.Physiol., 40B:47-52.

819.

Czeczuga, B.-1980.
Carotenoid content of *Artemia* eggs and vitality of the young specimens of this crustacean. Abstract: 609-612.
In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren,Belgium, 636pp.

820.

Czygan, F.C.-1966.
Uber den Stoffwechsel von Keto-Carotenoiden in niederen Krebsen.
Z.Naturf., 21:801-805.

821.

Czygan, F.C.-1968.
On the metabolism of carotenoids in the crustacean *Artemia salina*.
Z.Naturf., B23:1367-1368.

822.

D'Abromo, L.R.; Baum, N.A.; Bordner, C.E.; Conklin, D.E.-1983.
Carotenoids as a source of pigmentation in juvenile lobsters fed a purified diet.
Can. J. Fish. Aquat. Sci., 40:699-704.

823.

D'Agostino, A.S.-1965.
Comparative studies of *Artemia salina* (Development and Physiology). Thesis. New York University, U.S.A., 83 pp.; University Microfilms, 66- 5653.

824.
D'Agostino, A.S.-1975.
Antibiotics in cultures of invertebrates: 109-133.
In: Culture of marine invertebrate animals; Eds Smith,W.L.;M.H. Chanley; Plenum Press, New York, U.S.A., 338pp.
825.
D'Agostino, A.S.-1980.
The vital requirements of Artemia, physiology and nutrition: 55-82.
In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.
826.
D'Agostino, A.S.; Provasoli, L.-1968.
Effects of salinity and nutrients on mono- and diaxenic cultures of two strains of Artemia salina.
Biol.Bull., 134(1):1-14.
827.
D'Alessio, J.M.-1977.
Transcriptional control of gene expression in Artemia salina.
Thesis, Wayne State University, U.S.A., Diss.Abstr.1978, 38:5330B.
828.
D'Alessio, J.M.; Bagshaw, J.C.-1977.
DNA dependent RNA polymerases from Artemia salina. IV. Appearance of nuclear RNA polymerase activity during pre-emergence development of encysted embryos.
Differentiation, 8(1):53-56.
829.
D'Alessio, J.M.; Bagshaw, J.C.-1979.
DNA-dependent RNA polymerases from Artemia salina. Characterization of a protein factor from developing embryos that stimulates Artemia RNA polymerase II.
Devl Biol., 70:71-81.
830.
D'Hondt, J.-1977.
Fysiologische studie van de hemoglobines van Artemia salina.
Thesis. University of Antwerp, Belgium.
831.
D'Hondt, J.; Moens, L.; Heip, J.; D'Hondt, A.; Kondo, M.-1978.
Oxygen-binding characteristics of three extracellular hemoglobins of Artemia salina.
Biochem.J., 171:705-710.
832.
Da Costa, P.-1972.
Nota sobre a ocorrencia e biologia de Artemia salina (L) na regiao de Cabo Frio (RJ).
Secao de Publicacoes do Instituto de Pesquisas da Marinha,Rio de Janeiro, Brasil,no.66:14pp.

833.

Da Costa, P.F.; Vergara, E.M.-1980.

Observations on the biology of *Artemia salina* in the Cabo Frio region (RJ, Brasil). I. Possibilities of production of cysts: 43.
In: Book of Abstracts. International Symposium on the Brine Shrimp, *Artemia salina*, Corpus Christi, Texas, U.S.A., Aug. 20-23, 1979; Artemia Reference Center, Ghent, Belgium, 137 pp.

834.

Daborn, G.R.-1975.

Life history and energy relations of the giant fairy shrimp *Branchinecta gigas* Lynch 1937 (Crustacea: Anostraca).
Ecology, 56:1025-1039.

835.

Dabrowski, K.; Charlon, N.; Bergot, P.; Kaushik, S.-1984.

Rearing of coregonid (*Coregonus schinzi palea* Cuv. et Val.) larvae using dry and live food. I. Preliminary data.
Aquaculture, 41(1):11-20.

836.

Dabrowski, K.; Glogowski, J.-1977.

Studies on the proteolytic enzymes of invertebrates constituting fish food.

Hydrobiologia, 52(2-3):171-174.

837.

Dabrowski, K.; Kaushik, S.J.-1984.

Rearing of coregonid (*Coregonus schinzi palea* Cuv. et Val.) larvae using dry and live food. II. Oxygen consumption and nitrogen excretion.

Aquaculture, 41(4):333-344.

838.

Dabrowski, K.; Rusiecki, M.-1983.

Contents of total and free amino acids in zooplanktonic food of fish larvae.

Aquaculture, 30(1-4): 31-42.

839.

Daday de Dees, E.-1910.

Monographie systématique des Phyllopodes Anostracés.

Annls Sci.nat.Zool., 11:91-492.

840.

Dagg, M.J.-1969.

Relationship between growth rate and RNA, DNA, protein and dry weight in *Artemia salina* and *Euchaeta japonica*.

Thesis, University of Victoria, U.S.A.

841.

Dagg, M.S.; Littlepage, J.L.-1972.

Relationships between growth rate and RNA, DNA, protein and dry weight in *Artemia salina* and *Euchaeta elongata*.

Mar.Biol., 17:162-170.

842.

Dahl, E.-1959.

The ontogeny and comparative anatomy of some protocerebral sense organs in notostracan phyllopods.

Q.Jl microsc.Sci., 100:445-462.

843.

Dakin, W.J.-1914.

Fauna of western Australia.-II. The Phyllopoda of western Australia.
Proc. Zool. Soc. London,: 293-305.

844.

Dall, W.-1967.

Hypo-osmoregulation in crustacea.

Comp.Biochem.Physiol., 21:653-678.

845.

Dall, W.; Moriarty, D.J.W.-1983.

Chapter 4. Functional aspects of nutrition and digestion: 215-261.

In: The Biology of Crustacea. Volume 5, Internal Anatomy and Physiological Regulation. Eds Bliss, D.E.; L.H. Mantel; Academic Press, New York, U.S.A.

846.

Dallal, J.A.; Irvin, J.D.-1978.

Enzymatic inactivation of eukaryotic ribosomes by the pokeweed anti viral protein.

Fed.Eur.Biochem.Soc., Lett., 89(2):257-259.

847.

Dana, G.L.-1984.

Artemia in temporary alkaline ponds near Fallon, Nevada with a comparison of its life history strategies in temporary and permanent habitats: 115-125.

In: Vernal Pools and Intermittent Streams. Eds Jain, S.; P. Moyle.

Institute of Ecology Publication No. 28, University of California, Davis, U.S.A.

848.

Dana, G.L.; Herbst, D.B.-1977.

Secondary producer level: 57-62.

In: An ecological study of Mono Lake, California. Ed. Winkler, D.W.Institute of Ecology Publication N12 California, U.S.A.

849.

Dana, G.L.; Lenz, P.H.-1985.

Salinity bioassay of an Artemia population from Mono Lake, California.
Abstract. Am. Soc. Limnol. Oceanogr., Minneapolis, Minnesota, U.S.A.

850.

Datta, A.; Sierra, J.M.; De Haro, C.; Ochoa, S.-1977.

Protein kinase inhibition of polypeptide chain initiation.

Fedn Proc., 36(3):813.

851.

Daum, H.A. III; Jones, A.; Berrieux, A.; Wahba, A.-1982.

Template activity of poly(A)-rich RNA during development of the brine shrimp *Artemia*.

Fedn. Proc., 41(3): 679, Abstract Number 2390.

852.

Daum, H.A., III; Mehta, A.M.; Sittman, D.B.; Wahba, J.-1984.

Expression of the eukaryotic elongation factor Tu gene during *Artemia* development.

Fedn. Proc., 43(6): 1791, Abstract Number 2187.

853.

Davidson, E.H.-1976.

Relative protein synthesis rates in mammalian embryos and in hydrated *Artemia* embryos: 114-115.

In: Gene Activity in Early Development. Ed. Davidson, E.H.; Academic Press, New York, U.S.A.

854.

Davidson, J.R.-1974.

A new industry - and perhaps a new protein source.

Sea Grant Technical Report UNIHI-Seagrant-MR-74-02, 3pp.

855.

Davies, B.H.; Hsu, W.J.; Chichester, C.O.-1965.

The metabolism of carotenoids in the brine shrimp *Artemia salina*.

Biochem.J., 94:26pp.

856.

Davies, B.H.; Hsu, W.J.; Chichester, C.O.-1970.

The mechanism of conversion of beta-carotene into canthaxanthin by the brine shrimp *Artemia salina* L. (Crustacea-Branchiopoda).

Comp.Biochem.Physiol., 33:601-615.

857.

Davin, W.T., jr.; Doorenfos, N.J.; Longest, W.D.-1978.

The geographic distribution of ciguatoxic fish in the eastern half of the British Virgin Islands: 209-220.

In: Drugs and Food from the Sea. Myth or Reality? Eds Kaul, P.N.; C.J. Sinderman; The University of Oklahoma, Norman, Oklahoma, U.S.A.

858.

Davis, B.J.; Riggs, A.F.-1981.

O₂-binding properties of hemoglobins of *Artemia salina* from high sulfate lakes.

Am. Zool., 21(4): 950, Abstract Number 204.

859.

Davis, B.P.-1967.

Studies on the nucleic acids in encysted embryos of the brine shrimp, *Artemia salina*.

Thesis. University of Miami, U.S.A., 76pp.

860.
Davis, C.C.-1968.
Mechanisms of hatching in aquatic invertebrate eggs.
Oceanogr. Mar. Biol. Ann. Rev., 6:325-376.
861.
Davis, C.C.-1981.
Mechanisms of hatching in aquatic invertebrate eggs. II.
Oceanogr. Mar. Biol. Ann. Rev., 19: 95-123.
862.
Davis, J.S.-1977.
Importance of microorganisms in solar salt production: 369-372.
In: 4th Symposium on Salt; Ed. Coogan, A.H.; The Northern Ohio Geological Society, Inc., Cleveland, Ohio, U.S.A.
863.
Davis, J.S.-1978.
Biological communities of a nutrient enriched salina.
Aquatic Botany, 4:23-42.
864.
Davis, J.S.-1979.
Biological management in solar salt works.
Proc. Vth int. Symp. on Salt.
865.
Davis, J.S.-1980.
Experiences with *Artemia* at solar saltworks:51-55.
In: The brine shrimp *Artemia*. Vol.3 Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.
866.
Davis, N.D.; Diener, U.L.; Morgan-Jones, G.-1977.
Tenuazonic acid production by *Alternata* and *Alternaria tenuissima* isolated from cotton.
Appl. Environ. Microbiol., 34(2):155-157.
867.
Davis, N.D.; Wagener, R.E.; Dalby, D.K.; Morgan-Jones, G.; Diener, U.L.-1975.
Toxigenic fungi in food.
Appl. Microbiol., 30:59-61.
868.
Davis, N.D.; Wagener, R.E.; Dalby, D.K.; Morgan-Jones, G.; Diener, U.L.-1975.
Toxigenic fungi from the grocery store.
J. Ala. Acad. Sci., 46(3-4):96.
869.
Davis, N.D.; Wagener, R.E.; Morgan-Jones, G.; Diener, U.L.-1975.
Toxigenic thermophilic and thermotolerant fungi.
Appl. Microbiol., 12:455-457.

870.

De Boer, B.A.-1979.

Flamingos on Bonaire and in Venezuela: 1-59.

Stinapa Documentation Series No.3. Netherlands Antilles National Parks Foundation. Curacao, Netherlands Antilles.

871.

De Brabander, K.; Vandeputte, H.-1967.

Emploi d'Artemia salina pour la mesure de la toxicité de certains produits atteignant les eaux de surface.

Centre Belge d'Etude et de Documentation des Eaux, 282:1-12.

872.

De Carrera, E.G.-1979.

Training of the use of Brine shrimp Artemia salina L. in aquaculture. Report. State University of Ghent, Ghent, Belgium, 20 pp.

873.

De Cesaris Coromaldi, L.-1961.

Studi di embryologia chimica nello sviluppo di Artemia salina Leach (Biotopi diploide e tetraploide).

Rend.Ist.Sci.Univ.Camerino, 2:53-82.

874.

De Cesaris Coromaldi, L.; De Vincentiis, M.; Urbani, E.-1960.

Incorporazione di metionina (metile C14) in Artemia salina Leach, diploide e tetraploide.

Rend.Ist.Sci.Univ.Camerino, 1(3):324-331.

875.

De Cesaris Coromaldi, L.; Urbani, E.-1959.

Attività enzimatiche in Artemia salina Leach diploide e tetraploide. Boll.Zool., 26:243-248.

876.

De Cesaris Coromaldi, L.; Urbani, E.-1959.

Dipeptidasi e lipasi in Artemia salina Leach diploide e tetraploide. Atti Accad.naz.Lincei Rc., 20:801-807.

877.

De Cesaris Coromaldi, L.; Urbani, E.-1960.

Studio biochimico del nauplio di Artemia salina L. diploide e tetraploide.

Acta Embryol.Morph.exptl., 3:12-22.

878.

De Chaffoy De Courcelles, D.-1980.

Onderzoek van het Artemia salina lipovitellinecomplex.

Ph. D. Thesis, Universitaire Instelling Antwerpen, Belgium, 202 pp.

879.

De Chaffoy De Courcelles, D.; D'Hondt, C.; Kondo, M.-1978.

Isolation and partial characterization of high-density lipoprotein from the yolk platelets of Artemia salina.

Archs int.Physiol.Biochim., 86:936-938.

878.
De Chaffoy De Courcelles, D.-1980.
Onderzoek van het *Artemia salina* lipovitellinecomplex.
Ph. D. Thesis, Universitaire Instelling Antwerpen, Belgium, 202 pp.
879.
De Chaffoy De Courcelles, D.; D'Hondt, C.; Kondo, M.-1978.
Isolation and partial characterization of high-density lipoprotein
from the yolk platelets of *Artemia salina*.
Archs int.Physiol.Biochim., 86:936-938.
880.
De Chaffoy De Courcelles, D.; De Maeyer-Criel, G.; Kondo, M.-1978.
On the permeability and formation of the embryonic cuticle during
development in vivo and in vitro of *Artemia salina* embryos.
Differentiation, 12:99-109.
881.
De Chaffoy De Courcelles, D.; Heip, J.; Moens, L.; Kondo, M.-1980.
Artemia lipovitellin: 379-394.
In: The brine shrimp *Artemia*. Vol. 2. Physiology,
Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A.
Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.
882.
De Chaffoy De Courcelles, D.; Moens, L.; Heip, J.; Kondo, M.-1977.
Reversibility of pre-emergence development in *Artemia salina* (L.): 89-
90.
In: Fundamental and Applied Research on the Brine Shrimp, *Artemia*
salina (L.) in Belgium. EMS Spec.Publ.2. Eds Jaspers, E.;G.Persoone;
Inst. for Mar.Sc.Res., Bredene, Belgium, 110pp.
883.
De Chaffoy De Courcelles, D.; Kondo, M.-1976.
Selective resistance to desiccation of nuclear RNA synthesis in
isolated nuclei of *Artemia salina* embryos, during pre- emergence
development.
Biochem.J., 158(3):639-642.
884.
De Chaffoy De Courcelles, D.; Kondo, M.-1980.
Lipovitellin from the crustacean, *Artemia salina*.
J. Biol. Chem., 255(14): 6727-6733.
885.
De Chaffoy De Courcelles, D.; Van Hauwaert, M.L.; Piot, E.; Kondo, M.-
1981.
Relatedness of proteins estimated by amino acid comosition and by
tyrosine-containing tryptic peptides mapping: A case of
apolipovitellins of *Artemia salina*.
Comp. Biochem. Physiol., 70B: 487-491.

886.
De Chaffoy De Courcelles, D.; Van Hauweert, M.L.; Piot, E.; Kondo, M.-1981.
Structural comparisons of apolipovitellin components by mapping of
radioiodinated tryptic peptides in *Artemia salina*.
Archs int. Physiol. Biochim., 89(3): B97-B98.
887.
De Chaffoy De Courcelles, D.; Van Heddeghem, M.; Kondo, M.-1979.
Structure of *Artemia salina* lipovitellin.
Archs int. Physiol. Biochim., 87:792.
888.
De Deckker, P.; Geddes, M.C.-1980.
Seasonal fauna of ephemeral saline lakes near the Coorong Lagoon,
South Australia.
J. Mar. Freshw. Res., 31: 677-699.
889.
De Graaf, F.-1973.
Marine Aquarium Guide: 152-160.
Pet Library Ltd. Stenco Industries Inc. Harrison, New Jersey, U.S.A.
890.
De Haro, C.; Datta, A.; Ochoa, S.-1978.
Mode of action of the hemin-controlled inhibitor of protein synthesis.
Proc.natn Acad.Sci.U.S.A., 75:243-247.
891.
De Haro, C.; Ochoa, S.-1978.
Mode of action of hemin controlled inhibitor in reticulocyte lysates.
Fedn Proc., 37(6):1792.
892.
De Haro, C.; Ochoa, S.-1978.
Mode of action of the hemin-controlled inhibitor of protein synthesis:
Studies with factors from rabbit reticulocytes.
Proc. natn. Acad. Sci., U.S.A., 75(6): 2713-2716.
893.
De Herdt, E.-1980.
Onderzoek van het cytoplasma van *Artemia salina*. Strukturele en
funktionele karakterisatie van een cryptobiose specifiek eiwitcomplex,
loodsdrager RN-proteinen en RNA-bindende eiwitten.
Ph. D. Thesis. Universitaire Instelling Antwerpen, Wilrijk, Belgium :
194 pp.
894.
De Herdt, E.; Backhovens, H.; Kondo, M.; Clauwaert, J.; Slegers, H.-1981.
Hydration of a cryptobiosis specific protein of *Artemia salina*.
Archs int. Physiol. Biochim., 89(4): BP9-BP10.

895.
De Herdt, E.; Clauwaert, J.; Kondo, M.; Slegers, H.-1978.
Characterization of small cytoplasmic particles of *Artemia salina*.
12th FEBS Meeting, Dresden, F.R.G., 1978, Abstract, 165.
896.
De Herdt, E.; Clauwaert, J.; Kondo, M.; Slegers, H.-1980.
A cryptobiosis specific 19S protein of *Artemia salina* gastrulae.
13th FEBS Meeting, August 24-29, Jerusalem, Israel. Abstract CI. P106.
897.
De Herdt, E.; De Voeght, F.; Clauwaert, J.; Kondo, M.; Slegers, H.-1980.
Physico-chemical characterization of a cryptobiosis specific 19 S
protein of *Artemia salina*.
Archs int. Physiol. Biochim., 88(5): BP16-BP17.
898.
De Herdt, E.; De Voeght, F.; Clauwaert, J.; Kondo, M.; Slegers, H.-1981.
A cryptobiosis-specific 19S protein complex of *Artemia salina*
gastrulae.
Biochem. J., 194: 9-17.
899.
De Herdt, E.; Kondo, M.; Slegers, H.-1980.
A 19S cytoplasmic protein complex correlated with the cryptobiosis of
Artemia sp.
Archs int. Physiol. Biochim., 88(3): B135-B136.
900.
De Herdt, E.; Kondo, M.; Slegers, H.-1981.
The use of taka-distase in a (³H)poly(A) hybridization assay of
oligo(U) sequences in RNA.
J. Biochem. biophys. Methods, 5: 51-55.
901.
De Herdt, E.; Kondo, M.; Slegers, H.-1981.
Initiation-factor-2 activity associated with non polysomal poly(A)-
containing messenger ribonucleoproteins of *Artemia salina*.
Archs int. Physiol. Biochim., 89(3): B99-B100.
902.
De Herdt, E.; Kondo, M.; Slegers, H.-1981.
Isolation of eukaryotic protein synthesis factors by affinity
chromatography on rRNA-Sepharose 4B.
Archs int. Physiol. Biochim., 89: B10.
903.
De Herdt, E.; Marbaix, G.; Tencer, R.; Slegers, H.-1982.
Nuclear accumulation fo a cytoplasmic (polyadenylic acid)-binding
protein from *Artemia salina* gastrulae after microinjection into the
cytoplasm of *Xenopus laevis* oocytes.
Archs int. Physiol. Biochim., 90(4): B184-B185.

904.

De Herdt, E.; Marbaix, G.; Tencer, R.; Slegers, H.-1983.
Subcellular distribution in *Xenopus laevis* oocytes of a microinjected poly(A)-binding protein from *Artemia salina* gastrulae.
Eur. J. Biochem., 132(3): 623-627.

905.

De Herdt, E.; Piot, E.; Kondo, M.; Slegers, H.-1982.
The 38000-Mr poly(A)-binding protein of non-polysonal messenger ribonucleoproteins of cryptobiotic gastrulae of *Artemia salina*.
Eur. J. Biochem., 122(3): 453-460.

906.

De Herdt, E.; Roggen, E.; Backhovens, H.; Slegers, H.-1982.
A helix-destabilizing protein of non-polysonal messenger ribonucleoproteins of cryptobiotic gastrulae of *Artemia salina*.
Archs int. Physiol. Biochim., 90(1): B17-B18.

907.

De Herdt, E.; Slegers, H.; Kondo, M.-1979.
Characterization of a 19S complex consisting of a 24,000-protein in *Artemia salina* cryptobiotic gastrulae.
Molecular Biology Reports, 5(1/2): 135.

908.

De Herdt, E.; Slegers, H.; Kondo, M.-1979.
Analysis of RNA-binding proteins of cryptobiotic gastrula of *Artemia salina*.
Archs int. Physiol. Biochim., 87:797-799.

909.

De Herdt, E.; Slegers, H.; Kondo, M.-1979.
Identification and characterization of a 19-S complex containing a 27000-Mr protein in *Artemia salina*.
Eur.J.Biochem., 96:423-430.

910.

De Herdt, E.; Slegers, H.; Kondo, M.-1979.
A stored template active messenger ribonucleoprotein complex of the cryptobiotic gastrulae of *Artemia salina* lacking polyadenylate residues.
Archs int. Physiol. Biochim., 87:795-797.

911.

De Herdt, E.; Slegers, H.; Kondo, M.-1980.
The 27000-protein of the 19S cytoplasmic complex of *Artemia* is one of the major RNA-binding proteins: 395-412.
In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

912.

De Herdt, E.; Slegers, H.; Piot, E.; Kondo, M.-1979.

Non-polyadenylated 22S ribonucleoprotein particle is insensitive to translational inhibitor RNA of cryptobiotic gastrulae of *Artemia salina*.

Nucleic acid Res., 7:1363-1373.

913.

De Herdt, E.; Thoen, C.; Van Hove, L.; Roggen, E.; Piot, E.; Slegers, H.-1984.

Identification and properties of the 38000-Mr poly(A)-binding protein of non-polysomal messenger ribonucleoproteins of cryptobiotic gastrulae of *Artemia salina*.

Eur. J. Biochem., 139(1): 155-162.

914.

De Los Santos, C.

jr.-1978.

Modern aquaculture for the Philippines.

Yuhum La Defensa Press, Iloilo City (Philippines), 224 pp.

915.

De Los Santos, C.

jr.; Sorgeloos, P.; Lavina, E.; Bernardino, A.-1980.

Successful inoculation of *Artemia* and production of cysts in man-made salterns in the Philippines:159-163.

In: The brine shrimp *Artemia*. Vol.3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.; P. Sorgeloos; O. Roels; E.

Jaspers; Universa Press, Wetteren, Belgium, 456pp.

916.

De Los Santos, C.-1980.

The brine shrimp (*Artemia salina* Leach). Biology, Morphology and commercial production in manmade salterns.

J. Fish. Res. Soc., :68-78.

917.

De Maeyer-Criel, G.-1970.

Contribution de vésicules rugueuses à la formation des grains de sécrétion dans la glande coquillière d'*Artemia salina*.

Archs Biol., Paris, 81(3):491-494.

918.

De Maeyer-Criel, G.-1970.

Sur la présence de microfibrilles associées au réticulum endoplasmique des cellules des glandes coquillières chez *Artemia salina*.

Archs Biol., Paris, 81:61-72.

919.

De Maeyer-Criel, G.-1971.

Localisation de la phosphatase acide au niveau des cloisons inter-cellulaires dans la glande coquillière d'*Artemia salina*.

Archs Biol., Paris, 82(2):163-165.

922.

De Maeyer-Criel, G.; Fautrez-Firlefyn, N.; Fautrez, J.-1977.
Formation de la membrane de fécondation de l'oeuf d'*Artemia salina*.
W.Roux Archiv., 183(3):223-231.

923.

De Meulemeester, A.-1983.

Het op punt stellen van een artificieel zeewater voor het pekelkreeftje *Artemia*.

Thesis. Industriële Hogeschool van het Rijk, CTL, Gent, Belgium, 85 pp.

924.

De Meulemeester, A.; Lavens, P.; De Ruyck, L., Sorgeloos, P.-1985.
Evaluation of mono- and mixed diets as food for intensive *Artemia* culture.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

925.

De Meyer, P.; De Herdt, E.; Kondo, M.; Slegers, H.-1979.
Binding of poly(adenylic acid) containing RNA and RNP to oligo thymidylic acid cellulose.
Archs int. Physiol. Bioch., 87(5): 1049-1050.

926.

De Meyer, P.; De Herdt, E.; Kondo, M.; Slegers, H.-1980.
Affinity chromatography of poly (adenylic acid)- containing ribonucleo-proteins on oligothymidylic acid-cellulose.
J. Biochem. Biophys. Methods, 2:311-314.

927.

De Monte, S.A.-1976.

Glycolytic enzymes and the control of glycolysis in dormant cysts of the brine shrimp *Artemia salina*.

Thesis, University of Windsor, Ontario, Canada, 57pp.

928.

De Pauw, N.; Pruder, G.-1981.

Production and use of microalgae as food in aquaculture : 7-10.
In: Reviews, World Conference on Aquaculture (Venice-Italy, September 21-25, 1981), 43 pp.

929.

De Pinho Canelhas, M.H.-1971.

Breve noticia sobre a *Artemia* na lagoa Nhamaiane.

IX Jornadas Silvo Agronomicas, 27 de Setembro-2 de Outubro, Lourenco Marques, no26, 7 pp.

930.

De Smet, K.; Van Hauwaert, M.L.; Moens, L.; Van Beeumen, J.-1985.
A comparison of the structural units composing the *Artemia* sp. globin chains.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

929.
De Pinho Canelhas, M.H.-1971.
Breve noticia sobre a Artemia na lagoa Nhamaiane.
IX Jornadas Silvo Agronomicas, 27 de Setembro-2 de Outubro, Lourenco Marques, no26, 7 pp.
930.
De Smet, K.; Van Hauwaert, M.L.; Moens, L.; Van Beeumen, J.-1985.
A comparison of the structural units composing the *Artemia* sp. globin chains.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.
931.
De Vincentiis, M.; Urbani, E.-1961.
L'assunzione di ossigeno dei nauplii di *Artemia salina* Leach, diploide e tetraploide.
Rend. Ist. Sci. Univ. Camerino, 2(3):293-296.
932.
De Voeght, F.; Clauwaert, J.-1979.
Study of extracellular hemoglobin from *Artemia salina* by scattering techniques : 113-119.
In: Biochemistry of *Artemia* development. Eds Bagshaw, J.C.; A.H. Warner. University Microfilms International, Ann Arbor, U.S.A., 239pp.
933.
De Voeght, F.; Clauwaert, J.-1981.
Structural characterization by biophysical methods of extracellular hemoglobins of *Artemia salina*: 61-67.
In: Invertebrate Oxygen-binding Proteins. Ed. Lamy, J.; Marcel Dekker, Inc., New York and Basel.
934.
De Vrieze, L.-1984.
Evaluatie van de nutritionele geschiktheid van gedecapsuleerde *Artemia*-cysten als rechtstreekse voedselbron voor karperlarven (*Cyprinus carpio* L.).
Thesis. State University of Ghent, Ghent, Belgium, 105 pp.
935.
De Waart, J.; Van Aken, F.; Pouw, H., 1972.
Detection of orally toxic microbial metabolites in foods with bioassay.
Zbl. Bakt. Hyg., 222:96-114.
936.
Debaissieux, P.-1944.
Les yeux de crustacés. Structure, développement, réactions à l'éclairage.
La Cellule, 50:9-137.

937.

Debeauvais, J.-P.; Lafont, P.-1978.

New toxins from *Aspergillus fumigatus*.

C.r.hebd.Seanc.Acad.Sci., Paris,D286:143-148.

938.

Dechev, G.D.; Matveeva, E.G.-1978.

Change in respiration intensity of *Artemia salina* L. under action of oil substances.

C. R. Acad. Bulgare Sci., 31(B): 1055-1058.

939.

Decler, W.-1979.

Adaptation of *Artemia salina* L. to low PO₂: 96-97.

In: Proceedings of the International Symposium on the Physiology of Euryoxic animals. Ed. Holwerda, D.A.; Zeist, The Netherlands.

940.

Decler, W.; Vos, J.-1977.

Some aspects of respiration in *Artemia salina* L.: 15-18.

In: Fundamental and Applied Research on the brine shrimp, *Artemia salina* (L.) in Belgium; EMS Spec.Publ.2. Eds Jaspers, E.;G.Persoone. Inst. for Mar.Sc.Res., Bredene, Belgium, 110pp.

941.

Decler,W.; Vos, J.; Bernaerts, F.; Van den Branden, C.-1980.

The respiratory physiology of *Artemia* : 137-145.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

942.

Dees, L.T.-1961.

Brine shrimp.

U.S.Department of the Interior.U.S.Fish and Wildlife Service.Bureau of Commercial Fisheries.Fishery Leaflet, 527-1-5.

943.

Deevey, E.S.-1957.

Limnologic studies in Middle America, with a chapter on Aztec limnology.

Trans.Conn.Acad.Arts Sci.

944.

Dejdar, E.-1930.

Die Korrelationen zwischen Kiemensacken und Nackenschild bei Phyllopoden.(Versuch einer Analyse mit Hilfe elektiver Vitalfarbung.). Z.wiss.Zool., 136:423-453.

945.

Deksalb, N.K.; Anferova, L.V.-1971.

Artemia nauplius and curative mud.

Priroda (Mosk.), 3:79-80.

946.

Deksbalkh, N.K.-1962.

Artemia salina (L.) var. milhausenii (Fischer) v lechebnom ozere gryazevogo kurosta Karachi, Zapadnaya Sibir. (*Artemia* in the medicinal lake of the Karachi mid health resort, W.Sib.
Naecha.Dokl.Vysshei Sitkoly.Biol.Nauk., 1:9-11.

947.

Del Solar, M.; Blancas, F.; Mayta, R.-1970.

Catalogo de Crustaceos del Peru (Lima-Peru).

948.

Delcambe, L.-1955.

Activites biologiques des actinomycines de *Streptomyces* S-67.
Archs int.Pharmacodyn.Ther., 101:358-566.

949.

Delga, J.; Meunier, J.L.; Pallaget, C.; Carious, J.-1960.

Les mangeurs de vers.

Annls Falsif.Expert.chim., 617.

950.

Deltour, M.-1979.

Biologische geschiktheid van *Artemia salina* (L.) van verschillende geografische oorsprong voor vislarven.

Thesis. Catholic University of Louvain, Belgium, 111 pp.

951.

Demetropoulos, A.-1977.

Annual Report on the Department of Fisheries of the Cyprus Fisheries for the year 1976.

Republic of Cyprus, Ministry of Agriculture and Natural Resources, Department of Fisheries, 73pp.

952.

Demetropoulos, A.-1978.

Annual Report on the Department of Fisheries and the Cyprus Fisheries for the year 1977.

Republic of Cyprus, Ministry of Agriculture and Natural Resources, Department of Fisheries.

953.

Demetropoulos, A.-1979.

Annual Report on the Department of Fisheries and the Cyprus Fisheries for the year 1978.

Republic of Cyprus, Ministry of Agriculture and Natural Resources, Department of Fisheries.

954.

Dempster, R.P.-1946.

Notes on brine shrimp eggs.

Aquar.J., 17(3):4-5,12.

955.

Dempster, R.P.-1946.

Separating brine shrimp eggs.

Aquar.J., 17(5):2-5.

956.

Dempster, R.P.-1953.

The use of larval and adult brine shrimp in aquarium fish culture.
Calif.Fish Game, 39:355-364.

957.

Dempster, R.P.-1958.

Steinhart's 6-year storage test of brine shrimp eggs.
Aquar.J., 29(9):328-329.

958.

Dempster, R.P.-1960.

Results of research at Steinhart Aquarium keep brine shrimp eggs six years.

Aquar.J., 31(7):335-336.

959.

Dempster, R.P.; Hanna, G.D.-1956.

Preserving Artemia eggs in high vacuum.

Aquar.J., 27(3):112-113.

960.

Dendrinos, P.; Dewan, S.; Thorpe, J.P.-1984.

Improvement in the feeding efficiency of larval, post larval and juvenile Dover sole (*Solea solea L.*) by the use of staining to improve the visibility of Artemia used as food.

Aquaculture, 38: 137-144.

961.

Deniro, M.J.; Epstein, S.-1978.

Influence of diet on the distribution of carbon isotopes in animals.
Geochim.cosmochim.Acta, 42(5):495-506.

962.

Densmore, C.L.; Wilson, H.J.-1982.

Light and dark adaptive mechanisms in the compound eye of Artemia (*Branchiopoda, Crustacea*) with emphasis on cytoskeletal involvement.
Am. Zool., 22(4): 912, Abstract Number 375.

963.

Denuit, C.; Amiard-Triquet, C.; Amiard, J.C.-1980.

Influence of the development stage upon the sensitivity of some marine and euryhaline crustacean to metallic pollutants.
Paper presented at the Int. Symposium on Principles for the interpretation of the results of testing procedures in Ecotoxicology.
Sept. 30-Oct. 2, 1980, Sophia Antipolis (France).

964.
Derselbe-1873.
Uber Parthenogenesis der Artemia salina.
Sitzgaber Math-Ph ys.C.L.Bayer.Akad.Munchen, 3:,
965.
Derselbe-1893.
Zur Kenntniss der Reifung des parthenogenetisch sich entwickelnden Eies von Artemia salina.
Zool.Anz., 16:138-140.
966.
Deshimaru, O.; Shigueno, K.-1972.
Introduction to the artificial diet for prawn Penaeus japonicus.
Aquaculture, 1:115-133.
967.
Desloovere, F.-1983.
Invloed van abiotische en biotische faktoren op het reproduktiepatroon bij het pekelkreeftje Artemia.
Thesis. State University of Ghent, Ghent, Belgium, 107 pp.
968.
Desmarest, A.G.-1825.
Considérations générales sur la Classe des crustacés, et description des espèces de ces animaux, qui vivent dans la mer sur les côtes, ou dans les eaux douces de la France.
F.G. Levrault, Libraire, Editeur du dictionnaire des Sciences Naturelles, Strasbourg, France, 393 pp.
969.
Dewey, D.-1979.
Brine shrimp - 1.
Freshw.Mar.Aquarium, 2(4):20-23.
970.
Dewey, D.-1979.
Brine shrimp - 2.
Freshw.Mar.Aquarium, 2(5):58-66.
971.
Dewey, D.-1979.
Brine shrimp -3.
Freshw.Mar.Aquarium, 2(6): 6pp.
972.
Dexter, D.M.-1972.
Molting and growth in laboratory reared phyllosomes of the California spiny lobster, Panulirus interruptus.
Calif.Fish Game, 58(2):107-115.

973.

Dexter, R.W.-1953.

Studies on North American fairy shrimps with a description of two new species.

American Midland Naturalist, 49:751-771.

974.

Dexter, R.W.-1956.

A new fairy shrimp from Western United States with notes on other North American species.

Bull. Wash. Acad. Sci., 46:159-165.

975.

Dexter, R.W.-1959.

Anostraca.

In: Fresh-water Biology; Eds Ward, H.B.; C.C. Whipple; W.T. Edmondson; Wiley-New York, U.S.A.

976.

Dholakia, J.N.; Woodley, C.L.; Wahba, J.-1984.

Characterization of a protein Kinase from Artemia embryos that phosphorylates the α-subunit of Artemia initiation factor 2.

Fedn. Proc., 43(6): 1480, Abstract Number 371.

977.

Diaz-Guerra, M.; Cruces, J.; Sebastian, J.; Renart, J.-1982.

Cloning of 5 S rRNA gene from Artemia larvae.

Biol. Cell., 45(51): 166, Abstract Number 358.

978.

Diels, L.-1982.

Development of a gel sequencing method for small RNA molecules and the application of 5S ribosomal RNA of Artemia salina.

Sc.D. Thesis. Universitaire Instelling Antwerpen, Wilrijk, Belgium, 168 pp.

979.

Diels, L.; De Baere, R.; Vandenverghe, A.; De Wachter, R.-1981.

The sequence of 5S ribosomal RNA of the crustacean Artemia salina.

Nucl. Acids Res., 9(19): 5141-5144.

980.

Diels, L.; De Wachter, R.-1980.

An RNA sequencing method based on a two-dimensional combination of gel electrophoresis and thin-layer chromatography.

Archs int. Physiol. Biochim., 88(1): B26-B27.

981.

Diener, U.L.; Davis, N.D.; Morgan-Jones, G.-1974.

Toxigenic fungi from Bermuda grass hay.

Proc. Am. Phytopathol. Soc., 1:104.

982.
Diener, U.L.; Morgan-Jones, G.; Wagener, R.E.; Davis, N.D.-1976.
Bermuda grass tremors in Alabama U.S.A cattle in 1974: 673-678.
In: Proc. 3rd int. biodegradation symposium, Kingston (RI-U.S.A.) Aug.
17-23, 1975; Eds Miles, S.J.; A.M. Karplan; Applied Science Publishers,
Ltd, London, U.K., 1138 pp.
983.
Diener, U.L.; Wagener, R.E.; Morgan-Jones, G.; Davis, N.D.-1975.
Toxigenic fungi from cotton.
Proc. Am. Phytopathol. Soc., 2:38.
984.
Diener, U.L.; Wagener, R.E.; Morgan-Jones, G.; Davis, N.D.-1976.
Toxigenic fungi from cotton and cottonseed.
J. Ala. Acad. Sci., 47(3):135.
985.
Diener, U.L.; Wagener, R.E.; Morgan-Jones, G.; Davis, N.D.-1976.
Toxigenic fungi from cotton.
Phytopathology, 66:514-516.
986.
Dillon, T.M.-1981.
Effects of a dimethylnaphthalene-contaminated food source and daily
fluctuating temperatures on the survival potential of the estuarine
shrimp *Palaemonetes pugio*.
Mar. Biol., 63: 227-233.
987.
Dimentman C.-1973.
Distribution and ecology of *Euphylllopoda* (Crustacea) in Israel.
Israel J. Zool., 22(2-4):201-202.
988.
Dimentman, C.-1976.
Distribution and biology of Anostraca (Crustacea) in temporary pools
in Israel and factors affecting it. (in Hebrew).
Thesis, Hebrew University of Jerusalem (Israel).
989.
Dimentman, C.-1980.
Distribution and biology of *Artemia salina* (L.) (Crustacea) in Israel
and the Sinai Peninsula.
Israel J. Zool., 29(4): 199.
990.
Dimentman, C.-1981.
Biology of the brine shrimp *Artemia salina* (L.) and its economic
importance in the Mediterranean basin.
Proces-Verbaux des Réunions. Commission Internationale pour
l'Exploration Scientifique de la Mer Méditerranée, Monaco,
27(4): 109-111.

991.

Dimentman, C.; Spira, J.-1982.

Predation of Artemia cysts by water-tiger of the genus Anacaena
(Coleoptera, Hydrophilidae).

Hydrobiologia, 97(3): 163-165.

992.

Diole, P.-1956.

Dans le Fezzan inconnu.

Albin Michel, Paris, 236 pp.

993.

Dirlbek, J.; Prazakova, K.; Bendlova, H.-1974.

Toxic effect of herbicides on small water crustaceans in
Czechoslovakian.

Agrochemica, 14(6):170-172.

994.

Divanach, P.-1979.

Conditions d'aeroflottation du zooplancton vivant essais en
laboratoire et en milieu naturel: 825-850.

In: 2es Journees de la Thermo-Ecologie Institut Scientifique et
Technique de Peches Maritimes.

995.

Divanach, P.; Chevalier, G.; Lavoue, J.M.-1979.

Conditions d'aeroflottation du zooplancton marin.

Université des Sciences et Techniques du Languedoc, Station du
Biologie Marine et Lagunaire, Sète, France, 83 pp.

996.

Divanach, P.; Kentouri, M.; Paris, J.-1983.

Recherches sur la production exploitable au niveau aquacole dans des
lagunes à Artemia salina.

C. r. séanc. Acad. Sci. Serie III. Sciences de la vie, 296(1): 29-33.

997.

Dobbeleir, J.-1977.

Vergelijkende studie van enkele geografische rassen van het
pekelkreeftje, Artemia salina (L.).

Thesis. State University of Ghent, Belgium, 68 pp.

998.
Dobbeleir, J.; Adam, N.; Bossuyt, E.; Bruggeman, E.; Sorgeloos, P.-1980.
New aspects of the use of inert diets for high density culturing of brine shrimp: 165-174.
In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.
999.
Dohse, H.-1970.
Artemien en gros. Ein Beitrag zur Aufzucht und Vermehrung von *Artemia salina*.
Aquat. u. Terrar.-Z., 23:348-350.
1000.
Dohse, H.-1971.
Das Artemium. Die kleine "Lebendfutterfabrik".
Aquat. u. Terrar.-Z., 24(12):413-415.
1001.
Dohse, H.-1972.
Das Artemium II. Die kleine "Lebendfutter-fabrik".
Aquat. u. Terrar.-Z., 25(1):34-36.
1002.
Dohse, H.-1972.
Das Artemium III. Die Kleine "Lebendfutterfabrik".
Aquat. u. Terrar.-Z., 25(2): 61-63.
1003.
Dohse, H.-1973.
Artemien automatisch.
Aquat. u. Terrar.-Z., 26(2):68-70.
1004.
Dolgopol'skaya, M.A.; Taneyeva, A.I.; Vladimirov, L.V.-1970.
The effect of a magnetic field on the development and growth of the copepod *Artemia salina*. (in russian): 17-19.
In: Problems of Fisheries and Sanitary-Biological Regime of Bodies of Water in the Ukraine. Part I. Naukova Dumka Press. Kiev, U.S.S.R.
1005.
Dolgopol'skaya, M.A.; Vladimirov, L.V.; Taneeva, A.I.; Mendeleev, I.S.-1969.
Docum. 2nd. All-Union Conf. on the Study of the effect of magnetic fields on biological specimens (in russian), 24-26. Sept. 1969, Scientific Council on Complex Problems.
Cybernetics. Akad. Nauk. SSSR, Moscow, U.S.S.R., 76pp.
1006.
Doll, J.P.; Trexler, P.C.; Reynolds, L.I.; Bernard, G.R.-1969.
The use of peracetic acid to obtain germfree invertebrate eggs for gnotobiotic studies.
Am. Midl. Nat., 69:231-239.

1007.

Domingo, A.; Marco, R.-1982.

Multiple DNase activities during the early development of the crustacean Artemia.

Biol. Cell., 45(51): 160, Abstract Number 339.

1008.

Onceel, K.; Nieuwenhuysen, P.; Clauwaert, J.-1981.

Sedimentation study of the tertiary structure of RNA from the large subunits of Artemia ribosomes: 268.

In: Seventh International Biophysics Congress and Third Pan-American Biochemistry Congress, Mexico City, Abstracts.

1009.

Onceel, K.; Nieuwenhuysen, P.; Clauwaert, J.-1982.

Observation of an RNA molecule originating from the RNA of the small ribosomal subunit of the brine shrimp Artemia.

Archs int. Physiol. Biochim., 90(2): BP11-BP12.

1010.

Onceel, K.; Nieuwenhuysen, P.; Clauwaert, J.-1982.

The size and conformation of Artemia (brine-shrimp) ribosomal RNA free in solution.

Biochem. J., 205(3): 495-501.

1011.

Onceel, K.; Nieuwenhuysen, P.; Clauwaert, J.-1985.

The size and conformation of Artemia ribosomal RNA's in solution.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1012.

Dornesco, G.; Steopoe, J.-1958.

Les glandes tégumentaires des phyllopodes anostracés.

Annls Sci.nat.Zool., 20:29-68.

1013.

Douillet, P.-1985.

Effect of bacteria on the nutrition of the brine shrimp Artemia fed on dried diets.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1014.

Doumen, C.; Van Der Linden, A.; Blust, R.-1985.

The responds of ageing Artemia nauplii to transfer in high salinities.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1015.

Doumen, C.; Verheyen, E.; Blust, R.-1983.

The effect of hatchingtemperature on the lactate dehydrogenase enzyme of Artemia nauplii.

Comp. Physiol. Biochem. (Congress Liège), C18-20.

1016.

Dowling, P.M.-1963.

A new microinjection technique for *Artemia salina* L..

Thesis, San Francisco State College, California, U.S.A.

1017.

Dreisman, G.-1977.

Das SalinenKrebschen mit den Augen eines Liebhabers betrachtet.

Aquarien Magazin, 11(10): 426-428.

1018.

Du Cheyne, G.-1984.

Nutritionele evaluatie van stokerij-gist voor het pekelkreeftje *Artemia*.

Thesis. C.O.O.V.I., Brussel, Belgium, 100 pp.

1019.

Dugan, C.C.; Hagood, R.W.; Frakes, T.A.-1975.

Development of spawning and mass larval rearing techniques for brackish-fresh-water shrimps of the genus *Macrobrachium* (Decapoda, Palaemonidae).

Fla.Mar.Res.Lab., Fla.Dept.Nat.Res., Publ.no12, 28pp.

1020.

Dumont, H.J.-1979.

Limnologie van Sahara en Sahel: naar een beter begrip van de klimaatsveranderingen van het laat-Pleistoceen en Holocene.

Thesis. State Univerisity of Ghent, Belgium.

1021.

Dumont, H.J.; Laureys, P.; Pensaert, J.-1979.

Anostraca, Conchostraca, Cladocera and Copepoda from Tunisia.

Hydrobiologia, 66(3): 259-274.

1022.

Durackova, Z.; Betina, V.; Hornikova, B.; Nemec, P.-1977.

Toxicity of mycotoxins and other fungal metabolites to *Artemia salina* larvae.

Zentbl.Bakt.Parasitkde,Abt.II, 132(4):294-299.

1023.

Durackova, Z.; Betina, V.; Nemec, P.-1976.

Bioautographic detection of mycotoxins on thin-layer chromatograms. J.Chromat., 116(1):155-161.

1024.

Duray, M.; Bagarinao, T.-1984.

Weaning of hatchery-bred milkfish larvae from live food to artificial diets.

Aquaculture, 41(4): 325-332.

1025.

Durkin, J.P.-1976.

Artemia salina (L.) (Crustacea: Branchiopoda) hemolymph proteins : sulfide and oxygen concentration effects.
Thesis, San Francisco State College, U.S.A.

1026.

Dutrieu, J.-1956.

L'oeuf durable d'*Artemia salina* L., conditions de vie et composition chimique.
C.r.hebd.Séanc.Acad.Sc., Paris, 243:98-100.

1027.

Dutrieu, J.-1957.

Modifications chimiques accompagnant le développement embryonnaire d'*Artemia salina* L.
C.r.hebd.Séanc.Acad.Sc., Paris, 244:2650-2653.

1028.

Dutrieu, J.-1959.

Les pigments d'*Artemia salina* L.. Rapport entre la nature des pigments et le mode de réproduction des adultes.
C.r.hebd.Séanc.Acad.Sc., Paris, 248:2522-2524.

1029.

Dutrieu, J.-1959.

Présence de tréhalose dans l'oeuf durable d'*Artemia salina*.
C.r.hebd.Séanc.Acad.Sc., Paris, 248:1038-1039.

1030.

Dutrieu, J.-1960.

Observations biochimiques et physiologiques sur le développement d'*Artemia salina* Leach.
Arch.Zool.exp.gen., 99:1-134.

1031.

Dutrieu, J.-1960.

Quelques observations biochimiques et physiologiques sur le développement d'*Artemia salina* Leach.
Rend.Ist.Sci.Univ.Camerino, 1:196-224.

1032.

Dutrieu, J.-1962.

Incidence du type alimentaire sur la mode de reproduction d'un Crustacé (*Artemia salina*).
Annls Nutr.Aliment., 16(6):227-234.

1033.

Dutrieu, J.; Crestia-Blanchine, D.-1966.

Résistance des oeufs durables hydratés d'*Artemia salina* à l'anoxie.
C.r.hebd.Séanc.Acad.Sc., Paris, D263:998-1000.

1034.

Dutrieu, J.; Crestia-Blanchine, D.-1967.
Résistance des oeufs durables hydratés d'Artemia aux basses températures.

C.r.hebd.Séanc.Acad.Sc., Paris, 264:2941-2944.

1035.

Duveryrier, H.-1864.
Les Touaregs du Nord.
Paris, 501 pp.

1036.

Dwivedi, S.N.-1979.
Blue revolution in rural areas.
India Today and Tommorow, 8(2): 65-70.

1037.

Dwivedi, S.N.; Ansari, S.K.R.; Ahmed, M.Q.-1980.
Mass culture of brine shrimp under controlled conditions in cement pools at Bombay (India):175-183.
In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers; Universa Press, Wetteren,Belgium, 456pp.

1038.

Dye, J.E.-1980.
The production and efficient use of freshly hatched brine shrimp nauplii (Artemia) in the larval rearing of marine fish at the hatcheries of the British White Fish Authority: 271-276.
In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

1039.

Eagles, M.D.; Aiken, D.E.; Waddy, S.L.-1984.
Effect of feeding time, food quantity and food quality on survival, growth and development of larval american lobsters fed frozen adult brine shrimp.
J. World Maricul. Soc., 15:,

1040.

Eagles, M.D.; Aiken, D.E.; Waddy, S.L.-1985.
Variation in carotenoid content and integrity of frozen adult brine shrimp: effect on survival, growth and development of larval American lobsters: 40.
In: Book of Abstracts, World Mariculture Society, 16th annual Meeting and Florida Aquaculture Association, 1st Meeting, Orlando, Florida, Jan. 13-17, 1985.

1041.

Eardley, A.J.-1938.
Faecal pellets of Artemia: 1401-1408.
In: The Sediments of the Great Salt Lake, Utah, U.S.A.

1042.

Eardley, A.J.-1966.

Sediments of Great Salt Lake: 105-120.

In: Guidebook to the geology of Utah,no.20. The Great SaltLake. Ed. Stokes, W.; Utah Geological Society,Salt Lake City, U.S.A.

1043.

Eardley, A.J.; Gvosdetsky, V.-1960.

Analysis of pleistocene core from Great Salt Lake, Utah.

Bull. Geol. Soc. Am., 71: 1323-1344.

1044.

Earley, A.J.; Shuey, R.T.; Gvosdetsky, V.; Nash, W.P.; Picard, M.; Grey, D.C.; Kukla, G.J.-1973.

Lake cycles in the Bonneville Basin, Utah.

Bull. Geol. Soc. Am., 84: 211-216.

1045.

Easter, S.S.; Hutchinson, F.-1961.

Effects of radiations of different LET on Artemia eggs.

Radiat.Res., 15(3):333-340.

1046.

Ebert, E.E.; Haseltine, A.W.; Kelley, R.O.-1974.

Sea-water system design and operations of the marine culture laboratory, Granite Canyon.

Calif.Fish Game, 60(1):4-14.

1047.

Edgerton, H.E.-1977.

Silhouette photography of small active subjects.

J.Microsc., 110(1):79-81.

1048.

Edgerton, H.E.-1981.

Shadow photography: an aid to microscopy.

J. Microsc., 124(3): 335-337.

1049.

Edgerton, H.E.; Wilson, J.S.-1977.

High-speed silhouette photography of small biological subjects : 486-490.

In: Proc.12th international congress of high-speed photographyVol.97. Ed. Richardson; M. Soc.Phot.-Opt.Instr.Eng.

1050.

Edmondson, W.T.(Ed.)-1966.

Benthos: 287-294.

In: Marine Biology.Proc.3rd international interdisciplinary conference. N.Y.Academy of Sciences, Interdisciplinary communications program, New York, U.S.A., 313 pp.

1051.

Edmondson, W.T.-1963.
Pacific Coast and Great Basin.
In: Limnology in North America: 371-392. University of Wisconsin Press,
U.S.A.

1052.

Eguchi, E.; Waterman, T.H.-1965.
Rhabdom fine structure and visual function in crustacean compound
eyes.
Fedn Proc., 24:275.

1053.

Eguchi, E.; Waterman, T.H.-1966.
Fine structure patterns in crustacean rhabdoms: 105-124.
In: Proc. Int. Symp. on the functional organization of the compound eye,
Stockholm (Sweden, Oct. 25-27, 1965), Symposium Publications
Division, Pergamon Press, London, U.K.

1054.

Eliassen, E.-1952.
The energy-metabolism of *Artemia salina* in relation to body
size, seasonal rhythms, and different salinities.
Arb. NatForschVer. Riga., 11:1-18.

1055.

Ellison, R.P.-1978.
Purification and characterization of multiple forms of DNA-dependant
RNA polymerase from the brine shrimp, *Artemia salina*.
Thesis, City University of New York, U.S.A., Diss. Abstr., 38:5899B-
5900B.

1056.

Elofsson, R.-1966.
The nauplius eye and frontal organs of non-Malacostraca (Crustacea).
Sarsia, 25:1-128.

1057.

Elofsson, R.; Falck, B.; Lindvall, O.; Myhrberg, M.-1977.
Evidence for new catecholamines or related amino acids in some
invertebrate sensory neurons.
Cell Tissue Res., 182:525-536.

1058.

Elofsson, R.; Hallberg, E.-1973.
Correlation of ultrastructure and chemical composition of crustacean
chromatophore pigment.
J. Ultrastruct. Res., 44:421-429.

1059.

Elofsson, R.; Lake, P.S.-1971.
On the cavity receptor organ (X-organ of Bellonci) of *Artemia salina*
(Crustacea: Anostraca).
Z. Zellforsch., 121:319-326.

1060.

Elofsson, R.; Odselius, R.-1975.

The anostracan rhabdom and the basement membrane. An ultrastructural study of the *Artemia* compound eye (Crustacea).

Acta zool., Stockh., 56(2):141-153.

1061.

Emerson, D.N.-1963.

The metabolism of hatching embryos of the brine shrimp *Artemia salina*. Proc.S.Dak.Acad.Sci., 42:131-135.

1062.

Emerson, D.N.-1964.

Incorporation of tritiated thymidine by *Artemia salina*.

Proc.S.Dak.Acad.Sci., 43:90-95.

1063.

Emerson, D.N.-1965.

Free amino acids in developing encysted embryos of *Artemia salina*. Am.Zool., 5(4):151.

1064.

Emerson, D.N.-1966.

Some aspects of free amino acid and respiratory metabolism in developing cysts of *Artemia salina*, the brine shrimp.

Diss.Abstr., 27:4600(B)-4601(B).

1065.

Emerson, D.N.-1967.

Some aspects of free amino acid metabolism in developing encysted embryos of *Artemia salina*, the brine shrimp.

Comp.Biochem.Physiol., 20:245-261.

1066.

Emerson, D.N.-1967.

Surface area respiration during the hatching of encysted embryos of the brine shrimp *Artemia salina*.

Biol.Bull., 132(2):156-160.

1067.

Emmerson, W.D.-1984.

Predation and energetics of *Penaeus indicus* (Decapoda: Penaeidae) larvae feeding on *Brachionus plicatilis* and *Artemia nauplii*.

Aquaculture, 38: 201-209.

1068.

Eng-Wilmot, D.L.; Martin, D.F.-1979.

Short-term effects on *Artemia salina* of aponin and *Gomphosphaeria aponina* in unialgal cultures and in mixed cultures with *Gymnodinium breve*.

J.Am.pharm.Ass., 68:963-966.

1069.

Eng-Wilmot, D.L.; Martin, D.F.-1981.

Mitigation of toxic effects of a red tide organism (*Ptychodiscus brevis*) by cultures of *Gomphosphaeria aponina*.

Microbios Letters, 17(67/68): 109-116.

1070.

Engel, D.W.; Angelovic, J.W.-1968.

The influence of salinity and temperature upon the respiration of brine shrimp nauplii.

Comp.Biochem.Physiol., 26:749-752.

1071.

Engel, D.W.; Angelovic, J.W.-1969.

The influence of salinity and temperature upon the respiration of brine shrimp nauplii.

Circ.Fish Wildl.Serv., Wash., 309:52-54.

1072.

Engel, D.W.; Angelovic, J.W.; Davis, E.M.-1966.

Effects of Cobalt-60 gamma rays on the respiratory metabolism of *Artemia salina* nauplii and adults:38-39.

In: Ann.Rept Radiobiol.Lab., 1965, US Fish Wildlife Serv., Circ.244.

1073.

Engel, D.W.; Davis, E.M.-1965.

Effects of radiation on brine shrimp.

In: Ann.Rept Radiobiol.Lab., U.S.Fish Wildlife Serv., Circ.217: 28.

1074.

Engel, D.W.; Davis, E.M.-1976.

The effects of gamma radiation on the survival and growth of brine shrimp *Artemia salina*: 376-380.

In: Radioecology and energy resources.Ecological Society of America Spec.Publ. No.1. Ed. Cushing, C.E., jr. Dowden, Hutchinson and Ross, Inc. Stroudsburg, U.S.A., 401 pp.

1075.

Engel, D.W.; Fluke, D.J.-1961.

Relation of water content to radiosensitivity for emergence of *Artemia* from the encysted phase.

Radiat.Res., 14(4):463-464.

1076.

Engel, D.W.; Fluke, D.J.-1962.

The effect of water content and postirradiation storage on radiation sensitivity of brine shrimp cysts (eggs).

Radiat.Res., 16:173-181.

1077.

Engstrom, S.D.; Chu, Y.E.; Sung, W.F.; Giroux, M.S.-1977.

Volume-restricted freezing of living cells and tissues.

Rept 1977, ORNL/MIT-265, 28pp.

1078.
Entz, G.-1886.
Az erdelyi sos vizekben elo Artemia krol. Orvos te termesz ettudoma
errestio.
VIII Kot., II fuz.:101.
1079.
Enzler, L.; Smith, V.; Lin, J.S.; Olcott, H.S.-1974.
The lipids of Mono Lake, California, brine shrimp (*Artemia salina*).
J.agric.Fd Chem., 22(2):330-331.
1080.
Epifanio, C.E.-1972.
Effects of dieldrin-contaminated food on the development of *Leptodius floridanus* larvae.
Mar.Biol., 13:292-297.
1081.
Epifanio, C.E.-1973.
Dieldrin uptake by larvae of the crab *Leptodius floridanus*.
Mar.Biol., 19(4):320-322.
1082.
Eppley, R.M.-1974.
Sensitivity of brine shrimp (*Artemia salina*) to trichothecenes.
J.Ass.off.anal.Chem., 57:618-620.
1083.
Eppley, R.M.; Bailey, W.J.-1973.
12,13-Epoxy-D(delta)9-trichothecenes as the probable mycotoxins responsible for stachybotryotoxicosis.
Science, 181: 758-760.
1084.
Erdman, V.A.; Digweed, M.; Pieler, T.-1983.
Dynamics of ribosomal RNA structure.
J. Biomolecular Structure and Dynamics, 1(3): 657-667.
1085.
Estepa, I.; Pestana, A.-1981.
Activation of polyamines of the acetylation of endogenous histones isolated chromatin and nuclei from Artemia.
Eur. J. Biochem., 119: 431-436.
1086.
Estepa, I.; Pestana, A.-1982.
Substrate specificity and regulation of histone acetyltransferase isoenzymes from Artemia.
Biol. Cell., 45(2): 121.
1087.
Estepa, I.; Pestana, A.-1983.
Isolation and partial characterization of three histone-specific acetyltransferases from Artemia.
Eur. J. Biochem., 132: 249-254.

1088.

Eugster, H.P.; Hardie, L.A.-1978.

Saline lakes: 237-293.

In: Lakes:Chemistry, geology, physics. Ed.Lerman, A.; Springer Verlag
New York, U.S.A., 363 pp.

1089.

Eugster, J.-1955.

Weltraumstrahlung. Der Heutige stand de Biologischen Erforschung der Kosmischen Strahlung in grossen Hohen in Erdtiefen auf grund neuster Untersuchungsmethoden.

Medizinischer Verlag Hans Huber; Bern and Stuttgart: 82.

1090.

Eugster, J.-1964.

Mutationen durch Kosmische Strahlung.

Bild der Wissenschaft, 1: 26-35.

1091.

Evans, J.C.-1976.

Brine shrimp biology.

School Science Review (London), 57: 708-712.

1092.

Evans, T.J.-1913.

Observations on Artemia salina.

Nature, 92(2300):385-386.

1093.

Evans, T.J.-1914.

The organisms of brine culture:530-531.

Report of the 83rd Meeting of the British Association,Birmingham.

1097.

Ewing, R.D.-1968.

An analysis of lactate dehydrogenase and anaerobiosis in Artemia salina.

Thesis, University of Miami, U.S.A.;Diss.Abst., 29:478.

1094.

Ewing, R.D.; Clegg, J.S.-1965.

An apparent absence of lactic dehydrogenase (LDH) isozymes during the development of Artemia salina.

Am.Zool., 5:718-719.

1095.

Ewing, R.D.; Clegg, J.S.-1968.

Evidence for a single form of lactate dehydrogenase in Artemia salina

Fedn. Proc., 27(2): 785, Abstract Number 3199.

1096.

Ewing, R.D.; Clegg, J.S.-1969.

Lactate dehydrogenase activity and anaerobic metabolism during embryonic development in Artemia salina.

Comp.Biochem.Physiol., 31:297-307.

1097.

Ewing, R.D.; Clegg, J.S.-1972.

Evidence for a single macromolecular form of lactate dehydrogenase in *Artemia salina*.

Archs Biochem.Biophys., 150(2):566-572.

1098.

Ewing, R.D.; Conte, F.P.; Peterson, G.L.-1980.

Regulation of nucleic acid synthesis in *Artemia salina* nauplii by environmental salinity.

Am.J.Physiol., 238(1):R91-R96.

1099.

Ewing, R.D.; F.J. Finamore-1970.

Phospholipid metabolism during development of the brine shrimp *Artemia salina*. II. Synthesis of phosphatidyl choline by a microsomal enzyme system from nauplii.

Biochem.Biophys.Acta, 218:474-481.

1100.

Ewing, R.D.; Finamore, F.J.-1970.

Phospholipid metabolism during development of the brine shrimp *Artemia salina*. I. Incorporation of cytidine 5'-phospho- cytidine diphosphate choline by a microsomal enzyme system.

Biochem.Biophys.Acta, 218:463-473.

1101.

Ewing, R.D.; Finamore, F.J.-1971.

Some aspects of phospholipidmetabolism during development of the brine shrimp, *Artemia salina*.

J. Am. Oil Chem. Soc., 48(7): 331A-332A, Abstract Number 94.

1102.

Ewing, R.D.; Peterson, G.L.; Conte, F.P.-1972.

Larval salt gland of *Artemia salina* nauplii. Effects of inhibitors on survival at various salinities.

J.Comp.Physiol., 80:247-254.

1103.

Ewing, R.D.; Peterson, G.L.; Conte, F.P.-1974.

Larval salt gland of *Artemia salina* nauplii. III. Localization and characterization of the sodium + potassium - activated adenosine triphosphatase.

J.Comp.Physiol., 88(3) 217-234.

1104.

Ezquieta, B.; Perona, R.; Vallejo, C.G.-1982.

The particulate trypsin-like proteinase of *Artemia* solubilization and activation during development.

Biol. Cell., 45(2): 97, Abstract Number 157.

1105.

Ezquieta, B.; Vallejo, C.G.-1984.

Lipovitellin can account for the inhibited state of the yolk-stored trypsin of *Artemia*.

J. Embryol. Exp. Morph., 82(Supplement 1): 210, Abstract only.

1106.

Ezquieta, B.; Vallejo, C.G.-1984.

The activation of the stored trypsin-like proteinase of *Artemia* is inhibited by chloroquine: 403 (3178).

In: International Cell Biology. Eds Seno; Okada; Academic Press Japan Inc., Tokyo, Japan.

1107.

Ezquieta, B.; Vallejo, C.G.-1985.

Artemia trypsin storage and activation in development.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

1108.

Fable, W.A.jr.; Williams, T.D.; Arnold, C.R.-1978.

Description of reared eggs and young larvae of the spotted sea trout *Cynoscion nebulosus*.

Fish.Bull.

U.S., 76(1):65-72.

1109.

Fadda, G.-1925.

Sulla rigenerazione delle antenne prensili nel maschio dell' *Artemia salina* di Cagliari.

Natura,Rivista di scienze naturali,Milano, 16:96-100.

1110.

Fadda, G.-1926.

Sulla rigenerazione nella *Artemia salina* di Cagliari.

Natura,Rivista di scienze naturali,Milano, 17:20-23.

1111.

Fahy, W.E.-1964.

A temperature controlled salt-water circulating apparatus for developing fish eggs and larvae.

J.Cons.int.Explor.Mer., 28:364-384.

1112.

Falugi, C.-1978.

Histochemical investigations on amino peptidases in *Artemia salina* *Phyllopoda* embryos and larvae.

Acta Embryol.Exp., 2:171-178.

1113.

Falugi, C.; Raineri, M.-1976.

Colinesterasi nello sviluppo di crostacei.

Boll. Zool., 43: 368-369.

1114.
Falugi, C.; Raineri, M.-1978.
Fosfatasi nello sviluppo di crostacei.
Boll. Zool., 45: 210-211.
1115.
Falugi, C.; Raineri, M.; Vanara, E.-1979.
Aminopeptidasi nello sviluppo di *Artemia salina* Leach.
Boll. Zool., 46(suppl.): 92-93.
1116.
Faraldo, A.; Pinto, R.M.; Canales, J.; Fernandez, A.; Sillero, A.;
Gunther Sillero, M.A.-1983.
Presence of two isozymes of adenylosuccinate synthetase in *Artemia*
salina embryos. Purification and properties.
Comp. Biochem. Physiol., 75B(2): 221-226.
1117.
Fassler, C.R.-1979.
Aquaculture in Hawaii: Past and present.
University of Hawaii, Sea grant College, Marine Advisory Program,
UNIHI-SEAGRANR-AB-80-05, 2 pp.
1118.
Fautrez, J.-1951.
Onderzoeken naar de lokalisatie van het ribonucleine-zuur tijdens
de grote aangroei van het oocyte van eerste orde.
Meded.Vlaam.Acad.Kl.Wet., 13:3-10.
1119.
Fautrez, J.-1955.
The deoxyribonucleic acid (DNA) content of the cell nucleus. Advances
in histophotometric determination.
Meded.Vlaam.Acad.Kl.Wet., 17:3-25.
1120.
Fautrez, J.-1958.
Etude histochimique de l'oocyte de premier ordre.
C.r.Ass.Anat.
Paris, 45:42-89.
1121.
Fautrez, J.-1961.
Cytodièrese et caryocinèse.
Bull.Soc.zool.Fr., 86:569-577.
1122.
Fautrez, J.-1963.
Dynamisme de l'ana-télophase et cytodièrese: 199-213.
In: Symposium of the International Society for Cell Biology, Cell
Growth and Cell Division.Vol.2; Ed. Harris, R.J.C.; Academic Press, Inc.

1123.

Fautrez, J.-1964.

Role des phénomènes d'inhibition comme facteurs de la morphogénèse.
Archs Biol., 75(Suppl.):1081-1098.

1124.

Fautrez, J.-1968.

Een dooierkern in het ei van *Artemia salina*.
Konkl.Nederl.Acad.Wet.Afd.Nat., 77(6):80-81.

1125.

Fautrez, J.-1972.

Réflexions sur la signification d'incurvations rugueuses (coated pits)
du plasmolemmes.

Arquivos Instituto Benjamin Baptista, 15:73-78.

1126.

Fautrez, J.-1973.

Eiwit synthese in G2 en celdeling.

Mededelingen van de koninklijke Acad.Wet., 35:1-10.

1127.

Fautrez, J.; Fautrez-Firlefyn, N.-1951.

A propos de la chromatine et des nucléoles dans la vesicule
germinative de l'oocyte de quelques Crustacés.

Biol.Jaarb., 18:27-40.

1128.

Fautrez, J.; Fautrez-Firlefyn, N.-1953.

Deoxyribonucleic acid content of the cell nucleus and mitosis.
Nature, 172(4368):119-120.

1129.

Fautrez, J.; Fautrez-Firlefyn, N.-1953.

La teneur en acide desoxyribonucleique des cellules de l'ovaire
d'Artemia salina L..
Biol.Jaarb., 20:127-132.

1130.

Fautrez, J.; Fautrez-Firlefyn, N.-1956.

Sur la présence de phospholipides dans les nucléoles de l'oocyte
d'Artemia salina.

C.r.Ass.Anat., Paris, 42(90):506-509.

1131.

Fautrez, J.; Fautrez-Firlefyn, N.-1959.

Les polysaccharides au cours des mitoses pendant la maturation et la
segmentation de l'oeuf *d'Artemia salina*.
Archs Biol., 70(1):133-152.

1132.

Fautrez, J.; Fautrez-Firlefyn, N.-1960.

Recherches histochimiques sur la constitution des éléments achromatiques de la figure mitotique. Le centre dans les blastomères de l'oeuf d'*Artemia salina*.

C.r.Ass.Anat., Paris, 46(106):247-250.

1133.

Fautrez, J.; Fautrez-Firlefyn, N.-1961.

Activation expérimentale des oeufs d'une race amphigonique d'*Artemia salina*.

Archs Biol., 72(4):611-626.

1134.

Fautrez, J.; Fautrez-Firlefyn, N.-1961.

Modifications morphologiques et cytochimiques du noyau au début de la mitose.

Biol.Jaarb., 29:78-83.

1135.

Fautrez, J.; Fautrez-Firlefyn, N.-1961.

La métachromasie au bleu de toluidine dans l'oeuf d'*Artemia salina*. L. Aspect, distribution et origine des grains chromatropes M. J.Embryol.exp.Morph., 9(1):60-67.

1136.

Fautrez, J.; Fautrez-Firlefyn, N.-1961.

Parthenogénèse abortive des oeufs hypermaturés d'une race bisexuée d'*Artemia salina*.

Bull.Ass.Anat., Paris, 47:317-320.

1137.

Fautrez, J.; Fautrez-Firlefyn, N.-1963.

A propos de la localisation du noyau dans les blastomères de l'oeuf d'*Artemia salina*. L'influence du beta-mercaptopropanoïde et du dithiodiglycol sur cette localisation.

Devl Biol., 6(2):250-261.

1138.

Fautrez, J.; Fautrez-Firlefyn, N.-1964.

Influence de l'actinomycine D sur l'oeuf en segmentation d'*Artemia salina*.

Bull.Ass.Anat., Paris, 49:582-585.

1139.

Fautrez, J.; Fautrez-Firlefyn, N.-1964.

Sur la présence et la persistance d'un noyau vitellin atypique dans l'oeuf d'*Artemia salina*.

Devl Biol., 7:81-91.

1140.

Fautrez, J.; Fautrez-Firlefyn, N.-1968.

Production expérimentale d'une gastrulation précoce de l'oeuf d'*Artemia salina*.

C.r.hebd.Seanc.Acad.Sci., Paris, 267:98-99.

1141.

Fautrez, J.; Fautrez-Firlefyn, N.-1970.

Influence de l'hydroxyurée sur les dimensions de maturation et de segmentation de l'oeuf d'*Artemia salina*.

Archs Biol., 81:74-97.

1142.

Fautrez, J.; Fautrez-Firlefyn, N.-1970.

Recherches sur la reversibilité de l'action de l'hydroxyurée sur l'oeuf d'*Artemia salina*.

C.r.hebd.Seanc.Acad.Sci., Paris, D270:126-127.

1143.

Fautrez, J.; Fautrez-Firlefyn, N.-1971.

Contribution à l'étude des glandes coquillières et des coques de l'oeuf d'*Artemia salina*.

Archs Biol., 82:41-83.

1144.

Fautrez, J.; Fautrez-Firlefyn, N.-1971.

Influence de substances antimitotiques sur les divisions de maturation de l'oeuf d'*Artemia salina*.

C.r.Ass.Anat., Paris, 151:325-327.

1145.

Fautrez, J.; Fautrez-Firlefyn, N.-1972.

Invloed van het moederlijk organisme op de niet-bevruchte eicel en het geleidelijk verwerven van de autonomie door deze laatste, bij *Artemia salina*.

Tijdschrift voor geneeskunde, 28:46-52.

1146.

Fautrez, J.; Fautrez-Firlefyn, N.-1972.

Influence de l'hydroxyurée sur l'ovogénèse et les premiers stades du développement chez *Artemia salina*.

Medikon, 1:61-65.

1147.

Fautrez, J.; Fautrez-Firlefyn, N.-1973.

Influence de la proflavine sur les oeufs d'*Artemia salina* en maturation et en segmentation.

Bull.Ass.Anat., Paris, 57:321-324.

1148.

Fautrez, J.; Fautrez-Firlefyn, N.-1973.

Nouvelles précisions sur l'effet de l'actinomycine D sur l'oeuf d'*Artemia salina*, aux premiers stades de la segmentation.

C.r.hebd.Seanc.Acad.Sci., Paris, 276:2699-2700.

1149.

Fautrez, J.; Fautrez-Firlefyn, N.-1973.

Effets de la proflavine sur l'oeuf d'*Artemia salina* L..

Archs Biol., 84:311-328.

1150.

Fautrez, J.; Fautrez-Firlefyn, N.-1974.

A propos d'un effet paradoxal de la cyclohexamide sur l'oeuf d'*Artemia salina*.

J.Embryol.exp.Morph., 31:27-35.

1151.

Fautrez, J.; Fautrez-Firlefyn, N.-1974.

Contribution à l'étude des effets de la cycloheximide sur l'oeuf en maturation et en segmentation (Observations sur *Artemia salina*).

Archs Biol., 85:183-200.

1152.

Fautrez, J.; Fautrez-Firlefyn, N.-1974.

Contribution à l'étude des effets de la puromycine sur l'oeuf en maturation et en segmentation (Observations sur *Artemia salina*).

Archs Biol., 85:289-305.

1153.

Fautrez, J.; Fautrez-Firlefyn, N.-1974.

Un inhibiteur électif de la cytodurese: la diméthyle-aminopurine (DMAP).

Bull.Ass.Anat., Paris, 58:547-549.

1154.

Fautrez, J.; Fautrez-Firlefyn, N.-1975.

Effet de la diméthyle-adenopurine sur l'oeuf en maturation et en segmentation. (Les cas d'*Artemia salina*).

Archs Biol., 86(4):467-491.

1155.

Fautrez, J.; Fautrez-Firlefyn, N.-1976.

A propos du caractère réversible de l'action de la puromycine sur l'oeuf d'*Artemia salina* en début de segmentation.

C.r.hebd.Seanc.Acad.Sci., Paris, 282:1427-1428.

1156.

Fautrez, J.; Fautrez-Firlefyn, N.-1976.

A propos du caractère irréversible de l'effet antimitotique de l'actinomycine D sur l'oeuf d'*Artemia* aux premiers stades de la segmentation.

Bull.Ass.Anat., Paris, 60(168):111-112.

1157.

Fautrez, J.; Fautrez-Firlefyn, N.-1977.

Ovogenesis and cleavage of the egg of *Artemia salina*: 9-14.

Fundamental and Applied Research on the Brine shrimp, *Artemia salina* (L.) in Belgium; EMS Spec.Publ.2; Eds Jaspers, E;G.Persoone; Inst. for Mar.Sc.Res., Bredene, Belgium, 110pp.

1158.

autrez, J.; Fautrez-Firlefyn, N.-1977.
rotein synthesis in the G2-stage and cell division.
Livre Jubilaire dedie a A. Hadjioloff - Problemes demorphologie et
'embryologie experimentale comparees'.
cad.Bulgare des Sciences:48-50.

1159.

autrez, J.; Fautrez-Firlefyn, N.-1978.
olyspermie experimentale de l'oeuf d'*Artemia salina*.
ull.Ass.Anat., 62:225-228.

1160.

autrez, J.; Fautrez-Firlefyn, N.-1979.
nfluence de la cytochlasine B d'*Artemia salina*.
ull. Ass. Anatom., 63(181):203-206 (63-66).

1161.

autrez, J.; Fautrez-Firlefyn, N.; De Maeyer-Criel, G.-1972.
'accolement des oeufs activés d'*Artemia salina*. Etude au microscope
lectronique.
rchs Biol., 83(1):29-43.

1162.

autrez-Firlefyn, N.-1949.
tude cytochimique des acides nucléiques au cours de l'ovogenèse chez
Artemia salina.
Mededelingen 3e Belgisch-Nederlandse Cyto-Embryologische dagen,
Antent:121-125.

1163.

autrez-Firlefyn, N.-1949.
recherches cytochimiques sur la distribution des acides nucleiques au
cours de la spermatogénèse chez *Artemia salina* L..
r.Seanc.Soc.Biol., 143(11-12):884-886.

1164.

autrez-Firlefyn, N.-1950.
xpulsion d'acide thymonucleique hors du noyau de certaines cellules
de l'ovaire d'*Artemia salina* L..
r.Seanc.Soc.Biol., 144(15-16):1127-1128.

1165.

autrez-Firlefyn, N.-1951.
tude cytochimique des acides nucleiques au cours de la gametogénèse
et des premiers stades du développement embryonnaire chez *Artemia*
salina.
rchs Biol., 62:391-438.

1166.

autrez-Firlefyn, N.-1952.
ffets de la centrifugation sur les ovocytes d'*Artemia salina* L. en
prévitellogénèse.
r.Seanc.Soc.Biol., 146:1291-1293.

1167.

Fautrez-Firlefyn, N.-1954.
Le metachromasie in vivo au bleu de toluidine dans le spermatozoide
d'Artemia salina L..
Bull.Microsc.appl., 4(9-10):105-112.

1168.

Fautrez-Firlefyn, N.-1957.
Protéines, lipides et glucides dans l'oeuf d'Artemia salina.
Archs Biol., 68(2):249-296.

1169.

Fautrez-Firlefyn, N.-1960.
Les mouvements des mitochondries au cours des premières divisions de
segmentation de l'oeuf d'Artemia salina.
Annls Soc.r.zool.Belg., 90(2):73-78.

1170.

Fautrez-Firlefyn, N.; Fautrez, J.-1953.
Internuclear proteins of the oocytes in Artemia salina L.
Nature, 172(4369):163-164.

1171.

Fautrez-Firlefyn, N.; Fautrez, J.-1954.
Etude cytologique et cytochimique du spermatozoide d'Artemia salina L.
I. Les grains réfringents, leur signification et leur origine.
Archs Biol., 65(4):497-530.

1172.

Fautrez-Firlefyn, N.; Fautrez, J.-1955.
Etude cytologique et cytochimique du spermatozoide d'Artemia salina L.
II. Le noyau, l'acrosome, le grain, les microgranules.
Archs Biol., 66(2):195-222.

1173.

Fautrez-Firlefyn, N.; Fautrez, J.-1962.
La cytodiurèse au cours des divisions de segmentation de l'oeuf
d'Artemia salina.
Biol.Jaarb., 30:81-85.

1174.

Fautrez-Firlefyn, N.; Fautrez, J.-1963.
Développement anomal du plasme périnucléaire dans l'oeuf en
segmentation d'Artemia salina sous l'effet du beta-mercaptopo-éthanol et
du dithio-diglycol.
Exptl Cell Res., 31(1):1-7.

1175.

Fautrez-Firlefyn, N.; Fautrez, J.-1966.
Effet de l'actinomycin D sur les divisions de maturation de
segmentation de l'oeuf d'Artemia salina.
Archs Biol., 77(3):425-440.

1176.

Fautrez-Firlefyn, N.; Fautrez, J.-1967.

The dynamism of cell division during early cleavage stages of the egg: 171-204.

In: International revue of cytology. Eds Bourne, G.H.; J.F. Danielli. Academic Press, New York, U.S.A.

1177.

Fautrez-Firlefyn, N.; Fautrez, J.-1968.

Influence de l'hydroxyurée sur les divisions de segmentation de l'oeuf d'*Artemia salina*.

Bull.Ass.Anat., Paris, 53:860-863.

1178.

Fautrez-Firlefyn, N.; Fautrez, J.-1968.

Influence de quelques amines simples sur les divisions de segmentation de l'oeuf d'*Artemia salina*.

Biol.Jaarb., 36:22-32.

1179.

Fautrez-Firlefyn, N.; Fautrez, J.-1968.

Sur une activité cyclique du cortex de l'oeuf d'*Artemia salina*. C.r.hebd.Seanc.Acad.Sci., Paris, D266:2447-2448.

1180.

Fautrez-Firlefyn, N.; Fautrez, J.-1969.

A propos de l'influence de l'hydroxyurée sur les oeufs fécondés et indivis d'*Artemia salina*.

C.r.hebd.Seanc.Acad.Sci., Paris, 269:2399-2400.

1181.

Fautrez-Firlefyn, N.; Fautrez, J.-1970.

Effets sur *Artemia salina* d'hydroxyurée, introduite dans le milieu. Biol.Jaarb., 38:95-101.

1182.

Fautrez-Firlefyn, N.; Fautrez, J.; Labis, M.T.-1963.

L'activité phosphatasique acide dans l'oeuf d'*Artemia salina*. Biol.Jaarb., 31:301-312.

1183.

Fautrez-Firlefyn, N.; Roels, F.-1968.

Liaison entre fibres fusoriales et chromosomes au cours de la meiose. C.r.hebd.Seanc.Acad.Sci., Paris, 267:1521.

1184.

Fautrez-Firlefyn, N.; Van Dyck, F.-1961.

La culture "in vitro" de l'oeuf d'*Artemia salina*.

Archs Zool.exp.gen., 100:37-42.

1185.

Fedoriv, S.M.-1983.

Stimulant effect of v-irradiation and salinity on the growth of *Artemia salina* Leach. (in russian).

Gidrobiol. Zh., 19(5): 98-100.

1186.
Fedoriv, S.M.-1985.
Study of action of temperature, salinity and irradiation upon quantitative characteristics of **Artemia salina** in the process of metamorphosis.
M.Sc. Thesis. Institute of Biology of the South Seas, Sevastopol, (in russian).
1187.
Felicetti, L.; Pierandrei-Amaldi, P.; Griso, D.-1980.
Protein and nucleic acid composition of free cytoplasmic messenger ribonucleoprotein particles isolated from **Artemia** cysts and nauplii:413-426.
In: The brine shrimp **Artemia**. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.
1188.
Felicetti, L.; Pierandrei-Amaldi, P.; Moretti, S.; Campioni, N.; Urbani, C.-1975.
Intracellular distribution, sedimentation values and template activity of polyadenylic acid-containing RNA stored in **Artemia salina** cysts Cell Differ., 4(5):339-354.
1189.
Felix, E.A.; Rushforth, S.R.-1980.
Biology of the South arm of the Great Salt Lake, Utah: 305-312.
In: Great Salt Lake, a Scientific, Historical and Economic Overview Ed. Gwynn, J.W.; Utah Department of Natural Resources, Bulletin 1
1190.
Fernandez, A.; Canales, J.; Pinto, R.M.; Faraldo, A.; Gunther Siller M.A.; Sillero, A.-1984.
Adenosine deaminase isozymes in **Artemia**.
Comp. Biochem. Physiol., 78B: 481-484.
1191.
Fernandez, O.S.-1983.
Optimizacion de eclosion de la **Artemia** sp. (Branchiopodo) de la peninsula de Araya; Mediante los parametros fisico - quimicos.
Thesis. Instituto Universitario de Tecnologia del Mar, Venezuela, 6 pp.
1192.
Ferrigni, N.R.; McLaughlin, J.L.; Powell, R.G.; Smith, C.R., Jr.-1984.
Use of potato disk and brine shrimp bioassays to detect activity and isolate piceatannol as the antileukemic principle from the seed of **Euphorbia lagascae**.
J. Natural Products (Lloydia), 47(2): 347-352.
1193.
Ferrigni, N.R.; Meyer, B.N.; McLaughlin, J.L.; Keller, W.J.-1984.
Using brine shrimp **Artemia salina** to determine structure-activity relationships among lupine alkaloids.
Int. J. Crude Drug Res., 22(4): 169-172.

1194.

Ferry, J.A.; Bowen, S.T.-1982.

Resolution of the subunits of Artemia hemoglobins on triton-acid-urea polyacrylamide gels.

Comp. Biochem. Physiol., 71B: 317-319.

1195.

Ferry, J.A.; Nichols, R.C.; Condon, S.J.; Stubbs, J.D.; Bowen, S.T.-1983.

Increase in net synthesis of the B-polypeptide (relative to the a-polypeptide) in hypoxia.

Biochim. biophys. Acta., 739: 249-257.

1196.

Filipowicz, W.-1978.

Functions of the 5'-terminal M7G CAP in eukaryotic mRNA.

FEBS Lett., 96:1-11.

1197.

Filipowicz, W.; Furuichi, Y.; Sierra, J.M.; Mothukrishnan, S.; A.J. Shatkin; Ochoa, S.-1976.

A protein binding the methylated 5' terminal sequence m7 GpppN of eukaryotic mRNA.

Proc.natn.Acad.Sci., U.S.A., 73:1559-1563.

1198.

Filipowicz, W.; Sierra, J.M.-1975.

Messenger RNA in Artemia salina embryos.

Fedn Proc., 35:675.

1199.

Filipowicz, W.; Sierra, J.M.; Nombela, C.; Ochoa, S.; Merrick, W.C.; Anderson, W.F.-1976.

Polypeptide chain initiation in eukaryotes. VI. Initiation factor requirements for translation of natural messengers.

Proc.natn.Acad.Sci., U.S.A., 73(1):44-48.

1200.

Filipowicz, W.; Sierra, J.M.; Ochoa, S.-1975.

Polypeptide chain initiation in eukaryotes. V. Initiation factor MP in Artemia salina embryos.

Proc.natn.Acad.Sci., U.S.A., 72(10):3947-3951.

1201.

Finamore, F.J.; Clegg, J.S.-1969.

Biochemical aspects of morphogenesis in the brine shrimp, Artemia salina: 249-278.

In: The cell cycle. Gene enzyme interactions. Eds Padilla, G.M.; G.L. Whitson; I.L. Cameron; Academic Press, New York, U.S.A., 399 pp.

1202.

Finamore, F.J.; Warner, A.H.-1963.

The occurrence of P1, P4-diguanosine 5'-tetraphosphate in brine shrimp eggs.

J.biol.Chem., 238(1):344-348.

1203.

Finamore, F.J.; Warner, A.H.-1966.
P₁, P₄-diguanosine 5'-tetraphosphate from brine shrimp eggs.
Biochem.Prep., 11:27-30.

1204.

Finck, H.-1971.
Some aspects of muscle development in *Artemia salina*.
Biol.Bull., 141:386.

1205.

Fisher, J.A.-1984.
Biogenesis of the sodium and potassium-activated adenosine triphosphatase in developing *Artemia salina*.
Ph. D. Thesis. University of Wisconsin, Madison, Wisconsin, U.S.A., 209 pp.

1206.

Fisher, J.A.; Baxter-Lowe, L.A.; Hokin, L.E.-1984.
Site of synthesis of the a and b subunits of the sodium, potassium ATPase in brine shrimp nauplii.
J. N. Biol. Chem., 259(22): 14217-14221.

1207.

Fisher, L.R.-1960.
Vitamins: 259-289.
In: The physiology of Crustacea. Vol.1. Metabolism and growth.Ed. Waterman,T.H.;Academic Press, New York, U.S.A., 670 pp.

1208.

Fisher, R.A.-1937.
Report of the committee appointed to investigate the progressive adaptation to new conditions in *Artemia salina* (diploid and octaploid, partenogenetic and bisexual).
Rep.Br.Ass.Advmt Sci., 106:298-300.

1209.

Fisher, R.A.-1938.
Report of the committee appointed to investigate the progressive adaptation to new conditions in *Artemia salina* (diploid and octaploid, partenogenetic and bisexual).
Rep.Br.Ass.Advmt Sci., 107:291-296.

1210.

Fisher, R.A.; Gross, F.-1933.
Report of the committee appointed to investigate the progressive adaptation to new conditions in *Artemia salina* (diploid and octoploid, partenogenetic and bisexual).
Rep.Br.Ass.Advmt Sci., 105:320-322.

1211.

Fisher, R.A.; Gross, F.-1939.
Report of the committee appointed to investigate the progressive adaptation to new conditions in *Artemia salina*.
Rep.Br.Ass.Advmt Sci., 108:335-339.

1212.

Fisher, W.K.-1902.

A trip to Mono Lake, ornithological and otherwise.
Condor, 4(1):3-11.

1213.

Flannery, J.S.-1955.

Shrimp boat is a 'comin'.

Utah Fish Game Bull., 11:6-8.

1214.

Fletcher, A.M.-1953.

Frozen brine shrimp, a superior fishfood.

Aquarium, Philad., 22:111-113.

1215.

Fletcher, C.R.-1977.

Potential dependence of sodium fluxes across the gills of marine teleosts.

J.Comp.Physiol., 117B(3):277-290.

1216.

Flores, Tom A.-1985.

Preliminary results of Artemia production in La Paz, Mexico, for use in local shrimp farming.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1217.

Floris, G.-1933.

Ricerche sull'Artemia salina. Oviparita e schiusa dei nauplius.

Rendiconti del Seminario della Facolta di Scienze della R. Universita di Cagliari (Italy), 3(3):106-115.

1218.

Floris, G.-1934.

Sull'allevamento di Artemia salina in acquario.

Rendiconti del Seminario della Facolta di Scienze della R. Universita di Cagliari (Italy), 4(2):67-72.

1219.

Floris, G.-1935.

Ricerche morfologiche e biologiche sull'Artemia salina.

Nota III. Rendiconti del Seminario della Facolta di Scienze della R. Universita di Cagliari (Italy), 5(2):47-67.

1220.

Florkin, M.-1960.

Ecology and metabolism: 395-410.

In: The physiology of Crustacea. Vol.1. Metabolism and growth. Ed. Waterman, T.H.; Academic Press, New York, U.S.A., 670 pp.

1221.

Florkin, M.; Scheer, B.T. (Eds)-1971.
Chemical Zoology. Volume VI. Arthropoda. Part B.
Academic Press. New York, U.S.A.

1222.

Flossner, D.-1972.
Krebstiere, Crustacea. Kiemen- und Blattfusser, Branchiopoda,
Fischlause, Branchiura.
In: Die Tierwelt Deutschlands, G. Fischer Verlag, Jena,
Germany, 501 pp.

1223.

Flowers, S.; Evans, R.F.-1966.
The flora and fauna of the Great Salt Lake Region, Utah: 367-393.
In: Salinity and Acidity:New Approaches to Old Problems; Ed.Boyko,H.;
Monographiae Biologicae, Vol.16, Den Junk, The Hague.

1224.

Fluchter, J.-1965.
Versuche zur Brutaufzucht der Seezunge Solea solea in kleinen
Aquarien.
Helgolander wiss.Meeresunters., 12(4):395-403.

1225.

Fluchter, J.-1975.
Beobachtungen bei der Aufzucht von Renkenbrut.
Bayerische Landesanstalt fur Fischerei, Jahresbericht, pp. 25-26.

1226.

Fluchter, J.-1976.
Anfutterung von Karpfenbrut. Weitere Aufzucht der vorgestreckten
Karpfenbrut. Nahrungsmenge von Renkenbrut: 21-28.
Bayerische Landesantalt fur Fischerei. Starnberg. Jahresbericht 1976.

1227.

Fluchter, J.-1977.
Beobachtungen ueber die Nahrungsaufnahme von Renkenlarven: 28-29.
Bayerische Landesanstalt fur Fischerei. Starnberg. Jahresbericht 1977.

1228.

Fluchter, J.-1978.
Futterung von Renkenbrutlingen mit Trockenfutter im Teich.
Erzatz der Lebendfutters bei der Aufzucht von Renkenbrut.Bayerische
Landesantalt fur Fischerei, Starnberg,Jahresbericht, pp. 16-19.

1229.

Fluchter, J.-1980.
Review of the present knowledge of rearing whitefish (Coregonidae)
larvae.
Aquaculture, 19:191-208.

1230.

Fluchter, J.-1982.

Substance essential for metamorphosis of fish larvae extracted from Artemia.

Aquaculture, 27: 83-85.

1231.

Fockler, H.-1937.

Neuer Fundort von Artemia salina (L.) in Mitteldeutschland.
Z.Naturw., 91(2):99-100.

1232.

Fong, A.P.; Tate, W.P.-1977.

Termination of the synthesis of polypeptide chains in the brine shrimp Artemia salina during development.

Proc.Univ.Otago med.Sch., 54(3):69-70.

1233.

Fonseka, M.; Sunderam, R.I.M.; Royan, J.P.-1985.

Batch culture of Artemia : 44-49.

In: Aquaculture and related papers. NARA Occasional Papers; National Aquatic Resources Agency, Colombo, Sri Lanka. NARA/OCC/85/1, 98 pp.

1234.

Fontaine, M.-1977.

De la recherche fondamentale à la recherche appliquée dans les marais salants de la presqu'ile guérandaise.

C.r.Colloque Marais salants, 26-28.

1235.

Fontaine, M.; Sorgeloos, P.-1980.

L'aquaculture peut-elle augmenter la rentabilité des marais salants de la presqu'ile guérandaise ? 265-267.

In: Marais salants. Ed. Poisbeau-Hemery, J.Bulletin de la Société des Sciences naturelles de l'Ouest de la France, Premier Supplément Hors-Séries, 330pp.

1236.

Forest, H.-1963.

Observing planarians feeding on brine shrimp.

Turtox News, 41(1):34-35.

1237.

Forss, C.A.; Coffin, H.G.-1960.

The use of the brine shrimp nauplii, Artemia salina as food for the laboratory culture of decapods.

Walla Walla Coll.Publ.Dept.Biol.Sci., Biol.Sta., 26:1-17.

1238.

Forster, J.R.M.; Wickins, J.F.-1967.

Experiments in the culture of the prawn Palaemon serratus (Pennant).
ICES-CM E13:9 pp.

1239.

Foster, G.D.; Tullis, R.E.-1984.

Quantitative structure-activity relationship between partition coefficients and the acute toxicity of napthalene derivates in Artemia salina nauplii.

Aquatic Toxicology, 5(3): 245-254.

1240.

Fowler, S.W.; Benayoun, G.; Small, L.F.-1971.

Experimental studies on feeding, growth and assimilation in a Mediterranean euphausiid.

Thalassia Jugosl., 7:35-47.

1241.

Fowler, S.W.; La Rosa, J.; Heyraud, M.; Renfo, W.C.-1975.

Effect of different radiotracer labelling techniques on radio- nuclidic excretion from marine organisms.

Mar.Biol., 30:297-304.

1242.

Fox, D.L.-1974.

Biochromes. Occurrence, distribution and comparative biochemistry of prominent natural pigments in the marine world: 169-211.

In: Biochemical and Biophysical Perspectives in Marine Biology, Vol.1. Eds Malins, D.C.; J.R. Sargent; Academic Press, New York U.S.A.

1243.

Fox, D.L.-1976.

Animal biochromes and structural colours.

2nd Edit. University of California Press, Berkeley U.S.A.

1244.

Fox, H.M.-1933.

Blood circulation of animals possessing chlorocruorin.

Proc.R.Soc., Series B, 112(B779):479-495.

1245.

Fox, H.M.-1949.

Haemoglobin in Crustacea.

Nature, 164(4158):59.

1246.

Fox, H.M.-1952.

Anal and oral intake of water by Crustacea.

J. exp. Biol., 29: 583-599.

1247.

Fox, H.M.-1954.

Oxygen and haem in invertebrates.

Nature, 174:355.

1248.
Fox, H.M.-1957.
Haemoglobin in the Crustacea.
Nature, 179(4551):148.
1249.
Fox, H.M.; Taylor, A.E.R.-1955.
The tolerance of oxygen by aquatic invertebrates.
Proc.R.Soc., Series B, 143(911):214-225.
1250.
Fox, J.M.-1983.
Intensive algal cultures techniques: 15-41.
In: CRC Handbook of Mariculture. Volume I. Crustacean Aquaculture. Ed.
McVey, J.P., CRC Press, Boca Raton, Florida, U.S.A., 442 pp.
1251.
Fraenkel, G.S.; Gunn, D.L.-1971.
The orientation of animals.
Dover Publications, Inc., 376 pp.
1252.
Fransemeier, L.-1939.
Zur Frage der Herkunft des metanaupliaalen Mesoderms und die
Segmentbildung bei Artemia salina Leach.
Z.wiss.Zool., 152(3):439-472.
1253.
Freeman, J.A.-1982.
Epidermal growth and differentiation in larval Artemia.
Am. Zool., 22(4): 922. Abstract Nummber 416.
1254.
Frenzel, J.-1892.
Notiz über die Mitteldarmzellen der sich verpuppenden
Schnetterlingsraupen.
Zool.Jb., 5(2):267-270.
1255.
Frenzel, J.-1892.
Untersuchungen über die mikroskopische Fauna Argentiniens. Ueber den
Mitteldarm van Artemia. Ein Beitrag zur Lehre vonden Verdauung und
Resorption.
Zool.Jb., 5(2):249-267.
1256.
Frenzel, J.-1893.
Midgut of Artemia.
Jl R.microsc.Soc., 1:37.
1257.
Frey, J.R.; Von der Decken, A.; Hultin, T.-1968.
Antigenic properties of acid-soluble ribosomal proteins of Artemia
salina.
Exptl Cell Res., 53:615-625.

1258.
Freytag, K.; Vogel, R.-1966.
Nauplien von *Artemia salina* - ein Gunstigesobject fur
sinnphysiologische Versuche.
Praxis D.Naturwissenschaften, 15:147-150.
1259.
Fried, B.; Grico, K.L.-1975.
Encystment of *Philophthalmus hegnereri* (Trematoda) cercariae on
Artemia salina (Crustacea).
Proc.helminth.Soc.Wash., 42(1):63-65.
1260.
Friedenfels, E.-1880.
Uber *Artemia salina* und andere Bewohner der Soolenteiche in Salzburg.
Verh.Mitt.siebenb.Ver.Naturw., 30:112-178.
1261.
Friedenfels, E.-1885.
Weitere Beobachtungen über *Artemia salina* und die Salzburger
Soolenteiche.
Verh.Mitt.siebenb.Ver.Naturw., 35:24-31.
1262.
Fries, W.-1909.
Die Entwicklung der Chromosomen im Ei von *Branchipus grubei* und der
parthenogenetischen Generationen von *Artemia salina*.
Arch.Zellforsch., Leipzig, 4(1):44-80.
1263.
Frisch, K. von; Kupelwieser, H.-1913.
Über den Einfluss der Lichtfarbe auf die phototaktischen Reaktionen
niederer Krebse.
Biologisches Centralblatt, Leipzig, 33(9):517-552.
1264.
Fryer, G.-1976.
Adaptation, speciation and time.
Zool.Scripta, 5:171-172.
1265.
Fuchs, J.-1976.
Etude comparée de la qualité des oeufs d'*Artemia salina* en provenance
de Californie et des salins du Midi.
Rapport de Stage Optionnel 20 Mars - 15 Mai au Centre Oceanologique de
Bretagne. Brest, France, 71 pp.
1266.
Fuchs, J.; Person-Le Ruyet, J.-1976.
Etude comparative des possibilités d'élevage larvaire de quelques
poissons marins avec une nouvelle souche d'*Artemia salina*.
ICES-CM E24:9 pp.

1267.

Fujikawa, S.; Nakanishi, Y.H.-1979.

Observations of hatching of electron-irradiated Artemia salina eggs under a scanning electron microscope.

Proc.Jap.Acad.Phys.Biol.Sci., 55:290-294.

1268.

Fujimura, T.-1978.

Plan for the development of prawn farming in Thailand and recommendations to increase production of juveniles for distribution to farmers and for stocking natural areas.

FAO Report THA/75/008/78/WP2, 18 pp.

1269.

Fujinaga (Hudinaga), M.-1969.

Method of cultivation of penaeid shrimp.

Patent 3,477,406. U.S. Class 199-Z. Series 650,067. U.S. Patent Office, Washington, D.C., 14 pp.

1270.

Fujita, S.-1972.

Food value of *Acartia clausi*, *Tigriopus japonicus* and *Artemia salina* to juveniles of red sea bream. Report on selection of proper species and massculture of zooplanktons as food.

Nagasaki Pref.Inst.Fish., 352:27-28.

1271.

Fujita, S.-1973.

Importance of zooplankton mass culture in producing marine fish seed for fish farming (in japanese, english abstract).

Bulletin of the Plankton Society of Japan, 20(1):49-53.

1272.

Fujita, S.-1979.

Seed production of red sea bream *Pagrus major* and culture of their foods: 183-197.

In: Cultivation of fish fry and its live food. EMS Spec. Publ.No. 4. Eds Styczynska-Jurewicz, E.;T. Backiel;E. Jaspers;G. Persoone; Inst.for Mar.Sc.Res, Bredene, Belgium, 534pp.

1273.

Fujita, S.; Watanabe, T.; Kitajima, G.-1980.

Nutritional quality of *Artemia* from different locaties as a living feed for marine fish from the viewpoint of essential fatty acids: 277-290.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

1274.

Fukusho, K.-1974.

The food value of *Artemia* N. to the percoid fish larvae, *Oplegnathus fasciatus*.

Aquiculture, 21(2):71-75.

1275.

Fukusho, K.-1979.

Studies on fry production of japanese striped knifejaw *Oplegnathus fasciatus*, with special reference to feeding ecology and mass culture of food organisms (in japanese).

Nagasaki Pref.Inst.of Fisheries, 6:173 pp.

1276.

Fullerton, G.D.; Seitz, P.K.; Hazlewood, C.F.-1983.

Application of the fast proton diffusion model to evaluation of water in *Artemia* cysts.

Physiological Chemistry and Physics and Medical NMR, 15(6): 489-499.

1277.

Funke, B.; Spindler, K.D.-1985.

Chitin degrading enzymes and ecdysteroids during the early development of the brine shrimp, *Artemia salina*.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

1278.

Gabaudan, J.; Pigott, G.M.; Halver, J.E.-1980.

The effect of processing on protein ingredients for larval diets: biological evaluation.

Proc. 11th Ann.Meeting WMS, in press.

1279.

Gabriion, C.; MacDonald, G.-1980.

Artemia sp. (Crustacé, Anostrace), hoste intermédiaire d'*Eurycestus avoceti* Clark, 1954 (Cestode Cyclophyllide).
Annls Parasit. (Paris), 55(3): 327-331.

1280.

Gaeta, S.A.; Kadekaru, N.; Pereira, N.; Tommasi, L.R.-1983.

Observacoes preliminares sobre a toxicidade do vBHC e do cloreto de mercurio a *Artemia salina*.

Bol. Inst. Oceanogr. Sao Paulo, 32(1): 21-31.

1281.

Gaievsky, N.C.-1921.

Influence de l'alcalinité sur *Artemia salina*.

Izv.Inst.eksp.Biol., 1:49-53.

1282.

Gaitskhoki, V.S.-1979.

Molecular organization of eukaryotic messenger RNA.

Molecular Biology, Moscow, 13:725-751.

1283.

Gajewskaja, N.C.-1922.

Der Einfluss der Rontgenstrahlen auf *Artemia salina*.

Verh.int.Verein.theor.angew.Limnol., 1:359-362.

1284.
Gajewski, N.C.-1922.
Uber die Variabilitat bei *Artemia salina*.
Int.Revue ges.Hydrobiol.Hydrogr., 10(1-2):139-159;299-309.
1285.
Galdean, N.-1976.
Observations on larvae and pupae of the species *Ephydra californica* Pack. (Diptera) from Lacu-Sarat Braila Romania.
Trav.Mus.Hist.nat.Gr.Antipa, 17:115-124.
1286.
Galen, D.F.-1969.
Culturing of organisms for the classroom teacher.
J.Ariz.Acad.Sci., 5(4):251-253.
1287.
Galen, D.F.-1969.
Hatching techniques for *Artemia* brine shrimp.
Turtox News, 47(3):106-110.
1288.
Gallagher, B.-1973.
Tides and circulation in a series of saline lakes at Christmas Island.
Pacific Sci., 27:197-206.
1289.
Gallagher, M.; Brown, W.D.-1975.
Composition of San Francisco Bay brine shrimp (*Artemia salina*).
J.agric.Fd Chem., 23(4):630-632.
1290.
Gallagher, M.; Brown, W.D.-1976.
Comparison of artificial and natural sea water as culture media for juvenile lobsters.
Aquaculture, 9(1):87-90.
1291.
Gallardo, C.; Castro, J.-1985.
Survey of some genetic characteristics and modes of reproduction of four Mexican populations of *Artemia* sp.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.
1292.
Gallego, M.E.; Heredia, C.F.-1982.
Purification and properties of an inducible aminoacyl-tRNA hydrolase from *Artemia* larvae.
Biochim. biophys. Acta, 696: 57-65.

1293.

Gallego, M.E.; Medina, R.; Cruces, J.; Dominguez, E.; Sebastian, J.; Renart, J.-1985.

Ribosomal RNA gene types in Artemia.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1294.

Gannon, R.-1960.

Brine shrimp: 18-20.

In: Live foods for aquarium fishes. T.F.H. Publications, Inc., Jersey City U.S.A.

1295.

Gardiner, M.S.-1972.

The biology of the invertebrates.

McGraw-Hill, New York, U.S.A.

1296.

Garesse (Alarcon), R.-1981.

Desarrollo de un metodo sensible para la determinacion de actividades proteoliticas, estudio de las proteasas de Artemia.

Thesis, Universidad Complutense de Madrid, Facultad de Farmacia, Madrid, Spain, 185 pp.

1297.

Garesse, R.; Marco, R.; Vallejo, C.G.-1979.

Identification of a precursor in the unmasking of proteolytic activities during early development in Artemia salina: 53-54.

In: Abstracts. International Symposium on the Brine Shrimp Artemia. Corpus Christi, Texas U.S.A.

1298.

Garesse, R.; Perona, R., Marco, R.; Vallejo, C.G.-1980.

The acid protease of the embryos of the brine shrimp Artemia. 13th FEBS Meeting, 129.

1299.

Garesse, R.; Perona, R.; Marco, R.; Vallejo, C.G.-1980.

The unmasking of proteolytic activities during the early development of Artemia salina. Identification of a precursor after hatching.

J. Biochem., 106: 225-231.

1300.

Garman, S.W.-1872.

The salt lake crustacean.

Am.Nat., 6(12):771-772.

1301.

Garrett, V.B.-1960.

A study on hatching of Artemia salina of Great Salt Lake.

M.S. Thesis, University of Utah, U.S.A., 49 pp.

1302.

Gasymov, A.G.-1976.

Fauna Azerbaïdjana: 33-38.

In: IV. 1. Crustacea. Phyllopoda. Elm, Baku, 250 pp.

1303.

Gates, R.-1924.

Polyploids.

Br.J.exp.Biol., 1(2):153-182.

1304.

Gaubin, Y.; Kovalev, E.E.; Planel, H.; Nevzgodina, L.V.; Gasseti, G.; Pianezzi, B.-1970.

Developmental capacity of Artemia cysts and lettuce seeds flown in Cosmos 936 and directly exposed to cosmic rays.

Aviat.Space Environ.Med., 134-138.

1305.

Gaubin, Y.; Planel, H.; Kovalev, E.; Pianezzi, B.; Bes, J.C.-1980.

Effects of proton and neutron irradiation on Artemia eggs: 171-180.

In: The brine shrimp Artemia. Vol. 1. Morphology,

Genetics, Radiobiology, Toxicology. Eds Persoone, G.;P.

Sorgeloos;O.A.Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 318pp.

1306.

Gaubin, Y.; Planel, H.; Pianezzi, B.; Kovalev, E.E.; Popov, V.I.-1979.

Effects of 645 MeV and 9.2 GeV protons on Artemia eggs.

Int.J.Rad.Biol., 36:489-497.

1307.

Gaubin-Blanquet, Y.; Pianezzi, B.; Massue, J.P.-1976.

Influence de différents facteurs physiques sur les capacités de développement de l'oeuf d'Artemia salina.

C.r.Séanc.Soc.Biol., 170(6):1305-1310.

1308.

Gauld, D.T.-1959.

Swimming and feeding in crustacean larvae: the nauplius larva.

Proc.zool.Soc.Lond., 132(1):31-50.

1309.

Gaumer, T.F.-1973.

Controlled rearing of dungeness crab larvae and the influence of environmental conditions on their survival. Completion Report for period November 1965- June 1971.

National Technical Information Service, U.S. Department of Commerce, COM-73-11516, 43 pp.

1310.

Gauthier, H.-1928.

Description du Tanymastix mozabica, nouveau phyllopode anostracé du Sahara et liste des anostracés récoltés récemment par l'auteur en Algérie et en Tunisie.

Bull.Soc.Hist.nat.Afr.N., 19:87-91.

1311.
Gauthier, H.-1928.
Recherches sur la faune des eaux continentales de l'Algerie et de la Tunisie.
Imprimerie Minerva, Alger: 419 pp.
1312.
Gauthier, H.-1929.
Phyllopodes et cladoceres de la collection de l'Institut Scientifique Chérifien.
Bull. Soc. Sci. Natur. Maroc, 9(1/6): 72-76.
1313.
Gauthier, H.-1951.
Contribution à l'étude de la faune des eaux douces au Senegal.
(Entomostracés).
Alger. Imprimiere Minerva,: 145.
1314.
Gauthier-Lievre, L.-1931.
Recherches sur la flore des eaux continentales de l'Algerie et de la Tunisie.
Alger, 299 pp.
1315.
Gautier, E.F.-1970.
Sahara. The great desert.(translation).
Octagon Books, New York, U.S.A.
1316.
Geddes, M.C.-1973.
A new species of Parartemia (Anostraca) from Australia.
Crustaceana, 25(1):5-12.
1317.
Geddes, M.C.-1973.
Studies on Australian anostracans (Crustacea: Branchiopoda).
Thesis, Monash University, Australia, 358 pp.
1318.
Geddes, M.C.-1975.
Studies on an Australian brine shrimp Parartemia zietziana Sayce
(Crustacea: Anostraca). I. Salinity tolerance.
Comp.Biochem.Physiол., 51A:553-559.
1319.
Geddes, M.C.-1975.
Studies on an Australian brine shrimp Parartemia zietziana Sayce
(Crustacea: Anostraca). II. Osmotic and ionic regulation.
Comp.Biochem.Physiول., 51A:561-571.

1320.

Geddes, M.C.-1975.

Studies on an Australian brine shrimp *Parartemia zietziana* Sayce (Crustacea: Anostraca). III. The mechanisms of osmotic and ionic regulation.

Comp.Biochem.Physiol., 51A:573-578.

1321.

Geddes, M.C.-1975.

Does Artemia occur in Australia?

Australian Society of Limnology, Newsletter.

1322.

Geddes, M.C.-1976.

Seasonal fauna of some ephemeral saline waters in Western Victoria with particular reference to *Parartemia zietziana* Sayce (Crustacea: Anostraca).

Aust.J.mar.Freshwat.Res., 27(1):1-22.

1323.

Geddes, M.C.-1980.

Occurrence of the brine shrimp Artemia (Crustacea: Anostraca) in Australia.

Crustaceana, 36(3):225-228.

1324.

Geddes, M.C.-1980.

The brine shrimps Artemia and Parartemia in Australia: 57-65.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

1325.

Geddes, M.C.-1981.

The brine shrimps Artemia and Parartemia. Comparative physiology and distribution in Australia.

Hydrobiologia, 81: 169-179.

1326.

Geddes, M.C.; De Deckker, P.; Williams, W.D.; Morton, D.W.; Topping, M.-1981.

17. On the chemistry and biota of some saline lakes in Western Australia.

Hydrobiologia, 81(2): 201-222.

1327.

Geelen, D.; Moens, L.; Heip, J.; Hertsens, R.; Donceel, K.; Clauwaert, J.-1982.

The structure of Artemia sp. haemoglobins-I. Isolation and characterization of oxygen binding domains obtained by limited tryptic digestion.

Int. J. Biochem., 14(11): 991-1001.

1328.

Geldiay, R.; Koray, T.; Buyukisik, B.-1980.

Effect of different glycerol concentrations upon the hatching of Artemia.

In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1329.

Gessner, S.L.; Irvin, J.D.-1980.

Inhibition of elongation factor 2-dependant translocation by the pokeweed antiviral protein and ricin.

J. Biol. Chem., 255(8): 3251-3253.

1330.

Ghannudi, S.A.; Tufail, M.-1978.

A report on a two-day visit to eight salt-water lakes of Ramla Az-Zallaf, Fezzan, Libyan Arab Jamahiriya.

Libyan Journal of Science, 8(A):69-74.

1331.

Giard, A.-1897.

L'Artemia salina sur les cotes de l'Océan.

L'Intermédiaire des Biologistes, Paris, 1(2):36 pp.

1332.

Giavelli, S.; Cervini, A.M.-1965.

Effetti della bassa temperatura sulla radiosensibilità di ovociti di Artemia salina trattati con differenti dosi di raggi x: Risultati preliminari.

Atti Ass.genet.ital., 10:241-242.

1333.

Giavelli, S.; Cervini, A.M.-1966.

La curva di radiosensibilità di ovociti di Artemia salina.

Atti Ass.genet.ital., 11:292-300.

1334.

Gibor, A.-1956.

Some ecological relationships between phyto- and zooplankton.

Biol.Bull., 111:230-234.

1335.

Gibor, A.-1957.

Conversion of phytoplankton to zooplankton.

Nature, 179:1304.

1336.

Giddings, G.G.; Chanley, M.M.-1980.

Developments in mass culture of brine shrimp.

Proc. Conference "Advances in Food Producing Systems for Acid and Semi-Acid Lands", Kuwait City, April 19-23, 1980; in press.

1337.
Gilbert, G.-1890.
Lake Bonneville.
Monogr.U.S.geol.Surv., 1:258-259.
1338.
Gilchrist, B.M.-1954.
Haemoglobin in Artemia.
Proc.R.Soc., Series B, 143:136-146.
1339.
Gilchrist, B.M.-1956.
The oxygen consumption of *Artemia salina* (L.) in different salinities.
Hydrobiologia, 8:54-65.
1340.
Gilchrist, B.M.-1958.
The oxygen consumption of *Artemia salina* (L.).
Hydrobiologia, 12:27-37.
1341.
Gilchrist, B.M.-1959.
The metabolism of *Artemia salina*.
Thesis, University of London, U.K.
1342.
Gilchrist, B.M.-1960.
Growth and form of the brine shrimp, *Artemia salina* (L.).
Proc.zool.Soc.Lond., 134(2):221-235.
1343.
Gilchrist, B.M.-1968.
Distribution and relative abundance of carotenoid pigments in
Anostraca (Crustacea: Branchiopoda).
Comp.Biochem.Physiol., 24:123-147.
1344.
Gilchrist, B.M.-1978.
Scanning electron microscope studies of the egg shell in some
Anostraca (Crustacea: Branchiopoda).
Cell and Tissue Research, 193: 337-351.
1345.
Gilchrist, B.M.; Green, J.-1960.
The pigments of Artemia.
Proc.R.Soc., Series B, 152:118-136.
1346.
Giles, M.A.; Klaverkamp, J.F.; Lawrence, S.G.-1979.
The acute toxicity of saline groundwater and of vanadium to fish and
aquatic invertebrates: 60-83.
In: Alberta Oil Sands Environmental Research Program. Alberta, Canada.
Project AF 3.2.1., 216 pp.

1347.
Gilles, R.-1975.
Mechanisms of ion and osmoregulation: 259-348.
In: Marine ecology, Vol. II. Physiological mechanisms. Part 1.Ed.
Kinne, O.; John Wiley and Sons, London, 449pp.
1348.
Gilles, R.-1979.
Intracellular organic osmotic effectors:111-154.
In: Mechanisms of osmoregulation in animals. Maintenance of cell
volume. Ed. Gilles, R.; John Wiley and Sons, London.
1349.
Gillespie, D.M.; Stephens, D.W.-1977.
Some aspects of plankton dynamics in the Great Salt Lake, Utah: 401-
409.
In: Desertic Terminal Lakes. Ed. Greer, D.C.; Utah Water Research
Laboratory.
1350.
Gillespie, D.M.; Wirick, C.D.; Stephens, D.W.-1971.
The Great Salt Lake : Plankton ecology in a rigorous environment.
Bull.ecol.Soc.Am., 52:31.
1351.
Gilmour, A.; McCallum, M.F.; Allan, M.C.-1975.
Antibiotic sensitivity of bacteria isolated from the canned eggs of
the californian brine shrimp (*Artemia salina*).
Aquaculture, 6(2):221-231.
1352.
Gilmour, S.J.-1978.
The acid-saluble nucleotides of encysted embryos of the brine shrimp,
Artemia salina.
Thesis, University of Windsor, Canada.
1353.
Gilmour, S.J.; Warner, A.H.-1978.
The occurrence of guanosine 5'diphospho 5'guanosine and guanosine
5'triphospho 5'adenosine in brine shrimp embryos.
Fedn Proc., 37(6):1703.
1354.
Gilmour, S.J.; Warner, A.H.-1978.
The presence of guanosine 5'-diphospho-5'-guanosine and guanosine 5'-
triphospho-5'-adenosine in brine shrimp embryo's.
J.biol.Chem., 253(14):4960-4965.
1355.
Girin, M.-1978.
Méthodes de production des juvéniles chez 3 poissons marins, le bar
(*Dicentrarchus labrax*), la sole (*Solea solea*) et le turbot
(*Scophthalmus maximus*).
Thèse. Université Pierre et Marie Curie, Paris, France 202 pp.

1356.

Girin, M.; Person-Le Ruyet, J.-1976.

L'élevage larvaire des poissons marins: chaines alimentaire et aliments composés.

2nd European congress on Ichthyology, Paris: 7-20.

1357.

Girin, M.; Tiews, K.E.-1977.

Methodology of rearing brood stock and the mass rearing of juveniles of maiculture species for controlled farming and ocean ranching. Centre National pour l'Exploitation des Oceans (CNEXO). Actes de Colloques no. 4, C.I.E.M., I.C.E.S., 381 pp.

1358.

Glimme, T.H.-1974.

The suitability of the eggs and larvae of the dungeness crab *Cancer magister* Dana as marine bioassay organisms.

M.A. Thesis, San Francisco State University, San Francisco, California, U.S.A.: 119 pp.

1359.

Glowacka, S.K.; Raziuddin; Thomas, J.D.; Szer, W.-1984.

Model investigations on the structure of heterogeneous nuclear ribonucleoproteins.

Acta Biochim., 31(1): 103-114.

1360.

Glude, J.B.-1978.

The American lobster *Homarus americanus* Milne - Edwards.

A literature review and analysis of the use of thermal effluent in the culture of the American lobster. Glude, J.B. Aquaculture Consultant, Seattle, U.S.A., 40pp.

1361.

Glude, J.B.-1978.

The freshwater prawn *Macrobrachium rosenbergii* (de Man).

A literature review and analysis of the use of thermal effluents in the culture of the freshwater prawn. Glude, J.B. Aquaculture Consultant, Seattle, U.S.A., 59pp.

1362.

Glude, J.B.-1978.

The marine shrimp *Penaeus* spp.

A literature review and analysis of the use of thermal effluent in the culture of penaeid shrimp. Glude, J.B. Aquaculture Consultant, Seattle, U.S.A.

1363.

Glude, J.B.; Shleser, R.A.; Bledsoe, L.J.-1977.

Species plan for freshwater prawns of the genus *Macrobrachium*.

Glude, J.B. Aquaculture Consultant, Seattle, U.S.A., 90 pp.

1364.

Goad, L.J.-1972.

The steroids of marine algae and invertebrate animal: 213-318.
In: Biochemical and Biophysical Perspectives in Marine Biology, Vol. 3. Eds Malins, D.C.; J.R. Sargent; Academic Press, New York, U.S.A.

1365.

Godeluck, B.-1980.

Etude comparée des récoltes et traitements des oeufs d'Artemia salina
des salines du Midi en provenance de l'étang de Lavalduc.
Thesis. Université Pierre et Marie Curie, Paris, France, 110 pp.

1366.

Goldberg, R.B.; Crain, W.R.; Ruderman, J.V.; Moore, G.P.; Barnett, T.R.; Higgins, R.C.; Gelfand, R.A.; Galau, G.A.; Britten, R.J.; David, E.
DNA sequence organization in the genomes of five marine invertebrates.
Chromosoma, 51:225-251.

1367.

Goldman, J.C.; Ryther, J.H.-1976.

Waste reclamation in an integrated food chain system: 197-214.
In: Biological Control of Water Pollution; Ed. Tourbier, J.; R.W. Pierson, jr.; University of Pennsylvania Press U.S.A., 340 pp.

1368.

Goldovskii, A.M.-1979.

Anabiosis in the system of theoretical concepts of evolutionary
biochemistry and physiology.

Zhurnal Evoliutsionnoi Biokhimii i Fiziologii, 15(5): 392-400(459-466).

1369.

Goldovskii, A.M.-1979.

Is water implied in the construction of life-capable structures ? (in
russian).

Biofizika, 24(4): 778-779.

1370.

Goldovskii, A.M.; Barsukov, V.I.-1981.

A study of properties of viable cell structures. (in russian).
Tsitologiya, 23(9): 1088-1090.

1371.

Goldovskii, A.M.; Ivanova, E.V.-1983.

The action of narcotics and organic substances on the survival of
organisms under anabiosis and active life. (in russian).

Tsitologiya, 25(8): 981-984.

1372.

Goldschmidt, E.-1952.

Fluctuation in chromosome number in Artemia salina.
J. Morph., 91(1):111-131.

1373.

Goldschmidt, E.-1953.

Chromosome numbers and sex mechanism in euphylllopods.

Experientia, 9:65-66.

1374.

Goldsmith, M.-1922.

Abstract of Gaievsky, N.-1921, Influence de l'alcalinité sur Artemia salina.

Izv. Inst. eksp. Biol., 1:49-53.

1375.

Goldstein, L.A.; Robinson, W.G.-1981.

Factor-dependant dissociation of wheat germ ribosomes.

Biochim. biophys. Acta, 652: 303-313.

1376.

Goldovskii, A.M.-1978.

Anabiosis and the problem of origin of life.

Zh.Evol.Biokhim.Fiziol., 14:517-519.

1377.

Golub, A.; Clegg, J.S.-1968.

Protein synthesis in Artemia salina embryos: I. Study on polyribosomes.

Devl Biol., 17:644-656.

1378.

Golub, A.L.; Clegg, J.S.-1969.

Dissociation of oxidized 80-S ribosomes by sodium deoxycholate.

Biochim. biophys. Acta, 182: 121-134.

1379.

Golub, A.L.; Finamore, F.J.-1972.

Ascorbic-acid sulfate metabolism in the brine shrimp.

Fedn Proc., 31(2):706. Abstract Number 2765.

1380.

Golub, J.S.-1969.

Studies on protein synthesis and polyribosomes during dormancy and development in Artemia salina Leach and the dissociation of oxidized 80-S ribosomes by sodium deoxycholate.

Thesis, University of Miami, U.S.A.; Diss.Abstr., 30:3494-3495.

1381.

Good, L.K.; Bayer, R.C.; Gallagher, M.L.; Rittenburg, J.H.-1982.

Amphipods as a potential diet for juveniles of the american lobster Homarus americanus (Milne Edwards).

J. Shellfish Res., 2:183-187.

1382.

Goodwin, H.L.-1976.

Summary statement: 299-307.

In: Proc. 1st International Conference on Aquaculture Nutrition. Eds Price, K.S.; jr.; W.N. Shaw; K.S. Danberg; College of Marine Studies University of Delaware, Newark, Delaware U.S.A., 323pp.

1383.

Goodwin, M.; Moore, E.; Nunn, T.; Simpson, K.; Towle, E.-1984.

An assessment of the mariculture potential of indigenous eastern caribbean brine shrimp.

Report to U.S. Agency for International Development. Island Resources Foundation, Red Hook Center Box 33, St. Thomas, U.S. Virgin Islands 00802.

1384.

Goodwin, T.W.-1960.

Biochemistry of pigments: 101-140.

In: The physiology of Crustacea. Vol. 1. Metabolism and growth. Ed. Waterman, T.H.; Academic Press, New York, U.S.A., 670 pp.

1385.

Gopalakrishnan, K.-1976.

Larval rearing of red shrimp *Penaeus marginatus* (Crustacea). Aquaculture, 9: 145-154.

1386.

Gophen, M.-1980.

Artemia nauplii as a food source for cyclopoids: extrapolation of experimental measurements to the metabolic activities of copepods in Lake Kinneret, Israel: 67-76.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

1387.

Gornicki, P.; Nurse, K.; Ofengand, J.-1983.

Involvement of 16-18S rRNA in the ribosomal decoding site.

Fedn. Proc., 42(7): 2186, Abstract Number 2502.

1388.

Goss, D.J.; Parkhurst, L.J.; Mehta, H.B.; Woodley, C.L.; Wahba, A.J.-1984.

Co-operative interactions in eucaryotic polypeptide chain initiation-The ternary system: Initiation factor 2, nucleotide exchange factor, and GDP.

Biophys. J.

45(2,2): 252a, Abstract Number T-Pos212.

1389.

Goss, D.J.; Parkhurst, L.J.; Metha, H.B.; Woodley, C.L.; Wahba, A.J.-1984.

Studies on the role of the eucaryotic exchange factor in polypeptide chain initiation.

Fedn. Proc., 43(6): 1480, Abstract Number 370.

1390.
Gounot, A.M.-1968.
Les vitamines chez les Crustacés.
Annls Nutr.Aliment., 22:43-56.
1391.
Govind, C.K.; Atwood, H.L.-1982.
Organization of neuromuscular systems: 63-103.
In: The Biology of Crustacea. Volume 3. Neurobiology: Structure and Function. Ed. Bliss, D.E.; Academic Press, New York, U.S.A.
1392.
Goy, J.W.; Costlow, J.D.-1980.
Nutritional effect of Artemia from different geographical strains on larval development of decapod crustaceans.
Am. Zool., 20(4): 888, Abstract Number 896.
1393.
Grabner, M.; Wieser, W.; Lackner, R.-1981.
The suitability of frozen and freeze-dried zooplankton as food for fish larvae: A biochemical test program.
Aquaculture, 26: 85-94.
1394.
Graeff, E.-1900.
Uebersicht der Fauna des Golfes von Triest, nebst Notizen über Vorkommen, Lebenweise, Erscheinungs- und Laichzeit der einzelnen Arten. V. Crustacea.
Arb.Zool.Inst.Univ.Wien, 13:33-48.
1395.
Grainger, J.N.R.-1956.
Effects of changes of temperature on the respiration of certain Crustacea.
Nature, 178:930-931.
1396.
Grainger, J.N.R.-1958.
First stages in the adaptation of poikilotherms to temperature change: 79-91.
In: Physiological Adaptation. Ed. Prosser, C.L.; American Physiological Society, Washington, D.C., U.S.A.
1397.
Granade, H.R.; Cheng, P.C.; Doorenbos, N.J.-1976.
Ciguatera.I. Brine shrimp Artemia salina larval assay for Ciguatera toxins.
J.Pharm.Sci., 65(9):1414-1415.
1398.
Grankowski, N.; Kramer, G.; Hardesty, B.-1979.
Purification and partial characterization of the catylytic subunit of cAMP-dependant protein kinases from reticulocytes.
Archs Biochem.Biophys., 197:618-629.

1399.

Grant, P.T.; Middleton, C.; Plack, P.A.; Thomas, R.A.-1985.
The isolation of four aminocyclohexenimines (Mycosporines) and a
structurally related derivative of cyclohexane-1:3-dione (Gadusol)
from the brine shrimp, *Artemia*.
Comp. Biochem. Physiol., 80B(4): 755-759.

1400.

Grasmuk, H.; Nolan, R.D.; Drews, J.-1977.
Further evidence that elongation factor 1 remains bound to ribosomes
during peptide chain elongation.
Eur.J.Biochem., 79(1):93-102.

1401.

Gratzek, J.B.-1979.
A quantitative evaluation of hatchability of brine shrimp eggs.
Report, University of Georgia, U.S.A.

1402.

Graul, E.H.; Ruther, W.-1976.
Development anomalies in biological systems of animals due to heavy
nuclei of cosmic radiation: 188-201.
In: The Eagle has returned. AAS Science Technology Series.Vol.43. Ed.
Steinhoff, E.A. Univelt, Inc., San Diego, California, U.S.A., 355 pp.

1403.

Graul, E.H.; Ruther, W.-1977.
Radiobiological studies on biological systems of animals exposed to
the heavy nuclei of cosmic galactic radiation.
Radiation Effects, 34:133-138.

1404.

Gravilescu, N.; Dinischiotu, L.; Mihelits, R.-1957.
Haemoglobin ca pigment respirator la *Artemia salina*.
Commun.Academia Republicii Populare Romane, 12(7):1041-1045.

1405.

Green, J.-1961.
Biology of Crustacea.
Quadrangle Books, Chicago, Illinois, U.S.A.

1406.

Green, J.-1965.
Chemical embryology of the Crustacea.
Biol.Rev., 40(4):580-600.

1407.

Greene, C.W.-1924.
The circulatory system of the brine shrimp.
Science,N.Y., 60(1557):411-412.

1408.

Greene, H.H.-1924.

Experiments on the production and development of the cysts, together with observations on the life cycle of *Artemia salina* var. *principalis* Simon.

Thesis, Stanford University, U.S.A., 47 pp.

1409.

Greer, D.C.-1977.

Desertic terminal lakes.

Proc. international conference of desertic terminal lakes; Weber State College, Ogden, Utah, Utah Water Research Laboratory, Utah State University, U.S.A.

1410.

Gregoire, M.H.-1970.

An autoradiographic analysis of the hemocytes and hemocytopoietic organs together with a histochemical study of the hemocytes in *Artemia* (Crustacea, Branchipoda).

Ph. D. Thesis. University of Vermont, U.S.A., 97 pp.

1411.

Greve, W.-1975.

The "Meteor Planktonkuvette": a device for the maintenance of macrozooplankton aboard ships.

Aquaculture, 6:77-82.

1412.

Greze, V.N.-1978.

Production in animal populations: 89-114.

In: Marine ecology, Vol.IV. Dynamics. Ed. Kinne, O.; Wiley and Sons, New York, U.S.A., 746pp.

1413.

Grieg, J.B.; Kay, S.J.E.; Bennetts, R.J.-1980.

A toxin from the palmyra palm, *Borassus flabellifer*: Partial purification and effects in rats.

Food and Cosmetic Toxicology, 18: 483-488.

1414.

Grier, H.J.-1985.

Scanning electron microscopy of hatching *Artemia salina* nauplii: 37. In : Book of Abstracts, World Mariculture Society, 16th Annual Meeting and Florida Aquaculture Association, 1st. Meeting, Orlando, Florida, Jan. 13-17, 1985.

1415.

Grigliatti, T.A.-1969.

Differential induction of haemoglobin synthesis in *Artemia salina*.

Thesis, San Francisco State College, California, U.S.A., 51pp.

1416.

Groat, C.S.; Thomas, C.R.; Schurr, K.-1980.

Improved culture of *Aurelia aurita* scyphistomae.

Ohio J. Sci., 80(2): 83-87.

1417.

Grochowski, M.-1895.

Ueber eine neue, im Süsswasser lebende Species von *Artemia*.
Verhandlungen der kaiserlich-königlichen zoologisch-botanischen
Gesellschaft in Wien, 45:95-101.

1418.

Groner, Y.; Grosfeld, H.; Littauer, U.Z.-1976.

5'-capping structures of *Artemia salina* in RNA and the trans-lational
inhibition by cap analogs.
Eur.J.Biochem., 71(1):281-293.

1419.

Grosch, D.S.-1962.

The survival of *Artemia* populations in radioactive seawater.
Biol.Bull., 123:302-316.

1420.

Grosch, D.S.-1966.

The reproductive capacity of *Artemia* subjected to successive
contaminations with radiophosphorus.
Biol.Bull., 131(2):261-271.

1421.

Grosch, D.S.-1967.

Poisoning with DDT: Effect on reproductive performance of *Artemia*.
Science,N.Y., 155(3762):592-593.

1422.

Grosch, D.S.-1970.

Poisoning with DDT: Second and third-year reproductive performance of
Artemia.

Bioscience, 20:913.

1423.

Grosch, D.S.-1973.

Reproduction tests: the toxicity for *Artemia* of derivates from non-
persistent pesticides.

Biol.Bull., 145:340-351.

1424.

Grosch, D.S.-1980.

Alterations to the reproductive performance of *Artemia* caused by
antifouling paints, algaecides, and an aquatic herbicide.

In: The brine shrimp *Artemia*. Vol. 1. Morphology, Genetics,
Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E.
Jaspers; Universa press, Wetteren, Belgium, 318pp.

1425.

Grosch, D.S.; Erdman, H.E.-1955.

X-ray effects on adult *Artemia*.

Biol.Bull., 108:277-282.

1426.
Grosch, D.S.; Plumb, M.E.-1959.
A sex difference in radioactivity of Artemia cultured in sea water containing phosphorus-32.
Nature, 183(4654):122-123.
1427.
Grosch, D.S.; Sullivan, R.L.-1955.
X-ray induced cessation of gamete production by adult female Artemia.
Biol.Bull., 109:359.
1428.
Grosfeld, H.; Groner, Y.; Littauer, U.Z.-1976.
Capped 5' termini of Artemia salina mRNA.
Isr.J.Med.Sci., 12(11):1393-1394.
1429.
Grosfeld, H.; Littauer, U.Z.-1974.
The translation in vitro of mRNA from developing cysts of Artemia salina.
Eur.J.Biochem., 70(2):589-599.
1430.
Grosfeld, H.; Littauer, U.Z.-1975.
Cryptic form of mRNA in dormant Artemia salina cysts.
Biochem.biophys.Res.Commun., 67(1):176-181.
1431.
Grosfeld, H.; Littauer, U.Z.-1975.
In vitro translation of mRNA from developing cysts of Artemia salina.
Isr.J.Med.Sci., 11:1203-1204.
1432.
Grosfeld, H.; Littauer, U.Z.-1976.
The use of affinity chromatography and two-dimensional gel electrophoresis for identification of in vitro synthesized Artemia salina actin and tubulin.
Isr.J.Med.Sci., 12(11):1386-1387.
1433.
Grosfeld, H.; Soreq, H.; Littauer, U.Z.-1977.
Membrane associated cytoplasmic mRNA in Artemia salina: Functional and physical changes during development.
Isr.J.Med.Sci., 13(9):935-936.
1434.
Grosfeld, H.; Soreq, H.; Littauer, U.Z.-1977.
Membrane associated cytoplasmic mRNA in Artemia salina; functional and physical changes during development.
Nucleid acid Res., 4:2109-2122.

1435.
Gross, F.-1932.
Untersuchungen über die Polyploidie und die Variabilität bei *Artemia salina*.
Naturwissenschaften, 20(51):962-967.
1436.
Gross, F.-1934.
Intranuclear spindle formation and mitosis in *Artemia salina*.
Nature, 133(3374):985-986.
1437.
Gross, F.-1935.
Die Reifungs- und Furchungsteilungen von *Artemia salina* im Zusammenhang mit dem Problem des Kernteilungsmechanismus.
Zeitschrift für Zellforschung und mikroskopische Anatomie, Berlin, 23(3):522-565.
1438.
Gross, F.-1936.
Cleavage of blastomeres in the absence of nuclei.
The Quarterly Journal of Microscopical Science, 79(313):57-72.
1439.
Gross, F.-1937.
Notes on the culture of some marine plankton organisms.
J. mar. biol. Ass. U.K., 21:753-768.
1440.
Grube, A.E.-1853.
Bemerkungen über die Phyllopoden, nebst einer Übersicht ihrer Gattungen und Arten.
Arch. Naturgesch., 19(1):75-162.
1441.
Gudkov, A.T.; Venyaminov, S.Y.; Amons, R.; Moller, W.; Itoh, T.-1981.
A physical study of acidic ribosomal proteins from *Artemia salina*, *Bacillus subtilis* and *Micrococcus lysodeikticus*.
FEBS Letters, 136(2): 235-238.
1442.
Guichard, G.-1951.
Les flammants de Camargue.
L'Oiseau, Paris, 21:48-54.
1443.
Gun'ko, A.F.-1961.
The rearing of *Artemia* at sturgeon rearing plants(in Russian).
In: Azovskii Nauchno - Issledovatel'skii Institut Rybnogo, Khoziaistva, Rostov, SNKh: 152pp.

1444.

Gun'ko, A.F.-1962.

Methods of increasing the output of sturgeon hatcheries by controlling the temperature regime during incubation and by using Artemia as food for young sturgeon (in Russian).

Tr.Azovsk.Nauchn.Issled Inst.Rybn.Khoz., 5:73-96.

1445.

Gun'ko, A.F.-1970.

Guidelines on rearing Artemia at hatcheries.

Moscow, U.S.S.R., 160pp.

1446.

Gun'ko, A.F.-1970.

Konservierung von Artemia-Eiern (in russian).

Ribnoe chosjastvo, 3:16, 2pp.

1447.

Gun'ko, A.F.; Pleskachevskaia, T.G.-1962.

Resultate bei der Verwertung von Artemia salina (L.) als Nahrung fur Storjungfische in Rundbecken(in russian).

Vaprossy ichthiologii, 2(2-3):371-374.

1448.

Gunkel, G.-1979.

Laboratory experiments on the cultivation of young whitefish, Coregonus fera J.: food intake, gross growth-efficiency and growth of fry: 211-242.

In: Cultivation of fish fry and its live food. EMS Spec. Publ.No.4.Eds Styczynska-Jurewicz, E.;T. Backiel;E. Jaspers; G. Persoone; Inst.for Mar.Sc.Res., Bredene, Belgium, 534pp.

1449.

Gunther, D.C.-1978.

An Artemia, Dunaliella, and Vibrio ecosystem: As a model, for the study of crustacean disease and nutrition.

Thesis, San Francisco State University, U.S.A.

1450.

Gunther, D.C.; Catena, A.-1980.

The interaction of Vibrio with Artemia nauplii: 213-221.

In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics,Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 318pp.

1451.

Gunther, R.T.-1900.

Contributions to the natural history of Lake Urmia, N.W. Persia, and its neighbourhood.

J.Linn.Soc., Zoology, 27:345-453.

1452.

Gupta, A.P. (Ed.)-1980.

Arthropod Phylogeny.

Van Nostrand Reinhold Company. New York, U.S.A.

1453.
Gurney, R.-1921.
Freshwater crustacea collected by Dr. P.A. Buxten in Mesopotamia and Persia.
J.Bombay.nat.Hist.Soc., 27:835-843.
1454.
Gurney, R.-1909.
X. On the fresh-water Crustacea of Algeria and Tunisia.
Jl R. Microsc. Soc., 1909: 273-305.
1455.
Guyenot, E.-1922.
A quel moment à lieu la réduction chromatique.
Annls Biol., 26:458.
1456.
Gvosdev, E.V.; Maksimova, A.P.-1979.
Morphology and developmental cycle of the cestode *Gynandrotaenia stammeri* (Cestoidea, Cyclophyllidea) a parasite of *Phoenicopterus roseus* (in russian).
Parazitologiya (Leningrad), 13:56-60.
1457.
Gwynn, J.W.; Murphy, P.J.-1980.
Recent sediments of the Great Salt Lake: 83-96.
In: Great Salt Lake: A Scientific, Historical and Economic Overview.
Ed. Gwynn, J.E.; Utah Geological and Mineral Survey. Utah Department of Natural Resources.
1458.
Gyselinck, P.; Van Severen, P.; Braeckman, P.; Van Haecke, P.; Schacht, E.-1981.
Drug polymer combinations. IV. Toxicity screening of procainamide and its methacrylamide derivates on *Artemia*.
J. Pharmacie de Belgique, 36(2): 118-122.
1459.
Haas, G.; Goldschmidt, E.-1946.
A decaploid strain of *Artemia salina*.
Nature, 158(4007):239.
1460.
Hacking, A.; Dervish, M.T.D.; Rosser, W.R.; Syrett, R.-1977.
The use of biological assay systems for the detection of mycotoxins in animal feedstuffs.
Archs Inst. Pasteur Tunis, 54: 373-379.
1461.
Haegele, C.W.; Outram, D.N.-1978.
The effects of diet and ration on the growth and survival of Pacific herring *Clupea harengus* Pallasi larvae.
Can.Fish.Mar.Serv., Tech.Rep., 767:1-41.

1462.

Haines, P.B.; Howey, R.G.; Theis, G.L.-.
Decapsulation of brine shrimp (*Artemia salina*) cysts.
Lamar Information Leaflet No. 80-06 : 8 pp.

1463.

Hale, J.G.-1970.
Culture of lake herring in the laboratory.
Progve Fish Cult., 32(4):217-221.

1464.

Halfer-Cervini, A.; Piccinelli, M.; Prosdocimi, T.-1967.
Fenomeni di isolamento genetico in *Artemia salina*.
Atti Ass.gen.ital., 12:312-327.

1465.

Halfer-Cervini, A.M.; Piccinelli, M.; Prosdocimi, T.; Baratelli-Zambruni, L.-1968.
Sibling species in *Artemia* (Crustacea Branchiopoda).
Evolution, 22:373-381.

1466.

Hallopeau, C.-1969.
Croissance et réproduction d' *Artemia salina* en présence de produits de fission.
Bull.Mus.natn.Hist.nat., Paris, 41:1238-1243.

1467.

Hallopeau, C.-1969.
Recherches de l'action éventuelle de pollutions radioactives (Cs-137, mélange de produits de fission) sur le développement et la reproduction d'*Artemia salina*.
Rapp.Comm.int.Mer Medit., 19(5):961-962.

1468.

Hameury, P.-1978.
Influence de trois types de présentation d'*Artemia salina* (nauplii vivants, congélés et oeufs décapsules) sur la survie et la croissance de jeunes soles (*Solea solea*) ..
Rapport de Stage au C.O.B. (Department Aquaculture), France: 35 pp.

1469.

Hamill, R.L.; Higgens, C.E.; Boaz, H.E.; Gorman, M.-1969.
The structure of beauvericin, a new depsipeptide antibiotic toxin to *Artemia salina*.
Tetrahedron Lett., 49:4255-4258.

1470.

Hamilton, E.I.; Clifton, R.J.-1979.
Techniques for sampling the air-sea interface for estuarine and coastal waters.
Limnol.Oceanogr., 24:188-193.

1471.

Hammer, U.T.; Haynes, R.C.; Heseltine, J.M.; Swanson, S.M.-1975.
The saline lakes of Saskatchewan.
Verh.int.Verein.theor.angew.Limnol., 19:589-598.

1472.

Hammer, U.T.; Parker, R.C.-1984.
Limnology of a perturbed highly saline canadian lake.
Archs Hydrobiol., 102(1): 31-42.

1473.

Hanaoka, H.-1973.

Cultivation of three species of pelagic micro-crustacean plankton. (in
Japanese, English abstract).
Bulletin of the Plancton Society of Japan, 20(1):19-29.

1474.

Hanaoka, H.-1977.

Harmful effect of ammonia on growth of the brine shrimp *Artemia salina*
and inhibition of ammonia accumulation with an alga Chlorella.
Bulletin of the Plancton Society of Japan, 24(2):99-107.

1475.

Hand, S.C.-1979.

Studies on the cytoplasmic malate dehydrogenase from a larval
halophilic crustacean, *Artemia salina*.
Thesis, Oregon State University, U.S.A.

1476.

Hand, S.C.; Becker, M.M.; Conte, F.P.-1978.

Purification and partial characterization of malate dehydrogenase from
nauplii of the halophilic crustacean, *Artemia salina*.
Physiologist, 21(4):49.

1477.

Hand, S.C.; Becker, M.M.; Conte, F.P.-1980.

Isolation and partial characterization of the cytoplasmic malate
dehydrogenase from a larval halophilic crustacean, *Artemia salina*.
J.biol.Chem., in press.

1478.

Hand, S.C.; Becker, M.M.; Conte, F.P.-1981.

Purification and properties of cytoplasmic malate dehydrogenase
isolated from a larval crustacean, *Artemia salina*.
J. exp. Zool., 217(2): 199-212.

1479.

Hand, S.C.; Conte, F.P.-1980.

Effect of environmental NaCl on the biosynthesis of malate
dehydrogenase in brine shrimp nauplii.
Fedn Proc., 39:587.

1480.

Hand, S.C.; Conte, F.P.-1982.

Immunochemical characterization and quantification of larval brine shrimp malate dehydrogenase.

J. exp. Zool., 219(1): 7-15.

1481.

Hand, S.C.; Conte, F.P.-1982.

Larval brine shrimp malate dehydrogenase: Biosynthesis and temporal pattern related to environmental salinity.

J. exp. Zool., 219(1): 17-27.

1482.

Hanson, J.A.; Goodwin, H.L.-1977.

Shrimp and prawn farming in the Western hemisphere.

Dowden, Hutchinson and Ross, Inc., Stroudsburg, U.S.A., 439pp.

1483.

Hanson, J.E.-1963.

Four eye-mutants of *Artemia salina*.

Thesis, San Francisco State College, California, U.S.A.

1484.

Hanstrom, B.-1927.

Neue Beobachtungen über Augen und Sehzentren von Entomostracen, Schizopoden und Pantopoden.

Zool.Anz., 70:236-251.

1485.

Hanstrom, B.-1928.

Vergleichende Anatomie des Nervensystems der wirbellosen Tiere.

Verlag J. Springer, Berlin, Germany.

1486.

Hanstrom, B.-1934.

Neue untersuchungen über Sinneorgane und Nervensystem der Crustacean.

IV.

Arch.Zool., 26A:1-66.

1487.

Harder, W.-1968.

Reactions of plankton organisms to water stratification.

Limnol.Oceanogr., 13:156-168.

1488.

Harding, J.P.-1954.

The Armstrong College Zoological Expedition to Siwa Oasis (Libyan Desert) 1935. Crustacea: Branchipoda and Ostracoda.

Proc.Egypt.Acad.Sci., 10:58-68.

1489.

Harrach, B.-1980.

Applicability of the *Artemia salina* test for the determination of trichothecen-type mycotoxins. (in hungarian).

Magyar Allatorvosok Lapja, 30(11): 781-782.

1490.
Harris, E.-1957.
Radiophosphorus metabolism in zooplankton and microorganisms.
Can.J.Zool., 35:769-782.
1491.
Harris, J.-1975.
Beneficial brine shrimp.
Galveston Newspaper, 2(8):14-16.
1492.
Hartenstein, R.-1970.
Nitrogen metabolism in non-insect arthropods: 299-385.
In: Comparative biochemistry of nitrogen metabolism. Ed. Campbell,
J.W.; Academic Press, New York, U.S.A.
1493.
Hartland-Rowe, R.-1965.
The Anostraca and Notostraca of Canada with some new distribution
records.
Can.Fld Nat., 79:185-189.
1494.
Hartland-Rowe, R.-1966.
The fauna and ecology of temporary pools in Western Canada.
Ver.int Verein.theor.angew.Limnol., 16:577-584.
1495.
Hartland-Rowe, R.-1972.
The limnology of temporary waters and the ecology of Euphylllopoda: 15-
31.
In: Essays in hydrobiology. Eds Clark R.B.;R.J. Wooten; University of
Exeter, U.K.

1496.

Hartnoll, R.G.-1982.

Chapter 3. Growth: 111-196.

In: The Biology of Crustacea. Volume 2. Embryology, Morphology, and Genetics. Eds Bliss, D.E.; L.G. Abele; Academic Press, New York, U.S.A.

1497.

Harwig, J.; Scott, P.M.-1971.

Brine shrimp (*Artemia salina* L.) larvae as a screening system for fungal toxins.

Appl. Microbiol., 21(6):1011-1016.

1498.

Hasler, A.D.-1937.

Methods for culturing Daphnia: 214-215.

In: Culture methods for invertebrate animals; Ed. Needham, J.G. et al.; Dover Publications, Inc., 1959, New York, U.S.A.

1499.

Hata, M.; Hata, M.-1969.

Carotenoid metabolism in *Artemia salina*.

Comp. Biochem. Physiol., 29:985-994.

1500.

Hayes, C.R.-1971.

Distribution, populations, and species diversity of phytoplankton and zooplankton of Farmington Bay: E1-E21.

University of Utah, Salt Lake City, Utah, U.S.A.

1501.

Hazlewood, C.F.-1979.

A view of the significance and understanding of the physical properties of cell-associated water: 165-259.

In: Cell-Associated Water. Eds Drost-Hansen, W.; J.S. Clegg; Academic Press, New York, U.S.A.

1502.

Hazlewood, C.F.; Kasturi, S.R.; Dennis, L.W.; Ymanashi, W.S.-1984.

Observation of chemical shift of nuclei of intracellular water in cysts of the brine shrimp (*Artemia*): 246.

In: Second Annual Meeting of the Society for Magnetic Resonance Imaging Grenelife. Eds Smith, F.W.; J. Gore; Orlando, Florida, U.S.A.

1503.

Heath, H.-1924.

The external development of certain phyllopods.

J. Morph., 38(4):453-483.

1504.

Hedgecock, D.; Tracey, M.L.; Nelson, K.-1982.

Chapter 6. Genetics: 283-403.

In: The Biology of Crustacea. Volume 2. Embryology, Morphology, and Genetics. Eds Bliss, D.E.; L.G. Abele; Academic Press, New York, U.S.A.

1505.

Hedgpeth, J.W.-1957.

Estuaries and Lagoons. II. Biological aspects.

Mem.geol.Soc.Am., 67(1):693-729.

1506.

Hedgpeth, J.W.-1959.

Some preliminary considerations of the biology of inland mineral waters.

Archivio Oceanogr.Limnol., 11(suppl.):111-141.

1507.

Heidorn, D.B.; Rorschach, H.E.; Hazlewood, C.F.; Nicklow, R.M.-1984.
Neutron scattering studies on water in macromolecular structures.

Biophys. J., 45(2,2): 163a, Abstract Number T-PM-C3.

1508.

Heim, W.G.-1976.

The influence of salt concentration on the morphology of the brine shrimp *Artemia gracilis* Verril: 129-130.

In: Research Problems in Biology. Investigations for Students. Series 2. Ed. Curtis, D.S.; Biological Science Curriculum Study. Oxford University Press, New York, U.S.A.

1509.

Hein, R. von-1950.

How to get the most from brine shrimp eggs.

Aquar., 21(2):26-31.

1510.

Heinrich, W.-1977.

Calculation of the radiobiological effects of heavy ions on eggs of *Artemia salina* flown in the biostack experiments.

Life Sciences and Space Research, 15:157-163.

1511.

Heip, J.; De Chaffoy, D.; Mettric, R.; Moens, L.; Slegers, H.; Swennen, L.; Van Broekhoven, A.; Kondo, M.-1977.

Biochemical aspects of development of the brine shrimp, *Artemia salina* (L.): 19-36.

In: Fundamental and Applied Research on the Brine Shrimp, *Artemia salina* (L.) in Belgium. EMS Spec. Publ.2. Eds Jaspers, E;G. Persoone; Inst.Mar.Sc.Res., Bredene, Belgium, 110pp.

1512.

Heip, J.; Moens, L.; Herstens, R.; Wood, E.J.; Heyligen, H.; Van Broekhoven, A.; Vrints, R.; De Chaffoy, D.; Kondo, M.-1980.

Artemia extracellular hemoglobins: ontogeny, structure and in vivo radiolabeling: 427-448.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1513.

Heip, J.; Moens, L.; Joniau, M.; Kondo, M.-1978.
Ontogenetical studies on extracellular hemoglobins of *Artemia salina*.
Devl Biol., 64(1):73-81.

1514.

Heip, J.; Moens, L.; Kondo, M.-1977.
Ontogeny of the hemoglobins in *Artemia salina* (L.): 71-75.
In: Fundamental and Applied Research on the Brine Shrimp, *Artemia salina* (L.) in Belgium, EMS Spec. Publ. 2; Ed. Jaspers E.; Inst. for Mar.Sc.Res., Bredene, Belgium, 110pp.

1515.

Heip, J.; Moens, L.; Kondo, M.-1977.
Ontogeny of hemoglobins in the brine shrimp, *Artemia salina* (L.).
Arch.Int.Bioch.Physiol., 85:177-178.

1516.

Heip, J.; Moens, L.; Kondo, M.-1978.
Effect of concentrations of salt and oxygen on the synthesis of extracellular hemoglobins during development of *Artemia salina*.
Devl Biol., 63:247-251.

1517.

Heldt, H.-1926.
Sur la présence d'*Artemia salina* L. dans les anciens ports de Carthage.
Station Océanographique de Salammbo, Notes, Tunis, 4:3-4.

1518.

Heldt, H.-1926.
Sur la présence d'un cysticercoïde chez *Artemia salina* L.
Station Océanographique de Salammbo, Notes, Tunis, 5:3-8.

1519.

Helfrich, P.-1971.
Pond culture of brine shrimp (R/1A-05).
Sea Grant Institutional Program Year Four. Volume 2. University of Hawaii, D27-D29.

1520.

Helfrich, P.-1971.
The culture of *Artemia* in hypersaline ponds. Sea Grant Year 03 at the University of Hawaii.
The University of Hawaii Sea Grant Program. UNIHI-SEAGRANT-MS-72-02. 33.

1521.

Helfrich, P.-1972.
A preliminary report on the feasibility of brine shrimp production on Christmas Island, Central Pacific.
University of Hawaii, U.S.A., 233 pp.

1522.
Helfrich, P.-1973.
The feasibility of brine shrimp production on Christmas Island.
Sea Grant Technical Report UNIHI-SEAGRANT-TR-73-02: 173pp.
1523.
Helm, M.M.; Hepper, B.T.; Spencer, B.E.; Walne, P.R.-1974.
Lugworm mortalities and a bloom of *Gyrodinium aureolum* Hulbert in the
eastern Irish Sea. Autumn 1971.
J.mar.biol.Ass.U.K., 54:857-869.
1524.
Hempel, G.-1970.
Fish-farming, including farming of other organisms of economic
importance. Convener's report of an informal session, held on
September 11, during the int. Helgoland Symposium, 1969.
Helgolander wiss.Meeresunters., 21:445-465.
1525.
Hempel-Zawitkowska, J.-1971.
Resistance of eggs of *Artemia salina* L. to low temperature as related
to several chosen environmental factors.
Polskie Arch. Hydrobiol., 18(3): 287-294.
1526.
Hentschel, C.C.; Tata, J.R.-1976.
The molecular embryology of the brine shrimp.
Trends in Biochemical Sciences, 1(5):97-100.
1527.
Hentschel, C.C.; Tata, J.R.-1977.
Differential activation of free and template engaged RNA polymerase I
and II during the resumption of development of dormant *Artemia*
gastrulae.
Devl Biol., 57(2): 293-304.
1528.
Hentschel, E.-1963.
Zum neurosekretorischen System der Anostraca (*Artemia salina* Leach;
Chirocephalus grubei Dybowsky).
Zool.Anz., 170:187-190.
1529.
Hentschel, E.-1965.
Neurosekretion und Neurohaemalorgan bei *Chirocephalus grubei* Dybowsky
und *Artemia salina* L. (Anostraca Crustacea).
Z.wiss.Zool., 171:46-79.
1530.
Hentschel, E.-1967.
Experimentelle Untersuchungen zum Hautungsgeschehen geschlechtsreifer
Artemien. (*Artemia salina* Leach, Anostraca, Crustacea).
Zool.Jb.Physiol., 73:336-342.

1531.

Hentschel, E.-1968.

Die postembryonalen Entwicklungsstadien von *Artemia salina* Leach bei verschiedenen Temperaturen (Anostraca, Crustacea).

Zool.Anz., 180:372-384.

1532.

Herald, E.S.; Dempster, R.P.-1965.

Brine shrimp versus copper solutions.

Aquar.J., 36:334-336.

1533.

Herald, E.S.; Rakowicz, M.-1951.

Stable requirements for raising seahorses.

Aquar.J., 22:234-242.

1534.

Herbst, D.B.; Dana, G.L.-1977.

Salinity tolerance in *Ephydra* and *Artemia*.

In: An ecological study of Mono Lake, California. Ed. Winkler, D.W.; Institute of Ecology Publ.No.12, University of California, U.S.A.

1535.

Herbst, D.B.; Dana, G.L.-1980.

Environmental physiology of salt tolerance in an alkaline salt lake population of *Artemia* from Mono Lake, California, U.S.A.: 157-167.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry,

Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1536.

Heredia, C.F.-1979.

Regulacion del expression genetica a nivel de transcripcion durante la differenciacion de *Artemia salina*.

Fundacion Juan March, Serie Universitaria 101. Madrid, Spain, 48 pp.

1537.

Heredia, C.F.-1984.

Developmental changes of *Artemia* ribonuclease.

Comp. Biochem. Physiol., 78B(2): 407-411.

1538.

Heredia, C.F.-1984.

Inhibition of endoribonuclease VI from *Artemia* larvae by cytidine 2'-phosphate.

Biochem. biophys. Res. Comm., 12(1): 408-412.

1539.

Heredia, C.F.; Sebastian, J.; Miralles, J.-1976.

Introduction of nuclease activity during the *Artemia salina* differentiation: 11-8-381.

10th Int.Congr.on Biochemistry, Hamburg, F.R.G., Abstract.

1540.

Hernandorena, A.-1963.

Mise en évidence de l'action de la vitamine B12 sur la survie d'*Artemia salina*.

Bulletin du Muséum National d'Histoire Naturelle, 35(5):507-514.

1541.

Hernandorena, A.-1970.

Obtention de morphogénèses appendiculaires abortives et surnuméraires chez *Artemia salina* (L.), Crustacée, Branchiopode par carences alimentaires de base pyrimidique et de nucléotide purique.

C.r.hebd.Seanc.Acad.Sci., Paris, 271:1406-1409.

1542.

Hernandorena, A.-1970.

Action de deux inhibiteurs d'enzymes intervenant dans le métabolisme des ptérines chez *Artemia salina* (L.) (Phyllopoda) en milieu axénique Crustaceana, 19:49-58.

1543.

Hernandorena, A.-1972.

Evidence for xanthine dehydrogenase action on lipid metabolism in *Artemia salina* (L.).

Comp.Biochem.Physiol., 42A:939-944.

1544.

Hernandorena, A.-1972.

Signification morphogénétique du besoin alimentaire en acides nucléiques chez *Artemia salina*. I.Besoin en thymidine.

Archs Zool.exp.gen., 113:425-432.

1545.

Hernandorena, A.-1972.

Signification morphogénétique du besoin alimentaire en acides nucléiques chez *Artemia salina*. II.Besoin en dérivés puriques.

Archs Zool.exp.gen., 113:489-498.

1546.

Hernandorena, A.-1974.

Besoin alimentaire en acide adénylique, croissance et morphogénèse d'*Artemia salina*.

Annls Nutr.Aliment., 28:65-82.

1547.

Hernandorena, A.-1974.

Effects of salinity on nutritional requirements of *Artemia salina*.

Biol.Bull., 146(2):238-248.

1548.

Hernandorena, A.-1974.

Nutrition, croissance et métabolisme d'*Artemia salina* (L.).

Thesis, University of Paris, France, 154 pp.

1549.

Hernandorena, A.-1975.

Metabolic significance in nucleic acid metabolism and protein.
Biol.Bull., 148:416-428.

1550.

Hernandorena, A.-1976.

Adaptation métabolique à un régime lipidique. Croissance et
morphogénèse chez *Artemia salina* (L.).
Annls Nutr.Aliment., 39:629-636.

1551.

Hernandorena, A.-1976.

Effects of temperature on the nutritional requirements of *Artemia salina*.

Biol.Bull., 151(2):314-321.

1552.

Hernandorena, A.-1977.

Action antagoniste de nucléotides purique et pyrimidique alimentaires sur la morphogénèse appendiculaire d'*Artemia salina* (L.) (Crustacé, Brachiopode).

C.r.hebd.Séanc.Acad.Sci., Paris, 284:1337-1339.

1553.

Hernandorena, A.-1979.

Influence of dietary purines and pyrimidines on *Artemia* postembryonic development: 233-238.

In: Biochemistry of *Artemia* development. Eds Bagshaw, J.C.;A.H. Warner; University Microfilms International, Ann Arbor, U.S.A., 239 pp.

1554.

Hernandorena, A.-1979.

Relationships between purine and pyrimidine dietary requirements and *Artemia salina* morphogenesis.

Comp.Biochem.Physiol., 62B:7-12.

1555.

Hernandorena, A.-1980.

Influences du mode de couverture de besoin alimentaire d'*Artemia* (Crustace Branchiopode) en dirives purique sur les effets morphogénétiques de la carence alimentaire en acide folique . C. r. hebd. Séanc. Acad. Sci., Paris, Series D. Sciences Naturelles, 290: 1475-1478.

1556.

Hernandorena, A.-1980.

Programmation of postembryonic development in *Artemia* by dietary supplies of purine and pyrimidine: 208-218.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1557.

Hernandorena, A.-1981.

Activité enzymatique spécifique et expression d'une information génétique chez Artemia (Crustace Branchiopode).

C. r. hebd. Seanc. Acad. Sci., Paris, Series D. Sciences Naturelles, 292: 705-708.

1558.

Hernandorena, A.-1981.

Metabolic significance of the dietary CMP requirement in relation to Artemia morphogenesis.

Biol. Bull., 160: 265-271.

1559.

Hernandorena, A.-1983.

Artemia nutrition : 166-179.

In: Proc. Intern. Conf. Aquacultural Nutrition: Biochem. Physiol. Approaches to Shellfish Nutrition. Eds Pruder, G.D.; C.J. Langdon; D.E. Conklin; Louisiana State University, Baton Rouge, U.S.A.

1560.

Hernandorena, A.-1984.

Induction by excess dietary tryptophan of a phenocopy in Artemia.

Comp. Biochem. Physiol., 78A(2): 327-332.

1561.

Hernandorena, A.-1985.

Action de la méthionine alimentaire sur la morphogénèse appendiculaire d'Artemia. Hypothèse sur l'évolution du phénotype de ce crustacé.

Reprod. Nutr. Develop., 25(1A): 75-81.

1562.

Hernandorena, A.-1985.

An increased tryptophan requirement induced by interference with purine interconversion in Artemia.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1563.

Hernandorena, A.; Kaushik, S.J.-1981.

Ammonia excretion of Artemia sp. (Crustacea: Branchiopoda) under axenic conditions.

Mar. Biol., 63: 23-27.

1564.

Hernandorena, A.; Kaushik, S.J.-1982.

Excration d'ammoniaque: Indice de l'utilisation de l'azote purique chez Artemia.

Publications de Centre National pour l'Exploitation des Oceans. Actes de Colloques. Indices Biochimique et Milieux Marins, 14: 249-254.

1565.
Hernandorena, A.; Kaushik, S.J.-1983.
Effect of quality and quantity of dietary purine on ammonia excretion rates of *Artemia* sp.
Comp. Biochem. Physiol., 76B(3): 637-641.
1566.
Hertel, H.-1977.
Aspekte zur Photorezeption von *Artemia salina*.
Verh.dt.zool.Ges., 70:223.
1567.
Hertel, H.-1980.
The compound eye of *Artemia salina* (Crustacea). I. Fine structure when light and dark adapted.
Zool. Jahrbucher Physiologie, 84: 1-14.
1568.
Hertel, H.-1980.
The compound eye of *Artemia salina* (Crustacea). II. An analysis by electrophysiological methodes.
Zool. Jahrbucher Physiologie, 84: 15-25.
1569.
Hertwig, G.-1931.
Artemia salina, ein Beispiel fur die Entstehung einer Gigas-Varietät durch gleichzeitige Verdoppelung der Chromosomenzahl und des Chromosomenyolumens.
Gegenbaurs morph.Jb., 67:371-380.
1570.
Herwig, N.-1979.
Disease prevention and control.
FAMA, 11(10):29-31.
1571.
Hess, C.-1913.
Eine neue Methode zur Untersuchung des Lichtsinnes bei Krebsen.
Arch. vergl. Ophthal., 4: 52-67.
1572.
Hess, C.-1919.
Der Lichtsinn der Krebse.
Pflugers Arch.ges.Physiol., 174:245-284.
1573.
Heyligen, H.; Moens, L.; Heip, J.; Kondo, M.-1980.
Identification of haem-containing domains in *Artemia* haemoglobins.
Archs int. Physiol. Biochim., 88: B137-B138.
1574.
Heyligen, H.; Moens, L.; Kondo, M.-1981.
Subunit composition of *Artemia* haemoglobins.
Archs int. Physiol. Biochim., 89(1): B19-B20.

1575.

Heyligen, H.; Moens, L.; Kondo, M.-1981.

Subunit composition of *Artemia haemoglobins*.

Biochem. Soc. Trans., 9(2): 264P, Abstract Number Thu-S31-15.

1576.

Higgins, K.W.; Barta, O.-1979.

Identification of orders and species of Crustaceans (Calinoda and Decapoda) by immunodiffusion and SDS-polyacrylamide gel electrophoresis (SDS-PAGE).

Am. Zool., 19: 871, Abstract Number 80.

1577.

Higuchi, M.; Komatsu, K.; Mukade, A.-1980.

Assessment of tritium effect on brine shrimp, *Artemia salina*, reared in a model ecosystem contaminated with tritiated water: 13-25.

In: Radiation Effects on Aquatic Organisms. Eds Egami, N.; Japan Science Society Press, Tokyo, Japan and University Park Press, Baltimore, Maryland, U.S.A.

1578.

Higuchi, M.; Mukade, A.-1976.

Distribution of the bound form tritium in the whole body of brine shrimps, *Artemia salina* reared in the seawater containing tritiated water.

Radio. Isotopes, Tokyo, 25:814-817.

1579.

Hill, M.-1977.

"Topless" brine shrimp.

Aquascope, 12:1.

1580.

Hinchcliffe, P.R.; Riley, J.P.-1972.

The effect of diet on the component fatty-acid composition of *Artemia salina*.

J.mar.biol.Ass.U.K., 52:203-211.

1581.

Hines, H.B.; Middleditch, B.S.; Lawrence, A.L.-1980.

The effect of temperature on the biochemistry of the brine shrimp *Artemia* during development: 169-183.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1582.

Hinton, H.E.-1954.

Resistance of the dry eggs of *Artemia salina* (L.) to high temperatures.

Annls Mag.nat.Hist., 7:158-160.

1583.

Hinton, H.E.-1968.

Reversible suspension of metabolism and the origin of life.

Proc.R.Soc., Series B, 171:43-56.

1584.

Hinton, R.A.-1975.

Controlled eutrophication of sewage using algae and Artemia: Polio virus transmission.

Thesis, University of Texas, U.S.A.

1585.

Hirano, R.; Oshima, Y.-1963.

On the rearing of larvae of marine animals with special reference to their food organisms.

Bull.Jap.Soc.scient.Fish., 29(3):282-297.

1586.

Hiroki, M.-1974.

Sex difference and the effect of crowding on the phototactic behavior of *Artemia salina*. (In Japanese, English abstract).

Zool.Mag., Tokyo, 83(1):83-90.

1587.

Hiroki, M.-1979.

Utilization of Artemia for biology education.(I) Phototaxis and visual function (in Japanese).

Ann.Res.Sc.Ed.Kyoto Univ.of Ed., 9:7-15.

1588.

Hiroki, M.; Koshida, Y.-1976.

Nauplian eye and its role in the phototactic behavior of *Artemia salina*.

Zool.Mag., Tokyo, 85(1):78-83.

1589.

Hiroki, M.; Koshida, Y.-1977.

Artemia as a material for biology education (in Japanese).

Ann.Res.Sc.Ed.Kyoto Univ. of Ed., 31(2):41-47.

1590.

Hober, R.-1899.

Ueber die Bedeutung der Theorie der Losungen fur Physiologie und Medizin.

Biol.Zbl., 19(8):271-285.

1591.

Hodes, M.E.; Thomas, J.; Morgan, S.; Conte, F.P.; Merritt, A.D.-1974.

Can brine shrimp be used to diagnose cystic fibrosis

Am.J.hum.Genet., 26(6):40.

1592.

Hodes, M.E.; Thomas, J.; Morgan, S.; Merrit, A.D.-1975.

Do brine shrimp diagnose cystic fibrosis?

Pediatr.Res., 9(11):812-816.

1593.
Hodgkin, E.P.-1959.
The salt lakes of Rottnest Island.
J.Proc.R.Soc.West.Aust., 42:84-85.
1594.
Holland, D.L.; Jones, D.A.-1981.
Micro-encapsulated feed enhances dietary value of *Artemia*.
Fish Farming Int., December 1981, 17 pp.
1595.
Holman, J.A.-1975.
Photoperiod effects on reproduction in *Artemia salina* from the Great Salt Lake.
Bull. Ecol. Soc. Am., 56: 56.
1596.
Holton, R.L.-1968.
Effects of ⁶⁰Co gamma irradiation on the reproductive performance of the brine shrimp, *Artemia*.
Thesis. Oregon State University, U.S.A., 81 pp.
1597.
Holton, R.L.; Osterberg, C.L.; Forster, W.O.-1971.
Effect of gamma irradiation on the reproductive performance of *Artemia* as determined by individual pair matings.
Proc.3rd Nat.Symp.Radioecol., 1191-1197.
1598.
Holton, R.L.; Osterberg, C.L.; Forster, W.O.-1971.
Effect of gamma irradiation on the maintenance of population size in the brine shrimp, *Artemia*.
Proc.3rd.Nat.Symp.Radioecol., 1198-1205.
1599.
Hood, D.H.-1958.
Waste disposal in marine waters.
Proc.6th Conf.Coastal Eng.:607.
1600.
Hood, D.H.; Duke, T.W.; Stevenson, B.-1960.
Measurement of toxicity of organic wastes to marine organisms.
Journal Water Pollution Control Federation, 32(9):982-993.
1601.
Hootman, S.R.; Conte, F.P.-1974.
Fine structure and function of the alimentary epithelium in *Artemia salina* nauplii.
Cell Tissue Res., 155(4):423-436.
1602.
Hootman, S.R.; Conte, F.P.-1975.
Functional morphology of the neck organ in *Artemia salina* nauplii.
J.Morph., 145(3):371-386.

1603.

Hootman, S.R.; Harris, P.J.; Conte, F.P.-1972.
Surface specialization of the larval salt gland in *Artemia salina*
nauplii.
J.comp.Physiol., 79:97-104.

1604.

Horiguchi, Y.; Tsujii, T.-1963.
Mortality of the pearl oyster, *Pinctada martensii* in seawater
containing the extracts of bark of hamleek, *Terga diversifalia* and of
spruce *Pecea jeroensis*.
J.Fac.Fish.Univ.Mic., 6:26-38.

1605.

Horne, F.R.-1966.
The effect of digestive enzymes on the hatchability of *Artemia salina*
eggs.
Trans.Am.Microsc.Soc., 85(2):271-274.

1606.

Horne, F.R.-1967.
Effects of physical-chemical factors on the distribution and occurrence
of some southeastern Wyoming Phyllopods.
Ecology, 48(3):472-477.

1607.

Horne, F.R.-1974.
Phyllopods of some southern high plains salina playas.
SWest.Nat., 18(4):475-479.

1608.

Horst, M.H.-1980.
The biosynthesis of crustacean chitin by a microsomal enzyme from
larval brine shrimp.
Fedn. Proc., 39(6): 1634, Abstract Number 174.

1609.

Horst, M.H.-1981.
The involvement of polyprenol intermediates in the biosynthesis of
crustacean chitin.
Fedn Proc., 40(6): 1597, Abstract Number 333.

1610.

Horst, M.H.-1981.
The biosynthesis of crustacean chitin by a microsomal enzyme from
larval brine shrimp.
J. Biol. Chem., 256(3): 1412-1419.

1611.

Horst, M.H.-1983.
The biosynthesis of crustacean chitin. Isolation and characterization
of polyprenol-linked intermediates from brine shrimp microsomes.
Archs Biochem. Biophys., 223(1): 254-263.

1612.
Horst, M.H.-1983.
Lipid-linked oligosaccharides and their role in primer formation for crustacean chitin synthesis.
Fedn Proc., 42(7): 2164, Abstract Number 2378.
1613.
Horst, M.H.-1985.
Solubilization and partial characterization of N-acetyl-glucosamine-1-phosphate transferase from larval brine shrimp.
Fedn Proc., 44(5): 1408, Abstract Number 5831.
1614.
Hoshikawa, C.; Kurata, S.; Kumamoto, I.; Konomi, S.; Okada, A.; Kondo, H.; Fijishima, P.-1979.
Phototactic behavior in *Artemia*. (in Japanese).
Live Teaching Material Information Service, 43: 643-647.
1615.
Hoss, D.E.-1964.
Accumulation of Zinc-65 by flounder of the genus *Paralichthys*.
Trans.Am.Fish.Soc., 94:364-368.
1616.
Howell, B.R.-1971.
Rearing the larvae of the lemon sole, *Microstomus kitt* Walbaum on cultured foods.
ICES-CM E26, 6pp.
1617.
Howell, B.R.-1973.
Marine fish culture in Britain. VIII. A marine rotifer, *Brachionus plicatilis* Muller, and the larvae of the mussel, *Mytilus edulis* L. as food for larval flatfish.
J.Cons.int.Expl.Mer., 35(1):1-6.
1618.
Howell B.R.; Bromley, P.J.; Adkins, T.C.-1981.
The food value of *Artemia* for larval turbot, *Scophthalmus maximus*; effects on survival, growth and acceptance of a compound feed.
Int. Council for the Exploration of the Sea, CM 1981/F:10,
1619.
Hsu, F.-1933.
The Anostraca of Nanking and its vicinity.
Sci.Soc.China Biol.Lab.Contrib.Zool.Ser.9:329-340.
1620.
Hsu, W.J.-1968.
Carotenoid transformations in *Artemia salina*.
Thesis. University of California, U.S.A.; Diss.Abstr., 1969, 29-4029.

1621.

Hsu, W.J.; Chichester, C.O.; Davies, B.H.-1970.
The metabolism of beta-carotene and other carotenoids in the brine shrimp *Artemia salina* L.(Crustacea Branchiopoda).
Comp.Biochem.Physiol., 32(170):69-79.

1622.

Huang, F.L.; Warner, F.L.-1974.
Control of protein synthesis in brine shrimp embryos by repression of ribosomal activity.
Archs Biochem.Biophys., 163:716-727.

1623.

Hudson, R.A.; Austerberry, C.F.; Bagshaw, J.C.-1981.
Phthalate ester hydrolases and phthalate ester toxicity in synchronously developing larvae of the brine shrimp (*Artemia*).
Life Sciences, 29: 1865-1872.

1624.

Hudson, R.A.; Bagshaw, J.C.-1978.
Loping larvae of the brine shrimp, *Artemia salina*.
Fedn Proc., 37:1702.

1625.

Hudson, R.A.; Giancarlo, T., III; Austerberry, C.F.; Bagshaw, J.C.-1982.
Isolation and partial purification of phthalate ester hydrolyzing enzyme(s) from the brine shrimp, *Artemia*.
Toxicology Letters, 10: 389-394.

1626.

Huet, J.; Sentenac, A.; Fromageot, P.-1982.
Spot-immunodetection of conserved determinants in eukaryotic RNA.
Study with antibodies to yeast RNA polymerase subunits.
J. Biol. Chem., 257(5): 2613-2618.

1627.

Huggins, A.K.-1969.
The metabolism of 2-14C sodium acetate by the brine shrimp *Artemia salina*, and the effect of alteration in salinity.
Comp.Biochem.Physiol., 29:439-445.

1628.

Huggins, A.K.; Boulton, A.P.-1970.
The metabolism of trehalose during morphogenesis of the brine shrimp *Artemia salina*.
Biochem.J., 117:42p.

1629.

Huggins, A.K.; Munday, K.A.-1968.
Crustacean metabolism: 271-378.
In: Advances in comparative physiology and biochemistry, vol.3; Ed. Lowenstein, O.; Academic Press, New York, U.S.A.

1630.

Hultin, T.-1968.

In vivo unprogrammed animal ribosomes: 379-394.

In: Biochemistry of ribosomes and messenger-RNA.

International Symposium, Castle Reinhardtsbrunn, May 23-26, 1967. Eds Lindigkeit,R.;P. Langen;J. Richter; Abhandlungen der deutsche.

1631.

Hultin, T.; Kallin, B.; Lake, M.; Nilsson, M.O.-1977.

Membrane-associated messenger RNA in *Artemia salina*: 238-243.

In: Translation of natural and synthetic polynucleotides. Ed.Legocki, A.B.;Poznan Agricultural University, Poznan, Poland, 422 pp.

1632.

Hultin, T.; Lake, M.; Nilsson, M.O.; Nygard, O.-1980.

Role of cytoplasmic membranes in the latency of protein synthesis in *Artemia* embryos: 449-465.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1633.

Hultin, T.; Morris, J.E.-1967.

Unprogrammed ribosomes from cysts of the brine shrimp *Artemia salina*. Fourth FEBS Meeting, Oslo, Norway. Abstract Number 58.

1634.

Hultin, T.; Morris, J.E.-1968.

The ribosomes of encysted embryos of *Artemia salina* during cryptobiosis and resumption of development.

Devl Biol., 17(2):143-164.

1635.

Hultin, T.; Naslund, P.H.; Nilsson, M.O.-1969.

Dissociation of ribosomes from dormant cysts of *Artemia salina* in potassium-free media.

Exptl Cell Res., 55:269-274.

1636.

Hultin, T.; Nilsson, M.O.-1980.

The molecular biology of *Artemia*: 83-103.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1637.

Hummelinck, P.W.-1932.

Zoologische Ergebnisse einer Reise nach Bonaire, Curacao und Aruba im Jahre 1930. No.1. Reisebericht.

Zool.Jb., 64(35):289-326.

1638.

Humphreys, W.J.-1974.

Fractographic studies of biological specimens by scanning electron microscopy.

Proc. 32nd. Ann. Meeting of the Electron Microscopic Society of America, 318-319.

1639.

Humphreys, W.J.; Hays, T.L.; Pease, R.F.W.-1967.

Transmission and scanning electron microscopy of cryptobiotic cytoplasm.

Proc. Electron Microscopic Society of America, 25:50-51.

1640.

Huner, J.V.-1985.

The brine shrimp, Genus *Artemia*: 547-461.

In: Crustacean and Mollusk Aquaculture in the United States. Eds

Huner, J.V.; E.E. Brown. The AVI Publishing Company, Westport, Connecticut, U.S.A.

1641.

Hunt, J.D.; (Ed.)-1980.

Marine organisms in science teaching. Sea Grant College Program.

Texas A&M University. College Station, Texas, U.S.A. TAMU-SG-80-403, 192 pp.

1642.

Hunter, J.R.-1972.

Swimming and feeding behavior of larval anchovy *Engraulis mordax*. US Fish.Bull., 70:821-838.

1643.

Hurley, A.C.-1976.

Feeding behavior, food consumption, growth and respiration of the squid *Loligo opalescens* raised in the laboratory.

Fish Bull.Calif., 74(1):176.

1644.

Huslin- 1971.

Hatchery for brine shrimp eggs or the like.

U.S. Patent No.3, 604,395.

1645.

Hussainy, S.U.-1969.

Ecobiological studies of some microbiota of lakes in western Australia.

Ph. D. Thesis. Nonash University, Australia, 237 pp.

1646.

Hutasingh, R.-1977.

A preliminary experiment on culturing of *Artemia salina* (L.) (in Thai, english summary).

Technical Report, Rayang Fish.Stat.

Brachishwater Division, Thailand Dept. of Fisheries, 44 pp.

1647.

Hutasingh, R.; Auspendpand, N.; Sakorngarn, S.; Vanithehacheva, P.; Kabibcum, S.-1979.
A preliminary experiment on brine shrimp (*Artemia salina* L.) cysts production in salt ponds conditions.
Thailand Department of Fisheries, 23pp.

1648.

Hutasingh, R.; Napetapath, J.; Narang, P.-1978.
Experiment on culturing of *Artemia salina* L. with ricebran suspension (in Thai, english summary).
Technical Report, Rayang Fisheries Station, Thailand Department of Fisheries, 26 pp.

1649.

Hutchinson, F.; Easter, S.S.-1960.
A difference between biological effects of gamma rays and heavy ions. Science, N.Y., 132(3436):1311-1312.

1650.

Hutchinson, G.E.-1930.
Restudy of some Burgess Shale fossils.
Proc.U.S.natn.Mus., 78(11):1-24.

1651.

Hutchinson, G.E.-1937.
Limnological studies in Indian Tibet.
Int.Rev.Hydrobiol., 35:134-177.

1652.

Hutchinson, G.E.-1967.
A treatise on limnology, Vol.2.
John Wiley & Sons, New York, U.S.A., 1115 pp.

1653.

Ichimura, H.; Yamaki, T.-1975.
Indole-3-acetic acid in animals embryos.
Scient.Pap.Coll.gen.Educ.Tokyo, 25(1):43-48.

1654.

Igarashi, K.; Hashimoto, S.; Miyake, A.; Kashiwagi, K.; Hirose, S.-1982.
Increase of fidelity of polypeptide synthesis by spermidine in eukaryotic cell-free systems.
Eur. Biochem., 128(2/3): 597-604.

1655.

Ikeda, T.-1977.
Feeding rates of planktonic copepods from a tropical sea.
J.exp.mar.Biol.Ecol., 29(3):263-278.

1656.

Ilan, E.; Daniel, E.-1981.

Structure of arthropod erythocruorins: 77-83.

In: Invertebrate Oxygen-Binding Proteins. Eds Lamy, J.; J. Lamy; Marcel Dekker, Inc., New York, U.S.A.

1657.

Imada, O.; Kageyama, Y.; Watanabe, T.; Kitajima, C.; Fujita, S.; Yone, Y.-1979.

Development of a new yeast as a culture medium for living feeds used in the production of fish seed.

Bull.Jap.Soc.Scient.Fish., 45(8):955-959.

1658.

Innes, W.T.-1951.

Brine shrimp.

Aquarium, Philad., 20(7):173-175.

1659.

Inoue, M.-1965.

On the relation of amount of food taken to the density and size of food and water temperature in rearing the phyllosoma of the Japanese spiny lobster, *Panulirus japonicus* (in Japanese).

Bull.Jap.Soc.scient.Fish., 31(11):902-906.

1660.

Inyang, N.M.-1978.

Effects of some environmental factors on growth and food consumption of the baltic palaemonid shrimp *Palaemon adspersus* var. *fabricii*.

Meeresforschung, 26(1-2):30-41.

1661.

Irvin, J.D.-1975.

Purification and partial characterization of the antiviral protein from *Phytolacca americana* which inhibits eukaryotic protein synthesis.

Archs Biochem.Biophys., 169:522-528.

1662.

Irvin, J.D.; Schuchert, P.J.; Gessner, S.; Reynolds, R.-1977.

Elongation factor 2 interaction with the ribosome: the effect of the *Phytolacca americana* protein and ricin.

Fedn Proc., 36(3):730.

1663.

Isenmann, P.-1975.

Observations sur la mouette pygmée (*Larus minutus*) en Camargue de 1971 à 1974.

Terre Vie, 29(1):77-88.

1664.

Isenmann, P.-1976.

Contribution à l'étude de la biologie de la reproduction et de l'étho-écologie du goéland raireur *Larus genei*.

Ardea, 64(1-2):48-61.

1665.
Ishibashi, N.-1974.
Feeding, starvation and weight changes of early fish larvae: 339-344.
In: The early life history of fish. Ed. Blaxter, J.H.S. Springer
Verlag, Berlin, F.R.G.
1666.
Ishikawa, H.-1977.
Comparative studies on the thermal stability of animal ribosomal RNA.
4. Thermal stability and molecular integrity of ribosomal RNA from
several prostostomes (Rotifer, roundworms.
Comp.Biochem.Physiol., 56B(3):229-234.
1667.
Issakov, J.A.; Formozov, A.N.-1946.
Unperiodical migrations of flamingos in the U.S.S.R. (English
summery).
Zool.J.Moscow, 25:473-480.
1668.
Itoh, T.-1981.
Primary structure of an acidic ribosomal protein from *Micrococcus*
lysodeikticus.
FEBS Letters, 127(1): 67-70.
1669.
Itoh, T.-1982.
Primary structure of an acidic ribosomal protein YPA1 from
Saccharomyces cerevisiae. Isolation and characterization of peptides
and the complete amino acid sequence.
Biochim. biophys. Acta, 671: 16-24.
1670.
Ivanovskii, Y.A.-1980.
Stimulatory effects of gamma-radiation and alkylating agents on
Artemia salina. Part I.
Radiobiologiya, 20(1): 62-69,
1671.
Ivanovskii, Y.A.-1980.
Stimulatory effects of ν (gamma)-radiation and alkylating agents on
Artemia salina. Part 2. The effects of ν -radiation and chemical
mutagens on the growth of *A. salina*. (in russian).
Radiobiologia, 20: 303-306.
1672.
Ivanovskii, Y.A.; Kulinich, N.M.-1980.
Stimulatory effects of ν -radiation and alkylating agents on *Artemia*
salina. Part 3. Incorporation of ^{3}H -thymidine and ^{3}H -uridine into
Artemia salina nauplii.
Radiobiologia, 20(3): 414-418.

1673.
Ivanovskii, Y.A.; Mitrofanov, Y.A.-1978.
Gamma radiation stimulation of the emergence of *Artemia salina*
nauplii(in russian).
Radiobiologya, 18(1):135-138.
1674.
Ivanovskii, Y.A.; Mitrofanov, Y.A.; Chaga, I.L.-1981.
Hatching of nauplii of *Artemia salina* at different salinity and
temperature regimes.
Soviet Journal of Marine Biology, 6(4): 202-207.
1675.
Ivleva, I.V.-1969.
Branchiopoda: 62-95.
In: Mass culture of invertebrates. Biology and Methods.Acad.Sci.of the
USSR,All-Union Hydrob.Soc.
Izdatel'stvo "Nauka",Moskva.Translated in english by "Israel Prog.for
Sc.Transl.",
1676.
Iwanami, Y.-1973.
Retaining the viability of the resting egg of brine shrimp (*Artemia*
salina) in organic solvent.
Exptl Cell Res., 78(2):470-471.
1677.
Iwanami, Y.-1974.
Heat resistance of pollen grain and egg of brine shrimp.
Jap.J.Palynol., 12:25-27.
1678.
Iwanami, Y.-1984.
The viability of pollen grains of a lili (*Lilium auratum*) and the eggs
of the brine shrimp (*Artemia salina*) soaked in organic solvents for 10
years.
Experientia, 40(6): 568-569.
1679.
Iwasaki, K.-1982.
Translation of poly(A) in eukaryotic cell-free systems.
J. Biochem. Tokyo, 91: 1617-1627.
1680.
Iwasaki, T.-1958.
Effect of X-rays on water content of *Artemia* eggs - preliminary
report.
Proc. 2nd symposium on atomic energy, 4:232-234.
1681.
Iwasaki, T.-1958.
The effects of water content on X-ray sensitivity in *Artemia* eggs:
133.
Radiat.Res., 9:84-206.

1682.

Iwasaki, T.-1959.

Effect of the moisture content on gamma ray sensitivity in Artemia salina eggs.

Bull.Inst.Chem.Res., 37:400-404.

1683.

Iwasaki, T.-1962.

Effects of fractionated irradiation on encysted dry eggs of Artemia salina.

Nat.Inst.Radiat Sci., Japan, Anh.Rept., nirs-2:33.

1684.

Iwasaki, T.-1964.

Sensitivity of Artemia eggs to the gamma-irradiation. I. Hatchability of encysted dry eggs.

J.rad.Res., 5:69-75.

1685.

Iwasaki, T.-1964.

Sensitivity of Artemia eggs to the gamma-irradiation. II. Effect of water content.

J.rad.Res., 5:76-81.

1686.

Iwasaki, T.-1964.

Sensitivity of Artemia eggs to the gamma-irradiation. III. The sensitivity and duration of hydration.

J.rad.Res., 5:91-96.

1687.

Iwasaki, T.-1964.

Sensitivity of Artemia eggs to the gamma-irradiation. IV. After-effect of irradiation in comparison with the effect of heat-treatment.

J.rad.Res., 5:97-101.

1688.

Iwasaki, T.-1965.

Sensitivity of Artemia eggs to gamma-irradiation. V. Biological after-effect of irradiation in relation to water content and temperature.

J.rad.Res., 6:11-16.

1689.

Iwasaki, T.-1965.

Sensitivity of Artemia eggs to gamma-irradiation. VII. Relationship between the degree of biological damage and the decay of free radicals in irradiated eggs.

Int.J.Rad.Biol., 9(6):573-580.

1690.

Iwasaki, T.-1966.

Sensitivity of Artemia eggs to gamma-irradiation. VI. The effect of fractionated irradiation.

Mem.Coll.Sci.Kyoto Univ., Series B., 32:177-183.

1691.

Iwasaki, T.-1966.

Sensitivity of Artemia eggs to gamma-irradiation. VIII. Modification of amount of radiation-induced free radicals by post irradiation treatments.

Int.J.Rad.Biol., 11(2):153-159.

1692.

Iwasaki, T.-1969.

Chromosome number of Artemia salina obtained from the Great Salt Lake U.S.A..

Jap.J.Genet., 44:105-106.

1693.

Iwasaki, T.-1969.

Onset of $^{3\text{H}}$ -thymidine incorporation during embryonic development in nauplius of Artemia salina.

Annotnes zool.jap., 42:153-158.

1694.

Iwasaki, T.-1970.

Incorporation of $^{3\text{H}}$ -thymidine during oogenesis in Artemia salina.

Annotnes.zool.jap., 43(3):132-141.

1695.

Iwasaki, T.-1971.

Sensitivity of Artemia eggs to gamma-irradiation. IX. A correlation between radio-induced free radicals and hatchability in eggs exposed to beta-mercaptoethylamine.

Int.J.Rad.Biol., 20(1):39-47.

1696.

Iwasaki, T.-1973.

Protective effect of beta-mercapto-ethylamine against fast neutrons in dry eggs of Artemia salina.

Int.J.Rad.Biol., 23(1):95-97.

1697.

Iwasaki, T.-1973.

The differential radiosensitivity of oogonia and oocytes at different developmental stages of the brine shrimp, Artemia salina.

Biol.Bull., 114(1):151-161.

1698.

Iwasaki, T.-1973.

Tolerance of Artemia dry eggs for temperature, vacuum and radiation.

Supplément au Bulletin de l'Institut Internationale de Froid, Annexe 5, Paris, 79-88.

1699.

Iwasaki, T.-1975.

Reproductive patterns of Artemia.

Zool.Mag., Tokyo, 84(4):316.

1700.

Iwasaki, T.-1976.

Reproductive patterns of Artemia with special regard to food and temperature.

Zool.Mag., Tokyo, 85(3):229-236.

1701.

Iwasaki, T.-1980.

Incorporation of ^{3}H -thymidine during early developmental stages of ovoviparous and oviparous embryos in the brine shrimp Artemia salina.

Zool. Mag., Tokyo, 89:264-268.

1702.

Iwasaki, T.; Inada, T.; Kawachi, K.; Kanai, T.; Yamada, T.-1980.

Usefulness of Artemia in radiobiology: The effects of 60 MeV protons and of synchrotron orbital radiation on the eggs: 181-187.

In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology. Eds. Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 318pp.

1703.

Iwasaki, T.; Kato, Y.; Antoku, S.-1974.

A study of the biological effectiveness of high-energy electrons at ultra-high dose rates using dry eggs of Artemia.

Radiat.Res., 57:195-206.

1704.

Iwasaki, T.; Kumamoto, Y.-1974.

Modification of radiosensitivity of Artemia eggs under various high-pressure gas conditions.

Radiat.Res., 59:220.

1705.

Iwasaki, T.; Kumamoto, Y.-1975.

Radiosensitization of oxygen and nitrous oxide on Artemia dry eggs.

J.rad.Res., 16:86.

1706.

Iwasaki, T.; Kumamoto, Y.-1976.

Reevaluation of oxygen enhancement ratio on dry eggs of Artemia.

J.rad.Res., 17:53.

1707.

Iwasaki, T.; Kumamoto, Y.-1976.

The effect of oxygen on the radiation sensitivity of Artemia eggs: a preliminary result of OER on dry eggs.

Radiat.Res., 67:168-172.

1708.

Iwasaki, T.; Maruyama, T.-1971.

Comparative effects of ^{60}Co gamma-rays and 29 MeV electrons on Artemia.

Int.J.Rad.Biol., 20(5):493-496.

1709.
Iwasaki, T.; Maruyama, T.; Kumamoto, Y.-1977.
Comparative effects of ^{60}Co gamma-rays and 30 MeV fast neutrons on Artemia eggs.
J.rad.Res., 18:14. Abstract Number 1-B-7.
1710.
Iwasaki, T.; Maruyama, T.; Kumamoto, Y.; Kato, Y.-1971.
Effects of fast neutrons and ^{60}Co gamma-rays on Artemia.
Radiat.Res., 45:288-298.
1711.
Iwasaki, T.; Nakanishi, Y.H.-1966.
Viability and radiosensitivity of redesiccated dry eggs of Artemia following hydration(in japanese).
Zool.Mag.
Tokyo, 76(3):60-64.
1712.
Izumo, Y.; Takase, A.-1982.
Transfer and accumulation of ^{106}Ru from phytoplankton (*Dunaliella bioculata*) to zooplankton (*Artemia salina*).
Bulletin of the Institute of Public Health (Kokuritsu Koshu Eiseiin Kenkyu, Tokyo), 31(2): 81-87.
1713.
Jacker, H.J.; Dressel, H.-1968.
Usefulness of *Artemia salina* in testing the toxicity of elastics intended for pharmaceutical and medical use.
Arzneimittel Standardisierung, 14:171-178.
1714.
Jacob, P.G.-1978.
Continuous culture of the brine shrimp (*Artemia salina*).
Indian J.Marine Science, 7:306-307.
1715.
Jacob, P.G.; Zarba, M.A. ; Salem, A.A.-1980.
Results of toxicity tests with marine organisms of kuwait coast.
Indian J. Fish., 27(1/2): 111-122.
1716.
Jacobi, E.F.; Baas-Becking, L.G.M.-1933.
Salt antagonism and effect of concentration in nauplii of *Artemia salina* L..
Tijdschr.ned.dierk.Vereen., 3:145-153.
1717.
Jacques, J.M.; Dehoussé, P.-1979.
The use of antifungal in the culturing of *Artemia salina*: 71.
In: Book of Abstracts. International Symposium on the Brine Shrimp, *Artemia salina*, Corpus Christi (TX-U.S.A.), Aug.20-23, 1979; A.R.C. Ghent, Belgium, 137pp.

1718.

Jacquet, J.; Boutibonnes, P.-1971.

New research on the effects of Flava coumarins afla toxins on animals.
Bull.Acad.Vet.Fr., 44(1):65-72.

1719.

Jahn, W.; Von Campenhausen, C.-1968.

Über die Lageorientierung von Salinenkrebsen (Crustacea, Anostraca).
Experientia, 24:968.

1720.

Jahning, C.E.-1977.

Artemia culture on a commercial pilot scale: 169-172.

In: Proc.8th Ann.Meeting WMS, Ed. Avault, J.W., jr.; Louisiana State University, Baton Rouge, U.S.A., 984 pp.

1721.

James, C.M.; Abu-Rezeq, T.S.; Dias, P.-1985.

Production of Artemia biomass for feeding marine fish larvae.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1722.

James, C.M.; Al-Khars, A.M.; Al-Hinty, S.; Salman, A.E.-1982.

Production of zooplankton and Artemia for aquaculture.

Annual Research Report, Kuwait Institute for Scientific Research, 1982 : 113-115.

1723.

James, C.M.; Al-Khars, A.M.-1984.

Studies on the production of planctonic copepods for aquaculture.

Paper presented at 2nd Int. Conf. Copepoda, Ottawa, Canada, 13-17 Aug. 1984. Submitted for publication in "Syllogens",

1724.

James, C.M.; Makkeya, B.A.-1981.

Production of rotifers, *Brachionus plicatilis*, brine shrimp, Artemia salina and copepods for aquaculture.

Annual Research Report, Kuwait Institute for Scientific Research, 1981: 103-107.

1725.

James, C.M.; Suhair, A.H.; Mekkeya, B.A.-1981.

Use of chitin derived microbial detritus for the mass culture of Artemia.

In: Contributed Papers (Poster Session). World Conference on Aquaculture (Venice-Italy, September 21-25, 1981), Poster No. 78.

1726.

James, M.C.-1979.

Production of dormant cysts and nauplii of Artemia salina under controlled conditions in continuous mass culture: 72.

In: Book of Abstracts. International Symposium on the Brine Shrimp, Artemia salina, Corpus Christi (TX-U.S.A.), Aug.20-23, 1979; Artemia Reference Center, Ghent, Belgium, 137 pp.

1727.

James, M.C.-1980.

Continuous mass culture and production of *Artemia salina* collected from Tuticorin: 126.

In: Abstracts "Symposium on Coastal Aquaculture" (Cochin, India, Jan. 12-18th 1980). The Marine Biological Association of India, Cochin 682 011, India, 196 pp.

1728.

James, M.C.-1980.

The use of plate separators in continuous mass culture of *Artemia salina*: 125.

In: Abstracts "Symposium on Coastal Aquaculture" (Cochin, India, Jan. 12-18th 1980). The Marine Biological Association of India, Cochin 682 011, India, 196 pp.

1729.

James, T.C.; Hentschel, G.C.; Tata, J.R.-1979.

Gene expression during resumption of development of encysted *Artemia gastrulae*: 167-189.

In: Biochemistry of *Artemia* development. Eds Bagshaw, J.C.; A.H. Warner; University Microfilms International, Ann Arbor, U.S.A., 239 pp.

1730.

James, T.C.; Tata, J.R.-1979.

Simultaneous changes in translation efficiency and sequence complexity of messenger RNA during early development of dormant gastrulae of *Artemia salina*.

Molecular Biology Reports, 5(1/2):135.

1731.

James, T.C.; Tata, J.R.-1980.

Messenger RNA during early embryogenesis in *Artemia salina*. Altered translatability and sequence complexity.

Differentiation, 16:9-22.

1732.

Janata, W.R.-1985.

DSIR Artemia Harvesting Programme - Process Design.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

1733.

Jander, R.-1966.

Die Phylogenie von Orientierungsmechanismen der Arthropoden.

Zool.Anz., 29:266-306.

1734.

Jardel, J.P.; Nayudu, P.R.V.-1982.

Mitochondrial maturation of *Artemia salina*.

Micron, 13(3): 365-366.

1735.

Javor, B.J.-1983.

Planktonic standing crop and nutrients in a saltern ecosystem.
Limnol. Oceanogr., 28(1); 153-159.

1736.

Jayasinghe, J.M.P.K.; Sunderam, R.I.M.; Royan, J.P.; Sumitra-Vijayaraghavan-1985.

Laboratory studies on feeding and growth of some juvenile prawns: 50-57.

In: Aquaculture and related papers. NARA Occasional Papers; National Aquatic Resources Agency, Colombo, Sri Lanka. NARA/OCC/85/1, 98 pp.

1737.

Jehl, J.R.-1981.

Mono Lake: A vital way station for the wilson's phalarope.
National Geographic, 160(4): 520-525.

1738.

Jenkin, P.M.-1957.

The filter-feeding and food of flamingos (*Phoenicopteri*).
Phil.Trans.R.Soc., B240:401-493.

1739.

Jenne, F.-1960.

Story of the brine shrimp.
Aquat.J., 31(7):331-335.

1740.

Jennings, J.R.; Rainbow, P.S.-1979.

Accumulation of cadmium by *Artemia salina*.
Mar.Biol., 51(1):47-54.

1741.

Jennings, J.R.; Rainbow, P.S.-1979.

Studies on the uptake of cadmium by the crab *Carcinus maenas* in the laboratory. I. Accumulation from seawater and a food source.
Mar.Biol., 50:131-139.

1742.

Jennings, R.H.-1939.

The effect of salt concentration upon the rate of excystment of *Artemia*.

Thesis, Stanford University, Stanford, California, U.S.A., 73 pp.

1743.

Jennings, R.H.; Whitaker, D.M.-1941.

The effect of salinity upon the rate of excystment of *Artemia*.
Biol.Bull., 80(2):194-201.

1744.

Jensen, A.C.-1918.

Some observations on *Artemia gracilis*, the brine shrimp of Great Salt lake.

Biol.Bull., 34(1):18-28.

1745.

Jensen, K.-1975.

Hatching rate as bioassay. Proposal for a standard technique.
Bull. Environ. Contam. Toxicol., 14(5):562-564.

1746.

Jermakow, N.W.-1929.

Über die Farbung der Artemia salina Leach (in russian).
Russk. gidrobiol. Zh., 8(8-9):229-236.

1747.

Jeyaraj, N.; Louis, J.; Jayaraman, K.-1982.

Turnover of 32P-phosphate labelled poly(A) RNA during early development of Artemia.

Differentiation, 22: 164-169.

1748.

Jeyaraj, N.; Talib, S.; Louis, J.; Susheela, C.; Jayaraman, K.-1980.
Occurrence of poly(A) polymerase in particles rich in poly(A) RNA in the developing embryos of Artemia:305-313.

In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1749.

Jezyk, P.F.; Penicnak, A.J.-1966.

Fatty acid relationships in an aquatic food chain.

Lipids, 1:427-429.

1750.

Jhingran, V.G.; Gopalakrishnan, V.-1974.

Catalogue of cultivated aquatic organisms: plant, invertebrate, vertebrate.

FAO Fisher.Tech.Pap.No.130:1-83.

1751.

Jiang, X.-1982.

Notes on some ecological and faunal features of brachiopod Crustacea of the Xizang Plateau (China). (in chinese).

Zoological Research, 3(2): 171-184.

1752.

Johannes, R.E.-1967.

Ecology of organic aggregates in the vicinity of a coral reef.
Limnol.Oceanogr., 12(2):189-195.

1753.

Johannes, R.E.; Webb, K.L.-1970.

Release of dissolved organic compounds by marine and fresh-water invertebrates: 257-273.

In: Organic Matter in Natural Waters, Ed. Hood, D.W.; Institute of Marine Science, University of Alaska, U.S.A.

1754.

Johns, D.M.; Berry, W.J.; Mc Lean, S.-1981.

International Study on Artemia.XXI. Investigations into why some strains of Artemia are better food than others. Further some strains of Artemia are better food than others.

J. World Maricul. Soc., 12(1):303-314.

1755.

Johns, D.M.; Berry, W.J.; Walton, W.-1981.

International Study on Artemia. XVI. Survival, growth and reproductive potential of the mysid, *Mysidopsis bahia*.

J.exp.mar.Biol.Ecol., 53: 209-219.

1756.

Johns, D.M.; Peters, M.E.; Beck, A.D.-1978.

International Study on Artemia. I. An evaluation of five geographical strains of brine shrimp, *Artemia salina* as food for larval mud crabs, *Rhithropanopeus harrisii*.

Am.Zool., 18:585.

1757.

Johns, D.M.; Peters, M.E.; Beck, A.D.-1980.

International Study on Artemia. VI. An evaluation of five geographical strains of brine shrimp, *Artemia*: effects on survival and growth of two species of brachyuran larvae: 291-304.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

1758.

Johns, D.M.; Walton, W.-1979.

International Study on Artemia. X. Effects of food source on survival, growth and reproduction in the mysid, *Mysidiopsis bahia*.

Am.Zool., 19:906. Abstract Number 260.

1759.

Johnson, A.E.; Slobin, L.I.-1979.

Affinity labeling of eukaryotic elongation factors using N-bromoacetyl-Lys-tRNA.

Fedn. Proc., 38(3): 822, Abstract Number 3119.

1760.

Johnson, D.-1980.

Evaluation of various diets for optimal growth and survival of selected life stages of Artemia: 185-192.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

1761.

Johnson, P.T.-1983.

Chapter 1. Diseases caused by viruses, rickettsiae, bacteria, and fungi: 1-28.

In: The Biology of Crustacea. Volume 6. Pathobiology. Eds Bliss, D.E.; A.J. Provenzano, Jr; Academic Press, New York, U.S.A.

1762.
Joly, N.-1839.
Nouvelles observations relatives à la cause de la coloration en rouge des marais salants.
C.r.hebd.Seanc.Acad.Sci., Paris, 9:570-571.
1763.
Joly, N.-1840.
Histoire d'un petit crustacé (*Artemia salina* Leach) auquel on a faussement attribué la coloration en rouge des marais salins méditerranéens, suivie de recherches sur la cause réel.
Annls Scient.nat.Zool., 13:225-290.
1764.
Joly, N.-1862.
Notice sur les travaux scientifiques.
Toulouse, 2(1):11.
1765.
Jones, A.G.; Ewing, C.M.; Melvin, M.V.-1981.
27. Biotechnology of solar saltfields.
Hydrobiologia, 82: 391-406.
1766.
Jones, A.J.-1972.
An inexpensive apparatus for the large scale hatching of *Artemia salina* L.
J.Cons.int.Expl.Mer., 34(3):351-356.
1767.
Jones, D.A.; Gabbott, P.A.-1976.
Prospects for the use of microcapsules as food particles for marine particulate feeders: 77-91.
In: Microencapsulation. Ed. Nixon, J.R. Drugs Pharm.Sci.
Vol.2. Marcel Dekker Inc.
1768.
Jones, D.A.; Moller, T.H.; Campbell, R.J.; Munford, R.J.; Gabbott, J.G.; P.A.-1976.
Studies on the design and acceptability of micro encapsulated diets for marine particle feeders. I. Crustacea: 229-239.
In: Proc. 10th EMBS, Ostend, Belgium, Sept. 17-23, 1975. Vol. 1.
Research in Mariculture at lab, and pilot scale. Eds. Persoone, G;E. Jaspers. Universa Press, 620 pp.
1769.
Jones, D.A.; Munford, J.G.; Gabbott, P.A.-1974.
Microcapsules as artificial food particles for aquatic filter feeders.
Nature, 247(5438):233-235.

1770.

Jordan, D.S.-1889.

Report of explorations in Colorado and Utah during the summer of 1889 with an account of the fishes found in each of the river basins examined.

Bulletin of the United States Fish Commission, 9:1-40.

1771.

Jorgensen, K.F.; Jensen, K.-1977.

Effect of copper (II) chloride on the hatching rate of *Artemia salina* (L.).

Chemosphere, 6:287-291.

1772.

Jorgensen, K.F.; Jensen, K.-1978.

Effect of zinc chloride on the hatching rate of *Artemia salina* (L.).

Bickon. Rep., 6:1-5.

1773.

Joseph, J.D.-1977.

Assessment of the nutritional role of algae in the culture of larval prawns (*Macrobrachium rosenbergii*): 853-861.

In: Proc. 8th Ann. Meeting WMS; Ed. Avault, J.W.jr.; Louisiana State University, Baton Rouge, U.S.A., 984 pp.

1774.

Jost, E.; Mameli, M.-1970.

The nuclear content of DNA in 3 different strains of *Artemia salina* Leach (Phyllopoda, Branchiopodidae).

Experientia, 26:795-796.

1775.

Jumalon, N.A.; Bombeo, R.F.; Mabaylan, A.G.; Estenor, D.G.-1982.

Biology, use and culture of *Artemia*: 59-75.

Report of the Training Course on Growing Food Organisms for Fish Hatcheries in Tigbauan, Iloilo, Philippines. South China Sea Fisheries Development and Coordinating program. SCS/GEN.82/37.

1776.

Jumalon, N.A.; Estenor, D.G.; Bombeo, R.F.; Dadole, A.M.-1983.

Studies on *Artemia* production in earthen ponds in the Philippines.

Paper presented during the First International Biennial Conference on Warm-Water Aquaculture - Crustacea in BYU - Hawaii Campus, February 9-11, 1983. SEAFDEC Contr. No. 1257, 18 pp.

1777.

Jumalon, N.A.; Estenor, D.G.; Ogburn, D.M.-1985.

Commercial production of *Artemia* in the Philippines.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

1778.

Jumalon, N.A.; Ogburn, D.M.; Tibudan-Tina, B.-1985.
Nutrient-flow and physico-chemical profile studies of an integrated
poultry-salt-Artemia-Milkfish-sea Bass-Prawn/Shrimp pond production
system.

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1779.

Jumalon, N.A.; Robles, R.E.-1983.

Sampling and stocking density studies for Artemia production in ponds.
Paper presented during the First International Biennial Conference on
Warm-Water Aquaculture - Crustacea in BYU - Hawaii Campus, February 9-
11, 1983. SEAFDEC Contr. No. 126, 25 pp.

1780.

Jung, K.D.-1975.

Etude bibliographique de la sensibilité des crustacés utilisés
(Daphnia, Gammarus, Artemia) vis à vis des produits chimiques.
Bull.Cent.Belge Etude Docum.Eaux, 28:301-303.

1781.

Jungreis, A.M.; Hodges, T.K.; Kleinzeller, A.; Schultz, S.G.-1977.
Water relations in membrane transport in plants and animals.
Symposium Philadelphia Pennsylvania U.S.A. Aug.17-19,1976.

1782.

Kabuta, H.; Tominaga, Y.; Kuwabara, M.-1968.

The rhabdomeric microvilli of several arthropod compound eyes kept in
darkness.

Z.Zellforsch., 85:78-88.

1783.

Kaestner, A.-1967.

Lehrbuch der Speziellen Zoologie. Band I: Wirbellose. 2. Teil
Crustacea: 904-947.

Gustav Fischer Verlag, Stuttgart, Germany.

1784.

Kaestner, A.-1970.

Invertebrate zoology, Vol. III Crustacea.

John Wiley and Sons, New York, U.S.A., 523 pp.

1785.

Kagan, J.; Kolyvas, C.P.; Jaworski, J.A.; Kagan, E.D.; Kagan, I.A.;
Zang, L.H.-1984.

The phototoxicity of 2,5-diphenyloxazole and 1,4-bis(5-phenyloxazole-
2-yl) benzene.

Photochemistry and Photobiology, 40(4): 479-484.

1786.

Kahan, D.-1979.

Food organisms for rearing fry of mullet: 189-202.

In: EIFAC workshop on mass rearing of fry and fingerlings of fresh water fishes. Eds Huisman, E.A.;H. Hogendoorn. EIFAC Techn.Paper No.35 Suppl.1, 202pp.

1787.

Kaiser, H.E.-1980.

Species-specific potential of invertebrates for toxicological research.

University Park Press, Baltimore, Maryland, U.S.A., 224 pp.

1788.

Kakati, V.S.-1977.

Larval development of the crab, *Menippe rumphii* (Fabricius) as observed in the laboratory (Crustacea, Brachyura): 634-641.

In: Proc. Symposium on Warm Water Zooplankton, Special Publication National Institute of Oceanography, Goa, India, 722 pp.

1789.

Kallin, B.; Hultin, T.-1976.

The inhibited protein synthesis in dormant *Artemia salina* cysts: 03-6-109.

10th Int. Congr.on Biochemistry, Hamburg (F.R.G.), Abstract.

1790.

Kalthoff, H.; Richter, D.-1979.

In vivo studies on the incorporation of microinjected acidic proteins of the large ribosomal subunit from *Escherichia coli* and *Artemia salina* into oocyte ribosomes from *Xenopus laevis*.

Biochem., 18:4144-4147.

1791.

Kalthoff, H.; Richter, D.-1982.

Subcellular transport and ribosomal incorporation of microinjected protein S6 in oocytes from *Xenopus laevis*.

Biochem., 21:741-745.

1792.

Kamienski, T.-1899.

Notice préliminaire sur la nouvelle espèce de *Metschnikowia* (monospora Metschn.).

Trudy gruz.sel'.-khoz.Inst., 30:363-364.

1793.

Kanazawa, A.; Teshima, S.I.; Sasada, H.; Rahman, S.A.-1982.

Culture of the prawn larvae with micro-particulate diets.

Bull. Jap. Soc. scient. Fish., 48(2): 195-199.

1794.

Kandiuk, R.P.; Lisovskaya, V.I.; Makarov, Y.N.-1985.
Biochemical Analysis of Artemia from Kuyalnik Liman
Reservoir (USSR).

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1795.

Kandyuk, R.P.; Kaminskaya, L.D.-1977.

Study of the sterols in some crustaceans from the Black Sea.
Zh.Evol.Biohim.Fiziol., 13(4):283-286.

1796.

Kane, E.S.-1975.

Neuroanatomical clues to peripheral locomotor control in small
crustaceans (*Artemia salina*).
Am.J.Anat., 143:485-500.

1797.

Kane, E.S.-1975.

Neuroanatomical clues to peripheral locomotor control in small
crustaceans (*Artemia salina*).
Anat.Rec., 181:389.

1798.

Kanz, M.F.-1980.

The effect of the loss of shielding pigment on eye substructure and
visually oriented behavior in *Artemia franciscana*.
Thesis, Tufts University, 360 pp.

1799.

Kapler, O.-1967.

Raising brine shrimp, *Artemia salina*.

Trop.Fish Hobby., 16:61-65.

1800.

Karim, M.-1974.

Survival of brine shrimp *Artemia nauplii* under controlled conditions
of temperature and salinity.

Bangladesh J.Zool., 2(1):65-69.

1801.

Karmiol, S.-1981.

Cellular responses of *Artemia salina* to anaerobic conditions.
Thesis. University Windsor, Windsor, Ontario, Canada, 128 pp.

1802.

Kasturi, S.; Hazlewood, C.F.; Yamanashi, W.S.; Dennis, L.W.-1983.

Evidence for chemically shifted water in the brine shrimp, (*Artemia*):
Possible interpretations.
Physiological Chemistry and Physics and Medical NMR, 15(1): 5-11.

1803.

Katsutani, K.-1965.

Technical report on the mass cultivation of feed animals (in Japanese).

Okayama-ken prefectural fisheries experimental station, intermediary report: 5 pp.

1804.

Katsutani, K.-1966.

Technical report on the mass cultivation of feed animals (in Japanese).

Okayama-ken prefectural fisheries experimental station, intermediary report: 6 pp.

1805.

Katsutani, K.-1967.

Technical report on the mass cultivation of feed animals (in Japanese).

Okayama-ken prefectural fisheries experimental station, intermediary report: 37 pp.

1806.

Kawano T.; Kamel, S.; Khars, A.; Mattar, S.-1977.

Production of food organisms for shrimp and fish cultures.

Annual Research Report, Kuwait Marine Institute, 1977: 28-31.

1807.

Kawano, T.; Kojima, H.; Ohosawa, H.; Morinaga, K.-1974.

Culture method of aquatic animals.

Japanese Patent no. 885594 (Publication no. 18999/49May 14, 1974), 6 pp.

1808.

Kawano, T.; Kojima, H.; Ohosawa, H.; Moringa, K.-1976.

Feed and method of aquianimals cultivation.

United States Patent no. 3939279 (Feb.17,1979), 16 pp.

1809.

Kayama, M.; Tsuchiya, Y.; Mead, J.F.-1963.

A model experiment of aquatic food chain with special reference to fatty acid conversion.

Bull.Jap.Soc.scient.Fish., 29:452-458.

1810.

Keifer, E.-1981.

URI Research indicates variation in nutritional quality of brine shrimp.

Aquaculture magazine, 8(1):45-46.

1811.

Keilhack, L.-1909.

Phyllopoda, Blattfusser: 1-6.

In: Die Süsswasserfauna Deutschlands eine Exkursionsfauna. Ed. Brauer A.; Verlag von Gustav Fischer, Jena.

1812.

Keliherer, D.-1948.
Hatching brine shrimp eggs.
Aquat.J., 19(9):5-10.

1813.

Keliherer, D.-1952.
Hatching brine shrimp eggs.
Aquat.J., 23(1):1-5.

1814.

Kellogg, V.L.-1906.
A new Artemia and its life conditions.
Science,N.Y., 24:594-596.

1815.

Kenmochi, N.; Tsurgi, K.; Ogata, K.-1981.
Analyses of 40S and 60S ribosomal proteins of *Artemia salina* with two-
or "three-dimensional" acrylamide gel electrophoresis and comparisons
with rat liver 40S and 60S proteins.
J. Biochem., Tokyo, 89:1293-1308.

1816.

Kennedy, G.Y.-1979.
Pigments of marine invertebrates: 309-381.
In: Advances in marine biology. Eds Russell E.S.;M. Yonge; Academic
Press, New York, U.S.A.

1817.

Kerster, H.W.; Schaeffer, D.J.-1983.
Brine shrimp (*Artemia salina*) nauplii as a teratogen test system.
Ecotoxicology and Environmental Safety, 7: 342-349.

1818.

Khakverdiev, B.; Oleinikova, F.A.; Kruglova, V.M.-1978.
Material to the study of *Artemia salina* from some saline lake of
Horezm District. Biological basis of fisheries in water bodies of
Middle Asia and Kazakhstan.
Materials of 16th Research Conference, Cholpon-Ata:175-176.

1819.

Khalaif, A.N.; Lattif, M.A.; Mangalo, H.H.-1977.
A comparative study on the rates of dessication of the eggs of the
brine shrimp *Artemia salina* L. and the fairy shrimp *Chirocephalus*
diaphanus Prevost (Crustacea: Anostraca) a.
Bull.Biol.Res.Cent.(Baghdad), 9:27-40.

1820.

Khalaif, A.N.; Lattif, M.A.; Mangalo, H.H.; Salih, M.-1977.
A bio-ecological study on the brine shrimp *Artemia salina* (Anostraca -
Branchiopoda) in 2 inland brine temporary ponds in Iraq.
Bull.Biol.Res.Cent.(Baghdad), 8:37-48.

1821.

Khalaf, A.N.; Lattif, M.A.; Zahid, Z.R.-1978.

Structure and ultrastructure of the egg shell of *Artemia salina* L.
Iraq J.Biol.Sci., 6:32-39.

1822.

Khalaf, A.N.; Lattif, M.A.; Zahid, Z.R.-1980.

Structure and ultrastructure of the egg shell of *Artemia*. (Abstract):
97.

In: The brine shrimp *Artemia*. Vol. 1. Morphology, Genetics,
Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A.Roels;E.
Jaspers; Universa Press, Wetteren, Belgium, 318pp.

1823.

Khlebovich, V.V.-1969.

Aspects of animal evolution related to critical salinity and internal
state.

Mar.Biol., 2:338-345.

1824.

Khmeleva, N.N.-1967.

Energy transformation in *Artemia salina* (L.). (in russian).
Dokl.Akad.Nauk.SSSR, 175(4):934-937.

1825.

Khmeleva, N.N.-1968.

The expenditure of energy on respiration, growth and reproduction in
Artemia salina (L.). (in russian).

Biologiya Marya. Fiziologicheskie osnovy ekologii vodnykh zhivotnykh,
15:71-98.

1826.

Khmeleva, N.N.; Yakovleva, K.K.-1968.

Intensity of tetrazolium salt reduction in *Artemia salina* (in
russian).

Gidrobiol.Zh., Akad.Nauk Ukr.SSR, 4(1):67-70.

1827.

Khmeleva, N.N.; Yurkevich, G.N.-1968.

Energy metabolism in *Artemia salina* (L.) and some other Crustacea.
Dokl.Akad.Nauk SSSR, 183:978-981.

1828.

Khrokov, V.V.; Andrusenko, N.N.-1979.

Breeding characteristics of the avocet *Recurvirista avosetta* (Aves,
Charadriidae) in the Tengiz-Kurgaldzh in Depression, Kazakh SSR, USSR.
(in russian).

Vestik Zoologii, 0(4): 65-68.

1829.

Kikuchi, S.-1970.

The fine structure of the *Artemia* midgut.
Zool.Mag., Tokyo, 79:367.

1830.

Kikuchi, S.-1971.

The fine structure of the alimentary canal of the brine shrimp *Artemia salina*: the midgut.

Annual Report of Iwate Medical University, School of Liberal Arts and Sciences, 6:17-47.

1831.

Kikuchi, S.-1971.

Ultrastructural changes in the neck organ and the gill of *Artemia salina* in relation to osmotic regulation.

Zool.Mag., Tokyo, 80:399.

1832.

Kikuchi, S.-1972.

Three-dimensional networks of a tubular system in the salt-transporting cells of the gill and the neck organ of *Artemia salina* (brine shrimp).

Annual Report of the Iwate Medical University, School of Liberal Arts and Sciences, 7:15-26.

1833.

Kikuchi, S.-1973.

A gynandromorph of the parthenogenetic strain of the brine shrimp *Artemia salina* L. (Crustacea: Phyllopoda).

Annual Report of the Iwate Medical University, School of Liberal Arts and Sciences, 8:37-46.

1834.

Kikuchi, S.; Shiraishi, K.-1969.

Histochemical studies on the distribution of enzymes in the digestive system of *Artemia salina*.

Annual Report of the Iwate Medical University, School of Liberal Arts and Sciences, 4:19-33.

1835.

Kikuchi, S.; Shiraishi, K.-1976.

A fine structural study of the pleomorphic changes of the mitochondria in the developing nauplius of the brine shrimp, *Artemia salina*.

Annual Report of the Iwate Medical University, School of Liberal Arts and Sciences, 11:31-39.

1836.

King, R.L.-1866.

On the anatomy of certain forms of Australian Entomostraca.

Entomological Society of New South Wales, 1:162-166.

1837.

Kinghorn, A.D.; Harjes, K.K.; Doorenbos, N.J.-1977.

Screening procedure for phorbol esters using brine shrimp (*Artemia salina*) larvae.

J.Am.pharm.Ass., 66:1362-1363.

1838.

Kinghorn, A.D.; Jawad, F.H.; Doorenbos, N.J.-1978.

Structure-activity relationship of grayanotoxin derivates using a tetrodotoxin-antagonized spasmotic response of the brine shrimp larvae (*Artemia salina*).

Toxicon., 16:227-234.

1839.

Kinne, O.(Ed.)-1970.

Chapter 3. Temperature. 3.3 Animals. 3.31 Invertebrates: 407-514.

In: Marine Ecology. A Comprehensive, Integrated Treatise on Life in Oceans and Coastal Waters. Volume 1. Environmental Factors. Part 1. Wiley Interscience, New York, U.S.A.

1840.

Kinne, O.(Ed.)-1971.

Chapter 4. Salinity. 4.3 Animals. 4.31 Invertebrates: 821-995.

In: Marine Ecology. A Comprehensive, Integrated Treatise on Life in Oceans and Coastal Waters. Volume I. Environmental Factors. Part 2. Wiley Interscience, New York, U.S.A.

1841.

Kinne, O.(Ed.)-1976.

Chapter 2. Cultivation of marine organisms: Water-quality management and technology: 19-300.

In: Marine Ecology. A Comprehensive, Integrated Treatise on Life in Oceans and Coastal Waters. Volume III. Cultivation. Part 1. Wiley Interscience, New York, U.S.A.

1842.

Kinne, O.(Ed.)-1977.

Chapter 5. Cultivation of animals. 5.1 Research cultivation: 579-1270.

In: Marine Ecology. A Comprehensive, Integrated Treatise on Life in Oceans and Coastal Waters. Volume III. Cultivation. Part 2. Wiley Interscience, New York, U.S.A.

1843.

Kinne, O.-1963.

The effects of temperature and salinity on marine and brackish water animals. I. Temperature: 301-340.

In: Oceanography and Marine Biology. An Annual Review. Volume 1. Ed. Barnes, H.; George Allen & Unwin Ltd, London, United Kingdom.

1844.

Kinne, O.-1964.

The effects of temperature and salinity on marine and brackish water animals. II. Salinity and temperature salinity combinations: 281-339.

In: Oceanography and Marine Biology. An Annual Review. Volume 2. Ed. Barnes, H.; George Allen & Unwin Ltd, London, United Kingdom.

1845.

Kinne, O.; Paffenhofer, G.A.-1965.

Hydranth structure and digestion rate as a function of temperature and salinity in *Clava multicarinis* (Cnidaria, Hydrozoa).

Helgolander wiss. Meeresunters., 12:329-341.

1846.

Kirkpatrick, R.-1934.

The life of Great Salt Lake, with special reference to the algae.
Thesis. University of Utah, U.S.A., 30 pp.

1847.

Kirschner, L.B.-1979,,Control mechanisms in crustaceans and fishes:
157-222.

In: Mechanisms of osmoregulation in animals. Ed. Gilles, R.;John Wiley
and Sons, New York, U.S.A., 667 pp.

1848.

Kirschner, L.B.-1980.

Comparison of vertebrate salt-excreting organs.

Am.J.Physiol., 238(3):R219-R223.

1849.

Kissa, L.; Moraitou-Apostolopoulou, M.; Kiortsis, V.-1984.

Effects of four heavy metals on survival and hatching rate of Artemia
salina.

Arch. Hydrobiol., 102(2): 255-264.

1850.

Kissil G.W.; Tandler, A.-1984.

Satiation feeding versus the use of limited rations in the evaluation
of post-larval diets :In : Book of Abstracts. Int. Symp. on Feeding
and Nutrition in Fish, Univ. Aberdeen, U.K., July 10-13, 1984.

1851.

Kittaka, J.-1977.

Red sea bream culture in Japan.

Actes de Colloques du C.N.E.X.O., 4: 111-117.

1852.

Kiyomoto, R.K.-1967.

The ommochrome eye pigments of Artemia: genetic control and chemical
characterization.

Thesis. San Francisco State College, San Francisco, U.S.A.

1853.

Kiyomoto, R.K.; Poon, M.-C.; Bowen, S.T.-1969.

Ommochrome pigments of the compound eyes of Artemia salina.

Comp.Biochem.Physiol., 29:975-984.

1854.

Kiyono, M.-1982.

Studies on the effects of power plant cooling system operation on
marine fish and shellfish. 2. Thermal effect on ATP concentrations in
marine fish eggs and Artemia nauplii.

J. Central Research Institute of Electric Power Industry (Denryoku
Chuo Kenkyusho Hokoku), 0(481012): 1-18.

1855.
Klee, A.J.-1960.
Raise brine shrimp to maturity.
Aquat.J., 31(10):512-518.
1856.
Klein, H.A.-1972.
Peptide synthesis by prokaryotic eukaryotic hybrid ribosomes.
Fedn Proc., 31(2):875.
1857.
Klein, H.A.; Ochoa, S.-1972.
Peptide synthesis by prokaryotic eukaryotic hybrid ribosomes.
J.biol.Chem., 247:8122-8128.
1858.
Klein-MacPhee, G.; Howell, W.H.; Beck, A.D.-1980.
International Study on Artemia. VII. Nutritional value of five
geographical strains of Artemia to winter flounder *Pseudopleuronectes*
americanus larvae: 305-312.
In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in
Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers;
Universa Press, Wetteren, Belgium, 428pp.
1859.
Klein-Macphee, G.; Howell, W.H.; Beck, A.D.-1982.
Comparison of a reference strain and four geographical strains of
Artemia as food for winter flounder (*Pseudopleuronectes americanus*)
larvae.
Aquaculture, 29: 279-288.
1860.
Klekowski, R.Z.-1970.
Bioenergetic budgets and their application for estimation of
production efficiency.
Polskie Archw. Hydrobiol., 17:55-80.
1861.
Klopfenstein, D.; Klopfenstein, I.-1978.
Strange ways of the brine shrimp.
Fish Farming Int., 5(4):30-33.
1862.
Knapp, F.W.; Ellis, J.-1968.
Assay of water leachate of dichlorvos resin pellets.
J.econ.Ent., 68(1):130-131.
1863.
Knauf, W.; Schulze, E.-F.-1973.
New findings on the toxicity of endosulfan and its metabolites to
aquatic organisms.
Meded.Fac.Landbouwwetensch. Rijksuniversiteit Gent, 38(3):717-732.

1864.

Kneib, R.T.-1981.

Reanalysis of conversion efficiencies for larval Fundulus heteroclitus.

Mar. Biol., 63: 213-215.

1865.

Knoefel, B.-1976.

Untersuchungen zur Methodik der Verwendung von Artemia salina (Leach) in einer Testkette zur Messung der Akkumulation von Pestiziden.

Thesis, University of Hamburg, Germany, 67pp.

1866.

Kobayashi, K.; Saito, Y.; Tomiyama, T.-1972.

Incorporation of $^{32}\text{PO}_4$ directly taken-up into acid-soluble phosphates of Artemia salina.

Mar.Biol., 12(4):295-299.

1867.

Koehn, R.K.; Cole, G.A.-1964.

Arizona with records of Artemia salina and Streptocephalus dorothae.

SWest Nat., 9(4):315-316.

1868.

Koldobika-1979.

Alimentos vivos. El cultivo de Artemia salina.

Vida Acuatica, 22:780-782.

1869.

Komaki, Y.-1957.

On the "esada" (*Euphausia pacifica* H.J. Hansen) fishery in the vicinity of the Ojika Peninsula (Jap.).

Inf.Bull.Whales Res.Inst., 60:10-17.

1870.

Komatsu, K.; Higuchi, M.; Inomata, T.-1976.

Bound form tritium in phytoplankton and zooplanktons reared in seawater containing tritiumdioxide.

J.rad.Res., 17(1):11.

1871.

Komatsu, K.; Higuchi, M.; Sakka, M.-1978.

Bound form tritium incorporated into zooplanktons from tritiumoxide seawater through a food chain.

J.rad.Res., 19(1):49.

1872.

Komatsu, K.; Higuchi, M.; Sakka, M.-1981.

Accumulation of tritium in aquatic organisms through a food chain with three trophic levels.

J. rad. Res., 22: 226-241.

1873.

Kondo, M.-1980.

Biochemical and developmental studies in *Artemia*.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1874.

Kondo, M.-1981.

Biochemistry of post-cryptobiotic development in *Artemia*.

Biochem. Soc. Trans., 9(2): 110P, Abstract Number fri-S37-2.

1875.

Kondo, M.; Moens, L.; Slegers, H.; Frans, V.-1974.

The poly(A)-containing ribonucleoprotein complexes in the dormant embryos of *Artemia salina*.

Hoppe-Seyler's Zeitsch.Physiol.Chem., 355:1218-1219.

1876.

Kondo, M.; Swennen, L.; Vermeiren, H.; Ven Loock, M.; Van Broekhoven, A.; Van Hemel, J.; Moens, L.; Heip, J.-1979.

Transcription in vitro of chromatin by homologous DNA-dependent RNA polymerases and in isolated nuclei of *Artemia salina* larvae: 209-222.

A.H. Warner; University Microfilms International, Ann Arbor, U.S.A., 239pp.

1877.

Konstantinidis, V.; Castritsi-Catharios, J.; Kiortsis, V.-1983.

Field and laboratory observations on *Artemia* in two solar saltworks. Rapp. Comm. int. Mer Medit., 28(6): 177-178.

1878.

Konstantinov, A.S.-1962.

Weight of some aquatic invertebrates as function of their linear sizes.

Nauchnie doklady vysshei shkoly, biol.nauki, 3:101-104.

1879.

Koolstra, G.-1972.

Artemia salina "maxima".

Aquarium, Den Haag, The Netherlands, 42:209-211.

1880.

Kopez, V.N.-1970.

Konservvazija jaiz Artemii. (in russian).

Ribnoe Chosjaistvo, 46: 3-16.

1881.

Korpinen, E.L.-1974.

Studies on *Stachybotrys alternans*. V. Comparison of rabbit skin, mouse fibroblast culture and brine shrimp tests as detectors of *Stachybotrys*

Toxins.

Acta path.microbiol.scand., Sect.B. Microbiol.Immunol., 82(4):465-469.

1882.

Koshida, Y.; Hiroki, M.-1980.

Artemia as a multipurpose biomaterial for biology education: 289-298.
In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics,
Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E.
Jaspers; Universa Press, Wetteren, Belgium, 318pp.

1883.

Koski, W.S.; Wilson, M.; Kaufman, J.J.-1975.

Correlation between anesthetic potency and the van der Waals a
constant: 277-289.

In: Progress in Anesthesiology. Volume 1. Ed. Fink, B.R.; Raven Press,
New York, U.S.A.

1884.

Kotova, L.I.; Ivanov, A.T.-1969.

Collection and utilization of Artemia.

Rybnoe Khozyaistvo, 4:92-93.

1885.

Kouassi, N.; Ville, J.-1975.

Note préliminaire sur la croissance de Clarias lazera en fonction du
régime alimentaire des alevins (Pisces Claridae).

Annls.Univ.Abidjan Ser.E. Ecol., 8:133-138.

1886.

Kovalev, E.E.; Vikhrov, A.I.; Nevgodina, L.V.; Smirnova, O.A.-1981.

Statistical approach to analysis of the effects of single hitting the
objects by heavy ions.

Radiobiologia, 21(5): 756-761.

1887.

Kramer, G.; Cimadevilla, J.M.; Hardesty, B.-1976.

Specificity of the protein kinase activity associated with the hemin-
controlled repressor of rabbit reticulocyte.

Proc.Natn.Acad.Sci.U.S.A., 73(9):3078-3082.

1888.

Kramer, G.; Cimadevilla, J.M.; Pinphanichakarn, P.; Hardesty, B.-1976.

Translational inhibitors in Friend Leukemia cells.

Fedn Proc., 35(7):1728. Abstract Number 1887.

1889.

Kramer, G.; Hardesty, B.-1980.

Ribosomes from Artemia cysts in cell-free translation of eukaryotic
mRNA: 467-479.

In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry,
Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E.
Jaspers; Universa Press, Wetteren, Belgium, 636pp.

1890.

Kramer, G.; Konecki, D.; Cimadevilla, J.M.; Hardesty, B.-1976.

ATP requirement for binding of ^{125}I -labeled globin mRNA to Artemia
salina ribosomes.

Archs Biochem.Biophys., 174(1):355-358.

1891.

Kramer, G.; Odom, O.W.; Hardesty, B.-1979.
Polyamines in eukaryotic peptide initiation.
Metods Enzymology, Acad.Pr., N.Y., 60:555-566.

1892.

Kramer, G.; Pinphanichakarn, P.; Konecki, D.; Hardesty, B.-1975.
Globin mRNA translation on *Artemia salina* ribosomes with components
from Friend Leukemia cells.
Eur.J.Biochem., 53(2):471-480.

1893.

Kratan, S.A.-1971.
Artemia as valuable food for fish.
Rybvodstvo b rybolovstvo, 3:17.

1894.

Kratowich, N.R.-1964.
The effect of metabolic inhibitors on osmoregulation of nauplii of
Artemia salina at various salinities.
Am.Zool., 4:389-390.

1895.

Krattas, R.G.-1974.
Action of alanosine on the reproductive performance of *Habrobracon*
(*Bracon hebetor*) and three other species (*Phormia regina*, *Artemia*
salina, and *Mus musculus*).
Thesis. North Carolina State University, Raleigh, U.S.A., 106 pp.;
Univ. Microfilms, 75-10409.

1896.

Kreuz, K.F.-1985.
Harvesting Lake Abert's Brine Shrimp Fishery.
In. Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

1897.

Krinsky, N.I.-1964.
Canthaxanthin, the major carotenoid of the crustacean *Artemia salina*.
Int.Congr.Biochem., 6(7):582.

1898.

Krinsky, N.I.-1965.
The carotenoids of the brine shrimp, *Artemia salina*.
Comp.Biochem.Physiol., 16:181-187.

1899.

Krinsky, N.I.; Lenhoff, H.M.-1965.
Some carotenoids in *Hydra*.
Comp.Biochem.Physiol., 16:189-198.

1900.

Krishna, D.; Baid, I.C.-1958.
Certain observations on the ecology of *Artemia salina*.
Proc.Indian Sci.Congr.Ass., 45:347.

1901.
Krishna, P.; Baid, I.C.-1958.
Experimental studies in the population of *Artemia salina*.
Proc.Natn.Acad.Sci., U.S.A., 28:416.
1902.
Krissansen, G.W.; Tate, W.P.
; Trotman, C.N.A.-1980.
Degradation of haemoglobins during isolation from the adult brine shrimp, *Artemia salina*: A novel protease.
Proc. Univ. Otago Medical School, Dunedin, New Zealand, 58(2): 50-51.
1903.
Krissansen, G.W.; Trotman, C.N.A.; Peake, B.M.; Tate, W.P.-1980.
The haemoglobins from *Artemia salina*: degradation by a high molecular weight copper containing protease.
In: Proc. New Zealand Biochemical Society, 1980, Palmerston North.
1904.
Krissansen, G.W.; Trotman, C.N.A.; Peake, B.M.; Tate, W.P.-1981.
Copper-containing protease complex from *Artemia salina*: 244-249.
In: Trace Elements in New Zealand. Proceedings of an International Conference. Ed. Dunkley, J.; University of Otago, Dunedin, New Zealand ; 20-21 May, 1981.
1905.
Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1981.
A novel protease copurifying with haemoglobin from *Artemia salina*.
Proc. Australian Biochem. Soc., 14: 24.
1906.
Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1981.
A novel protease may explain widely differing models for the structure of *Artemia salina* haemoglobin.
Biochim. biophys. Acta, 671: 104-108.
1907.
Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1982.
Protein-bound bile pigment in the haemolymph of the brine shrimp *Artemia*.
Proc. Univ. Otago Med. Sch. 60, 71- 72.
1908.
Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1983.
Physical and biochemical characterization of artemocyanin, an abundant glycoprotein complex with latent proteolytic activity from the brine shrimp *Artemia*.
Biochim. biophys. Acta, 747(1-2): 151-158.
1909.
Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1983.
Two forms of the glycoprotein artemocyanin from brine shrimp *Artemia*.
A relationship between latent proteolytic activity and structural modifications to the protein.
Biochim. biophys. Acta, 747(1-2): 159-164.

1910.

Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1983.
Purification of artemocyanin, a haemolymph protein from the brine
shrimp *Artemia*.
Biochemistry International, 7(3): 369-378.

1911.

Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1983.
Purification of stable haemoglobin from the adult brine shrimp
Artemia.
Biochemistry International, 7(4): 519-528.

1912.

Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1984.
Identification of the blue-green chromophore of an abundant
biliprotein from the haemolymph of *Artemia*.
Comp. Biochem. Physiol., 77B(1): 249-252.

1913.

Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1984.
Artemocyanin, a haemolymph protein from the brine shrimp, *Artemia*.
Proc. Aust. New Zealand Soc. Cell Biol., 3:35.

1914.

Krissansen, G.W.; Trotman, C.N.A.; Tate, W.P.-1984.
Artemocyanin: a proteinase zymogen rather than a proteinase inhibitor
Comp. Biochem. Physiol., in press.

1915.

Kristensen, I.-1963.

Ecology of salines: 20-22.

In: Association of Island Marine Laboratories, 4th Meeting, Curacao,
Nov.18-21, 1962.

1916.

Kristensen, I.-1971.

Preference of euryhaline species for brackish and super-saline waters.
Vie Milieu, 22:811-826.

1917.

Kristensen, I.; Hulscher-Emeis, U.M.-1972.

Factors influencing *Artemia* populations in Antillean salines.
Stud.Fauna Curacao, 39:87-111.

1918.

Krogh, A.-1939.

Crustacea: 65-98.

In: Osmotic regulation in aquatic animals. Cambridge Comparative
Physiology, Cambridge University Press.

1919.

Kuban, K.D.; Wilkenfeld, J.S.; Lawrence, A.L.-1983.
Survival and growth of *Penaeus setiferus* L. and *P. aztecus* Ives larvae fed *Artemia* beginning at the protozoaea-two substage versus the mysis-one substage.
J. World Maricul. Soc., 14: 38-48.

1920.

Kucan, Z.; Chambers, R.W.-1972.
Enzymatic exchange of 3 terminal AMP in transfer RNA.
Fed.Eur.Biochem.Soc., Lett., 25(1):156-158.

1921.

Kuenen, D.J.-1938.
On *Parartemia zietziana* Sayce (Crustacea, Phyllopoda).
Zool.Meded., 20:58-60.

1922.

Kuenen, D.J.-1939.
Systematical and physiological notes on the brine shrimp *Artemia*.
Archs neerl.Zool., 3:365-449.

1923.

Kuenen, D.J.; Baas-Becking, L.G.M.-1938.
Historical notes on *Artemia salina* (L.).
Zool.Meded., 20:222-230.

1924.

Kuhlamann, D.; Quantz, G.; Witt, U.; Kattner, G.-1982.
Survival and growth of turbot (*Scophthalmus maximus* L.) reared on different food organisms with special regard to long-chain polyunsaturated fatty acids.
International Council for the Exploration of the Sea, C.M. 1982/F:6.

1925.

Kulakovskii, E.E.-1973.
On the "neurohaemal organ" in low-organized Crustacea.
Proc.Acad.Sci.U.S.S.R., 209:246-248.

1926.

Kulakovskii, E.E.-1976.
Neuro secretory cells and their cycles in the brain of *Artemia salina*.
Zool.Zh., 55(3):354-362.

1927.

Kulakovskii, E.E.; Vilisova, V.M.-1976.
Ultrastructure of the optic centers of the brine shrimp, *Artemia salina*.
J.evol.Biochem.Physiol., 12(4):321-324.

1928.

Kulkarni, C.V.-1953.
Occurrence of the brine shrimp *Artemia* sp. in Bombay.
The Journal of the Bombay Natural History Society, Madras, 51(4):951-952.

1929.

Kurata, H.-1967.

Note on the brine shrimp eggs (in japanese).

Aquiculture, 14(4):205-219.

1930.

Kuwabara, K.; Nakamura, A.; Kashimoto, T.-1979.

The biological test using Artemia salina-hatchability test of Artemia salina dry eggs. (in japanese).

Proc. Osaka Prefectural Institute of Public Health, Ed. Food Sanitation, 10: 77-82.

1931.

Kuwabara, K.; Nakamura, A.; Kashimoto, T.-1980.

Effect of petroleum oil, pesticides. PCBs and other environmental contaminants on the hatchability of Artemia salina dry eggs.

Bull. of Environm. Contam. Toxicol., 25: 69-74.

1932.

Kuwabara, K.; Nakamura, A.; Kashimoto, T.; Fukada, Y.-1980.

The biological test using Artemia salina-Mortality test using Artemia salina adults and scanning electron microscopic examination of the adults. (in japanese).

Proc. Osaka Prefectural Institute of Public Health, Ed. Food Sanitation, 11: 29-36.

1933.

L'Herroux, M.; Metailler, R.; Pilvin, L.-1977.

Remplacement ions in Artemia salina.

Biol.Bull., 136:407.

1934.

La Rosa, J.-1973.

Providing food for zooplankton in the laboratory.

Int.atom.Energy Ag.Bull., 15(4):37-38.

1935.

Labbe, A.-1923.

La faune des marais salants.

Bull.Soc.Oceanogr.Fr., 3(9):257-263.

1936.

Labbe, A.-1923.

La faune des marais salants.

Bull.Soc.Oceanogr.Fr., 3(10):273-276.

1937.

Labbe, A.-1924.

Introduction à l'étude des milieux marins hyperalcalins.

Archs Zool.exp.gen., 62:401-568.

1938.

Labbe, A.-1925.

Quatre générations d'Artemia arietina S. Fisch.

C.r.hebd.Seances Acad.Sci., Paris, 180(22):1697-1699.

1939.
Labbe, A.-1925.
Les courbes de croissance d'*Artemia arietina* S. Fisch.
C.r.hebd.Seances Acad.Sci., Paris, 180(24):1872-1874.
1940.
Labbe, A.-1926.
Contributions à l'étude de l'allelogénèse. II. Croissance et environnement.
Essai d'une theorie desadaptations.
Bull.biol.Fr.Belg., Paris, 60:1-87.
1941.
Lachance, M.A.; Miranda, M.; Miller, M.W.; Phaff, H.J.-1976.
Dehiscence and active spore release in pathogenic strains of the yeast
Metschnikowia bicuspidata var. *australis*. Possible predatory implication.
Can.J.Microbiol., 22(12):1756-1761.
1942.
Lachaix, A.; Van Wormhoudt, A.; Lucien-Brun, H.; Henocque, Y.-1984.
Utilisation d'*Orchestia gammarellus* (PALLAS) (Amphipoda, Talitridae),
a des fins de nutrition en aquaculture: Resultats preliminaires chez
le homard, *Homarus gammarus* LINNAEUS.
La Mer (Tokyo), 22(2): 48-54.
1943.
Laguna, C.A.R.-1981.
Cultivos y desoves de la quisquilla salina (*Artemia salina*) a
distintas concentraciones de salinidad.
Biol. Fisiol. Animal. Univ. Sao Paulo (Brasil), 5(0): 81-88.
1944.
Lake, M.-1984.
The relationship between polysomal and latent membrane-bound messenger
ribonucleoprotein particles in *Artemia salina*.
Int. J. Biochem., 16(9): 1015-1022.
1945.
Lake, M.; Hultin, T.-1978.
A comparison between free membrane-associated mRNP particles in
dormant cysts and polysomal mRNP particles in nauplii of *Artemia salina*.
12th FEBS Meeting, Dresden, F.R.G., Abstract No. 164.
1946.
Lake, M.; Hultin, T.-1980.
Characterization of a poly(A)+RNA-containing structural component
directly associated with cytoplasmic membranes in dormant *Artemia*
cysts.
Biochim. biophys. Acta, 606: 286-295.

1947.

Lake, M.; Hultin, T.-1981.

Relations between latent membrane-bound and active polyribosomal messenger ribonucleoprotein particles in dormant and developing *Artemia* embryos.

Acta chem. scandin., 35(1): 55-57.

1948.

Lake, M.; Johansen, B.V.; Namork, E.; Hultin, T.-1981.

A structural comparison between inactive and active messenger ribonucleoprotein particles.

J. Ultrastruct. Res., 76(3): 332.

1949.

Lake, M.; Johansen, B.V.; Namork, E.; Hultin, T.-1981.

The structure of polysomal messenger ribonucleoprotein particles as studied by high-resolution dark-field electron microscopy.

J. Ultrastruct. Res., 76(3): 332-333.

1950.

Lake, M.; Namork, E.; Johansen, B.V.-1984.

A structural comparison of latent membrane-bound and polysomal messenger ribonucleoprotein particles in *Artemia* embryos: a dark field electron microscopical study.

J. Submicroscopic Cytology, 16(2): 253-258.

1951.

Lal Mohan, R.S.-1980.

Size and sex composition of *Artemia* from the salt water springs of Tuticorin, South India. Abstract: 77-77.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds. Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

1952.

Lam, T.J.; Tan, L.W.H.-1978.

Research on the brine shrimp. Book Review.

Aquaculture, 13:85-86.

1953.

Lamarck, J.B.P.A. de-1818.

Histoire naturelle des animaux sans vertebres.

Ed.I, vol.5, 134 pp.

1954.

Landau, M.; Eifert, R.T.-.

The suitability of two strains of *Artemia* (Phyllopoda, Anostraca) as food for developing *Penaeus vannamei* Boone (Decapoda Natantia). *Crustaceana*, 48(1): 106-.

1955.

Landau, M.; Finney, C.-1977.

Insect juvenile hormones and their mimics: applications in crustacean research.

Fla.Sci., 40(Suppl.1):14.

1956.

Landau, M.; Ivey, C.; Riehm, J.P.-1980.

D-glucose -6- phosphate dehydrogenase from the cyst of the brine shrimp, *Artemia salina* Leach. The effects of certain ions and coenzymes.

Comp.Biochem.Physiol., 66B:147-150.

1957.

Landau, M.; Ranga Rao, K.-1980.

Toxic and sublethal effects of precocene II on the early developmental stages of the brine shrimp *Artemia salina* (L.) and the barnacle *Balanus eburneus* Gould.

Crustaceana (Leiden), 39(2): 218-221.

1958.

Lane, C.E.-1964.

Toxicity experiments on barnacle and brine shrimp larvae.

U.S. Govt Res.Rep., 39(11),S-2-3.

1959.

Larson, G.-1970.

A simple chamber for separating brine shrimp nauplii from unhatched eggs and empty egg cases.

Progve Fish Cult., 32(4):208.

1960.

Lassus, P.; Maggi, P.-1980.

Biologie et élevage d'*Artemia salina*: 213-224.

In: Marais salants. Ed. Poisbeau-Hemery, J.Bulletin de la Société des Sciences naturelles de l'Ouest de la France, Premier Supplément Hors serie, 330 pp.

1961.

Latreille, P.A.-1817.

Les Crustaces, les Arachnides et les Insectes. vol.3.

Le règne animal, Cuvier, Paris, France, 333pp.

1962.

Lavens, P.-1979.

Vergelijkende studie van de energie-inhoud en de groeisnelheid van de nauplii van diverse geografische rassen van *Artemia* sp.

Thesis. State University of Ghent, Belgium, 96 pp.

1963.

Lavens, P.-1981.

Studie van de invloed van diverse kondities op de kenmerken van oovivipare en ovipare nakomelingen van *Artemia*, geproduceerd in nauwkeurig gekontroleerde kweeksystemen.

Report I.W.O.N.L., 57 pp.

1964.

Lavens, P.-1982.

Studie van de invloede van diverse kondities op de kenmerken van ovovivi- en ovipare nakomelingen van Artemia, geproduceerd in nauwkeurig gekontroleerde kweeksystemen.

Report I.W.O.N.L., 63 pp.

1965.

Lavens, P.; Baert, P.; De Meulemeester, A.; Van Ballaer, E.; Sorgeloos, P.; Smets, J.-1985.

New developments in the high density flow-through culturing of brine shrimp Artemia: 35.

Book of Abstracts, 16th Annual Meeting WMS and 1st Annual Meeting of the Florida Aquaculture Association, Orlando, Florida, Jan. 13-17, 1985. J. World Maricul. Soc., in press.

1966.

Lavens, P.; Crowe, J.H.; Sorgeloos, P.-1985.

Review on the cryptobiotic state of Artemia cysts and its diapause desactivation.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985 Antwerp, Belgium.

1967.

Lavens, P.; Leger, Ph.; Sorgeloos, P.; Versichele, D.-1983.

Method and device of producing Artemia offspring; packing of Art. offspring; feeding of Art.; preparing food for larvae of fish and crustacea; food comprising particles coated as food additive.

Patent No : 83201335-3.

1968.

Lavens, P.; Sorgeloos, P.-1984.

Controlled production of Artemia cysts under standard conditions in a recirculating culture system.

Aquacultural Eng., 3:221-235.

1969.

Lavens, P.; Sorgeloos, P.-1985.

Design, operation, and potential of a culture system for the continuous production of Artemia nauplii.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1970.

Lavina, E.; Figueroa, M.-1979.

The use of decapsulated brine shrimp eggs as food for shrimp larvae. Unpublished manuscript. Poster No. 121.

1971.

Lawrence, A.L.; Baust, J.G.-1978.

Enhancement of chill tolerance in larval Artemia salina. III. Rates of cryoprotectant influx and efflux.

Cryobiology, 15:682.

1972.

Lawrence, A.L.; Baust, J.G.; Condon, G.-1978.

Enhancement of chill tolerance in larval *Artemia salina*. II. Two phase cryoprotectant exposure.

Cryobiology, 15:682.

1973.

Le Roux, A.-1974.

Observation sur le développement larvaire de *Meganyctiphanes norvegica* (Crustacea: Euphausiacea) au laboratoire.

Mar. Biol., 26: 45-56.

1974.

Le Thi Ngoc Anh; Du'o'ng Thi Thuan-1979.

Preliminary results of culturing *Artemia salina* L. in the laboratory. Collection of Marine Research Works. (Institute of Oceanography Nha Trang), 1(2): 111-120.

1975.

Lea, J.-1978.

Comparative studies on the brine shrimp *Artemia salina* (L.) and *Parartemia zietziana* Sayce (Branchiopoda: Anostraca), in a salt evaporation pond at Dry Creek, South Australia.

Thesis. University of Adelaide, Australia.

1976.

Leach, W.E.-1819.

Entomostraca: 524-543.

In: Dictionnaire des sciences naturelles, Vol. 4.

1977.

Leal, A.M.R.A.-1980.

Aspectos da qualidade dos cistos do crustáceo branquiopode *Artemia salina* L. em dois salgados do litoral português.

Relatório de Estágio no INIP, 1979/80.

1978.

Leberman, R.; Egner, U.-1984.

Homologies in the primary structure of GTP-binding proteins: The nucleotide-binding site of EF-Tu and p21.

The European Molecular Biology Organization Journal, 3(2): 339-341.

1979.

Lebherz, H.G.-1966.

Electrophoretic analyses of *Artemia* hemoglobin.

Thesis, San Francisco State College, U.S.A., 84 pp.

1980.

Lee, C.S.; Hirano, R.-1981.

Suitable food organisms and feeding schedules for the larvae of *Sillago sihama* (Forsskål).

Rapp. P.-v. Reun. Cons. perm. int. Explor. mer., 178:533-537.

1981.

Lee, C.S.; Hu, F.; Hirano, R.-1981.

Organisms suitable as food for larvae of black sea bream.
Progve Fis-Cult., 43(3): 121-124.

1982.

Lee, H.H.; Xu, C.H.-1984.

Differential response of marine organisms to certain metal and agrichemical pollutants.

Bull. Environm. Contam. Toxicol., 33(4): 460-467.

1983.

Lee, S.S.; Wei, R.D.-1975.

Comparison of lactone ring opened alfa toxin B-1 with the interaction product of alfa toxin B-1 and human serum.

J.Chin.Biochem.Soc., 4(2):1-5.

1984.

Lee-Huang, S.; Sierra, J.M.; Filipowicz, W.; Ochoa, S.-1976.

Translation inhibitors and activators in *Artemia salina* embryos.

Fedn Proc., Abstract No. 1888, 35:1728.

1985.

Lee-Huang, S.; Sierra, J.M.; Naranjo, R.; Filipowicz, W.; Ochoa, S.-1977.

Eukaryotic oligo nucleotides affecting messenger RNA translation.

Archs Biochem.Biophys., 180(2):276-287.

1986.

Leger, Ph.-1980.

Studie van de nutritionele waarde van diverse *Artemia* preparaten voor de garnaalachtige predator *Mysidopsis bahia* M.

Report N.F.W.O., 75 pp.

1987.

Leger, Ph.-1981.

Studie van de nutritionele waarde van diverse *Artemia* preparaten voor de garnaalachtige predator *Mysidopsis bahia* Molenock.

Report N.F.W.O., 75 p.

1988.

Leger, Ph.-1982.

Studie van de nutritionele waarde van diverse *Artemia* preparaten (cysten, nauplii, larven en adulten) als voedselbron voor de garnaalachtige predator *Mysidopsis bahia* Molenock.

Report N.F.W.O., 65 pp.

1989.

Leger, Ph.-1983.

Studie van de nutritionele waarde van diverse *Artemia* preparaten voor de garnaalachtige predator *Mysidopsis bahia* Molenock.

Report N.F.W.O., 75 pp.

1990.

Leger, Ph.; Bengtson, D.A.; Sorgeloos, P.; Simpson, K.L.-1985.
Review on the nutritional value of Artemia.

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1991.

Leger, Ph.; Bieber, G.F.; Sorgeloos, P.-1985.
International Study on Artemia. XXXIII. Promising results in larval
rearing of *Penaeus stylirostris* using a prepared diet as algal
substitute and for Artemia enrichment.
J. World Maricul. Soc., in press.

1992.

Leger, Ph.; Johns, D.M.; Sorgeloos, P.-1985.
ISA XXXVI. Description of a standard bioassay test with the marine
crustacean *Mysidopsis bahia* (M.) for the evaluation of the nutritional
effectiveness of Artemia nauplii and metanauplii.
In: Book of Abstracts. Second International Symposium on the brine
schrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1993.

Leger, Ph.; Naessens-Foucqaert, E.; Candreva, P.;
Sorgeloos, P.-1985.
ISA XXXV. Techniques for manipulation of the fatty acid profile in
Artemia nauplii and the effect on its nutritional effectiveness for
the marine crustacean *Mysidopsis bahia* (M.).
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1994.

Leger, Ph.; Sorgeloos, P.-1982.
Automation in stock-culture maintenance and juvenile separation of the
mysid *Mysidopsis bahia* (Molenock).
Aquacultural Eng., 1: 45-53.

1995.

Leger, Ph.; Sorgeloos, P.-1984.

International Study on Artemia. XXIX. Nutritional evaluation of Artemia nauplii from different geographical origin for the marine crustacean *Mysidiopsis bahia*.

Mar. Ecol. Prog. Ser., 15(3): 307-309.

1996.

Leger, Ph.; Vanhaecke, P.; Sorgeloos, P.-1983.

International study on Artemia. XXIV. Cold storage of live Artemia nauplii from various geographical sources: Potentials and limits in aquaculture.

Aquacultural Eng., 2(1): 69-78.

1997.

Leger, Ph.; Vanhaecke, P.; Sorgeloos, P.; Millamena, O.M.; Simpson, K.L.-1985.

ISA XXXIV. Factors determining the nutritional effectiveness of Artemia: the relative impact of chlorinated hydrocarbons and essential fatty acids in San Francisco and San Pablo Bay Artemia.
J.exp.mar.Biol.Ecol., in press.

1998.

Leibovitz, H.E.; Bengtson, D.A., Simpson, K.L.-1985.

Effects of Dietary Artemia Oil Fractions on Growth of Larval Atlantic Silversides.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

1999.

Lenhoff, H.M.-1971.

Principles of coelenterate culture methods: 9-15.

In: Experimental coelenterate biology. Eds Lenhoff H.M.;L.

Muscatine;L.V. Davis; University of Hawaii Press, Honolulu, U.S.A.

2000.

Lent, C.M.-1971.

Metachronal limb movement by *Artemia salina*: synchrony of male and female during coupling.

Science,N.Y., 174(4003):1247-1248.

2001.

Leht, C.M.-1977.

The mechanism for coordinating metachronal limb movements between joined male and female *Artemia salina* during between precopulatory behavior.

J.exp.Biol., 66(1):127-140.

2002.

Lent, C.M.-1979.

Coordination of metachrony between male and female *Artemia salina* during coupled swimming: 82.

In: Book of Abstracts. International Symposium on the Brine Shrimp, *Artemia salina*, Corpus Christi (TX-U.S.A.), Aug.20-23, 1979; Artemia Reference Center, Ghent, Belgium, 137 pp.

2003.

Lenz, P.H.-1980.

Artemia in the Mono Lake ecosystem.

Abstract. Mono Lake Symposium at the annual AAAS meeting, Pacific Division, Davis, California, U.S.A.

2004.

Lenz, P.H.-1980.

Ecology of an alkali-adapted variety of *Artemia* from Mono Lake, California.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

2005.

Lenz, P.H.-1982.

Life history of *Artemia* in Mono Lake.

Abstract. Mono Lake Symposium/Workshop, Santa Barbara, California, U.S.A.

2006.

Lenz, P.H.-1983.

Population studies on *Artemia* in Mono Lake, California (Limnology). Ph. D. Thesis. University of California, Santa Barbara, California U.S.A.; Dissertation Abstracts International 44(8): 2335-B, 242 pp.

2007.

Lenz, P.H.-1984.

Life-history analysis of an *Artemia* population in a changing environment.

J. Plankton Res., 6(6):967-984.

2008.

Lenz, P.H.; Dana, G.L.-1984.

Large-scale patchiness in *Artemia* in Mono Lake (California), a hypersaline, terminal lake.

Abstract. Am. Soc. Limnol. Oceanogr., Vancouver, Canada.

2009.

Lenz, P.H.; Gayle, L.D.-1985.

Life-cycle studies in *Artemia*: A comparison between a subtropical and a temperate population.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2010.

Leon, J.; Heredia, C.F.-1981.

N-acetylphenylalanyl-tRNA hydrolase from *Artemia*. Identification of two molecular forms and their evolution during early differentiation
Biochim. biophys. Acta, 653: 350-355.

2011.

Leonhard, S.L.-1981.

Artemia sp. L.: 51-59.

In: *Manual for the culture of selected Freshwater invertebrates*. Ed. Lawrence, S.G.; Can. Spec. Publ. Fish. Aquat. Sci. No 54; Dept. Fish. Oceans, Ottawa, Canada, 169 pp.

2012.

Leonhard, S.L.; Lawrence, S.G.-1980.

The brine shrimp *Artemia salina* as a laboratory bioassay organism.

I. The effect of heavy metal Cadmium on reproduction. Abstract: 223.

In: *The brine shrimp Artemia*. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos,O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 318pp.

2013.

Lepailleur, H.; Briand, D.; Cabridenc, R.-1981.

Déterminations des effets toxiques augus d'une substance soluble viv-a-vis d'*Artemia salina*: 574.

In: *Les Tests de Toxicité Aigue en Milieu Aquatique. Méthodologie - Standardisation - Interprétation*. Eds Leclerc, H.; D. Dive; Editions Institut Nat. Sante et Recherche Medicale.

2014.

Lepailleur, H.; Cabridenc, R.-1981.

Les invertébrés aquatiques en toxicité aigue: 313-326.

In: *Les Tests de Toxicité Aigue en Milieu Aquatique. Méthodologie - Standardisation - Interprétation*. Eds Leclerc, H.; D. Dive. Les Editions de l'Institut National de la Sante et de la Recherche Médicale.

2015.

Letnikova, T.V.-1961.

Some data on the biology of *Artemia* in the Sivash.

In: Azovskii Nauchno - Issledovatel'skii Institut Rybnogo; Khoziaistva, Rostov, SNKh: 152 pp.

2016.

Levandowsky, M.-1977.

Multispecies cultures and microcosms: 1399-1458.

In: *Marine Ecology*, 3, Cultivation - Part 3.Ed. Kinne, O.; J. Wiley and Sons, New York: 1295-1521.

2017.

Levine, D.M.; Sulkin, S.D.-1979.

Partitioning and utilization of energy during the larval development of the xanthid crab *Rhithropanopeus harrisii* (Gould).
J.exp.mar.Biol.Ecol., 40:247-257.

2018.

Levine, D.M.; Sulkin, S.D.-1984.

Nutritional significance of long-chain polyunsaturated fatty acids to the zoeal development of the brachyuran crab, *Eurypanopeus depressus* (Smith).

J. exp. mar. Biol. Ecol., 87(3): 211-223.

2019.

Levine, N.D.-1974.

Use of marine invertebrates in biomedical research.

J.invert.Path., 23:1-2.

2020.

Leydig, F.-1851.

Über *Artemia salina* und *Branchipus stagnalis*.

Z.wiss.Zool., 3:280-307.

2021.

Li, M.-1980.

Application of *Artemia salina* in aquaculture. (in chinese).

Mar. Sci., 4: 44-47.

2022.

Li, M.; Zheng, Y.; Tien, F.-1982.

The application of decapsulated *Artemia* cysts in aquaculture. (in chinese).

Trans. Oceanol. Limnol., 1: 45-50.

2023.

Liao, I.C.; Su, J.M.; Lin, J.H.-1983.

Larval foods for penaeid prawns: 43-69.

In: CRC Handbook of Mariculture. Volume I. Crustacean Aquaculture. Ed. McVey, J.P.; CRC Press, Boca Raton, Florida, U.S.A., 442 pp.

2024.

Lievin, -1856.

Branchipus oudneyi, der Fezzanwurm oder Dud; Bairds *Artemia Oudneyi*.

Neueste Schriften der naturforschenden Gesellschaft in Danzig,
5(4):1-10.

2025.

Lillelund, K.-1974.

Considerations on testing the accumulation of pesticides by means of artificial food chains.

Ber.wiss.Komm.Meer., 23:308-316.

2026.

Lin, A.; Wittmann-Liebold, B.; McNally, J.; Wool, I.G.-1982.

The primary structure of the acidic phosphoprotein P2 from rat liver 60 S ribosomal subunits. Comparison with ribosomal 'A' proteins from other species.

J. Biol. Chem., 257(15): 9189-9197.

2027.

Lindahl, A.M.-1972.

Isolation and characterization of the nuclear histones from developing embryos of the brine shrimp *Artemia salina*.

Thesis, Oregon State University, Corvallis, U.S.A.

2028.

Linder, F.-1941.

Contributions to the morphology and the taxonomy of the Branchiopoda Anostraca.

Zool.Bidr.Upps., 20:101-302.

2029.

Linder, F.-1952.

Contributions to the morphology and taxonomy of the branchiopoda Notostraca with special reference to the North American species.

Proc.U.S.nat.Mus., 102:1-69.

2030.

Linnaeus, C.-1758.

Systema naturae.

Ed.X, Hafniae, 634 pp.

2031.

Lison, L.; Fautrez-Firlefyn, N.-1950.

Desoxyribonucleic acid content of ovarian cells in *Artemia salina*.
Nature, 166(4223):610-611.

2032.

Little, G.-1969.

The larval development of the shrimp *Palaemon macrodactylus* Rathbun reared in the laboratory and the effect of eyestalk extirpation on development.

Crustaceana, 17:69-87.

2033.

Littlepage, J.L.; Guevara, A.-1985.

Effect of salinity and Sodium Lauryl Sulphate on Adenosine Triphosphate levels in *Artemia nauplii*.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2034.

Littlepage, J.L.; McGinley, M.N.-1965,,A bibliography of the genus *Artemia* (*Artemia salina*): 1812-1962.

In: Special Publication no.1, San Francisco Aquarium Society, Inc., San Francisco, California, U.S.A., 73 pp.

2035.

Ljudskanova, J.-1974.

Die Entwicklung von *Artemia salina* L. in den Teichen der Salzgarten von Burgas und Pomorije.

Arch.Hydrobiol., 74(4):473-478.

2036.
Ljudskanova, J.; Joshev, L.-1972.
Die Anzucht von Artemia salina L. als Nahrung fur Flanzenfresser.
Z. Binnenfischerei DDR, 19:177-181.
2037.
Llorente, P.; Carratala, M.; Liras, A.; Rotllan, P.-1985.
"De Novo" purine biosynthesis in developing Artemia Nauplii.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.
2038.
Llorente, P.; Carratala, M.; Manteca, M.-1976.
Incorporation of labelled metabolites in macromolecules by Artemia
salina at different stages of development: 11-8-380.
10th Int.Congr.on Biochemistry, Hamburg, F.R.G., Abstract.
2039.
Llorente, P.; Ruiz Cardaba, A.; Diaz Maroto, S.-1985.
Carbamoyl phosphate synthetase activities during Artemia development.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.
2040.
Lloyd, A.T.-1967.
The salterns of the Lympington area.
Proc. Hampshire Field Club Archeological Society, 21: 86-102.
2041.
Lochhead, J.H.-1936.
Body orientation in the lower Crustacea (Branchiopoda).
Nature, 138(3484):232-233.
2042.
Lochhead, J.H.-1937.
The feeding mechanism of Crustacea Branchiopoda.
Thesis, Cambridge University, London, U.K.
2043.
Lochhead, J.H.-1939.
Functions of the two types of eye in the brine shrimp, Artemia.
Anat.Rec., 75(4+Suppl.):64.
2044.
Lochhead, J.H.-1939.
Mechanical factors controlling swimming position in aquatic
invertebrates and particularly in the brine shrimp.
Anat.Rec., 75(4+Suppl.):65.
2045.
Lochhead, J.H.-1941.
Artemia, the "brine shrimp".
Turtox News, 19(2):41-45.

2046.

Lochhead, J.H.-1950.

Artemia: 394-399.

In: Selected Invertebrate Types; Ed. Brown, F.A.; Jr.;
J. Wiley & Sons, Inc., New York, U.S.A.

2047.

Lochhead, J.H.-1961.

Locomotion: 313-364.

In: The physiology of crustacea. Vol.2. Sense organs, integration and behavior. Ed. Waterman, T.H.; Academic Press, New York, U.S.A., 681 pp.

2048.

Lochhead, J.H.-1961.

Oviparity versus ovoviviparity in the brine shrimp, Artemia.

Biol.Bull., 121:396.

2049.

Lochhead, J.H.-1980.

Artemia Leach, 1819 (Crustacea, Branchiopoda): Proposed conservation Z.N.(S)1984.

Bull. zool. Nom., 37(4): 223-227.

2050.

Lochhead, J.H.; Lochhead, M.S.-1940.

The eggshells of the brine shrimp Artemia.

Anat.Rec., 78(4 + Suppl.):75-76.

2051.

Lochhead, J.H.; Lochhead, M.S.-1941.

Studies on the blood and related tissues in Artemia (Crustacea, Anostraca).

J.Morph., 68:593-632.

2052.

Lochhead, J.H.; Lochhead., M.S.-1967.

The development of oocytes in the brine shrimp, Artemia.

Biol.Bull., 133:453-454.

2053.

Lochhead, J.H.; Resner, R.-1959.

Functions of the eyes and neurosecretion in Crustacea Anostraca.

Proc.XV Intern.Congr.Zool., 4:397-399.

2054.

Lockwood, A.P.M.-1962.

The osmoregulation of crustaceans.

Biol.Rev., 37:257-305.

2055.

Lockwood, A.P.M.-1967.

Aspects of the physiology of crustacea.

W.H. Freeman, San Francisco, U.S.A.

2056.

Lockwood, A.P.M.-1977.

Transport and osmoregulation in Crustacea: 673-707.

In: Transport of ions and water in animals. Eds Gupta, B.L.; R.B. Moreton; J.L. Oschman; B.L. Wall; Academic Press, New York, U.S.A.

2057.

Loeb, J.-1901.

Experiments on artificial parthenogenesis in annelids (*Chaetopterus*) and the nature of the process of fertilization.

Am.J.Physiol., 4(9):423-459.

2058.

Loeb, J.-1905.

Studies in general physiology. Part I.

University of Chicago Press, Chicago, U.S.A.: 424 pp.

2059.

Löffler, H.-1961.

Beiträge zur Kenntnis der Iranischen Binnengewässer. II. Regional-Limnologische Studie mit besonderer Berücksichtigung der Crustaceenfauna.

Int.Rev.ges.Hydrobiol.Hydrogr., 46:309-406.

2060.

Löffler, H.-1964.

Vogelzug und Crustaceenverbreitung.

Zool.Anz., 27:311-316.

2061.

Löffler, H.-1967.

Anostraca, Notostraca, Conchostraca.

In: Limnofauna Europaea. Ed. Illies, J.; Gustav Fischer Verlag, Stuttgart, Germany.

2062.

Löffler, H.-1977.

Phyllopoda (excepto Cladocera): 130-132.

In: Aquatic Biota of Southern South America. Ed. Hurlbert, S.H. San Diego State University, San Diego, California, U.S.A., 342 pp.

2063.

Logan, D.T.; Epifanio, C.E.-1978.

A laboratory energy balance for the larvae and juveniles of the american lobster, *Homarus americanus* Milne Edwards.

Mar.Biol., 47:381-389.

2064.

Loomis, W.F.-1953.

The cultivation of *Hydra* under controlled conditions.

Science,N.Y., 117:565-566.

2065.
Loomis, W.F.-1954.
Environmental factors controlling growth in *Hydra*.
J.exp.Zool., 126:223-234.
2066.
Loomis, W.F.; Lenhoff, H.M.-1956.
Growth and sexual differentiation of *Hydra* in mass culture.
J.exp.Zool., 132:555-574.
2067.
Loosli, R.-1952.
Zur Aufzucht und Entwicklung von *Artemia salina*.
Thesis. University of Zurich, Switzerland.
2068.
Low, P.S.; Hoffmann, K.H.; Swezey, R.; Somero, G.N.-1978.
Protein water binding ability correlates with cellular osmolarity.
Experientia, 34(3):314-315.
2069.
Lowy, R.-1983.
Isolation and characterization of a larval crustacean salt gland from the brine shrimp *Artemia salina*.
Ph. D. Thesis. Oregon State University. Corvallis, Oregon,
U.S.A., 187 pp.
2070.
Lowy, R.-1984.
Isolation of salt glands from the larval brine shrimp *Artemia salina*.
Am. Zool., 24(1): 265-274.
2071.
Lowy, R.; Buckley, P.M.; Conte, F.P.-1981.
Isolated larval salt glands: Initial morphological and enzymatic characterization.
J. Cell Biol., 91(2, Part 2): 250a, Abstract Number 15009.
2072.
Lowy, R.; Conte, P.-1985.
Isolation and functional characteristics of the larval brine shrimp salt gland (*Artemia salina*).
Am. J. Physiol., 248 R:,
2073.
Lowy, R.; Conte, P.-1985.
Morphology of isolated crustacean larval salt gland.
Am. J. Physiol., 248 R:,
2074.
Lozovsky, E.A.-1977.
Reproduction of *Artemia* at various temperatures in the laboratory.
Rybnoye Khozyaistvo, 4:29-30.

2075.
Lucas, -1850.
Histoire naturelle des Crustacés, des Arachnidés et des Myriapodes.
Paris, France: 601pp.
2076.
Lucet, P.-1974.
Utilisation d'aliment naturel inerte dans l'alimentation d'Artemia salina.
Rapport C.N.E.X.O., C.O.B., 21 pp.
2077.
Luchini, L.; Avendano Salas, T.-1984.
Preliminary data on larval survival of South American catfish, *Rhamdia sapo*.
Aquaculture, 42(2): 175-177.
2078.
Ludemann, D.; Neumann, H.-1961.
Studien über die Verwendung von *Artemia salina* L. als Testtier zur Nachweis von Kontaktinsektiziden.
Z. angew. Zool., 48(3):325-332.
2079.
Luduena, R.F.; Roach, M.C.; Macrae, T.H.-1984.
Interaction of Artemia tubulin with antimitotic drugs.
J. Cell biol., 99(4, Part 2): 39a, Abstract Number 144.
2080.
Lukassowitz, J-1978.
Strahlenpathologische Untersuchungen an *Artemia salina* L. nach Einwirkung Schwerer Kerne der Weltraumstrahlung.
Ergebnisse der BIOSTACK-Experimente an Bord von Apollo 16, Apollo 17 und Apollo-Sojus: 103 pp.
2081.
Luling, K.H.-1981.
Wissenschaftliche Ergebnisse des Forschungsaufenthaltes Dr. K. H. Luling in Argentinien. I. Ichthyologie und gewässerkundliche Beobachtungen und Untersuchungen an der Seenplatte von Guamini.
Zool. Beitr., 27(1): 1-24.
2082.
Luyet, B.J.; Gehenio, P.M.-1940.
Life and death at low temperatures.
Biodynamica: 246.
2083.
Lynch, J.E.-1960.
The fairy shrimp *Branchinecta campestris* from Northwestern United States.
Proc.U.S.nat.Mus., 112:549-561.

2084.

Lysenko de Tejeda, N.-1985.

Preliminary characterization of 4 populations of Artemia from the Dominican Republic.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2085.

MacDonald, G.-1980.

The use of Artemia cysts as food by the flamingo (*Phoenicopterus ruber roseus*) and the shelduck (*Tadorna tadorna*): 97-104.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, 428pp.

2086.

MacDougal, T.H.-1914.

The salton sea: 49-69.

In: The behavior of certain micro-organisms in brine. Ed. Peirce, G.J.; Carnegie Institute, Washington, U.S.A., Publication no.193.

2087.

MacRae, T.; Rafiee, P.; Mckinley, S.-1984.

Taxol induced assembly of tubulin from developing brine shrimp. *J. Cell Biol.*, 99(4, Part 2): 40a, Abstract Number 147.

2088.

MacRae, T.H.-1983.

Microtubule assembly and bundling in extracts of developing Artemia embryos.

J. Cell Biol., 97(5,2): 214a, Abstract Number 814.

2089.

MacRae, T.H.-1984.

Bundling of bovine and brine shrimp (Artemia) microtubules in vitro. *Cell Biology International Reports*, 8(6): 423-431.

2090.

MacRae, T.H.; Glasgow, M.J.-1982.

Characterization of tubulin from embryos of the brine shrimp, Artemia.

J. Cell. Biol., 95(2,2): 337a, Abstract Number 17017.

2091.

MacRae, T.H.; Luduena, R.F.-1984.

Developmental and comparative aspects of brine shrimp tubulin. *Biochem. J.*, 219(1): 137-148.

2092.

MacRae, T.H.; Roychowdhury, M.; Woodley, C.L.; Wahba, A.J.-1980.

Polypeptide chain initiation factor 3 from Artemia salina embryos. *J. Cell Biol.*, 82(2,2): 282a, Abstract Number R 2151.

2093.
MacRae, T.H.; Royehowdhury, M.; Houston, K.J.; Woodley, C.L.; Wahba, A.J.-1979.
Protein synthesis in brine shrimp embryos. Dormant and developing embryos of *Artemia* contain equivalent amounts of chain initiation factor.
Eur.J.Biochem., 100:67-76.
2094.
MacRae, T.H.; Wahba, A.J.-1978.
Cysts and developing embryos of *Artemia salina* contain equivalent amounts of the eukaryotic initiation Factor 2.
Fedn.Proc., 37(6):497. Abstract Number 1251.
2095.
MacRae, T.H.; Wahba, A.J.-1979.
Polypeptide chain initiation in *Artemia salina*. Cysts and developing embryos contain equivalent amounts of elf-2: 86.
In: Book of Abstracts. First International Symposium on the Brine Shrimp *Artemia salina*, Corpus Christi, Texas, U.S.A., Artemia Reference Center, Ghent, Belgium, 137 pp.
2096.
MacRae, T.H.; Woodley, C.L.; Wahba, A.J.-1979.
Characterization of polypeptide chain initiation factors during *Artemia salina* development: 2-21.
A.H. Warner; University Microfilms International, Ann Arbor, U.S.A., 239 pp.
2097.
Macan, T.T.-1963.
Freshwater ecology.
John Wiley & Sons, New York, U.S.A.
2098.
Maccagno, T.P.-1961.
L'*Artemia salina* (Leach) Var.*Milhausenii* (G.Fisch.) della salina di Hidalgo (Rep.Argen.).
Arch Cienc.Biol.Natur., 4-5:169-176.
2099.
Machado, W.L.-1984.
Avaliaçao do potencial salineiro para cultiva de *Artemia*, no estado do ceara (Brasil).
Boletin de ciencias do mar, 39:1-21.
2100.
Maddox, M.B.; Manzi, J.J.-1976.
The effects of algal supplements an static system culture of *Macrobrachium rosenbergii* (De Man) larvae: 677-698.
In: Proc. 7th Ann. Meeting WMS., Ed. Avault, J.W., jr.;Louisiana State University, Baton Rouge, U.S.A., 729 pp.

2101.

Madjar, J.J.; Arpin, M.; Reboud, J.P.-1978.

Mise en évidence de formes phosphorylées d'une protéine acide dans les sous-unités 60S des ribosomes de foie de rat.

Biochimie (Paris), 60:572.

2102.

Maetz, J.-1974.

Aspects of adaptation to hypo-and hyperosmotic environments.

In: Biochemical and biophysical perspectives in marine biology. Vol.1. Eds Malins, D.C.; J.R. Sargent; Academic Press, New York, U.S.A., 343 pp.

2103.

Maggi, P.-1972.

Choix de produits pour lutter contre la pollution du milieu marin par les hydrocarbures.IV. Toxicité relative de sept produits émulsionnateurs anti-pétrole.

Revue.Trav.Inst.Pech.marit., 36(1):121-124.

2104.

Maggi, P.-1973.

Toxicité relative de deux insecticides organo-phosphores l'abate et le fénitrothion.

Revue.Trav.Inst.Pech.marit., 37(1):137-144.

2105.

Maggi, P.; Cossa, D.-1973.

Nocivité relative de 5 détergents anioniques en milieu marin.

I. Toxicité aigüe à l'égard de 15 organismes.

Revue.Trav.Inst.Pech.marit., 37:411-417.

2106.

Magnin, E.-1964.

Régulation osmotique et ionique chez les crustacés.

Vie Milieu, 15(2):371-387.

2107.

Maillard, Y.; Baudet, J.-1980.

La faune planctonique de eaux les plus sursalées des salines: 225-238

In: Marais salants. Ed. Poisbeau-Hemery. J.Bulletin de la Societe des Sciences naturelles de l'Ouest de la France, Premier Supplément Hors-Série, 330 pp.

2108.

Majic, A.; Vukadin, I.-1985.

Preliminary report on the brine shrimp Artemia from Yugoslavian saltworks.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2109.

Makarov, Y.N.-1984.

Distribution and dynamics of the *Artemia salina* population in Kuyalnik Liman (Ukrainian SSR, USSR).
Gidrobiol. Zh., 20(3): 17-23.

2110.

Makarova, N.P.-1972.

Balance equation of individual production.
Zool.h., 51(10):1555-1558.

2111.

Makarycheva, A.M.; Kristoforova, N.K.-1979.

Extraction of copper ions from sea water by the crustacean *Artemia salina*: 239-241.

In: Vzaimodeistvie Vodoi Zhivym Veshchestvom. Tr. Mezdunar. Simp., 1975. Volume 1.

2112.

Makino, S.-1956.

A review of the chromosome numbers in animals.

2nd education, Tokyo, Hokuryukan, Japan.

2113.

Makrushin, A.V.-1978.

Anhydrobiosis and yolk structure of the eggs in Cladocera.(in russian).

Zool. Zh., 57(3): 364-374.

2114.

Maksimova, A.P.-1973.

Branchiopods (Branciopoda: Anostraca), intermediate hosts of cestodes Fam. Hymenolepididae.

Parazitologiya, 7(4):347-352.

2115.

Maksimova, A.P.-1976.

A new cestode *Fimbriarioides tadornae* new species from the sheldrake Tadorna tadorna and its development in the intermediate host.

Parazitologiya, 10(1):17-24.

2116.

Maksimova, A.P.-1976.

Branchiopods-intermediate hosts of cestodes *Anomolepis averini* (Spassky and Yourpalova, 1967) (Cestoda:Dilepididae).

Parazitologiya, 11(1):77-79.

2117.

Maksimova, A.P.-1981.

Morphology and developmental cycle of the cestode *Confluaria podicipina* (Szymanski, 1905) (Cestoda: Hymenolepididae).

Parazitologiya, 15(4): 325-331.

2118.

Malathi, V.G.; Mazumder, R.-1978.

An *Artemia salina* factor which stimulates the activity of highly purified eukaryotic initiation factor Elf-2 from *Artemia salina* and reticulocytes.

Fed.Eur.Biochem.Soc., Lett., 86(2):155-159.

2119.

Malathi, V.G.; Mazumder, R.-1979.

An *Artemia salina* factor which counteracts the mRNA-induced inhibitor MET-tRNA binding to initiation factor ELF-2.

Biochem.biophys.Res.Commun, 89:585-590.

2120.

Mallol, J.; Munoz, J.-1983.

Valoration de la actividad inhibidora de la guanil-ciclasa de un extracto de Nomordica charantia abbreviata. Curva dosis efecto en *Artemia salina*.

J. Pharmacol., 14(4): 609.

2121.

Malone, C.R.-1965.

Dispersal of plankton: Rate of food passage in mallard ducks.

J.Wildlife Manag., 29(3):529-533.

2122.

Malone, C.R.-1965.

Marking food for studying its rate of passage in poultry.

Poult.Sci., 44:298-299.

2123.

Maluf, N.S.R.-1939.

The blood of arthropods.

Q.Rev.Biol., 14:149-191.

2124.

Mamelci, M.; Jost, E.-1969.

Comparative study of the nucleic DNA content in two *Artemia* biotypes.

Atti Ass.genet.ital., 14:72-81.

2125.

Mangum, C.P.-1983.

Chapter 7. Oxygen transport in the blood: 373-429.

In: The Biology of Crustacea. Volume 5. Internal Anatomy and Physiological Regulation. Eds Bliss, D.E.; L.H. Mantel; Academic Press, New York, U.S.A.

2126.

Manning, A.Z.M.; Ting, G.S.; Trotman, C.N.A.; Tate, W.P.-1985.

Faithful translation of the mRNA for the haemoglobin polypeptide of *Artemia nauplii* in *Xenopus* oocytes.

Proc. Univ. Otago Med. Sch., 63:24-25.

2127.
Manouvriez, P.-1977.
The phototaxis of *Artemia salina* (L.): 65-70.
In: Fundamental and Applied Research on the Brine shrimp, *Artemia salina* (L.) in Belgium; EMS Spec. Publ.2, Eds Jaspers, E.; G. Persoone; Inst. for Mar.Sc.Res., Bredene, Belgium, 110pp.
2128.
Mansfield, B.C.; Krissansen, G.W.; Smith, M.G.; Tate, W.P.-1980.
Isolation of intact larval haemoglobin from the brine shrimp *Artemia salina*. Prevention of degradation in vitro by proteases induced during larval development.
Biochim. biophys. Acta, 623: 163-170.
2129.
Mansfield, B.C.; Tate, W.P.; Mitchell, A.; Rayns, D.G.-1979.
Isolation of polysomes from the larvae of *Artemia salina*.
Proc.Univ.Otago Medical School, 57:62-63.
2130.
Mansfield, B.C.; Trotman, C.N.A.; Tate, W.P.-1981.
RNA-directed synthesis in vitro of a polypeptide similar to the globins of *Artemia salina* haemoglobin.
Proc. Univ. Otago Medical School, Dunedin, New Zealand, 59(3): 86-88.
2131.
Mantel, L.H.; Farmer, L.L.-1983.
Chapter 2. Osmotic and ionic regulation: 53-161.
In: The Biology of Crustacea. Volume 5. Internal Anatomy and Physiological Regulation. Eds Bliss, D.E.; L.H. Mantel; Academic Press, New York, U.S.A.
2132.
Manwell, C.-1978.
Haemoglobin in the australian anostracan *Parartemia zietziana*: evolutionary strategies of conformity versus regulation.
Comp.Biochem.Physiol., 59A(1):37-44.
2133.
Manzi, J.J.; Maddox, M.B.-1976.
Algal supplement enhancement of static and recirculating system culture of *Macrobrachium rosenbergii* (De Man) larvae.
Helgolander wiss.Meeresunters., 28:447-455.
2134.
Manzi, J.J.; Maddox, M.B.-1979.
Minimum requirements of *Artemia salina* L. nauplii in *Macrobrachium rosenbergii* (De Man) larviculture.
South Carolina Marine Resources Center, Contr.No.105.

2135.

Manzi, J.J.; Maddox, M.B.-1980.

Requirements for Artemia nauplii in Macrobrachium rosenbergii
(de Man) larviculture: 313-329.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in
Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers;
Universa Press, Wetteren, Belgium, 428pp.

2136.

Manzi, J.J.; Maddox, M.B.; Sandifer, P.A.-1977.

Algal supplement of Macrobrachium rosenbergii (De Man)
larviculture: 207-223.

In: Proc.8th Ann.Meeting WMS; Ed. Avault, J.W.jr.; Louisiana State
University ,Baton Rouge, U.S.A., 984 pp.

2137.

March, S.C.-1972.

A quantitative procedure for the assay of ascorbate 3 sulfate in
biological samples.

Fedn Proc., 31(2):705.

2138.

Marchant, R.-1974.

Energetics of Parartemia.

Australian Society for Limnology, Newsletter, 12(1):33-34.

2139.

Marchant, R.-1976.

The ecological energetics of Parartemia zietziana Sayce (Crustacea:
Anostraca) in two saline lakes in Western Victoria.

Thesis, University of Adelaide, Australia.

2140.

Marchant, R.-1978.

The energy balance of the Australian brine shrimp Parartemia zietzian

Sayce (Crustacea: Anostraca).

Freshw. Biol., 8:481-490.

2141.

Marchant, R.; Williams, W.D.-1977.

Field estimates of oxygen consumption for the brine shrimp Parartemia
zietziana Sayce (Crustacea: Anostraca) in two salt lakes in Victoria,
Australia.

Freshw. Biology, 7:535-544.

2142.

Marchant, R.; Williams, W.D.-1977.

Field measurements of ingestion and assimilation for the Australian
brine shrimp Parartemia zietziana (Crustacea: Anostraca).

Aust.J.Ecol., 2(4):379-390.

2143.

Marchant, R.; Williams, W.D.-1977.
Organic content of some saline lake sediments in Western Victoria.
Aust.J.mar.Freshwat.Res., 28:269-275.

2144.

Marchant, R.; Williams, W.D.-1977.
Population dynamics and production of a brine shrimp, *Parartemia zietziana* Sayce (Crustacea: Anostraca) in 2 salt lakes in Western Victoria, Australia.
Aust.J.mar.Freshwat.Res., 28(4):417-438.

2145.

Marchetti, R.-1978.
Acute toxicity of alkyl leads to some marine organisms.
Bull.mar.Pollut., 9:206-207.

2146.

Marco, R.; Cervera, M.; Garesse, R.; Vallejo, C.G.-1977.
"Masking" of different components in *Artemia salina* dormant cysts
is drastically affected by homogenization conditions.
11th FEBS Meeting, Abstract No. C-8 710 8/9.

2147.

Marco, R.; Garesse, R.; Vallejo, C.G.-1977.
El papel infomacional de las plaquetas de vitelo en el desarrollo
de *Artemia salina*: 99.
In: VII Congreso de la Sociedad Espanola Bioquimica (Pamplona).,
Abstract Number 164.

2148.

Marco, R.; Garesse, R.; Vallejo, C.G.-1980.
Mitochondrial unmasking and yolk platelets metabolism during
early development in *Artemia*: 481-490.
In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry,
Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E.
Jaspers; Universa Press, Wetteren, Belgium, 636pp.

2149.

Marco, R.; Garesse, R.; Vallejo, C.G.-1981.
Storage of mitochondria in the yolk platelets of *Artemia* dormant
gastrulæ.
Cell. Molec. Biol., 27(5): 515-522.

2150.

Marco, R.; Perona, R.; Kornberg, T.B.; Vallejo, C.G.-1980.
The stabilisation and isolation of the yolk granules of *Artemia* and
Drosophila melanogaster.
IX Congress of the International Society of Developmental Biologists,
Gi-4.

2151.

Marco, R.; Vallejo, C.G.-1976.

Mitochondrial biogenesis during *Artemia salina* development: storage of precursors in yolk platelets.

J.biophys.biochem.Cytol., 70(2-2):321A. Abstract Number 963.

2152.

Marco, R.; Vallejo, C.G.; Garesse, R.; Perona, R.-1980.

A hypothesis on the activation process of proteolytic activities during *Artemia* early development: 316-323.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

2153.

Marco, R.; Vallejo, C.G.; Sillero, M.A.G.-1975.

Enzymic and functional characteristics of the shift from precursor to mature mitochondria during *Artamia salina* embryogenesis.

10th Federation of European Biochemical Society Meeting, Abstract Number 30B.

2154.

Marking, L.L.; Bills, T.D.; Crowther, J.R.-1984.

Effects of five diets on sensitivity of rainbow trout to eleven chemicals.

Progve Fish-Cult., 46(1): 1-5.

2155.

Marshall, S.M.; Orr, A.P.-1960.

Feeding and nutrition: 227-258.

In: The physiology of Crustacea. Vol.1. Metabolism and growth.Ed. Waterman, T.H.; Academic Press, New York, U.S.A., 670 pp.

2156.

Martens, P.-1978.

Fecal pellets.

Fiches identif.zooplancton FIZPA B.O(162):1-4.

2157.

Martin, E.G.; Wilbur, B.C.-1921.

Salt antagonism in *Artemia*.

Am.J.Physiol., 55:290-291.

2158.

Marvil, D.K.; Nowak, L.; Szer, W.-1980.

Single-stranded nucleic acid-binding protein from *Artemia salina*.
J. Biol. Chem., 255(13): 6466-6472.

2159.

Masala, L.T.-1968.

Recerche citologische su fillopodi Anostraci affini All'Artemia salina.

Fac.Sci.Sem.Sci.Rend., 38:347-350.

2160.

Mason, D.T.-1963.

The growth response of *Artemia salina* (L.) to various feeding regimes.
Crustaceana, 5:138-150.

2161.

Mason, D.T.-1966.

Density current plumes.
Science, N.Y., 152:354-356.

2162.

Mason, D.T.-1966.

Limnology of Mono Lake, California.

Thesis, University of California, Davis, California, U.S.A.,
Diss. Abstr., 27:2052B.

2163.

Mason, D.T.-1967.

Limnology of Mono Lake, California.

Univ. Calif. Publ. Zool., 83:1-110.

2164.

Masters, C.O.-1975.

Brine Shrimp: 187-195.

In: *Encyclopedia of live foods*, Ed. Masters, C.O.; T.F.H. Publications, Inc., Ltd., Hong Kong.

2165.

Matheson, A.T.; Yaguchi, M.-1981.

The ribosome as a phylogenetic probe: 103-110.

In: *International Cell Biology 1980-1981*. Ed. Schweiger, H.G.; Springer-Verlag, New York, U.S.A.

2166.

Mathias, P.-1929.

Sur le développement de l'oeuf des Crustacés Phyllopodes.

Bull. Soc. zool. Fr., 54:342-344.

2167.

Mathias, P.-1932.

Sur le développement de l'oeuf d'un Crustacé Phyllopode (*Artemia salina* L.).

C.r.hebd.Seanc.Acad.Sci., Paris, 194:1195-1197.

2168.

Mathias, P.-1934.

Résistance au froid et à la chaleur de l'oeuf d'*Artemia salina* L. (Crustacé Phyllopode).

Comptes rendus du Congrès des Sociétés savantes de Paris et des Départements, Section des Sciences, 67ème Congrès des Sociétés savantes: 157-161.

2169.

Mathias, P.-1934.

Sur la biologie de l'Artemia salina L.(Crustacé Phyllopode).
Annls Sci., ecole norm.super., 17:433-439.

2170.

Mathias, P.-1937.

Biologie des Crustacés Phyllopodes.

Act.Sci.Industr., Biblio.Soc.Philo., Paris, 447:107pp.

2171.

Matlak, O.-1979.

The most frequent food components of carp fry on spawning grounds and in nursery ponds: 149-157.

In: Cultivation of fish fry and its live food. EMS Spec. Publ.No. 4.
Eds Styczynska-Jurewicz, E.;T. Backiel;E. Jaspers;G. Persoone; Inst.
for Mar.Sc.Res., Bredene, Belgium, 534pp.

2172.

Matsumura, F.; Benezet, H.J.-1973.

Studies on the bioaccumulation and microbial degradatioon of
1,3,7,8-tetrachloro-dibenzo-P-dioxin.

Nat.Inst.Envir.Health Sci., 5:253-258.

2173.

Matveeva, E.-1979.

Fst acting changes in the crustacean Artemia salina Leach
respiratory rate after discontinuation of the influence of crude
oil and derivatives. (In: bulgarian).

Izvestiya Inst. Rib. Resur. Varna, 17: 85-95.

2174.

Mauchline, J.; Templeton, W.L.-1964.

Artificial and natural radioisotopes in the marine environment: 229-
279.

In: Oceanography and marine biology, annual review, Vol. 2.
Ed. Barnes, H.;Hafner Publications Company, New York, U.S.A.

2175.

Mauviot, J.C.-1973.

Compte-rendu d'expérience concernant l'alimentation d'Artemia
salina.

COB/Ds/Rapport de stage 73.1, 8 pp.

2176.

Maxia, C.-1934.

Ricerche sulla inibizione differenziale. Esperimenti con claruro di
litio in Artemia salina.

Boll.Soc.ital.Biol.sper., 9(8):770-772.

2177.

Maxia, C.-1934.

Studi sulla idropermeabilita cellulare. Nota IIIa. Ricerche su uova di
Artemia salina e di Cyprinodon calaritanus.

Scritti biologici,Siena, 9:57-65.

2178.
May, J.M.-1967.
Ecology of malnutrition in Northern Africa (Libya, Tunisia, Algeria, Morocco, Spanish Sahara, Mauritania): 30.
In: Studies in medical geography, Vol. 7. Hafner Publications Company, New York, U.S.A..

2179.
May, R.C.-1970.
Feeding larval marine fishes in the laboratory: a review.
Calif.Mar.Res.Comm., CALCOFI Rept., 14:76-83.

2180.
May, R.C.-1971.
An annotated bibliography of attempts to rear the larvae of marine fishes in the laboratory.
NOAA Techn.Rep.NMFS SSRF-632-24pp.

2181.
May, R.C.-1971.
Effects of delayed initial feeding on larvae of the grunion, *Leuresthes tenuis* (AYRES).
US Fish.Bull., 69(2):411-425.

2182.
Maynard, D.M.-1960.
Circulation and heart function: 161-226.
In: The physiology of Crustacea. Vol.1. Metabolism and growth.Ed. Waterman, T.H.; Academic Press, New York, U.S.A., 670 pp.

2183.
Mazumder, R.-1975.
Inhibition by fusidic acid of an eukaryotic factor-promoted and 40-S ribosomal subunit-dependant GTPase activity.
Fed.Eur.Biochem.Soc., Lett., 51:341-345.

2184.
Mazumder, R.-1975.
Sites of action of fusidic acid in eukaryotes. Inhibition by fusidic acid of a ribosome-independent GTPase from *Artemia salina* embryos.
Eur.J.Biochem., 58(2):549-554.

2185.
Mazumder, R.; Malathi, V.G.; Mohan, V.P.-1980.
Polypeptide chain initiation in *Artemia salina*.
Fed. Proc., 39(6):1870. Abstract Number 1393.

2186.
Mazzini, M.-1978.
Scanning electron microscope morphology and amino acid analyses of the eggshell of encysted brine shrimp *Artemia salina*,
2187.
Monitore zool.ital., 12:243-252.

2188.
McCabe, M.M.-1972.
Post-emergence development of *Artemia salina*: lactic acid dehydrogenase and the onset of anaerobic glycolysis.
Thesis. University of Miami, U.S.A.; Diss. Abstr., 1972, 33:1017.
2189.
McCarraher, D.B.-1970.
Some ecological relations of fairy shrimp in alkaline habitats of Nebraska.
Am. Midl. Natur., 84(1):59-68.
2190.
McClean, D.K.-1969.
Aspects of nucleic acid metabolism during development of the brine shrimp, *Artemia salina*.
Thesis. University of Windsor, Canada.
2191.
McClean, D.K.; Warner, A.H.-1971.
Aspects of nucleic acid metabolism during development of the brine shrimp *Artemia salina*.
Devl Biol., 24(1):88-105.
2192.
McCourt, R.P.-1985.
The Radiobiology of *Artemia*: A Review.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.
2193.
McCroskey, R.P.; Zasloff, M.; Ochoa, S.-1972.
Polypeptide chain initiation and stepwise elongation with *Artemia* ribosomes and factors.
Proc. Natn. Acad. Sci., U.S.A., 69(9):2451-2455.
2194.
McDermott, M.J.-1974.
Trehalose and glycogen accumulation in cryptobiotic states of three invertebrates.
Thesis. St. Johns University, New York, U.S.A., 62 pp.
2195.
McDonald, D.B.-1956.
The effects of pollution upon Great Salt Lake, Utah.
Thesis, University of Utah, U.S.A., 42 pp.
2196.
McGeachin, R.B.-1977.
Algae fed *Artemia salina* nauplii as a food source for larval *Cynoscion nebulosus* sp.
Thesis, Texas A&M University, Texas, USA, 38pp.

2197.

McGeachin, R.B.; Stickney, R.R.; Arnold, C.R.-1977.
Algae fed Artemia salina nauplii as a food source for larval
Cynoscion nebulosus.

Proc. Southeast. Assoc. Fish Wildl. Agencies, 31: 574-582.

2198.

McLaughlin, P.A.-1980.

Comparative morphology of recent Crustacea.

W.H. Freeman and Company, San Francisco, California, U.S.A., 177 pp.

2199.

McLaughlin, P.A.-1982.

Chapter 4. Comparative morphology of crustacean appendages: 197-256.
In: The Biology of Crustacea. Volume 2. Embryology, Morphology, and
Genetics. Eds Bliss, D.E.; L.G. Abele; Academic Press, New York,
U.S.A.

2200.

McLaughlin, P.A.-1983.

Chapter 1. Internal anatomy: 1-52.

In: The Biology of Crustacea. Volume 5. Internal Anatomy and
Physiological Regulation. Eds Bliss, D.E.; L.H. Mantel; Academic
Press, New York, U.S.A.

2201.

McLean, S.-1980.

The effect of cis-chlordane and dieldrin on the short food chain:
Artemia to winter flounder.

M.A. Thesis, University of Rhode Island, Kingston, Rhode Island,
U.S.A.

2202.

McLean, S.; Olney, C.E.; Klein-MacPhee, G.; Simpson, K.L.-1985.

Effect of Chlordane and Dieldrin on the Artemia to
Winter Flounder food chain.

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2203.

McLennan, A.G.-1985.

Multiple DNA polymerase-a polypeptides, DNA polymerase-y and a
catalytically inactive, cytoplasmic DNA polymerase-b polypeptide in
embryos and larvae of Artemia.

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2204.

McLennan, A.G.; Carney, S.L.; Douglas, J.-1978.

DNA polymerases in the developing brine shrimp.

Hoppe-Seyler's Z.physiol.Chem., 359:1121.

2205.

McLennan, A.G.; Prescott, M.-1984.

Diadenosine tetraphosphate and diadenosine tetraphosphate-binding proteins in developing embryos of *Artemia*: 507-511.
In: Proteins involved in DNA replication. Eds Hubscher, U.; S. Spadari.; Plenum Press, New York, U.S.A.

2206.

McLennan, A.; Prescott, M.-1984.

Diadenosine 5',5' ''-P₁,P₄-tetraphosphate in developing embryos of *Artemia*.

Nucl. Acids Res., 12(3): 1609-1619.

2207.

McShan, M.; Trieff, N.M.; Grajcer, D.-1973.

Biological treatment of sewage using algae and *Artemia*.

Tex. Rep. Biol. Med., 31:584.

2208.

McShan, M.; Trieff, N.M.; Grajcer, D.-1974.

Biological treatment of wastewater using algae and *Artemia*.

J. Wat. Pollut. Control Fed., 46(7):1742-1750.

2209.

Meade, C.G.; Finamore, F.J.-1969.

The occurrence of ascorbic acid sulfate in the brine shrimp *Artemia salina*.

Biochemistry, 8(6):2652-2655.

2210.

Meade, J.W.-1976.

Advances in the intensive rearing of brine shrimp (*Artemia salina*). Thesis, The Pennsylvania State University, University Park, U.S.A., 64 pp.

2211.

Meade, J.W.; Haines, P.B.; Howey, R.G.; Theis, G.L.-1980.

Controlled large-scale hatching of brine shrimp, *Artemia salina*. Lamar Information Leaflet, No 80-03.

2212.

Medgyesy, N.; Wieser, W.-1982.

Rearing whitefish (*Coregonus larvaretus*) with frozen zooplankton by means of a new feeding apparatus.

Aquaculture, 28: 327-337.

2213.

Medlyn, R.A.-1980.

Susceptibility of four geographical strains of adult *Artemia* to *Ptychodiscus brevis* toxin(s):225-231.

In: The brine shrimp *Artemia*. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 318pp.

2214.
Medwedewa, N.B.-1927.
Uber den osmotischen Druck der Haemolyphe von Artemia salina
(Vorlaufige Mitteilung).
Z.vergl.Physiol., 5(3):547-554.

2215.
Meer Mohr, C.G.V.D.-1977.
Field trip to the salinas of Bonaire: 76-87.
In: Guide to geological excursions in Curacao, Bonaire, Aruba.
Stinapa, Docum. ser.2, Netherl.Antilles Nat.Parks Found.

2216.
Mehta, H.B.; Roth, W.W.; Woodley, C.L.; Wahba, A.J.; Parekh, B.S.;
Montelaro, R.C.-1985.
Structural studies on the eukaryotic polypeptide chain initiation
factor 2 from rabbit reticulocytes and brine shrimp.
Fedn Proc., 44(4): 1222, Abstract Number 4749.

2217.
Mehta, H.B.; Woodley, C.L.; Wahba, A.J.-1983.
Protein synthesis in brine shrimp embryos and rabbit reticulocytes.
The effect of Mg²⁺ on binary (eIF-2-GDP) and ternary (EIF-2-GTP-Met-
rRNAf) complex formation.
Fedn. Proc., 42(7): 2155, Abstract Number 2323.

2218.
Mehta, H.B.; Woodley, C.L.; Wahba, A.J.-1983.
Protein synthesis in brine shrimp embryos and rabbit reticulocytes.
The effect of Mg²⁺ on binary (eukaryotic initiation factor 2-GDP) and
ternary (...2-GTP-Met-tRNAf) complex formation.
J. Biol. Chem., 258(6): 3438-3441.

2219.
Melack, J.M.; Jellison, R.S.; Lenz, P.H.; Dana, G.L.-1985.
Responses of plankton in hypersaline Mono Lake to water diversions
and El Nino.
Abstract. Am. Soc. Limnol. Oceanogr. Minneapolis, Minnesota, U.S.A.

2220.
Melack, J.M.; Lenz, P.H.-1979.
Plankton heterogeneity in an alkaline, saline lake (Mono Lake,
California).
Abstract. Am. Soc. Limnol. Oceanogr., Long Island, New York, U.S.A.

2221.
Melack, J.M.; Lenz, P.H.; Cooper, S.D.-1985.
The ecology of Mono Lake.
Nat. Geogr. Soc. Res. Rep., in press.

2222.

Melack, J.M.; Liang, Y.; Lenz, P.H.-1982.

Ecological responses of the plankton of Mono Lake to increased salinity.

Abstract. Mono Lake Symposium/Workshop, Santa Barbara, California, U.S.A.

2223.

Melzer, -1971.

Aufzucht von *Artemia salina*.

Tetra Information aus der Aquaristik, 13: 17.

2224.

Menasveta, P.; Panichayakul, S.; Piyatiratitivorakul, P.; Piyatiratitivorakul, S.-1984.

Effect of different diets on survival of giant prawn larvae (*Macrobrachium rosenbergii* De Man).

Journal of the Science Society of Thailand, 10(3): 179-188.

2225.

Menner, E-1938.

Studien über die Bewegung von *Artemia salina* und *Branchipus stagnalis*.

Zool.Anz., 122(3/4):49-65.

2226.

Meske, C.-1973.

Aquakultur von Warmwasser Nutzfischen.

E.Ulmer verlag. Stuttgart, Germany: 163pp.

2227.

Mesnil, G.-1972.

Problemes posés par l'elevage d'*Artemia salina*.

COB/DS/Rapport de Stage, 72.2., 21 pp.

2228.

Metailler, R.; Alliot, E.-1978.

Alimentation larvaire des poissons marins à l'aide de proies inertes. Oceanis, 4(5):405-421.

2229.

Metalli, P.-1968.

The laboratory culture of the brine shrimp, *Artemia salina*. II. The culture methods and the use of flagellates for feeding Artemia. Comitato Nazionale Energia Nucleare, 1-27.

2230.

Metalli, P.-1980.

Review on the radiobiology of Artemia: 3-13.

In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics,

Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E.

Jaspers; Universa Press, Wetteren, Belgium, 318pp.

2231.

Metalli, P.; Ballardin, E.-1962.

Artemia salina Leach, a new material for radiobiological research.
Strahlentherapie, 51:126-128.

2232.

Metalli, P.; Ballardin, E.-1962.

First results on X-ray induced genetic damage in Artemia salina
Atti Ass.genet.ital., 7:219-231.

2233.

Metalli, P.; Ballardin, E.-1963.

Radiobiological problems in Artemia salina.

Int.J.Rad.Biol., 6(4):376.

2234.

Metalli, P.; Ballardin, E.-1965.

Effetto dei raggi X sulla durata della vita di deppi di Artemia salina
Leach.

Boll. Zool., 32:587-602.

2235.

Metalli, P.; Ballardin, E.-1965.

On the relationship between radiation resistant recuperation ability
of Artemia salina oocytes.

Comitato Nazionale Energia Nucleare, 1-10.

2236.

Metalli, P.; Ballardin, E.-1967.

Il numero di sete della furca di Artemia salina diploide
partenogenetica durante gli stadi di sviluppo.

Boll.Zool., 34:140-141.

2237.

Metalli, P.; Ballardin, E.-1972.

Radiobiology of Artemia: radiation effects and ploidy.

Current Topics in Radiation Research Quarterly, 7(2):181-240.

2238.

Metalli, P.; Ballardin, E.; Barigozzi, C.-1961.

Prime risultati del trattamento con raggi X di Artemia salina Leach.

Atti Ass.genet.ital., 6:409-418.

2239.

Meyer, B.N.-1983.

Brine shrimp toxicity: Certain components of Stapelia, Coryphanta.
Lupinus, and quinoa.

Ph. D. Thesis. Purdue University. West Lafayette, Indiana, U.S.A.,
155 pp; Dissertation Abstracts International 44(6): 1835-B,

2240.
Meyer, B.N.; Ferrigni, N.R.; Putman, J.E.; Jacobsen, L.B.; Nichols, D.E.; McLaughlin, J.L.-1982.
Brine shrimp: A convenient general bioassay for active plant constituents.
Planta med., 45: 32-34.
2241.
Meyers, S.P.; Hagood, R.W.-1984.
Flake diets and larval crustacean culture.
Progve Fish-Cult., 46(4): 225-229.
2242.
Michael, A.S.; Thompson, C.G.; Abramovitz, M.-1956.
"Artemia salina" as a test organism for bioassay.
Science, N.Y., 123:464.
2243.
Michael, A.S.; Thompson, C.J.; Abramovitz, M.-1956.
Use of the brine shrimp for the detection of insecticide residues.
U.S.Dept.Agric.Res.Serv., Sup.Doc., 77-15:33-15.
2244.
Michinomae, M.; Kaji, S.-1976.
Effect of acetamide on the bristle formation in the brine shrimp,
Artemia salina.
Ann.Zool.Jap., 49(3):149-156.
2245.
Milla, L.-1941.
Variabilità della grandezza nucleare in *Artemia salina* Leach,
Partenogenetica e anfigonica.
Reala Istituto Lombardo di Scienze e Lettre,Rendiconti,Classedi
Scienze Matematiche e naturali,Milano, 74(2):287-292.
2246.
Millamena, O.M.; Bombeo, R.F.; Jumalon, N.A.; Simpson, K.L.-1985.
The effects of various diets on the nutritional value of *Artemia* as
feed for *Penaeus monodon* larvae: 21.
In: Book of Abstracts, World Mariculture Society, 16th Annual
Meeting and Florida Aquaculture Association, 1st Meeting. Orlando,
Florida, Jan. 13-17, 1985.
2247.
Miller, D.; Jerams, W.; McLennan, A.G.-1985.
Stress-related proteins in *Artemia*.
In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2248.

Miller, D.C.; Lang, W.H.; Marcy, M.; Clem, P.; Pechenik, J.-1979.
International study on Artemia. Naupliar locomotory rates, patterns
and photoresponses: A comparative study of various strains of Artemia
salina: 91.

In: Book of Abstracts. International Symposium on the brine shrimp,
Artemia salina, Corpus Christi (TX-U.S.A.), Aug.20-23, 1979; Artemia
Reference Center, Ghent, Belgium, 137pp.

2249.

Miller, M.W.; Barker, E.R.; Pitt, J.I.-1967.

Ascospore numbers in Metschnikowia.

Journal of Bacteriology. 94(1):258-259.

2250.

Miller, P.E.; Coffin, H.G.-1961.

A laboratory study of the development stages of Hapalogaster
martensii (Brandt), (Crustacea,Decapoda).

Walla Walla Pub.Dept.Biol.Sci.and Biol.Sta., 30:20pp.

2251.

Milligan, D.J.; Quick, J.A.; Hill, S.E.; Morris, J.A.; Hover, R.J.-
1980.

Sequential use of bacteria, algae and brine shrimp to treat
industrial wastewater at pilot plant scale: 193-206.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in
Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers;
Universa Press, Wetteren, Belgium, 456pp.

2252.

Milliken, M.R.; Biddle, G.N.; Siewick, T.C.; Fortner, A.R.; Fair,
P.H.-1980.

Effects of various levels of dietary protein on survival, molting
frequency and growth of juvenile blue crabs (*Callinectes sapidus*).
Aquaculture, 19:149-161.

2253.

Minganti, A.; Falugi, C.; Rainieri, M.; Ricci, M.-1975.

Ricerche istochimiche su larve di Artemia salina.

Acta Embryol.Exp., 3:286-287.

2254.

Miralles, J.; Sebastian, J.; Heredia, C.F.-1978.

Independent temporal expression of 2 N substituted aminoacyl transfer
RNA hydrolases during the development of Artemia.

Biochim.biophys.Acta, 518(2):326-333.

2255.

Mitchell, B.D.; Geddes, M.C.-1977.

Distribution of the brine shrimp *Parartemia zietziana* SAYCE and
Artemia salina (L.) along a salinity and oxygen gradient in a South
Australian saltfield.

Freshw.Biol., 7(5):461-468.

2256.

Mitrofanov, Y.A.; Ivanovskii, Y.A.; Lesnikova, L.N.; Makarycheva, A.M.-1982.
Chromosome numbers and karyotypes of certain populations of *Artemia salina*.
Tsitologiya i Genetika, 16(4): 11-14.

2257.

Mitrofanov, Y.A.; Otradnova, V.V.; Val'vach, A.A.-1976.
The karyotype of *Artemia salina*.
Tsitologiya, 18(2):233.

2258.

Mitson, R.B.-1963.
Marine Fish Culture in Britain. V. An electronic device for counting the nauplii of *Artemia salina* L.
J.Cons.int.Explor.Mer, 28:262-269.

2259.

Mizukoshi, K.-1973.
Utilization of *Artemia* as an experimental material for biology students (1). (in japanese).
Iden, 27(11): 108-111.

2260.

Mizukoshi, K.-1973.
Utilization of *Artemia* as an experimental material for biology students (2). (in japanese).
Iden, 27(12): 67-71.

2261.

Mizukoshi, K.-1974.
Utilization of *Artemia* as an experimental material for biology education,(in japanese).
Iden, 28(1):87-91.

2262.

Mock, C.R.; Fontaine, C.T.; Revera, D.B.-1980.
Improvements in rearing larval Penaeid shrimp by the Galveston Laboratory method: 331-342.
In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

2263.

Mock, C.R.; Neal, R.A.; Salser, B.R.-1973.
A closed raceway for the culture of shrimp: 247-259.
In: Proc.4th.Ann.Meeting WMS, Ed. Avault, J.W. jr.
Louisiana State Univeristy, Baton Rouge, U.S.A., 431 pp.

2264.

Mock, C.R.; Revera, D.B.; Fontaine, C.T.-1980.
The larval culture of *Penaeus stylostris* using modifications of the Galveston Laboratory technique.
Proc. World Maricul. Soc., 11: 102-117.

2265.

Moens, L.-1977.

Protein synthesis in a cell-free system and characterization of the extracellular hemoglobins of *Artemia salina*.

Thesis, University of Antwerp, Belgium; 167 pp. Diss. Abstr., 38:582.

2266.

Moens, L.-1982.

The extracellular hemoglobins of *Artemia* sp.: A biochemical and ontogenetic study.

Mededelingen van de Koninklijke Academie voor wetenschappen, Letteren en Schone Kunsten van Belgie, Klasse der Wetenschappen, 44(1): 3-22.

2267.

Moens, L.; Clauwaert, J.; Kondo, M.-1976.

Naupliar and adult haemoglobins of *Artemia salina*: O4-7-397.
10th Int. Congr. on Biochemistry, Hamburg, F.R.G., Abstract.

2268.

Moens, L.; Geelen, D.; Van Hauwaert, M.L.-1983.

Purification of a domain liberated from *Artemia salina* haemoglobins by limited subtilisin digestion.

Archs int. Physiol. Biochim., 91(1): B28-B29.

2269.

Moens, L.; Geelen, D.; Van Hauwaert, M.L.; Van Beeumen, J.-1984.

The amino-terminal sequence of a structural unit isolated from the high molecular weight globin chains of *Artemia* sp.

FEBS Meeting, Moscow 25-30 June 1984, p. 314 (Abstr. Nr. XIV 002).

2270.

Moens, L.; Geelen, D.; Van Hauwaert, M.L.; Wolf, G.; Blust, R.;

Witters, R.; Lontie, R.-1984.

The structure of *Artemia* sp. haemoglobin II. Cleavage of the native molecule into functional units by limited subtilisin digestion.

Biochem. J., 223(3): 861-869.

2271.

Moens, L.; Heip, J.; Kondo, M.-1977.

The structure of extracellular hemoglobins of *Artemia salina* (L.): 77-78.

In: Fundamental and applied research on the brine shrimp, *Artemia salina* (L.) in Belgium, EMS Spec. Publ. 2, Eds Jaspers, E;G. Persoone; Inst. for Mar.Sc.Res., Bredene, Belgium, 110 pp.

2272.

Moens, L.; Heip, J.; Vrints, R.; Kondo, M.-1978.

In vivo synthesis of haemoglobins and identification of haemoglobin synthesizing polysomes in *Artemia salina*.

Twelfth Federation of European Biochemical Societies Meeting. Dresden, F.R.G.; p 310, Abstract.

2273.
Moens, L.; Heip, J.; Vrints, R.; Pollet, D.; Piot, E.; Jacobs, G.;
Kondo, M.-1978.
Absence of haemoglobin messenger RNA in the developing gastrulae of
Artemia salina.
Archs int.Physiol.Biochim., 86(4):920-922.
2274.
Moens, L.; Kondo, M.-1974.
Synthesis in vitro of *Artemia salina* proteins in an homologous
cell-free system.
Archs int.Physiol.Biochim., 82(5):997.
2275.
Moens, L.; Kondo, M.-1976.
Large subunit contained in the extracellular haemoglobins of *Artemia*
salina.
Archs int. Physiol. Biochim., 84(5):1096-1098.
2276.
Moens, L.; Kondo, M.-1976.
Polysome-dependent synthesis of embryonic proteins of *Artemia salina*
during cell differentiation and analysis of heme-containing protein.
Devl Biol., 49(2):457-469.
2277.
Moens, L.; Kondo, M.-1976.
Structural analysis of naupliar and adult hemoglobins of *Artemia*
salina.
J. Cell Biol., Abstract No. 722.
2278.
Moens, L.; Kondo, M.-1976.
The structure of *Artemia salina* hemoglobins. A comparative
characterization of four naupliar and adult hemoglobins.
Eur.J.Biochem., 67(2):397-402.
2279.
Moens, L.; Kondo, M.-1977.
Characterization of the extracellular hemoglobins of *Artemia salina*.
Biochem.J., 165(1):111-119.
2280.
Moens, L.; Kondo, M.-1978.
Evidence for a dimeric form of *Artemia salina* extracellular
hemoglobins with high-molecular-weight subunits.
Eur.J.Biochem., 82(1):65-72.
2281.
Moens, L.; Kondo, M.6.
Large subunit contained in the extracellular haemoglobins of *Artemia*
salina.
Archs int.Physiol.Biochim., 84(5):1096-1098.

2282.

Moens, L.; Van Hauwaert, M.L.; Geelen, D.; Verpooten, G.;
Van Beeumen, J.-1985.
The hemoglobins of Artemia. The structure of a high molecular weight
globin chain.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2283.

Moens, L.; Van Hauwaert, M.L.; Wolf, G.-1985.
The structure of Artemia sp. hemoglobin III. Purification of a
structural unit to homogeneity.
Biochem. J., 227(3):917-924.

2284.

Moffett, D.F.-1972.
Preliminary studies of the relationship between population density
and larval growth rate in the brine shrimp, Artemia
salina.
Collegiate Acad.No.Car.Acad.Sci., 16:7-8.

2285.

Moffett, D.F.; Grosch, D.S.
Differential effects of LAS detergent on reproductive performance of
male and female brine shrimp Artemia salina.
Biol.Bull., 135:420.

2286.

Moffett, W.L.; Fisher, W.S.-1978.
Ammonia production rates of Artemia salina under various culture
conditions.
J.Fish.Res.Bd Can., 35(12):1643-1648.

2287.

Mohan, V.P.; Malathi, V.G.; Mazumder, R.-1980.
Stimulation of an Artemia salina ATPase activity by eukaryotic
messenger RNAs.
Biochem. biophys. Res. Comm., 94(1): 218-225.

2288.

Moise, H.W.-1973.
Molecular weight determination of Artemia hemolymph proteins.
Thesis, San Francisco State University, U.S.A.

2289.

Moller Andersen, A.-1977.
Elevforsog og problemlosning. (Experiments for pupils and problems to
solve). (in danish).
Kaskelot (Paedagog. Saer), 23: 1-10.

2290.

Moller, W.; Maassen, J.A.; Amons, R.-1985.

Biochemical studies on elongation factor 1 from Artemia

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2291.

Moller, W.; Slobin, L.I.; Amons, R.; Richter, D.-1975.

Isolation and characterization of two acidic proteins of 60S ribosomes from Artemia salina cysts.

Proc.Natn.Acad.Sci. U.S.A., 72(12):4744-4748.

2292.

Monod, T.-1969.

A propos du Lac des Vers ou Bahr ed-Dud.

Bull.Inst.fondam.Afr.noire(A), 31(1):25-41.

2293.

Montague, C.L.-1982.

A causal hypothesis explaining predator-prey daynamics in Great Salt Lake, Utah.

Ecol. Modelling, 17: 243-270.

2294.

Montanaro, L.; Sperti, S.; Zamboni, M.; Denaro, M.; Testoni, G.; Gasperi-Campani, A.; Stirpe, F.-1978.

Effect of modeccin on the steps of peptide-chain elongation.

Biochem.J., 176:371-379.

2295.

Montgomery, T.H.-1906.

The analysis of racial descent in animals.

New York and London: 316pp.

2296.

Moore, H.F.-1899.

An inquiry into the feasability of introducing useful marine animals into waters of Great Salt Lake.

U.S.Comm.Fish., H.of Rep.Doc. 692, part 25:231-250.

2297.

Moore, J.E.-1952.

The entomostraca of southern Saskatchewan.

Can.J.Zool., 30:410-449.

2298.

Moore, P.G.-1977.

Inorganic particulate suspensions in the sea and their effects on marine animals :225-263.

In: Oceanography and Marine Biology, Annual Review, Vol.15.

Ed. Barnes, H. Hafner Publications Company, New York, U.S.A.

2299.

Moore, W.G.-1957.

Studies on the laboratory culture of Anostraca.

Trans.Am.microsc.Soc., 76:159-173.

2300.

Moore, W.G.; Faust, B.F.-1972.

Crayfish as possible agents of dessemination of fairy shrimp into temporary ponds.

Ecology, 53(2):314-316.

2301.

Mootz, C.A.; Epifanio, C.E.-1974.

An energy budget for Menippe mercenaria larvae fed Artemia nauplii. Biol.Bull., 146:44-55.

2302.

Moraitou-Apostolopoulou, M.; Verriopoulos, G.-1984.

Lethal and sublethal effects of some contamininants (heavy metals, oil, oil dispersant and oil/dispersant) to marine animals.

FAO/UNEP Meeting on the toxicity and bioaccumulation of selected substances in marine organisms. Rovinj, Jugoslavia, November 1984.

2303.

Moraitou-Apostolopoulou, M.;Verriopoulos, G.-1985.

Effects of pre-exposure on the tolerance of Artemia to oil and oil dispersants.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2304.

Moraitou-Apostolopoulou, M.; Verriopoulos, G.; Christou, N.-1984.

The importance of temperature and light conditions on the toxicity of oil, oil dispersant and oil/dispersant mixture to Artemia salina.

VIIe Journées d'Etudes sur les Pollution marines, C.I.E.S.M., UNEP, Lucerne, October 1984.

2305.

Morgan, D.D.; Warshawsky, D.-1977.

The photodynamic immobilization of Artemia salina nauplii by polycyclic aromatic hydrocarbons and its relationship to carcinogenic activity.

Photochem.Photobiol., 25(1):39-46.

2306.

Morgan, D.L.-1947.

The Great Salt Lake: 367-386.

Bobbs-Merrill, Inc. and University of New Mexico Press, Albuquerque, New Mexico, U.S.A.

2307.

Moroff, T.-1912.

Cyto-histogenetische Studien. II. Über die Entwicklung des Muskelgewebes bei Crustaceen.

Zool.Jb., Abteilung für Anatomie und Ontogenie der Tiere, 34(4):559-620.

2308.

Moroff, T.-1912.

Entwicklung und phylogenetische Bedeutung des Medianauge bei Crustaceen.

Zool.Anz., 40(1):11-25.

2309.

Moroff, T.-1912.

Cyto-histogenetische Studien.

Zool.Jb., Abteilung für Anatomie und Ontogenie der Tiere, 34(4):473-481.

2310.

Moroff, T.-1912.

Cyto-histogenetische Studien. I. Entwicklung des Facettenauges bei Crustaceen.

Zool.Jb., Abteilung für Anatomie und Ontogenie der Tiere, 34(4):482-558.

2311.

Morohashi, M.; Kawamura, M.-1984.

Solubilization and purification of *Artemia salina* (sodium, potassium)-activated ATPase and amino-terminal amino acid sequence of its larger subunit.

J. Biol. Chem., 259(23): 14928-14934.

2312.

Morris, J.E.-1968.

Dehydrated cysts of *Artemia salina* prepared for electron microscopy by totally anhydrous techniques.

J.Ultrastruct.Res., 25:64-72.

2313.

Morris, J.E.-1971.

Hydration, its reversibility, and the beginning of development in the brine shrimp, *Artemia salina*.

Comp.Biochem.Physiol., 39A:843-857.

2314.

Morris, J.E.; Afzelius, B.A.-1967.

The structure of the shell and outer membranes in encysted *Artemia salina* embryos during cryptobiosis and development.

J.Ultrastruct.Res., 20:244-259.

2315.
Morris, R.J.; Culkin, F.-1976.
Marine lipids: Analytical techniques and fatty acid ester analysis:
391-433.
In: Oceanography and marine biology, annual review, Vol.14.
Ed. Barnes, H.; Aberdeen Press.
2316.
Morris, R.J.; Culkin, F.-1977.
Marine lipids: Sterols: 73-102.
In: Oceanography and marine biology, annual review, Vol.15.
Ed. Barnes, H.; Aberdeen Press.
2317.
Motohashi, K.; Matsudaira, C.-1969.
Some problems relating to phosphate regeneration and oxygen
consumption in seawater-phosphate regenerated by zooplankton during
excessive grazing.
Tohoku J.agric.Res., 20:81-88.
2318.
Mukade, A.; Higuchi, M.-1974.
Tritium incorporation into the cellular materials and its biological
effects to *Artemia salina* reared in tritiated seawater.
Bull.Plankton Soc.
Japan, 21(1):32-40.
2319.
Muller, M.-1976.
Nicht nur Fischfutter: *Artemia salina*. I. Larvalperiode.
Mikrokosmos, 65(11):325-329.
2320.
Muller, M.-1976.
Nicht nur Fischfutter: *Artemia salina*. II. Erwachsene Artemien.
Mikrokosmos, 65(12):363-366.
2321.
Muller, M.-1977.
Experimente mit Kleinkrebsen. Versuchsanregungen fur Schule und
Hochshule.
Praxis-Schriftenreihe, Abt.Biologie, 26, Aulis Verlag Deubnerand Co.Kg.
Koln.
2322.
Muller, M.-1977.
Nicht nur Fischfutter: *Artemia salina*. III. Modifikabilitat.
Mikrokosmos, 66(1):1-5.
2323.
Mullin, M.M.-1963.
Some factors affecting the feeding of marine copepods of the genus
Calanus.
Limnol.Oceanogr., 8:239-250.

2324.

Munuswamy, N.-1985.

Characterization of some of the hydrolytic enzymes from the cysts of Artemia.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2325.

Mura, G.; Filauri, A.; Palmegiano, G.B.-1985.

A survey of Artemia and Branchinella populations in the coastal lagoons and salt pans of Sardinia (Italy).

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2326.

Murai, T.; Andrews, J.W.-1978.

Comparison of feeds for larval stages of the giant prawn (Macrobrachium rosenbergii): 189-193.

In: Proc. 9th. Ann. Meeting WMS, Ed. Avault, J.W.jr.

Louisiana State University, Baton Rouge, U.S.A., 807 pp.

2327.

Muramatsu, S.-1960.

Studies on the physiology of Artemia embryos. I. Respiration and its main substrate during the early development of the encysted embryo. *Embryologia*, 5(1):95-106.

2328.

Muramatsu, S.-1962.

Studies on the physiology of Artemia embryos. II. The energy rich phosphate in the encysted embryo. *Embryologia*, 7(1):39-49.

2329.

Muthukrishnan, S.; Filipowcz, W.; Sierra, J.M.; Both, G.W.; Shatkin, A.J.; Ochoa, S.-1975.

mRNA methylation and protein synthesis in extracts from embryos of brine shrimp, *Artemia salina*.

J. biol. Chem., 250(24):9336-9341.

2330.

Myhrberg, H.E.; Elofsson, R.; Aramant, R.; Klemm, N.; Laxmyr, L.-1979.

Selective uptake of exogenous catecholamines into nerve fibers in crustaceans: A fluorescence histochemical investigation.

Comp. Biochem. Physiol., 62:141-150.

2331.

Myint, T.-1956.

New details of excystment of *Artemia salina* Leach.

Proc. La Acad. Sci., 19:24-28.

2332.

Nachtigal, G.-1879.

Sahara und Sudan. Ergebnisse sechsjähriger Reisen in Afrika, Erster Teil.

Berlin, 768pp.

2333.

Nadeau, R.J.; Pastalove, B.J.-1974.

Making Artemia sludge bioassay more ecologically relevant: 275-302.
In: Proceedings of Seminar on Methodology for Monitoring the Marine Environment, Seattle, Washington, U.S.A., Oct. 1973, Ed. Verner, S.S.; EPA-600/4-74-004.

2334.

Naegel, L.C.A.-1980.

Status, potentials and problems of mariculture in Costa Rica:570-576.
In: Proc. 11th Ann. Meeting WMS, Ed. Avault, J.W.jr.; Louisiana State University, Baton Rouge, U.S.A., 611pp.

2335.

Naegel, L.C.A.-1981.

Preliminary results on the production of brine shrimp (*Artemia salina*) in Costa Rica, Central America.

In: Contributed Papers (Poster Session), World Conference on Aquaculture (Venice-Italy, September 21-25, 1981), Poster No. 110.

2336.

Naegel, L.-1985.

Pilot production of Artemia in Costa Rica.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2337.

Nagainis, P.A.-1976.

Characterization of proteases and protease inhibitors in embryos of the brine shrimp *Artemia salina*.

Thesis, University of Windsor, Canada.

2338.

Nagainis, P.A.; Warner, A.H.-1979.

Evidence for the presence of an acid protease and protease inhibitors in dormant embryos of *Artemia salina*.

Devl Biol., 68:259-270.

2339.

Nagata, S.; Iwasaki, K.; Kaziro, Y.-1976.

Distribution of the low molecular weight form of eukarotic elongation factor 1 in various tissues.

J.Biochem., Tokyo, 80(1):73-77.

2340.

Nagata, S.; Iwasaki, K.; Kaziro, Y.-1976.

Interaction of the low molecular weight form of elongation factor 1 with guanine nucleotides and aminoacyl-tRNA.

Archs Biochem.Biophys., 172(1):168-177.

2341.

Nagata, S.; Motoyoshi, K.; Iwasaki, K.-1976.

Exchange of free GTP with EF-1a. GDP complex promoted by a factor EF-1b from pig liver.

Biochem. biophys. Res. Comm., 71(4): 933-938.

2342.

Nakahara, M.; Koyanagi, T.; Saiki, M.-1973.

Influence of coexisting stable-isotope in sea water on the accumulation and excretion of radio isotopes by marine organisms. J.rad.Res., 14:78.

2343.

Nakanishi, Y.H.; Iwasaki, T.; Kato, H.; Okigaki, T.-1963.

Effects of temperature, gamma-rays, and Carzinophilin on encysted dry eggs of *Artemia salina*.

Sympoia Cell.Chem., 13:365-374.

2344.

Nakanishi, Y.H.; Iwasaki, T.; Nakazawa, T.; Kato, H.-1965.

Effects of gamma-irradiation on the development of *Artemia* eggs. Nat.Inst.Radiat.Sci., Japan, ann.rept., NIRS-3:31-32.

2345.

Nakanishi, Y.H.; Iwasaki, T.; Okigaki, T.; Kato, H.-1962.

Cytological studies of *Artemia salina*. I. Embryonic development without cell multiplication after the blastula stage in encysted dry eggs.

Annotnes zool.jap., 35(49):223-228.

2346.

Nakanishi, Y.H.; Okigaki, T.; Kato, H.; Iwasaki, T.-1963.

Cytological studies of *Artemia salina*. II. Deoxyribonucleic acid (DNA) content and the chromosomes in encysted dry eggs and nauplii. Proc.Japan Acad., 39:306-309.

2347.

Nakazawa, T.; Yasumasu, I.-1963.

Effect of ³²P on the development of *Artemia* eggs.

Hosh.Igaku Kenky., report, Chiba: 42-43.

2348.

Nanayakkara, M.; Sunderam, R.I.M.; Royan, J.P.-1985.

Laboratory studies on the Sri Lankan strain of brine shrimp, *Artemia*: 29-43.

In: Aquaculture and related papers. NARA Occasional Papers ; National Aquatic Resources Agency, Colombo, Sri Lanka. NARA/OCC/85/1, 98 pp.

2349.

Narciso, L.F.-1982.

Estudo e processamento dos cistos de *Artemia* (Crustacea, Branchiopoda de Portugal).

Relatorio de Estagio no INIP, 1981-1982, 102 pp.

2350.

Nasanov, N.V.-1887.

Contribution to the embryology of the crustaceans *Balanus* and *Artemia* (in russian).

Bull. Moscovskoe Obshchestvo Ispytatelei Prirody, 52:1-14.

2351.

Nash, C.E.-1973.

Automated mass-production of *Artemia salina* nauplii for hatcheries. Aquaculture, 2:289-298.

2352.

Nash, C.E.-1978.

Milkfish at Christmas Island. How a lonely Pacific island could play a major role in fish farming development.

Fish Farm. Int., 5(2): 8-13.

2353.

Nash, C.E.; Rodriguez, R.F.-1979.

The dream of Cabo Frio.

Fish Farming International, 6:8-11.

2354.

Nassel, D.R.; Elofsson, R.; Odselius, R.-1978.

Neuronal connectivity patterns in the compound eyes of *Artemia salina* and *Daphnia magna* (Crustacea: Branchiopoda).

Cell Tiss.Res., 190:435-437.

2355.

Natochin, Yu.V.; Khlebovich, V.V.; Krestinskaya, T.V.-1961.

Succinic dehydrogenase in sodium-transporting organs of invertebrates. Dokl.Akad.Nauk SSSR, 137(1-6):355-358.

2356.

Naumannnn, E.-1935.

Uber Massenzucht von Artemien.

Int.Rev.ges.Hydrobiol.Hydrogr., 32(4/5):316-318.

2357.

Needham, A.E.-1950.

Neurogenic heart and ether anaesthesia.

Nature, 166:9-11.

2358.

Needham, J.; Needham, D.M.-19300.

On phosphorus metabolism in embryonic life. I. Invertebrate eggs.

J.exp.Biol., 7(4):317-348.

2359.

Nelis, H.J.; De Leenheer, A.P.-1983.

Isocratic nonaqueous reversed-phase liquid chromatography of carotenoids.

Analyt. Chem., 55(2): 270-275.

2360.

Nelis, H.J.; Lavens, P.; Moens, L.; Sorgeloos, P.; Criel, G.; De Leenheer, A.P.-1984.

Occurrence, concentration and function of cis-carotenoids (cis-canthalxanthins) in the brine shrimp Artemia: 26.

Abstracts of the 7th Int. Symp. on Carotenoids, Munchen August 27-31, 1984.

2361.

Nelis, H.J.; Lavens, P.; Moens, L.; Sorgeloos, P.; Jonckheere, J.A.; Criel, G.; De Leenheer, A.P.-1984.

Cis-canthalxanthins. Unusual carotenoids in the eggs and the reproductive system of female brine shrimp Artemia.

J. Biol. Chem., 259(10): 6063-6066.

2362.

Nelis, H.J.; Lavens, P.; Sorgeloos, P.; Van Steenberge, M.; De Leenheer, A.P.-1985.

Cis- and trans-canthalxanthin levels in Artemia cysts of different geographical origin.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2363.

Nelles, L.; Fang, B.L.; Volckaert, G.; Vandenberghe, A.; De Wachter, R.-1984.

Nucleotide sequence of a Crustacean 18 S ribosomal RNA gene and secondary structure of eukaryotic small subunit ribosomal RNAs.

Nucl. Acids Res., 12:8749-8768.

2364.

Nelles, L.; Fang, B.L.; Volckaert, G.; Vandenberghe, A.; De Wachter, R.-1984.

The structure of Artemia salina 18-S ribosomes.

Archs int. Physiol. Biochim., 92:B46-B47.

2365.

Nelles, L.; Van Broeckhoven, C.; De Wachter, R.-1984.

Location of the hidden break in large subunit ribosomal RNA of Artemia salina.

Die Naturwissenschaften, 71:634-635.

2366.

Nelles, L.; Vandenberghe, A.; De Wachter, R.-1982.

3'-Terminal labelling reveals the sequence preceeding a hidden break in Artemia salina 28-S ribosomal RNA.

Archs int. Physiol. Biochim., 90(3): B137-B138.

2367.

Nelson, J.O.; Matsumura, F.-1975.

A simplified approach to studies of toxic toxaphene components.

Bull. Environ. Contam. Toxicol., 13:464-470.

2368.
Nelson, J.O.; Matsumura, F.-1975.
Separation and comparative toxicity of toxaphene components.
J.agric.Fd Chem., 23(5):984.
2369.
Nemenz, H.-1961.
Der Grosse Salzee.
Kosmos, 57: 294-299.
2370.
New, M.B.-1976.
A review of dietary studies with shrimp and prawns.
Aquaculture, 9:101-144.
2371.
New, M.B.-1978.
Three in one gathering attended by over 1000: 38-39.
Fish Farming Int. 5:38-39.
2372.
New, M.B.-1980.
A bibliography of shrimp and prawn nutrition.
Aquaculture, 21: 101-128.
2373.
Nichols, R.-1975.
Hatching brine shrimp eggs.
Aquarium Industry, July 1975.
2374.
Nieuwenhuysen, P.-1978.
Density gradient sedimentation velocity of salvated macromolecules:
Theoretical considerations about the buoyancy factor.
In: International Symposium on Biomolecular structure, Conformation,
Function and Evolution. Department of Physics. University of Madras.
Madras, India. pp. 108-109.
2375.
Nieuwenhuysen, P.-1979.
Isolation and physical-chemical characterization of ribosomes from
Artemia salina.
Sc. D. Thesis. Universitaire Instelling Antwerpen, Wilrijk, Belgium,
194 pp.
2376.
Nieuwenhuysen, P.-1979.
Determination of small differences in buoyant density of
macromolecules by analytical density gradient equilibrium
centrifugation.
J.Biochem.Biophys.Methods, 1:3-8.

2377.

Nieuwenhuysen, P.; Clauwaert, J.-1976.

Isolation and characterization of *Artemia salina* ribosomes.

Tenth International Congress of Biochemistry, Hamburg, F.R.G., 114 .

2378.

Nieuwenhuysen, P.; Clauwaert, J.-1978.

Physical properties of *Artemia salina* ribosomes.

Biochemistry, 17(20):4260-4265.

2379.

Nieuwenhuysen, P.; Clauwaert, J.-1980.

Physical studies of ribosomal subunits from the eukaryote *Artemia*.

Studia Biophysica, 79: 115-116.

2380.

Nieuwenhuysen, P.; Clauwaert, J.-1980.

Physical-chemical characterization of cytoplasmic ribosomal particles isolated from *Artemia*: 491-544.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

2381.

Nieuwenhuysen, P.; Clauwaert, J.-1981.

Quasi-elastic light scattering of *Artemia* ribosomes sedimented in a CsCl density gradient.

J. Biochem. biophys. Meth., 5: 279-286.

2382.

Nieuwenhuysen, P.; Clauwaert, J.-1981.

Light scattering studies of ribosomal particles from the eukaryote *Artemia*.

In: Second Chemical Congress of the North American Continent.

ISBN 0-8412-0583-3. San Francisco, California, U.S.A.

Abstract Number 91.

2383.

Nieuwenhuysen, P.; Clauwaert, J.-1981.

Photon-correlation spectroscopy of centrifuged solutions. Application to *Artemia* subunits: 845-851.

In: NATO Advanced Study Institute Series. Series B. Scattering Techniques Application to Supramolecular Nonequilibrium Systems. Plenum Press, New York, U.S.A.

2384.

Nieuwenhuysen, P.; Clauwaert, J.-1981.

Physicochemical characterization of ribosomal particles from the eukaryote *Artemia*.

J. Biochem., 256(18): 9626-9632.

2385.

Nieuwenhuysen, P.; Clauwaert, J.; Aerts, T.-1979.
Physical-chemical properties of the large ribosomal subunit from
Artemia salina: 87.
In: Eleventh International Congress of Biochemistry. Toronto, Canada.
Abstract Number 02-2-H51.

2386.

Nieuwenhuysen, P.; Clauwaert, J.; Curgy, J.J.-1981.
Ribosomes in Tetrahymena and Artemia: Differences in their size, mass
and solvation: 268.
In: VII International Biophysics Congress and III Pan-American
Biochemistry Congress. Mexico City, Mexico.

2387.

Nieuwenhuysen, P.; Clauwaert, J.; De Herdt, E.-1977.
Physicochemical characterization of biopolymers, isolated from
Artemia salina: 49-51.
In: Fundamental and Applied Research on the brine shrimp, *Artemia*
salina (L.) in Belgium; EMS Spec.Publ.2, Eds Jaspers, E.;
G. Persoone; Inst. for Mar.Sc.Res. Bredene, Belgium, 110pp.

2388.

Nieuwenhuysen, P.; Clauwaert, J.; Heremans, K.-1975.
Pressure-induced dissociation of ribosomes isolated from *Artemia*
salina observed by light scattering.
Archs int. Physiol. Biochim., 83(5): 983-984.

2389.

Nieuwenhuysen, P.; Clauwaert, J.; Ledoight, G.; Curgy, J.J.-1983.
Structural differences between ribosomes of various eukaryotes:
Stability, density, mass, size and structure in solution of
cytoplasmic ribosomes from Tetrahymenna, Artemia and Euglena.
Int. J. Macromolecules, 5(6): 361-365.

2390.

Nieuwenhuysen, P.; De Herdt, E.; Clauwaert, J.-1978.
Ribonucleic acid and protein content of eukaryotic ribosomes isolated
from *Artemia salina*.
Anal. Biochem., 88(2):532-538.

2391.

Nieuwenhuysen, P.; De Herdt, E.; Clauwaert, J.-1978.
Ribonucleic acid and protein content of eukaryotic ribosomes
isolated from *Artemia salina*.
International Symposium on Biomolecular Structure, Conformation,
Function and Evolution. Madras, India : 107-108.

2392.

Nieuwenhuysen, P.; De Voeght, F.; Clauwaert, J.-1980.
The molecular weight of *Artemia* ribosomes, as determined from their
refractive index increment and light scattering intensity.
Biophysics of Structure and Mechanism, 6(Supplement): 49.

2393.

Nieuwenhuysen, P.; Heremans, K.; Clauwaert, J.-1978.

High-pressure light scattering study of *Artemia salina* ribosomes and polysomes.

Archs int. Physiol. Biochim., 86(2):443-445.

2394.

Nieuwenhuysen, P.; Heremans, K.; Clauwaert, J.-1980.

High-pressure light scattering study of *Artemia salina* ribosomes and polysomes.

Biochim.biophys.Acta, 606:292-303.

2395.

Nieuwenhuysen, P.; Rijssheuvels, F.; Jacob, W.A.; Slegers, H.-1978.
Regular, rod-like structures in *Artemia salina*: isolation and electron microscopy.

12th FEBS Meeting, Dresden, G.D.R., Abstract No. 2220.

2396.

Nieuwenhuysen, P.; Rijssheuvels, F.; Slegers, H.; Jacob, W.A.-1979.

Regular, rod-like, macromolecular structures in *Artemia salina*.

Biochim.biophys.Acta, 562:547-551.

2397.

Nieuwenhuysen, P.; Slegers, H.-1978.

Isopycnic centrifugation of eukaryotic ribosomes in sucrose density gradients.

International Symposium on Biomolecular Structure, Conformation, Function and Evolution, Madras, India: 106-107.

2398.

Nieuwenhuysen, P.; Slegers, H.-1978.

Preparative centrifugation of *Artemia salina* ribosomes in high density sucrose gradients.

Fed.Eur.Biochem.Soc., Lett., 93:200-204.

2399.

Nieuwenhuysen, P.; Slegers, H.-1978.

Purification of eukaryotic ribosomes by isopycnic centrifugation in sucrose.

Anal.Biochem., 89(2):472-480.

2400.

Nilsson, D.E.-1979.

Optics of the light-dark adapting compound eye of *Artemia salina*: 96.

In: Book of Abstracts. International Symposium on the Brine Shrimp, *Artemia salina*, Corpus Christi (TX-U.S.A.), Aug.20-23, 1979; Artemia Reference Center, Ghent, Belgium, 137 pp.

2401.

Nilsson, D.E.; Odselius, R.-1981.

A new mechanism for light-dark adaptation in the *Artemia* compound eye (Anostraca, Crustacea).

J. Comp. Physiol., 143: 389-399.

2402.
Nilsson, M.O.-1978.
Membrane-bound poly (A) in *Artemia salina* cysts.
12th FEBS Meeting, Dresden, G.D.R., Abstract 163.
2403.
Nilsson, M.O.; Hultin, T.-1972.
Evidence of a store of informational RNA in encysted embryos of *Artemia salina*.
Exptl Cell Res., 72:145-149.
2404.
Nilsson, M.O.; Hultin, T.-1974.
Characteristics and intracellular distribution of messengerlike RNA in encysted embryos of *Artemia salina*.
Devl Biol., 38:138-149.
2405.
Nilsson, M.O.; Hultin, T.-1974.
Polyadenylic acid-containing cytoplasmic RNA in dormant *Artemia* cysts.
Ninth FEBS Meeting, Budapest, Hungary, p.449, Abstract Number f9 b8.
2406.
Nilsson, M.O.; Hultin, T.-1975.
Poly(A)-containing cytoplasmic RNA in dormant cysts of *Artemia salina*.
Fed.Eur.Biochem.Soc., Lett., 52:269-272.
2407.
Nilsson, M.O.; Hultin, T.-1982.
Analysis of the membrane-associated poly(A)+RNA in the cytoplasm of dormant *Artemia* cysts by DNA excess hybridization.
Biochim. biophys. Acta, 696: 253-259.
2408.
Nimmani, S.; Asswamunkong, S.-1985.
Study on yeast as feed for marine organisms (brine shrimps).
In: *Proc. Living Aquatic Resources*, Chulalongkorn University, 7-8 March, 21 pp.
2409.
Nimura, Y.-1963.
Effects of different concentrations of *Chlamydomonas* on the grazing and growth of *Artemia* with reference to the salinity of its living medium (in japanese).
Bull.jap.Soc.scient.Fish., 29:424-433.
2410.
Nimura, Y.-1967.
Biology of the brine shrimp (in japanese).
Bull.Jap.Soc.scient.Fish., 33(7):690-702.

2411.

Nimura, Y.-1968.

Note on hatching the cyst of Artemia (in Japanese).
Aquiculture, 16(2):105-115.

2412.

Nimura, Y.-1980.

Retarded growth of Artemia salina by overfeeding.
Bull. Jap. Soc. Scient. Fish., 46(6): 681-687.

2413.

Nimura, Y.-1985.

A possible reason why Artemia is confined in isolated saline waters.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2414.

Nixon, S.-1970.

Characteristics of some hypersaline ecosystems.

Thesis, University of North Carolina, Durham, U.S.A.; Diss. Abstr.
31B:2806B-2807B.

2415.

Nixon, S.W.-1969.

A synthetic microcosm.

Limnol. Oceanogr., 14:142-145.

2416.

Nombela, C.; Nombela, N.A.; Ochoa, S.-1974.

Comparison of polypeptide chain initiation factors from Artemia
salina and rabbit reticulocytes: 435-442.

In: Lipmann Symposium: Energy, Regul. Biosynth. Mol. Biol., Ed. De
Gruyter; Berlin, Germany.

2417.

Nombela, C.; Nombela, N.A.; Ochoa, S.; Merrick, W.C.; Anderson, W.F.-
1975.

Nature of eukaryotic proteins required for joining of 40 S and 60 S
ribosomal subunits.

Biochem. biophys. Res. Commun., 63:409-416.

2418.

Nombela, C.; Nombela, N.A.; Ochoa, S.; Safer, B.; Anderson, W.F.;
Merrick, W.C.-1976.

Polypeptide chain initiation in eukaryotes: mechanism of formation
of initiation complex.

Proc. Natl. Acad. Sci., U.S.A., 73(2):298-301.

2419.

Nombela, C.; Ochoa, S.-1973.

Conformational control of the interaction of eukaryotic elongation
factors EF-1 and EF-2 with ribosomes.

Proc. Natl. Acad. Sci., U.S.A., 70(12,1):3556-3560.

2420.
Nombela, C.; Redfield, B.; Ochoa, S.; Weissbach, H.-1976.
Elongation factor 1 from *Artemia salina*: properties and
disaggregation of the enzyme.
Eur.J.Biochem., 65(2):395-402.
2421.
Northcote, T.G.; Larkin, P.A-1963.
Western Canada: 451-485.
In: *Limnology in North America*. Ed. Frey, D.G. University Press,
Madison, Wisconsin, U.S.A.
2422.
Nowak, L.; Marvil, D.; Szer, W.-1979.
An RNA helix-destabilizing protein from *Artemia salina* inhibits in
vitro protein synthesis.
Fedn Proc., 38:782.
2423.
Nowak, L.; Marvill, D.; Thomas, J.O.; Boublík, M.; Szer, W.-1980.
A single-stranded nucleic acid-binding protein from *Artemia salina*.
J. Biol. Chem., 255(13): 6473-6478.
2424.
Nowikoff, M.-1905.
Über die Augen und die Frontalorgane der Branchiopoden.
Z.wiss.Zool., 79(3):432-464.
2425.
Nowikoff, M.-1906.
Einige Bemerkungen über das Medainaue und die Frontalorgane von
Artemia salina.
Z.wiss.Zool., 81(4):691-698.
2426.
O'Connell, R.F.-1971.
The freshwater aquarium. A complete guide for the home aquarist: 32,
103-104.
Great Outdoors Publishing Cy., St. Petersburg, Florida, U.S.A.
2427.
Ochiai-Yanagi, S.; Malathi, V.G.; Mazumder, R.-1977.
Inhibition of initiation factor EIF-2 activity from *Artemia salina*
embryos by transfer RNA.
Fed.Eur.Biochem.Soc., Lett., 80(1):148-152.
2428.
Ochiai-Yanagi, S.; Mazumder, R.-1976.
Role of ATP in eukaryotic polypeptide-chain initiation. Purification
and properties of a factor from *Artemia salina* embryos which
interacts with initiator transfer RNA and guanine nucleotide.
Eur.J.Biochem., 68:395-402.

2429.
Ochoa, S.-1976.
Mechanism of formation of the polypeptide chain initiation complex in eukaryotes.
J.Biochem., Tokyo, 79(4):30P-31P.
2430.
Ochoa, S.-1980, The pursuit of a hobby: 1-30.
In: Annual Review of Biochemistry. Volume 40. Eds Snell, E.E.; P.D. Boyer; A. Meister; C.C. Richardson; Annual Reviews Inc., Palo Alto, California, U.S.A.
2431.
Ocioszynska-Bankierowa, J.-1933.
Über den Bau der Mandibeln bei einigen Arten de Phyllopoda Anostraca. Annls Musei Zool. Polonici, 10(10): 97-109.
2432.
Odom, O.W.; Kramer, G.; Henderson, A.B.; Pinphanichakarn, P.; Hardesty, B.-1978.
GTP hydrolysis during formylatable methionyl transfer RNA binding to 40S ribosomal subunits and the site of edeine inhibition.
J.biol.Chem., 253(6):1807-1816.
2433.
Oikawa, T.G.; Smith, M.-1966.
Nucleotides in the encysted embryos of Daphnia.
Biochem., 5:1517-1521.
2434.
Okasako, J.; Siegel, S.-1980.
Mercury antagonists: Effects of sodium chloride and sulfur group (VIa) compounds on excystment of the brine shrimp Artemia. Water, Air and Soil Pollution, 14: 235-240.
2435.
Okland, S.; Tjønneland, A.; Larsen, L.N.; Nylund, A.-1982.
Heart ultrastructure in Branchinecta paludosa, Artemia salina, Branchipus schaefferi, and Streptocephalus sp. (Crustacea. Anostraca). Zoomorphology, 101: 71-81.
2436.
Okubo, K.-1957.
Study on the bioassay method for the evaluation of water pollution. I. An attempt to use brine shrimp as a test animal.
Bull.Tokai reg.Fish.Res.Lab., 18:31-36.
2437.
Okuno, T.; Mori, K.-1967.
Hatchability of Artemia salina as a bioscale-(1) Effect of heavy metals on the hatchability. (in Japanese).
Proc. Osaka Institute of Public Health, 5: 70-72.

2438.

Olalla, A.-1978.

Proteasas en Artemia salina y su papel en la degradacion de las plaquetas de vitelo.

Thesis, University of Madrid, Spain, 143pp.

2439.

Olalla, A.; Osuna, C.; Sebastian, J.; Sillero, A.; Sillero, M.A.G.-1978.

Purification and properties of three proteases from the larvae of the brine shrimp Artemia salina.

Biochim.biophys.Acta, 523(1):181-190.

2440.

Olalla, A.; Renart, J.; Sillero, M.A.G.; Sillero, A.-1975.

Actividad litica sobre plaquetas de vitelo de Artemia salina: 98.
In: 6th Congr.Soc.Espanola Bioquim. Sevilla. Abstract Number 84.

2441.

Olalla, A.; Renart, J.; Sillero, M.A.G.; Sillero, A.-1977.

Metabolismo de las plaquetas de vitelo durante el desarrollo de la Artemia salina: 111-120.

In: Avances de la Bioquimica. Eds Cornudella, L.;C.F. Heredia;J. Oro;A. Sols. Editorial Salvat, Barcelona, Spain.

2442.

Olalla, A.; Sillero, A.; Sillero, M.A.G.-1976.

Purificacion y propiedades de tres proteasas de Artemia salina: 48.

In: 1st congr. Feder. Espanola Soc. Biol. Exper., Madrid.

2443.

Olalla, A.; Sillero, A.; Sillero, M.A.G.-1977.

Purification and properties of proteases acting on yolk platelets during development of Artemia salina.

11th FEBS Meeting, Abstract No.A 6-5 851 4/5.

2444.

Oleynikova, F.A.-1973.

To the causes of mortality of eggs of Artemia salina (in russian, english summary):186-188.

In: Problems of rational marine fisheries and reproduction of marine fish and shellfish. Proc.Mar.Fish.Oceanogr., (VNIRO), 94.

2445.

Oleynikova, F.A.-1975.

Artemia as a possible object for acclimatization in salt reservoirs with not enough food in them (in russian).

Izvestia GosNIORKH,Leningrad, U.S.S.R., 103:262-264.

2446.

Oleynikova, F.A.-1975.

To the question of small crustacean Artemia behavior in reservoirs (in russian).

Materialy 2-go Vsesojuznogo symposiuma po povedenijy bez-pozvonochnikh, Borok:, 53-55.

2447.

Oleynikova, F.A.-1976.

Biology of Artemia juvenile in the salt lakes of Crimea (in russian). Biological bases of fisheries in Middle Asia and Kazakhstan, Materialy 15 nauchnoi konferentsii, Dushanbe: 130-132.

2448.

Oleynikova, F.A.-1976.

Ecological peculiarities of Artemia resting eggs in salt lakes of Crimea (in russian).

Biological bases of fisheries in Middle Asia and Kazakhstan, Materialy 15 nauchnoi konferentsii, Dushanbe: 132-134.

2449.

Oleynikova, F.A.-1976.

Feeding and reproduction of Artemia (in russian).

Biologicheskie resursy Azovskogo Basseina, Rostovskii Universitet: 71-77.

2450.

Oleynikova, F.A.-1979.

Commercial species of invertebrates from the Azov Sea basin and use of them in fish culture.

Proceedings All-Union Research Institute of Marine Fisheries and Oceanography, Mariculture, 137:95-100.

2451.

Oleynikova, F.A.-1979.

Ecology of Artemia salina in saline water bodies in the Azov and Black Sea Basins: 97.

In: Book of Abstracts. International Symposium on the Brine Shrimp, Artemia salina, Corpus Christi (TX-U.S.A.), Aug.20-23, 1979; Artemia Reference Center, Ghent, Belgium, 137 pp.

2452.

Oleynikova, F.A.; Pleskachevskaya, T.G.-1979.

Artemia salina as food in mariculture: 35-38.

In: Proc. 7th Japan-Soviet Joint Symposium on Aquaculture, Tokyo, Sept. 1978. Ed. Yamamoto, G.; Tokai University, Tokyo, Japan, 254pp.

2453.

Olney, C.E.; Schauer, P.S.; McLean, S.; You Lu; Simpson, K.L.-1980. International Study on Artemia. VIII. Comparison of the chlorinated hydrocarbons and heavy metals in five different strains of newly-hatched Artemia and a laboratory-reared marine fish.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers. Universa Press, Wetteren, Belgium, 428pp.

2454.

Olson, C.S.-1970.

DNA synthesis and cell division during the development of Artemia salina Leach.

Thesis, University of Miami, U.S.A., 117 pp.; Diss.Abstr., 1971, 31:5182.

2455.
Olson, C.S.-1979.
Timing of developmental events in *Artemia salina* (Anostraca).
Crustaceana, 36:302-308.
2456.
Olson, C.S.; Clegg, J.S.-1976.
Nuclear numbers in encysted dormant embryos of different *Artemia salina* populations.
Experientia, 32(7):864-865.
2457.
Olson, C.S.; Clegg, J.S.-1978.
Cell division during the development of *Artemia salina*.
Wilhelm Roux Arch.Dev.Biol., 184(1):1-13.
2458.
Olson, R.E.-1975.
Transmission of the microsporidian *Glugea stephani* in the laboratory.
J.Proteinol., 22(3):29.
2459.
Olson, R.E.-1976.
Laboratory and field studies on *Glugea stephani*, a microsporidian parasite of pleuronectid flatfishes.
J.Proteinol., 23(1):158-164.
2460.
Ong, K.S.; Ng, F.O.; Wong, Y.K.-1977.
Experiences and problems in the design and operation of a *Macrobrachium* hatchery: 149-154.
In: Joint SCSP/SEAFDEC Workshop on Aquaculture Engineering.Vol.2. Technical Report, South China Sea Fisheries Developmental Coordinating Programme, 453 pp.
2461.
Ong, K.S.; Ng, F.O.; Wong, Y.K.-1979.
Experience and problems in the design and operation of a *Macrobrachium* hatchery.
Seafdec Newsletter, 2(3):12-14.
2462.
Oppenheimer, C.H.; Moreira, G.S.-1980.
Carbon, nitrogen and phosphorous content in the developmental stages of the brine shrimp *Artemia*.
In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers. Universa Press, Wetteren, Belgium, 636pp.
2463.
Orlans, F.B.-1977.
Animal care from protozoa to small mammals.
Addison-Wesley Publishing Company. Menlo Park, California, U.S.A., 374 pp.

2464.

Osgood, R.L.-1981.

Electronic aspects of marine fouling.

Ph. D. Thesis. Pennsylvania State University, State College, Pennsylvania, U.S.A., 147 pp.

2465.

Ostroumov, A.A.-1901.

Orosz dolperat a korethew "cium" nemet hivanattal. (Uber die Bedeutung des osmotischen Druckes beim Ausschlupfen des Nauplius aus dem Ei der Artemia salina.

Protok.Naturforscher Gesellschaft, Univ.Kazan, 1901-1902:198.

2466.

Osuna, C.-1979.

Caracterizacion y regulacion del sistema enzimatico de transcripcion durante el desarrollo de Artemia salina.

Thesis. Universidad Autonoma, Madrid, Spain, 222 pp.

2467.

Osuna, C.; Olalla, A.; Sillero, A.; Sillero, M.A.G.; Sebastian, J.-1977.

Induction of multiple proteases during the early larval development of Artemia salina.

Devl Biol., 61(1):94-103.

2468.

Osuna, C.; Renart, J.; Sebastian, J.-1977.

Proteolytic origin of a modified form of RNA polymerase I from Artemia salina larvae.

Biochem.biophys.Res.Commun., 78(4):1390-1396.

2469.

Osuna, C.; Sebastian, J.-1976.

Induccion de multiples proteasas durante el desarrollo larvario temprano de Artemia salina.

1st Congr. Feder. Espanola Soc. Biol. Exper., Madrid.

2470.

Osuna, C.; Sebastian, J.-1977.

In vitromodification of RNA polymerase I by a protease from Artemia salina nauplii.

11th FEBS Meeting, Copenhagen, Denmark, Abstract A 2-4 215 2.

2471.

Osuna, C.; Sebastian, J.-1977.

Origen proteolitico de la RNA polimerasa de las larvas de Artemia salina.

7th Congr.Soc.Espanola Bioquim., Abstract No. 140.

2472.

Osuna, C.; Sebastian, J.-1980.

Levels of the RNA polymerases during early larval development of Artemia.

Eur. J. Biochem., 109: 383-389.

2473.

Oudney, W.-1828.

Excursion to the westward of Mourzul in June, July and August, 1822.
Denham D.; H. Clapperton; W. Oudney. Reprinted by Hakluyt Soc., 1966,
Cambridge University Press, London.

2474.

Overton, S.V.; Bland, C.E.-1981.

Infection of *Artemia salina* with *Haliphthoros milfordensis*: A scanning
and transmission electron microscope study.

J. Invertebrate Pathology, 37: 249-257.

2475.

Overton, S.V.; Bland, C.E.-1983.

Infection of *Artemia salina* with *Haliphthoros milfordensis*: A light
and electron microscope study.

J. Elisha Mitchell Soc., 96(2):94.

2476.

Packard, A.S.A.-1883.

A monograph of the Phyllopod Crustacea of North America, with remarks
of the order Phyllocardia.

Ann. Rep. U.S. Geol. Surv., 12:295-592.

2477.

Packard, T.T.; Taylor, D.B.-1968.

The relationship between succinate dehydrogenase activity and oxygen
consumption in the brine shrimp *Artemia salina*.

Limnol. Oceanogr., 13:552-555.

2478.

Paffenhofer, G.-A.-1967.

Caloric content of larvae of the brine shrimp *Artemia salina*.

Helgolander wiss. Meeresunters., 16:130-135.

2479.

Paffenhofer, G.-A.-1968.

Nahrungsaufnahme, Stoffumsatz und Energiehaushalt des marinen
Hydroidpolypen *Clava multicornis*.

Helgolander wiss. Meeresunters., 18:1-44.

2480.

Paffenhofer, G.-A.; Harris, R.P.-1979.

Laboratory culture of marine holozooplankton and its contribution
to studies of marine planktonic food webs: 211-308.

In: Advances in marine biology, 16. Eds Russell, F.S.; M.

Yonge; Academic Press, New York, U.S.A.

2481.

Palmegiano, G.B.; Trotta, P.-1981.

Artemia salina as pabulum for growing penaeids under laboratory
conditions.

In: Contributed papers (Poster Session), World Conference on
Aquaculture (Venice-Italy, September 21-25, 1981), Poster No. 121.

2482.

Palmegiano, G.B.; Trotta, P.-1983.

Artemia salina as pabulum for growing penaeids under laboratory conditions.

Aquacultural Eng., 2(3):173-180.

2483.

Pandian, T.J.-1970.

Ecophysiological studies on the developing eggs and embryos of the european lobster *Homarus gammarus*.

Mar.Biol., 5:154-167.

2484.

Pandian, T.J.-1975.

Chapter 3. Mechanisms of heterotrophy: 61-250.

In: Marine Ecology. A Comprehensive, Integrated Treatise on Life in Oceans and Coastal Waters. Volume II. Part 1. Ed. Kinne, O.; John Wiley and Sons, New York, U.S.A.

2485.

Pandura, G.-1954.

Artemia salina - eine Aufzuchthilfe.

Aquar.-u.Terrar.-Z., Stuttgart, 7(2):34-35.

2486.

Pankhurst, N.W.; Boyden, C.R.; Wilson, J.B.-1980.

The effect of a fluoride effluent on marine organisms.

Environmental Pollution (Series A), 23: 299-312.

2487.

Pardi, L.; Papi, F.-1961.

Kinetic and tactic responses: 365-399.

In: The Physiology of Crustacea. Vol.2. Sense organs, integration and behaviour. Ed. Waterman, T.H.; Academic Press, New York, U.S.A. 681 pp.

2488.

Parker, G.H.-1900.

Lake Urmia.

Am.Nat., Boston, 34:315.

2489.

Parry, G.-1960.

Excretion: 341-366.

In: The physiology of Crustacea. Vol.1. Metabolism and growth.Ed. Waterman,T.H.; Academic Press, New York, U.S.A., 670 pp.

2490.

Passano, L.M.-1960.

Molting and its control: 473-536.

In: The physiology of Crustacea. Vol.1. Metabolism and growth. Ed. Waterman, T.H.. Academic Press, New York, U.S.A., 670 pp.

2491.

Patel, A.; Acey, R.-1985.

A proteoglycan from *Artemia salina*.

Fedn Proc., 44(5): 1462, Abstract Number 6148.

2492.

Paterrek, J.R.; Smith, P.H.-1984.

Methanogenesis in two hypersaline ecosystems: Great Salt Lake and a San Francisco Bay Saltern.

Abstracts of the Annual Meeting of the American Society for Microbiology, 84(0): 134, Abstract Number 175.

2493.

Patin, S.A.; Grozdov, A.O.; Aivazova, L.E.; Startseva, A.I.-1978.

Impact of some toxicants upon ontogenesis.

Tr.Vses.Nauchno-Issled.Inst.Morsk.Rybn.Khoz.Okeanogr., 134:74-78.

2494.

Paulsen, C.-1978.

Artemia culture.

In:Annual report 1977, The Oceanic Institute, Waimanolo, Hawaii, U.S.A
34pp.

2495.

Pavillon, J.F.-1976.

Etude de l'absorption de quelques substances organiques dissoutes marquées au ^{14}C et au ^3H par les oeufs et les larves de certains invertébrés marins.

Actualités de Biochimie marine, Colloque GABIM-CNRS, 211-232.

2496.

Pavillon, J.F.; Nguyen Thuong Dao; Vu Tan Tue-1980.

One aspect of the nutrition of *Artemia*: the utilization of dissolved amino acids:219-229.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

2497.

Pavillon, J.F.; Vu Tan Tue-1981.

Un aspect de l'absorption des substances dissoutes chez les organismes marins et d'eaux saumâtres: donnees autoradiographiques aux premiers stades de développement chez *Artemia* et *Dicentrarchus*.

Oceanis, 7(6): 705-718.

2498.

Pavlov, P.N.-1925.

Über die Absorption. XI. Volumen fiftig wirkender Lösungen und von der Bevölkerungsdichtheit.

Kolloid.Zd., 37:105-112.

2499.

Pavlov, P.N.-1926.

Adsorption of salts by the colloidal substances of certain microorganisms. (in russian).

Ukrainskii Khimicheskii Zhurnal, 2:48-63.

2500.

Payen, M.-1836.

Note sur des animaux qui colorent en rouge les marais salants.

Annls Sci.nat.Zool., 6:219-226.

2501.

Payen, M.-1836.

In Bezug auf Tiere, welch in fast gesättigten Auflosungen von Seesalz leben.

Notizen aus dem Gebiete der Natur- und Heilkunde, 50(17):257-261.

2502.

Payen, M.-1836.

Lettre sur les Crustacés colorés en rouge qu'on rencontre dans les marais salants, adressée à l'Académie des Sciences le 5 novembre 1838.

Annls Sci.nat.Zool., 10:315-318.

2503.

Payne, T.; Kuwahara, S.S.-1972.

Sterols of the brine shrimp, *Artemia salina*, from Mono Lake, California.

Experientia, 28(9):1022-1023.

2504.

Pearse, A.S.-1918.

The fairy shrimps (Phyllopoda): 661-675.

In: Fresh-water Biology, Eds Ward, H.B.;G.C. Whipple, John Wiley and Sons, Inc., New York, U.S.A.

2505.

Pearse, A.S.-1926.

Animal Ecology.

Mc-Graw-Hill, New York, U.S.A., 417 pp.

2506.

Pearse, A.S.; Gunter, G.-1957.

Salinity: 129-158.

In: Marine Ecology and Paleoecology, Vol. 1.; Ed. Hedgpeth,J.W.;Geol.Soc.America, Memoir 67:1296pp.

2507.

Pease, A.K.-1968.

The use of estimates of ribonucleic acid to predict the growth rates of zooplankton organisms.

Thesis. University of British Columbia, Canada.

2508.

Pease, A.K.-1973.

Uptake of radioactive substrates by cell suspensions of *Artemia salina* and their subsequent incorporation into protein and RNA.

Thesis. Dalhousie University, Halifax, Canada.

2509.

Pechen-Finenko, G.A.-1973.

Influence of food concentration on the efficiency of its assimilation by plankton crustaceans with different way of nutrition.

Hydrobiol.J., 9(5):97-104.

2510.

Pechen-Finenko, G.A.-1977.

Efficiency and food assimilation by planktonic crustaceans in different trophic conditions.

Zool.Zh., 56(10):1459-1466.

2511.

Pechen-Finenko, G.A.; Pavlovskaya, T.V.; Dubilevich, L.G.; Kosikhina, O.V.-1978.

Experimental study on the basic trophic characteristics of the planktonic crustaceans *Acartia clausi* and *Artemia salina*.

Marine Biology, Vladivostok, 4:42-47.

2512.

Peirce, G.J.-1914.

The behaviour of certain micro-organisms in brine: 49-69.

In: The Salton Sea, Ed. D.T. McDougal, Carnegie Institution of Washington, U.S.A.; Publication No. 193.

2513.

Pennak, R.W.-1953,,Fresh-water invertebrates of the United States. Roland Press Co., New York, U.S.A., 769 pp.

2514.

Pennock, J.F.; Burt, V.T.-1980.

Biosynthesis and metabolism of vitamin K in invertebrates: 208-216.

In: Vitamin K metabolism - vitamin K-dependant proteins. Eds Suttle, J.W. University Park Press, Baltimore, U.S.A.

2515.

Pentreath, R.J.-1977.

Radionuclides in marine fish: 365-460.

In: Oceanography and Marine Biology. Annual Review. Volume 15. Ed. Barnes, H. Aberdeen University Press. Aberdeen, Scotland.

2516.

Perez, Rodriguez J.M.-1985.

Cyst production of Artemia in salt ponds in south-eastern of Spain.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2517.

Perona, R.-1982.

El papel de los lisosomas en la degradacion del vitelo durante el desarrollo embrionario de Artemia.

Thesis. Universidad Complutense de Madrid, Madrid, Spain, 217 pp.

2518.

Perona, R.; Garesse, R.; Marco, R.; Vallejo, C.G.-1981.

Proteasa acida de Artemia: Purificacion y propiedades: 185.

Ier Congreso Loso-Espanol de Bioquimica. Abstract Number P151.

2519.

Perona, R.; Garesse, R.; Marco, R.; Vallejo, C.G.-1981.

Proteasa acida particulada de los quistes de Artemia: solubilizacion, purificacion y propiedades: 186.

Ier Congreso Loso-Espanol de Bioquimica. Abstract Number P152.

2520.

Perona, R.; Marco, R.; Vallejo, C.G.-1981.

Characterization of a lysosomal thiol-proteinase involved in the postcryptobiotic development of Artemia.

Biochem. Soc. Trans., 9(2): 279P, Abstract Number Fri-S37-21.

2521.

Perona, R.; Vallejo, C.G.-1981.

The likely role of cathepsin B during the early embryonic development in proteinases in mammalian tissues and cells: 174-175.

Martin-Luther-Universitat, Halle Wittenberg, German Democratic Republic.

2522.

Perona, R.; Vallejo, C.G.-1982.

The lysosomal proteinase of Artemia. Purification and characterization.

Eur. J. Biochem., 124: 357-362.

2523.

Perona, R.; Vallejo, C.G.-1982.

Lysosomes and yolk degradation during the early development of Artemia.

Biol. Cell., 45(2): 97, Abstract Number 155.

2524.

Perona, R.; Vallejo, C.G.-1985.

The degradation of yolk in Artemia.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2525.

Perrier, R.-1954.

Arachnidés et Crustacés: La Faune de France.

Paris, Librairie Delagrave, 2:220Opp.

2526.

Person-Le Ruyet, J.-1976.

Elevage larvaire d'*Artemia salina* (Branchiopode) sur nourriture inerte: *Spirulina maxima* (Cyanophycée).

Aquaculture, 8(2):157-167.

2527.

Person-Le Ruyet, J.-1976.

Techniques d'élevages en masse d'un rotifère (*Brachionus plicatilis* Muller) et d'un crustacé branchiopode (*Artemia salina* L.): 331-344.
In: Proc. 10th EMBS, Ostend, Belgium, Sept. 17-23, 1975. Ed.
Persoone, G.; Jaspers, E.; Vol. 1. Research in mariculture at lab. and pilot scale. Universa Press, Wetteren, Belgium.

2528.

Person-Le Ruyet, J.; Alexandre, J.C.; Le Roux, A.; Nedelec, G.-1978.
La génération 1977 de turbot (*Scophthalmus maximus* L.) au Centre
Océanologique de Bretagne, CNEXO, France.
ICES-CM 55, Réf.F., Mariculture Committee, 29pp.

2529.

Person-Le Ruyet, J.; Salaun, A.-1977.

Etude comparative des possibilités d'élevage larvaire de quelques
poissons marins avec une souche d'oeufs d'*Artemia salina* de Chypre.
ICES-CM 32:13 pp.

2530.

Person-Le Ruyet, J.; Verillaud, P.-1980.

Techniques d'élevage intensif de la Daurade dorée (*Sparus aurata* (L.))
de la naissance à l'âge de deux mois.

Aquaculture, 20:351-370.

2531.

Persoone, G.; D'Agostino, A.S.-1980.

Report Workshop IV. Proposal for an intercalibration exercize for
standard Artemia toxicity test: 303-304.

In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics,
Radiobiology, Toxicology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E.
Jaspers. Universa Press, Wetteren, Belgium, 318pp.

2532.

Persoone, G.; Jaspers, E.-1978.

Recyclage van biodegradeerbare afvalstoffen door aquatische
voedselketens: 131-183.

In: Perspektieven voor recyclage van afvalstoffen afkomstig van de
landbouw en van de agro-industriële sektor in België, Studiedag,
6sept.1978, Louvain-la-Neuve, Diensten van de eerste minister.

2533.

Persoone, G.; Sorgeloos, P.-1972.

An improved separator box for Artemia nauplii and other phototactic invertebrates.

Helgolander wiss. Meeresunters., 23:243-247.

2534.

Persoone, G.; Sorgeloos, P.-1974.

Technological improvements for the cultivation of invertebrates as food for fishes and crustaceans. Abstract: 455-456.

In: Proc. 5th Ann. Meeting WMS; Ed. Avault, J.W.

jr. Louisiana State University, Baton Rouge, U.S.A., 482pp.

2535.

Persoone, G.; Sorgeloos, P.-1975.

Technological improvements for the cultivation of invertebrates as food for fishes and crustaceans. I. Devices and methods.

Aquaculture, 6:275-289.

2536.

Persoone, G.; Sorgeloos, P.-1980.

General aspects of the ecology and biogeography of Artemia: 3-24.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone,G.;P. Sorgeloos;O.A. Roels;E.

Jaspers; Universa Press, Wetteren, Belgium, 456 pp.

2537.

Persoone, G.; Sorgeloos, P.-1982.

Perspectives in marine technologies.

Philosoph. Trans. Soc. London, A307: 363-375.

2538.

Persoone, G.; Sorgeloos, P.; Roels, O.; Jaspers, E.; (Eds)-1980.

The Brine Shrimp Artemia. Volumes 1,2, and 3.

Universa Press, Wetteren, Belgium, 345+664+456 pp.

2539.

Persoone, G.; Sorgeloos, P.; Roels, O.; Jaspers, E. (Eds)-1980.

Editorial note on Artemia taxonomy.

In: The Brine Shrimp Artemia. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology, 345pp. Vol. 2. Physiology, Biochemistry, Molecular Biology, 664pp. Vol. 3. Ecology, Culturing, Use in Aquaculture, 456 pp.

2540.

Persoone, G.; Van Steertegem, M.-1985.

Influence of temperature and salinity on the sensitivity of Artemia nauplii to chemical compounds.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2541.

Persoone, G.; Wells, P.-1985.

Artemia in Aquatic ecotoxicology: A review.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985.

2542.

Peters, K.M.-1979.

Ein SalinenKrebs schlupft. (A brine shrimp hatches).

Mikrokosmos, 68(3): 87-91.

2543.

Peters, R.-1976.

Die ontogenetische Entwicklung de Salinenkrebses *Artemia salina* im Unter- un Überdruck. (Ontogenetic development of *Artemia saline* in low and high pressure).

Thesis. University of Bonn. Bonn, F.R.G., 43 pp.

2544.

Peterson, G.L.-1975.

(Sodium-potassium ion)-activated adenosinetriphosphatase in brine shrimp, *Artemia salina*, nauplii.

Thesis, Oregon State University, Corvallis, U.S.A.; Xerox

Univ. Microfilms, 75-21304:179pp.

2545.

Peterson, G.L.-1977.

A simplification of the protein assay method of Lowry et al. which is more generally applicable.

Ann. Biochem., 83(2):346-356.

2546.

Peterson, G.L.-1978.

A simplified method for the analysis of inorganic phosphate in the presence of interfering substances.

Analyt. Biochem., 84: 164-172.

2547.

Peterson, G.L.; Churchill, L.; Fisher, J.A.; Hokin, L.E.-1982.

Structural and biosynthetic studies on the two molecular forms of the (Na⁺ + K⁺)-activated adenosine triphosphatase large subunit in *Artemia salina* nauplii.

J. exp. Zool., 221(3): 295-308.

2548.

Peterson, G.L.; Churchill, L.; Fisher, J.A.; Hokin, L.E.-1982.

Structure and biosynthesis of (Na,K)-ATPase in developing brine shrimp nauplii: 185-206.

In: Transport ATPases. Eds Carafoli, E.; A. Scarpa; Annals of the New York Academy of Sciences. Volume 402; New York, U.S.A.

2549.

Peterson, G.L.; Ewing, R.D.; Conte, F.P.-1975.

De novo synthesis of larval brine shrimp (Na⁺ K⁺)-activated ATPase.

Fedn Proc., 34(3):519. Abstract Number 1680.

2550.

Peterson, G.L.; Ewing, R.D.; Conte, F.P.-1978.

Membrane differentiation and de novo synthesis of the (Na⁺ K⁺)-activated ATPase during development of *Artemia salina* nauplii.
Devl Biol., 67(1):90-98.

2551.

Peterson, G.L.; Ewing, R.D.; Hootman, S.R.; Conte, F.P.-1978.

Large scale partial purification and molecular and kinetic properties of the (Na⁺K⁺)-activated adenosine-triphosphatase from *Artemia salina* nauplii.

J.biol.Chem., 253(13):4762-4770.

2552.

Peterson, G.L.; Hokin, L.E.-1979.

Biogenesis of the (Na⁺K⁺)-activated adenosine triphosphatase during naupliar development in *Artemia*: 120-135.

In: Biochemistry of *Artemia* development. Eds Bagshaw, J.C.; A.H. Warner. University Microfilms International, Ann Arbor, U.S.A., 239 PP.

2553.

Peterson, G.L.; Hokin, L.E.-1980.

Improved purification of brine-shrimp (*Artemia salina*) (Na⁺ + K⁺)-activated adenosine triphosphatase and amino acid and carbohydrate analyses of the isolated subunits.

Biochem. J., 192: 107-118.

2554.

Peterson, G.L.; Hokin, L.E.-1981.

Molecular weight and stoichiometry of the sodium- and potassium-activated adenosine triphosphatase subunits.

J. Biol. Chem., 256(8): 3751-3761.

2555.

Petrunkewitsch, A.-1902.

Die Reifung der parthenogenetischen Eier von *Artemia salina*.
Anat.Anz., 21(9):256-263.

2556.

Petrunkewitsch, A.-1903.

Das Schicksal der Richtungskörper im Druhnenei. Ein Beitrag zur Kenntniss der natürlichen Partenogenese.

Zool.Jb., Abteilung für Anatomie und Ontogenie der Tiere,
17(3):481-516.

2557.

Petrunyaka, V.V.-1979.

Comparative distribution and role of carotenoids and vitamin A in animal tissues. Participation of polyenes in the mechanisms of accumulation and transport of calcium.

Zhurnal Evoliutsionnoi Biokhimii i Fiziologii, 15(1): 76-97.

2558.
Pham-Huu-Chanh; Mamy, G.-1963.
Sur une méthode simple de mesure de la toxicité: l'action toxique des chromate, molybdate, tungstate et métavanadate de sodium sur l'éclosion des oeufs d'*Artemia salina*.
Annls pharm.fr., 21(1):81-82.
2559.
Pham-Huu-Chanh; Mamy, G.-1963.
A simple biological reagent for toxicity: the eggs of "*Artemia salina*".
Revue Aggressologie, 4(6):599-602.
2560.
Pham-Huu-Chanh; Khan, P.-1963.
Recherches sur la toxicité de nitro-prussiate de sodium: expériences sur les oeufs d'*Artemia salina*.
Annls Pharm.fr., 21(3):271.
2561.
Phear, E.-1955.
Gut haems in invertebrates.
Proc.zool.Soc.Lond., 125(2):383-406.
2562.
Piccinelli, M.; Prosdocimi, T.-1968.
Descrizione tassonomica delle due specie *Artemia salina* L. e *Artemia persimilis* n.sp..
Ist.Lombardo R.C., B102:113-118.
2563.
Piccinelli, M.; Prosdocimi, T.; Baratelli-Zambruni, L.-1968.
Ulteriori ricerche sull' isolamento genetico nel genere *Artemia*.
Atti Ass.genet.ital., 13:170-179.
2564.
Piccinelli, M.; Prosdocimi, T.; Barigozzi-????.
Sex determination in *Artemia salina* (crustacea): 135.
Proceedings of the XII international congress of genetics, Volume 1.
2565.
Pierandrei-Amaldi, P.; Campioni, N.-1981.
Messenger RNA for ribosomal proteins in dormant and developing *Artemia salina* embryos.
Biochim. biophys. Acta, 655: 359-365.
2566.
Pierandrei-Amaldi, P.; Felicetti, L.-1976.
Activation of protein synthesis upon incubation of *Artemia salina* cysts in sea water.
In: Tenth International Congress of Biochemistry. Abstract Number 16-8-276.

2567.

Pierandrei-Amaldi, P.; Felicetti, L.; Campioni, N.-1977.
Flow of informational RNA from cytoplasmic poly(A)-containing
particles to polyribosomes in *Artemia salina* cysts at early stages
of development.
Devl Biol., 59: 49-61.

2568.

Pierandrei-Amaldi, P.; Felicetti, L.; Campioni, N.-1978.
Template activity from histones of a poly(A)-minus RNA fraction from
different developmental stages of *Artemia salina* embryos.
Biochim. biophys. Acta, 518: 518-524.

2569.

Pillay, T.V.R.-1971.
Aquaculture development.
Fao Aquaculture Development, 3(2):7-10.

2570.

Pillay, T.V.R.-1979.
The state of aquaculture 1976: 1-10.
In: *Advances in Aquaculture*. Eds. Pillay, T.V.R.; Wm.A. Dill. Fishing
News Books Ltd, Farnham, U.K., 653 pp.

2571.

Pillay, T.V.R.-1981.
State of aquaculture 1981 : 2.
In: *Reviews, World Conference on Aquaculture (Venice-Italy, September
21-25, 1981)*, 43 pp.

2572.

Pinto, R.M.; Faraldo, A.; Canales, J.; Fernandez, A.; Sillero, A.;
Gunther Sillero, M.A.-1985.
Occurrence of a nucleotidase activated by ATP in *Artemia* cysts
extracts.
In: *Book of Abstracts. Second International Symposium on the brine
shrimp Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2573.

Pinto, R.M.; Faraldo, A.; Fernandez, A.; Canales, J.; Sillero, A.;
Gunther Sillero, M.A.-1983.
Adenylosuccinate lysase from *Artemia salina* embryos. Purification and
properties.
J. Biol. Chem., 258(20): 12513-12519.

2574.

Piot, E.; Backhovens, H.; Slegers, H.-1984.
The inhibitor ribonucleoprotein of poly(A)-containing non-polysomal
messenger ribonucleoprotein of *Artemia salina* cryptobiotic embryos.
FEBS Letters, 175(1): 16-20.

2575.

Piot, E.; Bosmans, M.J.; De Chaffoy de Courcelles, D.; Kondo, M.-1981.
Structure of the ribosomal repeat units in *Artemia* DNA.
Archs int. Physiol. Biochem., 89(3):.

2576.

Piot, E.; Slegers, H., Vandenberghe, A.; Kondo, M.-1980.
Further evidence for translational control RNA in *Artemia salina* gastrulae.
Archs int. Physiol. Biochim., 88: B173-174.

2577.

Piot, E.; Slegers, H.-1984.
The translationally repressed poly(A)-containing messenger
ribonucleoproteins of *Artemia salina* cryptobiotic embryos.
Archs int. Physiol. Biochim., 92: B102.

2578.

Planel, H.; Blanquet, Y.; Soleilhavoup, J.P.; Kaiser, R.-1974.
Effects of cosmic heavy particles on *Artemia* egg development.
Radiat.Res., 59:150. Abstract Number C-4-2.

2579.

Planel, H.; Blanquet, Y.; Soleilhavoup, J.P.; Kaiser, R.; Pianezzi,
B.-1975.
Effects of cosmic heavy ions on *Artemia* egg development: 1152-1163.
In: Radiation Research: Biomedical, Chemical and Physical
Perspectives, Academic Press, New York, U.S.A.

2580.

Planel, H.; Gaubin, Y.; Kaiser, R.; Pianezzi, B.-1980.
Effects of space environmental factors on *Artemia* eggs: 189-198.
In: The brine shrimp *Artemia*. Vol. 1. Morphology, Genetics,
Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A.Roels;E.
Jaspers; Universa Press, Wetteren, Belgium, 318pp.

2581.

Planel, H.; Soleilhavoup, J.P.; Blanquet, Y.; Kaiser, R.-1974.
Study of cosmic ray effects on *Artemia salina* eggs during the Apollo
16 and 17 flights: 85-89.
In: Life Sciences and Space Research XIII, Proceedings of the Open
Meeting of the Working Group on Space Biology of the 16th plenary
meeting of COSPAR, Constance,F.R.G., May 25-June 5 1973. Ed. Sneath,
P.H.A.

2582.

Platon, R.R.-1985.
Scale-up studies on the culture of brine shrimp *Artemia* fed with
ricebran.
Ph. D. Thesis. Univ. British Columbia, 170 pp.

2583.

Platon, R.R.; Zahradnik, J.W.-1985.
Scale-up studies on the culture of brine shrimp *Artemia* fed with
ricebran.
In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2584.

Plattner, F.-1955.

Der osmotische Druck von *Artemia salina*.

Pflugers Arch.ges.Physiol., 261(2):172-182.

2585.

Pleskachevskaia, T.G.-1961.

The food value of *Artemia salina* and its rearing (in russian).

In: Azovskii Nauchno - Issledovatel'skii Institut Rybnogo Khoziaistva, Rostov, SNKH: 152 pp.

2586.

Pleskachevskaia, T.G.-1963.

Determination of the food value of *Artemia salina*.

Akad.Nauk.SSSR, Moscow: 74-76.

2587.

Pobegailo, P.I.; Nechaev, A.P.; Novosadova, T.G.-1984.

Toxicological characteristics of a corrosion inhibitor in circulating water. (in russian).

Vodosnabzheenie Sanitornaia Tekhnika, 6: 6-7.

2588.

Podojil, M.; Sedmera, P.; Vokoun, J.; Betina, V.; Barathov, H.; Durackova, Z.; Horakova, K.; Nemec, P.-1978.

Eurotium (*Aspergillus*) repens metabolites and their biological activity.

Folia microbiol., 23:438-443.

2589.

Polikarpov, G.G.-1966.

Radioecology of aquatic organisms. The accumulation and biological effect of radioactive substances.

In: Eds Schultz, V.;A.W. Klement, jr. Reinhold, N.Y., U.S.A.

2590.

Polikarpov, G.G.-1967.

Problemy radiatsionnai Ikhimicheskoi ekologii morskikh organizmov. Okeanologiya, 7(41):561-579.

2591.

Polikarpov, G.G.; Fedorik, S.M.-1983.

Influence of some physico-chemical factors upon survival of *Artemia salina*: 167-169. (in russian).

In: State, perspectives of amelioration and utilization of the marine ecological offshore part of the Crimea. Abstracts of conference.

2592.

Polikarpov, G.G.; Fedorik, S.M.-1983.

Optimization of factors determining *Artemia salina* development: 116-117.

In: Biological basis of the fishery of the Middle Asia and Kazakhstan water bodies. 14th Scient. Conf., Tashkent, September 27-29.

2593.

Polikarpov, G.G.; Fedorik, S.M.-1984.

The role of salinity of the aquatic environment in regulation of Artemia radiosensitivity : 135. (in russian).

In: Second All-Union conference on agricultural radiobiology. Reports abstracts, 2, Abninsk.

2594.

Poncy, R.-1926.

Biologie et migration du flamant rose, *Phoenicopterus ruber antiquorum*.

Bull.Soc.zool.Geneve, 3:4-33.

2595.

Popova, A.-1926.

Uber die Ernahrung der *Artemia salina* in den Gewassern des Eltonsees (in russian, german summary).

Gidrobiol.Zh., 5(5-6):125-126.

2596.

Por, F.D.-1968.

Solar Lake on the shores of the Red Sea.

Nature, 218(5144):860-861.

2597.

Por, F.D.-1969.

Limnology of the heliothermal Solar Lake on the coast of Sinai (Gulf of Elat).

Verh.int.Verein.theor.angew.Limnol., 17:1031-1034.

2598.

Por, F.D.-1972.

Limnology of the heliothermal Solar Lake on the coast of Sinai (Gulf of Elat).

Rapp.P.-V. Reun., Comm.Int.Explor.Sci.Mer Mediterr., Monaco, 20(4):511-513.

2599.

Por, F.D.-1972.

Hydrobiological notes on the high-salinity waters of the Sinai Peninsula.

Mar.Biol., 14:111-119.

2600.

Por, F.D.-1976.

The Coleoptera-dominated fauna of the hypersaline Solar Lake (Gulf of Elat, Red Sea): 563-573.

In: Proceedings of the 10th European Symposium on Marine Biology. Eds Persoone, G.; E. Jaspers; Universa Press, Wetteren, Belgium.

2601.

Pora, E.A.; Stoicovici, F.; Rusdea, D.; Wittenberger, C.; Kolasovitch, H.-1960.

La durée de survie et la consommation d'oxygène chez *Idothea baltica* de la Mer Noire et chez *Artemia salina* du lac sursalé de Techirghiol en fonction du rapport ionique du milieu.

Rapp.Pr.Verb.Commiss.int.Expl.Mer Mediterr., 15(3):189-198.

2602.

Pora, E.A.; Stoicovici, F.; Ruscea, D.-1962.

Influenta factorilor osmitic si rapic aspura fixarii P32 de catre *Artemia salina* din lacul techirghiol.

Acad.Rep.Popul.Romine Stud.Biol.Ser.Zool., 13:337-345.

2603.

Porcella, D.B.; Holman, J.A.-1972.

Nutrients, algal growth, and culture of brine shrimp in southern Great Salt Lake: 142-155.

In: The Great Salt Lake and Utah's water resources. Ed. Riley, J.P. Utah Water Res. Lab., U.S.A.

2604.

Post, F.J.-1975.

Life in the Great Salt Lake.

Utah Science, 36(2):43-47.

2605.

Post, F.J.-1977.

The microbial ecology of the Great Salt Lake North arm: 8 pp.

In: "Desertic Terminal Lakes":Proceedings of the International Conference on Desertic Terminal Lakes, Weber State College,Ogden, Utah; Ed. Greer, D.C.; Utah Water Research Laborat.

2606.

Post, F.J.-1977.

The microbial ecology of the Great Salt Lake.

Microbial Ecology, 3(2):143-165.

2607.

Post, F.J.-1980.

Biology of the north arm.

In: Great Salt Lake. A scientific, historical and economic overview. Ed. Gwynn, J.W. Bull. 116, Utah geological and mineral survey, Salt Lake City, Utah.

2608.

Post, F.J.-1981.

Microbiology of the Great Salt Lake north arm.

Hydrobiologia, 81: 59-69.

2609.

Post, F.J.; Youssef, N.N.-1977.

A prokaryotic intracellular symbiont of the Great Salt Lake brine shrimp *Artemia salina* (L.).

Can.J.Microbiol., 23(9):1232-1236.

2610.
Potts, W.T.W.-1977.
Fish gills: 453-480.
In: Transport of ions and water in animals. Eds Gupta, B.L.; R.B. Moreton; J.L. Oschman; B.J. Wall; Academic Press, New York, U.S.A.
2611.
Potts, W.T.W.; Parry, G.-1964.
Osmotic and ionic regulation in animals.
Macmillan, New York, U.S.A.
2612.
Pounds, J.G.-1977.
Safety and potential hazards of the entomopathogen *Mattesia trogodermae* to non-target species.
Ph. D. Thesis. University of Wisconsin-Madison, Madison, Wisconsin U.S.A., 131 pp.
2613.
Pratt, H.S.-1935.
A manual of the common invertebrate animals (exclusive of insects). McGraw-Hill Book Co. Inc., New York, U.S.A., 854 pp.
2614.
Preisser, B.-1976.
Untersuchungen zur Massenkultivierung von Zooplankton und seiner Verwendung für die Aufzucht künstlich erbrüteter Nutzfische sowie eine Zusammenstellung der isheringen Erfahrungen auf,
Wiss. Z. Univ. Rostock, 25:327-332.
2615.
Prentice, E.F.-1975.
Automatic feeding system using live Artemia.
Progve Fish Cult., 37(3):168-169.
2616.
Prescott, M.; McLennan, A.G.-1985.
The Major Ap4A-binding protein in Artemia is a protein kinase.
In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.
2617.
Prescott, S.R.-1980.
Economics of Artemia nauplii use in aquaculture.
Paper presented at the 11th Ann. Meeting WMS, Aquaculture, New Orleans 80, March 5-9, 1980; New Orleans, U.S.A.
2618.
Prescott, S.R.; Michotte, J.P.-1980.
Cheap cysts can mean expensive nauplii.
Fish Farming Int., 7(1):11-12.

2619.

Preuss, G.-1957.

Die Muskulatur der Gliedmaszen von Phyllopoden und Anostraken.
Zoologisches Museum Mitteilungen, Berlin, 33(1): 221-257.

2620.

Price, K.S.; Waggy, G.T.; Conway, R.A.-1974.

Brine shrimp bioassay and seawater BOD of petrochemicals.
J.Wat.Pollut.Control Fed., 46(1):63-77.

2621.

Price, S.-1967.

Dimethyl sulfoxide: failure to penetrate encysted Artemia embryos.
Proc.Soc.exp.Biol.Med., 126:389-399.

2622.

Primavera, J.H.; Estenor, D.; Acosta, P.-1980.

Preliminary trials of combined Artemia rearing and salt production
in earthen salt ponds in the Philippines: 207-221.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in
Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers;
Universa Press, Wetteren, Belgium, 428pp.

2623.

Pringle, L. (Ed.)-1970.

Discovering Nature Outdoors. A Nature and Science Guide to
Investigations with Small Animals.

The Natural History Press, Garden City, New York, U.S.A.

2624.

Prior, M.J.-1979.

Evaluation of brine shrimp (*Artemia salina*) larvae as a bioassay
for mycotoxins in animal feed-stuffs.

Canad.J.Comp.Medicine, 43:352-355.

2625.

Proctor, V.W.-1964.

Viability of crustacean eggs recovered from ducks.

Ecology, 45(3):656-658.

2626.

Proctor, V.W.; Malone, C.R.-1965.

Further evidence of the passive dispersal of small aquatic organisms
via the intestinal tract of birds.

Ecology, 46:728-729.

2627.

Proctor, V.W.; Malone, C.R.; DeVlaming, V.L.-1967.

Dispersal of aquatic organisms : Viability of disseminules recovered
from the intestinal tract of captive killdeer.

Ecology, 46(4):672-676.

2628.

Prosser, C.-1942.

An analysis of the action of acetylcholine on hearts, particularly in arthropods.

Biol.Bull., 83(2):145-164.

2629.

Prosser, C.L.-1950.

Regulation permitting life in salt lakes: brine shrimps: 32-33.

In: Comparative animal physiology. Prosser, C.L.; Bishop, D.W.; Brown, F.A., Jr.; Jahn, T.L.; Wulff, V.J. (Eds), W.B. Saunders Co., Philadelphia, U.S.A., 32-33 pp.

2630.

Provasoli, L.-1966.

Effects of quantity, quality, change of diet and nutritional value of food: 205-242.

In: Marine Biology. Proc. 3rd international interdisciplinary conference on marine biology. Ed. Edmondson, W.T. Academy of Sciences, interdisciplinary communications program, New York, U.S.A., 313pp,

2631.

Provasoli, L.-1969.

Laboratory methods in cultivation: 225-398.

In: Marine Biology. Proc. 5th international interdisciplinary conference on marine biology. Ed. Costlow, J.D. jr., Gordon & Breach, New York, U.S.A., 606 pp.

2632.

Provasoli, L.-1976.

Nutritional aspects of crustacean aquaculture: 13-21.

In: Proc. First International Conference on Aquaculture Nutrition. Eds Price, K.S., jr.; W.N. Shaw; K.S. Danberg; College of Marine Studies, University of Delaware, Newark, Delaware.

2633.

Provasoli, L.-1977.

Cultivation of animals. Research cultivation. Axenic cultivation: 1295-1319.

In: Marine Ecology, Vol.III. Cultivation-Part 3; Ed. Kinne, O.; J. Wiley and Sons, New York, U.S.A.: 579-1293.

2634.

Provasoli, L.; Conklin, D.E.; D'Agostino, A.S.-1970.

Factors inducing fertility in aseptic Crustacea.

Helgolander wiss. Meeresunters., 20:443-454.

2635.

Provasoli, L.; D'Agostino, A.-1962.

Vitamin requirements of *Artemia salina* in aseptic culture.

Am.Zool., 2(3):439. Abstract Number 12.

2636.

Provasoli, L.; D'Agostino, A.S.-1969.
Development of artificial media for *Artemia salina*.
Biol.Bull., 136:434-453.

2637.

Provasoli, L.; Pintner, I.J.-1980.
Biphasic particulate media for the parthenogenetic *Artemia* of Sete:
231-255.
In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry,
Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E.
Jaspers; Universa Press, Wetteren, Belgium, 636 pp.

2638.

Provasoli, L.; Shiraishi, K.-1959.
Axenic cultivation of the brine shrimp *Artemia salina*.
Biol.Bull., 117:347-355.

2639.

Provasoli, L.; Shiraishi, K.; Lance, J.R.-1959.
Nutritional idiosyncrasies of *Artemia* and *Tigriopus* in monoxenic
culture.
Ann.N.Y.Acad.Sci., 77:250-261.

2640.

Provenzano, A.J.jr.; Goy, J.-1976.
Evaluation of a sulphate lake strain of *Artemia* as a food for larvae
of the grass shrimp, *Palaemonetes pugio*.
Aquaculture, 9:343-350.

2641.

Provenzano, A.J.jr.; Goy, J.-1977.
Evaluation of a sulphate lake strain of *Artemia* as a food for larvae
of the grass shrimp, *Palaemonetes pugio*.
Proc.Natn.Shellfish Ass., 67:122.

2642.

Puodziukas, J.C.-1970.
Isolation and characterization of yolk platelets from the brine
shrimp, *Artemia salina*.
Thesis. University of Windsor, Canada.

2643.

Pura, J.D.R.; Simpson, K.L.-1985.
Geographical and Developmental Changes in Isozymes of *Artemia* as
separated by Isoelectrofocusing.
In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2644.

Quesada-Allue, L.A.-1980.
Early biosynthesis of polyprenol linked sugars in developing cysts of
the crustacea *Artemia salina*.
Eur. J. Cell Biol., 22(1): 160, Abstract Number M 476.

2645.

Quesada-Allue, L.A.-1981.

Early dolichyl sugar synthesis during differentiation of non-growing
brine-shrimp (*Artemia salina*) embryos.

Biochem. J., 198(2): 429-432.

2646.

Quinn, B.G.-1966.

Biology of the Great Salt Lake: 25-34.

In: Guidebook to the geology of Utah, no. 20; The Great Salt Lake;
Ed. Stokes w.; Utah, Geological Society, Salt Lake City, U.S.A.

2647.

Quinn, B.H.-1940.

Artemia salina, with special reference to its reaction to changes of
magnesium ion concentration.

Thesis. University of utah, U.S.A., 62pp.

2648.

Quintanilla, M.; Bernardo, M.; Renart, J.-1980.

Estudios in vivo sobre la expression del al ribonucleasa larvaria de
Artemia: 186.

In: Congresso Luso-Espanol de Bioquimica. Coimbra. Abstract Number
P153.

2649.

Quintanilla, M.; Renart, J.-1982.

Artemia larval ribonuclease: A highly specific enzyme for uridine
residues.

Biol. Cell., 45(2): 302, Abstract Number 750.

2650.

Quintanilla, M.; Renart, J.-1982.

Purification and characterization of a novel UpN-specific
endoribonuclease VI from *Artemia* larvae.

J. Biol. Chem., 257(21): 12594-12599.

2651.

Quintanilla, M.; Renart, J.-1983.

Post-transcriptional regulation of endoribonuclease VI expression
during *Artemia* development.

FEBS Letters, 155(1): 93-96.

2652.

Quynh, V.D.-1985.

Inoculation of *Artemia* in a salt farm in the Phu Khanh Province,
Central Vietnam: ecological study and comparison of three different
strains.

In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept, 1-5, 1985, Antwerp, Belgium.

2653.

Rabaud, E.-1911.

Le transformisme et l'expérience.

Alcan, Paris, 1:315pp.

2654.
Rabaut, C.-1975.
Invloed van biotische en abiotische faktoren op de reproduktiewijze
van *Artemia salina*.
Thesis, State University of Ghent, 64 pp.
2655.
Raciunas, L.; Kliminskas, R.-1977.
Les invertébrés aquatiques. (in russian): 36-43.
In: Post effets du champ électrique sur les animaux aquatiques. Eds
Biveinis, I.; V. Virbitskas; A. Mazhilis; A. Trakis; Moklas, Vilnius,
U.S.S.R., 166 pp.
2656.
Rackett, T.-1812.
Observations on *Cancer salinus*.
Trans.Linn.Soc.Lond., 11:205-206.
2657.
Radchenko, L.A.-1984.
Influence of temperature on post-radiation survival of *Artemia salina*.
Gidrobiol. Zh., 20(1): 64-67.
2658.
Raineri, M.-1981.
Histochemical localization of chitin in larvae of *Artemia salina*
Leach (Phylopoda).
Boll. Zool., 48(2): 139-141.
2659.
Raineri, M.; Falugi, C.-1983.
Acetylcholinesterase activity in embryonic and larval development of
Artemia salina Leach (Crustacea Phyllopoda).
J. exp. Zool., 227(2): 229-246.
2660.
Raineri, M.; Falugi, C.-1985.
Alkaline phosphatase (AP) activity in brine shrimp larvae.
In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.
2661.
Rains, D.W.-1977.
Adaptations of biological systems to enhance use of saline waters in
arid environments: 55-77.
Proc.of the Regional Seminar on Microbial conversion systems for food
and fodder production and waste management: KIRS, Nov. 12-17, 1977,
Kuwait, Ed. Overmire, T.G.
2662.
Raja, L.M.V.; Louis, J.; Jayaraman, K.-1983.
Demonstration of the formation of 1,3-diphosphoglyceric acid as an
intermediate in the high-energy phosphate metabolism during
reinitiation of development in *Artemia*.
Biochim. biophys. Acta, 723(3): 410-414.

2663.
Rajagopalan, A.V.-1982.
DNA polymerases in embryos of *Artemia*.
Thesis. University Windsor, Windsor, Ontario, Canada.
2664.
Rakowicz, M.-1972.
The value of *Artemia* brine shrimp.
Aquarium Digest International, 1(3):16-18.
2665.
Rakowicz, M.-1975.
Notes on *Artemia salina*.
Prawn Farming Systems Techniques, June 25-Sept.5, 1975, Food Institute, East-West Center, Honolulu, U.S.A., 13 pp.
2666.
Rallo, B; Gilberto, S.; Ceccarelli, R.; Mazzola, A.-1981.
Large scale culture of *Artemia salina*.
In: Contributed Papers (Poster Session). World Conference on Aquaculture (Venice-Italy, September 21-25, 1981), Poster No. 131.
2667.
Ramamoorthi, K.; Thangaraj, G.S.-1980.
Ecology of *Artemia* in the salt ponds of Tuticorin, India, 105-114.
In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers. Universa Press, Wetteren, Belgium, 428pp.
2668.
Ramanathan, N.; Natarajan, P.-1985.
Influence of environmental factors on the distribution of *Artemia* along the south east coast of India.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.
2669.
Rammner, W.-1933.
Zoologische Ergebnisse einer Reise nach Bonaire, Curacao und Aruba im Jahre 1930. No.4. Suss- und Brackwasser Phyllopoden van Bonaire. Zool. Jb., Abteilung fur Systematik, Okologie und Geographie der Tiere, 64(3/5):351-368.
2670.
Rammner, W.-1936.
Zoologische Ergebnisse einer Reise nach Bonaire, Curacao und Aruba im Jahre 1930. No.15. *Artemia salina* auf Bonaire, Curacao und St. Martin. Zool.Jb., Abteilung fur Systematik, Okologie und Geographie der Tiere, 67(5/6):353-362.
2671.
Rankin, J.C.; Davenport, J. (Eds)-1981.
Animal osmoregulation.
Thomson Litho Ltd., East Kilbride, Scotland, 55 pp.

2672.

Rasmussen, S.-1971.

Die Feinstruktur des Mittelauges und des ventralen Frontalorgans von *Artemia salina* L. (Crustacea: Anostraca).
Z.Zellforsch., 117(4):576-596.

2673.

Rathke, H.-1837.

Über Tiere, welche in fast gesättigter Salzanflossung leben.
Neue Notizen aus dem Gebiete der Natur-und Heilkunde, 2(27):68-71.

2674.

Rawley, E.V.-1980.

Wildlife of the Great Salt Lake: 287-303.

In: Great Salt Lake, a Scientific, Historical and Economic Overview.
Ed. Gwynn, J.W; Utah Department of Natural Resources. Bulletin 116;
Salt Lake City, Utah, U.S.A.

2675.

Rawley, E.V.; Johnson, B.C.; Rees, D.M.-1974.

The Great Salt Lake Biotic System: 9-27.

In: Publication No. 74-13. State of Utah Division of Wildlife
Resources.

2676.

Rawson, D.S.; Moore, J.E.-1944.

The saline lakes of Saskatchewan.

Can.J.Res., D22:141-201.

2677.

Ray, M.C.-1984.

Construction and operation of a solar-heated hatchery for brine
shrimp.

Progve Fish-Cult., 46(4): 283-285.

2678.

Raziuddin ; Thomas, J.O.; Szer, W.-1981.

Identification and properties of a structure-forming protein of hnRNP
from *Artemia salina*.

Fedn Proc., 40(6): 1571, Abstract Number 178.

2679.

Reay, P.J.-1979.

Aquaculture.

University Park Press, Baltimore, Maryland.

2680.

Reddington, M.A.; Armstrong, I.L.; Tate, W.P.-1978.

Isolation of a polypeptide chain release factor from the undeveloped
cyst of *Artemia salina*.

Proc.Aust.Biochem.Soc., 11:87.

2681.

Reddington, M.A.; Fong, A.P.; Tate, W.P.-1978.

The termination of the synthesis of proteins in-vitro with extracts from the undeveloped cyst of *Artemia salina*.

Devl Biol., 63(2):402-411.

2682.

Reddington, M.A.; Tate, W.P.-1978.

Isolation of a release factor for the termination of the synthesis of polypeptides from the undeveloped cyst of the brine shrimp *Artemia salina*.

Proc.Univ.Otago.med.Sch., 56:25-26.

2683.

Reddington, M.A.; Tate, W.P.-1979.

A polypeptide chain release factor from the undeveloped cyst of the brine shrimp, *Artemia salina*.

FEBS Lett., 97:335-338.

2684.

Reddington, M.A.; Williamson, D.; Tate, W.P.-1979.

In vitro translation activity of ribosomes from *Artemia salina* at various stages of development.

Proc.Aust.biochem.soc., 12:90.

2685.

Reddington, M.A.; Williamson, D.; Tate, W.P.-1979.

A release factor from the cyst of *Artemia salina*: characterization and activity on stage-specific ribosomes: 42-57.

In: Biochemistry of *Artemia* development. Eds Bagshaw, J.C.;A.H. Warner. University Microfilms International, Ann Arbor, U.S.A., 239 pp.

2686.

Rees, D.M.-1942.

Animals living in the Great Salt Lake.

Min.Soc.Ut.News Bull., 3:57-58.

2687.

Reeve, M.R.-1962.

Quantitative aspects of feeding and food conversion in *Artemia salina* L.

Thesis. University of Southampton, U.K.

2688.

Reeve, M.R.-1963.

The filter-feeding of *Artemia*. I. In pure culture of plant cells.

J.exp.Biol., 40(1):195-205.

2689.

Reeve, M.R.-1963.

The filter-feeding of *Artemia*. II. In suspension of various particles.

J.exp.Biol., 40(1):207-214.

2690.
Reeve, M.R.-1963.
The filter-feeding of Artemia. III. Faecal pellets and their associated membranes.
J. exp. Biol., 40(1):215-221.
2691.
Reeve, M.R.-1963.
Growth efficiency in Artemia under laboratory conditions.
Biol. Bull., 125(1):133-145.
2692.
Reeve, M.R.-1969.
The laboratory culture of the prawn *Palaemon serratus*.
Fishery Invest., Lond., Ser. II, 26(1):38pp.
2693.
Reeve, M.R.-1970.
The biology of Chaetognatha. I. Quantitative aspects of growth and egg production in *Sagitta hispida*: 168-189.
In: *Marine Food Chains*, Ed. Steele, J.H.; Oliver and Boyd, Edinburgh.
2694.
Reger, J.F.-1962.
The fine structure of limb muscle fibers from the crustacea *Artemia salina*.
Anat. Rec., 50:323.
2695.
Reger, J.F.-1962.
The fine structure of triads from swimmerette muscle of *A. salina*.
5th Int.Congr.Micr., 2;TT-4.
2696.
Regnard, P.; Blanchard, R.-1883.
Note sur la présence de l'hémoglobine dans le sang des Crustacés branchipodes.
C.r.Seanc.Soc.Biol., 35:197-200.
2697.
Regnard, P.; Blanchard, R.-1883.
Note sur la présence de l'hémoglobine dans le sang des Crustacés branchipodes.
Zool.Anz., 7(138):253-255.
2698.
Reiss, J.-1972.
Vergleichende Untersuchungen über die Toxizität einiger Mykotoxine gegenüber den Larven des Salinenkrebses (*Artemia salina* L.).
Zbl.Bakteriol.Parasitenkd.Infectiokr.Hyg.I.Orig.B., 155(5-6):531-534.

2699.

Relyea, G.M.-1937.

The brine shrimp of Great Salt Lake.

Am.Nat., 71(737):612-616.

2700.

Remiche-Van der Wielen, C.; Sorgeloos, P.-1976.

The use and misuse of *Artemia salina* nauplii for toxicity tests.

J. of Water Pollution Control Federation,,

2701.

Renart, J.-1975.

Desarrollo de la *Artemia salina*. Aportaciones bioquimicas.

Thesis. Universidad Autonoma, Madrid.

2702.

Renart, J.; Osuna, C.; Sebastian, J.-1975.

Niveles de las RNA polimerasas durante la diferenciacion de la *Artemia salina*.

6th Congr.Soc.Espanola Bioquim., Sevilla,Abstract No. 82.

2703.

Renart, J.; Sebastian, J.-1974.

Multiple RNA polymerases in encysted embryos of *Artemia salina*.

9th FEBS Meeting, Budapest, Abstract No. S4 C3:173.

2704.

Renart, J.; Sebastian, J.-1974.

Caracterizacion de las RNA polimerasas de embriones de *Artemia salina*.

13th Reunion Soc.Espanola Bioquim., Madrid, 45.

2705.

Renart, J.; Sebastian, J.-1976.

Characterization and levels of the RNA polymerases during the embryogenesis of *Artemia salina*.

Cell Differ., 5(2):97-107.

2706.

Renart, J.; Wonenburger, M.L.G.; Diaz-Guerra, M.; Sebastian, J.;

Cruces, J.-1985.

Identification of a satellite in the *Artemia* genome.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2707.

Renart, M.F.; Renart, J.; Sillero, A.-1984.

Nucleoside diphosphate kinase from *Artemia* embryos.

Comp. Biochem. Physiol., B78(1):141-144.

2708.

Renart, M.F.; Renart, J.; Sillero, M.A.G.; Sillero, A.-1976.

Guanosine monophosphate reductase from *Artemia salina*: Inhibition by xanthine monophosphate and activation by diguanosine tetraphosphate.

Biochem., 15(23): 4962-4966.

2709.

Renart, M.F.; Sillero, A.-1974.
GMP reductase in *Artemia salina*.
Biochim.biophys.Acta, 341(1):178-186.

2710.

Rennie, G.K.; Smith, P.G.1970.
Effect of freezing and thawing on ionic properties of the gills of
Artemia salina (L.).
Comp.Biochem.Physiol., 35:959-963.

2711.

Rensberger, B.;-1980.
Life in limbo. With a splash of water, creatures awaken from their
cryptobiotic repose.
Science, 80(1,7): 42-43.

2712.

Requintina, P.; Pura, J.D.; Simpson, K.L.-1985.
Geographical and Developmental Changes in Isozymes of *Artemia* as
Separated by Isoelectrofocusing.
In: Book of Abstracts: Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2713.

Requintina, P.; Pura, J.D.; Leibovitz, H.E.; Omara-Alwala, T.;
Simpson, K.L.-1985.
Esterase and phosphoglucose isomerase isozymes of nine *Artemia*
populations as separated by isoelectrofocusing: 43.
In: Book of Abstracts, World Mariculture Society, 16th Annual Meeting
and Florida Aquaculture Association, 1st Meeting. Orlando, Florida,
Jan. 13-17, 1985.

2714.

Reymert, R.A.-1966.
Aspects of multivariate morphologic variability of the brine shrimp
Artemia salina (L.).
Stockholm Contrib.Geol., 14:143-151.

2715.

Reymert, R.A.-1969.
Some case studies of the statistical analysis of sexual dimorphism.
Bull.Geol.Inst.Univ.Uppsala, 1(4):97-119.

2716.

Reynier, M.-1959.
Recherches sur le développement et la réproduction d'*Artemia salina*.
Bull.Soc.scient.Nancy, 18(1):155-182.

2717.

Reynolds, R.; Irvin, J.D.-1980.
A survey of selected plants for the presence of eukaryotic protein
biosynthesis inhibitors.
Texas J. Sci., 32(1): 55-57.

2718.

Rheinsmith, E.L.; Hinegardner, R.; Bachmann, K.-1974.
Nuclear DNA amounts in Crustacea.
Comp. Biochem. Physiol., 48B: 343-348.

2719.

Rhoderick, J.C.; Styron, C.E.-1977.
Effects of temperature and pressure on the excretion rates of ^{65}Zn in
the brine shrimp (*Artemia salina*).
Bull. Ass. Sc. Biol., 28:80.

2720.

Ribiero Vieira M.-1985.
Culture performance of Artemia from Aviero (Portugal) fed with wheat
bran and seaweed.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2721.

Rice, T.R.-1963.
The role of phytoplankton in the cycling of radionuclides in the
marine environment: 179-185.
In: Radioecology. Eds Schultz, V.; A.W. Klement, jr. Proc. 1st Nat.
Symp. Radioecol., Reinhold and Aibs.

2722.

Richard, J.-1895.
Sur quelques Crustacés Phyllopodes de la Basse-Californie.
Bull. Soc. zool. fr., 20:102-108.

2723.

Richter, J.A.; Goldstein, A.-1970.
The effects of morphine-like compounds on the light responses of the
brine shrimp *Artemia salina*.
Psychopharmacologia, 17:327-337.

2724.

Riehl, R.-1978.
Kleine Fischkunde. Das Salinkrebschen (*Artemia salina*), ein wichtiges
Fisch-Futtertier.
Tatsachen und Informationen aus der Aquaristik, 43: 36-37.

2725.

Riley, J.D.-1966.
Marine fish culture in Britain. VII. Plaice (*Pleuronectes platessa L.*)
postlarval feeding on *Artemia salina* nauplii and the effects of
varying feeding levels.
J. Cons. int. Explor. Mer., 30(2):204-221.

2726.

Riley, J.P.-1972.
The Great Salt Lake and Utah's water resources.
In: Proc. 1st Ann. Conf. Utah Sec. Am. Water Res. Ass.
Utah State University, U.S.A.

2727.

Roberts, M.H.

jr.-1975.

Culture techniques for decapod crustacean larvae: 209-220.

In: Culture of marine invertebrate animals, Eds Smith, W.L.;M.H. Chanley, Plenum Press, New York, U.S.A., 338 pp.

2728.

Roberts, M.P.; Vaughn, J.C.-1980.

rRNA gene number and sequence conservation in the brine shrimp, *Artemia salina*.

J. Cell Biol., 82(2,2): 449, Abstract Number CH 316.

2729.

Roberts, M.P.; Vaughn, J.C.-1982.

Ribosomal RNA sequence conservation and gene number in the larval brine shrimp.

Biochim. biophys. Acta, 697(2): 148-155.

2730.

Robertson, J.D.-1960.

Osmotic and ionic regulation: 317-339.

In: The physiology of Crustacea. Vol.1. Metabolism and growth. Ed. Waterman, T.H.; Academic Press, New York, U.S.A., 670 pp.

2731.

Robichaux, D.M.-1980.

Design and operation of a recirculating culture system for *Artemia*: 215-221.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

2732.

Robin, J.H.-1982.

Comparison de deux méthodes d'amélioration de la valeur alimentaire d'*Artemia salina* pour nourrir des larves de bar (*Dicentrarchus labrax*).

CIEM, Cté Maricult., F:13, 11 pp.

2733.

Robin, J.H.-1985.

Production of *Artemia* using mixed diets - Importance for marine fish larvae culture.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2734.

Robin, J.H.; Gatesoupe, F.J.; Ricardez, R.-1981.

Production of brine shrimp (*Artemia salina*). Using mixed diet: consequences on rearing of sea bass larvae (*Dicentrarchus labrax*). J. World Maricul. Soc., 12(2): 119-120.

2735.

Robin, J.H.; Gatesoupe, F.J.; Stephan, G.; Le Delliou, H.;
Salaun, G.-1984.

Méthodes de production de filtreurs proies et amélioration de leur
qualité alimentaire.

Journées Aquariologiques de l'Institut Océanographique, Oceanis,
10(5): 497-504.

2736.

Robinson, A.B.; Manly, K.F.; Anthony, M.P.; Catchpool, J.F.; Pauling,
L.-1965.

Anesthesia of Artemia larvae: method for quantitative study.
Science, N.Y., 149:1255-1258.

2737.

Rodino, E.-1982.

Variabilità genetica in specie gemelle del Genere Artemia L.
Atti Ass. genet. ital., 28: 339-342.

2738.

Roeder, M.; Roeder, R.H.-1966.

Effect of iron on the growth rate of fishes.
J. Nutrition, 90: 86-90.

2739.

Roels, F.-1968.

Mise en évidence au microscope électronique de la phosphatase acide
dans l'oeuf d'Artemia salina.
Annls Soc.r.zool.Belg., 98:266.

2740.

Roels, F.-1970.

Localisation d'activités peroxydasiques dans l'oeuf d'Artemia salina
à l'aide de 3,3'-diaminobenzidine; de benzidine et de pyrogallol.
Archs Biol., Paris, 81:229-274.

2741.

Roels, F.-1970.

Localisation ultrastructural du cytochrome c, dans l'ovocyte d'Artemia
salina, par la 3,3'-diamino-benzidine à pH 9.
C.r.hebd.Séanc.Acad.Sci., Paris, D270:2322-2324.

2742.

Roels, F.-1971.

Peroxidatic activity in Artemia salina oocysts: role in egg-envelope
hardening.

Expl Cell Res., 69(2):452-456.

2743.

Roels, F.; Wisse, E.-1973.

Distinction cytochimique entre catalase et peroxydases.
C. r. hebd. Séanc. Acad. Sci. Paris, 276: 391-393.

2744.

Roels, M.P.; Fautrez-Firlefyn, N., Fautrez, J.-1964.

Etude biochimique de l'effet du B-mercaptopropanoïde sur la teneur en acide ribonucléique de l'oeuf d'*Artemia salina*.

Expl Cell Res., 35:248-254.

2745.

Roels, O.A.; Sharfstein, B.A.; Tobias, W.J.-1979.

Artificial Upwelling. Progress Report 1978-79. Cultivation of the Brine Shrimp *Artemia*.

Final Report for the work supported by NOAA Sea Grant Project no. NA-79-AA-D-00039, 256 pp.

2746.

Roels-De Schrijver, M.P.; Fautrez-Firlefyn, N.-1966.

La synthèse de l'acide desoxyribonucléique au cours de la segmentation de l'oeuf d'*Artemia salina*.

C.r.Séanc.Soc.Biol., 160(5):1101-1103.

2747.

Rogers, D.W.-1984.

Effects of *Artemia* diets containing four hydrocarbon compounds on striped bass (*Morone saxatilis*) larval survival, growth and body burden changes.

Ph. D. Thesis. University of Rhode Island, Kingston, Rhode Island, U.S.A., 154 pp.

2748.

Rogers, L.O.; Johnston, R.S.-1977.

The culture of brine shrimp (*Artemia salina*) under semicontrolled conditions: 185-193.

In: Proc. 8th Ann. Meeting WMS, Ed. Avault, J.W., jr., Louisiana State University, Division of Continuing Education, 984 pp.

2749.

Roggen, E.; Aerden, M.; Slegers, H.-1985.

Specific "in vitro" polyadenylation involves a small ribonucleoprotein.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2750.

Roggen, E.; Dams, E.; Slegers, H.-1985.

The primer specificity of cytoplasma poly(A) polymerase from cryptobiotic gastrulae of *Artemia salina*.

Biochim. biophys. Acta, in press.

2751.

Roggen, E.; Slegers, H.-1982.

Purification and properties of poly(A) polymerase from cryptobiotic gastrulae of *Artemia* sp.

Archs int. Physiol. Biochim., 90(4): B213-B214.

2752.

Roggen, E.; Slegers, H.-1984.

Kinetics of polyadenylation catalysed by poly(A) polymerase.
Arch int. Physiol. Biochim., 92(2):BP22-BP23.

2753.

Roggen, E.; Slegers, H.-1985.

Isolation and characterization of cytoplasmic poly(A) polymerase from
cryptobiotic gastrulae of *Artemia salina*.

Eur. J. Biochem., 147: 225-232.

2754.

Roggen, E.; Thoen, C.; Van Hove, L.; Slegers, H.-1983.

In vitro polyadenylation of non-polysomal cytoplasmic RNP.

15th FEBS Meeting, Brussels, Belgium, 1983. Abstract Number S-04 FR-
031.

2755.

Rojkov, A.M.; Salenko, V.L.; Kosovanova, L.V.-1984.

Sterols of *Artemia salina*. (in russian).

Khimiya Prirodnnykh Soedinenii, 3(P,L): 393.

2756.

Rollefsen, G.-1939.

Artificial rearing of fry of seawater fish. Preliminary communication.
communication.

Rapp.P.-v.Reun.Cons.perm.int.Explor.Mer, 109-133.

2757.

Rollefsen, G.-1940.

Utklelling og oppdrettning av saltvannsfisk. (in danish).

Naturen, 6-7: 197-217.

2758.

Roobol, K.; Moller, W.-1978.

The role of guanine nucleotides in the interaction between aminoacyl-
tRNA and elongation factor 1 of *Artemia salina*.

Eur.J.Biochem., 90:471-477.

2759.

Roobol, K.; Moller, W.-1978.

Transient interaction between elongation factor 1 from *Artemia salina*
and 80S ribosome.

FEBS Lett., 96:377-380.

2760.

Roobol, K.; Moller, W.-1981.

Protein synthesis in *Artemia salina*. Eucaryotic elongation factor
eEf-Ts is a transphosphorylase.

Molecular Biology Reports, 7: 197-202.

2761.

Roobol, K.; Vianden, I.; Moller, W.-1980.

Aggregation of eucaryotic elongation factor eEf-Ts and its isolation by means of hydrophobic adsorption chromatography.

FEBS Letters, 111(1): 136-142.

2762.

Root, W.-1979.

The shrimp, the squilla and the diet of worms.

Los Angeles Times, Aug. 16, Part VI 35.

2763.

Rooth, J.-1965.

The flamingos in Bonaire (Netherlands Antilles). Habitat, diet and reproduction of *Phoenicopterus ruber*.

Uitgave Natuurwetenschappelijke Studiekring in Suriname en de Nederlandse Antillen, Utrecht, no.41, 171pp.

2764.

Rooth, J.-1974.

De ontwikkelingen in het flamingoreservaat op Bonaire.

Natuur Landsch., 28(1):8pp.

2765.

Rooth, J.-1975.

Caribbean Flamingos in a man-made habitat: 75-79.

In: Flamingos, Eds Kear, J.; N. Duplaix-Hall; A.D. Poyser; Berkhamsted.

2766.

Rooth, J.-1976.

Ecological aspects of the flamingos on Bonaire.

In: Ecology Conference on flamingos, oil pollution and reefs, Sept. 75. Eds Sesan, E.A.V.; W. Booij; I. Kristensen; H.A.M. DeKruif.

Netherlands Antilles National Parks Foundation "STINAPA".

2767.

Rosemark, R.-1978.

Growth of *Homarus americanus* on *Artemia salina* with and without supplementation: 251-258.

In: Proc. 9th Ann. Meeting WMS, Ed. Avault, J.W.

jr.; Louisiana State University, Baton Rouge, U.S.A., 807 pp.

2768.

Rosenthal, H.L.-1949.

Artemia salina, the brine shrimp.

Aquarium, Philad., 18:266-269.

2769.

Roth, W.; Pardue, T.J.; Pao, A.-1980.

Protein synthesis in *Artemia* sp. Regulation of ternary complex (Met-tRNA-eIF-2-GTP) formation by two purified protein factors.

Fedn Proc., 39(6): 2027, Abstract Number 2222.

2770.

Rothbard, S.-1982.

Induced reproduction in cultured cyprinids - The common carp and the group of chinese carps: II. The rearing of larvae and the primary nursing of fry.

Bamidgeh, 34(1): 20-32.

2771.

Rotllan, P.; Liras, A.; Llorente, P.-1985.

Biosynthesis of nucleotides from exogenous purines in *Artemia* nauplii. In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2772.

Rowell, G.-1978.

Mono Lake: silent, sailless, shrinking sea.

Audubon, 80: 102-106.

2773.

Royan, J.P.-1975.

Influence of salinity and temperature on the hatching of the brine shrimp, *Artemia salina*.

Mahasagar, 8(3,4):183-185.

2774.

Royan, J.P.-1976.

Effect of light on the hatching and growth of *Artemia salina*.

Mahasagar, 9(1,2):83-85.

2775.

Royan, J.P.-1979.

Occurrence of *Artemia* sp. in the gulf of Kutch.

Mahasagar, 12(4):271-272.

2776.

Royan, J.P.-1980.

Decapsulated brine shrimp cysts-An ideal feed for shrimps in aquaculture.

Indian J. mar. Sci., 9(2): 125-126.

2777.

Royan, J.P.-1980.

Laboratory and field studies on an Indian strain of the brine shrimp *Artemia*: 223-230.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

2778.

Royan, J.P.-1980.

Importance of *Artemia salina* as food in shrimp culture: 133.

In: Abstracts "Symposium on Coastal Aquaculture" (Cochin, India, Jan. 12-18th 1980). The Marine Biological Association of India, Cochin 682 011, India, 196pp.

2779.
Royan, J.P.-1981.
Brine shrimp culture: 46-60.
In: Status report on Coastal Aquaculture in India. National Institute of Oceanography, Dona Paula, Goa-403004 India, 136 pp.
2780.
Royan, J.P.-1985.
Studies on the Sri Lanka strain of Artemia.
In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.
2781.
Royan, J.P.; Alfred, J.R.B.-1978.
On the decapsulation technique of dry cysts in the Indian strain of Artemia salina L..
Mahasagar, 11:207-209.
2782.
Royan, J.P.; Navaneethakrishnan, P.; Selvaraj, A.M.-1970.
Occurrence of Artemia salina in southern India.
Current Science, 39(1): 14.
2783.
Royan, J.P.; Wafar, M.V.M.; Vijayaraghavan, S.-1978.
The brine shrimp, Artemia salina and its culture potential in India.
Indian J.Mar.Sci., 7(2):116-119.
2784.
Rozhkov, A.M.; Salerno, V.L.; Kosovanova, L.V.-1984.
Artemia salina steroids. (Russian).
Khimia Prirodykh Soedineni, 3:393, Abstract.
2785.
Rudneva, I.I.-1985.
Changes of the Artemia protein composition in the ontogenesis process.
Visnyk AN U.S.S.R., Kiev, 9. (in ukraine).
2786.
Rudneva, I.I.-1985.
Composition changes of proteins and protein complexes in Artemia ontogenesis.
In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.
2787.
Rugh, R.; Clugston, H.-1955.
Regarding radiation and dehydration effects on Artemia.
Proc.Soc.exp.Biol.Med., 88:467-472.

2788.

Russell-Hunter, W.D.-1969.

Archetypic development: Arthropods.

In: Biology of higher invertebrates, McMillan Publishing Co.Inc. New York, U.S.A., 224pp.

2789.

Russler, D.; Mangos, J.-1978.

Micropuncture studies of the osmoregulation in the nauplius of Artemia salina.

Am.J.Physiol., 234(5):216-222.

2790.

Russo-Caia, S.; Bellini, L.-1960.

Idrolisi enzimatica dell'ATP nello sviluppo di Artemia salina Leach diploide e tetraploide.

Rendiconti degli Istituti Scientifici della Universita di Camerino, 1(2):136-144.

2791.

Ruther, W.; Graul, E.H.; Heinrich, W.; Allkofer, O.C.; Kaiser, R.; Cuer, P.C.-1974.

Preliminary results on the action of cosmic heavy ions on the development of eggs of Artemia salina: 69-74.

In: COSPAR Life Sciences ans Space Research XII. Ed. Sneath, P.H.A.; Akademie-Verlag, Berlin, F.R.G.

2792.

Ruther, W.; Schneider, G.; Klaproth, A.; Schott, K.L.; Graul, E.H.; Oepen, H.-1980.

Investigations on the effect of the neurotoxic substance B,B'-iminodipropionitrile on Artemia salina.

Zool. Jb. Physiol., 84: 407-416.

2793.

Ryther, J.H.; Goldman, J.C.; Gifford, C.E.; Huguenin, J.E.; Wing, A.A.S.; Clamer, J.P.; Williams, L.D.; Lapointe, B.E.-1975.

Physical models of integrated waste recycling marine polyculture systems.

Aquaculture, 5:163-177.

2794.

Sada, A.; Bergami, M.; Cacace, M.G.-1985.

Glycogen phosphorylase and its interconversion in Artemia embryos.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2795.

Saengjindawong, M.-1985.

The investigation of some bacteria isolated from Artemia's saltbed.

Thai Fisheries Gazette, Vol. 38, 6 pp.

2796.

Sahavacharin, S.-1981.

Ways to convert salt farm to Artemia farm.
Thai Fisheries Gazette, 34(5): 467-480,

2797.

Sahavacharin, S.-1985.

Brine shrimp culture in the closed water system.

Third Seminar on Coastal Aquaculture, 22-24 May, 1985. Brackishwater
Fisheries Division, Department of Fisheries, Bangkok, 63-64.

2798.

Sakamoto, M.; Holland, D.L.; Jones, D.A.-1982.

Modification of nutritional composition of Artemia by incorporation
of polyunsaturated fatty acids using micro-encapsulated diets.
Aquaculture, 28: 311-320.

2799.

Saliba, L.J.; Ahsanullah, M.-1973.

Acclimation and tolerance of Artemia salina and
Ophryotrocha labronica to copper sulphate.

Mar.Biol., 23:297-302.

2800.

Saliba, L.J.; Krzyz, R.M.-1976.

Acclimation and tolerance of Artemia salina to copper salts.
Mar.Biol., 38(3):231-238.

2801.

Saliba, L.J.; Krzyz, R.M.-1976.

Effect of heavy metals on hatching of brine-shrimp eggs.
Mar.Pollut.Bull., 7(10):181-182.

2802.

Samain, J.F.; Boucher, J.-1974.

Dosage automatique et simultané de l'amylase et des protéines du
zooplancton.

Annls Inst.Océanogr., Monaco, 50(2):199-205.

2803.

Samain, J.F.; Boucher, J.; Buestel, D.-1975.

Signification biologique des protéiques et des activités de l'amylase
et des protéases chez Artemia salina L., aspects d'application à
l'étude de la nutrition: 391-418.

In: Proc. 10th EMBS, Ostend, Belgium, Sept.17-23, 1975. Vol.1.

Research in mariculture at laboratory and pilot scale. Eds Persoone,
G.;E. Jaspers; Universa Press, Wetteren, Belgium.

2804.

Samain, J.F.; Daniel, J.Y.; Le Coz, J.R.-1977.

Trypsine, amylase et protéines du zooplancton. Dosage automatique et
manuel.

J.exp.mar.Biol.Ecol., 25:279-289.

2805.

Samain, J.F.; Hernandorena, A.; Moal, J.; Daniel, J.Y.;
le Coz, J.R.-1985.

Amylase and trypsin activities during Artemia development on
artificial axenic media ; effect of starvation on specific deletions.
J. exp. mar. Biol. Ecol., 86: 255-270.

2806.

Samain, J.F.; Hernandorena, A.; Van Wormhoudt, A.; Daniel, J.Y.;

Jestin, O.; Le Coz, J.R.-1983.

L'activité amylasique et son substrat. Conséquences écologiques.
Oceanis, 9(3): 257-263.

2807.

Samain, J.F.; Moal, J.-1982.

Activités amylasique et trypsique du zooplancton indices de
nutrition? Perspectives et limites.

CNEXO, Actes de Colloques, Indices Biochimiques et Milieux Marins,
14: 193-205.

2808.

Samain, J.F.; Moal, J.; Alayse-Danet, A.M.; Daniel, J.Y.; Le Coz,
J.R.-1981.

Modèle de détection rapide des effets sublétaux de polluants. II. Un
exemple in situ: anomalie métabolique du copépode hyponeustonique
Anomalocera patersoni en coïncidence avec une marée noire.

Mar. Biol., 64(1): 35-41.

2809.

Samain, J.F.; Moal, J.; Daniel, J.Y.; Le Coz, J.R.-1981.

Mécanismes d'adaption possibles de la nutrition du zooplancton:
Démonstration sur Artemia.

Oceanis, 7(6): 663-673.

2810.

Samain, J.F.; Moal, J.; Daniel, J.Y.; Le Coz, J.R.-1981.

Possible processes of nutritive adaptations for zooplankton: a
demonstration on Artemia.

Kieler Meeresforsch., Sonderh., 5: 218-228.

2811.

Samain, J.F.; Moal, J.; Daniel, J.Y.; Le Coz, J.R.-1985.

Ingestion, assimilation and digestive enzymes on Artemia.

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2812.

Samain, J.F.; Moal, J.; Daniel, J.Y.; Le Coz, J.R.; Jezequel, M.-1980.
The digestive enzymes amylase and trypsin during the development of
Artemia. Effect of food conditions: 239-255.

In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry,
Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E.
Jaspers; Universa Press, Wetteren, Belgium, 636pp.

2813.

Sampter, M.; Heymons, R.-1902.

Die Variationen bei *Artemia salina* Leach und ihre Abhangigkeit von ausseren Einflussen.

Abhandlungen der koniglich preussischen Akademie der Wissenschaften, Berlin, Abhandlungen nicht zur Akademie gehoriger Gelehrter, 2:1-62.

2814.

San Feliu, J.M.-1974.

Conditions ecologiques dans l'elevage des crustaces.

Inf.Tecn.Inst.Inv.Pesq., 14:87-94.

2815.

San Feliu, J.M.; Munoz, F.; Amat, F.; Ramos, J.; Pena, J.; Sanz, A.-1976.

Cultivo experimental de larvas de crustaceos y peces en tanques.

Inf.Tecn.Inst.Inv.Pesq., 36:3-47.

2816.

Sanchez-Madrid, F.; Conde, P.; Vasquez, D.; Ballesta, J.P.G.-1979.

Acidic proteins from *Saccharomyces cerevistiae* ribosome S.

Biochem.biophys.Res.Commun., 87:281-291.

2817.

Sanchez-Madrid, F.; Reyes, R.; Conde, P.; Ballesta, J.P.G.-1979.

Acidic ribosomal proteins from eukaryotic cells. Effect on ribosomal functions.

Eur.J.Biochem., 98:409-416.

2818.

Sanchis, V.; Vinas, I.; Jimenez, M.; Calvo, M.A.; Hernandez, E.-1982.

Mycotoxin-producing fungi isolated from bin-stored corn.

Mycopathologia, 80(2): 89-93.

2819.

Sandeman, D.C.-1982.

Chapter 1. Organization of the central nervous system: 1-61.

In: The Biology of the Crustacea. Volume 3. Neurobiology: Structure and Function. Eds Bliss, D.E.; H.L. Atwood; D.C. Sandeman; Academic Press, New York, U.S.A.

2820.

Sandifer, P.A.-1972.

Effects of diet on larval development of *Thor floridanus* (Decapoda, Caridea) in the laboratory.

Va J. Sci., 23(1):5-8.

2821.

Sandifer, P.A.-1981.

Recent advances in the culture of crustaceans: 11-12.

In: Reviews, World Conference on Aquaculture (Venice-Italy, September 21-25, 1981), 43 pp.

2822.

Sandifer, P.A.; Williams, J.E.-1979.

Comparison of Artemia nauplii and non-living diets as food for larval grass shrimp, *Palaemonetes* sp.: Screening experiments.
Contribution No.104. South Carolina Marine Resources Institute, Charleston, South Carolina, U.S.A., 20 pp.

2823.

Sandifer, P.A.; Williams, J.E.-1980.

Comparison of Artemia nauplii and non-living diets as food for larval grass shrimp, *Palaemonetes* spp.: screening experiments: 353-364.
In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Japsers. Universa Press, Wetteren, Belgium. 428pp.

2824.

Sapienza, C.; Mague, T.H.-1979.

DNA polymerase activity and growth rates in *Artemia salina* nauplii.
Limnol.Oceanogr., 24(3):572-576.

2825.

Sarasquete Reiriz, M. del C.-1979.

Estudio de los quistes de *Artemia salina* de las salinas de Cadiz.
Thesis, University of Santiago de Compostela, Spain, 67pp.

2826.

Sargent, J.R.-1972.

The structure, metabolism and function of lipids in marine organisms: 149-210.

In: Biochemical and biophysical perspectives in marine biology, Eds Malins, D.C.;J.R. Sargent; Academic Press, New York, U.S.A.

2827.

Sars, G.O.-1895.

Descriptions of some Australian Phyllopoda.

Arch.Math.Naturv., 17(7):1-51.

2828.

Sars, G.O.-1901.

On the crustacean fauna of central Asia. part I. Amphipoda and Phyllopoda.

Akad.Nauk,S.S.S.R.,
Zool.Muz.Ann.Mus.Zool.Acad.Imper.Sci.St.Petersberg, 6:130-164.

2829.

Sars, G.O.-1904.

Pacifische Plankton-Crustaceen. (Ergebnisse einer Reise nach dem Pacific. Schauinsland 1896/97). I. Plankton aus Salzseen und Suswasserteichen.

Zool. Jb., Abteilung fur Systematik, Geographie und Biologie der Tiere, 19(5):629-646.

2830.
Sarvird, V.S.-1977.
Determination of ecological optimums and temperature limits of the tolerance of crustaceans.
Akad.Nauk.Bssr. Minsk Vestia Bialagichnykh navuk, 2:115-118.
2831.
Sasaki, G.C.; Capuzzo, J.M.-1984.
Degradation of Artemia lipids under storage.
Comp. Biochem. Physiol., 78B(3): 525-531.
2832.
Sastre, L.; Sebastian, J.-1978.
Identificacion de una poliadenilato polimerasa en embriones dormientes de Artemia salina.
17th Meeting of the Sociedad Espanola de Bioquimica, Madrid: 109.
2833.
Sastre, L.; Sebastian, J.-1978.
Characterization of a polyadenylade polymerase from Artemia salina dormant embryos.
12th FEBS Meeting, Dresden, G.D.R., Abstract Number 0115.
2834.
Sastre, L.; Sebastian, J.-1979.
Niveles y distribucion subcelular de la actividad poliadenilato polimerasa durante el desarollo embrionario de Artemia salina.
8th Congr.Soc.Espanola Bioquim., Murcia, Abstract No. 131.
2835.
Sastre, L.; Sebastian, J.-1979.
Properties of a polyadenylate polymerase from Artemia salina dormant embryos.
11th Int.Congr. on Biochemistry, Toronto, Canada, 321 pp. Abstract Number 04-7-S106.
2836.
Sastre, L.; Sebastian, J.-1980.
Poly(A) polymerase activity during the early development of Artemia:
325-333.
In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.
2837.
Sastre, L.; Sebastian, J.-1981.
Purification and properties of a polyadenylate polymerase from Artemia dormant embryos.
Biochim. biophys. Acta, 661: 54-62.
2838.
Sastre, L.; Sebastian, J.-1982.
Changes in cellular distribution of poly(A) during Artemia early development.
Biol. Cell., 45(51): 160, Abstract Number 341.

2839.

Sastre, L.; Sebastian, J.-1982.

In vitro polyadenylation of messenger ribonucleoprotein particles stored in Artemia dormant embryos.

Biochem. biophys. Res. Comm., 108(4): 1609-1613.

2840.

Sastre, L.; Sebastian, J.-1983.

Developmental changes in poly(A) polymerase activity in Artemia.

Eur. J. Biochem., 135: 69-74.

2841.

Sastre, L.; Villa, V.D.; Sebastian, J.-1980.

Characterization and in vitro polyadenylation of mRNA particles (mRNP) stored in Artemia dormant embryos.

Eur. J. Cell Biol., 22(1): 61, Abstract Number G 180.

2842.

Sato, N.L.-1966.

Effect of amino acid and other chemicals on the excystment of the egg of *Artemia salina*.

Gunma J.med.Sci., 15(2):113-120.

2843.

Sato, N.L.-1966.

Excystment of the egg of *Artemia salina* in artificial seawater of various conditions.

Gunma J.med.Sci., 15(2):102-112.

2844.

Sato, N.L.-1967.

Enzymatic contribution to the excystment of *Artemia salina*.

Sci.Rep.Tohoku Univ., 33(3-4):319-327.

2845.

Saunders, J.P.; Trieff, N.M.; Kalmaz, E.E.-1983.

Bioassay for measurement of response to light by Artemia (brine shrimp) nauplii: Effect of mercuric salts.

Journal of The American College of Toxicology, 2(2): 243, Abstract Number 119.

2846.

Saunders, J.P.; Trieff, N.M.; Kalmaz, E.E.; Uchida, T.-1985.

Effect of mercuric ion on attraction to light of *Artemia* sp. nauplii.

Ecotoxicology and Environmental Safety, 9(1):112-121.

2847.

Saunders, J.P.; Trieff, N.M.; Kalmaz, E.E.; Uchida, T.-1985.

Effect of mercuric on attraction to light of *Artemia* sp. nauplii.

Ecotoxicology and Environmental Safety, 9(1):112-121.

2848.

Savage, C.D.-1967.

Notes on secondary productivity in the lake Rejaiyeh ecosystem in Iran: 191-195.

In: Proc. Technical Meeting on Wetland Conservation, Ankara-Bursa-Istanbul, IUCN Publications, 12, Morges, 374pp.

2849.

Sawchyn, W.W.-1985.

Ecological factors controlling the hatchability of Artemia cysts in inland saline lakes in Canada.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2850.

Sayce, O.A.-1903.

The phyllopods of Australia, including descriptions of some new genera and species.

Proc.R.Soc.Victoria, 25:224-261.

2851.

Scelzo, M.A.; Voglar, J.F.-1980.

Ecological study of the Artemia populations in Boca, Chica salt lake, Margarita Island, Venezuela:115-125.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

2852.

Schauer, P.S.-1982.

Bioaccumulation and bioconversion of dietary labeled fatty acids in the short food chain: ricebran to Artemia to rainbow trout and winter flounder.

Ph. D. Thesis. University of Rhode Island, Kingston, Rhode Island, U.S.A., 121 pp.

2853.

Schauer, P.S.; Johns, D.M.; Olney, C.E.; Simpson, K.L.-1980.

International Study on Artemia. IX. Lipid level, energy content and fatty acid composition of the cysts and newly hatched nauplii from five geographical strains of Artemia:365-373.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

2854.

Schauer, P.S.; Richardson, L.M.; Simpson, K.L.-1979.

Nutritional status of marine larval and juvenile *Menidia menidia* reared on Artemia salina and various artificial diets: 159-176.

In: Cultivation of fish fry and its live food. EMS Spec. Publ. No.4. Eds. Styczynska- Jurewicz, E.;T. Backiel;E. Jaspers;G. Persoone; Inst.for Mar.Sc.Res., Bredene, Belgium, 534pp.

2855.

Schauer, P.S.; Simpson, K.L.-1978.

Effects of diets on the fatty acid composition of juvenile atlantic silversides (*Menidia menidia*): 175-178.

In: Proc. 9th Ann. Meeting WMS. Ed. Avault, J.W.

jr.; Louisiana State University, Baton Rouge, U.S.A., 807pp.

2856.

Schauer, P.S.; Simpson, K.L.-1979.

Fatty acid as biochemical indicators of dietary assimilation in the marine fish Atlantic Silverside. A review of comparisons between cultured and wild fish: 565-590.

In: Finfish nutrition and fishfeed technology. Vol. II. Eds Halver, J.E.;K. Tiews; Heenemann Verlagsgesellschaft mbH, Berlin, F.D.R., 622pp.

2857.

Schimmel, S.C.; Hansen, D.J.-1975.

An automatic brine shrimp feeder for aquatic bioassays.

J.Fish.Res.Bd Can., 32(2):314-316.

2858.

Schimmelmann, A.-1985.

Stable isotopic studies on chitin.

Ph.D. Dissertation. University California, Los Angeles, California, U.S.A.

2859.

Schimmelmann, A.; Deniro, M.J.-1985.

Stable isotopic studies on chitin II. The $^{13}\text{C}/^{12}\text{C}$ and $^{15}\text{N}/^{14}\text{N}$ ratio's in arthropod chitin.

Contr. mar. Sci., in press.

2860.

Schimmelmann, A.; Lavens, P.; Sorgeloos, P.-1985.

Carbon, Nitrogen, Oxygen and Hydrogen stable isotope ratios in Artemia from different geographical origin.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

2861.

Schiottz, A.-1971.

A Guide to Aquarium Fishes and Plants: 209-212.

J.B. Lippincott, Philadelphia, Pennsylvania, U.S.A.

2862.

Schlosser, D.-1756.

Extrait d'une lettre de Monsieur le Docteur Schlosser concernant un insecte peu connu.

Observations périodiques sur la physique, l'histoire naturelle et les beaux arts de Gautier: 58-60.

2863.

Schmankewitsch, W.J.-1875.

Ueber das Verhaltniss der *Artemia salina* Miln. Edw. zur *Artemia Mulhausenii* Miln. Edw. und dem Genus *Branchipus* Schaeff.
Z.wiss.Zool., 25,(Supplement): 103-116.

2864.

Schmankewitsch, W.J.-1875.

On the relation of *Artemia salina* Milne-Edwards to *Artemia Mulhausenii* Milne-Edwards and to the genus *Branchipus* Schaeffer.
12th Ann. Report of the United States Geological and Geographical Survey of the Territories: a Report in Progress of the Exploration in Wyoming and Idaho for the year 1878, Part I.

2865.

Schmankewitsch, W.J.-1875.

Sur les rapports de parenté de l'*Artemia salina* (Milne Edwards) avec l'*Artemia mulhausenii* et avec le genre, *Branchipus* (Schaeff.) (Abst. A. Schneider).

Archs Zool.exp.gén., Paris, 4:61-64.

2866.

Schmankewitsch, W.J.-1875.

On some Crustacea of salt and fresh water lakes and their relations to the surrounding element (In Russian).

Publications of the New Russian Society of Naturalists, 3(2).

2867.

Schmankewitsch, W.J.-1876.

Explications relatives aux différences qui existent entre l'*Artemia salina* et l'*Artemia mulhausenii* et entre les genre *Artemia* et *Branchipus*.

Archs Sci.phys.nat., 56:358-365.

2868.

Schmankewitsch, W.J.-1876.

On the relations of *Artemia salina* and *Artemia mulhausenii* and on the genus *Branchipus*.

Ann.Mag.nat.Hist., 17(99):256-268.

2869.

Schmankewitsch, W.J.-1877.

Zur Kenntnis des Einflusses der ausseren Lebensbedingungen auf die Organisation der Tiere.

Z.wiss.Zool., 29(4): 429-494.

2870.

Schmankewitsch, W.J.-1877.

Contribution to a knowledge of the influence of external conditions of life upon the organization of animals.

12th Annual Report of the United States Geological and Geographical Survey of the Territories: a Report in Progress of the Exploration in Wyoming and Idaho, 1878. Part I :473-514.

2871.
Schmankewitsch, W.J.-1903.
Marine Krebsart *Artemia salina*.
Naturw.Wschr., 2(16):185-186.
2872.
Schmidt, W.J.-1962.
Über carotinoid Kristalle bei *Artemia salina*.
Arch.Hydrobiol., 58:500-506.
2873.
Schmidt-Nielsen, B.-1974.
Osmoregulation: effect of salinity and heavy metals.
Fedn Proc., 33(10):2137-2146.
2874.
Schmitt, H.; Beckmann, J.S.; Littauer, U.Z.-1974.
Transcription of super-coiled mitochondrial DNA by bacterial RNA polymerase.
Eur.J.Biochem., 47(2):225-234.
2875.
Schmitt, H.; Grossfeld, H.; Beckmann, J.S.; Littauer, U.Z.-1973.
Biogenesis of mitochondria from *Artemia salina* cysts and the transcription in vitro of the DNA: 134-146.
In: Int.Conf.Biogen.Mitoch.; Academic Press, New York, U.S.A.
2876.
Schmitt, H.; Grossfeld, H.; Littauer, U.Z.-1973.
Mitochondrial biogenesis during differentiation of *Artemia salina* cysts.
J.biophys.biochem.Cytol., 58(3):643-649.
2877.
Schmitt, W.L.-1968.
Crustaceans.
University of Michigan Press, Ann Arbor, U.S.A.
2878.
Schneider, E.; Whitney, L.F.-1957.
The Complete Guide to Tropical Fishes:166-172.
Thomas Nelson & Sons. New York, U.S.A.
2879.
Schneider, G.; Ruther, W.; Klaproth, A.; Schott, K.J.-1980.
Untersuchungen über die Wirkung der "neuralathyrogenen" Substanz B,B'-iminodipropionitril auf den Salzkrebs *Artemia salina*.
Arzneimittel-Forschung Aulendorf (Drug Research), 30(4): 594-595.
2880.
Schneider, H.-1978.
Etwas Neues (?) über *Artemia salina*!.
Tatsachen und Informationen aus der Aquaristik, 43: 38.

2881.

Schopper, E.; Schott, J.U.; Bloching, S.; Metka, M.; Obst, E.-1977.
Assignment of particle tracks to spores of *Bacillus subtilis* on
silver chloride detectors.

In: *Cospar Life Sciences and Space Research*. Vol. XV. Eds Holmquist,
R.; A.C. Stickland, Pergamon Press. New York, U.S.A., 141-146.

2882.

Schott, K.-1981.

Experimentale Untersuchungen über die Wirkung der Neurotoxischen
substanz B,B'-iminodipropionitril (IDPN) auf den Salinenkrebs *Artemia
salina* Leach.

M.D. Thesis. Universitat Marburg. Marburg, West Germany, 143 pp.

2883.

Schott, K.; Schneider, G.; Oepen, H.-1980.

A pharmacological and behavioural study on B,B'-iminodipropionitrile
(IDPN)-treated brine shrimp *Artemia salina* L.
Toxicology Letters, 6: 231-234.

2884.

Schott, K.L.-1980.

The effects of neurotropic and myotropic compounds on the locomotor
behaviour of adult *Artemia salina* L. (Crustacea,
Anostraca).

Report, 12 pp.

2885.

Schrehardt, A.1985.

SEM-studies on the post-embryonic development of *Artemia* spec. str.
Macau (Brasil).

In: *Book of Abstracts. Second International Symposium on the brine
shrimp Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2886.

Schreiber, G.; Lauar, N.S.-1974.

DNA e volume nuclear nos blastomeros de *Artemia salina* Leach.
Cienc.Cult., Sao Paulo, 26(suppl):268.

2887.

Schunck, O.-1979.

Artemia salina als mögliche Krankheitsursache bei *Haplochromis linnii*
(Cichlidae).

Kleintier Praxis, 24: 341-344.

2888.

Schutz, A.-1975.

Artemia salina (Salzkrebschen), ein giegenes objekt zur
Toxizitätsprüfung.

Thesis. Universitat Hamburg, F.R.G., 51 pp.

2889.

Schutz, A.; Schutz, B.; Lange, P.-1973.
Untersuchungen mit *Artemia salina* zur Pharmazeutischen und
Medizinischen Toxizitätsprüfung.
ZentBl.Pharm., 112:383-387.

2890.

Schwab, W.E.-1974.
Sex-specific proteins in *Artemia salina* and their possible function
in cryptobiosis.
Comp.Biochem.Physiolog., 48B(2):175-180.

2891.

Schweng, E.-1936.
Shrimps (*Artemia salina*).
Aquarium, Berlin, 10:201-203.

2892.

Sciacchitano, I.-1923.
Sulla rigenerazione della "furca" nell'*Artemia salina* L. delle saline
di Cagliari.
Natura, Rivista di Scienze naturali, Milano, 14:118-123.

2893.

Sciacchitano, I.-1925.
Alcune osservazioni sull'*Artemia salina* L. delle saline di Cagliari.
Riv.Biol., 7(1):46-56.

2894.

Sciacchitano, I.-1925.
Sulla rigenerazione della "furca" nell'*Artemia salina* L. delle saline
di Cagliari.
Natura, Rivista di Scienze naturali, Milano, 16:73-76.

2895.

Sciacchitano, I.-1926.
Altre osservazioni sull'*Artemia salina* (L.) delle saline di Cagliari.
Riv.Biol., 8(2):226-235.

2896.

Sciacchitano, I.-1927.
Ancora sull'*Artemia salina* delle saline di Cagliari.
Riv.Biol., 9(1):79-86.

2897.

Sciacchitano, I.-1927.
Sulla rigenerazione delle "furca" nell'*Artemia salina* L. delle saline
di Cagliari.
Natura, Rivista di Scienze naturali, Milano, 18:38-41.

2898.

Scudder, G.G.E.-1969.
The fauna of saline lakes on the Frase Plateau in British Columbia.
Verh. Internat. Verein. Limnol. 17:430-439.

2899.

Seale, A.-1933.

Brine shrimp (*Artemia*) as a satisfactory live food for fishes.
Trans.Am.Fish.Soc., 63:129-130.

2900.

Sebastian, J.-1977.

Structure and function of the yeast RNA polysomes.
Trends in Biochemical Science: 102-104.

2901.

Sebastian, J.; Cruces, J.; Osuna, C.; Dominguez, E.; Renart, J.-1981.
Purification and subunit structure of the RNA polymerase II from
Artemia.

Biochem. Soc. Trans., 9(2): 171, Abstract Number Tue-S9-27.

2902.

Sebastian, J.; Cruces, J.; Osuna, C.; Renart, J.-1980.

Role of the RNA polymerases in the regulation of transcription during
the early development of *Artemia*:335-344.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry,
Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E.
Jaspers; Universa Press, Wetteren, Belgium, 636pp.

2903.

Sebastian, J.; Diaz, V.; Cruces, J.; Quintanilla, M.; Renart, J.-1985
Structure, immunological relationships and regulation of *Artemia* RNA
polymerases.

In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2904.

Sebastian, J.; Heredia, C.F.-1978.

Purification and properties of a ribonuclease highly specific for
poly(U) and poly(A) sequences isolated specific from *Artemia salina*
larvae.

12th FEBS Meeting, Dresden, G.D.R., Abstract.

2905.

Sebastian, J.; Heredia, C.F.-1978.

Purification and properties of a ribonuclease induced during early
larval development of *Artemia salina*.

Eur.J.Biochem., 90(2):405-411.

2906.

Sebastian, J.; Osuna, C.; Olalla, A.; Renart, J.; Cruces, J.; Sillero
M.A.G.-1976.

In vitro proteolytic inactivation of the RNA polymerases during the
development of *Artemia salina*.

J.biophys.biochem.Cytol., 70(2-2):340A.

2907.

Sebastian, J.; Osuna, C.; Renart, J.; Cruces, J.F.-1976.
RNA polymerase inhibitors in *Artemia salina* embryos: O1-8-037.
10th Int. Congr. on Biochemistry, Hamburg (F.R.G.). Abstract.

2908.

Sebastian, J.; Osuna, C.; Renart, J.; Cruces, J.F.-1979.
RNA polymerase levels during early larval development of *Artemia salina*.

11th Int.Congr. on Biochemistry, Toronto, Canada, Abstract No. 02-4-H77.

2909.

Sebastian, J.; Renart, J.; Osuna, C.-1975.
Changes in the levels of RNA polymerases during the differentiation of *Artemia salina* embryos.
10th FEBS Meeting, Paris, Abstract No. 302.

2910.

Segner, H.; Orejano-Acosta, B.; Juario, J.V.-1984.
The effect of *Brachionus plicatilis* grown on three different species of phytoplankton on the ultrastructure of the hepatocytes of *Chanos chanos* (Forskal) fry.
Aquaculture, 42(2): 109-115.

2911.

Seidel C.R.; Kryznowek, J.; Simpson, K.L.-1980.
International Study on *Artemia*. XI. Amino acid composition and electrophoretic protein patterns of *Artemia* from five geographical locations: 375-382.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

2912.

Seidel, C.R.; Johns, D.M.; Schauer, P.S.; Olney, C.E.-1982.
International study on *Artemia*. XXVI. Food value of nauplii from reference *Artemia* cysts and four geographic collections of *Artemia* for mud crab larvae.
Mar. Ecol. - Progress Ser., 8(3): 309-312.

2913.

Seidel, C.R.; Schauer, P.S.; Katayama, T.; Simpson, K.L.-1980.
Culture of Atlantic silversides fed on artificial diets and brine shrimp nauplii.
Bull.Jap.Soc.scient.Fish., 46(2):237-245.

2914.

Seifert, H.J.-1969.
Wie bekomme ich Eierschalen und Eier von *Artemia salina* aus dem Aquarium.
Aquar.u.-Terrer.-z., 22:189.

2915.
Seifert, R.-1932.
Raumorientierung und Phototaxis der anostraken Euphylllopoden.(Versuch ab Chirocephalus und Artemia).
Z.vergl.Physiol., 16(1-2):111-184.
2916.
Seifert, R.-1934.
Uber den Verlauf des Helladaptation bei Artemia salina.
Verh.dt.zool.Ges., 36:224-228.
2917.
Seitz, P.A.K.-1977.
Water proton magnetic resonance of metabolic and ametabolic Artemia embryos.
Thesis. University of Texas at Austin; Diss. Abstr., 38:5723B.
2918.
Seitz, P.K.; Chang, D.C.; Hazlewood, C.F.; Rorschach, H.E.; Clegg, J.S.-1981.
The self-diffusion of water in Artemia cysts.
Archs Biochem. Biophys., 210(2): 517-524.
2919.
Seitz, P.K.; Clegg, J.S.; Hazlewood, C.F.-1977.
Water proton magnetic resonance of metabolic and ametabolic Artemia embryos.
Biophys.J., 17(2):303A.
2920.
Seitz, P.K.; Hazlewood, C.F.-1978.
The self diffusion of water in hydrated Artemia cysts.
Biophys.J., 21(3):180A. Abstract Number W-PG-B11.
2921.
Seitz, P.K.; Hazlewood, C.F.; Clegg, J.S.-1980.
Proton magnetic resonance studies on the physical state of water in Artemia cysts:545-555.
In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.
2922.
Seki, H.-1964.
Studies on microbial participation to food cycle in the sea. I.
Participation in the microcosm at static condition.
J.oceanogr.Soc.Japan, 20(3):122-134.
2923.
Seki, H.-1965.
Studies on microbial participation to food cycle in the sea. II.
Carbohydrates as teh only organic source in the microcosmos.
J.Oceanogr.Soc.Japan, 20:278-285.

2924.

Seki, H.-1966.

Studies on microbial participation to food cycle in the sea. III.
Trial cultivation of brine shrimp to adult in a chemostat.
J.oceanogr.Soc.Japan, 22(3):105-110.

2925.

Seki, H.; Skelding, J.; Parsons, G.R.-1968.

Observations on the decomposition of a marine sediment.
Limnol.Oceanogr., 13:440-447.

2926.

Serfling, S.A.; Van Olst, J.C.; Ford, R.F.-1974.

An automatic feeding device and the use of live and frozen Artemia for
culturing larval stages of the American lobster, *Homarus americanus*.
Aquaculture, 3:311-314.

2927.

Seymour, A.-1962.

Summary of reports on fallout nuclides in the marine environment
presented at the 1961 radioecology symposium: 348-358.

In: *Radioactive fallout from nuclear weapons tests*. Ed. Klement, A.W.,
jr.; USAEC, TID-7632, Washington D.C., U.S.A.

2928.

Shackell, L.F.-1925.

The relation of dosage to effect. II.

J.Pharm.exp.Ther., 25:275-288.

2929.

Shaw, G.-1791.

Description of the *Cancer stagnalis* of Linnaeus.

Trans. Linn. Soc., London, 1:103-110.

2930.

Shaw, S.R.; Stowe, S.-1982.

Chapter 7. Photoreception: 291-366.

In: *The Biology of Crustacea*. Volume 3. Neurobiology: Structure and
Function. Eds Bliss, D.E.; H.L. Atwood; D.C. Sandeman; Academic Press,
New York, U.S.A.

2931.

Shelbourne, J.E.-1964.

The artificial propagation of marine fish: 1-83.

In: *Advances in Marine Biology* 2. Ed. Russell, F.S.; Academic Press,
New York, U.S.A.

2932.

Shelbourne, J.E.; Riley, J.D.; Thacker, G.T.-1963.

Marine fish culture in Britain. I. Plaice rearing in closed
circulation at Lowestoft, 1957-1960.

J.Cons.int.Explor.Mer, 28(2):50-69.

2933.

Shelipova, L.P.-1930.

Chromosomes in some branchipod Crustacea (In Russian).

Bulletin de l'Académie des Sciences de l'Union des Républiques Soviétiques socialistes, Classe des sciences physicomathématiques, Leningrad, Akademia Nauk, 7(5):437-451.

2934.

Sherman, D.A.-1975.

Brine shrimp hints.

Aquarium Industry, (11).

2935.

Shigueno, K.-1969.

Problems on prawn culture *Penaeus japonicus* Bate (in Japanese).

Japanese Fisheries Resource Conservation Association, Fishery

Propagation Series, no. 19, 96pp.

2936.

Shimaya, M.; Kanazawa, A.; Kashiwada, K.-1967.

Studies on the utilization of marine yeast. I. Culture of Artemia and Daphnia by marine yeast (in Japanese).

Mem.Fac.Fish.Kagoshima Univ., 16:34-39.

2937.

Shimaya, M.; Kanazawa, A.; Kashiwada, K.-1968.

Studies on the utilization of marine yeast. II. Lysis of marine yeast by some crustacea and pelecypoda (in Japanese).

Mem.Fac.Fish.Kagoshima Univ., 17:11-20.

2938.

Shiraishi, K.-1966.

Bacteria-free culture and nutrition of microcrustacea.

Information Bulletin on Planktonology in Japan, 13:49-54.

2939.

Shiraishi, K.; Provasoli, L.-1959.

Growth factors as supplements to inadequate algal foods for *Tigriopus japonicus*.

Tohoku J.agric.Res., 10(1):89-96.

2940.

Shiskin, B.A.; Fiks, B.V.; Galeeva, T.I.-1981.

Method for calculating the main parameters of aquatic invertebrate culture. (in Russian).

Gidrobiol. Zh., 17(2): 105-111.

2941.

Sick, L.V.-1970.

The nutritional effect of five species of marine algae on the growth, development and survival of the brine shrimp, *Artemia salina*.

Thesis, North Carolina State University, Raleigh (NC-U.S.A.), 50 pp..
Diss. Abstr., 971, 32:1506.

2942.

Sick, L.V.-1976.

Nutritional effect of live species of marine algae on the growth, development, and survival of the brine shrimp *Artemia salina*.
Mar.Biol., 35:69-78.

2943.

Sick, L.V.; Beaty, H.-1974.

Culture techniques and nutrition studies for larval stages of the grant prawn, *Macrobrachium rosenbergii*.
Georgia Marine Science Center, University System of Georgia, Skidaway Island, Georgia, Technical Report Series, no. 74-5:30pp.

2944.

Sick, L.V.; Beaty, H.-1975.

Development of formula foods designed for *Macrobrachium rosenbergii* larval and juvenile shrimp: 89-102.

In: Proc. 6th Ann.Meeting WMS; Eds Avault, J.W., jr.;R. Miller, Louisiana State University, Baton Rouge, U.S.A., 557pp.

2945.

Siegel, S.M.; Daly, O.; Halpern, L.; Giumarro, C.; Davis, G.-1963.
The general and comparative biology of experimental atmospheres and other stress conditions: some notes on the behavior of insects and other invertebrates.

Aerospace Medicine, 34:817-820.

2946.

Siegel, S.M.; Smith, C.W.-1972.

A note on the biological activity of the noble gas compound xenon trioxide.

Space Life Sci., 3(3):260-264.

2947.

Siegfried, R-1979.

Artemia-salina-test als einfacher Nachweis von Toxinen bei pflanzlichen Erzeugnissen.

Qualitas Plantarum, 29(3/4): 281-285.

2948.

Siegfried, R.; Frank, H.K.-1978.

Beitrag zur analytik der fusarium-toxine (trichothecen-toxine).
Z.Lebensmittelunters.u.-Forsch., 166(6):363-367.

2949.

Siegfried, R.; Langerfeld, E.-1978.

Vorlaufige Untersuchungen über die Produktion von Toxinen durch Fauleerreger bei Kartoffelen.

Potato Res., 21:335-339.

2950.

Sierra, J.M.; De Haro, C.; Datta, A.; Ochoa, S.-1977.

Translational control by protein kinases in *Artemia salina* and wheat germ.

Proc.Natn.Acad.Sci.U.S.A., 74(10):4356-4359.

2951.

Sierra, J.M.; Filipowicz, W.; Ochoa, S.-1976.

Messenger RNA in undeveloped and developing *Artemia salina* embryos.
Biochem.Biophys.Res.Commun., 69(1):181-189.

2952.

Sierra, J.M.; Meier, D.; Ochoa, S.-1974.

Effect of development on the translation of messenger RNA in *Artemia salina* embryos.

Proc.Natn.Acad.Sci.U.S.A., 71(7):2693-2697.

2953.

Sill, V.-1861.

Über die in den Salzsoolteichen Siebenburgens vorkommende *Artemia*.
Verh.Mitt.siebenb.Ver.Naturw., 12:118-122.

2954.

Sillero, A.; Ochoa, S.-1971.

Nuclear localization of diguanosine polyphosphates in *Artemia salina* embryos.

Archs Biochem.Biophys., 143(2):548-552.

2955.

Sillero, A.; Sillero, M.A.G.-1985.

Interconversion of purine nucleotides in *Artemia*.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

2956.

Sillero, M.A.G.; Burillo, S.L.; Dominguez, E.; Olalla, A.; Osuna, S.; Sebastian, J.; Sillero, A.-1980.

Multiple proteolytic enzymes in *Artemia*: 345-354.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers. Universa Press, Wetteren, Belgium, 636pp.

2957.

Sillero, M.A.G.; Villalba, R.; Moreno, A.; Quintanilla, M.; Lobaton, C.D.; Sillero, A.-1977.

Dinucleosidetriphosphatase from rat liver. Purification and properties.

Eur.J.Biochem., 76(2):331-338.

2958.

Silverman, R.H.; Atherly, A.G.-1979.

The search for guanosine tetraphosphate (ppGpp) and other unusual nucleotides in eucaryotes.

Microbial Reviews, 43(1): 27-41.

2959.

Silvestri; Scala, F.; Cacace, M.; Bergami, M.-1976.

Purification and properties of alfa, alfa-trehalase from the brine shrimp *Artemia salina*: 16-7-269.

10th Int.Congr. on Biochemistry, Hamburg, F.R.G., Abstract No. 08-8-137.

2960.

Simms, B.-1971.

All about brine shrimps.

Aquarist Pondkpr., 34:326-327.

2961.

Simon, E.-1886.

Etudes sur les crustacés du sous-ordre des Phyllopodes.

Annls Soc. ent. Fr., 6:393-460.

2962.

Simon, S.A.; Parmentier, J.L.; Bennett, P.B.-1983.

Anesthetic antagonism of the effects of high hydrostatic pressure on locomotory activity of the brine shrimp *Artemia*.

Comp. Biochem. Physiol., 75A: 193-199.

2963.

Simons, J.; De Herdt, E.; Kondo, M.; Slegers, H.-1978.

Membrane associated poly adenylic-acid containing ribonucleo- proteins in *Artemia salina* gastrula embryos.

FEBS Letters , 91(1):53-56.

2964.

Simpson, A.C.-1968.

Culture of shrimps and prawns: 29-34.

In: World Scient. Conf. on the Biology and Culture of Shrimps and Prawns. Ed. Mistakidis, M.N.; FAO, Rome, Italy,

2965.

Simpson, D.A.-1956.

The marine aquarium.

Aquar.J., 27(1):7-9.

2966.

Simpson, K.L.-1979.

Focusing on the modest and minute brine shrimp.

Maritimes, 23(4):9-11.

2967.

Simpson, K.L.-1982.

Carotenoid pigments in seafood: 115-136.

In: Chemistry and Biochemistry of Marine Food Products. Eds Martin, R.E.; G.J. Flick; C.E. Hebard; D.R. Ward; AVI Publ. Cy., Westport, Connecticut, U.S.A., 474 pp.

2968.

Simpson, K.L.; Beck, A.D.; Sorgeloos, P.-1980.

Report Workshop I. Characterization of *Artemia* strains for application in aquaculture: 409-411.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds. Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers. Universa Press, Wetteren, Belgium, 428pp.

2969.

Simpson, K.L.; Klein-MacPhee, G.; Beck, A.D.-1983.

Zooplankton as a food source: 180-201.

In: Proc. 2nd Int. Conf. Aquacul. Nutr.: Biochem. Physiol. Approaches to Shellfish Nutrition. Eds Pruder, G.D.; C.J. Langdon; D.E. Conklin; Louisiana State University, Baton Rouge, U.S.A.

2970.

Singholka, S.-1977.

Rearing larvae of *Macrobrachium rosenbergii* at Chachoengsao Macrobrachium Research Center, Thailand.

Department of Fisheries, Bangkok, Thailand, 4pp.

2971.

Skoultchi, A.I.; Morowitz, H.J.-1964.

Information storage and survival of biological systems at temperatures near absolute zero.

Yale J. Biol. Med., 37:158-163.

2972.

Slack, H.J.-1864.

Crystals in the intestine of *Artemia salina*.

The Intellectual Observer: Review of Natural History, Microscopic Research, and Recreative Science, London, 4:94-98.

2973.

Slater, J.M.; McLennan, A.G.-1982.

DNA polymerases and during pre-emergence and early larval development of *Artemia*.

Eur. J. Biochem., 129: 415-421.

2974.

Sleet, R.B.; Brendel, K.-1982.

Selective toxicity of model toxicants at different developmental stages of *Artemia*.

Fedn Proc., 41(5):1559, Abstract Number 7532.

2975.

Sleet, R.B.; Brendel, K.-1983.

Improved methods for harvesting and counting synchronous populations of *Artemia nauplii* for use in developmental toxicology.

Ecotoxicology and Environmental Safety, 7(5):435-446.

2976.

Sleet, R.B.; Brendel, K.-1983.

Brine shrimp, *Artemia salina*: A potential screening organism for initial teratology screening.

Proc. Western Pharmacol. Ass., 26:169-170.

2977.

Sleet, R.B.; Brendel, K.-1983.

A flow-through hatching and cold storage system for continuous collection of freshly hatched *Artemia nauplii*.

J. Aquariculture and Aquatic Sciences, 3(4): 76-83.

2978.

Sleet, T.B.; Brendel, K.-1985.

Homogeneous populations of *Artemia* nauplii and their potential use for in vitro testing in developmental toxicology.

Teratogenesis, Carcinogenesis, and Mutagenesis. 5(1):41-55.

2979.

Slegers, H.-1977.

Poly (A) containing ribonucleoprotein complexes of cryptobiotic embryos of *Artemia salina*: 53-54.

In: Fundamental and Applied Research on the Brine Shrimp, *Artemia salina* (L.) in Belgium. EMS Spec.Publ. 2. Eds Jaspers, E;G. Persoone; Inst.Mar.Sc.Res., Bredene, Belgium, 11Opp.

2980.

Slegers, H.; De Herdt, E.; Kondo, M.-1979.

Characterization of protein components of poly(A)-containing messenger ribonucleoproteins from cryptobiotic gastrulae of *Artemia salina*.

Molec.Biol.Rep., 5(1-2):65-69.

2981.

Slegers, H.; De Herdt, E.; Kondo, M.-1979.

Protein components of repressed poly(A)-containing ribonucleo-proteins in cryptobiotic gastrulae of *Artemia salina*: 123.

11th Int.Congr. on Biochemistry, Toronto, Canada, Abstract No. 02-3-H8O.

2982.

Slegers, H.; De Herdt, E.; Kondo, M.-1981.

Non-polysomal poly(A)-containing messenger ribonucleoproteins of cryptobiotic gastrulae of *Artemia salina*.

Eur. J. Biochem., 117(1): 111-120.

2983.

Slegers, H.; De Herdt, E.; Mertens, S.; Kondo, M.-1980.
Possible function of the poly(A) associated proteins of cytoplasmic messenger ribonucleoproteins of *Artemia salina*.
Archs int. Physiol. Biochim., 88: B175-B176.

2984.

Slegers, H.; De Herdt, E.; Mettrie, R.; Piot, E.; Kondo, M.-1979.
Characterization of repressed poly(A)-containing ribonucleoproteins in cryptobiotic gastrulae of *Artemia salina*: 84-99.
In: *Biochemistry gastrulae of Artemia development*. Eds Bagshaw, J.C.; A.H. Warner. University Microfilms International, Ann Arbor, U.S.A., 239pp.

2985.

Slegers, H.; Kondo, M.-1976.
Characterization of cytoplasmic ribonucleoprotein complexes containing poly(A) in *Artemia salina*: 39.
10th Int. Congr. on Biochemistry, Hamburg, F.R.G., Abstract No. 01-4-061.

2986.

Slegers, H.; Kondo, M.-1977.
Messenger ribonucleoprotein complexes of cryptobiotic embryos of *Artemia salina*.
Nucl. Acids Res., 4:625-639.

2987.

Slegers, H.; Mettrie, R.; Kondo, M.-1977.
Evidence for a cytoplasmic translational inhibitor RNA in *Artemia salina* gastrula embryos.
FEBS Lett., 80(2):390-394.

2988.

Slegers, H.; Moens, L.; Kondo, M.-1975.
Messenger ribonucleoprotein complexes in cryptobiotic embryos of *Artemia salina*.
Archs int. Physiol. Biochim., 83(5):999-1000.

2989.

Slobin, L.I.-1976.
The inhibition of elongation factor 1 activity by heparin.
Biochem. biophys. Res. Commun., 73(3):539-547.

2990.

Slobin, L.I.-1978.
Properties of eukaryotic elongation factor Ts from embryos of *Artemia salina*.
Fedn Proc., 37(6):1497, Abstract Number 1252.

2991.

Slobin, L.I.-1979.
Eukaryotic elongation factors TS is an integral component of rabbit reticulocyte elongation factor 1.
Eur. J. Biochem., 96:287-293.

2992.

Slobin, L.I.-1980.

The role of eucaryotic elongation factor Tu in protein synthesis. The measurement of the elongation factor Tu content of rabbit reticulocytes and other mammalian cells by a sensitive radioimmunoassay.

J. Biochem., 110: 555-563.

2993.

Slobin, L.I.-1980.

Eukaryotic elongation factor T and Artemin: two antigenically related proteins which reflect the dormant state of Artemia cysts: 557-573.

In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

2994.

Slobin, L.I.-1981.

The inhibition of eucaryotic protein synthesis by prokaryotic elongation factor Tu.

Biochem. biophys. Res. Comm., 101(4): 1388-1395.

2995.

Slobin, L.I.; Clark, R.V.; Olson, M.O.J.-1981.

Functional and structural studies on a tryptic fragment of eucaryotic elongation factor Tu from rabbit reticulocytes.

Biochem., 20: 5751-5767.

2996.

Slobin, L.I.; Moller, W.-1975.

Changes in form of elongation factor during development of *Artemia salina*.

Nature, 258(5534):452-454.

2997.

Slobin, L.I.; Moller, W.-1976.

Characterization of developmentally regulated forms of elongation factor 1 in *Artemia salina*. I. Purification and structural properties of the enzymes.

Eur.J.Biochem., 69(2):351-366.

2998.

Slobin, L.I.; Moller, W.-1976.

Characterization of developmentally regulated forms of elongation factor 1 in *Artemia salina*. II. Functional properties of the enzymes.

Eur.J.Biochem., 69(2):367-375.

2999.

Slobin, L.I.; Moller, W.-1977.

The heavy form of elongation factor 1 in *Artemia salina* embryos is functionally analogous to a complex of bacterial factors EF-Tu and EF-Ts.

Biochem.biophys.Res.Commun., 74(2):356-365.

3000.

Slobin, L.I.; Moller, W.-1978.

Purification and properties of an elongation factor functionally analogous to bacterial elongation factor Ts from embryos of *Artemia salina*.

Eur.J.Biochem., 84(1):69-77.

3001.

Slobin, L.I.; Moller, W.-1979.

Purification of elongation factor 1 from embryos of *Artemia salina*.
Meth.Enzym., 60:685-703.

3002.

Slobodkin, L.B.-1962.

Predation and efficiency in laboratory populations : 223-241.

In: The exploitation of natural animal populations. Eds. Le Cren, E.D.; M.W. Holdgate, Blackwell Scientific Publishers, Oxford, U.K., 398pp.

3003.

Slobodkin, L.B.-1962.

Energy in animal ecology: 69-101.

In: Advances in Ecological Research. Volume 1. Ed. Cragg, J.B.; Academic Press, New York, U.S.A.

3004.

Slobodkin, L.B.-1964.

Experimental populations of *Hydridia*.

J.Anim.Ecol., 33(suppl.):131-148.

3005.

Slobodkin, L.B.; Richman, S.-1961.

Calories gm. in species of animals.

Nature, 191(4785):299.

3006.

Slowik, W.D.-1975.

The effects of acute gamma radiation on growth and uptake of 3H-thymidine in brine shrimp (*Artemia salina*).

Thesis. Hofstra University, New York, U.S.A.

3007.

Smirnov, S.-1933.

Zur Phyllopoden fauna Transkaukasiens.

Zool.Anz., 102(1/2):58-64.

3008.

Smith, B.J.; Harris, M.R.; Sigournay, C.M.; Mayes, E.L.V.; Bustein, M.-1984.

A survey of the H10- and H5-like protein structure and distribution in higher and lower eukaryotes.

Eur. J. Biochem., 138(2): 309-317.

3009.

Smith, C.W.; Siegel, S.M.-1975.

Differential permeation of *Artemia* cysts and cucumber seeds by alcohols.

J.Histochem.Cytochem., 23(1):80-83.

3010.

Smith, P.G.-1969.

The ionic relations of *Artemia salina* (L.). I. Measurements of electrical potential difference and resistance.

J.exp.Biol., 51(3):727-738.

3011.

Smith, P.G.-1969.

The ionic relations in *Artemia salina* (L.) II. Fluxes of sodium chloride and water.

J.exp.Biol., 51:739-757.

3012.

Smith, R.A.; Holman, J.A.; Kramer, R.H.-1974.

Automatic brine shrimp feeder.

Progve Fish Cult., 36(3):133.

3013.

Smith, T.I.J.; Hopkins, J.S.; Sandifer, P.A.-1978.

Development of a large-scale *Artemia* hatching system utilizing recirculated water: 701-714.

In: Proc.9th Ann.Meeting WMS, Ed. Avault,J.W.jr., Louisiana State University, Baton Rouge, U.S.A., 807pp.

3014.

Smith, W.E.-1976.

Larval feeding and rapid maturation of bluegills in the laboratory.

Progve Fish Cult., 38(2):95-97.

3015.

Smith, W.W.-1936.

Evidence of a bacterial flora indigenous to the Great Salt Lake in Utah.

Thesis. University of Utah, U.S.A.

3016.

Smolka, S.; Schulz, F.A.-1980.

The epiphytic microflora of apples and the occurrence of possible mycotoxin producers.

Mededelingen Faculteit Landbouwwetenschappen, Rijkuniversiteit Ghent, Belgium, 45(2): 191-197.

3017.

Smyly, W.J.P.-1970.

Observations on rate of development longevity and fecundity of *Acanthocyclops viridis* (Jurine)(Copepoda,Cyclopoida) in relation to type of prey.

Crustaceana, 18(1):21-36.

3018.

Snipes, W.C.; Gordy, W.-1963.

Radiation damage to *Artemia* cysts: effects of water vapor.
Science, N.Y., 142:503-505.

3019.

Snoeks, A.; Mettrie, R.; Moens, L.; Kondo, M.-1975.

Effect of development of *Artemia salina* embryos on poly(U)
translation by isolated ribosomal subunits.
Archs int. Physiol. Biochim., 83(5):1000-1001.

3020.

Snyder, E.H.-1933.

Relation of growth of *Artemia* to hydrogen ion concentration.
Thesis. Stanford University, California, U.S.A.

3021.

Snyder, S.D.; Wolfe, A.F.-1980.

A histological study of the digestive system of *Artemia* with
reference to the production of its peritrophic membrane.
Proc. Pennsylvania Academy of Sciences, 54: 123-127.

3022.

Soebiantoro, B.-19, Replacement of brine shrimp nauplii with
artificial diets for feeding striped bass larvae.
Thesis. Auburn University, U.S.A., 90 pp.

3023.

Soejima, T.; Katayama, T.; Simpson, K.L.-1980.

International Study on *Artemia*. XII. The carotenoid composition of
eight geographical strains of *Artemia* and the effect of diet on the
carotenoid composition of *Artemia*: 613-622.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry,
Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E.
Jaspers; Universa Press, Wetteren, Belgium, 636pp.

3024.

Soejima, T.; Simpson, K.L.; Katayama, T.-1983.

The incorporation of dietary astacene into *Artemia*.

Bull. Jap. Soc. scient. Fish., 49(1): 137-139.

3025.

Solangi, M.A.; Overstreet, R.M.; Gannam, A.L.-1979.

A filamentous bacterium on the brine shrimp and its control.
Gulf Res.Rep., 6(3):275-282.

3026.

Songer, J.G.-1974.

Controlled eutrophication with brine shrimp as the herbivore.
Thesis. University of Texas, U.S.A.

3027.

Songer, J.G.; Smith, R.F.; Trieff, N.M.-1974.

Sewage treatment by controlled eutrophication: bacterial study.
Appl. Microbiol., 28(3):359-361.

3028.

Songer, J.G.; Trieff, N.M.; Smith, R.F.; Grajcer, D.-1974.
Controlled eutrophication: sewage treatment and food production.
In: Proc.Wastewater use in the production of food and fiber, Series
EPA 660/2-74-041.

3029.

Sorgeloos, P.-1971.
De kweekproblematiek bij invertebraten: experimenten met *Artemia salina*.
Thesis. State University of Ghent, Belgium, 124pp.

3030.

Sorgeloos, P.-1971.
Artemia salina: Ontwikkeling en kweekproblemen.
Tijdschrift van de Belgische Nationale Vereniging der Leraren in
de Biologie, 17(3):102-111.

3031.

Sorgeloos, P.-1972.
The influence of light on the growth rate of larvae of the brine
shrimp, *Artemia salina* L.
Biol.Jaarb., 40:317-322.

3032.

Sorgeloos, P.-1973.
On the influence of algal food preparation on its nutritional
efficiency for *Artemia salina* L. larvae: 18.
In: Conference on Marine Invertebrate Larvae. Abstracts. Rovini,
Yugoslavia.

3033.

Sorgeloos, P.-1973.
First report on the triggering effect of light on the hatching
mechanism of *Artemia salina* dry cysts.
Mar.Biol., 22:75-76.

3034.

Sorgeloos, P.-1973.
High density culturing of the brine shrimp *Artemia salina* L.
Aquaculture, 1:385-391.

3035.

Sorgeloos, P.-1974.
The influence of algal food preparation on its nutritional
efficiency for *Artemia salina* L. larvae.
Thalassia jugosl., 10(1/2):313-320.

3036.

Sorgeloos, P.-1975.
De invloed van abiotische en biotische faktoren op de levenscyclus
van het pekelkreeftje, *Artemia salina* L.
Ph.D. Thesis. State University of Ghent, Belgium, 235pp.

3037.

Sorgeloos, P.-1975.

Research on the culturing of the brine shrimp *Artemia salina* L.
at the University of Ghent, Belgium. Abstract: 441-442.
In: Proc. 6th Ann. Meeting WMS, Eds Avault, J.W., jr.; R. Miller;
Louisiana State University, Baton Rouge, U.S.A., 557pp.

3038.

Sorgeloos, P.-1976.

A bibliography on the brine shrimp *Artemia salina* L.
EMS Special Publication No.1. Ed. Jaspers, E. Institute for Marine
Scientific Research, Bredene, Belgium, 107pp.

3039.

Sorgeloos, P.-1977.

Het gebruik van het pekelkreeftje *Artemia salina* in de aquakultuur.
Biol.Jaarb., 45:34-38.

3040.

Sorgeloos, P.-1977.

Occurrence of *Artemia* in nature and its morphological development
from nauplius to adult: 1-7.

In: Fundamental and applied research on the brine shrimp, *Artemia*
salina (L.) in Belgium. EMS Spec. Publ. 2. Eds Jaspers, E.; G. Persoone;
Inst. Mar. Sc. Res., Bredene, Belgium, 110pp.

3041.

Sorgeloos, P.-1978.

The culture and use of brine shrimp *Artemia salina* as food for
hatchery raised larval prawns, shrimp and fish in South East Asia.
FAO Report THA/75/008/78/WP3, 50pp.

3042.

Sorgeloos, P.-1979.

List of commercial harvesters-distributors of *Artemia* cysts of
different geographical origin.
Aquaculture, 16:87-88.

3043.

Sorgeloos, P.-1979.

The Brine Shrimp, *Artemia salina*: A Bottleneck in
Mariculture: 321-324.

In: FAO Technical Conference on Aquaculture, Kyoto, 1976.
Eds Pillay, T.V.R.; Wm.A. Dill.; Fishing News Books Ltd., Farnham,
England, 653pp.

3044.

Sorgeloos, P.-1979.

Het gebruik van het pekelkreeftje *Artemia* spec. in de aquakultuur.
Thesis. State University of Ghent, Belgium, 319pp.

3045.

Sorgeloos, P.-1979.

The life history of the brine shrimp Artemia: 1-6.

In: Book of Abstracts. International Symposium on the Brine Shrimp, *Artemia salina*, Corpus Christi (TX-U.S.A.), Aug.20-23,1979; Artemia Reference Center, Ghent, Belgium, 137pp.

3046.

Sorgeloos, P.-1980.

Life history on the brine shrimp, Artemia: xix-xxii.

In: The Brine Shrimp Artemia. Volumes 1,2, and 3. Eds Persoone, G.; P. Sorgeloos; O. Roels; E. Jaspers; Universa Press, Wetteren, Belgium.

3047.

Sorgeloos, P.-1980.

Availability of reference Artemia cysts.

Marine Ecol. - Progress Ser., 3: 363-364.

3048.

Sorgeloos, P.-1980.

Christmas Island FAO-UNDP consultancy report, 11 pp.

3049.

Sorgeloos, P.-1980.

Improvements in availability and use of Artemia as food source for Macrobrachium: 123-132.

In: Giant Prawn 1980, Bangkok (Thailand), June 1980. IFS Provisional Report No.9. International Fouondation for Science, Stockholm, Sweden, 771pp.

3050.

Sorgeloos, P.-1980.

The use of the brine shrimp Artemia in aquaculture: 25-46.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 456pp.

3051.

Sorgeloos, P.-1981.

Availability of reference Artemia cysts.

Aquaculture, 23: 381-382.

3052.

Sorgeloos, P.-1981.

Live animal food for larval rearing in aquaculture: The brine shrimp Artemia.

In: World Conference on Aquaculture. Book of Abstracts. Venice, Italy.

3053.

Sorgeloos, P.-1982.

Improvement in availability and use of Artemia as food source for Macrobrachium:241-248.

In: Giant Prawn Farming, Ed. New, M.B.; Elsevier Scientific Publishing Company, Amsterdam, 532 pp.

3054.
Sorgeloos, P.-1982.
Report on informal Artemia workshop held during the first "World Conference on Aquaculture" (Venice, Italy, Sept 1981).
European Mariculture Society, Special publication, in press.
3055.
Sorgeloos, P.-1983.
Brine shrimp Artemia in coastal saltworks: Inexpensive source of food for vertically integrated aquaculture.
Book of Abstracts, World Mariculture Society Meeting "Washington Aquaculture '83", Washington, U.S.A.
3056.
Sorgeloos, P.-1983.
Potential of the mass production of brine shrimp, Artemia.
J. Soc. Underwater Technology, ???: 27-30.
3057.
Sorgeloos, P.-1985.
Potentials of converting microalgae into brine shrimp Artemia.
Arch. Hydrobiol. Beih., 20: 147-149.
3058.
Sorgeloos, P.-1985.
Life history of the brine shrimp Artemia.
In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept., 1-5, 1985, Antwerp, Belgium.
3059.
Sorgeloos, P.; Baeza-Mesa, M.; Benijts, F.; Bossuyt, E.; Bruggeman, E.; Claus, C.; Persoone, G.; Vandepitte, G.; Versichele, D.-1977.
The use of the brine shrimp, Artemia salina in aquaculture.
Actes de Colloques du CNEXO, 4:21-25.
3060.
Sorgeloos, P.; Baeza-Mesa, M.; Benijts, F.; Persoone, G.-1976.
Current research on the culturing of the brine shrimp Artemia salina L. at the State University of Ghent, Belgium: 473-495.
In: Proc.10th European Symposium on Marine Biology, Vol.1. Research in mariculture at laboratory and pilot scale. Eds Persoone, G.; E. Jaspers. Universa Press, Wetteren, Belgium, 62Opp.
3061.
Sorgeloos, P.; Baeza-Mesa, M.; Bossuyt, E.; Bruggeman, E.; Dobebeir, J.; Versichele, D.; Lavina, E.; Bernardino, A.-1980.
The culture of Artemia on ricebran: the conversion of a waste-product into highly nutritive animal protein.
Aquaculture, 21:393-396.

3062.

Sorgeloos, P.; Baeza-Mesa, M.; Claus, C.; Vandeputte, G.; Benijts, F.; Bossuyt, E.; Persoone, G.; Versichele, D.-1977.
Artemia salina as life food in aquaculture: 37-46.
In: Fundamental and applied research on the brine shrimp, *Artemia salina* (L) in Belgium. EMS Spec. Publ.2. Eds Persoone, G.; E. Jaspers; Universa Press, Wetteren, Belgium, 110pp.

3063.

Sorgeloos, P.; Bossuyt, E.; Bruggeman, E.; Cooreman, A.; Dobbeleir, J.; Vanhaecke, P.; Versichele, D.-1979.
Progress report on the research activities of the Artemia Reference Center.
ICES C.M./F:54, 206-214.

3064.

Sorgeloos, P.; Bossuyt, E.; Lavens, P.; Leger, P.; Vanhaecke, P.; Versichele, D.-1983.
The use of brine shrimp *Artemia* in crustacean hatcheries and nurseries: 71-96.
In: CRC Handbook of Mariculture. Volume I. Crustacean Aquaculture. Ed. McVey; CRC Press, Boca Raton, Florida, U.S.A., 442 pp.

3065.

Sorgeloos, P.; Bossuyt, E.; Lavina, E.; Baeza-Mesa, M.; Persoone, G.-1977.
Decapsulation of *Artemia* cysts: a simple technique for the improvement of the use of brine shrimp in aquaculture.
Aquaculture, 12(4):311-315.

3066.

Sorgeloos, P.; Lavens, P.; Leger, Ph.; Tackaert, W.; Vanhaecke, P.; Versichele, D.-1985.
Present state and future potential with brine shrimp *Artemia* in developing countries.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept., 1-5, 1985, Antwerp, Belgium.

3067.

Sorgeloos, P.; McCourt, R.P.; Lavens, P.; Spectorova, L.; Khalaf, A.N.-1980.
Updated bibliography of the brine shrimp *Artemia*.
In: Special Publication No. 5. European Mariculture Society. Eds Sorgeloos, P.; P. Lavens; D. Versichele; E. Bossuyt. Bredene, Belgium, 274 pp.

3068.

Sorgeloos, P.; Persoone, G.-1972.
Three simple culture devices for aquatic invertebrates and fish larvae with continuous recirculation of the medium.
Mar.Biol., 15:251-254.

3069.

Sorgeloos, P.; Persoone, G.-1972.

Kennen Sie die Lebensgeschichte von *Artemia salina* L.?

Tatsachen und Informationen aus der Aquaristik, 17:18-20.

3070.

Sorgeloos, P.; Persoone, G.-1973.

A culture system for *Artemia*, *Daphnia* and other invertebrates with continuous separation of the larvae.

Arch.Hydrobiol., 72:133-138.

3071.

Sorgeloos, P.; Persoone, G.-1975.

Technological improvements for the cultivation of invertebrates as food for fishes and crustaceans. II. Hatching and culturing of the brine shrimp, *Artemia salina* L.

Aquaculture, 6:303-317.

3072.

Sorgeloos, P.; Persoone, G.; Baeza-Mesa, M.; Bossuyt, E.; Bruggeman, E.-1978.

The use of *Artemia* cysts in aquaculture: the concept of "hatching efficiency" and description of a new method for cyst processing: 715-721.

In: Proc. 9th Ann. Meeting WMS. Ed. Avault, J.W., jr. Louisiana State University, Baton Rouge, U.S.A., 807pp.

3073.

Sorgeloos, P.; Remiche-Van der Wielen, C.; Persoone, G.-1978.

The use of *Artemia* nauplii for toxicity tests: a critical analyses. Ecotoxicology and environmental Safety, 2:249-255.

3074.

Soriano, J.E.-1980.

Cultivo del Camaron de Salmuera (*Artemia Salina*).

Documenta, 8(75): 31-34.

3075.

Spectorova, L.V.-1979.

Rearing live feed in the USSR: 403-407.

In: Cultivation of fish fry and its live food. EMS Spec. Publ.No. 4. Eds Styczynska-Jurewicz, E.; T. Backiel; E. Jaspers; Institute for Marine Scientific Research, Bredene, Belgium, 534pp.

3076.

Spectorova, L.V.; Syomik, A.M.-1979.

The influence of incubation conditions upon *Artemia* hatching efficiency in three strain models: 121.

In: Book of Abstracts. International Symposium on the Brine Shrimp, *Artemia salina*, Corpus Christi, TX-U.S.A., Aug.20-23,1979; Artemia Reference Center, Ghent, Belgium, 137 pp.

3077.
Spencer, A.G.-1967.
The effects of ABS and LAS detergents on *Artemia salina*: Behavior and reproductive performance.
Thesis. North Carolina State University Raleigh, U.S.A.
3078.
Spencer, J.F.T.; Phaff, H.J.; Gardner, N.R.-1964.
Metschnikowia kamienskii, sp.n., a yeast associated with brine shrimp.
J.Bact., 88(3):758-762.
3079.
Spencer, W.K.-1902.
Zur Morphologie des Centralnerven-systems der Phyllopoden, nebst Bemerkungen über deren Frontalorgane.
Z.wiss.Zool., 71(3):508-524.
3080.
Sperti, S.; Montanaro, L.-1979.
Ricin and modeccin do not inhibit the elongation factor 1-dependant binding of aminoacyl-tRNA to ribosomes.
J.Biochem., 178:233-236.
3081.
Sperti, S.; Montanaro, L.; Mattioli, G.; Testoni, G.; Stirpe, F.-1976.
Inhibition of protein synthesis in vitro by crotins and ricin effect on the steps of peptide chain elongation.
J.Biochem., 156(1):7-13.
3082.
Spindler, K.D.; Dinan, L.; Londershausen, M.-1984.
On the mode of action of ecdysterones in crustaceans: 255-265.
In: Biosynthesis, Metabolism, and Mode of Action of Invertebrate Hormones. Eds Hoffmann, J.; M. Porchet; Springer, Berlin, F.R.G.
3083.
Spira, J.-1981.
Ecology of the Solar Lake and its hydrophilid predators: 413.
In: Developments in Arid Zone Ecology and Environmental Quality. Ed. Shuval, H.I.; 1981 Balaban International Science Services, Rehovot, Israel.
3084.
Spitchak, M.K.-1980.
Artemia in the U.S.S.R. Abstract: 127-128.
In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds. Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

3085.

Spotte, S.-1970.

Fish and invertebrate culture. Water management in closed systems.
Wiley-Interscience, New York, U.S.A., 145pp.

3086.

Spotte, S.; Adams, G.; Stake, P.E.-1984.

PROBIT analysis predicts hatching rates of brine shrimp *Artemia* sp.
cysts.
Aquacultural Eng., 3(1):1-14.

3087.

Squire, R.D.-1969.

An analysis of fitness components in the brine shrimp *Artemia salina*,
with reference to gamma irradiation and inbreeding depression.
Thesis, North Carolina State University, U.S.A., Diss. Abstr., 30:1524.

3088.

Squire, R.D.-1970.

The effects of acute gamma irradiation on the brine shrimp, *Artemia*.
II. Female reproductive performance.
Biol. Bull., 139(2):375-385.

3089.

Squire, R.D.-1972.

Genetic crossing-over in male brine shrimp.
J. Hered., 63(1):47-48.

3090.

Squire, R.D.-1973.

The effects of acute gamma irradiation on the brine shrimp, *Artemia*.
III. Male F1 reproductive performance following paternal irradiation
of mature sperm.
Biol. Bull., 144:192-199.

3091.

Squire, R.D.; Grosch, D.S.-1967.

"Swimmerette" a new sex-linked recessive mutant in the brine shrimp,
Artemia salina Leach.
Biol. Bull., 133:487.

3092.

Squire, R.D.; Grosch, D.S.-1970.

The effects of acute gamma irradiation on the brine shrimp *Artemia*.
I. Life spans and male reproductive performance.
Biol. Bull., 139:363-374.

3093.

Sramek-Husek, R.; Straskraba, M.; Brtek, J.-1962.

Fauna CSSR, Svazek 16, Luponozci-Branchiopoda.

Nakladatelstvi Ceskoslovenske Akademie, Ved Praha.

3094.

St.Clair, T.-1983.

Shores of Utah's Great Salt Lake yield bountiful shrimp-egg harvest.
National Fisherman, 29::.

3095.

Stefani, R.-1960.

L'Artemia salina partenogenetica a Cagliari.

Riv.Biol., 53:463-491.

3096.

Stefani, R.-1961.

Differenza nel ciclo annuale tra biotopo anfigonico e biotopo
partenogenetico nell'Artemia salina di Cagliari.

Riv.Biol., 54:457-469.

3097.

Stefani, R.-1962.

Sull'ecologia di Artemia salina nelle saline di gilla di Cagliari.
Boll.Zool., 29:409-415.

3098.

Stefani, R.-1963.

La digametia femminile in Artemia salina Leach e la constituzione
del corredo cromosomico nei biotipi constituzione del corredo
cromosomico nei biotipi.

Caryologia, 16(3):625-636.

3099.

Stefani, R.-1963.

Il centromero non localizzato in Artemia salina Leach.

Atti Accad.naz.Lincei Rc., 35:375-378.

3100.

Stefani, R.-1963.

Un metodo lo studio uova degli artropodi.

Riv.Biol., 56:309-315.

3101.

Stefani, R.-1964.

L'origine dei maschi nelle popolazione parthenogenetiche di Artemia
salina.

Riv.Biol., 57:147-162.

3102.

Stefani, R.-1967.

La maturazione dell'uovo nell'Artemia salina di Sète.

Riv.Biol., 60(3,4):599-615.

3103.

Stefani, R.; Cadeddu, G.-1967.

L'attività centromerica in Artemia salina Leach.

R.S.Fac.Sci.Univ.Cagliari, 37:287-291.

3104.

Stefani, R.; Falqui, M.T.-1963.

Il chimismo delle acque di salina: i cicli dell'azoto e dello zolfo nelle saline di Cagliari.
Riv.Idrobiol., 12:237-256.

3105.

Steiner, G.-1963.

Das zoologische Laboratorium. Ein Nachschlage- und Hilfsbuch fur Hochschule, Schule und Industrie: 338-340, 435-436.
E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.

3106.

Steinhart, P.-1980.

The city and the inland sea.
Audubon, 82: 98-126.

3107.

Stella, E.-1933.

Phaenotypical characteristics and geographical distribution of several biotypes of *Artemia salina* L.
Z.indukt.Abstamm.-u.Vererbungslehre, 65:412-446.

3108.

Steopoe, J.; Dornesco, G.-1954.

La cytologie et les propriétés des éléments sanguins des Phyllopodes Anostracés.
Acad.Roumaine Bull.Sect.Sci., 28:220-225.

3109.

Stephens, D.W.-1974.

Limnological considerations of the Great Salt Lake, Utah.
Thesis.University of Utah, U.S.A., Diss.Abstr., 1974, 34:1602B.

3110.

Stephens, D.W.-1974.

A summary of biological investigations concerning the Great Salt Lake, Utah (1861-1973).
Gt Basin Nat., 34(3):221-229.

3111.

Stephens, D.W.; Gillespie, D.M.-1972.

Community structure and ecosystem analysis of the Great Salt Lake: 66-72.

In: The Great Lake and Utah's Water Resources. Ed. Riley, J.P.; Utah Water Res. Lab., Utah State University, U.S.A.

3112.

Stephens, D.W.; Gillespie, D.M.-1976.

Phytoplankton production in the Great Salt Lake, Utah, and a laboratory study of algal response to enrichment.
Limnol.Oceanogr., 21(1):74-87.

3113.

Sterling, G.P.-1976.

The hemoglobins of *Artemia salina* : an analysis using polyacrylamide gel electrophoresis.

Thesis, San Francisco State University, U.S.A..

3114.

Sterling, G.P.; Bowen, S.T.-1977.

The hemoglobins of *Artemia salina*. V. Genetic variation in hemoglobin 1, hemoglobin 2 and hemoglobin 3.

Biochem.Genet., 15(5-6):423-437.

3115.

Steuer, A.-1903.

Der gegenwartige Stand der Frage über die Variationen bei *Artemia salina* Leach.

Verh.zool.-bot.Ges.Wien, 53:145-150.

3116.

Stevens, I.-1983.

Invloed van diverse voedselcondities en drogingsprocessen op de ontluiking van *Artemia*-cysten.

Thesis, C.O.O.V.I., Brussels, Belgium: 63 pp.

3117.

Stevenson, J.H.-1961.

Biological assay of insecticides using the brine shrimp, *Artemia salina*.

J.Food agric.Sci., 12:650-652.

3118.

Stewart, S.; Schurr, K.-1980.

Effects of asbestos on survival of *Artemia*: 233-251.

In: The brine shrimp *Artemia*. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 318pp.

3119.

Steyvers-Verlinden, L.-1966.

Influence de l'actinomycine D sur l'oeuf vierge d'*Artemia salina* dans les conditions d'activation artificielle.

C.r.Seanc.Soc.Biol., 160(1):197-198.

3120.

Stickney, R.R.-1979.

Principles of warm water aquaculture.

J. Wiley & Sons, New York, U.S.A., 375pp.

3121.

Stiven, A.E.-1965.

The relationship between size, budding rate, and growth efficiency in three species of hydra.

Research in Population Ecology, 7: 1-15.

3122.

Stocco, D.M.; Beers, P.C.; Warner, A.H.-1972.
Effect of anoxia on nucleotide metabolism in encysted embryos of the
brine shrimp.
Devl Biol., 27:479-493.

3123.
Stringer, A.; Legge, A.P.-1965.
On the use of the brine shrimp, *Artemia salina* (L.) as a test
organism for the bioassay of insecticides.
Long Ashton Hort. Res. Sta. Ann. Rep.: 229-232.

3124.
Stuckert, G.V.-1933.
1. La composicion quimica de la cenizas de *Artemia salina* (L.) de la
Mar Chiquita (Cordoba).
Univ.Nac., Fac.Cien.Med., Lab.Quim.Biol.
Invest., 1:202-205.

3125.
Stults, V.J.-1974.
Nutritional value of brine shrimp cysts. Encysted eggs of *Artemia*
salina.
Thesis. Michigan State University, East Lansing, U.S.A., Diss. Abstr.,
75:7262, 11Opp.

3126.
Sturm, P.A.; Sanders, G.C.; Allen, K.A.-1980.
The brine shrimp industry on the Great Salt Lake: 243-248.
In: Great Salt Lake a Scientific, Historical and Economic Overview.
Bulletin 116. Ed. Gwynn, J.W.; Utah Geological and Mineral Survey.
Utah Department of Natural Resources, U.S.A.

3127.
Suarez, G.; Guarro, J.; Calvo, M.A.-1981.
Toxicological study of fungi isolated from starches intended for
human consumption.
Mycopathologica, 75(1): 27-31.

3128.
Sugawara, N.-1974.
Effect of phthalate esters on shrimp.
Bull. Environ. Contam. Toxicol., 12(4):421-424.

3129.
Sugawara, N.-1974.
Toxic effect of a normal series of phthalate esters on the hatching
of shrimp eggs.
Toxic.appl.Pharmac., 30:87-89.

3130.
Suhaire, A.H.; James, C.M.; Makkeya, B.A.-1982.
Preliminary analysis on the use of chitin-derivated microbial
detritus for the mass culture of *Artemia*.
Technical Report, Kuwait Institute for Scientific Research, 11 pp.

3131.

Suits, J.P.; Irvin, J.D.-1976.

The nature of the differential inhibition of polyphenylalanine synthesis in extracts from *Artemia salina* and rabbit reticulocytes by the *Phytolacca americana* protein.

Mol.Biol.Rep., 2(5):363-367.

3132.

Sulkin, S.D.-1975.

The significance of diet in the growth and development of larvae of the blue crab, *Callinectes sapidus* Rathbun, under laboratory conditions.

J.exp.mar.Biol.Ecol., 20:119-135.78,

3133.

Sulkin, S.D.-1978.

Nutritional requirements during larval development of the portunid crab, *Callinectes sapidus* Rathbun.

J.exp.mar.Biol.Ecol., 34:29-41.

3134.

Sulkin, S.D.; Branscomb, E.S.; Miller, R.E.-1976.

Induced winter spawning and culture of larvae of the blue crab, *Callinectes sapidus* Rathbun.

Aquaculture, 8:103-113.

3135.

Sulkin, S.D.; Epifanio, C.E.-1975.

Comparison of rotifers and other diets for rearing early larvae of the blue crab, *Callinectes sapidus* Rathbun.

Estuarine and Coastal Marine Science, 3:109-113.

3136.

Sulkin, S.D.; Norman, K.-1976.

A comparison of two diets in the laboratory culture of the zoeal stages of brachyuran crabs *Rhithropanopeus harrisii* and *Neopanope* sp.

Helgolander wiss.Meeresunters., 28:183-190.

3137.

Sulkin, S.D.; Van Heukelem, W.F.-1980.

Ecological and evolutionary significance of nutritional flexibility in planktotrophic larvae of the deep sea red crab *Geryon quinquesdens* and the stone crab *Menippe mercenaria*.

Mar. Ecol. - Progress Ser., 2: 91-95.

3138.

Sun, Y-P-1957.

Bioassay of pesticide residues: 449-496.

In: Advances in pest control research. Ed. Metcalf, R.L. Interscience Publications Inc., New York, U.S.A.

3139.

Sunderam, R.I.M.; Royan, J.P.-1985.

Estimated cyst production of Artemia at Hambantoto salterns in Sri Lanka: 19-28.

In: Aquaculture and related papers. NARA Occasional Papers; National Aquatic Resources Agency, Colombo, Sri Lanka. NARA/OCC/85/1, 98 pp.

3140.

Sundnes, G.; Valen, E.-1969.

Respiration of dry cysts of *Artemia salina* L.

J.Cons.int.Explor.Mer., 32(3):413-415.

3141.

Suringar, L.D.-1929.

Artemia salina, das Salinenkrebschen.

Aquar.Mikroskop., 3:53-54.

3142.

Sushchenya, L.M.-1962.

Quantitative data on nutrition and energy balance in *Artemia salina* (in russian).

Dokl.Akad.Nauk SSSR, 143:1205-1207.(English translation in:
Dokl.Biol.Sc., 1962, 143:329-330).

3143.

Sushchenya, L.M.-1964.

Quantitative aspects of the filtration feeding of *Artemia salina* L. (in russian).

Trudy sevastopol'.biol.Sta., 15:434-445.

3144.

Sushchenya, L.M.-1970.

Food rations, metabolism and growth of crustaceans: 127-141.

In: Marine Food Chains, Ed. Steele, J.H.;Oliver and Boyd, Edinburgh, U.K., 552pp.

3145.

Susheela, C.; Jayaraman, K.-1975.

Activation of sequestered messengers in *Artemia salina* : 375- 392.

In: Proc.Symposium on Structural and Functional Aspects of Chromosomes. Ed. Bhabha; Atomic Research Center, Bombay, India.

3146.

Susheela, C.; Jayaraman, K.-1976.

On the mode of activation of sequestered messengers in *Artemia salina*. Differentiation, 5(1):29-33.

3147.

Sutcliffe, W.H.jr.-1965.

Growth estimates from ribonucleic acid content in some small organisms.

Limnol.Oceanogr., 10(Suppl.): R253-R258.

3148.

Sutton, A.H.; Main, G.; Ronald, A.-1970.

An instrument for counting the larvae of the prawn, *Palaemon serratus* and the brine shrimp, *Artemia salina*.

Lab.Pract., 18(4):433-436.

3149.

Suyama, I.; Iwasaki, T.-1976.

Radiation-induced life span shortening of *Artemia* under different temperature conditions.

Exp.Geront., 11:133-140.

3150.

Suzuki, A.; Kanoaka, M.; Isogai, A.; Murakoshi, S.; Ichinoe, M.; Tamura, S.-1977.

Bassianolide a new insecticidal cyclo depsipeptide from *Beauveria bassiana* and *Verticillium lecanii*.

Tetrahedron Lett., 25:2167-2170.

3151.

Swaen, A.E.H.-1943.

De flamingos van Bonaire.

Ardea, 32:163-179.

3152.

Swennen, L.-1979.

Onderzoek van de DNA-afhankelijke RNA polymerase in *Artemia salina*.

Ph. D. Thesis. Universitaire Instelling Antwerpen, Antwerp, Belgium, 128 pp.

3153.

Swennen, L.; Moens, L.; Heip, J.; Kondo, M.-1981.

Preferential stimulation by aurintricarboxylic acid of DNA-dependent RNA polymerase II activity in isolated larval nuclei of *Artemia salina*.

Hoppe-Seyler's Zeitschrift fur Physiologische Chemie, 362(2): 133-142.

3154.

Swennen, L.; Moens, L.; Kondo, M.-1978.

Aurintricarboxylic acid stimulates specifically DNA-dependant RNA polymerase II-directed RNA synthesis in isolated larval nuclei of *Artemia salina*.

Archs int.Physiol.Biochim., 86:925-926.

3155.

Swennen, L.; Moens, L.; Kondo, M.-1979.

Mechanism of preferential stimulation of DNA-dependent RNA polymerase-II by aurintricarboxylic acid in isolated *Artemia* larval nuclei.

Archs int. Physiol. Biochim., 87(4): 842-843.

3156.

Swennen, L.; Van Broekhoven, A.; Moens, L.; Kondo, M.-1976.
Transcriptional capacity of isolated nuclei from cryptobiotic embryos
and nauplii of *Artemia salina*.
Archs int. Physiol. Biochim., 84(1):185-186.

3157.

Swift, D.-1978.

Aquaculture in Latin America. Today's reality and tomorrow's
potential.

Fish Farming Int., 5(4):8-14.

3158.

Szczesna, E.; Filopowicz, W.-1977.

Use of mRNA-cellulose for purification of *Artemia salina* protein which
recognizes 5' terminal cap or eukaryotic messenger RNA: 133-135.
In: Translation of Natural and Synthetic Polynucleotides. Ed. Legocki,
A.B.

3159.

Szer, W.; Thomas, J.O.; Nowak, L.; Marvil, D.K.; Sobota, A.-1980.
Properties and intracellular location of a RNA associated helix-
destabilizing protein from *Artemia salina*: 603-616.
In: Biological Implications of Protein-Nucleic Acid Interactions.
Elsevier North-Holland Biomedical Press.

3160.

Szmant-Froelich, A.-1981.

Coral nutrition: Comparison of the fate of ^{14}C from ingested labeled
brine shrimp and from the uptake of $\text{NaH}^{14}\text{C}0_3$ by its zooxanthellae.
J. exp. mar. Biol. Ecol., 55: 133-144.

3161.

Tabb, D.C.; Yang, W.T.; Hirono, Y.; Heinen, J.-1972.

A manual for culture of pink shrimp, *Penaeus duorarum*, from eggs to
postlarvae suitable for stocking.
University of Miami Sea Grant Program - NOAA Sea Grant No. 2-35147 -
Sea Grant Special Bulletin No. 7: 59pp.

3162.

Tackaert, W.; Vanhaecke, P.; Aertsen, L.; Sorgeloos, P.-1985.

International Study on *Artemia*. XXXIV. Study of the heritability of
quantitative characteristics in *Artemia* through standardized cross-
breeding experiments.

In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3163.

Tackx, M.-1978.

Inleidende proeven betreffende de invloed van temperatuur op de
filter-feeding van het pekelkreeftje, *Artemia salina* L.
Thesis. Free University of Brussels, Belgium, 53pp.

3164.

Takami, A.-19??.

Culture of *Artemia salina* for nutrition of small fishes.

Institut de Pisciculture SAD SANGAR.

3165.

Takami, G.A.-1985.

The culture of *Artemia salina* L. (Ormia origin) as a live-food for sturgeons fries.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3166.

Takano, H.-1967.

Rearing experiments of brine shrimp on diatom diet.

Bull. Tokai Reg. Fish. Res. Lab., 52:1-11.

3167.

Talib, S.; Jeyaraj, N.-1978.

Studies on the molecular basis of differentiation in cryptobiontes: *Artemia salina* & *Streptocephalus dechotomus*.

Indian J. Biochem., 15(2): 89, Abstract Number 390.

3168.

Talloen, M.-1978.

The use of locally available food for the mass culture of the brine shrimp *Artemia salina*.

Bulletin of the Jepara Brackishwater Aquaculture Development Center.

3169.

Talmage, J.E.-1889.

The waters of the Great Salt Lake.

Science, N.Y., 14:444-446.

3170.

Talmage, J.E.-1900.

The Great Salt Lake. Past and Present.

Chapter 6. Life in the lake. The desert news, Salt Lake City, Utah: 67-76.

3171.

Tanaka, M.; Endo, K.-1979.

Culture of *Artemia salina*, fed rotifer, *Brachionus plicatilis*.

1. Growth and survival rate. (in Japanese).

The Aquiculture, 26(4): 159-161.

3172.

Tanaka, M.; Endo, K.-1979.

Culture of *Artemia salina*, fed rotifer, *Brachionus plicatilis*.

2. Productivity of culture in successive generation. (in Japanese).

The Aquiculture, 27(3): 145-147.

3173.

Taneyeva, A.I.-1978.

Changes in physiological processes in hydrobionts as affected by a constant magnetic field.

Gidrobiol.Zh., 14(5):56-63.

3174.

Taneyeva, A.I.; Dolgopol'skaya, M.A.-1973.

Permanent magnetic field effect on *Artemia salina* M. Edw. eggs.
Biofizika, 18:944-946, (in russian); 18:1009-1011 (in english).

3175.

Taneyeva, A.I.; Dolgopol'skaya, M.A.-1974.

On biological effect of Stationary Magnetic Field (SMF) on *Artemia salina* L.

Gidrobiol.Zh., 10:47-52 (in russian); 10:68-69 (in english).

3176.

Tanner, J.E.-1983.

Intracellular diffusion of water.

Archs Biochem. Biophys., 224(2): 416-428.

3177.

Tarnchalanukit, W.; Wongrat, L.-1985.

Artemia culture in Thailand.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3178.

Tarpley, W.A.-1958.

Studies on the use of the brine shrimp, *Artemia salina* (Leach) as a test organism for bioassay.

J.econ.Ent., 51(6):780-783.

3179.

Tarzwell, C.M.-1969.

Standard methods for the determination of relative toxicity of oil dispersants and mixtures of dispersants and various oils to aquatic organisms:179-186.

In: Proc.Joint Conference on prevention and control of oil spills. AP FWPCA.

3180.

Tate, W.P.; Fong, A.P.-1977.

The termination of the synthesis of polypeptides in *Artemia salina* during development.

Proc.Aust.Biochem.Soc., 10:64.

3181.

Taylor, W.W.; Freeberg, M.H.-1984.

Effect of food abundance on larval lake whitefish, *Coregonus clupeaformis* Mitchell, growth and survival.

J. Fish. Biol., 25(6): 733-741.

3182.

Tazawa, E.; Iwanami, Y.-1974.

Hatching of brine shrimp eggs (*Artemia salina*) soaked in organic solvents.

Zool.Mag.Zool.Soc.Jap., 83(3):267-269.

3183.

Telford, M.-1970.

Comparative carbohydase activities of some crustacean tissue and whole animal homogenates.

Comp.Biochem.Physiol., 34(1):81-90.

3184.

Teramoto, K.; Kinoshita, S.-1961.

Some informations on the culture of *Artemia* (in Japanese, English abstract).

Bull.Jap.Soc.scient.Fish., 27(8):801-804.

3185.

Terwilliger, R.C.-1980.

Structure of invertebrate hemoglobins.

Am.Zool., 20:53-67.

3186.

Terwilliger, R.C.; Terwilliger, N.B.-1981.

Oxygen-binding domains in invertebrate hemoglobins: Studies of a clam extracellular hemoglobin subunit: 275-284.

In: Invertebrate Oxygen-Binding Proteins. Eds Lamy, J.; J. Lamy; Marcel Dekker Inc., New York, U.S.A.

3187.

Teshima, S.-1971.

Bioconversion of B-sitosterol and 24-methylcholesterol to cholesterol in marine crustacea.

Comp.Biochem.Physiol., 39B(4): 815-822.

3188.

Teshima, S.-1972.

Studies on the sterol metabolism in marine crustaceans.

Mem.Fac.Fish.Kagoshima Univ., 21:69-147.

3189.

Teshima, S.; Kanazawa, A.-1971.

Utilization and biosynthesis of cholesterol in *Artemia salina*.

Bull.Jap.Soc.scient.Fish., 37(8):72-723.

3190.

Teshima, S.; Kanazawa, A.-1971.

Bioconversion of the dietary ergosterol to cholesterol in *Artemia salina*.

Comp.Biochem.Physiol., 38B:603-607.

3191.

Teshima, S.; Kanazawa, A.-1972.

Bioconversion of the dietary brassicasterol to cholesterol in *Artemia salina*.

Bull.Jap.Soc.scient.Fish., 38(11):1305-1310.

3192.

Thall, A.; Acey, R.-1985.

Cadmium binding proteins in developing *Artemia*.

Fedn Proc., 44(5): 1461, Abstract Number 6142.

3193.

Tharp, T.P.; Bland, C.E.-1977.

Biology and host range of *Haliphthoros milfordensis* Vishniac.

Can.J.Bot., 55:2936-2944.

3194.

Theis, G.L.; Howey, R.G.-1981.

Dispenser for live food organisms.

Progne Fish-Cult., 43(3): 161-162.

3195.

Thienemann, A.-1916.

Beitrage zur Kenntnis der westfälischen Süsswasserfauna. VI. Über einige Krebstiere der westfälischen Fauna.

44 Jahresbericht der Zoologischen Sektion des Westfälischen Provinzial-Vereins für Wissenschaft und Kunst für das Rechnungsjahr 1915/1916: 182-191.

3196.

Thoen, C.; De Herdt, E.; Slegers, H.-1983.

Ribosome associated cAMP - Independant protein kinase.

15th FEBS Meeting, Brussels, Belgium, 1983. Abstract S-06 FR-171.

3197.

Thoen, C.; Slegers, H.-1982.

Phosphorylation of a poly(A)-binding mRNP by ribosome-associated cAMP-independant protein kinase.

Archs int. Physiol. Biochim., 90(4): B217-B218.

3198.

Thoen, C.; Van Hove, L.; Cohen, P.; Slegers, H.-1984.

Partial purification of protein phosphatases from *A. salina* cryptobiotic embryos: their possible function in the dephosphorylation of mRNA associated proteins.

Archs int. Physiol. Biochim., 92: B162-B163.

3199.

Thoen, C.; Van Hove, L.; Piot, E.; Slegers, H.-1984.

Purification and characterization of the messenger ribonucleoprotein-associated casein kinase II of *Artemia salina* cryptobiotic gastrulae. Biochim. biophys. Acta, 783(2): 105-113.

3200.

Thoen, C.; Van Hove, L.; Slegers, H.-1983.
mRNP-associated casein kinase II from cryptobiotic gastrulae of
Artemia salina.
Archs int. Physiol. Biochim., 91(4): B120-B121.

3201.

Thoen, C; Van Hove, L.; Piot, E.; Cohen, P.; Slegers, H.-1985.
Functional significance of phosphorylation-dephosphorylation in the
activation of stored mRNP in cryptobiotic gastrulae of *Artemia salina*.
In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3202.

Thoeve C.; Declir, W.-1985.
The effect of diurnal temperature cycles on growth and survival of
Artemia nauplii from different geographical origin.
In: Book of Abstracts. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3203.

Thomas, J.O.; Glowacka, S.K.; Szer, W.-1983.
Structure of complexes between a major protein of heterogeneous
nuclear ribonucleoprotein particles and polyribonucleotides.
J. Molec. Biol., 171(4): 439-455.

3204.

Thomas, J.O.; Raziuddin; Sobota, A.; Boublík, M.; Szer, W.-1981.
A RNA helix-destabilizing protein is a major component of *Artemia salina* nuclear ribonucleoproteins.
Proc. natn. Acad. Sci., U.S.A., 78(5): 2888-2892.

3205.

Thomas, J.O.; Sobota, A.; Szer, W.-1980.
A major component of mRNP from *Artemia salina* is a helix-destabilizing protein.
Fedn Proc., 39(6): 1876, Abstract Number 1420.

3206.

Thomas, L.C.W.-1973.
An ultrastructural study of the early developmental stages of *Artemia*.
Thesis, Howard University; Diss. Abstr., 1974, 35:604B.

3207.

Thommen, H.-1971.
Metabolism: 637-668.
In: carotenoids. Eds Isler;H. Gutmann;U. Solms. Birkhauser Verlag,
Basel and Stuttgart.

3208.

Thompson, J.V.-1834.
Development of *Artemia salinus* or brine shrimp. Demonstration
of its relationship to *Branchipus*. Memoire VI, Fasc. VII.
In: Zoological Researches and illustrations of natural
history. Ed. Cork.

3209.

Thompson, R.K.-1982.

Aquaculture of *Macrobrachium rosenbergii* (de Man) in Mauritius:

Commercial production of juveniles: 748-769.

In: Giant Prawn Farming. Ed. New, M.B.; Elsevier Scientific Publishing Company, Amsterdam, 532 pp.

3210.

Thuet, P.; Motaïs, R.; Maetz, J.-1968.

Les mécanismes de l'euryhalinité chez le crustacé des salines *Artemia salina* L.

Comp.Biochem.Physiol., 26:793-818.

3211.

Tiensongrusmee, B.-1977.

Experiences and problems in the design and management of penaeid shrimp hatchery in Thailand : 137-144.

In:Joint SCSP/SEAFDEC Workshop on Aquaculture Engineering. Vol.2. Technical Report, South China Sea Fisheries Development and Coordinating Program, 453pp.

3212.

Ting Shih, C-Y.; Toivonen, J.E.; Craven, G.R.-1979.

Partial purification and characterization of the proteins from the 40S ribosomes of *Artemia salina* and wheat.

Germ.Eur.J.Biochem., 97:189-196.

3213.

Ting-lang Huang; Pi-hsin Tsai-1976.

Preliminary experiment in the production of brine shrimp eggs.

China Fish. Monthly, 281:1-5.

3214.

Tobias, W.J.; Sorgeloos, P.; Bossuyt, E.; Roels, O.A.-1979.

The technical feasibility of mass-culturing *Artemia salina* in the St.Croix "Artificial Upwelling" Mariculture System:203-214.

Louisiana State University, Baton Rouge, U.S.A., 899pp.

3215.

Tobias, W.J.; Sorgeloos, P.; Roels, O.A.; Sharfstein, B.A.-1980.

International Study on *Artemia*. XIII. A comparison of production data of 17 geographical strains of *Artemia* in the St.Croix Artificial Upwelling-Mariculture system: 383-392.

In: The brine shrimp *Artemia*. Vol. 3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 428pp.

3216.

Tokunaga, S.; Tani, I.-1966.

Study on bioassay of chemical poisons. I. Detection of pesticides and herbicides by brine shrimp (*Artemia salina* L.).

Kagaku,Keisatgu Kenkuso Hokoku, Tokyo, 19:38-40.

3217.
Tokunaga, S.; Tani, I.-1967.
Bioassay of chemical poisons. II. Characteristics of brine shrimp,
Artemia salina.
Kagaku, Keisatgu Kenkuso Hokoku, Tokyo, 20:168-172.
3218.
Tomey, W.A.-1978.
New techniques with brine shrimp hatchings.
Petfish Monthly, 12: 411-412.
3219.
Tomey, W.A.-1978.
Une nouvelle méthode d'incubation pour oeufs d'*Artemia salina*.
Aquarama, 12(43):4pp.
3220.
Towle, D.W.-1984.
Membrane-bound ATPases in arthropod ion-transporting tissues.
Am. Zool., 24(1): 177-185.
3221.
Townsley, S.J.; Reid, D.F.; Ego, W.T.-1961.
Uptake of radioisotopes and their transfer through food chains by
marine organisms.
U.S. AEC, TID-6630, 4Opp.
3222.
Toyama, R.; Mizumoto, K.; Nakahara, Y.; Tastuno, T.; Kaziro, Y.-1983.
Mechanism of the mRNA guanylyltransferase reaction: Isolation of Ne-
phospholysine and GMP ($5'$ - 3 Ne) lysine from guanylylenzyme
intermediate.
European Molecular Biology Organization Journal, 2(12): 2195-2202.
3223.
Trantham, E.C.-1981.
Diffusive motion of water in biological and model systems.
Ph. D. Thesis. Rice University, 134 pp.
3224.
Trantham, E.C.; Rorschach, H.E.; Clegg, J.S.; Hazlewood, C.F.;
Nicklow, R.M.-1982.
QNS (quasi-neutron scattering) measurements in biological and model
systems: 264-266.
In: Neutron Scattering-1981. Ed. Faber, J., Jr.; AIP Conference
Proceedings No. 89. American Institute of Physics, New York, U.S.A.
3225.
Trantham, E.C.; Rorschach, H.E.; Clegg, J.S.; Hazlewood, C.F.;
Nicklow, R.M.; Wakabayashi, N.-1984.
Diffusive properties of water in *Artemia* cysts as determined from
quasi-elastic neutron scattering spectra.
Biophys. J., 45(5): 927-938.

3226.

Trapp, F.-1970.

Die Aufzucht von Salinenkrebschen ist lohnend.

Aquar.-u.Terrar.-Z., 23(1):25-27.

3227.

Treadwell, B.V.; Goldstein, L.; Robinson, W.G.-1974.

Supernatantand ribosomal factors required for initiator tRNA binding and Poly(PHE) synthesis at low (Mg^{++}) in a eukaryotic system.
Fedn Proc., 33:1286.

3228.

Tressler, D.L.; Lemon, J.M.-1951.

Marine Products of Commerce. Chapter 2. Salt from sea water: 12-26.
Reinhold Publishing Corporation, New York, U.S.A.

3229.

Trieff, N.M.-1980.

Toxicity of heavy metals, oils and other organics on Artemia: 253-262.
In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics,
Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E.
Jaspers; Universa Press, Wetteren, Belgium, 318pp.

3230.

Trieff, N.M.; Hinton, R.; Stanton, G.J.; Songer, J.G.; Grajcer, D.-
1976.

Sewage treatment by controlled eutrophication using algae and Artemia
salina: 231-239.

In: Biological Control of Water Pollution; Eds Taubier, J.;R.W.
Person,jr.;University of Pennsylvania Press, 340pp.

3231.

Trieff, N.M.; McShan, M.; Grajcer, D.; Alam, M.-1973.

Biological assay of Gymnodinium breve toxin using brine shrimp
(Artemia salina).

Texas Rep.Biol.Med., 31(3):409-422.

3232.

Trieff, N.M.; Saunders, J.P.; Kalmaz, E.E.; Uchida, T.-1985.

Measurement of Photoattraction of Artemia sp nauplii: Effect of
mercuric ion.

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3233.

Trotman, C.N.A.; Krissansen, G.W.; Tate, W.P.-1985.

Occurrence and properties of the glycoprotein artemocyanin.

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3234.

Trotman, C.N.A.; Mansfield, B.C.; Tate, W.P.-1980.

Inhibition of emergence, hatching and protein biosynthesis in
embryonic Artemia salina.

Devl Biol., 80: 167-174.

3235.

Trotman, C.N.A.; Tate, W.P.-1979.

Deranged excystment with anaerobiosis in *Artemia salina*.

Proc. Univ. Otago Medical School, 57:73-74.

3236.

Trotta, P.-1982.

Present state of *Artemia salina* occurrence in salterns in Italy, and its use.

General Fish. Counc. Medit. (GFCM), sixteenth session, Rome, 27 sept.-10 oct., 1982.

3237.

Trotta, P; Villani, P.; Palmegiano, G.B.-1985.

Laboratory-grown *Artemia* as reference food for weaning of fish and shrimp postlarvae.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3238.

Tsai, S.C.; Legner, E.F.-1977.

Exponential growth in culture of the planarian mosquito predator *Dugesia dorotocephala*.

Mosquito News, 37(3):474-478.

3239.

Tschernomaschenzhev, A.I.; Muchatschev, N.S.-1970.

Ispolsovanije Artemii is vodoemov v katschestva korma dlja ryb. (in russian).

Rybnoe Chosjaistvo, 46: 21-22.

3240.

Tubiash, H.S.-1972.

Bacterial pathogens associated with cultured bivalve mollusc larvae: 61-71.

In: Culture of marine invertebrate animals; Eds Smith, W.L.; M.H. Chanley; Plenum Press, New York, U.S.A., 338pp.

3241.

Tucker, B.W.; Pigott, G.M.; Halver, J.E.-1980.

The effects of processing on protein ingredients for larval diets: amino acid analyses.

Paper presented at the 11th Ann. Meeting WMS, Aquaculture New Orleans 80, March 5-9, 1980; New Orleans, U.S.A.

3242.

Tunsutapanich, A.-1979.

An improved technique for decapsulation and preservation of *Artemia* cysts (brine shrimp eggs) developed at the Chachoengsao Fisheries Station.

Thai Fish.Gaz., 32(2):181-186. FAO Report THA: 75/008/79/WP/6.

3243.

Tunsutapanich, A.-1982.

Cyst production of *Artemia salina* in salt ponds in Thailand: 233-239.
In: Giant Prawn Farming, Ed. New, M.B.; Elsevier Scientific Publishing
Company, Amsterdam, 532 pp.

3244.

Twain, M.-1884.

Roughin it.

Am.Publ.Compagnie.

3245.

Twardowski, T.; Hill, J.M.; Weissbach, H.-1976.

Disaggregation of elongation factor 1 by extracts of *Artemia salina*.
Biochem.biophys.Res.Commun., 71(3):826-833.

3246.

Twardowski, T.; Hill, J.M.; Weissbach, H.-1977.

Studies on the disaggregation of elongation factor 1 with
carboxypeptidase A.

Archs Biochem.Biophys., 180(2):444-451.

3247.

Tyson, G.-1969.

The fine structure of the maxillary gland of the brine shrimp *Artemia
salina*: the efferent duct.

Z.Zellforsch., 93:151-163.

3248.

Tyson, G.E.-1966.

Gross morphology and fine structure of the maxillary gland of the
brine shrimp, *Artemia salina*.

Am.Zool., 6:555.

3249.

Tyson, G.E.-1967.

The ultrastructure of the maxillary gland of the brine shrimp *Artemia
salina*.

Thesis, University of California, Berkeley, U.S.A., Diss.Abstr.,
28:4360,174 pp.

3250.

Tyson, G.E.-1968.

The fine structure of maxillary gland of the brine shrimp *Artemia
salina*: the end sac.

Z.Zellforsch., 86:129-138.

3251.

Tyson, G.E.-1969.

Intercoil connections of the kidney of the brine shrimp *Artemia
salina*.

Z.Zellforsch., 100:54-59.

3252.
Tyson, G.E.-1970.
The occurrence of a spirochete-like organism in tissues of the brine shrimp *Artemia salina*.
J.invert.Path., 15:145-147.
3253.
Tyson, G.E.-1974.
Ultrastructure of a spirochete found in tissues of the brine shrimp *Artemia salina*.
Arch.Microbiol., 99(4):281-294.
3254.
Tyson, G.E.-1974.
Distinctive renal lesion of spirochete-infected brine shrimp.
J.Bact., 112(2):629-631.
3255.
Tyson, G.E.-1975.
Phagocytosis and digestion of spirochetes by amoebocytes of infected brine shrimp.
J.Invertebr.Pathol., 26(1):105-111.
3256.
Tyson, G.E.-1975.
Tubular structures associated with intracytoplasmic spirochetes.
Cell Tiss.Res., 158:333-337.
3257.
Tyson, G.E.-1980.
Fine structure of the type 2 antennular sensillum of the brine shrimp.
Am. Zool., 20(4): 816, Abstract Number 455.
3258.
Tyson, G.E.; Sullivan, M.L.-1979.
Frontal knobs of the male brine shrimp. Scanning electron microscopy.
Am.zool., 19:891. Abstract Number 173.
3259.
Tyson, G.E.; Sullivan, M.L.-1979.
Antennular sensilla of the brine shrimp, *Artemia salina*.
Biol. Bull., 156(3):382-392.
3260.
Tyson, G.E.; Sullivan, M.L.-1980.
Scanning electron microscopy of the frontal knobs of the male brine shrimp.
Trans. Am. Microsc. Soc., 99(2): 167-172.

3261.

Tyson, G.E.; Sullivan, M.L.-1980.

Scanning electron microscopy of cuticular sensilla of Artemia: setae of the adult trunk segments; 99-106.

In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 318pp.

3262.

Tyson, G.E.; Sullivan, M.L.-1981.

A scanning electron microscopic study of the molar surfaces of the mandibles of the brine shrimp (Cl. Branchiopoda: O. Anostraca).

J. Morph., 170(2): 239-251.

3263.

Tyson, G.E.; Sullivan, M.L.-1981.

Scanning electron microscopy of the molar surfaces of the mandibles of the brine shrimp.

Am. Zool., 21(4): 957, Abstract Number 229.

3264.

Ubish, L. Von-1950.

Om abnormt fargete of inverse flatfish.

Naturen, 9:264-271.

3265.

Ucal, O.-1979.

Artemia salina (L.) collected from Camaltı, Izmir and its use as a nutrient material in fish culture.

Rapp. Comm. int. Mer Medit., 25/26(8):127-128.

3266.

Urbani, E.-1946.

L'assunzione di O₂ durante la vita latente ed il passaggio alla vita attiva.

Ricerche su ouva di crostacei, Bolletino della Societa Italiana di Biologia sperimentale, Napoli, 22(5):453-454.

3267.

Urbani, E.-1959.

Protidi, glucidi e lipidi nello sviluppo di Artemia salina Leach.

Acta Embryol. Morph. exp., 2:171-194.

3268.

Urbani, E.-1960.

La interazioni metaboliche nucleo-citoplasmatiche.

Riv. Biol., 53:91-129.

3269.

Urbani, E.-1962.

Comparative biochemical studies on amphibian and invertebrate development.

Adv. Morphogen., 2:61-108.

3270.

Urbani, E.; Bellini, L.-1958.

Studio delle ribonucleasi acida nella sviluppo di *Artemia salina* Leach.

Atti Accad.naz.Lincei Rc., 25(3-4):198-201.

3271.

Urbani, E.; De Cesaris Coromaldi, L.-1953.

Osservazione sulla vita latente: II. Studio delle proteinasi di *Artemia salina*.

Atti Accad.naz.Lincei Rc., 24(1):144-149.

3272.

Urbani, E.; Rognone, L.; Russo, S.-1952.

Osservazione sulla vita latente: I. Studio delle dipeptidasi di *Artemia salina*.

Atti Accad.naz.Lincei Rc., 23(5):300-308.

3273.

Urbani, E.; Russo, S.; Rognone, L.-1953.

Osservazione sulla vita latente: III. Studio delle amilasi di *Artemia salina*.

Atti Accad.naz.Lincei Rc., 24(5):697-701.

3274.

Urbani, E.; Urbani-Mistruzzi, L.-1955.

Osservazioni sulla vita latente: IV. Studio della fosfatasi alcalina di *Artemia salina* L.

Atti Accad.naz.Lincei Rc., 15(1-2):126-131.

3275.

Ursi, D.; Vandenberghe, A.; De Wachter, R.-1982.

The sequence of the 5.8 S ribosomal RNA of the crustacean *Artemia salina*. With a proposal for a general secondary structure model for 5.8 S ribosomal RNA.

Nucl. Acids Res., 10(11): 3517-3530.

3276.

Ursi, D.; Vandenberghe, A.; De Wachter, R.-1982.

A crustacean ribosome contains an uninterrupted 5.8 S rRNA chain showing length heterogeneity at the 5'-terminus.

Archs int. Physiol. Biochim., 90:B76-B77.

3277.

Usher, R.R., II; Bengtson, D.A.-1981.

Survival and growth of sheepshead minnow larvae and juveniles on a diet of *Artemia nauplii*.

Progve Fish-Cult., 43(2): 102-105.

3278.

Usinger, R.L.-1957.

Marine insects: 1177-1182.

In: Marine Ecology and Paleoecology, Vol.1., Ed.
Hedgepeth, J.W.; Geol. Soc. America, Memoir. 67; 1296pp.

3279.

Vaikunda Raja, L.M.; Louis, J.; Jayaraman, K.-1985.

Periodicity in elongation of oligo (A) tracts of RNA in developing embryos of Artemia. The role of RNP associated poly (A) polymerase.
In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3280.

Vaissiere, R.-1956.

Evolution de l'oeil médian d'Artemia salina Leach (Crustace; Branchiopode; Phyllopode) au cours de ses stades post-embryonnaires.
C.r.hebd.Séanc.Acad.Sci., Paris, 242:2051-2054.

3281.

Vaissiere, R.-1961.

Morphologie et histologie comparée des yeux des Crustacés Copépodes.
Archs Zool.exp.gen., 100:1-125.

3282.

Valadon, L.R.G.; Mummery, R.S.-1978.

A comparative study of carotenoids in Papilio spp.
Comp.Biochem.Physiol., 61B(3):371-374.

3283.

Valenti, C.-1979.

Keeping a mar. aquarium. A manual.

University of Delaware Sea Grant College Program. Newark, Delaware,
U.S.A., 37 pp.

3284.

Vallejo, C.G.-1983.

The control of trehalose degradation during Artemia development.
15th FEBS Meeting Abstracts, 298.

3285.

Vallejo, C.G.; De Luchi, F.; Laynez, J.; Marco, R.-1980.

The role of cytochrome oxidase in the resumption of the development of Artemia dormant cysts:185-194.

In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

3286.

Vallejo, C.G.; Garesse, R.; Marco, R.-1980.

A convenient method for the isolation of yolk platelets. Application to Artemia.

Eur. J. Cell Biol., 22(1): 559, Abstract Number N 1779.

3287.

Vallejo, C.G.; Lobaton, C.D.; Quintanilla, M.; Sillero, A.; Sillero, M.A.G.-1976.
Dinucleosidasetetraphosphatase in rat liver and *Artemia salina*.
Biochim.biophys.Acta, 438(1):304-309.

3288.

Vallejo, C.G.; Marco, R.-1976.
Unmasking of mitochondrial precursors stored in the yolk platelets of *Artemia salina* dormant gastrulae: 847-850.
In: Genetics and biogenesis of chloroplasts and mitochondria; Eds Bucher, T.;W. Neupert;N. Sebalt;S. Werner. Elsevier North Holland, 895pp.

3289.

Vallejo, C.G.; Marco, R.-1976.
Yolk platelets as storage sites of mitochondria during *Artemia salina* development: 11-8-406.
10th Int. Congr. on Biochemistry, Hamburg, F.R.G., Abstract.

3290.

Vallejo, C.G.; Marco, R.; De Chaffoy, D.; Kondo, M.-1980.
Yolk metabolism and mitochondrial release in *Artemia*: 747-762.
In: Endocytobiology: A Synthesis of Recent Research. Volume 1. Eds Schwemmler, W.; H.E.A. Schenk; Walter de Gruyter Cy., New York, U.S.A.

3291.

Vallejo, C.G.; Perona, R.-1982.
Microscopical study of the mechanisms of yolk degradation in *Artemia* and the concomitant release of mitochondria and other stored informational material.
Biol. Cell., 45(2): 97, Abstract Number 156.

3292.

Vallejo, C.G.; Perona, R.; Garesse, R.; Marco, R.-1981.
The stability of the yolk granules of *Artemia*. An improved method for their isolation and study.
Cell Differentiation, 10(6): 343-356.

3293.

Vallejo, C.G.; Sillero, M.A.G.; Marco, R.-1980.
Mitochondrial maturation during *Artemia salina* embryogenesis. general description of the process.
Cell Mol.Biol., 25:113-124.

3294.

Vallejo, C.G.; Sillero, M.A.G.; Sillero, A.-1974.
Diguanosinetetraphosphate guanylohydrolase in *Artemia salina*.
Biochim.biophys.Acta, 358(1):117-125.

3295.

Van Agthoven, A.; Kriek, J.; Amons, R.; Moller, W.-1978.
Isolation and characterization of the acidic phospho proteins of 60S ribosomes from *Artemia salina* and rat liver.
Eur.J.Biochem., 91(2):553-566.

3296.

Van Agthoven, A.J.; Maassen, J.A.; Moller, W.-1977.

Structure and phosphorylation of an acidic protein from 60S ribosomes and its involvement in elongation factor 2 dependent GTP hydrolysis.
Biochem.biophys.Res.Commun., 77(3):989-998.

3297.

Van Ballaer, E.; Versichele, D.; Vanhaecke, P.; Leger, Ph.; Ben Abdelkader, N.; Turki, S.; Sorgeloos, P.-1985.

Characterization of Artemia from different localities in Tunisia with regard to their use in local aquaculture.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3298.

Van Beek, E.; Criel, L.; Walgraeve, H.; De Loof, A.-1985.
Endocrinological aspects of vitellogenesis in Artemia.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3299.

Van Denbos, G.-1973.

Purine metabolism and nucleic acid precursors of Artemia salina.
Ph. D. Thesis. The University of Tennessee, U.S.A., 46 pp.

3300.

Van Denbos, G.; Finamore, F.J.-1974.

An unusual pathway for the synthesis of adenosine triphosphate by the purine-requiring organism Artemia salina.
J.biol.Chem., 249(9):2816-2818.

3301.

Van Der Bracht, S.-1975.

Vergelijkende studie van enkele geografische rassen van het pekelkreeftje Artemia salina L. met behulp van faktoriële analyse.
Thesis, State University of Ghent, Belgium, 94pp.

3302.

Van Hemert, F.J.; Amons, R.; Pluijms, W.J.M.; Van Ormondt, H.; Moller, W.-1984.

The primary structure of elongation factor EF-1a from the brine shrimp Artemia.

The European Molecular Biology Organization Journal, 3(5): 1109-1115.

3303.

Van Hemert, F.J.; Lenstra, J.A.; Moller, W.-1983.

Genes for elongation factor EF-1a in the brine shrimp Artemia.
FEBS Letters, 157(2): 295-300.

3304.

Van Hemert, F.J.; Roobol, K.; Moller, W.-1981.

Partial purification of the messenger RNA for eukaryotic elongation factor Tu from Artemia salina.

Eur. J. Biochem., 120(1): 137-142.

3305.

Van Hemert, F.J.; Van Ormondt, H.; Moller, W.-1983.

A bacterial clone carrying sequences coding for elongation factor EF-1 α from *Artemia salina*.

FEBS Letters, 157(2): 289-294.

3306.

Van Hove, L.; De Herdt, E.; Thoen, C.; Slegers, H.-1983.

Characterization of the 38 000 dalton poly(A)-binding protein of non-polysomal mRNP from cryptobiotic gastrulae of *Artemia salina*. *Artemia salina*.

Archs int. Physiol. Biochim., 91: B125-B126.

3307.

Van Hove, L.; Thoen, C.; Cohen, P.; Slegers, H.-1984.

Dephosphorylation by protein phosphatases of cytoplasmic non-polysomal messenger ribonucleoproteins from cryptobiotic gastrulae of *Artemia salina*.

Archs int. Physiol. Biochim., 92: B167-B168.

3308.

Van Hove, L.; Thoen, C.; De Herdt, E.; Backhovens, H.; Slegers, H.-1985.

The role of messenger RNA associated poly(A)-binding proteins.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3309.

Van Limborgh, C.L.-1979.

Industrial production of ready to use feeds for mass rearing of fish larvae: 3-11.

In: Finfish nutrition and fishfeed technology. Vol. II. Eds Halver, J.E.; K. Tiews; Heeneman Verlagsgesellschaft mgH, Berlin, F.R.G., 622pp.

3310.

Van Olst, J.C.; Carlberg, J.M.; Hughes, J.T.-1980.

Aquaculture: 333-384 pp.

In: The Biology and Management of Lobsters. Vol. II. Eds. Cobb, J.S.; B.F. Phillips. Academic Press, New York, U.S.A., 896 pp.

3311.

Van Outryve, E.; Sorgeloos, P.-1976.

An inexpensive automatic counter for cultures of aquatic organisms. J.Cons.int.Explor.Mer., 36(3):284-286.

3312.

Van Vaerenbergh, B.; Lejeune, P.-1978.

Experimentele studie over de inkorporatie van tritium (HTO) in de weefsels en het DNA van *Artemia salina* (L.).

Instituut voor Hygiene en Epidemiologie, Brussel, 25pp.

3313.

Van den Bosch de Aguilar, P.-1974.

La neurosécretion chez les crustacés entomostracés.

Thesis, University of Louvain, Belgium, 275pp.

3314.

Van den Bosch de Aguilar, P.-1976.

Neurosecrétion et régulation hydroélectrolytique chez *Artemia salina*.

Experientia, 32:228-229.

3315.

Van den Bosch de Aguilar, P.-1977.

Neurosecretion in *Artemia salina*: 55-54.

In: Fundamental and Applied Research on the Brine Shrimp, *Artemia salina* (L.) in Belgium; EMS Spec.Publ.2; Eds Jaspers, E.; G. Persoone; Inst.for Mar.Sc.Res., Bredene, Belgium, 110pp.

3316.

Van den Bosch de Aguilar, P.-1979.

Neurosecretion in the entomostraca crustaceans.

La Cellule, 73(1):29-48.

3317.

Van den Branden, C.; Bernaerts, F.; Decleir, W.-1979.

The respiratory physiology of adult *Artemia salina* L. in relation to oxygen availability: 37-38.

In: Animals and Environmental Fitness. Ed. Gilles, R.; Pergamon Press, New York, U.S.A.

3318.

Van den Branden, C.; D'Hondt, J.; Moens, L.; Decleir, W.-1978.

Functional properties of the hemoglobins of *Artemia salina* L.

Comp.Biochem.Physiol., 60A(2):185-187.

3319.

Van der Haegen, A.-1981.

Invloed van de behandelmethoden en inkubatiekondities op de ontluiting van *Artemia* cysten.

Thesis. State University of Ghent, Belgium, 72 pp.

3320.

Van der Linden, A.; Blust, R.; Decleir, W.-1985.

The influence of light on the hatching of *Artemia* cysts (Anostraca, Branchiopoda, Crustacea).

J. exp. mar. Biol. Ecol., in press.

3321.

Van der Linden; A., Blust, R.; Doumen, C.-1985.

An action spectrum for light induced hatching of *Artemia* cysts.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3322.
Vandel, A.-1959.
La parthénogénèse géographique.
Bull.biol.Fr.Belg., 42(2).
3323.
Vandenberghé, A.; De Wachtere, R.-1982.
High-pressure liquid chromatography determination of the 5'-terminal residue of small RNA molecules.
Journal of Liquid Chromatography. 5(11):2079-2084.
3324.
Vandenberghé, A.; Diels, L.; Hendriks, L.; Huysmans, E.; Nelles, L.; Ursi, E.; De Wachter, R.-1985.
Structure of ribosomal RNA constituents of *Artemia* and comparison with other organisms.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.
3325.
Vandenberghé, A.; Nelles, L.; De Wachter, R.-1980.
High-pressure liquid chromatography analysis of oligo- and monoribonucleotide mixtures, with special reference to ribosomal RNA constituents.
Anal. Biochem., 107(2): 369-376.
3326.
Vanderwalker, J.G.; Chin, E.-1962.
Device for feeding brine shrimp to fishes.
Trans.Am.Fish.Soc., 91:230-231.
3327.
Vanhaecke, P.-1979.
Het gebruik van het pekelkreeftje, *Artemia* spec. voor de ontwikkeling van een gestandaardiseerde toxiciteitstest.
Thesis, State University of Ghent, Belgium, 124pp.
3328.
Vanhaecke, P.-1983.
Vergelijkende studie van diverse geografische rassen van het pekelkreeftje, *Artemia*, ter verbetering van zijn gebruik in de aquakultuur.
Ph.D. Thesis. State University of Ghent, Belgium, 420 pp.
3329.
Vanhaecke, P.; Aertsen, L.-1982.
Vergelijkende studie van de geografische rassen van het pekelkreeftje *Artemia*.
Jaarverslag F.K.F.O. 2.0010.78., 57 pp.

3330.
Vanhaecke, P.; Cooreman, A.-1979.
Vergelijkende studie van de geografische rassen van het pekelkreeftje
Artemia salina (L.).
Jaarverslag F.K.F.O. 2.0010.78, 51pp.
3331.
Vanhaecke, P.; Cooreman, A.; Lavens, P.-1980.
Vergelijkende studie van de geografische rassen van het pekelkreeftje
Artemia.
Jaarverslag F.K.F.O 2.0010.78, 42pp.
3332.
Vanhaecke, P.; Cooreman, A.; Sorgeloos, P.-1981.
International study on Artemia. XV. Effect of light intensity on
hatching rate of Artemia cysts from different geographic origin.
Mar. Ecol. - Progress Ser., 5(1): 111-114.
3333.
Vanhaecke, P.; Lavens, P.; Sorgeloos, P.-1983.
International Study on Artemia. XVII. Energy consumption in cysts and
early larval stages of various geographical origin.
Annls. Soc.r. zool.Belg., 113(2):155-164.
3334.
Vanhaecke, P.; Persoone, G.-1981.
Report on an intercalibration exercise on a short-term standard
toxicity test with Artemia nauplii (ARC-TEST): 359-376.
In: Les Tests de Toxicite Aigue en Milieu Aquatique. Methodologie -
Standardisation - Interpretation. Eds Leclerc, H.; D. Dive; Editions
Inst. Nat. Sante Recherche Medicale, Paris, France.
3335.
Vanhaecke, P.; Persoone, G.; Claus, C.; Sorgeloos, P.-1980.
Research on the development of a short term standard toxicity test
with Artemia nauplii: 263-285.
In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics, Radiology,
Toxicology. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers;
Universa Press, Wetteren, Belgium, 428pp.
3336.
Vanhaecke, P.; Persoone, G.; Claus, C.; Sorgeloos, P.-1981.
Proposal for a short-term toxicity test with Artemia salina.
Ecotoxicology and Environmental Safety, 5(3): 382-387.
3337.
Vanhaecke, P.; Siddall, S.E.; Sorgeloos, P.-1984.
International study on Artemia. XXXII. Combined effects of temperature
and salinity on the survival of Artemia of various geographical
origin.
J. exp. mar. Biol. Ecol., 80(3): 259-275.

3338.

Vanhaecke, P.; Sorgeloos, P.-1980.
International Study on Artemia. IV. The biometrics of Artemia strains from different geographical origin:393-405.
In: The brine shrimp Artemia. Vol.3. Ecology, Culturing, Use in Aquaculture. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers. Universa Press, Wetteren, Belgium, 428pp.

3339.

Vanhaecke, P.; Sorgeloos, P.-1980.
International Study on Artemia. XIV. Growth and survival of Artemia larvae of different geographical origin in a standard culture test. Mar.Ecol.Progress Ser., 3(4):303-307.

3340.

Vanhaecke, P.; Sorgeloos, P.-1982.
International study on Artemia. XVIII. The hatching rate of Artemia cysts - A comparative study. Aquacultural Eng. 1(4): 263-273.

3341.

Vanhaecke, P.; Sorgeloos, P.-1982.
International study on Artemia. XIX. Hatching data on 10 commercial sources of brine shrimp cysts and re-evaluation of the "hatching efficiency" concept:. In: Book of Abstracts. Twelfth Annual Meeting of the World Mariculture Society.

3342.

Vanhaecke, P.; Sorgeloos, P.-1983.
International study on Artemia.XIX. Hatching data on 10 commercial sources of brine shrimp cysts and re-evaluation of the "hatching efficiency" concept. Aquaculture, 30(1/4): 43-52.

3343.

Vanhaecke, P.; Sorgeloos, P.-1983.
International study on Artemia. XXX. Bio-economic evaluation of the nutritional value for carp (*Cyprinus carpio L.*) larvae of nine Artemia strains. Aquaculture, 32: 285-293.

3344.

Vanhaecke, P.; Steyaert, H.; Sorgeloos, P.-1980.
International Study on Artemia. III. The use of Coulter Counter equipment for the biometrical analysis of Artemia cysts. Methodology and mathematics: 107-115.
In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology. Eds. Persoone, G.;P. Sorgeloos;O.A. Roels; E. Jaspers; Universa Press. Wetteren, Belgium, 318pp.

3345.

Vanhaecke, P.; Tackaert, W.; Sorgeloos, P.-1985.
The biogeography of Artemia: an updated review.
In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept.1-5, 1985, Antwerp, Belgium.

3346.

Vanhaecke. P.; Lavens, P.; Sorgeloos, P.-1983.
International study on Artemia. XVII. Energy consumption in cysts and early larval stages of various geographical strains of Artemia.
Annls Soc. r. zool. Belg., 113(2): 155-164.

3347.

Vanpachtebeke, M.; Decleir, W.; Wolf, G.-1985.
The diffusion chamber technique: a method for measuring the oxygenation properties of Artemia hemoglobin.
In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3348.

Vanpachtebeke, M.; Moens, L.; Wolf, G.-1984.
Comparative study of the oxygen binding properties of haemoglobin of three different Artemia populations.

Comp. Physiol. Biochim. (Congress Liège), A170-171.

3349.

Vanvoorden, E.-1975.

Onderzoek naar de biochemische samenstelling van de instar I t.o.v. instar II-larven van Artemia salina (Crustacea, Anostraca).
Thesis. State University of Ghent, Belgium, 53pp.

3350.

Vaughn, J.C.-1977.

DNA reassociation kinetic analysis of the brine shrimp Artemia salina.
Biochem.biophys.Res.Commun., 79(2):525-531.

3351.

Vaughn, J.C.-1978.

Chromosomal DNA sequence organization in the brine shrimp.
J.biophys.biochem.Cytol., 79:115A.

3352.

Vaughn, J.C.; Petropoulos, C.J.-1979.

DNA sequence organization in the genome of the brine shrimp, *Artemia salina*: 190-208.

In: Biochemistry of *Artemia* development. Eds Bagshaw, J.C.; A.H. Warner. University Microfilms International, Ann Arbor, U.S.A., 239pp.

3353.

Vaughn, J.C.; Sperbeck, S.J.; Hughes, M.J.-1983.

Cloning and nucleotide sequence of the 5.8S rRNA gene and adjacent spacers from the brine shrimp *Artemia*.

J. Cell Biol., 97(5, Part 1): 383a, Abstract Number 1444.

3354.

Vaughn, J.C.; Sperbeck, S.J.; Hughes, M.J.-1984.

Molecular cloning and characterization of ribosomal RNA genes from the brine shrimp. Nucleotide sequence analysis and evolution of 5.8S rRNA gene region and its flanking nucleotides.

Biochim. biophys. Acta, 783(29): 144-151.

3355.

Vaughn, J.C.; Traeger, F.J.-1976.

Conservation of repeated DNA base sequences in the crustacea: a molecular approach to decapod phylogeny.

J. molec. Evol., 7:111-131.

3356.

Vaughn, J.C.; Whitman, D.J.; Bagshaw, J.C.; Helder, J.C.-1982.

Isolation and restriction endonuclease mapping of rRNA genes from the brine shrimp, *Artemia salina*.

J. Cell Biol., 95(2, Part 2): 219a, Abstract Number 10045.

3357.

Vaughn, J.C.; Whitman, D.J.; Bagshaw, J.C.; Helder, J.C.-1982.

Molecular cloning and characterization of ribosomal RNA genes from the brine shrimp.

Biochim. biophys. Acta, 697(2): 156-161.

3358.

Vehstedt, R.-1941.

Über Bau, Tätigkeit und Entwicklung des Rückengefäßes und des lacunären Systems von *Artemia salina* var. *arieta*.

Z. wiss. Zool., 154(1):1-39.

3359.

Ventura, B.-1961.

Sull'oviparita e viviparita dell'*Artemia salina* L.

Rc.Semin.Fac.Sci.Univ.Cagliari, 31:1-28.

3360.

Ventura, B.-1963.

L'ammissione tra i biotipi diploide parthenogenetico in *Artemia salina* Leach e la comparsa di maschi in popolazioni partenogenetiche.

Rc.Semin.Fac.Sci.Univ.Cagliari, 33:51-54.

3361.

Vermandere, P.-1977.

De invloed van ovipariteit respektievelijk ovovivipariteit op de kenmerken van de larven van het pekelkreeftje, *Artemia salina* (L.). Thesis. State University of Ghent, Belgium, 63pp.

3362.

Vernberg, F.J.-1972., Dissolved gases. animals: 1491-1526.

In: Marine ecology. Vol. I. Environmental factors. Part 3. Ed. Kinne, O;J. Wiley and Sons Ltd., U.K., 1245-1774.

3363.

Verrill, A.E.-1869.

Observations on Phyllopod Crustacea of the family Branchipidae, with descriptions of some new genera and species, from America.
Proc.Am.Ass.Advmt Sci., 18:230-247.

3364.

Verrill, A.E.-1869.

Contributions to zoology from the museum of Yale college. No. III.

Descriptions of some new American Phyllopod Crustacea.

The American Journal of Science and Arts, New Haven, 43:244-254.

3365.

Verrill, A.E.-1869.

New localities of *Artemia*.

The American Journal of Science and Arts, New Haven, 43:430.

3366.

Versichele, D.-1975.

De invloed van de kwaliteit van zeewater op de mortaliteit en de groei van het pekelkreeftje: *Artemia salina* L.

Thesis, State University of Ghent, Belgium, 85pp.

3367.

Versichele, D.-1976.

De biologische gevolgen van een pollutie door koolwaterstoffen; een experimentele studie op het water van de Oostendse Spuikom.

Thesis, State University of Ghent, Belgium, 89pp.

3368.

Versichele, D.-1978.

De artificiële cystenproductie bij het pekelkreeftje, *Artemia salina*. I.W.O.N.L.-report, 65pp.

3369.

Versichele, D.-1982.

L'Utilisation d'*Artemia* comme source de nourriture en aquaculture: 93-110.

Comptes rendus des Séminaires de Biologie Marine (BIOMAR) 1982-1983: 125 pp.

3370.

Versichele, D.-1983.

De gekontroleerde produktie van cysten bij het pekelkreeftje Artemia.
Ph.D. Thesis. State University of Ghent, Belgium, 323 pp.

3371.

Versichele, D.; Bossuyt, E.; Sorgeloos, P.-1979.

An inexpensive turbidimeter for the automatic culturing of filter-feeders: 415-422.

In: Cultivation of fish fry and its live food. EMS Spec. Publ.No. 4.
Eds Stycczynska-Jurewicz, E.; T. Backiel; E. Jaspers; G. Persoone;
Inst. for Mar.Sc.Res., Bredene, Belgium, 534pp.

3372.

Versichele, D.; Leger, Ph.; Lavens, P.; Sorgeloos, P.-1985.

L'Utilisation d'Artemia en aquaculture.

In: L'Aquaculture. Ed. Barnabé; Librairie Lavoisier, France, in press.

3373.

Versichele, D.; Sorgeloos, P.-1980.

Controlled production of Artemia cysts in batch cultures: 231-246.

In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in
Aquaculture. Eds Persoone, G.; P. Sorgeloos; O.A. Roels; E. Jaspers;
Universa Press, Wetteren, Belgium, 428pp.

3374.

Versichele, D.; Sorgeloos, P.; Baert, P.; Lavens, P.; Leger, Ph.;
Tackaert, W.-1985.

Improved aquaculture productions of marine fish and crustaceans
through progress in Artemia research and applications.

In: Actes des Journées d'Etudes en Océanologie. Ed. Wollast, R.; in
press.

3375.

Vianna-Fernandes, A.M.-1951.

Contribuicoes para o estudo dos filopodos portugueses. I. Primeiras
especies encontradas em Portugal.

Bolm Soc.port.cienc.nat., 18(2):212-222.

3376.

Vianna-Fernandes, A.M.-1951.

Contribuicoes para o estudo dos filopodos portugueses. Primeiras
especies encontradas en Portugal.

Arches Mus.Bocage, 22:75-85.

3377.

Vidales, F.J.; Sanchez-Madrid, F.; Ballesta, J.P.G.-1981.

The acidic protiens of eukaryotic ribosomes. A comparative study.
Biochim. biophys. Acta, 656: 28-35.

3378.

Vieira, M.N.-1984.

Cultura intensiva de Artemia sp. proveniente de salinas de Aveiro.
Seminario sobre Aquacultura, INIP.APRH: 215-228.

3379.

Vieira, M.N.; Oliva Teles, A.-1984.

First contribution to the characterization of Artemia sp. from Aveiro salt ponds.

Publ. Inst. Zool. Dr. Augusto Nobre, 186: 5pp.

3380.

Vieira, M.N.; De Pauw, N.-1985.

Importance of phytoplankton for the development of the brine shrimp Artemia in the salt ponds of Aveiro (Portugal).

In: Book of Abstracts, Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3381.

Vilela, M.H.; Castelo Branco, M.A.-1985.

Contribution to the characterization of Portuguese Artemia strains.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3382.

Villacarlos, L.T.-1976.

Study on the brine shrimp (*Artemia salina*) culture. Phase I. The biology and culture techniques in the laboratory.

SEAFDEC, Techn.Report, 30pp.

3383.

Villacarlos, L.T.-1976.

Study on the brine shrimp (*Artemia salina*) culture. Phase 2. Semi-pilot mass production of brine shrimp eggs.

SEAFDEC, Techn.Report, 7 pp.

3384.

Villegas, C.T.; Kanazawa, A.-1978.

Relationship between diet composition and growth rate of the zoeal and mysis stages of *Penaeus japonicus* Bate.

SEAFDEC Quarterly Research Report, 11(2): 24-29.

3385.

Vinatea, J.E.-1974.

Informes no. 2, 3 y 4 del programa de Maricultura.

Proyecto Redes Trampa (PRTF/M). Ministerio de Pesqueria-La Puntilla - Pisco.

3386.

Vinatea, J.E.-1975.

Cultivo experimental de Artemias. (Parte 1). Camaron de Salmuera.

Boletin no.19 - Programa academico de pesqueria, Universidad nacional agraria, 16pp.

3387.

Vinogradov, A.P.-1953.

The elementary chemical composition of marine organisms.

Sears Foundation for Marine Research, Yale University, Memoir 2:647pp.

3388.

Vishnu, B.; Ganapathy, R.-1985.

A simplified technique for mass production of Artemia in India.
In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3389.

Vlasta, F.-1985.

Variations in hatching characteristics of 10 batches of San Francisco
Bay cysts compared to cysts from the People's Republic of China and
from Yugoslavia.

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3390.

Vlasta; F.-1985.

Some solutions for the mass production of Artemia nauplii.

In: Book of Abstracts. Second International Symposium on the brine
shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3391.

Vogt, C.-1872.

Une communication sur deux genres de Crustacés. Branchipus et Artemia,
appartenant à la famille des Phyllopodes.

Verh.schweiz.naturf.Ges., 55:37-38.

3392.

Vogt, C.-1872.

Les Branchipus et les Artemia. Communications.

Verh.schweiz.naturf.Ges., 55:149-153.

3393.

Vogt, C.-1872.

On Branchipus and Artemia.

Ann.Mag.nat.Hist., 10(59):405-406.

3394.

Vollmer, C.-1952.

Kiemenfuss, Hupferling und Muschelkrebs.

Die Neue Brehm-Bucherei,Band 57.

3395.

Von Bortsel, R.C.; Smith, R.H.; Whiting, R.; Grosch, R.S.-1971.
Mutational and physiological resenses of habrobracon in biosatellite
II: 17-39.

In: The experiments of biosatellite II, NASA-SP-204. Ed. Saunders,
J.F.

3396.

Von Hentig, R.-1970.

Einfluss von Salzgehalt und Temperatur auf Entwicklung, Wachstum,
Fortpflanzung und Energiebilanz von Artemia salina.

Thesis. University of Hamburg, Germany, 136pp.

3397.

Von Hentig, R.-1971.

Einfluss von Salzgehalt und Temperatur auf Entwicklung, Wachstum, Fortpflanzung und Energiebilanz von *Artemia salina*.
Mar.Biol., 9:145-182.

3398.

Von Lukowitz, M.-1979.

Versuche und Untersuchungen. Fischhaltung und Fischzucht. Anfutterung von Karpfenbrut: 1-4.

In: Bayerische Landesanstalt fur Fischerei Starnberg. Jahresbericht 1979.

3399.

Von Siebold, C.T.E.-1871.

Parthenogenesis bei *Artemia salina*: 197-210.

In: Beitrage zur Parthenogenesis der Arthropoden, Leipzig, Verlag von W. Engelmann.

3400.

Von Siebold, C.T.E.-1873.

Ueber Parthenogenesis der *Artemia salina*.

Sitzungsberichte der mathematisch-naturwissenschaftlichen Classe der k.b. Akademie der Wissenschaften zu Munchen, 3:168-196.

3401.

Von Siebold, C.T.E.-1876.

On parthenogenesis in *Artemia salina*:463-466.

In: 12th Annual Report of the United States Geological and Geographical Survey of the Territories: a Report in Progress of the Exploration in Wyoming and Idaho for the Year 1878.Part I.

3402.

Von Siebold, C.T.E.-1876.

Uber die in Munchen gezuehtet *Artemia fertilis* aus dem grossen Salzsee von Utah.

Verh.schweiz.naturf.Ges., 59:267-280.

3403.

Von Siebold, C.T.E.-1876.

On *Artemia fertilis* Verrill from Great Salt Lake, Utah Territory:459-463.

In: 12th Annual Report of the United States Geological and Geographical Survey of the Territories: a Report in Progress of the Exploration in Wyoming and Idaho for the year 1878.Part I.

3404.

Von der Decken, A.; Hultin, T.-1971.

Immunological properties of isolated protein fractions from *Artemia ribosomes*.

Expl Cell Res., 64:179-189.

3405.

Vonk, H.J.-1960.

Digestion and metabolism: 291-316.

In: The physiology of Crustacea. Vol. 1. Metabolism and growth. Ed. Waterman, T.H.; Academic Press, New York, U.S.A., 670pp.

3406.

Vorhies, C.T.-1917.

Notes on the fauna of Great Salt Lake.

Am.Nat., 51(608):494-499.

3407.

Voronov, P.M.-1967.

Removal of contaminants from Artemia eggs.

Izobret., Prom.Obraztsy,Torainye Znaki, 45(19):117.

3408.

Voronov, P.M.-1971.

Some characteristics of reproduction in Artemia salina (in russian, english abstract).

Zool.Zh., 50(6):937-938.

3409.

Voronov, P.M.-1971.

Intensity and duration of the hatching of Artemia eggs in sodium chloride solutions (in russian).

Rybnoe Khoziaist, 8:29-30.

3410.

Voronov, P.M.-1972.

Resources of the Artemia eggs at the Crimea salt lakes.

Ryb.Khoz., 11:23.

3411.

Voronov, P.M.-1973.

Seasonal abundance and biomass of Artemia salina and its eggs in saline lakes of the Crimea (in russian, english summary).

In:Problems of rational marine fisheries and reproduction of marine fish and shellfish. Proceedings of the All-Union Res.Inst. of Mar.Fis. Oceanoaphy (VNIRO), 94:170-178.

3412.

Voronov, P.M.-1973.

Methods of stocking up eggs of Artemia salina and their purification (in russian, english summary).

Proceedings of the All-Union Institute of Marine Fisheries and Oceanoaphy (VNIRO), 94:170-178.

3413.

Voronov, P.M.-1973.

Observations on reproduction of Artemia salina in water bodies of Crimea (in russian, english summary).

Zool.Zh., 52(6):945-947.

3414.

Voronov, P.M.-1973.

Seasonal changes in numbers of *Artemia salina* in salt lakes of Crimea.
Zool.Zh., 52:1081-1082.

3415.

Voronov, P.M.-1974.

Influence of temperature upon viability of *Artemia salina* eggs. (in
russian, english summary).

Zool.Zh., 53(4):546-550.

3416.

Voronov, P.M.-1975.

Growth and maturation of the *Artemia salina* of the Crimea Salt Lakes.
VNIRO publications, 109:102-158.

3417.

Voronov, P.M.-1976.

A new model of plankton dredge for collecting samples of water and
planktonic organisms.

Gidrobiol.Zh., 12:92-94.

3418.

Voronov, P.M.-1976.

Activation of the *Artemia salina* eggs.

Zool.Zh., 55(4):521-525.

3419.

Voronov, P.M.-1976.

Guidelines on collection of *Artemia* eggs and cultivation.

U.S.S.R. Ministry of Fisheries, RSFSR Krasnodar: 19.

3420.

Voronov, P.M.-1979.

Salt composition of water and variability of *Artemia salina*.

Zool.Zh., 58:175-179.

3421.

Voronov, P.M.-1979.

Sex ratio of *Artemia salina* populations in relation to the ionic
composition of the water: 133.

In: Book of Abstracts. International Symposium on the Brine Shrimp,
Artemia salina, Corpus Christi (TX-U.S.A.), Aug.20-23,1979; Artemia
Reference Center, Ghent, Belgium, 137pp.

3422.

Voronov, P.M.-1981.

Conservation of *Artemia salina* eggs. (in russian).

Gidrobiol. Zh., 17(6): 52-56.

3423.

Voronov, P.M.-1982.

Effect of temperature on growth and maturation of *Artemia salina*. (in
russian).

Zool. Zh., 61(10): 1594-1596.

3424.

Vos, J.-1979.

Report of activities on growing food organisms in the program for expansion of freshwater prawn production.

FAO/UNDP Quarterly report THA/75/008, 4 pp.

3425.

Vos, J.-1979.

Brine shrimp (*Artemia salina*) inoculation in tropical salt ponds: A preliminary guide for use in Thailand.

FAO Report THA/75/008/79/WP4: 14pp.

3426.

Vos, J.-1979.

Cheaper Artemia: Economics in the use of *Artemia salina* and the potential of cyst production in S.E.-Asia.

Second Training Course in Inland Aquaculture, July-August 1979, National Inland Fishery Institute, Bangkok, Thailand, 7 pp.

3427.

Vos, J.-1980.

Final Report on : Workactivities (culturing food organisms) during assignment on the project for expansion of freshwater prawn culturing in Thailand.

Report, FAO/UNDP THA/75/008: 9 pp.

3428.

Vos, J.-1981.

Artemia production in salt ponds in the Philippines.

Report FAO/UNDP PHI/75/005/8: 26 pp.

3429.

Vos, J.; Bernaerts, F.; Decleir, W.-1978.

An apparatus for acclimation of small aquatic invertebrates to different oxygen concentrations, with special reference to *Artemia salina* L.

Biol.Jaarb.Dodonaea, 46:224-233.

3430.

Vos, J.; Bernaerts, F.; Gabriels, I.; Decleir, W.-1979.

Aerobic and anaerobic respiration of adult *Artemia salina* (L.), acclimated to different oxygen concentrations.

Comp.Biochem.Physiol., 62A(3):545-548.

3431.

Vos, J.; De la Rosa, N.L.-1980.

Manual on Artemia production in salt ponds in the Philippines.

FAO/UNDP-BFAR BrackishWater Aquaculture Demonstration and Training Project PHI/75/005. Quezon City, Philippines, 48 pp.

3432.

Vos, J.; De la Rosa, N.L.-1980.

Manual on Artemia production in salt ponds in the Philippines.

FAO/UNDP-BFAR Project Manual. PHI/75/005/WP6, 48 pp.

3433.

Vos, J.; Leger, Ph.; Vanhaecke, P.; Sorgeloos, P.-1984.
Quality evaluation of brine shrimp Artemia cysts produced in Asian
salt ponds.
Hydrobiologia, 108(1): 17-23.

3434.

Vos, J.; Tansutapanit, A.-1979.
Detailed report on Artemia cysts inoculation in
Bangpakong, Chachoengsao Province.
FAO/UNDP Field Document. THA/75/008/54pp.

3435.

Voskresenskii, K.A.-1960.
Artemia is valuable food at the industrial fishery.
VDNKh USSR, MGU, AZNIIRKH, Rogozhinskii sturgeons hatchery, 7pp.

3436.

Voskresenskii, K.A.; Gun'ko, A.F.; Nechaev, P.I.-1960.
Artemia as a food in sturgeon hatcheries (in russian).
Rybnoe Khoz. Moscow: 201-203.

3437.

Voskresenskii, K.A.; Khaidarov, I.S.H.-1967.
Stimulation of the hatching of the nauplii from Artemia salina eggs.
Vestn. Mosk. Univ. Ser. 6, Biol. Pochvoved., 22(1):3-11.

3438.

Voskresenskii, K.A.; Khaidarov, I.S.H.-1968.
The endurance of the Artemia to the concentrations of gases dissolved
in water.
Mockob. Yhubep., 595(3):22-27.

3439.

Vrints, R.-1981.
Studie van de immunoprecipitatie van globine-synthetiserende polysomen
van Artemia sp.
Thesis. Universitaire Instelling Antwerpen, Belgium, 146 pp.

3440.

Vrints, R.; Moens, L.; Kondo, M.-1980.
Immunoprecipitation of globin-synthesizing polysomes from the brine
shrimp.
Archs int. Physiol. Biochim., 88(3): B155-B156.

3441.

Vysotskaya, R.U.; Lyal'kin, V.S.-1983.
Change in the activity of lysosomal enzymes of Artemia salina during
ontogenesis in a constant magnetic field.: 79-85. (in russian).
In: Sravn. Biokhim. Vodn. Zhivotn. Eds Sidorov, V.S.; V.S. Vysotskaya;
Akad. Nauk. USSR Karel. Fil.: Petrozavodsk, USSR.

3442.

Waddington, H.J.-1913.

Notes on *Chirocephalus diaphanus* and *Artemia salina*.

J.R.microsc.Soc., 250-254.

3443.

Wagener, R.E.; Davis, N.D.; Diener, U.L.; Morgan-Jones, G.-1975.

Toxigenic thermophilic fungi.

Abstr.Annu.Meet.Am.Soc.Microbiol., 75:197.

3444.

Wagler, E.-1927.

1. Ordnung: Branchiopoda, Phyllopoda = Kiemenfusser: 305-398.

In: Eine Naturgeschichte der Stamme des Tierreiches. Volume 3.

Handbuch der Zoologie. Ed. Kukenthal, W.; Walter de Gruyter & Cy.

Berlin und Leipzig.

3445.

Wahba, A.J.; Bragg, P.W.; Woodley, C.L.-1985.

The expression of a gene for eukaryotic elongation factor Tu in *Artemia*.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3446.

Wahba, A.J.; MacRae, T.H.; Woodley, C.L.-1980.

Polypeptide chain initiation during embryogenesis of *Artemia*: 575-590.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry,

Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E.

Jaspers. Universa Press, Wetteren, Belgium, 636pp.

3447.

Wahba, A.L.; Woodley, C.L.-1984.

Molecular aspects of development in the brine shrimp *Artemia*: 221-265.

In: Progress in Nucleic Acids Research and Molecular Biology. Volume 32. Eds Cohn, W.E.; K. Moldave; Academic Press, New York, U.S.A.

3448.

Walgraeve, H.-1984.

Steroidprofillering en kwantisering in het pekelkreeftje (*Artemia*).

I.W.O.N.L. report, 32 pp.

3449.

Walgraeve, H.; De Leenheer, A.P.; Van Beek, E.; Criel, G.; Lavens, P.; Sorgeloos, P.-1985.

Determination of ecdysteroids in *Artemia* by Radioimmunoassay.

In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3450.

Walker, D.W.-1962.

Notes on the habitat of *Ephydria gracilis* (Ephydriidae, Diptera) and *Artemia salina* (Order Anostraca, Class Crustacea).

Carib.J.Sci., 2(1):13-21.

3451.
Walne, P.R.-1967.
The food value of 13 different species of unicellular algae to Artemia salina.
ICES-CM E5, 7 pp.
3452.
Walsby, A.E.; Van Rijn, J.; Cohen, Y.-1983.
The biology of a new gas-vacuolate cyanobacterium, Dactylococcopsis salina sp. nov., in Solar Lake.
Proc. R. Soc. London, B217: 417-447.
3453.
Walter, A.-1887.
Vorlaufige Diagnose und Beschreibung zweier neuer Branchiopoden aus Transkaspien (*Apus Haeckeli* n. sp., *Artemia asiatica*, n.sp.).
Bulletin de la Societe Imperiale des Naturalistes de Moscou, 1:924-927.
3454.
Walter, A.-1888.
Transkaspische Binnencrustaceen. I. Entomostraca.
Zool.Jb. Abteilung fur Systematik, Geographie und Biology der Tiere, 3(6):987-1014.
3455.
Wangersky, P.J.-1978.
Production of dissolved organic matter: 115-220.
In: Marine ecology, Vol. IV. Dynamics. Ed. Kinne, O.; John Wiley and Sons, New York, U.S.A., 746pp.
3456.
Ward, W.W.-1974.
Aquarium systems for the maintenance of ctenophores and jellyfish and for the hatching and harvesting of brine shrimp (*Artemia salina*) larvae.
Chesapeake Sci., 15(2):116-118.
3457.
Waring, G.-1970.
Isolation and characterization of *Artemia* hemoglobins.
Thesis, San Francisco State College, California, U.S.A., 81pp.
3458.
Waring, G.; Poon, M.-C.; Bowen, S.T.-1970.
The haemoglobins of *Artemia salina*. II. Isolation of three haemoglobins.
Int.J.Biochem., 1(5):537-545.
3459.
Warner, A.H.-1975.
A simple and inexpensive method for the preparation of B,V-32P'guanosine 5'-triphosphate.
Biochim.biophys.Acta, 383:229-235.

3460.
Warner, A.H.-1979.
Concluding remarks: 239.
In: Biochemistry of Artemia development. Eds Bagshaw, J.C.;A.H. Warner. University Microfilms International, Ann Arbor, U.S.A., 239pp.
3461.
Warner, A.H.-1979.
Studies on the biosynthesis and function of dinucleoside polyphosphates in Artemia embryos.
In: Regulation of macromolecular synthesis by low molecular weight mediators. Eds Koch, G.;D. Richter; Academic Press, London, U.K.
3462.
Warner, A.H.-1980.
The biosynthesis, metabolism and function of dinucleoside polyphosphates in Artemia embryos: a compendium: 105-109.
In: The brine shrimp Artemia. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E, Jaspers. Universa Press, Wetteren, Belgium, 636pp.
3463.
Warner, A.H.; Bagshaw, J.C.-1984.
Absence of detectable 5-methylcytosine in DNA of embryos of the brine shrimp, Artemia.
Devl. Biol., 102(1): 264-267.
3464.
Warner, A.H.; Beers, P.C.-1973.
Biosynthesis of the diguanosine nucleotides by a yolk platelet enzyme.
Fedn Proc., 32(3):546. Abstract Number 1850.
3465.
Warner, A.H.; Beers, P.C.; Huang, F.L.-1974.
Biosynthesis of the diguanosine nucleotides. I. Purification and properties of an enzyme from yolk platelets of brine shrimp embryos.
Can.J.Biochem., 52(3):231-240.
3466.
Warner, A.H.; Finamore, F.J.-1965.
Isolation, purification and characterization of P1, P3- diguanosine 5'-triphosphate from brine shrimp eggs.
Biochim.biophys.Acta, 108:525-530.
3467.
Warner, A.H.; Finamore, F.J.-1965.
Isolation, purification and characterization of P1, P4- diguanosine 5'-tetraphosphate asymmetrical-pyrophospho- hydrolase from brine shrimp eggs.
Biochemistry, 4:1568-1575.

3468.

Warner, A.H.; Finamore, F.J.-1967.

Nucleotide metabolism during brine shrimp embryogenesis.
J.biol.Chem., 242(8):1933-1937.

3469.

Warner, A.H.; Huang, F.L.-1974.

Biosynthesis of the diguanosine nucleotides. II. Mechanism of action of GTP:GTP guanylytransferase on nucleotide metabolism in brine shrimp embryos.

Can.J.Biochem., 52(3):241-251.

3470.

Warner, A.H.; MacRae, T.H.; Wahba, A.J.-1979.

The use of *Artemia salina* for developmental studies: Preparation of embryos, tRNA ribosomes and initiation factor 2: 298-311.

In: Methods in Enzymology, Vol.LX,Part H. Eds Moldare, K.;L. Grossman; Academic Press, New York, U.S.A.

3471.

Warner, A.H.; McClean, D.K.-1968.

Studies on the biosynthesis and role of diguanosine tetraphosphate during growth and development of *Artemia salina*.

Devl Biol., 18:278-293.

3472.

Warner, A.H.; Puodziukas, J.G.; Finamore, F.J.-1972.

Yolk platelets in brine shrimp embryos. Site of biosynthesis and storage of the diguanosine nucleotides.

Expl Cell Res., 70(2):365-375.

3473.

Warner, A.H.; Shridhar, V.-1980.

Characterization of an acid protease from encysted embryos of *Artemia*: 355-364.

In: The brine shrimp *Artemia*. Vol. 2. Physiology, Biochemistry, Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A. Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636pp.

3474.

Warner, A.H.; Shridhar, V.-1982.

Control of expression of acid protease activity in *Artemia* embryos.
Fedn Proc., 41(3):763, Abstract Number 2876.

3475.

Warner, A.H.; Shridhar, V.; Finamore, F.J.-1977.

Isolation and partial characterization of a protein synthesis inhibitor from brine shrimp embryos.

Can.J.Biochem., 55(9):965-974.

3476.

Warner, A.H.; Shridhar, V.; Yablonka-Reuveni, Z.-1978.

Partial characterization of a protein synthesis inhibitor from dormant cysts of the brine shrimp.

Proc.Can.Fedn Biol.Soc., 21:62.

3477.

Warner, A.H.; Shridhar, V.; Yablonka-Reuveni, Z.-1979.
Partial characterization of a protein synthesis inhibitor from Artemia
cysts: 58-70.
In: Biochemistry of Artemia development. Eds Bagshaw, J.C.;A.H.
Warner; University Microfilms International, Ann Arbor, U.S.A.,
239pp.

3478.

Warner, A.H.; Thomas, D.D.S.; Shridhar, V.; McCurdy, H.D.-1977.
The diguanosine nucleotides: do they exist in aquatic fungi?
Can. J. Biochem., 55: 841-846.

3479.

Warren, H.S.-1926.
A contribution to the morphology and embryology of *Artemia salina*
Linn., var. *principalis*, Simon.
Thesis. Stanford University, California, U.S.A.

3480.

Warren, H.S.-1930.
The central nervous system of the adult Artemia.
Trans.Am.Microsc.Soc., 49:189-209.

3481.

Warren, H.S.-1938.
The segmental excretory glands of *Artemia salina L.* var. *principalis*
Simon (the brine shrimp).
J.Morph., 62(2):263-297.

3482.

Warren, H.S.; Kuenen, D.; Baas Becking, L.G.M.-1938.
On the relation between internal and external medium in *Artemia salina*
(L.) var. *principalis* Simon.
Kon.Ned.Akad.Wet., Amsterdam, Proceedings of the Section of
Sciences, 41:873-878.

3483.

Watanabe, T.-1979.
Nutritional quality of living feeds used in seed production of
fish:49-57.
In: Proc. 7th Japan-Soviet Joint Symposium on Aquaculture, Tokyo Sept.
1978. Ed. Yamamoto, G.; Tokai University, Tokyo, Japan, 254pp.

3484.

Watanabe, T.-1980.
Studies on the improvement of feeding techniques for rearing the
larvae of *Penaeus semisulcatus*.
Techn.Rep.Kuwait Inst. for Scientific Research, KISR/PP1012/FRM-RT-R-
8001, 24pp.

3485.

Watanabe, T.-1985.

The use of Artemia in fish and crustacean farming in Japan: a review.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3486.

Watanabe, T.; Arakawa, T.; Kitajima, C.; Fujita, S.-1978.

Nutritional evaluation of proteins of living feeds used in seed production of fish.

Bull.Jap.Soc.scient.Fish., 44(10):985-988.

3487.

Watanabe, T.; Arakawa, T.; Kitajima, C.; Fukusho, K.; Fujita, S.-1978.

Nutritional quality of living feed from the viewpoint of essential fatty acids for fish.

Bull.Jap.Soc.scient.Fish., 44(11):1223-1227.

3488.

Watanabe, T.; Arakawa, T.; Kitajima, C.; Fukusho, K.; Fujita, S.-1978.

Proximate and mineral compositions of living feeds used in seed production of fish.

Bull.Jap.Soc.scient.Fish., 44(9):979-984.

3489.

Watanabe, T.; Kitajima, C.; Fujita, S.-1983.

Nutritional value of live organisms used in Japan for mass propagation of fish: A review.

Aquaculture, 34: 115-143.

3490.

Watanabe, T.; Ohta, M.; Kitajima, C.; Fujita, S.-1982.

Improvements of dietary value of brine shrimp Artemia salina for fish larvae by feeding them w3 highly unsaturated fatty acids.

Bull.Jap.Soc.Scient.Fish., 48(12): 1775-1782.

3491.

Watanabe, T.; Oowa, F.; Kitajima, C.; Fujita, S.-1978.

Nutritional quality of brine shrimp, Artemia salina, as a living feed from the viewpoint of essential fatty acids for fish.

Bull.Jap.Soc.scient.Fish., 44(10):1115-1121.

3492.

Watanabe, T.; Oowa, F.; Kitajima, C.; Fujita, S.-1980.

Nutritional studies in the seed production of fish. IX. Relationship between dietary value of brine shrimp Artemia salina and their content of w 3 highly unsaturated fatty acids.

Bull.Jap.Soc.scient.Fish., 46:35-41.

3493.

Watanabe, T.; Tamiya, T.; Oka, A.; Hirata, M.; Kitajima, C.; Fujita, S.-1983.

Improvements of dietary value of live foods for fish larvae by feeding them on w3 highly unsaturated fatty acids and fatsoluble vitamins.

Bull.Jap.Soc.scient.Fish., 49(3): 471-479.

3494.

Waterman, T.H. (Ed.)-1961.

Comparative physiology: 521-594.

In: The physiology of Crustacea. Vol.2. Sense organs, integration and behavior. Academic Press, New York, U.S.A.

3495.

Waterman, T.H. (Ed.)-1961.

Light sensitivity and vision: 1-64.

In: The physiology of Crustacea, Vol. 2. Sense organs, intergration, and behavior. Academic Press, New York, U.S.A.

3496.

Waterman, T.H.; Chace, F.A.jr.-1960,,General crustacean biology: 1-33.

In: The physiology of Crustacea. Vol.1. Metabolism and growth.Ed.

Waterman, T.H.; Academic Press, New York, U.S.A., 670pp.

3497.

Wear, R.G.; Haslett, S.J.-1985.

A review of studies on the biology and ecology of Artemia from Lake Grassmere, New Zealand.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3498.

Weaver, J.E.-1974.

Temporal trends in fatty acid composition of juvenile atlantic menhaden fed brine shrimp nauplii.

Trans.Am.Fish.Soc., 2:382-386.

3499.

Webber, H.H.-1979.

Summary report of discussions:367-368.

In: Finfish nutrition and fishfeed technology. Vol. I. Eds Halver, J.E.;K. Tiews; Heenemann Verlagsgesellschaft mbH, Berlin, F.R.G.,

593pp.

3500.

Webber, H.H.; Riordan, P.F.-1979.

Prospects for utilization of Artemia protein for terrestrial animal feed and human food: 135.

In. Book of Abstracts. International Symposium on the brine shrimp, Artemia salina, Corpus Christi (TX-U.S.A.), Aug.20-23, 1979, Artemia Reference Center, Ghent, Belgium, 137pp.

3501.
Webber, H.H.; Sorgeloos, P.-1980.
Report Workshop II. Commercial aspects of Artemia exploitation: 413.
In: The brine shrimp Artemia. Vol. 3. Ecology, Culturing, Use in
Aquaculture. Eds Persoone, G.;P. Sorgeloos;O. Roels;E. Jaspers.
Universa Press, Wetteren, Belgium, 428pp.
3502.
Weber, F.H.; Rosenberg, F.A.-1980.
Biological stability of toxaphene in estuarine sediment.
Bull. Environmental Contamination and Toxicology, 25: 85-89.
3503.
Weber, R.E.-1980.
Functions of invertebrate hemoglobins with special reference to
adaptations to environmental hypoxia.
Am.Zool., 20:79-101.
3504.
Wedekind, W.-1902.
Die Parthenogenese und das Sexualgesetz.
Verhandlungen V.intern.Zool.Congr.: 403-408.
3505.
Wei, R.D.-1976.
Chemical and biological aspects of Penicillium roqueforti toxin.
J.Chin.Biochem.Soc., 4(1):1-3.
3506.
Weismann, F.L.; Ischikawa, C.-1889.
Weitere Untersuchungen zum Zahlengesetz der Richtungskörper.
Zool.Jb., Abteilung für Anatomie und Ontogenie der Tiere, 3:575-610.
3507.
Weissbach, H.; Ochoa, S.-1976.
Soluble factors required for eukaryotic protein synthesis: 191-216.
In: Annual Review of Biochemistry. Volume 45. Eds Snell, E.E.; P.D.
Boyer; A. Meister; C.C. Richardson; Annual Reviews Inc., Palo Alto,
California, U.S.A.
3508.
Weisz, P. (B.)-1946.
Part I. Studies on the development of the young of the South African
clawed toad, *Xenopus laevis*. Part II. Studies on development and
growth on the brine shrimp *Artemia salina*.
Thesis. McGill University.
3509.
Weisz, P.B.-1946.
The space-time pattern of segment formation in *Artemia salina*.
Biol.Bull., 91(2):119-140.

3510.
Weisz, P.B.-1947.
The histological pattern of metamerid development in *Artemia salina*.
J.Morph., 81(1):45-95.
3511.
Welch, J.; Sulkin, S.D.-1974.
Effect of diet concentration on mortality and rate of development of zoeal of the xanthid crab, *Rhithropanopeus harrisii* (Gould).
J. E. Mitchell Sci. Soc., 90(2): 69-72.
3512.
Wells, P.G.; Abernathy, S.; Mackay, D-1982.
Study of oil-water partitioning of a chemical dispersant using an acute bioassay with marine crustaceans.
Chemosphere. 11(11):1071-1086.
3513.
Wells, P.G.; Sprague, J.B.-1976.
Effects of crude oil on american lobster (*Homarus americanus*) larvae in the laboratory.
J.Fish.Res.Bd Can., 33(7):1604-1614.
3514.
Welsh, J.H.; Smith, R.I.-1960.
Laboratory exercises in invertebrate physiology: 58,59,176.
Burgess Publishing Company, Minneapolis, Minnesota, U.S.A.
3515.
Werner, R.G.; Blaxter, J.H.S.-1980.
Growth and survival of larval herring (*Clupea harengus*) in relation to prey density.
Can. J. Fish. Aquat. Sci., 37(7): 1063-1069.
3516.
Wesenberg-Lund, C.-1894.
Gronlands ferskvandsentomostraca. I. Phyllopoda, Branchiopoda, et Cladocera.
Vidensk. Meddr dansk naturh. Foren., 46:82-173.
3517.
Westfall, J.A.; Townsend, J.W.-1976.
Stereo scanning electron microscopy applied to the study of feeding behavior in *Hydra*: 563.
In: *Scanning Electron Microscopy*, Vol.2.; Eds Johari, O.M.; R.P., Becker;IIT Research Institute, Chicago, U.S.A., 708pp.
3518.
Wetmore, A.-1917.
On the fauna of Great Salt Lake.
Am.Nat., 51:753-755.

3519.

Wheeler, R.; Yudin, A.I.; Clark, W.H.jr.-1979.
Hatching events in the cysts of *Artemia salina*.
Aquaculture, 18:59-67.

3520.

Whitaker, D.M.-1940.
The brine shrimp *Artemia* and its environment.
Science Monthly, 51:192-193.

3521.

Whitaker, D.M.-1940.
The tolerance of *Artemia* cysts for cold and high vacuum.
J.exp.Zool., 83:391-399.

3522.

White, D.B.; Stickney, R.R.-1973.
A manual of flatfish rearing.

Georgia Marine Science Center, Skidaway Institute of Oceanography,
Technical Report Series, No.73-7, 36pp.

3523.

Whittaker, R.H.; Fairbanks, C.W.-1958.
A study of plankton copepod communities in the Columbia basin,
Southeastern Washington.
Ecology, 39:46-65.

3524.

Wickins, J.F.-1970.
The food value of the brine shrimp (*Artemia salina* L.) to larvae of
the prawn (*Palaemon serratus* Pennant).
ICES CM/E6: 8pp.

3525.

Wickins, J.F.-1972.
The food value of the brine shrimp, *Artemia salina* L., to larvae of
the prawn, *Palaemon serratus* Pennant.
J.exp.mar.Biol.Ecol., 10:151-170.

3526.

Wickins, J.F.-1972.
Developments in the laboratory culture of the common prawn,
Palaemon serratus Pennant.
Ministry of Agriculture, Fisheries and Food, Fisheries Investigations,
27(4): 23pp.

3527.

Wickins, J.F.-1972.
Experiments on the culture of the spot prawn, *Pandalus platycerus*
Brandt, and the giant freshwater prawn, *Macrobrachium rosenbergii*
(De Man).
Ministry of Agriculture, Fisheries and Food, Fisheries Investigations,
27(5): 23pp.

3528.

Wickins, J.F.-1976.

Prawn biology and culture.

An annual review, 14:435-507.

3529.

Wickins, J.F.; Beard, T.W.-1978.

Prawn culture research.

Ministry of Agriculture, Fisheries and Food, Lab.Leaf., MAFF

Direct.Fish.Res.

Lowestoft, (42), 41pp.

3530.

Wilber, C.G.-1972.

Organic substances. Animals: 1565-1578.

In: Marine ecology. Vol. I. Environmental factors. Part 3.Ed. Kinne, O.;John Wiley and Sons Ltd., U.K., 1245-1774.

3531.

Wilber, C.G.; Metz, B.-1946.

The effect of temperature on the cross striations in the living muscles in the brine shrimp Artemia.

Anat.Rec., 96(4):548.

3532.

Wilkenfeld, J.S.; Fox, J.M.; Lawrence, A.L.-1981.

Consumption of frozen and live Artemia by protozoa of Penaeus setiferus.

J. World Maricul. Soc., 12(2): 250-259.

3533.

Willason, S.W.-1978.

Report of Artemia salina (L.) (Branchiopoda) in Santa Barbara County, California, U.S.A.

Crustaceana, 35(2):222-223.

3534.

Williams, W.D. (Ed.)-1974.

IV. Freshwater Crustacea: 63-112.

In: Biogeography and ecology in Tasmania. Dr.W. Junk Publications, The Hague.

3535.

Williams, W.D.-1968.

Australian freshwater life. The invertebrates of Australian inland waters: 102-111.

In: Sun Books, Melbourne, Australia.

3536.

Williams, W.D.-1972.

The uniqueness of salt lake ecosystems : 349-361.

In: Proceedings of the IBP-unesco Symposium on Productivity. Problems of Freshwaters, Kazimierz Dolny, Poland, May 6-12, 1970, Eds Kajak, Z.;A. Hillbricht-Ilkowska;Warszawa-Krakow.

3537.

Williams, W.D.-1978.

Lakes. 5. Australia and New Zealand. Limnology of Victorian salt lakes, Australia.

Verh.int.Verein.theor.angew.Limnol., 20:1165-1174.

3538.

Williams, W.D.-1981.

1. Inland salt lakes: An introduction.

Hydrobiologia, 81(2): 1-14.

3539.

Williams, W.D.-1981.

19. The limnology of saline lakes in Western Victoria.

Hydrobiologia, 81(2): 233-259.

3540.

Williamson, D.I.-1982.

Chapter 2. Larval morphology and diversity: 43-110.

In: The Biology of Crustacea. Embryology, Morphology, and Genetics. Eds Bliss. D.E.; L.G. Abele; Academic Press, New York, U.S.A.

3541.

Willis, J.N.; Sunda, W.G.-1984.

Relative contributions of food and water in the accumulation of zinc by two species of marine fish.

Mar. Biol. (Berlin), 80: 273-279.

3542.

Wilson, H.J.; Densmore, C.L.-1983.

Long-term light and dark adaptive mechanisms in the compound eye of Anostraca with emphasis on cone, retinula cells, and other membrane dynamics.

Trans. Am. Microsc. Soc., 102(1): 91.

3543.

Wingstrand, K.G.-1978.

Comparative spermatology of the Crustacea Entomostraca. 1. Subclass Branchiopoda.

Det Kongelige Danske Videnskabernes Selskab. Biologiske Skrifter, 22(1): 1-67.

3544.

Winkel, G.-1975.

Biotest zur Überprüfung schwachster Giftkonzentrationen in Artemia salina. Ein Beitrag zu Problemen des Umweltschutzes.

Der Mathematische und Naturwissenschaftliche Unterricht (Bonn), 28(8): 482-491.

3545.

Winkler, D.W.; Weigen, C.P.; Engstrom, F. B.; Burch, S.E.-1977.

Chapter 5. Ornithology.

In: An Ecological Study on Mono Lake, California. Ed. Winkler, D.W.

Institute of Ecology Publication No. 12. University of California, Davis, California, U.S.A. pp. 88-113.

3546.

Wirick, C.D.-1972.

Dunaliella - Artemia plankton community of the Great Salt Lake, Utah.
Thesis, University of Utah, U.S.A., 44 pp.

3547.

Wisely, B.; Blick, R.A.P.-1967.

Mortality of marine invertebrate larvae in mercury, copper and zinc
solutions.

Aust.J.mar.Freshwat.Res., 18:63-72,

3548.

Witas, T.-1980.

Toxins of marine organisms. (in polish).

Medycyna Weterynaryjna, 36(12): 732-736.

3549.

Wittmann, H.G.; Dijk, J.; Brimacombe, R.-1981.

The structure and evolution of ribosomes and their components: 487-
504.

In: Current Topics in Cellular Regulation. Volume 18. Biological
Cycles. Eds Estabrook, R.E.; R. Srere; Academic Press, New York,
U.S.A.

3550.

Wolf, E.-1911.

Phyllopoda: 253-276.

In: Die Fauna Sudwest-Australiens. Ergebnisse der Hamburger sudwest-
Australischen Forschungsreise 1905. Band III, Lieferung 9. Eds
Michaelsen, W.; R. Hartmeyer; Verlag Gustav Fischer, Jena.

3551.

Wolf, G.; Blanckaert, R.; Moens, L.; Vos, J.-1983.

Artemia haemoglobins. Influence of isolation and conservation
procedures on the physiological properties of the molecule.
Archs int. Physiol. Biochim., 91(1): B47-B48.

3552.

Wolf, G.; Decleir, W.-1981.

A study of hemocyanin in Sepia officinalis L.: Functional properties
of the adult molecule: 749-754.

In: Invertebrate Oxygen-Binding Proteins. Structure, Active Site, and
Function. Eds Lamy, J.; J. Lamy; Marcel Dekker Inc., New York, U.S.A.

3553.

Wolf, G.; Van Pachtenbeke, M.; Moens, L.; Van Hauwert, M.L.-1983.

Oxygen binding characteristics of Artemia hemoglobin domains.
Comp. Biochem. Physiol., 76B: 731-736.

3554.

Wolf, G.; Vanpachtenbeke, M.; Moens, L.; Decleir, W.-1985.
Oxygen binding properties of Artemia hemoglobins.

In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.

3555.

Wolfe, A.F.-1968.

A histological and histochemical study of the male reproductive system of Artemia (Crustacea, Branchiopoda).

Ph. D. Thesis. University of Vermont, U.S.A., 81 pp.

3556.

Wolfe, A.F.-1971.

A histological and histochemical study of the male reproductive system of Artemia (Crustacea, Branchiopoda).

J.Morph., 135:51-70.

3557.

Wolfe, A.F.-1974.

Observations on the clasping behavior of Artemia salina.

Am.Zool., 13(4):1340,

3558.

Wolfe, A.F.-1980.

A light and electron microscopic study of the frontal knob of Artemia salina: 117-130.

In: The brine shrimp Artemia. Vol. 1. Morphology, Genetics, Radiobiology, Toxicology. Eds Persoone, G.;P. Sorgeloos;O.A.Roels; E. Jaspers; Universa Press, Wetteren, Belgium, 318 pp.

3559.

Wolvekamp, H.P.; Waterman, T.H.-1960.

Respiration: 35-100.

In: The physiology of crustacea. Vol.1 Ed. Waterman, T.H.; Academic Press, New York, U.S.A., 670 pp.

3560.

Womersley, C.-1981.

Biochemical and physiological aspects of anhydrobiosis.

Comp. Biochem. Physiol., B70(4): 669-678.

3561.

Wood, E.J.-1980.

The oxygen transport and storage proteins of invertebrates.
Essays in Biochemistry, 16: 1-47.

3562.

Wood, E.J.; Barker, C.; Moens, L.; Jacob, W.; Heip, J.; Kondo, M.-1981.

Biophysical characterization of Artemia salina(L.) extracellular haemoglobins.

Biochem. J., 193: 353-359.

3563.

Wood, E.J.; Siggens, K.W.-1981.

Studies on the biosynthesis of gastropod respiratory pigments: 825-832.
In: Invertebrate Oxygen-Binding Protein. Structure, Active Site, and
Function. Eds Lamy, J.; J. Lamy; Marcel Dekker, Inc. New York, U.S.A.

3564.

Woodasen, C.A.-1967.

Rearing brine shrimps.

Aquarist Pondkpr, 32:92-93,

3565.

Woodbury, A.M.-1936.

Animal relationships of Great Salt Lake.

Ecology, 17:1-8.

3566.

Woodbury, A.M.-1949.

Animals and salinity in the Great Basin.

Am.Nat., 82:171-187.

3567.

Woodley, C.; Metha, H.B.; Hunt, D.M.; Wahba, A. -1982.

Isolation of protein factors from brine shrimp *Artemia* extracts that
are required for binding Met-tRNA_f and natural mRNA to 40S ribosomal
subunits.

Fedn Proc., 4(4): 1039, Abstract Number 4498.

3568.

Woodley, C.; Roychowdhury, M.; MacRae, T.H.; Olsen, K.W.; Wahba, A.J.-
1981.

Protein synthesis in brine shrimp embryos. Regulation of the formation
of the ternary complex (Met-tRNaf-elf-2- GTP) by two purified protein
factors and phosphorylation of *Artemia* eIF-2.

Eur. J. Biochem., 117: 543-551.

3569.

Woodley, C.; Slobin, L.; Wahba, A.-1980.

Regulation of protein synthesis in embryos of the brine shrimp *Artemia*

sp. Characterization of mRNA-protein particles.

Fedn Proc., 39(6): 1799, Abstract Number 915.

3570.

Woodley, C.L.; Dholakin, N.J.; Wahba, A.J.-1985.

Polypeptide chain initiation in *Artemia* embryos.

In: Book of Abstracts.. Second International Symposium on the brine
shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3571.

Woodley, C.L.; Wahba, A.J.-1980.

The development of a translation system to examine mRNA and messenger
ribonucleoproteins from *Artemia*:591-603.

In: The brine shrimp *Artemia*. Vol. 2. Physiology,
Biochemistry,Molecular Biology. Eds Persoone, G.;P. Sorgeloos;O.A.
Roels;E. Jaspers; Universa Press, Wetteren, Belgium, 636 pp.

3572.

Wrede, P.; Erdmann, V.A.-1973.

Activities of *Bacillus stearothermophilus* 50S ribosomes reconstituted with prokaryotic and eukaryotic 5S RNA.

FEBS Lett., 33(3):315-319E.

3573.

Wrench, J.; Fowler, S.W.; Only, M.Y.-1979.

Arsenic metabolism in a marine food chain.

Marine Pollution Bulletin, 10: 18-20.

3574.

Wundsch, H.E.-1914.

Artemisia (Artemia) salina (L.) in Mitteldeutschland.

Neue Fundorte von *Cystobranchus respirans* Trosche.

Zool.Anz., 43(7):328-331,

3575.

Wydro, R.M.; Boublik, M.-1978.

Structure of functional prokaryotic eukaryotic hybrid ribosomes by electron microscopy.

Fedn Proc., 37(6):1659.

3576.

Yablonka-Reuvin, Z.-1979.

Characterization of elongation factor 2 during the early development of the brine shrimp *Artemia salina*.

Thesis. University of Windsor, Canada.

3577.

Yablonka-Reuvin, Z.; Warner, A.H.-1979.

Characterization of elongation factor 2 in dormant cysts and developing embryos of *Artemia salina*: 22-41.

In: Biochemistry of *Artemia* development. Eds Bagshaw, J.C.; A.H. Warner; University Microfilms International, Ann Arbor, U.S.A., 239 pp.

3578.

Yablonka-Reuvin, Z.; Fontaine, J.J.; Warner, A.H.-1983.

Distribution of elongation factor 2 between particulate and soluble fractions of the brine shrimp *Artemia* during early development.

Can. J. Biochem. Cell Biol., 61(8): 833-839.

3579.

Yagi, Y.; Mizumoto, K.; Kaziro, Y.-1984.

Limited tryptic digestion of messenger RNA capping enzyme from *Artemia salina*. Isolation of domains for guanylytransferase and RNA 5'-triphosphatase.

J. Biol. Chem., 259(8): 4695-4698.

3580.

Yalynskaya, N.S.; Strubitskii, I.V.-1981.

Salt and trace element composition of Lake Malinovoe (Altai Krai, Russia, SFSR, USSR) water, the *Artemia* habitat. (in russian).

Gidrobiol. Zh., 17(1): 82-85.

3581.

Yamamoto, K.-1975.
Methods for the determination of mycotoxins. III. Investigation of the mycotoxin bioassay method using brine shrimp larvae (*Artemia salina*) and its applications. (in japanese).
Nara Igaku Zasshi, 26(3):264-278.

3582.

Yamamoto, K.; Tsubouchi, H.; Moriyama, S.; Sakabe, Y.-1974.
A study on toxicity test of mycotoxins on the brine shrimp (*Artemia salina*). (in japanese).
J. Food and Hygiene Society of Japan, 15: 11-17.

3583.

Yamaoka, L.H.; Scheer, B.T.-1970.
Chemistry of growth and development in crustaceans.
In: Chemical zoology. Vol. VI, Arthropoda, part 1. Eds Florkin, M.;
B.T. Scheer; Academic Press, New York, U.S.A.

3584.

Yamasaki, S.; Canto, J.T.-1980.
Culture experiments on the harpacticoid copepod, *Tisbintra elongata* Mori, and evaluation of that species as a food organism for milkfish larvae.
Mem. Fac. Fish., Kagoshima University, 28: 275-291.

3585.

Yanase, R.; Shiraishi, K.-1972.
The filtering and feeding rates of the brine shrimp, *Artemia salina*.
Ann.Rep.Inwat Med.Univ., 7:27-35,

3586.

Yaneng C.-1985.
Observations on parthenogenetic and bisexual brine shrimp from the People's Republic of China.
In: Book of Abstracts. Second International Symposium on the brine shrimp *Artemia*. Sept. 1-5, 1985, Antwerp, Belgium.

3587.

Yang, W.T.-1975,A manual for large-tank culture of penaeid shrimp to the postlarval stages.
University of Miami Sea Grant Program No 04-5-158-14. Technical Bulletin,nr.31, 94 pp.

3588.

Yap, W.G.-1979.
Cultivation of live feed for the rearing of sugpo (*Penaeus monodon*) larvae: 423-437.
In: Cultivation of Fish Fry and Its Live Food. Special Publication 4.
Eds Styczynska, E.; T. Backiel; E. Jaspers; G. Persoone; European Mariculture Society, Bredene, Belgium.

3589.
Yashiro, R.
The effect of Artemia fed with different diets on the growth and survival of *Penaeus monodon* Fabricius postlarvae.
M.Sc. Thesis. the Philippines, pp.
3590.
Yashiro, R.-1985.
The effect of Artemia feed with different diets on the growth and survival of *Penaeus monodon* fabricius postlarvae.
In: Book of Abstracts. Second International Symposium on the brine shrimp Artemia. Sept. 1-5, 1985, Antwerp, Belgium.
3591.
Yashiro, R.-1985.
Effects of salinity on reproduction cycle of brine shrimp (*Artemia salina* L.).
Third Seminar on Coastal Aquaculture, 22-24 May, 1985. Brackishwater Fisheries Division, Department of Fisheries, Bangkok, 62-63.
3592.
Yasuda, K.; Taga, N.-1980.
A mass-culture method for *Artemia salina* using bacteria as food.
La Mer (Bulletin de la Societe Franco-Japonaise d'Oceanographie), 18(2): 55-62.
3593.
Yonge, C.M.-1966.
VII. Plankton: 252-267.
In: Marine Biology III. Ed. Edmondson, W.T.; The New York Academy of Sciences, Interdisciplinary Communications Program, New York, U.S.A.
3594.
Young, G.-1981.
The troubled waters of Mono Lake.
National Geographic Magazine, 160(4): 504-519.
3595.
Young, R.T.-1952.
The larva of *Hymenolepis californicus* in the brine shrimp (*Artemia salina*), J.Wash.Acad.Sci., 42(11):385-388.
3596.
Yufera, M.; Rodriguez, A.; Lubian, L.M.-1984.
Zooplanton ingestion and feeding behavior of *Penaeus kerathurus* larvae reared in the laboratory.
Aquaculture, 43(3/4): 217-224.
3597.
Yun Yuan Ting; Ming-nan Lin; Ta-tso Lu-1976.
Methods for the separation of *Artemia nauplii* from the eggs and their preservation under low temperature.
China Fish.Monthly, 281:6-8.

3598.

Zagalsky, P.F.-1976.

Carotenoid-protein complexes.

Pure and Applied Chemistry, 47: 103-120.

3599.

Zagalsky, P.F.; Gilchrist, B.M.-1976.

Isolation of a blue canthaxanthin lipo-vitellin from the yolk platelets of *Branchipus stagnalis* (Crustacea, Anostraca).

Comp.Biochem.Physiol., 55:195-200.

3600.

Zagalsky, P.F.; Gilchrist, B.M.; Clark, R.J.H.; Fairclough, D.P.-1983.

The canthaxanthin-lipovitellin of the brine shrimp, *Artemia* (Crustacea: Anostraca): A resonance raman and circular dichroism study.

Comp. Biochem. Physiol., 74B: 647-652.

3601.

Zahid, Z.R.; Al-Haidary, M.T.-1977.

A light microscopical study on the nervous system of *Artemia salina* Crustacea Anostraca with reference to cerebral paraldehyde fuchsin positive neuro secretory elements.

Bull.Biol.Res.Cent.Publ.(Baghdad), 9:63-74.

3602.

Zahid, Z.R.; Al-Haidary, M.T.-1977.

A light microscopical study on the eyes of *Artemia salina* Crustacea Anostraca.

Bull.Biol.Res.Cent.(Baghdad), 9:51-62.

3603.

Zahl, P.A.-1967.

Life in a "dead" sea - Great Salt Lake.

Natn.geogr.Mag., 132(2):252-263.

3604.

Zahn, M.-1972.

Aufzucht von Salinenkrebschen im Aquarium Dusseldorf.

Aquar.-u.Terrar.-Z., 25(9):321-323.

3605.

Zamboni, M.; Battelli, G.; Montanaro, L.; Sperti, S.-1981.

Ribosomal core-particles as the target of ricin.

Biochem. J., 194(3): 1015-1017.

3606.

Zan-Kowalczevska, M.; Bretner, M.; Sierokowska, H.; Szczesna, E.-1977. Removal or 5'-terminal m7G from eukaryotic mRNAs by potato nucleotide pyrophosphatase and its effect on translation.

Nucl. Acids Res., 4(9): 3065-3081.

3607.
Zanco, F.-1931.
Rapporti fra concentrazioni degli idrogenioni (pH) e possibilità di vita di organismi animali e vegetali nei bacini delle saline di Cagliari.
Pubblicazioni della Stazione Biologica in San Bartolomeo (Cagliari), 32:3-28.
3608.
Zanco, F.-1932.
Variazioni giornaliere del pH nelle acque delle Saline de Cagliari. Scritti Biol., 7:347-358.
3609.
Zanco, F.F.-1932.
Rapporti fra concentrazioni degli idrogenioni (pH) e possibilità di vita di organismi animale e vegetali nei bacini delle saline di Cagliari.
Scritti Biol., 7:3-28.
3610.
Zanco, F.F.-1932.
Variazioni giornaliere del pH nelle acque delle Saline di Cagliari. Pubblicazione della Stazione Biologica in San Bartolomeo (Cagliari), 34:1-12.
3611.
Zanco, F.F.-1932.
Contributo agli studi sulla inibizione differenziale.
Esperimenti in *Artemia salina*.
Scritti Biol., 7:371-393.
3612.
Zasloff, M.-1973.
Polypeptide chain initiation in eukaryotes: Purification and properties of an initiation factor from *Artemia salina* embryos. Thesis, New York University; Diss. Abstr., 1974, 34:5881.
3613.
Zasloff, M.-1973.
Non-enzymic binding of formylmethionyl-transfer RNA to *Artemia salina* ribosomes.
J.molec.Biol., 76(4):445-453.
3614.
Zasloff, M.; Ochoa, S.-1971.
A supernatant factor involved in initiation complex formation with eukaryotic ribosomes.
Proc.Natn.Acad.Sci.U.S.A., 68:3059-3063.
3615.
Zasloff, M.; Ochoa, S.-1972.
Polypeptide chain initiation in eukaryotes : functional identity of supernatant factor from various sources.
Proc.Natn.Acad.Sci.U.S.A., 69:1796-1799.

3616.
Zasloff, M.; Ochoa, S.-1973, Polypeptide chain initiation in eukaryotes. IV. Purification and properties of supernatant initiation factor from *Artemia salina* embryos.
J.molec.Biol., 73(1):65-76.
3617.
Zasloff, M.; Ochoa, S.-1974.
Purification of eukaryotic initiation factor I (EIFI) from *Artemia salina* embryos.
Meth.Enzym., 30(Pt.F):197-206.
3618.
Zavattazi, E.-1932.
Sul Duda, il cosiddetto verme comestibile dei Tuareg del Fezzan.
Rc.Ist.Lomb.Sci.Lett., 65:75-82.
3619.
Zenkevitch, L.-1963.
Biology of the Seas of the U.S.S.R.: 528-537.
In: Translated version by Botcharskaya, S. Interscience Publishers, John Wiley & Sons, New York, U.S.A.
3620.
Zeuthen, E.-1953.
Oxygen uptake as related to body size in organisms.
Q.Rev.Biol., 28:1-12.
3621.
Zhadin, V.I.; Gerd, S.V.-1961.
Fauna and flora of the rivers, lakes and reservoirs of the USSR.
Israel Progr.Sci.Transl., Jerusalem:626 pp.
3622.
Zheng, Y.; Li, M.; Tien, F.-1982.
The effects of decapsulated *Artemia* cysts as food for mysid (*Neomysis awatschensis*). (in chinese).
Mar. Sci., 4: 36-39.
3623.
Zilliox, E.J.; Foulk, H.R.; Prager, J.C.; Cardin, J.A.-1973.
Using *Artemia* to assay oil dispersant toxicities.
J.Wat.Pollut.Control.Fed., 45(11):2389-2396.
3624.
Zipko, S.J.-1981.
The influence of tabacco and drugs on the behavior of brine shrimp.
The American Biology Teacher, 43(2): 76-81.
3625.
Zograf, N.-1905.
La calotte cervicale chez les Nauplius de l'*Artemia salina*.
C.r.hebd.Seanc.Acad.Sci., Paris, 141:903-905.

3626.

Zograf, N. (Ed.)-1904.

Das unpaare Auge, die Frontalorgane und das Nachenorgan einiger Branchiopoden.

Friedlander, R. und Sohn, Berlin, Germany, 44 pp.

3627.

Zograf, N.-1907.

Phyllopodenstudien.

Z.wiss.Zool., 86:446-522.

3628.

Zpravy; Glosy; Recenze; Prehledy-1978.

Artemia salina L.-live food for feeding of early stages of fishes.

Review.

Bulletin obsak, 14(3):34-43.

3629.

Zucker, T.F.; Zucker, L.M.-1948.

The occurrence of Zoopherin in lower animal forms.

Archs Biochem. Biophys., 18:513-514.

SUBJECT-INDEX

Addendum to "The brine shrimp *Artemia*
bibliography 1985"

A

- a subunit-1206,2216
abnormal development-1541
abortive development-1136
ABS-3077
absorption-2495
abstract-298,1374,1873
Acanthocyclops-3017
acaricide-155
Acartia-134,772,1270,2509,2511,3488
acceleration-1307
acclimation-2799,2800,3429,3430
accumulation-421,432,593,652,653,1740,1741,2202,2342,2589,
2721,2927
acetamide-2244
acetate-1627,1982,2800
acetic acid-2842
acetone-1676,1678,3182
acetonitrile-1676
acetylation-587,590
acetylcholine-1016,2628
acetylcholinesterase-2659
acetyltransferase-588,589,591,1086,1087
Achlya-3478
Achromobacter-2923,2924
acid-3217
acid phosphatase-369,920,2324,2524,2739,3269
acid phosphate-2253
acid protease-1298,2518,2519,3473,3474
acid soluble-746,1352,1353,1354
acid soluble phosphate-1866
acidic phosphoprotein-3295,3296
acidic protein-3377
Acinetobacter-3592
Acipenser-3165
acrosome-1172
acrylamide gel-428
actin-1432
actinomycin-948,1138,1144,1148,1156,1175,1558,3119
actinomycin D-1138,1144,1148,1156,1175,1558,3119
action spectrum-3321
activity-2962,2974
activation-437,1106,1107,1133,1161,1984,1985,3418
adaptation-365,641,962,1208,1209,1210,1211,1264,1396,1567,
1568,1940,2400,2401,2916,3337,3542
adenosine-1353,1354
adenosine deaminase-1190
adenosine kinase-2771
adenosine tetraphosphate-2206
adenosine triphosphatase-657,658,659,660,751,1103,2311,2544,
2547,2548,2549,2550,2551,2552,2553,2554
adenosine triphosphate-2035,2616,3300,3468,3469
adenylate deaminase-1564
adenylic acid-1546,1555
adenylosuccinate-2573
adenylosuccinate lysase-2573,2955
adenylosuccinate synthetase-1116,2955
adrenal-644
adrenalin-1016
adult-24,26,63,64,83,84,326,386,388,396,420,469,493,610,613,
652,653,766,783,784,810,811,812,814,823,939,956,994,995,997,

1028,1031,1054,1072,1073,1074,1077,1092,1093,1246,1255,1256,
1289,1343,1345,1407,1419,1420,1421,1422,1423,1425,1427,1563,
1627,1628,1697,1744,1834,1877,1895,1911,1923,1988,2011,2212,
2045,2052,2080,2127,2150,2172,2192,2233,2259,2260,2261,2267,
2277,2278,2279,2280,2285,2318,2320,2322,2410,2462,2590,2716,
2723,2786,2792,2811,2825,2882,2883,2895,2896,2915,2928,2962,
3087,3088,3090,3092,3117,3149,3178,3210,3216,3217,3221,3233,
3280,3317,3449,3531,3543,3585
aeration-3184
aerobic-390,757,3430
aerobic metabolism-386,388
affinity chromatography-926
affinity labeling-1759
Africa-349,366,425,470,471,511,992,1021,1035,1310,1311,1312,
1313,1314,1315,1330,1454,1488,1517,1518,2178,2292,2332,2473,
3394,3618
aflatoxin-528,738,1023,1718,1983,2698,3107,3297,3581,3582
age-1014,1586,1670,1671,1672,1717,2510
alanine-939
alanosine-1895
alcohol-3009
aldrin-3123
algae-26,75,98,102,134,159,322,1,408,448,505,720,723,949,961,
971,1068,1250,1334,1335,1385,1523,1584,1749,1773,1846,2076,
2086,2133,2136,2175,2196,2207,2208,2227,2251,2409,2415,2510,
2512,2526,2527,2603,2604,2607,2608,2688,2689,2690,2784,2793,
2910,2927,2938,2941,2942,3030,3032,3034,3035,3057,3112,3144,
3166,3451,3524,3525,3546,3585,3592
algaeicide-1424
Algeria-346,366,423,425,1310,1311,1314,1315,1454
alimentary epithelium-1601
alkali-3217
alkaline-2189
alkaline phosphatase-369,405,406,479,2324,2660,3269,3274
alkaline phosphate-2253
alkalinity-847,1374
alkylating agent-1670,1671,1672,2574
alkaloid-644,1193
allantoinase-467
Alternaria-866,3016
aluminum-3124
Alviso-598
amamitine-585
amebocyte-3255
amine-152,1178,2239
amino acid-370,513,600,705,751,838,885,966,1063,1064,1065,
1390,1393,1629,1669,1721,1753,1769,2186,1496,2508,2553,
2842,2854,2911,2913,2969,3016,3125,3241,3486
amino acid sequence-930,2216,2268,2280,2282,2311
aminoacyl-3080,3081
aminoacyl-tRNA-1292,2254,2758
aminobutyric acid-578
aminocyclohexenimine-1399
aminopeptidase-1112,1115
amino-terminal sequence-2269
ammonia-372,751,1474,1563,1564,1565,2286,2922
ammonia production-2286
AMP-1547,1549,1551,1558,1920
amylase-25,367,873,875,2802,2803,2804,2805,2806,2807,2808,
2811,2812,3269,3273
anabiosis-1268,1369,1370,1371,1376
Anacaena-991
anaerobic-390,757,1901,3430

anaerobic metabolism-386,387,391,1096
anaerobiosis-1097
analysis-3073
anaphase-1122
Anas-2121
Anaspides-1486
anesthetic-1883,2357,2734
anfigonium-3360
anhydrobiosis-683,792,794,1583,2113,2560
animal protein factor-3629
anion-481
anionic-2105
Annelida-56
Anomolepis-2116
Anostraca-363,364,839,975,987,988,1493,1528,1529,1619,2028,
2229
anoxia-390,3122
Antarctic-244
antenna-421,1109,1110,1252,2285,3257,3259
antennal gland-3481
antenuile-421
antibiotic-727,728,824,1351,1469
anticancer agent-1837
antiformin-3460
antifungal agent-1717
antigenic-1257
antimitotic-1144
antitumor-447
anus-1246
apollipovitellin-885,886
apollo-549,550,551,553,554,555,556,557,558,1402,1403,2080,
2578,2580,2581
aponin-1062
apparatus-2258
appendage-1552,1561,2042,2199,2619
apple-3016
APRT-2771
Apus-2424,3007
aquaculture-42,101,109,110,111,115,156,159,281,282,580,581,
725,817,854,872,914,996,1038,1117,1235,1266,1269,1382,1616,
1750,1996,2021,2226,2334,2452,2494,2537,2569,2570,2571,2679,
2821,2966,2968,3039,3041,3043,3044,3057,3052,3054,3062,3084,
3157,3163,3243,3297,3369,3372,3374
aqua fauna-969
aquarium-290,2914
Arctodiaptomus-436
Argentina-262,1464,1465,2062,2081,2098
Arizona-362,364,723,724,1867
arsenic-1208,1209,1210,1211,3229,2573
arsenite-1208,1209,1210,1211
artefact-1782
Artemia arietina-1078,1938,1939
Artemia asiaticus-3459
Artemia fertilis-512,1300,3169,3170,3402,3403
Artemia franciscana-481,1814
Artemia gracilis-2722
Artemia meal-966
Artemia monica-2006,2007,2476
Artemia persimilis-2562,2563
Artemia proxima-1836,2827
Artemia Reference Center-3063
Artemia sources-99
Artemia substitution-99
Artemia tunisia-534

Artemia Vectensis-1650
Artemia vs algae-75,134,408,1385
Artemia vs amphipods-1381
Artemia vs artificial diet-441,835,1998,2224,2823,3237,3590
Artemia vs artificial food-13,837,3022
Artemia vs *Brachionus*-2910,3596
Artemia vs *Brachionus* vs artificial food-1024
Artemia vs *Moina*-87
Artemia vs *Orchestia*-1942
Artemia vs other live foods-1238
Artemia vs rotifers-1067
Artemia vs rotifers vs algae-98
Artemia vs starch vs algae-322,1
Artemia vs wild plankton-1461
Artemia vs zooplankton vs artificial food-2077
artemin-9,2993
Artemisia-843
antemodyanin-1908,1909,1910,1912,1913,1914,3233
Arthropoda-66,215,591,1452,2123,3100
artificial activation-3119
artificial diet-13,14,15,151,441,739,740,835,1238,1290,1448,
1463,1559,1998,2224,2823,3237,3590
artificial food-93,276,356,837,966,1024,2677,2910,3022
artificial medium-2636,2637
Aruba-1637
asbestos-3118
ascorbate-2137
ascorbic acid-442,1379,2209
asepsis-2634,2635
ash-360,1024,1289,2463,3124,3333
ash content-3333
Asia-110,115,2828
Aspergillus-937,2588
assay-2545,2546
assimilation-36,2142,2510,2809,2810,2811,3144
astacene-3024
Astrangia-3106
ATP-700,754,1854,1890,2033,2205,2206,2572,2616,2790,3300
ATPase-204,657,658,659,660,751,1205,1206,2070,2072,2287,
2311,2547,2548,2549,2550,2551,2552,2553,2554,3220
ATP synthesis-3300
atropine-1016
Aurelia-1416
aurintricarboxylic acid-3153,3154,3155
Australia-338,340,341,342,579,843,888,1316,1317,1321,1322,
1323,1324,1325,1326,1593,1645,1765,1836,1921,1975,2132,2139,
2255,2827,2850,3042,3534,3535,3537,3538,3539,3550
automatic feeding-498,499,1003
automatic feeding device-70,2857,2926,3012,3326,3371
autoradiography-614,1410,1578,1693,2497
availability-2570
Aveiro-3379,3380
avermectin-577,578
Aves-768,1663,1664,1828,3629
axenic-2633,2638
axenic culture-1564
axenic medium-2805
axon-422
Azerbaijan-1302
azide-2976
Azov Sea-2450,2451

B

b subunit-1206,2216
Bacillus-2881,3572
bacterial factor-2999,3000
bacterial resistance-3240
bacterium-208,326,727,728,824,935,1013,1351,1441,1881,2251,
2512,2605,2606,2607,2608,2795,2922,2923,2925,3015,3025,
3027,3028,3240,3530,3592
Bahamas-863
Baja California Sur-1216
Balanus-322,1,2350
Balkhash-3420
bark-1604
basement membrane-1060
bassianilide-3150
Beauveria-3150
beauvericin-1469
behavior-1408,1587,1614,1719,1733,1882,2043,2044,2053,2161,
2446,2487,2768,2879,2882,2883,2962,3077,3557
Belgian-3301,3349
Belgium-132
benzene-1676,1785
beryllium-627,2559
beryllium sulfate-2559
BHC-1280,3123
bioaccumulation
bibliography-1559,1780,2034,2180,2372,3038,3067
bicarbonate-2038
bile pigment-1907
biliprotein-1912
binding-431,2423
binding protein-904,1197,1978,3192,3308
bioaccumulation-2302,2304,3024
bioassay-24,25,52,91,92,105,155,198,200,207,242,243,283,284,
321,325,377,381,399,410,411,430,432,434,447,452,453,521,527,
528,529,560,566,574,578,592,593,594,603,617,619,620,626,627,
628,644,662,664,738,760,771,772,773,778,810,811,812,815,849,
857,866,867,868,869,871,935,937,938,948,963,981,982,983,984,
985,993,1022,1023,1068,1069,1082,1083,1192,1193,1208,1209,
1210,1211,1239,1280,1346,1371,1397,1413,1424,1458,1460,1469,
1489,1497,1523,1532,1591,1592,1600,1604,1676,1678,1713,1715,
1717,1718,1745,1771,1772,1780,1785,1787,1817,1837,1838,1849,
1854,1862,1863,1865,1881,1883,1930,1931,1932,1955,1957,1958,
1982,1983,2012,2013,2014,2025,2033,2078,2103,2104,2105,2111,
2120,2145,2172,2173,2201,2202,2213,2239,2240,2242,2243,2285,
2302,2303,2304,2305,2333,2347,2368,2434,2436,2437,2438,2493,
2498,2499,2514,2531,2540,2541,2558,2559,2560,2587,2588,2620,
2621,2624,2647,2698,2700,2723,2736,2792,2799,2800,2801,2808,
2818,2845,2846,2879,2882,2883,2884,2888,2889,2928,2946,2947,
2948,2949,2962,2974,2975,2976,2978,3009,3016,3073,3077,3117,
3118,3123,3127,3128,3129,3138,3150,3178,3179,3182,3216,3217,
3229,3231,3232,3327,3334,3335,3336,3367,3443,3502,3505,3512,
3544,3547,3548,3573,3581,3582,3623,3624
biochemical content-2777
biochemistry-152,206,207,218,219,220,221,222,223,224,225,226
,227,228,229,230,231,232,233,234,235,236,237,238,239,240,241
,271,280,331,352,359,367,368,369,370,371,372,373,380,383,384
,387,389,390,394,403,405,406,415,416,418,431,436,442,461,462
,463,464,465,466,467,468,469,479,480,486,487,488,495,496,510
,513,559,565,576,577,578,585,586,587,588,589,590,591,595,600
,601,629,631,632,633,634,640,656,657,658,659,660,665,666,667
,668,673,674,675,676,678,679,680,681,682,684,688,689,690,691

ERRATA

- 322 : references become 322.1 and 322.2 respectively
- 323 : references become 323.1 and 323.2 respectively
- 354 : should be : effects on survival and growth of larval
Atlantic Silverside Menidia menidia : 249-259
- 615 : De Castelo Branco
- 920 : De Maeyer-Criel, G.-1973. La glande coquillièr non
pigmentée d'Artemia salina Leach. Z. Zellforsh.,
144(2) : 299-308.
- 921 : De Maeyer-Criel, G.-1978. Elektronenmicroscopisch
onderzoek naar de ultrastructuur tijdens de secretie-
cyclus van de schaalklier bij Artemia salina. Ver-
handeling van de Koninklijke Academia voor Weten-
schappen, 40:132pp.
- 1039 : Title should be : Effect of food quality and feeding
schedule on ...
J. World Maricul Soc., 15:142-143.
- 1097 : (after 1093) becomes 1093.5
- 1399 : ...Thomsom, R.H.
- 1429 : 1976
- 1624 : Title is : Toxicity of Di-N-butyl phtalate for
developing...
- 2004 : insert: pp 79-96.
- 2408 : Nimmanit
- 2806 : ... Van Wormhoudt, A; Moal, J.; Daniël...

,692,694,695,697,699,700,701,703,704,705,706,709,710,746,747
,748,751,754,769,770,791,800,801,802,803,804,805,806,807,808
,,809,818,819,820,821,827,828,829,830,831,836,838,840,841,845
,,846,850,851,852,853,855,856,858,859,873,875,876,877,878,879
,,880,881,882,883,884,885,886,887,890,891,892,893,894,895,896
,,897,898,899,900,901,902,903,904,905,906,907,908,909,910,911
,,912,913,920,925,926,927,930,932,933,939,952,974,977,978,979
,,980,1006,1007,1008,1009,1010,1011,1015,1024,1025,1026,1027
,,1029,1030,1031,1033,1055,1057,1061,1062,1063,1064,1065,1079,
1084,1085,1086,1087,1093,1094,1095,1096,1097,1098,1099,
1100,1101,1104,1105,1106,1107,1112,1113,1114,1115,1116,1162,
1163,1164,1165,1166,1168,1170,1171,1182,1187,1188,1190,1194,
1195,1196,1197,1198,1199,1200,1201,1202,1203,1205,1206,1221,
1232,1242,1257,1276,1277,1282,1289,1292,1293,1296,1297,1298,
1299,1327,1329,1352,1353,1354,1359,1364,1366,1368,1375,1377,
1378,1379,1380,1384,1387,1388,1389,1390,1393,1398,1399,1400,
1406,1415,1418,1428,1429,1430,1431,1432,1433,1434,1441,1475,
1476,1477,1478,1479,1480,1481,1492,1499,1511,1512,1513,1514,
1515,1516,1526,1527,1535,1537,1538,1539,1542,1543,1547,1550,
1553,1554,1555,1556,1560,1561,1562,1564,1565,1572,1574,1575,
1576,1581,1608,1609,1610,1611,1612,1613,1620,1621,1622,1623,
1624,1625,1626,1629,1630,1631,1632,1633,1634,1635,1636,1654,
1656,1661,1662,1666,1668,1669,1679,1729,1730,1731,1734,1747,
1748,1749,1755,1774,1789,1790,1791,1794,1795,1815,1826,1856,
1857,1873,1874,1875,1876,1887,1888,1889,1890,1891,1892,1897,
1898,1902,1903,1904,1905,1906,1907,1908,1909,1910,1911,1912,
1913,1914,1920,1944,1945,1946,1947,1948,1949,1950,1956,1978,
1979,1981,1984,1985,1990,1996,2010,2018,2024,2027,2031,2033,
2037,2038,2039,2068,2070,2079,2087,2089,2090,2091,2092,2093,
2094,2095,2096,2101,2118,2119,2124,2126,2128,2129,2130,2132,
2137,2146,2147,2148,2149,2150,2151,2152,2153,2154,2158,2165,
2183,2184,2185,2186,2188,2190,2191,2193,2194,2203,2204,2205,
2206,2207,2216,2217,2218,2247,2253,2254,2265,2266,2267,2268,
2269,2270,2271,2272,2273,2274,2275,2276,2277,2278,2279,2280,
2281,2282,2283,2287,2288,2290,2291,2294,2311,2315,2316,2329,
2330,2337,2338,2339,2340,2341,2355,2359,2380,2381,2382,2363,
2364,2365,2366,2374,2375,2376,2377,2378,2379,2380,2381,2382,
2383,2384,2385,2386,2387,2388,2389,2390,2391,2392,2393,2394,
2395,2396,2397,2398,2399,2402,2403,2404,2405,2406,2407,2416,
2417,2418,2419,2420,2422,2423,2427,2428,2429,2430,2432,2433,
2438,2439,2440,2441,2442,2443,2454,2462,2466,2467,2468,2469,
2470,2471,2472,2477,2483,2491,2503,2507,2508,2517,2518,2519,
2520,2521,2522,2523,2524,2544,2545,2546,2547,2548,2549,2550,
2551,2552,2553,2554,2557,2561,2565,2566,2567,2568,2572,2573,
2574,2575,2576,2577,2616,2642,2643,2644,2645,2648,2649,2650,
2651,2660,2662,2663,2678,2680,2681,2682,2683,2684,2685,2701,
2702,2703,2704,2705,2706,2707,2708,2709,2712,2713,2717,2718,
2728,2729,2737,2739,2740,2741,2742,2743,2744,2746,2749,2750,
2751,2752,2753,2754,2755,2758,2759,2760,2761,2769,2771,2784,
2785,2786,2790,2794,2802,2803,2804,2805,2806,2807,2811,2816,
2817,2824,2826,2831,2832,2833,2834,2835,2836,2837,2838,2839,
2840,2841,2852,2853,2854,2858,2859,2872,2874,2875,2876,2886,
2890,2900,2901,2902,2903,2904,2905,2906,2907,2908,2909,2911,
2913,2950,2951,2952,2954,2955,2956,2957,2958,2959,2963,2969,
2973,2979,2980,2981,2982,2983,2984,2985,2986,2987,2988,2989,
2990,2991,2992,2993,2994,2995,2996,2997,2998,2999,3000,3001,
3008,3019,3023,3061,3080,3081,3082,3113,3114,3122,3124,3131,
3132,3145,3146,3152,3153,3154,3155,3156,3158,3159,3167,3180,
3183,3185,3186,3187,3188,3189,3190,3191,3192,3196,3197,3198,
3199,3200,3201,3203,3204,3205,3207,3212,3220,3222,3227,3233,
3224,3235,3241,3245,3246,3267,3268,3269,3270,3271,3272,3273,
3274,3275,3276,3279,3282,3284,3285,3286,3287,3288,3289,3290,
3291,3292,3293,3294,3295,3296,3299,3300,3302,3303,3304,3305,

3306, 3307, 3308, 3317, 3318, 3323, 3324, 3325, 3347, 3348, 3349, 3350,
3351, 3352, 3353, 3354, 3355, 3356, 3357, 3377, 3387, 3404, 3439, 3440,
3441, 3445, 3446, 3447, 3448, 3449, 3457, 3458, 3459, 3460, 3461, 3462,
3463, 3464, 3465, 3466, 3467, 3468, 3469, 3470, 3471, 3472, 3473, 3474,
3475, 3476, 3477, 3478, 3486, 3488, 3490, 3491, 3492, 3493, 3498, 3503,
3507, 3549, 3551, 3552, 3553, 3554, 3560, 3561, 3562, 3563, 3567, 3568,
3569, 3570, 3571, 3572, 3575, 3576, 3577, 3578, 3579, 3583, 3598, 3599,
3600, 3605, 3606, 3612, 3613, 3614, 3615, 3616, 3617, 3629
biochrome-1242
biodegradation-2620
biogene-2876
biology-4, 101, 174, 182, 262, 292, 774, 832, 833, 916, 953, 969, 989,
990, 1506, 1775, 1784, 2045, 2046, 2447, 2604, 2674, 2675, 2825, 3382,
3406, 3431, 3432, 3444, 3496, 3497
biomass-615, 1721, 2035, 3411, 3497
biometric-3338, 3344
biophysics-709
biosatellite-3395
biostack-549, 1510
bird(see Aves)-31, 34, 669, 670, 763, 870, 1442, 1667, 1737, 1738,
2060, 2080, 2121, 2594, 2765, 2766, 3151, 3545
bisexual-162, 163, 165, 314, 1136, 2712, 3586
black disease-1543
Black Sea-2451
Blastocladia-3478
blastomere-398, 2886
blastula-137, 1128
Blatella-1006
blood-38, 139, 346, 1221, 1245, 1248, 1410, 1784, 2051, 2123, 2125,
2696, 2697, 3108
blood formation-2051
blood plasma-2051
blood volume-381
body-421
body form-164
body orientation-2041, 2044, 2047
body size-169, 543, 1951, 3620
Bolivia-2062
Bombay-2783
Bonaire-870, 1637, 2215, 2669, 2670, 2763, 2764, 2765, 2766, 3151
book review-1952
Boston-3365
Borassus-1413
bound form-1870, 1871, 1872
Brachionus-26, 160, 1024, 1067, 1616, 2910, 2940, 3135, 3136, 3171,
3172, 3488, 3596
brain-361, 563, 1485, 1926, 1927, 2330, 2819, 3479, 3480, 3601
branchiae-786
Branchipus-503, 1262, 1344, 2020, 2024, 2225, 2424, 2435, 2933, 3079,
3208, 3391, 3392, 3599
Branchinecta-834, 1344, 1503, 2435, 3007
Branchinectella-3007
Branchinella-2159, 2325
Branchiopoda-320, 1367, 2026, 2117, 3516, 3543, 3626
brassicasterol-3188, 3189, 3191
Brazil-580, 581, 832, 833, 2353, 3042
Brevoortia-3498
bristle-2244
British Columbia-583, 2421, 2898
bromine 82-785
brood size-532, 1895
bubble-975
SUDR-1253

Bulgaria-605,606,2035,2036
butanol-1678,3182

C

C-4-749
CaCO₃-2498
Cadiz-49
cadmium-521,628,1740,1741,1817,1849,1982,2012,2976,3192,3229
cadmium 109-1740,1741
caffeine-3624
Cagliari-262,2892,2893,2894,2895,2896,2897,3095,3096,3097,
3098,3104,3607,3608,3609,3610
Calanus-134,2323
calcium-429,481,789,2154,2358
California-76,122,130,211,507,584,598,599,643,723,848,849,
973,1212,1216,1534,1535,1735,1737,1861,2003,2004,2005,2006,
2008,2009,2045,2086,2162,2163,2219,2220,2221,2222,2492,2503,
2512,2722,2772,2899,3020,3106,3107,3203,3244,3389,3533,3549
Callinectes-2252,3132,3133,3134,3135
caloric content-72,986,1393,2301,2478,2479,2483,3321
caloric value-729,3303,3125
calorie-3005
calorie per gm-3005
calorimetry-729
cAMP-3196
campesterol-3189
Canada-133,583,723,1471,1472,1493,1494,2297,2421,2640,2676,
2849,2898
canary-2626
Cancer-1309,1358,1757
Cancer stagnalis-2929
candicine-2239
canthaxanthin-856,1343,1897,1898,2306,2361,2362,3023,3599,
3600
cap-1196,1428
cap analog-1418
cap binding protein-1197
Cape Cod-3365
capping enzyme-3579
carbamyl phosphate-2039
carbazole-1930,1931
carbohydrase-3183
carbohydrate-271,601,640,688,1168,1278,1581,1629,2483,2553,
2644,2645,2923,3183,3267,3472
carbon-86,516,2462,2860
carbon 13-961
carbon 14-687,874,1627,1768,2038,2160,2495,2510,3160
carbon dioxide-751,2915
carbonate-250,478,481,2800
carboxypeptidase-3246
carcinogen-574
carcinogenesis-2305
Carcinus-436,1741
Cardita-3186
Caribbean-1637,2215,2669,2670
carotene-656,1621
carotenoid-818,819,820,821,855,856,1058,1343,1345,1499,1620,
1621,1816,1897,1898,1899,2359,2360,2361,2362,2557,2872,2967,
2969,3023,3207,3282,3598,3599,3600
carp-934,2171,2770,3398
carzinophilin-2343
casein-3192

casein kinase-3192,3200,3201
catalase-2743
catalog-1750
catecholamine-152,1057,2330
cathepsin-2521,2524
cavity receptor organ-1059
Cds04-2976
cell-185,299,695,749,1348,1501,1801
cell architecture
cell division-203,1122,1144,1160,1176,1253,1437,1455,2457
cell free-2274
cell isolation-2072
celllobiase-3183
cellulase-925
cement pool-1036
Central Asia-2826
centrifugation-1166,2397,2399
centromere-310,3099,3103
Centropages-134
 cercaria-1259,3595
cerophyl-1013
cesium-137-652,1073,1466,1467
Cestoda-2114,2115,2116,2717
Chaetoceros-1371,1872,3166,3585
Chaetognatha-2093
chain initiation-1368,2185,2193,2416,2417,2418,3466,3477
Chanos-441,779,1024,2910,3584
Chara-2626
charon-280
chelated metal-3184
chelation-433
chemical composition-768,1289
chemical shift-1502,1802
chemistry-199,329,816,1002,1258,1606,3125
chemostat-2924
chicken-2626,3629
chicken manure-622
Chile-2062
China-126,1619,1751,3389,3586
Chinese-648
Chiridius-36
Chirocephalus-776,1012,1344,1528,1529,1819,2159,2561,2915,
2933,3007,3108,3442
chitin-513,577,595,729,1277,1608,1609,1610,1611,1612,1613,
2658,2858,2859,2860,3125
chitinization-2658
chitin metabolism-577
chitin synthesis-1608,1609,1610,1611,1612
Chlamydomonas-2409,2941,2942
chlorobenzoate-3123
chlordane-91,2201,2202,2242,2243,2741
Chlorella-1474,3592
chloride-478,778,812,1280,2436,2800,2845,3124,3611
chloride flux-3011
chlorinated hydrocarbon-2969
chlorine-36-3201
chloroform-1239,1676,2736
chloronaphthalene-1239
chloroquine-1106
cholesterol-2503
cholinesterase-1113,2253
chorion-618,1877
Christmas Island-108,712,779,1288,1519,1520,1521,1522,3048

chromate-2558,2559
chromatin-1085,1127
chromatography-926,990,2359,2761,3323,3325
chromatophore-1058
chromium-273,274,1849,1982
chromium 51-273,274
chromocenter-308,310
chromophore-1912
chromosome-74,165,171,184,189,192,279,287,289,291,293,295,
296,297,298,299,300,308,314,435,475,477,1183,1262,1291,
1372,1373,1459,1465,1567,1692,1699,1709,1710,2112,2159,
2256,2257,2562,2563,2933,3098,3099,3103
chromosome doubling-289
chromosome length-279
chromosome number-291,293,314,1291,1372,1373,1569,1692,2112,
2256,2257,2562,2563,2933,3099
chromosome volume-165,171
Chrysophrys-1851,2798
cigarette-738
ciguatera-857,1397
circulation-2182
cistron-510
circulatory system-610,1407,2200,3358
Cladocera-3516
Cladosporium-790
Clarias-1885
clasping-3557
classification-489
Clava-1845,2479
cleavage-137,168,172,205,376,1131,1132,1135,1137,1138,1141,
1145,1146,1147,1148,1149,1150,1151,1152,1153,1154,1155,1156,
1157,1160,1161,1169,1173,1174,1175,1176,1177,1178,1184,1436,
1438,2744,2746,2886
clone-231,330,977,3353,3354
clumping-1161
Clupea-646,1461,3515
CMP-1558
CO₂-600,687,1894
coated pit-1125
cobalt-1073,1849,2342,2721,2927
cobalt 60-1073,2342,2721,2927
Coelenterata-492,596,677,729,1416,1752,1845,1899,1999,2064,
2065,2066,2463,2479,3002,3004,3121,3160,3456,3517
coenzyme-1956
colchicine-297,298,311,962,2079,3103,3433
cold-334,335,1996,2169,3521
cold storage-1996
Coleoptera-991,2600
collection-150,209,490,639,951,952,954,1288,1739,1884,2977,
3382,3417,3419
collection device-639
color-37,443,514,1338,1746,1762,1764,2502,3373
Comacchio-262
commercial-109,114,128,854,865,916,942,956,969,1213,1732,
1777,1861,2450,2618,3041,3042,3064,3126,3157,3228,3426,3501
community-32,863,3111,3546
comparative-3494,3526
competition-530
compound eye-1567,1568,2400,2401,3542,3602
concentration-652,2510,3585
Conchostraca-987
conductivity-736
cone-3542

conference-305
Confluaria-2117
conformation-2419
Connecticut-3363,3364
conservation-2903
contamination-393
conversion-2852,3057,3187,3188,3189,3190,3191
Copepoda-742,1655,3281
copper-24,25,429,431,432,433,521,529,772,1532,1777,1904,
1905,1906,1982,2111,2479,2799,2800,2801,2808,3229,3547
copper sodium citrate-521
copulation-3557
coral-729,1752
Coregonidae-1229
Coregonus-146,635,837,1463,1448,2212,3181
corn-2818
corn meal-1971
context-1179
Corophants-2239
cosmic ray-426,552,554,558,1089,1090,1304,1402,1403,2578,
2579,2580,2581
cosmos-426
cost-93,522,1229,1360,1361,1362,1640
Costa Rica-2334,2336
cotton-866,983,984,985
cottonseed-984
coultar counter-3344
counter-2258,3148,3311
counting-2975
coupling-2000,2001,2002
cow-2097
crayfish-2300
Crimea-2256,2257,2447,3410,3411,3412,2413,3414,3416,3420,
3421
critical salinity-1823
cross breeding-3162,3297
cross striation-3531
crossing over-3089
crotin-3081
crowding-1586
Crustacea-13,19,21,22,36,51,72,85,86,87,98,99,104,107,113,
126,129,134,147,148,149,150,151,322,1,327,351,395,408,419,
438,439,441,449,450,497,560,584,597,631,717,719,720,739,740,
741,759,761,762,769,822,834,844,966,972,986,1019,1039,1040,
1067,1080,1081,1216,1237,1238,1240,1241,1268,1269,1290,1309,
1357,1358,1360,1361,1362,1363,1381,1385,1386,1392,1482,1655,
1659,1660,1736,1741,1754,1755,1756,1757,1758,1773,1778,1793,
1869,1919,1932,1934,1942,1954,1970,1973,1991,1992,1993,1994,
1997,2017,2018,2032,2054,2055,2056,2043,2100,2133,2134,2135,
2136,2138,2224,2241,2246,2250,2252,2262,2263,2264,2323,2326,
2370,2372,2460,2461,2480,2481,2482,2482,2440,2641,2679,2692,
2727,2767,2776,2778,2798,2814,2815,2920,2921,2822,2823,2977,
2912,2926,2935,2943,2944,2964,2970,3017,3049,3053,3132,3133,
3134,3135,3136,3137,3161,3209,3211,3281,3310,3355,3384,3484,
3485,3511,3513,3524,3525,3526,3527,3528,3529,3532,3587,3588,
3589,3590,3596,3622
cryobiology-336,797,799,1971,1972
cryoprotectant-332,333,334,335
Crypticaps-2964
cryptobiosis-682,795,894,899,2711,2890,3266
Ctenophora-3456
Cuba-2559
Cu²⁺-1771

culture-8,19,26,50,90,95,96,101,103,104,105,116,123,124,125,
126,127,129,133,150,159,216,251,262,282,290,323,2,328,350,
355,379,382,392,393,400,403,404,412,420,446,456,457,458,490,
515,516,520,523,541,542,544,545,581,582,596,604,622,638,645,
647,648,656,712,717,718,719,726,727,728,731,744,774,775,813,
814,824,829,914,923,924,942,956,970,971,990,996,998,999,
1000,1001,1017,1019,1036,1037,1046,1050,1080,1081,1091,1111,
1117,1184,1216,1218,1224,1229,1233,1237,1240,1250,1258,1265,
1266,1269,1270,1271,1272,1275,1286,1294,1334,1355,1356,1358,
1383,1411,1416,1443,1445,1448,1473,1474,1498,1509,1519,1520,
1521,1522,1524,1532,1564,1579,1517,1640,1641,1646,1647,1648,
1660,1675,1714,1720,1721,1722,1723,1724,1725,1726,1727,1728,
1732,1754,1766,1775,1776,1777,1779,1799,1803,1804,1805,1806,
1807,1808,1812,1813,1817,1841,1842,1845,1855,1868,1879,1996,
1929,1934,1943,1959,1960,1962,1965,1967,1968,1969,1974,1994,
2011,2016,2023,2045,2064,2065,2066,2099,2133,2136,2194,2197,
2210,2227,2229,2250,2299,2319,2334,2335,2336,2351,2353,2356,
2415,2426,2463,2480,2494,2516,2526,2527,2534,2535,2537,256°,
2582,2583,2585,2603,2614,2617,2622,2623,2631,2633,2634,2635,
2636,2637,2638,2639,2652,2664,2666,2677,2679,2716,2720,2724,
2725,2731,2733,2735,2745,2748,2754,2757,2774,2779,2783,2793,
2796,2797,2812,2814,2815,2852,2878,2880,2932,2934,2936,2939,
2940,2941,2942,2960,2977,3004,3013,3030,3034,3037,3039,3041,
3049,3050,3052,3055,3056,3059,3060,3061,3062,3063,3064,3065,
3066,3068,3070,3071,3072,3074,3075,3085,3105,3120,3130,3139,
3148,3161,3168,3171,3172,3177,3178,3179,3184,3209,3213,3214,
3215,3218,3219,3226,3230,3237,3238,3243,3283,3339,3366,3371,
3378,3382,3383,3386,3388,3390,3419,3424,3425,3426,3427,3428,
3429,3431,3432,3436,3456,3484,3514,3541,3564,3588,3592,3604,
culture device-726,1411,2535,3068
culture medium-251,393,412,1579,2939,3013,3105
Curacao-1637,1915,1916,1917,2670
curly-635
current-318
cupric acetate-2800
cupric carbonate-2800
cupric chloride-2800
cupric sulfate-2800
CuSO₄-529,2111,2799
cuticular sensillum-326:
cuticle-880
cyanide-2436
cyanonaphthalene-1239
cyclic activity-1179
cyclohexamide-1150,1151,3234
cyclopropane-2736
Cyclops-153,1386
Cyclotella-3166
Cynoscion-1108,2197
Cyprinodon-8277
Cyprinus-547,548,3343
Cyprus-951,952,953
cyst-46,50,69,93,114,125,128,135,136,208,209,217,238,260,
333,336,365,379,385,388,397,398,417,426,437,448,451,
459,459,474,518,538,539,549,550,551,552,553,554,555,556,557,
558,568,570,571,581,618,625,673,675,678,679,680,682,683,685,
686,688,689,691,692,694,695,696,697,698,699,700,702,703,706,
707,708,709,711,731,732,733,754,792,793,795,797,798,799,810,
817,818,819,823,828,853,859,860,893,897,898,915,927,940,951,
952,954,957,958,959,965,969,991,1004,1005,1026,1029,1034,
1045,1047,1063,1064,1065,1073,1075,1076,1093,1107,1124,1147,
1187,1188,1202,1203,1217,1219,1223,1265,1267,1276,1288,1301,
1304,1305,1306,1328,1343,1344,1345,1351,1352,1353,1354,1379.

1399,1406,1408,1429,1430,1431,1446,1462,1501,1502,1507,1510,
1525,1570,1582,1583,1600,1605,1622,1628,1630,1631,1633,1634,
1635,1638,1639,1640,1647,1648,1649,1670,1671,1672,1677,1678,
1680,1681,1682,1683,1684,1685,1686,1687,1688,1689,1690,1691,
1695,1696,1698,1703,1704,1705,1706,1707,1708,1709,1710,1711,
1714,1726,1739,1742,1743,1789,1802,1819,1821,1822,1849,1875,
1877,1885,1886,1889,1890,1892,1919,1929,1944,1945,1946,1947,
1948,1949,1956,1957,1959,1966,1968,1970,1971,1972,1977,1988,
1997,2012,2022,2023,2038,2050,2060,2080,2082,2084,2085,2092,
2093,2094,2095,2096,2113,2121,2122,2146,2147,2148,2152,2147,
2169,2170,2185,2192,2194,2209,2238,2273,2291,2300,2312,2313,
2314,2318,2324,2327,2328,2331,2334,2339,2340,2341,2343,2344,
2345,2346,2347,2361,2362,2373,2392,2393,2394,2403,2404,2405,
2406,2407,2411,2415,2433,2434,2437,2440,2441,2442,2443,2444,
2456,2457,2462,2485,2493,2495,2516,2517,2519,2520,2522,2523,
2529,2543,2558,2559,2560,2565,2566,2567,2572,2578,2579,2580,
2617,2618,2621,2625,2626,2627,2642,2662,2680,2681,2682,2683,
2684,2685,2702,2703,2704,2705,2739,2740,2751,2758,2773,2774,
2781,2786,2787,2791,2794,2825,2849,2853,2881,2893,2895,2906,
2907,2917,2918,2919,2920,2921,2951,2954,2956,2959,2965,2971,
2973,2980,2981,2982,2984,2985,2986,2987,2988,2993,3009,3018,
3023,3033,3039,3042,3043,3047,3049,3050,3051,3052,3053,3059,
3060,3064,3065,3071,3072,3086,3094,3116,3122,3125,3126,3128,
3129,3140,3145,3146,3152,3153,3154,3155,3157,3162,3167,3174,
3175,3176,3177,3182,3206,3218,3219,3223,3224,3225,3234,3235,
3242,3243,3267,3279,3282,3286,3287,3289,3289,3290,3291,3292,
3297,3319,3320,3321,3330,3331,3333,3338,3340,3344,3368,3370,
3373,3381,3382,3383,3385,3400,3401,3404,3407,3408,3409,3411,
3412,3415,3416,3422,3425,3426,3431,3432,3433,3434,3449,3459,
3460,3461,3462,3464,3465,3466,3467,3468,3469,3473,3474,3519,
3520,3521,3574,3576,3577,3578,3597,3612,3614,3615,3616,
cyst cleaning-3407,3412
cyst color-3433
cyst dispersal-2121
cyst dissemination-1605,2300,2625,2626,2627
cyst production-260,581,915,3052,3171,3243,3370,3373
cyst shortage-3043
cyst size-46,618,732,733,1877,2084,3162,3330,3331,3338,
3344,3381
cyst storage-3340
cyst volume-673
cystic fibrosis-283,284,1591,1592
cysticercoid-1279,1518
Cystobranchus-3574
cytidine-1100
cytidine 2'-phosphate-1538
cytidylic acid-1555,1557
cytochaisin-962
cytochemistry-611,1118,1134,1162,2069,2071,2743
cytochrome C-2741
cytochrome oxidase-3285
cytogenetics-61
cytokinesis-1121,1153
cytology-143,178,279,294,302,308,310,352,526,642,701,1171,
1438,1459,2159,2307,2309,2310,2345,2346,3100,3101,3108,3313
cytoplasm-2987
cytoplasmic particle-895
cytosine-3463
cytoskeleton-962

D

DAB-1672
Dactylococcopsis-322.2
Danish-2289
Daphnia-153, 836, 1052, 1263, 1780, 2354, 2433, 2509, 2561, 2634, 2936, 2940, 3002, 3070
DAS-411
dark-962
dark adaptation-1567, 1568
DDT-91, 1421, 1422, 2078, 2242, 2243, 2453, 2493, 2747, 2969, 3123, 3178, 3544
decaploid-1459
Decapoda-1237, 3355
decapsulation-128, 392, 538, 539, 914, 934, 953, 1268, 1366, 1462, 1468, 1570, 1579, 1970, 2022, 2023, 2264, 2617, 2770, 2776, 2781, 2825, 3041, 3053, 3063, 3064, 3065, 3218, 3242, 3426, 3622
decoding-1387
decontamination-3407
degradation-1277, 2128, 2523, 2631
dehydration-685, 1370
dehydrogenase-468, 479, 487, 510, 1015, 1094, 1095, 1096, 1097, 1475, 1476, 1477, 1478, 1479, 1480, 1481, 1543, 1826, 1956, 2188, 2355, 2477, demography-533
density gradient-2374, 2376
dephosphorylation-3198, 3201, 3307
depsipeptidase-3153
desert-365, 1409
desiccation-630, 833, 1819
destabilization-3204, 3205
detergent-619, 620, 2105, 2285, 3077
development-23, 67, 68, 69, 137, 144, 187, 193, 194, 205, 206, 224, 229, 252, 262, 334, 335, 335, 357, 359, 361, 376, 379, 385, 387, 412, 413, 421, 422, 469, 500, 501, 550, 551, 552, 553, 554, 557, 567, 568, 569, 570, 586, 633, 662, 663, 671, 672, 678, 679, 681, 682, 701, 704, 710, 800, 823, 828, 842, 860, 862, 936, 963, 965, 1027, 1030, 1031, 1063, 1091, 1093.5, 1099, 1100, 1101, 1104, 1107, 1136, 1142, 1146, 1155, 1160, 1165, 1186, 1201, 1204, 1232, 1252, 1253, 1281, 1299, 1307, 1402, 1403, 1408, 1466, 1467, 1503, 1512, 1513, 1514, 1515, 1516, 1526, 1527, 1531, 1537, 1540, 1541, 1542, 1544, 1545, 1546, 1547, 1548, 1552, 1553, 1554, 1555, 1556, 1557, 1558, 1559, 1560, 1561, 1581, 1628, 1693, 1697, 1701, 1734, 1744, 1747, 1748, 1835, 1874, 1938, 1940, 1982, 2010, 2020, 2027, 2035, 2036, 2037, 2039, 2052, 2067, 2080, 2149, 2151, 2152, 2153, 2166, 2167, 2190, 2191, 2204, 2227, 2238, 2244, 2254, 2266, 2307, 2308, 2309, 2310, 2313, 2319, 2322, 2345, 2346, 2350, 2443, 2454, 2455, 2457, 2462, 2467, 2485, 2497, 2521, 2524, 2543, 2556, 2579, 2581, 2587, 2590, 2647, 2654, 2658, 2662, 2702, 2703, 2704, 2705, 2712, 2716, 2768, 2785, 2786, 2788, 2790, 2791, 2805, 2812, 2885, 2895, 2896, 2902, 2903, 2906, 2907, 2908, 2909, 2941, 2942, 2951, 2952, 2956, 2974, 2997, 2998, 3019, 3020, 3030, 3040, 3119, 3145, 3146, 3206, 3208, 3249, 3270, 3271, 3272, 3273, 3274, 3280, 3285, 3288, 3289, 3290, 3291, 3292, 3293, 3358, 3396, 3397, 3416, 3423, 3441, 3445, 3447, 3479, 3481, 3508, 3509, 3510, 3540, 3576, 3577, 3578, 3583, 3611, 3627
developmental failure-206
diacetoxyscopol-411, 3581, 3582
dichromate-453, 2013, 2540
diadenosine phosphate-2247
diadenosine tetraphosphate-2205
diapause-1966
diatom-1809
diazinon-3123
diazoacetylbutane-1671, 1672

dioxenics-826
diazinon
dibutyl phthalate-3129
Dicentrarchus-28,30,51,116,275,276,277,278,358,1355,2497,
2529,2732,2734,3237,3265
dichloroethane-1239
dichlorvos-1862
dielectric-706,707
dieldrin-1080,1082,2201,2202,3123,3178
diet-741,924,961,998,1013,1565,1580,2630,2734,2777,3023
diethyl ether-1678
diethyl phthalate-3129
diethylamine-1140
different LET-1045
differentiation-8,586,631,1539
diffusion-199,2918,2919,2920,2921,3011,3176,3225,
diffusion chamber-3347
digestibility-1278,2085
digestion-720,845,2511,2803,2804,2806
digestive enzyme-1605
digestive system-610,1255,1256,1601,1829,1830,1834,2561,3021
digitalis-321
diguanosine-35,710
diguanosine diphosphate-2958
diguanosine nucleotide-3472,3478
diguanosine tetraphosphate-11,710,1202,1203,2708,2954,2958,
3294,3467,3468,3469,3471
diguanosine tetraphosphate guanylylhydrolase-3294
diguanosine triphosphate-11,2954,2958
dihexyl phthalate-3129
Dilepididae-2116
dimethyl aminopurine-1154
dimethyl phthalate-3129
dimethyl sulfoxide-334,2621
dimilin-810,811
dimorphism-2717
dinoflagellate-3231
dinucleoside phosphatase-3461,3462,3464,3465,3466
dinucleosidase tetraphosphatase-2955,3287
dioctyl phthalate-3129
dioxin-2172
dipalmitoyl phosphatidylcholine-798
dipeptidase-368,875,876,877,3269,3272
dipeptide synthesis-629
diphenyloxazole-1785
diphosphoglyceric acid-2662
Diplodus996
diploid-175,176,178,188,189,192,194,195,279,285,286,315,371,
372,873,874,876,877,931,1692,2124,2232,2234,2236,2790,3268,
3360
disaggregation-3245,3246
disease-518,1543,1570
discussion only-3262
dispenser-3194
dispersant-617,620,1715,2302,2303,2304,3179,3512,3623
distilled water-789
distribution-1,10,16,18,20,31,32,34,40,41,43,44,45,46,47,48,
49,71,76,89,108,122,130,179,201,210,211,213,245,246,249,259,
262,272,301,323.1,324,338,340,341,342,344,345,349,362,363,
364,366,401,402,403,404,423,424,425,440,445,460,470,471,481,
491,494,507,511,512,514,517,534,536,561,562,572,573,579,583,
598,599,602,605,606,607,608,609,621,624,625,643,649,650,669,
670,713,714,715,716,721,722,723,724,734,735,736,752,776,777.

790,816,832,833,843,847,848,849,863,870,888,915,929,943,945,
946,947,951,952,953,968,973,974,975,987,988,989,990,992,
1002,1020,1021,1035,1042,1043,1044,1051,1078,1088,1189,1191,
1212,1213,1214,1216,1222,1223,1231,1234,1260,1261,1279,1285,
1288,1291,1294,1300,1301,1302,1310,1311,1312,1313,1314,1315,
1316,1317,1321,1322,1323,1324,1325,1326,1330,1331,1337,1349,
1350,1365,1394,1417,1442,1451,1453,1454,1457,1464,1465,1471,
1472,1488,1493,1494,1500,1506,1517,1518,1534,1535,1593,1595,
1606,1607,1619,1637,1645,1651,1663,1664,1667,1692,1727,1732,
1735,1737,1744,1746,1751,1764,1765,1770,1784,1794,1795,1818,
1819,1920,1828,1836,1846,1867,1877,1884,1900,1901,1915,1916,
1917,1921,1928,1935,1936,1937,1938,1939,1943,1951,1975,1977,
2003,2004,2005,2006,2007,2008,2009,2015,2035,2036,2040,2045,
2059,2061,2062,2081,2083,2084,2086,2098,2107,2108,2109,2116,
2117,2139,2159,2162,2163,2178,2189,2195,2215,2219,2220,2221,
2222,2255,2256,2257,2292,2293,2296,2297,2306,2325,2332,2349,
2369,2421,2447,2448,2450,2451,2473,2476,2488,2492,2500,2501,
2502,2503,2512,2516,2525,2529,2536,2589,2584,2594,2595,2596,
2597,2598,2599,2600,2603,2604,2605,2606,2607,2608,2609,2640,
2641,2646,2656,2667,2668,2669,2670,2673,2674,2675,2676,2686,
2699,2716,2720,2722,2726,2756,2763,2764,2765,2766,2772,2775,
2777,2780,2782,2783,2786,2825,2827,2828,2829,2848,2849,2850,
2851,2862,2877,2891,2892,2893,2894,2895,2896,2897,2898,2899,
2929,2953,2961,3007,3015,3020,3040,3042,3048,3083,3084,3093,
3094,3095,3096,3097,3098,3101,3104,3106,3107,3109,3110,3111,
3112,3126,3151,3165,3169,3170,3177,3195,3236,3244,3245,3297,
3345,3360,3363,3364,3365,3375,3376,3379,3380,3381,3388,3389,
3391,3394,3400,3401,3402,3403,3406,3410,3411,3412,3413,3414,
3416,3420,3421,3450,3452,3454,3497,3516,3518,3520,3523,3533,
3534,3535,3537,3538,3539,3545,3546,3550,3565,3566,3574,3580,
3586,3594,3603,3607,3608,3609,3610,3618,3619,3621,
dithiodiglycol 1144
Ditylenchus-2194
Ditylum-3166
diversity-1939,1940
division-141,1178
DMAP-1153
DMSO-1077
DNA-77,145,220,230,234,307,308,330,331,370,415,418,576,585,
631,801,804,805,806,840,841,875,877,1055,1061,1119,1128,
1129,1142,1366,1511,1636,1774,2031,2124,2203,2204,2205,2344,
2346,2347,2454,2575,2663,2706,2718,2746,2824,2874,2875,2876,
2886,2973,3268,3312,3350,3351,3352,3355,3463,3472.
DNA dependant-1055
DNA polymerase-576,2663,2973
DNA protein ratio-2974
DNA reassociation kinetic analysis-3350,3351,3352
DNA sequence-230
DNA sequencing-3351,3352,3355
DNA synthesis-801,2205,2454,2746
DNase-631,632,633,634,1007
DNP-1894
dolichyl sugar-2645
domain-2268
dormancy-567,569,570,684
dose curve-2120
dose rate-1703
Dow-575
DPPC-798
dredge-3417
dried-3241
drinking-3210
Drosophila-1006,3377

drug-1193,1458
dry alga-2526
dry food-1013,3032,3035
dry weight-,86,677,1660,1864,1996,2154,2301,2507,2693,3121,
3125,3144,3147,3333,3338,3596
duck-2121,2625,2626
Dugesia-3238
Dunaliella-197,1449,1450,1616,1712,1760,2941,2942,3112,3144,
3585
duplication-184
Dutch-830

E

EBI-2079
E. coli-56,461,464,465
ecdysone-3082
ecdysterone-1253
echinenone-856,1343,1621,1898,3023
Echinodermata-496
ecology-4,16,18,20,33,76,89,130,141,199,213,245,249,253,256,
257,260,329,338,339,342,344,402,404,412,478,481,484,491,519,
530,535,536,599,602,607,609,624,673,724,732,733,734,735,736,
737,742,752,847,848,863,864,953,1189,1219,1220,1285,1326,
1349,1350,1417,1449,1450,1494,1495,1500,1534,1595,1606,1607,
1652,1735,1752,1784,1820,1824,1877,1900,1901,1915,1916,1917,
1928,1937,1938,1975,2003,2004,2006,2008,2009,2083,2097,2102,
2107,2108,2138,2139,2144,2161,2162,2163,2170,2189,2195,2219,
2220,2221,2222,2255,2293,2333,2413,2414,2446,2448,2451,2485,
2492,2502,2505,2516,2536,2584,2589,2596,2597,2598,2601,2605,
2606,2607,2608,2646,2652,2667,2673,2676,2686,2772,2813,2830,
2848,2849,2851,2891,2940,2972,3003,3020,3084,3097,3101,3104,
3106,3109,3111,3112,3170,3278,3406,3414,3450,3452,3497,3520,
3539,3546,3545,3566,3607,3608,3609,3610
economic-920,2617,2518,3343,3426
ecosystem-2449,1450,
edeine-2432
editorial-2019,2539,3043
EDTA-758,2842,2844,3370,3373
education-323,2,1508,1587,1589,1614,1641,1882,2259,2260,
2261,2289
eEF-T-2993
eEF-Ts-2760,2761
eEF-T_u-852,2993,3445,
EF-1-2193,2290,2419,2420,2759,2989,2996,2997,2998,2999,3000,
3001,3080,3245,3246,3305
EF-1_a
EF-1_b-2341
EF-2-2193,2419,3576,3577
EF-Ts-2760,2761,2990,2991
EF-Tu-56,1978,2991,2994,2995,3304
effluent-3247
efficiency-97
egestion-2317
egg-128,135,136,138,139,140,141,144,217,252,614,626,627,630,
922,1034,1093,1123,1124,1125,1133,1138,1142,1145,1149,1150,
1151,1152,1154,1159,1168,1177,1179,1180,1181,1182,1184,1262,
1365,1525,1578,1670,1671,1672,1677,1739,1819,1821,1822,1885,
2050,2113,2166,2167,2170,2186,2353,2361,2444,2483,2485,2555,
2556,2579,2580,2739,2740,2741,2742,2743,2744,2746,2893,1914,
3100,3119,3206,3400,3401,3418,3506,3599,3600,3627
egg membrane-2742,2743
egg shell-861,1821,1822,2050,2186,2358,2914,3206

Egypt-201, 211, 1488,
EIF-1-3227, 3617
EIF-2-218, 2216, 2217, 2218, 2427, 3446
elf-2-1389, 3568, 3570
eIF-3-463
eL12-54, 55, 2026, 2290
EL12'-2290
elastic-1713
electric-2655
electric field-2464
electric potential-753
electrical resistance-3010
electron-1045, 1267, 1703, 1708
electron microscopy-64, 74, 135, 136, 138, 142, 143, 144, 398, 422,
461, 462, 463, 464, 465, 524, 525, 526, 535, 611, 612, 618, 749, 756, 764,
765, 766, 767, 781, 782, 784, 880, 917, 918, 919, 920, 921, 922, 1052,
1053, 1057, 1058, 1059, 1060, 1125, 1161, 1183, 1344, 1406, 1567, 1601,
1602, 1603, 1604, 1634, 1639, 1734, 1782, 1798, 1798, 1821, 1829, 1830,
1831, 1832, 1835, 1908, 1910, 1927, 1949, 1950, 2069, 2071, 2073,
2088, 2312, 2314, 2395, 2396, 2435, 2474, 2475, 2524, 2609, 2672, 2694,
2695, 2739, 2740, 2741, 2742, 2743, 3025, 3205, 3206, 3248, 3249, 3352,
3253, 3254, 3255, 3256, 3257, 3259, 3543, 3558, 3562, 3575
electrophoresis-7, 352, 406, 479, 480, 485, 486, 487, 488, 980, 1097,
1576, 1815, 1979, 2291, 2660, 2737, 2786, 2890, 3113
ELF-2-2094, 2095, 2096, 2118, 2119
elongation-3081
elongation factor-35, 56, 445, 850, 852, 1329, 1400, 1662, 1759,
1978, 2290, 2294, 2339, 2340, 2341, 2419, 2420, 2758, 2759, 2760, 2761,
2989, 2990, 2991, 2992, 2993, 2996, 2997, 2998, 2999, 3000, 3001, 3080,
3131, 3245, 3246, 3296, 3302, 3303, 3304, 3305, 3445, 3576, 3577
elongation factor 2-1662
embryo-9, 66, 68, 137, 206, 235, 237, 239, 240, 331, 367, 368, 369, 373,
376, 386, 415, 469, 496, 567, 568, 569, 571, 576, 671, 672, 675, 681, 704,
754, 830, 831, 833, 828, 851, 852, 859, 896, 897, 898, 903, 906, 907, 908,
913, 1007, 1031, 1061, 1063, 1105, 1112, 1119, 1138, 1145, 1148, 1160,
1197, 1198, 1205, 1298, 1379, 1399, 1406, 1439, 1526, 1527, 1537, 1622,
1634, 1635, 1653, 1701, 1729, 1730, 1731, 1835, 1875, 1944, 1950, 2027,
2038, 2039, 2089, 2091, 2092, 2093, 2094, 2095, 2096, 2149, 2151, 2166,
2194, 2203, 2205, 2206, 2273, 2276, 2319, 2329, 2337, 2338, 2350, 2427,
2428, 2429, 2433, 2443, 2454, 2456, 2491, 2517, 2524, 2548, 2549, 2550,
2556, 2565, 2566, 2567, 2568, 2576, 2577, 2616, 2621, 2642, 2659, 2660,
2707, 2750, 2751, 2752, 2753, 2754, 2794, 2832, 2833, 2834, 2835, 2836,
2837, 2838, 2839, 2840, 2841, 2886, 2917, 2919, 2954, 2956, 2959, 2963,
2973, 2980, 2981, 2982, 2984, 2985, 2986, 2987, 2988, 2989, 2990, 2991,
2992, 2993, 2994, 2995, 2996, 2997, 2998, 2999, 3000, 3001, 3122, 3156,
3167, 3192, 3196, 3198, 3199, 3200, 3201, 3267, 3279, 3289, 3290, 3291,
3292, 3293, 3299, 3306, 3307, 3396, 3397, 3461, 3462, 3463, 3464, 3465,
3466, 3467, 3468, 3469, 3470, 3471, 3473, 3474, 3475, 3476, 3477, 3508,
3576, 3577, 3578, 3614, 3615, 3616,
embryology-66, 68, 496, 1526, 1527
emergence-426, 861, 1075, 1305, 1306, 1649, 1673, 2579, 2581, 2647,
2724, 3009, 3234, 3519
emulsion-2103
end sac-3250
endocrine-662, 664
endocrinology-3298
endoplasmic reticulum-918, 2740
endoribonuclease-1538, 2651
endoribonuclease VI-2651
endosulfan-1863
endrin-2243, 3123, 3217
energy-128, 1278, 1824, 1825, 1827, 1860, 1885, 1926, 2140, 3003,

3142,3333
energy budget-1860
energy consumption-3333
energy content-72
energy conversion-1824
energy value-3121
England-259,2040,2656,2929
Engraulis-1642
Enteromorpha-1760
Entomostraca-255,3313
environment-164,253,485,537,3503
enzyme-23,271,384,405,406,466,467,586,595,697,836,873,875,
876,877,927,1015,1101,1106,1107,1112,1113,1114,1115,1116,
1190,1277,1296,1297,1299,1398,1492,1542,1605,1608,1609,1610,
1611,1629,1834,1920,2153,2324,2440,2442,2446,2467,2648,2649,
2650,2651,2737,2790,2805,2807,2811,2812,2844,2955,2956,2969,
2997,2998,3183,3196,3268,3269,3288,3289,3290,3291,3294,3441,
3579
eocene-1650
Ephydra-734,1285
epidermis-1253
Epinephelus-647
epithelium-1254,1601,2072,2609
EPN-1930,1931
eremophilane-594
ERG-1568
ergosterol-3188,3189,3190
Erwinia-2949
erythrocytocruorin-1656
essential factor-1229,1230
ester-406,1623,1624,1625,1873,2315
Estheria-1466
esterase-479,487,2713
estuary-3502
ethanol-1678,3009,3624
ether-1678,2357,2736,3182
ethidium bromide-510
ethoxynaphthalene-1239
ethyl ether-1676,3182
ethylamine-1140,1178
ethylene-bis(iodoacetamide)-2079
ethylene oxide-760
Euchaeta-840,841
Euglena-2389
eukaryotic initiation factor-3612,3615,3616,3617
Euphausia-1869
Euphausiacea-1934
Euphorbia-1192
Euphylopoda-1495
Europe-2061
Euromium-2588
European Mariculture Society-1952
Eurycestus-1279
euryhalinity-3210
Eurypanopeus-1018
Euterpina-26
eutrophication-1584,3026,3027,3028,3230
evaluation-1401
evolution-5,6,8,66,195,196,215,285,300,303,304,307,338,352,
478,533 615 732 1264 1368 1452 1486 1561 1746 1823 2132 2165
2295,3280,3324,3354,3355,3549
ex utero-880
exchange factor-1388,1389

excretion-372,864,1241,1563,1564,1565,2149,2342,2489,2719,
3249,2481
excretory gland-3481
excretory system-610
excystment-1742,1743,2331,2434,2748
exoskeleton-729
external morphology-1503
exuvia entrapment disease-518
eye-60,61,62,63,64,65,191,193,357,361,472,473,563,936,962,
1017,1052,1053,1056,1060,1243,1483,1484,1485,1567,1568,1587,
1588,1733,1782,1798,1852,1853,1927,2043,2053,2307,2308,2310,
2354,2400,2401,2424,2425,2464,2590,2672,2819,2930,3280,3281,
3479,3480,3542,3602,3626,
456

F

fallout-2927
farnesol-1955
fast neutron-1696
fat-1024,1278,1289,2483
fatty acid-51,380,673,769,815,1079,1580,1581,1721,1749,
1809,1881,1991,1993,1996,1997,1998,2018,2315,2733,2798,
2831,2853,2854,2913,2969,3061,3064,3297,3381,3489,3490,
3491,3492,3493,3498
fecal pellet-197,272,1041,1042,1043,1044,1457,2156,2317,
2690
feces-2625,2626
fecundity-1700,3497
feeding(feed)-13,27,28,29,30,36,70,73,85,96,97,100,104,113,
121,146,147,148,150,151,157,158,242,262,275,277,290,316,317,
318,319,322,2,337,343,351,358,382,392,404,409,444,446,498,
499,504,505,515,516,530,532,543,622,720,737,742,743,745,775,
826,864,889,924,961,971,990,998,1003,1013,1032,1039,1111,
1246,1250,1308,1334,1335,1345,1385,1468,1496,1509,1559,1646,
1647,1648,1652,1655,1658,1725,1735,1752,1760,1767,1768,1769,
1808,1812,1813,1855,1885,1934,1967,1993,2006,2023,2042,2076,
2139,2140,2155,2160,2168,2170,2175,2194,2196,2197,2210,2223,
2227,2229,2293,2298,2317,2408,2409,2412,2449,2478,2496,2497,
2509,2510,2511,2526,2527,2582,2583,2595,2603,2604,2615,2630,
2631,2637,2639,2687,2688,2689,2690,2691,2720,2721,2733,2748,
2768,2777,2788,2803,2804,2809,2810,2857,2926,2936,2937,2960,
3012,3023,3024,3030,3032,3034,3035,3050,3053,3061,3064,3085,
3105,3109,3111,3112,3142,3143,3144,3163,3166,3168,3171,3172,
3184,3202,3226,3238,3243,3326,3371,3380,3382,3388,3416,3451,
3452,3493,3514,3524,3525,3530,3536,3564,3585,3590,3592,3593
feeding density-113,148,151,277,319,343,358,409,1385
feeding device-70,242,382,2615,2857,2926,3012,3194,3326,
3371,
feeding efficiency-3536
feeding rate-3585
feeding times-13,29,30,121,146,147,150,151,157,158,275,343,
358,1039
female-531,532,533,783,784,1145,1146,1157,1339,1427,2000,
2001,2002,2285,3088
fertility-2634
fertilization-168,2057
fertilization membrane-922
fertilizer-2748
Fezzan-2332
fiber-1024,1183
filter feeding-2143
filtration-504,2511

filtration rate-504
Fimbriarioides-2115
finasol-617, 620, 2303
first publication-2929
first reference-2862
fish-3, 14, 15, 26, 27, 28, 29, 30, 51, 84, 93, 99, 102, 103, 116, 121, 129, 146, 157, 158, 209, 210, 243, 273, 274, 275, 276, 277, 278, 281, 319, 353, 354, 355, 356, 358, 378, 414, 416, 498, 499, 520, 522, 546, 547, 548, 646, 647, 655, 725, 779, 813, 817, 835, 836, 837, 838, 889, 934, 935, 956, 960, 996, 1024, 1038, 1108, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1266, 1270, 1271, 1272, 1273, 1274, 1275, 1355, 1356, 1357, 1397, 1439, 1443, 1444, 1447, 1448, 1461, 1463, 1468, 1524, 1533, 1615, 1616, 1617, 1618, 1642, 1653, 1657, 1665, 1721, 1778, 1786, 1788, 1851, 1858, 1859, 1864, 1885, 1893, 1924, 1980, 1981, 1998, 2077, 2154, 2164, 2171, 2179, 2180, 2181, 2197, 2212, 2228, 2301, 2351, 2352, 2445, 2453, 2458, 2459, 2484, 2497, 2515, 2528, 2529, 2530, 2610, 2614, 2664, 2679, 2725, 2732, 2733, 2734, 2738, 2747, 2756, 2757, 2770, 2798, 2815, 2852, 2854, 2855, 2856, 2861, 2878, 2887, 2899, 2910, 2913, 2931, 2932, 2966, 3014, 3022, 3085, 3120, 3164, 3165, 3181, 3237, 3264, 3265, 3277, 3309, 3326, 3343, 3398, 3435, 3436, 3483, 3485, 3486, 3488, 3489, 3490, 3491, 3492, 3493, 3498, 3499, 3515, 3522, 3541, 3584, 3626
fish toxin-1397
fission product-1466, 1467
fitness-269, 1419, 3087
fixation-1639, 3100
flageolate-2229
flamingo-31, 34, 669, 670, 870, 1667
Flamingolepis-1279
Flava-1718
flootation-994, 995
flounder-2201, 2202
fluorescence-1204, 2330
fluoride-1928, 2494
fluorophore-152
folic acid-1542, 1555, 1561
food-3, 13, 14, 15, 19, 27, 28, 29, 30, 31, 34, 36, 51, 72, 74, 75, 85, 86, 87, 93, 98, 99, 102, 103, 104, 107, 113, 116, 121, 126, 129, 131, 134, 146, 147, 148, 149, 150, 151, 157, 158, 159, 160, 197, 200, 209, 210, 212, 242, 243, 273, 274, 275, 276, 277, 278, 281, 319, 322, 1, 327, 343, 351, 353, 354, 355, 356, 358, 378, 395, 400, 408, 409, 411, 414, 416, 419, 438, 439, 441, 449, 450, 492, 497, 498, 499, 511, 516, 520, 522, 546, 547, 548, 580, 584, 596, 597, 646, 651, 655, 669, 670, 673, 674, 677, 717, 719, 720, 725, 729, 739, 740, 743, 744, 759, 761, 762, 763, 768, 769, 779, 813, 817, 822, 825, 836, 837, 838, 854, 867, 868, 870, 889, 934, 935, 949, 956, 960, 966, 972, 986, 991, 992, 996, 1019, 1024, 1038, 1039, 1040, 1067, 1080, 1081, 1108, 1111, 1213, 1214, 1216, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1236, 1237, 1238, 1240, 1266, 1268, 1269, 1270, 1271, 1271, 1272, 1273, 1274, 1275, 1276, 1278, 1290, 1309, 1315, 1350, 1355, 1356, 1357, 1358, 1360, 1361, 1362, 1363, 1367, 1381, 1385, 1386, 1392, 1416, 1439, 1442, 1443, 1444, 1447, 1448, 1461, 1463, 1468, 1482, 1490, 1524, 1533, 1535, 1594, 1615, 1616, 1617, 1618, 1642, 1643, 1657, 1659, 1660, 1663, 1664, 1665, 1667, 1700, 1712, 1721, 1736, 1737, 1738, 1741, 1749, 1752, 1754, 1755, 1756, 1757, 1758, 1773, 1778, 1786, 1788, 1793, 1809, 1810, 1820, 1845, 1851, 1858, 1859, 1869, 1871, 1872, 1885, 1893, 1899, 1919, 1924, 1933, 1934, 1942, 1954, 1973, 1980, 1981, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2017, 2018, 2023, 2025, 2032, 2063, 2064, 2065, 2066, 2077, 2100, 2122, 2133, 2134, 2135, 2136, 2154, 2164, 2171, 2178, 2179, 2180, 2181, 2197, 2202, 2212, 2224, 2226, 2228, 2241, 2246, 2250, 2252, 2262, 2263, 2264, 2301, 2306, 2323, 2326, 2334, 2351, 2352, 2370, 2372, 2445, 2452, 2453, 2460, 2461, 2463, 2477, 2480, 2481, 2482, 2484, 2509, 2515, 2528, 2529, 2530, 2585, 2586, 2594, 2614, 2632, 2640, 2641, 2664,

2665, 2679, 2688, 2689, 2690, 2691, 2692, 2693, 2725, 2727, 2732, 2733, 2734, 2747, 2756, 2757, 2763, 2764, 2765, 2766, 2767, 2770, 2776, 2778, 2793, 2798, 2814, 2820, 2822, 2823, 2852, 2854, 2855, 2856, 2861, 2878, 2910, 2912, 2913, 2922, 2923, 2924, 2925, 2926, 2927, 2931, 2932, 2935, 2943, 2944, 2946, 2949, 2970, 3002, 3004, 3014, 3017, 3022, 3028, 3032, 3035, 3044, 3049, 3052, 3053, 3064, 3066, 3085, 3120, 3121, 3125, 3132, 3133, 3134, 3135, 3136, 3137, 3151, 3157, 3160, 3161, 3163, 3164, 3165, 3181, 3194, 3209, 3211, 3221, 3237, 3238, 3265, 3265, 3277, 3309, 3310, 3326, 3343, 3384, 3398, 3433, 3435, 3436, 3451, 3456, 3483, 3484, 3485, 3486, 3488, 3489, 3490, 3491, 3492, 3493, 3498, 3499, 3500, 3501, 3511, 3513, 3515, 3517, 3522, 3524, 3525, 3526, 3527, 3528, 3529, 3532, 3541, 3545, 3573, 3584, 3587, 3588, 3589, 3590, 3596, 3618, 3628, 3629
food chain-197, 200, 242, 243, 273, 274, 400, 1350, 1367, 1490, 1615, 1712, 1741, 1749, 1809, 1871, 1872, 2025, 2202, 2515, 2747, 2793, 2922, 2923, 2924, 2925, 2927, 3106, 3221, 3498, 3573
foot calc-960
food concentration-2509, 2688, 2689, 2691, 3163
food cycle-2922, 2923
food density-597, 1309, 3181
food movement-2690
food numbers-3181
food only-75, 98, 99, 113, 121, 126, 134, 146, 147, 148, 150, 151, 157, 158, 275, 276, 277, 319, 322.1, 327, 343, 351, 356, 358, 408, 409, 438, 439, 492, 548, 646, 655, 725, 739, 740, 759, 761, 762, 768, 835, 837, 960, 1024, 1067, 1238, 1270, 1290, 1309, 1381, 1385, 1439, 1448, 1461, 1463, 1482, 1642, 1643, 1659, 1663, 1664, 1665, 1738, 1786, 1788, 1793, 1851, 1923, 1942, 1973, 1980, 1999, 2017, 2063, 2077, 2100, 2134, 2135, 2171, 2179, 2212, 2228, 2252, 2262, 2263, 2323, 2326, 2352, 2372, 2528, 2530, 2692, 2727, 2779, 2920, 2822, 2856, 2910, 2943, 2944, 3002, 3017, 3133, 3134, 3135, 3136, 3137, 3264, 3309, 3384, 3499, 3511, 3513, 3515, 3517, 3526, 3527, 3528, 3529, 3584, 3587, 3596
food production-3028
food size-2688, 2689,
food value-87, 131, 354, 584, 769, 972, 1273, 1274, 2032, 2585, 2586, 2767, 2798, 2855, 3064, 3451, 3524, 3525
form-164, 1342
form change-2996
Foraminifera-74
fossil-1043, 1044, 1088, 1650
fractionation-266, 1683, 1690
fracture-1639
France-34, 48, 424, 514, 584, 650, 659, 670, 968, 1279, 1331, 1365, 1442, 1563, 1664, 1764, 1935, 1936, 1937, 1938, 1939, 2107, 2500, 2501, 2502, 2525, 2594, 2716, 2862, 3042, 3107, 3391
free radical-1689, 1691, 1695
freeze-1393, 1638, 2710
freeze fracture-1639
freezing-474, 797, 799, 1077
frontal knob-3258, 3260, 3558
frontal organ-1056, 1486, 2424, 2425, 2672, 3097, 3480, 3626
frozen-276, 326, 327, 971, 1039, 1214, 1278, 3237, 3241, 3532
FUDR-1253, 2457
Fugu-2798
function-746
Fundulus-84, 1864
fungus-244, 578, 592, 738, 790, 867, 868, 869, 981, 982, 983, 984, 985, 1022, 1082, 1083, 1460, 1497, 1718, 1792, 1941, 2213, 2249, 2274, 2275, 2588, 2624, 2818, 3078, 3127, 3150, 3193, 3443, 3478
furca-2236, 2892, 2894, 2897
fusarenone-3582
fusarium-2984, 2949
fusidic acid-2183, 2184

G

G2-1126
GABA-578
gadusol-1399
galactose-2324
Gambusia-3541
gamete-1427
gametogenesis-1165
gamma ray-1045, 1140, 1649, 1708, 1709, 1710, 2579
Gammarus-1241, 1780, 2496
ganglion-2330
garnet-1560
garnet eye-1853
gas-1704, 1705, 1706, 1707, 3362, 3438
gastrula-373
GDP-1388
gene-9, 77, 78, 79, 205, 223, 225, 226, 227, 229, 230, 231, 232, 240, 802,
806, 808, 827, 852, 977, 1560, 1729, 2363, 2728, 2729, 3303, 3353, 3354,
3356, 3357, 3345
gene expression-226, 227, 1560, 1729
gene library-3303
gene mapping-230
gene number-2728, 2729
gene sequence-231
general biology-262, 292, 774, 2045, 2046, 2604, 2674
genetic-6, 7, 8, 167, 171, 179, 180, 181, 183, 186, 196, 270, 302, 303,
304, 309, 313, 315, 330, 472, 473, 474, 475, 476, 477, 479, 480, 482, 483,
485, 488, 535, 537, 635, 668, 1291, 1464, 1483, 1504, 2232, 1295, 2590,
2737, 2933, 3089, 3091, 3113, 3114
genetic isolation-1464
genome-1366, 2706, 3350, 3351, 3352
genotype-301
geographic strain-124, 131, 307, 377, 389, 390, 481, 519, 529, 531,
533, 616, 673, 674, 997, 1014, 1273, 1293, 1392, 1399, 1755, 1756, 1757,
1758, 1859, 1954, 1966, 1990, 1995, 1996, 2023, 2213, 2248, 2362, 2456,
2652, 2712, 2713, 2734, 2860, 2912, 2968, 3023, 3059, 3063, 3162, 3202,
3277, 3328, 3329, 3330, 3331, 3332, 3333, 3337, 3338, 3339, 3340, 3341,
3342, 3343, 3345, 3554
geology-1041
germ cell-299
German-999, 1000, 1001, 1002, 1435, 2307, 2309, 2310, 2369, 3141
Germany-1222, 1231, 1260, 1261, 2673, 2953
germfree-1066
germinal vesicle-1127
geryon-3136
giant-187
giant cell-185
gill-1215, 1813, 1832, 1848, 2610, 2710
glucose-2847
glucosidase-2324
Glugea-2458, 2459
Globigerinoides-343
globin-930, 2130, 2269, 2282, 3439, 3440, 3554
glycerine-3422
glycerol-469, 678, 679, 682, 7-3, 707, 708, 1328, 1511, 2711, 3560
glycine-73, 2038
glycogen-469, 862, 1096, 1174, 2194, 2312, 2794
glycolysis-468, 601, 927, 2188
glycoprotein-1905, 1906, 1908, 1909, 1910, 3233
glycosylase-415
glycosylation-2644, 2645

GMP-2572, 2708, 2709, 2955
GMP reductase-2708, 2709, 2955
gnetobiology-1006
Gomphosphaeria-1068, 1069
gonochoristic-668
Gonodactylus-
gonopod-1547, 1557, 1558
Gonyaulax-399
GP2G-2955, 3462
GP3G-2922, 2958, 3462
GP4G-2955, 2958, 3462
GppG-2955, 3462
GpppG-2955, 2958, 3462
GppppG-2955, 2958, 3462
grass-981, 982
gravity-1252, 1719, 2041
grayanotoxin-1838
grayling-2999
Great Britain-2041
Great Salt Lake-32, 89, 206, 494, 602, 721, 723, 734, 735, 736, 790, 1041, 1042, 1043, 1044, 1051, 1088, 1189, 1213, 1214, 1223, 1294, 1300, 1301, 1337, 1349, 1350, 1457, 1500, 1595, 1692, 1744, 1770, 1846, 2045, 2195, 2293, 2296, 2306, 2369, 2492, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2646, 2674, 2675, 2686, 2699, 2726, 3015, 3094, 3109, 3110, 3111, 3112, 3126, 3149, 3170, 3202, 3363, 3364, 3394, 3402, 3403, 3406, 3518, 3520, 3546, 3565, 3566, 3603
Greece-1, 621, 1877
Greenland-3516
groundwater-1346
growth-159, 246, 247, 404, 421, 459, 521, 554, 737, 840, 841, 990, 1073, 1074, 1185, 1342, 1473, 1474, 1496, 1551, 1559, 1671, 1760, 1825, 2160, 2170, 2294, 2409, 2412, 2455, 2486, 2507, 2514, 2527, 2636, 2691, 2774, 2791, 2799, 2824, 2893, 2941, 2942, 3006, 3020, 3024, 3031, 3032, 3034, 3035, 3144, 3147, 3166, 3171, 3172, 3173, 3297, 3339, 3416, 3423, 3508, 3583, 3627
growth coefficient-1473
growth rate-2284, 3024, 3035, 3297
GTP-11, 1978, 2079, 2173, 2183, 2184, 2185, 2341, 2428, 2432, 3296, 3459, 3469
GTP-binding protein-1978
GTP guanyltransferase-3459
GTP hydrolysis-3296
GTPase-2183, 2184, 2185
guanine-2340, 2428, 2758
guanosine-359, 1353, 1354
guanosine triphosphate-3459
guanyl-cyclase-2120
guanylic acid-1555
guanyltransferase-3294
guanylyltransferase-3222, 2469, 3579
Gulf of Kutch-2775
guppy-350
gusathion-3123
gut-787
gymnodinium-1068, 3231
gynandromorph-61, 482, 1833
Gynandrotaenia-1456
Gyrodinium-1523

H10-3008
 H5-3008
 habitat-481, 735, 736, 3278
 haem-2561
 haematin-1345
 Haliphthoros-2475, 3193
 Haliella-649
 halothane-1883, 2736
 Haplochromis-2887
 Haplogaster-2205
 harvesting-1865, 2975, 3126, 3431, 3432, 3456
 hatchery-1766
 Hatching-3, 90, 94, 96, 105, 107, 128, 129, 209, 214, 217, 323, 2, 328,
 355, 392, 400, 403, 417, 437, 446, 451, 458, 490, 506, 509, 515, 523, 546,
 547, 549, 551, 552, 554, 555, 556, 557, 558, 566, 567, 569, 574, 618, 626,
 648, 651, 711, 726, 727, 728, 730, 732, 810, 814, 817, 860, 861, 889, 914,
 942, 951, 952, 954, 955, 956, 970, 997, 1004, 1005, 1017, 1031, 1066,
 1075, 1090, 1191, 1217, 1219, 1229, 1236, 1237, 1265, 1266, 1267, 1268,
 1269, 1287, 1301, 1304, 1305, 1306, 1307, 1336, 1356, 1358, 1401, 1408,
 1414, 1422, 1489, 1509, 1510, 1525, 1579, 1600, 1605, 1641, 1644, 1649,
 1658, 1673, 1674, 1676, 1677, 1682, 1683, 1684, 1685, 1686, 1687, 1688,
 1689, 1690, 1691, 1695, 1696, 1698, 1704, 1705, 1706, 1707, 1708, 1709,
 1710, 1711, 1716, 1744, 1745, 1754, 1766, 1771, 1772, 1799, 1800, 1812,
 1813, 1819, 1849, 1895, 1915, 1930, 1931, 1943, 1957, 1960, 1962, 1982,
 1994, 2011, 2012, 2023, 2036, 2045, 2084, 2133, 2136, 2181, 2210, 2211,
 2223, 2244, 2344, 2347, 2351, 2371, 2373, 2411, 2426, 2434, 2437, 2460,
 2461, 2463, 2465, 2529, 2533, 2534, 2535, 2542, 2543, 2558, 2578, 2579,
 2581, 2615, 2617, 2618, 2620, 2623, 2647, 2664, 2677, 2724, 2757, 2773,
 2774, 2787, 2791, 2801, 2814, 2815, 2842, 2843, 2844, 2849, 2861, 2878,
 2880, 2899, 2931, 2932, 2945, 2946, 2960, 2965, 2977, 3004, 3009, 3030,
 3033, 3037, 3049, 3050, 3053, 3060, 3062, 3064, 3071, 3072, 3076, 3086,
 3120, 3128, 3129, 3161, 3162, 3173, 3174, 3175, 3179, 3182, 3209, 3211,
 3218, 3219, 3234, 3235, 3266, 3267, 3283, 3297, 3320, 3321, 3332, 3340,
 3341, 3342, 3381, 3382, 3389, 3408, 3409, 3415, 3418, 3426, 3433, 3437,
 3442, 3456, 3514, 3519, 3522,
 hatching device-506, 1644, 3071
 hatching efficiency-2371, 3072, 3341, 3342
 Hawaii-109, 608, 609, 1519, 1520, 1521, 1522, 2009
 Hb-1-3113, 3458
 Hb-2-3113, 3458
 Hb-3-3113, 3458
 HCB-2747
 HCH-593
 HC1-2928
 HD40-1359
 heart-1016, 1224, 2182, 2357, 2435, 2590, 2628, 3358
 heart beat-1224
 heat-1687, 1688, 1691, 2169
 heavy ion-550, 1045, 1402, 1403, 1510, 1649, 1886
 heavy metal-2333, 2437, 2453, 2974, 3229
 heavy nucleus-1402, 1403
 helix-906, 2422, 2478, 3159, 3204, 3205
 helix destabilization-2422, 2478, 3159, 3204, 3205
 helix destabilizer-2422, 2478, 3159, 3204, 3205
 hematin-1345, 2358
 heme-2561, 1573, 2276
 hemin-890, 891, 892
 hemlock-1604
 hemocoel-3842
 hemocyanin-3552, 3536

hemoglobin-37, 80, 229, 260, 480, 485, 486, 488, 559, 656, 667, 668, 791, 830, 831, 858, 932, 933, 939, 1025, 1032, 1194, 1195, 1221, 1245, 1247, 1248, 1295, 1327, 1338, 1404, 1415, 1513, 1514, 1515, 1516, 1573, 1574, 1575, 1629, 1873, 1902, 1903, 1904, 1905, 1906, 1907, 1911, 1979, 2125, 2126, 2128, 2130, 2132, 2265, 2266, 2267, 2268, 2270, 2271, 2272, 2273, 2274, 2275, 2277, 2278, 2279, 2280, 2282, 2283, 2561, 2696, 2697, 3113, 3114, 3185, 3186, 3317, 3318, 3347, 3348, 3387, 3457, 3458, 3503, 3551, 3552, 3553, 3554, 3561, 3562, 3563
hemoglobin I-2278, 2279, 2280, 3113, 3114, 3454, 3458
hemoglobin II-2278, 2279, 2280, 3113, 3114, 3454, 3458
hemoglobin III-2278, 2279, 2280, 3113, 3114, 3454, 3458
hemoglobin N-2278
hemolymph-37, 38, 39, 80, 785, 1025, 1319, 1320, 1912, 1913, 2214, 2288, 2361, 2548, 2789, 3554
hemopoiesis-1410
heparin-2989
herbicide-933, 1424, 3216
heredity-270, 3162
heterochromatin-308
heterotrophy-2484
hexachlorocyclohexane-593
hexokinase-468
hexosaminidae-1277
HGPRT-2771
HgCl₂-1280, 2845, 2976
hidden break-2365, 2366
high energy-1703
high speed-1049
high temperature-1582
histochemistry-917, 919, 1057, 1120, 1143, 1410, 1834, 2253, 2658, 2659, 2660
histology-60, 61, 62, 63, 64, 74, 524, 764, 765, 917, 919, 1056, 1204, 1254, 1255, 1256, 1410, 1601, 1798, 1821, 1832, 1925, 1926, 2069, 2071, 2073, 2113, 2307, 2309, 2310, 2354, 2579, 2694, 2695, 3021, 3247, 3250, 3251, 3253, 3254, 3255, 3256, 3281, 3313, 3314, 3315, 3316, 3510, 3531, 3555, 3556, 3558, 3601, 3602, 3625
histone-77, 78, 79, 223, 225, 226, 229, 230, 231, 232, 240, 586, 587, 588, 589, 590, 591, 802, 1085, 1086, 1087, 1511, 2027, 2568, 3008
histone gene-78, 225, 226, 229, 231, 232, 240, 802
history-1440, 1739, 1814, 1846, 1923, 2040, 3040, 3046, 3110
hnRNP-1359
Homarus-327, 438, 439, 597, 739, 740, 882, 1039, 1040, 1290, 1360, 1381, 1942, 2063, 2767, 2926, 3310, 3513
Homo-992
homogenization-2146
Honolulu-2829
HOOH-2946
hormone-663, 3082, 3298,
host-1279, 2114, 2115, 2116, 2117, 3595
Houston-575
HPP-1557
human-511, 949, 992, 1315, 2178, 2306, 3500, 3501, 3618
human food-511, 949, 1315, 2178, 2305, .
Hungary-1285
hybrid-4647, 1851, 1857, 3573
hybridization-900
Hydra-492, 1749, 1899, 2064, 2065, 2066, 2463, 3002, 3004, 3121, 3517, 379, 685, 691, 692, 694, 894, 1045, 1076, 1711, 2313, 2787, 2788
hydration reversibility-2313
hydrobiology-398, 599
hydrocarbon-381, 1997, 2305, 2453, 2969
hydrogen-86, 616, 2860, 2971
hydrogen

3-400, 613, 686, 1061, 1062, 1577, 1578, 1672, 1693, 1694, 1701, 1870,
1871, 1872, 2318
hydrogen peroxide-2946
hydrolase-359, 1292, 1623, 2010, 2254, 3294, 3296
hydrolysis-2324, 2790
hydroxylamine-1178
hydroxyurea-1141, 1142, 1144, 1146, 1177, 1180, 1181
Hymenolepididae-2114, 2115, 2117
Hymenolepis-3595
hypoxia-390 1195 3503
Hypsibius-2194
HZE-551, 556, 557

I

IDPN-2792, 2879, 2882, 2883
Iberian Peninsula-48
identification-2860
iminodipropionitrile-2792, 2879, 2882, 2883
immobilization-1239, 2305
immunology-1257, 1480, 3404, 3439, 3440
in vitro-1184
inactivation-846
inbreeding depression-3087
incubation-100
India-10, 18, 31, 245, 246, 249, 401, 402, 403, 404, 440, 445, 723, 1002,
1036, 1037, 1651, 1727, 1900, 1901, 1928, 1951, 2667, 2668, 2775, 2777,
2782, 2783, 3382
indole-3-acetic acid-1653
induction-1560
infertile egg-2914
infrared-1301
ingestion-2142, 2143, 2511, 2809, 2810, 2811, 2974
inhibition-280, 577, 666, 803, 850, 1102, 1106, 1123, 1153, 1154,
1156, 1474, 1661, 1662, 18888, 1985
inhibitor-2574, 2717, 2987, 3475, 3476, 3477
initiation complex-462
initiation
factor-218, 462, 463, 901, 976, 1199, 1200, 1388, 1389, 1632, 2095,
2118, 2119, 2193, 2418, 2427, 2428, 2429, 2432, 3446, 3447, 3470, 3570,
3612, 3615, 3616, 3617
initiation factor MP-1200
initiation factor 2-976
injection-1016
inoculation-2336, 3425, 3431, 3432, 3434
inorganic-1393
inorganic salt-481, 789, 2157
Insecta-649, 734, 1653, 3238
insecticide-91, 92, 452, 603, 1421, 1422, 1423, 2025, 2078, 2104,
2202, 2242, 2243, 2367, 2368, 2453, 2493, 3117, 3123, 3138, 3150, 3178,
3216, 3544
intake-1246
 integument-1221
 integumentary gland-1012
 intensive culture-392
 intercolli connection-3251
 intermediate host-1279, 2114, 2115, 2116, 2117
 intestine-1254, 1255, 1256, 2609, 2972
 introduction-1321
 Invertebrata-39, 496, 1295, 1878, 2019, 3185, 3186, 2561
 iodine 131-886
 ion flux-785
 ion regulation-2056, 2106, 2610, 2611

Iran-16,723,1451,2059,2488,2584,2848,3107
Iraq-20,1819,1820
iRNA-2577
iron-429,431,521,796,2801,3124,3184
iron content-2738
ISA-7,377,1755,1756,1757,1758,1995,1996,2453,2853,2911,2912,
3023,3215,330,3331,3332,3337,3338,3339,3340,3341,3342,3343,
3344
Isochrysis-2938,2939,3524,3525
isoenzyme-1086
isolation-478,484,667,668,1464,2129,3292
isomerase-479,2713,
isopycnic centrifugation-2397,2399
isoquinolone-644
isotherm-692
isotope-616,2174,2589,2860
isotope ratio-2860
isozyme-487,1094,1116,1190,2643,2712
Israel-987,988,2596,2597,2598,2599,2600,3083,2452
Italy-262,816,1394,1833,2159,2325,2632,2756,2894,2895,2896,
2897,3095,3096,3097,3098,3101,3104,3107,3236,3360,3400,3401
3607,3608,3609,3610
Izmir-3265

J

Japanese-1274,1803,1804,1805,1929,2410,2411
jellyfish-3456

K

Kai anchoe-447
Karsewar-10
Karyokinesis-1121
Karyotype--1,2256,2257,3099
Kauai-608
KCN-3217,3234,3235
Kepone-243
Key-263
Kiatuthianna-724
Kidney-3251,3253
Killdeer-2627
Kinase-850,976,1398,2616,2767,2771,2950,2955,3196,3197,3199,
3200,3201
Koeppeniana-1078
Kutch-2775
Kuwait-1715
Kuyalnik Liman Reservoir-1794,2109

L

L7-L12-59
lab experiment-2321
labrum-2885
lactic acid-939,3317
lactic acid dehydrogenase-2188
lactic dehydrogenase-468,479,510,1015,1093.5,1094,1095,1096,
1097,1393,2188
lactoserum-1013
lake-71
Lake Bol'shoe Otar-Mojnakskoe-3421
Lake Dzharylgach-3421
Lake Mailinovoe-3580

Lake Popovskoe-3421
Lake Sasyk-Sivash-3421
Lake Urmi-2499
lamarckism-2295
larva-9, 24, 46, 60, 61, 62, 63, 65, 67, 81, 82, 105, 155, 208, 239, 248,
252, 262, 263, 311, 325, 332, 336, 367, 368, 369, 370, 372, 373, 374, 376,
380, 385, 388, 394, 396, 398, 418, 421, 422, 434, 451, 453, 459, 500, 501,
559, 592, 594, 620, 625, 653, 674, 726, 747, 750, 754, 755, 756, 758, 760,
778, 801, 807, 808, 810, 823, 851, 857, 873, 874, 875, 876, 944, 945, 956,
977, 997, 1004, 1005, 1014, 1015, 1022, 1028, 1031, 1047, 1048, 1049,
1056, 1070, 1072, 1074, 1092, 1093, 1099, 1101, 1103, 1112, 1113, 1114,
1115, 1186, 1187, 1206, 1217, 1239, 1252, 1253, 1258, 1277, 1290, 1281,
1283, 1308, 1359, 1414, 1422, 1466, 1467, 1475, 1476, 1477, 1478, 1479,
1480, 1481, 1497, 1503, 1512, 1523, 1531, 1552, 1553, 1554, 1555, 1556,
1561, 1562, 1563, 1578, 1588, 1596, 1602, 1603, 1608, 1609, 1610, 1611,
1623, 1624, 1625, 1628, 1673, 1676, 1693, 1697, 1713, 1716, 1717, 1726,
1785, 1800, 1837, 1838, 1849, 1864, 1894, 1919, 1945, 1958, 1959, 1969,
1988, 1991, 1996, 2011, 2012, 2033, 2037, 2039, 2069, 2070, 2071, 2072,
2073, 2080, 2084, 2127, 2129, 2145, 2188, 2192, 2203, 2238, 2240, 2244,
2258, 2259, 2260, 2261, 2267, 2276, 2277, 2278, 2284, 2305, 2318, 2319,
2333, 2436, 2439, 2454, 2457, 2462, 2469, 2470, 2471, 2472, 2478, 2485,
2493, 2495, 2497, 2540, 2543, 2548, 2549, 2550, 2552, 2556, 2587, 2620,
2624, 2648, 2649, 2650, 2651, 2657, 2659, 2660, 2693, 2698, 2712, 2716,
2723, 2724, 2777, 2786, 2789, 2792, 2799, 2800, 2807, 2808, 2811, 2818,
2824, 2845, 2846, 2853, 2879, 2885, 2896, 2904, 2905, 2908, 2909, 2911,
2913, 2915, 2946, 2949, 2951, 2952, 2974, 2977, 3005, 3006, 3014, 3016,
3023, 3031, 3046, 3117, 3123, 3127, 3152, 3153, 3154, 3155, 3156, 3162,
3173, 3174, 3175, 3178, 3179, 3193, 3202, 3204, 3232, 3240, 3245, 3246,
3268, 3280, 3297, 3303, 3305, 3336, 3338, 3361, 3381, 3392, 3408, 3449,
3508, 3512, 3540, 3547, 3581, 3582, 3602, 3623,
larval size-46, 3064, 3162, 3202, 3338, 2408
LAS-2285, 2077
Latin America-3157
Laysan Island(Atoll)-607, 608, 609, 2009, 2829
LD 50-2367, 2368
LDH-468, 479, 510, 1015, 1093.5, 1094, 1095, 1096,
1097, 1393, 2188
lead-521, 1817, 1928, 2145, 2493, 2801, 3229
Leander-436
Lebistes-1809
Leiostomus-3541
Lepomis-3014
Leptodius-1080, 1081
lethal dose-1425
LET-1045
lettuce-1304
Leudothrix-3025
Leuresthes-2181
LiC12-2176, 3611
libinia-85, 408, 1392
Libya-949, 992, 1330, 2178, 2292, 3394
life cycle-1640, 2009
life history-50, 71, 535, 834, 942, 1408, 1938, 2410, 2699, 2891,
2972, 3045, 3046, 3058,
life shortening-2234
life span-266, 532, 533, 537, 731, 1423, 1670, 1820, 2318, 2601, 2768,
3092, 3149, 3497
light-17, 374, 375, 397, 427, 493, 562, 732, 744, 861, 936, 962, 1017,
1251, 1258, 1263, 1265, 1487, 1567, 1568, 1571, 1572, 1586, 1587, 1595,
1614, 1641, 1719, 1733, 1782, 1798, 1855, 2041, 2053, 2127, 2210, 2248,
2305, 2381, 2382, 2388, 2392, 2393, 2394, 2400, 2401, 2464, 2533, 2723,
2774, 2845, 2846, 2915, 2916, 3031, 3033, 3034, 3037, 3049, 3050, 3060,
3071, 3076, 3230, 3320, 3321, 3332, 3495, 3542

light adaptation-1567,1568,2400,2401
light scattering-2381,2382,2388,2392,2393,2394
limb-1091,2000,2001,2002,2619,2694,2695
limb movement-1091,2000,2001,2002
Limnadia-1486,2424
Limnetis-2424
limnology-71,338,491,624,723,943,1020,1472,1651,1652,2059,
2108,2162,2163,3104,3109,3619
lindane-91,2078,2242,2243
lipase-377,875,876,3269
lipid-380,640,1079,1168,1393,1543,1550,1561,1612,1629,1749,
1794,1809,1996,2315,2316,2370,2733,2826,2831,2832,2853,3125,
3132,3267,3472
lipoprotein-879
liposome-1613
lipovitelline-878,879,881,884,886,887,1105,1107,2524,3292,
3599,3600
liquid air-3521
liquid hydrogen-2971
liquid nitrogen-2971
lithium-413,739,2176,3611
lithium chloride-2176,3611
little Artemia-741,798
live food-1238,3032,3035
locomotion-1796,17972047,2248,2881
Loligo-1643
Lophius-1439
low temperature-1525,2971,3597
Lower California-1735
LSC-686
lupine alkaloid-1193
Lupinus-2239
Lymnaea-3563
lymphocyte-3108
lysase-2573,2955
lysine-3222
Lysmata-1241
lysosome-2517,2522,2523,2524,3441

M

m7G-1196
Macrobrachium-13,87,107,148,149,151,395,419,651,720,769,
1019,1268,1361,1363,1773,2100,2133,2134,2135,2136,2224,2241,
2326,2372,2460,2461,2679,2943,2944,2964,2970,3049,3053,3209,
3327,3529
macroolecule-2374,2387
magnesium-218,481,1982,2154,2217,2218,2356,2647,2843,2844,
3124,3421
magnetic field-1004,1005,1307,3173,3174,3175,3441
malate dehydrogenase-479,1475,1476,1477,1478,1479,1480,1481
malathion-3123
male-524,532,533,1340,1877,2000,2001,2002,2285,3089,3090,
3092,3095,3101,3258,3260,3543,3555,3556
Mammalia-3500
mandible-1252,2431,2885,3262,3263
mandibular gland-3481
manganese-2342,3184
manganese 54-2342
Manicina-729
mannitol-789
mapping-808,2091,2706,3356,3357
MAPS-2087,2088,2089

mariculture-3385
marker-2122
marketing-3126
mass culture-50,123,124,125,127,457,458,515,516,541,542,544,
718,924,1019,1026,1037,1046,1216,1233,1240,1336,1383,1524,
1646,1647,1648,1675,1714,1720,1721,1725,1726,1727,1728,1776,
1777,1779,1965,1969,2210,2334,2335,2336,2351,2353,2537,2583,
2622,2652,2666,2725,2731,2745,2748,2793,2796,2797,2815,3013,
3034,3041,3050,3052,3055,3056,3059,3060,3063,3064,3071,3075,
3130,3139,3161,3168,3209,3214,3215,3378,3383,3388,3390,3431,
3432,3588,3592
Massachusetts-3363,3364,3365
maturation-165,166,168,172,184,1131,1135,1141,1144,1149,
1150,1151,1152,1157,1175,1530
Mattesia-2612
maxilla-1252,2885
maxillary gland-1834,2355,3247,3248,3249,3250,3251,3253,
3254,3479,3480,3481
meat-603
median eye-191,2308,2672,3280,3602
medicine-945,2019
Mediterranean-534,990,1764
Meganyctiphantes-1240,1973
meiosis-176,203,302,637,1146,1183,1436,1455,3101,3103
membrane-135,798,922,1060,1125,1433,1434,1631,1632,1944,
1945,1946,1947,1948,1949,1950,2314,2402,2407,2550,2742,2743,
2963,3021,3220,3542,3627
Menidia-353,354,355,356,378,655,1998,2854,2855,2856,2913
Menippe-85,1392,1788,2301,3137
mercaptoethanol-1137,1144,1174,2744
mercaptoethylamine-1695,1696
mercuric chloride-778,812,1280,2436,2845,2976
mercury-521,771,772,773,778,812,1280,1817,1982,2434,2436,
2493,2845,2846,2873,2976,3232,3547
Mesopotamia-1453
metabolism-371,379,386,387,388,390,391,572,676,683,685,687,
688,689,691,692,693,694,699,700,705,757,820,821,855,1064,
1065,1096,1220,1341,1353,1354,1379,1492,1499,1542,1549,1550,
1562,1580,1621,1627,1629,1825,1827,2441,2662,2687,2826,3059,
3122,3207,3405
metabolite-1022,2588
metachromatic granule-138,1135,1167
metachrony-2000,2001,2002
metal-198,200,432,963,1849,1982,2302,2304,2333,2437,2453,
2873,2974,3184,3229
metamere-3510
Metapenaeus-150,2776,2964
metavanadate-2558,2559
methanogenesis-2492
methanol-1679,3009
methionine-874,1561
method-57
methoxychlor-91,2242,2243
methyl mercury-812
methylcytosine-3463
methyamine-1178
methylation-2329
methylnaphthalene-1239
Metschnikovia-714,715,716,1792,1941,2249,3078
Mexico-323.1,624,625,1216,1291,1735
microbiology-208
microcapsule-1594,1767,1768,1769,1993,2798
Micrococcus-1668

microcosm-2016,2415,2922,2923,2924
microencapsulation-1594
microfibril-918
micronucleus-1172
microinjection-1016
micronized waste product-924
microparticle-1993
micropuncture-2789
microsome-1099,1100,1101,1609,1610,1611
Microsporidium-713
microsporine-1399
Microstomus-1616
microtubule-2087,2088,2089
microtubule assembly-2841
microvillus-611,1782
microwave-706,709
midgut-1255,1256,1829,1830
migration-732
Milhauseri-1078
milkfish-1778
mineral-1289,2969,3125,3488,3489
Miscolon-621
mitochondrial DNA-2874,2875,2876
mitochondrion-139,330,331,398,510,764,1169,1734,1835,2039,
2146,2148,2149,2151,2152,2153,2874,2875,2876,3288,3289,3290,
3291,3292
mitosis-172,1119,122,1126,1128,1131,1132,1134,1146,1154,
1155,1160,1180,1181,1436,1437,1438,1709,1710,2345,2454,
mitotic figure-1132
modeccin-2294,3080
model-696,2809,2810
modification-164
Moina-22,87,741,2940,3488
molecular clone-3354
molecular size-2378
molecular weight-791,2288,2378,2392,2554,3562
Mollusca-448,496,1204,1643,3186,3552,2563
molting-1277,1530,2490,3298,
molting hormone-3298
molybdate-2558,2559
Momordica-2120
Mono
Lake-122,130,507,643,848,849,1079,1212,1534,1535,1737,2003,
2004,2005,2006,2007,2008,2009,2162,2163,2219,2220,2221,2222,
2503,2772,3106,3244,3545,3594
monoamine-153,154
monoaminergic-154
monoxenic(monoxic)-626,2437,2938
Monochrysis-2939
Montastrea-729
Monterey-3020
more words-108,120,125,127,132,133,156,310,323.1,389,391,
429,430,433,447,484,519,540,580,615,661,750,822,916,923,934,
963,967,1018,1040,1191,1341,1365,1371,1383,1462,1506,1585,
1589,1594,1599,1618,1657,1722,1723,1724,1736,1751,1775,1801,
1803,1804,1805,1806,1810,1865,1868,1924,1967,1974,1988,2021,
2067,2099,2107,2164,2211,2246,2283,2302,2304,2377,2452,2465,
2482,2532,2564,2571,2593,2654,2655,2659,2665,2671,2687,2700,
2701,2713,2735,2745,2778,2779,2848,2858,2859,2884,2888,2934,
2935,2953,2970,2975,3044,3057,3066,3074,3116,3130,3141,3163,
3164,3168,3195,3213,3236,3239,3266,3312,3319,3327,3328,3329,
3349,3366,3385,3386,3424,3427,3428,3448,3463,3509
morphogenesis-1123

morphology-5,43,44,65,88,161,167,190,201,247,248,294,320,
329,352,360,443,503,525,526,610,671,672,737,777,781,782,783,
842,916,921,944,1078,1146,1219,1231,1260,1261,1283,1391,
1405,1407,1408,1417,1451,1484,1485,1503,1508,1528,1529,1541,
1602,1744,1763,1784,1784,1796,1797,1798,1832,1921,1922,1925,
1926,1927,1939,1940,2020,2028,2029,2045,2046,2058,2073,2170,
2186,2198,2199,2200,2236,2259,2260,2261,2308,2320,2322,2400,
2401,2424,2425,2431,2455,2506,2513,2653,2714,2715,2724,2768,
2813,2851,2863,2864,2865,2866,2867,2868,2869,2870,2871,2893,
2929,2953,2961,3007,3020,3069,3079,3115,3247,3248,3249,3250,
3251,3257,3258,3259,3260,3261,3262,3263,3281,3315,3358,3393,
3420,3442,3479,3480,3481,3558,3627,
Morocco-1312
Morone-2747
morphine-2723
mosquito-3238
moultинг-1277
mouth-1246
mouthparts-1252,1308
mortality-594,662,663,1717,1838,1862,2227,2444,2455,2698,
3866
movement-737,780,1091,1169,1215,2000,2001,2002,2225,2248,
2690
mRNA-240,495,852,893,901,910,1187,1188,1196,1198,1282,1418,
1428,1429,1430,1431,1432,1433,1434,1511,1631,1636,1729,1730,
1731,1889,1890,1948,1949,1955,2126,2273,2287,2390,2329,2403,
2404,2405,2406,2407,2565,2567,2577,2841,2951,2952,3145,3146,
3158,3167,3198,3199,3222,3304,3308,3447,3567,3568,3569,3571,
3579
mRNA particle-2841
mRNP-906,913,1187,1944,1945,1947,1948,1949,1950,2574,2577,
2754,2841,2990,2981,2982,2983,2984,2985,2986,2988,3167,3197,
3200,3201,3304,3307,3447,3571
Mucor-578
mucus-1752
Mugil-30
mud-945
muscle-1204,1391,1796,1797,2619,2694,2695,3531
mutagen-1671
mutation-267,300,309,313,473,476,483,635,1483,1560,1671,
1852,1853,3091
mycotoxin-410,411,527,528,594,815,866,1022,1023,1460,1489,
1497,2624,2698,2818,3016,3505,3581,3582
Mylio-1981
myogenic-2357
Mysidopsis-1755,1759,1992,1993,1994,1995
Mytilus-1616

N

Na₂CO₃-2946
Na₂SnO₃-2946
NaBr-789,1301
NaCl-789,2434
NaCN-2436
NADH2-1393
NADPH:GMP-2709
Nanking-1619
naphthalene-1239
naphthalenemethanol-1239
naphthol-1239
narcotic-1371
NaSO₄-789,871

natamycine-1717
natural history-201, 255, 1451, 1953, 2656, 2768, 2813, 3608
Nebraska-723, 2189
neck organ-756, 1602, 1831, 1832, 3625
Nematoda-795
Neomysis-3622
Neopanope-85, 3136
neoteny-246
nerve-61, 62, 1796, 2819
nervous system-60, 61, 62, 64, 65, 153, 154, 193, 254, 361, 422, 563, 610, 1052, 1053, 1057, 1059, 1060, 1243, 1484, 1485, 1486, 1528, 1529, 1530, 1566, 1567, 1568, 1796, 1797, 1926, 1927, 2043, 2053, 2330, 2354, 2400, 2401, 2424, 2425, 2672, 2819, 3079, 3313, 3314, 3315, 3316, 3479, 3480, 3601, 3602, 3625, 3626
neurogenic-2357
neurohemal organ-1529, 1925
neuron-153, 154, 193, 422, 1796, 1797, 2330, 2354, 2660, 3601
neurosecretion-, 254, 563, 1528, 1529, 1926, 2053, 3313, 3314, 3315, 3316, 3601
neurotoxin-2792, 2882, 2883
neutron-1305, 1696, 1709, 1710
neutron scattering-1507, 3224, 3225
Nevada-847, 973
New Mexico-491, 723
new species-713, 1814, 2563, 3363, 3364
newspaper-582
New Zealand-1732, 3497
nick-2365
nucKAl-1849, 1928
nicotine-1016, 3624
Niger-470, 471
nitrobenzene-1817
nitrogen-86, 6616, 770, 1492, 1704, 1968, 2462, 2860, 2971
nitrogen content-416
nitroprussate-2560
nitrous oxide-1705
Nitzschia-2941, 2942, 3166
NMR-570, 707, 708, 176, 180, 2, 1802, 2917, 2918, 2919, 2920, 2921, 3176
no artemia-809, 1326, 1645, 2138, 2140, 2141, 2142, 2143, 2144, 2374, 3534, 3537
nocodazole-2079
no dormancy-3096, 3097
no english-3239
no male-1877
no words-2, 12, 117, 118, 119, 202, 623, 676, 950, 1491, 1850, 1880, 1963, 1964, 1986, 1987, 1989, 2348, 2591, 2592, 2661, 2762, 3029, 3036, 3301
nomenclature-2539
North America-363, 975, 2476
North Dakota-973
northern blot-3303
Notostraca-987, 1493, 2029
nuclear cistron-510
nuclear number-2456
nuclear size-47, 175, 288, 293, 294, 931, 2245
nuclear volume-2886
nuclease-804, 1539
nucleic acid-613, 840, 841, 859, 1098, 1162, 1163, 1164, 1165, 1166, 1187, 2158, 2190, 2191, 2423, 3299
nucleic acid binding-2423
nucleic acid synthesis-1098

nucleolus-143,1117,1130
nucleoside diphosphate kinase-2707
nucleoside monophosphate kinase-2955
nucleotidase-2572
nucleotide-11,145,746,1352,1353,1354,1388,1978,2363,2364,
2433,2771,2955,3122,3325,3353,3354,3468,3469,3472,3478
nucleotide binding site-1978
nucleotide exchange factor-1388
nucleotide metabolism-3122
nucleotide sequence-2363,2364,3353,3354
nucleotide synthesis-2771
nucleus-47,165,171,175,233,288,291,293,294,394,801,805,931,
1085,1118,1134,1137,1170,1774,1876,2027,2124,2245,2344,2718,
2954,3152,3153,3154,3155,3156
nutrition-100,101,159,377,450,656,743,825,845,1013,1018,
1334,1390,1449,1450,1541,1544,1545,1546,1547,1548,1549,1550,
1551,1553,1554,1555,1556,1557,1558,1559,1562,1563,1565,1580,
1652,1990,1992,1995,2048,2076,2155,2160,2175,2495,2496,2630,
2632,2635,2637,2639,2798,2802,2803,2805,2807,2809,2810,2812,
2854,2938,2941,2942,3005,3023,3035,3142

O

oats-1083
ocellus-60
octoploid-286
Odessa-1795
Odontesthes-655
OER-1707
oil-617,938,1930,1931,1998,2103,2173,2302,2303,2304,3229,
3512
oil dispersant-1715,2302,2303,2304,3129,3623
oleic acid-566
oligo(A)-3279
oligosaccharide-1612
oligonucleotide-1984,1985
omochrome-357,1058,1852,1853
oocyte-139,140,141,143,263,612,636,637,1118,1120,1125,1127,
1129,1130,1164,1166,1170,1182,1332,1333,1697,2031,2052,2235,
2741,2742,2743
oogenesis-203,265,289,611,1118,1139,1146,1162,1694,2233,
2933,3095
oogonium-1697
Oplegnathus-1274,1275
Orchestia-1942
optic ganglion-2330
Oregon-752,973
organic matter-745,3455
organic solvent-1676,1678
organic waste-1600
organohalide-2974
orientation-780,1251,1719,1733,2041,2044,2047
origin-190,195
origin of life-1376
Ormiston Lake-210,3165
Oryzias-1872
osmoregulation-21,22,214,341,345,347,348,747,749,753,764,
786,787,788,844,1295,1318,1319,1320,1347,1348,1495,1535,
1590,1652,1784,1831,1847,1848,1849,1918,2054,2056,2070,2102,
2106,2131,2176,2177,2214,2355,2584,2601,2602,2610,2611,2629,
2671,2730,2789,2873,3010,3011,3210,3220,3314,3482,3514
osmosis-2068
osmosity-735,736

osmotic effect-1950
osmotic pressure 346, 2465
Ostend-3367
ouabain-204, 659, 660, 755
ovary-139, 140, 141, 613, 614, 919, 1129, 1145, 1164, 1578, 1697, 2031,
2052, 2361, 2716, 3627
overfeeding-2412
overripe-1136
oviduct-784
oviparity-45, 397, 1217, 1219, 2048, 3096, 3097, 3359, 3373
ovisac-2885
ovoviviparity-45, 397, 1969, 2048, 3361, 3373
ovoviparous-1701
ovum-168, 613
oxygen-388, 389, 390, 402, 417, 469, 616, 656, 755, 831, 858, 939, 940,
941, 1025, 1031, 1033, 1195, 1245, 1247, 1249, 1265, 1295, 1327, 1338,
1339, 1340, 1340, 1396, 1512, 1516, 1641, 1649, 1704, 1705, 1706, 1707, 1820,
1894, 1900, 2041, 2048, 2097, 2125, 2141, 2210, 2255, 2317, 2477, 2583,
2601, 2654, 2667, 2668, 2860, 3049, 3050, 3053, 3060, 3071, 3122, 3173,
3235, 3266, 3285, 3317, 3318, 3347, 3348, 3362, 3370, 3373, 3429, 3430,
3450, 3553, 3554, 3620
oxygen binding-831, 3554
oxygen consumption-389, 755, 1339, 1340, 1396, 1894, 2317, 2601,
3173, 3620
Oxyrrhis-2923, 2924
oyster-243

P

p21-1978
PABA-2842
Pacific-101
Pagurus-449, 717, 1270, 1272
paint-1424
pair mating-1597, 1598
paired eye-191
Palaeomon-51, 113, 436, 584, 1238, 1660, 2032, 2692, 2815, 2524, 3525,
3526, 3529
Palaemonetes-72, 986, 1392, 2640, 2641, 2822, 2823
Pandalus-3527, 3529
Panuliris-972, 1659, 3188
Paralichthys-157, 1615, 1665, 3120, 3522
Parartemia-340, 341, 342, 579, 843, 888, 1316, 1317, 1318, 1319, 1320,
1322, 1323, 1324, 1325, 1326, 1645, 1921, 1975, 2132, 2138, 2139, 2140,
2141, 2142, 2143, 2144, 2255, 2850, 3534, 3536, 3537, 3538, 3539, 3550
parasite-244, 713, 714, 715, 716, 790, 1259, 1279, 1449, 1450, 1456,
1518, 1761, 1792, 1941, 2114, 2115, 2116, 2117, 2213, 2249, 2458, 2459,
2474, 2475, 2609, 2612, 2887, 3025, 3078, 3193, 3252, 3253, 3254, 3255,
3256, 3595
parathion-3125, 3178,
parthenogenesis-49, 162, 163, 165, 166, 170, 172, 173, 177, 179, 184,
189, 192, 195, 262, 267, 268, 270, 289, 302, 360, 405, 406, 407, 472, 480,
500, 501, 530, 531, 535, 536, 637, 641, 964, 965, 1136, 1262, 1333, 1455,
1459, 1819, 1820, 1833, 1877, 2057, 2170, 2236, 2245, 2555, 2556, 2712,
2780, 2956, 3095, 3096, 3097, 3098, 3101, 3322, 3360, 3392, 3393, 3399,
3400, 3401, 3504, 3506, 3586
particle-337, 895, 1944, 2298, 2841
passage of food-2122
pathobiology-1761
PCB-1930, 1931, 2453
PCDF, 1930, 1931
PCP-3216
PCQ-1930, 1931

Penaeus-51, 98, 104, 107, 147, 150, 351, 497, 719, 759, 762, 914, 966,
1067, 1269, 1362, 1385, 1793, 1919, 1933, 1954, 1991, 2262, 2263, 2264,
2372, 2481, 2482, 2798, 2814, 2815, 2935, 2964, 3161, 3187, 3188, 3211,
3237, 3384, 3484, 3532, 3587, 3588, 3589, 3590, 3596
Penicillium-3505
Penilia-21, 2509
penis-2885
pentachlorophene-1982
pentane-2736
pentanol-1678
pepsin-836
peptidase-368
peptide-57, 666, 886, 1400, 1654, 1856, 1857, 1891, 2091, 2130, 2183,
2184, 2294, 2432, 2680, 3445
peptide chain initiation-2163, 2184
peptide mapping-2091
peptide synthesis-1654, 1856, 1857, 2680
peptine initiation-1891
Perca-416
peritrophic membrane-3021
permessibility-880, 2621, 2710
permittivity-706
peroxidase-2740, 2742, 2743
peroxide-566, 2946
Persia-1453, 2488
Peru-947, 1943, 2062
pesticide-603, 1865, 2025, 2747, 2969, 3117
petrochemical-2620
pH-253, 402, 567, 568, 569, 570, 571, 601, 836, 1244, 1766, 1940, 2168,
2542, 2922, 2973, 3020, 3049, 3050, 3053, 3607, 3608, 3609, 3610
Phaeodactylum-505, 3166
phagocyte-2051
phagocytosis-3255
phalarope-1737
pharmacology-644
phenanthrene-1239
phenakpton-3123
phenotype-288, 1561
Philippines-114, 123, 124, 914, 915, 2622
Philopthalmus-1259
Phoenicopterus-1442, 1456, 1738, 2085, 2114, 2594, 2763, 2764, 2765,
2766, 3151
phenomenone-594
phorbol ester-1837
phosphatase-369, 405, 406, 479, 873, 875, 877, 920, 1114, 2324, 2524,
2660, 2793, 3198, 3201, 3269, 3274, 3307, 3461, 2462, 3464, 3465, 3466,
3606
phosphate-1866, 2039, 2104, 2253, 2546, 2662, 3124
phosphatidyl choline-798, 1099
phosphoglucose-2713
phospholipid-798, 1099, 1100, 1101, 1130, 1749
phosphoprotein-3295, 3296
phosphoric acid-1182
phosphorus-603, 2154, 2317, 2462
phosphorus 32-1419, 1420, 1426, 1490, 1866, 2347, 2602
phosphorylase-2794
phosphorylation-657, 976, 3197, 3201
photo-2724
photography-318, 1047, 1048, 1049
photoperiodicity-397, 1595
photoreception-1566, 1567, 1568, 2930
photoreceptor-3321

phototaxis-17,374,375,493,1587,1588,1614,1733,2127,2248,2845,2915,2916,3232
phototoxicity-1785
phototropism-562,1263,2464
phthalate-207,1623,1624,1625,3128,3129
phthalate ester-1623,1624,1625
Phyllopoda-502,839,2504,3108,3516
phyllquinone-2514
phylogeny-1452,3355
physiology-656,748,786,787,823,825,830,936,941,1030,1031,1204,1207,1258,1325,1368,1407,1535,1763,1922,2055,2056,2155,2182,2327,2328,2401,2487,2489,2490,3318,3405,3494,3495,3496,3551,3559,2560
Phytolacca-3131
phytoplankton-752,3380
phytotoxin-594
piceatannol-1192
Pictata-1604
pigeon-2626
pigment-357,822,1028,1058,1242,1243,1343,1345,1384,1404,1492,1499,1568,1620,1621,1629,1744,1798,1816,1852,1853,1897,1898,1899,1907,2360,2872,2967,3207,3282,3598
plaice-2798
planaria-1236,3238
plankton-273,274,744,994,995,1350,1461,1473,3417,3593
Planorbis-3563
plant-177,2239,2240,2717,2947
plasma-2051
platelet-393,614,879,1105,1107,2147,2148,2149,2150,2151,2152,2361,2438,2440,2441,2443,2642,2948,3206,3286,3288,3289,3290,3291,3459,3464,3465,3466,3469,3472,3599,3600
Platyhelminthes-1236,3238
Platymnas-159,2939,2941,2942
Pleuronectes-14,15,416,1617,2725,2756,2932,3264
ploidy-1,6,45,164,170,173,175,176,178,180,183,186,187,188,190,191,192,193,194,196,261,263,267,279,285,286,288,291,294,300,314,371,372,564,873,874,876,877,931,1303,1435,1569,1774,2124,2232,2233,2234,2236,2237,2245,2790,3268,3360
plume-2161
PMR-2917,2919,1920,2921
Pocillopora-677
Podiceps-763,2117
podophyllotoxin-2079
pokeweed-846,1329,1661,1662
polar body-2555,2556,3391
pollutant-52,131,1982,2014
pollution-198,200,381,1600,1715,2195,2430,3367
poly(A)-851,904,913,925,926,1632,1679,1747,1748,1875,1946,2402,2405,2406,2407,2567,2749,2750,2751,2753,2832,2833,2834,2835,2836,2837,2838,2839,2840,2841,2963,2979,2980,2981,2982,2983,2984,2985,2986,3019,3279,3306,3308
poly(U)-2265,2904,2905
polyacrylamide gel-1194
polyadenylation-2749,2750,2752,2754,2839
polyadenylic acid-903
polyamine-1085,1891
Polyartemia-1486
polyene-2557
poliomyelitis-1584
polymer-2387
polymerase-220,221,226,233,234,235,236,237,238,394,418,576,585,800,828,829,882,1055,1511,1527,1729,1730,1731,1747,1748,1876,2203,2204,2468,2470,2471,2472,2663,2702,2703,2704,2705,

2749, 2750, 2751, 2752, 2753, 2824, 2832, 2833, 2834, 2835, 2836, 2837,
2838, 2839, 2840, 2900, 2901, 2902, 2903, 2904, 2907, 2908, 2909, 2973,
3152, 3153, 3154, 3155, 3279
polymerase I-2468, 2470, 2471, 2472
polymerase II-800, 2472
polymerization-2605
polymorphism-163, 167, 169, 487, 1513, 2813, 3115
polypeptide-1195, 1197, 1199, 1200, 1232, 1388, 1389, 2092, 2094,
2096, 2185, 2193, 2294, 2416, 2417, 2418, 2680, 2681, 2682, 2683, 2684,
2685, 3180, 3446, 3447, 3570, 3612
polypeptide chain initiation-2193, 2416, 2417, 2418, 3447
polypeptide synthesis-2680, 3180
polyphenylalanine synthesis-3133
polyploidy-407
polyprenol-1609, 1611, 2644
polyribonucleotide-3203
polyribosome-1947, 1948, 1949
polysaccharide-1131
polysome-90, 1377, 1378, 1380, 1875, 1944, 1945, 1950, 2129, 2272,
2276, 2393, 2394, 3439, 3440, 3506
polyspermy-1159
popular-582
population-1, 7, 16, 40, 41, 43, 44, 47, 50, 307, 310, 323.1, 478, 480,
487, 533, 534, 535, 559, 625, 668, 752, 763, 848, 1291, 1349, 1412, 1500,
1596, 1598, 1826, 1860, 1877, 2006, 2007, 2009, 2084, 2108, 2109, 2144,
2284, 2325, 2978, 3348, 3603
population density-1877, 2284
Porites-729
Portugal-1977, 2349, 2720, 3375, 3376, 3379, 3380, 3381
Portunus-3188
post-treatment-1691
potassium-478, 754, 2154, 2356, 2602, 2843, 2844, 3124, 3420
potassium dichromate-453, 2013, 2540
potato-2949, 3606
poultry-2122
power plant-1854
practical exercise-3431, 3432
prawn-51, 1482, 1778, 2370, 2372, 3528
precocene II-1957
prehumidification-618
predation-763, 2413
predator-2293
prey-2293
preservation-959, 1446, 3242, 3422, 2597
pressure-994, 995, 1077, 2543, 1719, 2945, 2962
price-2570
primer specificity-2750
problem solving-2289
procainamide-1458
processing-3126
production-114, 260, 581, 915, 1412, 2110, 3052, 3112, 3177, 3243,
3368, 3370, 3373, 3383, 3433, 3455, 3462
productivity-2848, 3172
proflavin-1147, 1149
proline-1627
pronucleus-142
propanol-1678, 3009
propylamine-1178
protease-565, 878, 1107, 1296, 1297, 1298, 1299, 1393, 1902, 1903,
1904, 1905, 1908, 1909, 1910, 1914, 2128, 2337, 2338, 2438, 2439, 2442,
2443, 2447, 2468, 2469, 2470, 2471, 2518, 2519, 2520, 2522, 2523, 2803,
2956, 3269, 3271, 3473, 3474
protease D-565

protease inhibitor-2337,2338,2956
protein
protein factor-2769,3629
protein kinase-850,976,3196
protein synthesis-280,462,463,690,758,853,890,891,892,902,
1126,1156,1158,1232,1377,1378,1380,1492,1549,1622,1632,1634,
1635,1636,1654,1789,2092,2093,2094,2095,2096,2118,2119,2217,
2218,2265,2274,2329,2422,2430,2566,2567,2568,2681,2682,2683,
2685,2717,2760,2761,2769,2950,2994,2995,3081,3234,3462,3475,
3476,3477,3507,3568,3569,3571
protein synthesis inhibitor-3475,3476,3477
proteinase-873,875,1104,1105,1908,1909,1910
protectant-334,335,336,1971,1972
proton-1276,1305,1306,1702
protocerebral-842
Protozoa-74,75,343,935,2458,2459,2612,3530
Pseudomonas-2925
Pseudopleuronectes-1858,1859,2552,
pteridine-1058,1542
Ptychodus-1069,2213
Puerto Rico-973,3450
purification-2551,2740
purine-1541,1545,1553,1554,1555,1556,1557,1559,1562,1564,
1565,2037,2038,2771,2955,3299,3300,3462
puromycin-1152,1155,1558
pyrethrin-3117
pyridine-1239
pyrimidine-1541,1552,1553,1556
pyrophosphohydrolase-3467

Q

quality control-131
Quinoa-2239

R

rabbit-218,892,2991,2992,3131
raceway-458
radiation-81,82,83,84,203,261,263,264,265,266,268,269,304,
417,426,448,454,455,459,474,549,550,551,552,553,554,555,556,
557,558,636,637,652,653,654,1045,1072,1073,1074,1075,1076,
1089,1090,1185,1186,1267,1283,1304,1305,1306,1332,1333,1402,
1403,1419,1420,1425,1426,1427,1466,1467,1510,1577,1578,1596,
1597,1598,1649,1670,1671,1672,1673,1680,1681,1682,1683,1684,
1685,1686,1687,1688,1689,1690,1691,1695,1696,1697,1698,1702,
1703,1704,1705,1706,1707,1708,1709,1710,1711,1740,1741,1886,
2080,2174,2192,2230,2231,2232,2233,2234,2235,2237,2238,2318,
2343,2344,2347,2578,2579,2580,2581,2589,2590,2593,2657,2721,
2787,2791,2881,2927,3006,3018,3087,3088,3090,3092,3103,3149,
3395
radioactivity-1426
radiobiology-2192
radioimmunoassay-3449
radioisotope-2515
radionuclide-454
radiotracer-1241
rare male-3095
rat brain-578
rat liver-2101
Rattus-578,1119,1413,2101,2957,3125
RBE-1708,1709,1710
rDNA-3357

receptor organ-1057,1059
recirculation-3013
recommendation-2968
recovery-2235
recycling-2532
red color-1764,2502
red eye-422,1853
Red Sea-2596,2597,2598
red tide-1069
redesiccation-1711
reductase-2708,2709,2955
reference cyst-3047,3051
refractive index-2392
refringent granule-1171
regeneration-1109,1110,2892,2894,2897
release-1753
release factor-2608,2682,2683,2684,2685
removal-2914
reovirus-629
repeat unit-2575
repeated DNA-806
repetitive DNA-307
reproduction-1,50,161,166,170,260,262,302,397,472,529,530,
531,532,533,536,537,810,811,812,967,1028,1032,1291,1405,
1408,1419,1420,1421,1422,1423,1424,1466,1467,1595,1596,1597,
1598,1652,1699,1700,1744,1784,1825,1877,1895,1915,2007,2009,
2046,2048,2074,2170,2285,2318,2449,2654,2699,2716,2799,2825,
2851,2893,3037,3040,3069,3077,3087,3088,3090,3092,3345,3359,
3361,3381,3396,3397,3408,3413,3506,3557,3591
reproductive isolation-667,668
reproductive system-610,613,783,784,1145,1146,1157,3543,3555,3556
research-2019
reservoir-2466,3621
residue-91
resistance-2232,3175
resistance increase-3175
respiration-38,81,82,386,388,396,469,689,742,757,931,938,
939,940,941,944,1027,1054,1061,1064,1066,1070,1072,1093.5,
1395,1396,1535,1825,1827,1922,2138,2139,2141,2148,2173,2303,
2327,2328,2477,3140,3142,3175,3266,3317,3318,3430,3559,3620,
respiratory system-610
restriction endonuclease mapping-3356,3357
restriction mapping-808,2706
retardation-2412
retinula cell-3542
retinular cell-2930
reversibility-882,1142,1155,2313
review-6,33,42,48,66,68,109,110,111,115,123,145,177,190,196,
205,222,224,241,284,292,305,306,317,338,341,342,346,348,393,
407,427,428,496,536,560,563,564,640,654,676,683,684,693,698,
701,722,745,759,775,780,783,794,795,817,825,845,854,914,940,
969,970,971,1056,1121,1123,1158,1176,1189,1196,1201,1207,
1220,1221,1229,1242,1251,1264,1282,1295,1336,1347,1348,1357,
1360,1361,1362,1363,1364,1376,1382,1384,1396,1406,1409,1412,
1452,1492,1496,1504,1511,1514,1526,1583,1629,1636,1640,1652,
1702,1761,1781,1784,1787,1816,1839,1840,1841,1842,1843,1844,
1847,1874,1923,1952,1966,1990,2016,2047,2054,2055,2056,2102,
2123,2125,2127,2131,2155,2165,2174,2182,2192,2198,2199,2200,
2230,2231,2237,2266,2271,2290,2321,2370,2387,2430,2480,2484,
2487,2489,2490,2502,2506,2513,2536,2537,2538,2541,2548,2570,
2571,2589,2590,2611,2614,2631,2633,2646,2679,2711,2715,2717,
2726,2730,2788,2819,2821,2826,2877,2900,2903,2931,2958,2966,

2968, 2969, 2979, 3008, 3040, 3045, 3046, 3050, 3052, 3054, 3056, 3058,
3062, 3063, 3066, 3073, 3084, 3107, 3110, 3138, 3185, 3186, 3243, 3269,
3315, 3316, 3345, 3362, 3369, 3372, 3374, 3387, 3405, 3431, 3432, 3444,
3447, 3455, 3460, 3485, 3489, 3494, 3495, 3496, 3507, 3530, 3536, 3538,
3539, 3540, 3548, 3549, 3559, 3560, 3561, 3583, 3598,
rhabdom-63, 1053, 1060, 1782
rhabdomere-1053, 1060, 1782
Rhithropanopeus-450, 1392, 1754, 1756, 1757, 2017, 2912, 3136, 3511
Rhodomonas-2938, 2939
Rhodotorula-1760
ribonuclease-1537, 2904, 2905, 3270
ribonucleoprotein-901, 912, 913, 926, 1359, 1875, 1950, 2574, 2749,
2963, 2979, 2980, 2981, 2982, 2983, 2984, 2985, 2986, 2988, 3197, 3307
ribosome-53, 54, 55, 58, 232, 280, 461, 462, 463, 464, 465, 629, 665,
666, 675, 807, 809, 846, 850, 907, 909, 911, 979, 1008, 1009, 1010, 1011,
1084, 1197, 1199, 1200, 1257, 1293, 1329, 1375, 1377, 1378, 1380, 1387,
1398, 1400, 1429, 1430, 1431, 1441, 1622, 1630, 1631, 1633, 1634, 1635,
1636, 1661, 1662, 1666, 1668, 1669, 1679, 1790, 1791, 1815, 1856, 1857,
1887, 1888, 1889, 1890, 1892, 2026, 2101, 2165, 2185, 2193, 2291, 2294,
2312, 2363, 2364, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383,
2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395,
2396, 2397, 2398, 2399, 2419, 2429, 2432, 2565, 2566, 2567, 2568, 2575,
2684, 2717, 2759, 2816, 2817, 3019, 3080, 3131, 3196, 3197, 3212, 3227,
3276, 3295, 3296, 3324, 3325, 3377, 3404, 3470, 3549, 3567, 3568, 3572,
3575, 3605, 3613, 3614, 3615, 3616
ribosome density-2389
ribosome mass-2389
ribosome size-2389
ribosome structure-2389
rice
bran-516, 622, 1013, 1760, 1968, 2582, 2583, 2852, 3024, 3061, 3388,
3590
ricin-1329, 1662, 3080, 3081, 3605
river-3621
RNA-77, 79, 219, 220, 221, 228, 229, 230, 233, 234, 235, 236, 237, 238,
239, 370, 394, 418, 495, 585, 632, 665, 690, 704, 781, 800, 802, 806, 807,
808, 809, 828, 829, 840, 841, 851, 853, 875, 877, 882, 883, 900, 905, 908,
909, 910, 911, 912, 921, 925, 977, 978, 979, 980, 1008, 1009, 1010, 1011,
1055, 1084, 1118, 1126, 1148, 1166, 1174, 1188, 1196, 1197, 1198, 1282,
1293, 1387, 1398, 1418, 1428, 1429, 1430, 1431, 1527, 1626, 1630, 1631,
1632, 1633, 1636, 1666, 1729, 1730, 1731, 1747, 1748, 1873, 1876, 1946,
2119, 2126, 2130, 2183, 2184, 2287, 2344, 2347, 2363, 2365, 2366, 2390,
2391, 2402, 2403, 2404, 2405, 2406, 2407, 2416, 2417, 2418, 2422, 2427,
2428, 2429, 2432, 2468, 2470, 2471, 2472, 2507, 2508, 2565, 2568, 2576,
2649, 2650, 2702, 2703, 2704, 2705, 2728, 2729, 2744, 2749, 2750, 2758,
2900, 2901, 2902, 2903, 2906, 2907, 2908, 2909, 2951, 2952, 2987, 3019,
3145, 3146, 3147, 3152, 3153, 3154, 3155, 3158, 3159, 3199, 3204, 3205,
3222, 3227, 3268, 3270, 3275, 3279, 3308, 3323, 3324, 3325, 3353, 3354,
3356, 3357, 3567, 3568, 3569, 3571, 3572, 3579, 3606, 3613, 3614, 3615
3616
RNA gene-77, 79, 3353, 3354, 3357
RNA polymerase-220, 221, 228, 233, 234, 235, 236, 237, 238, 800, 828,
829, 882, 1055, 1527, 1867, 2470, 2471, 2702, 2703, 2704, 2705, 2900,
2901, 2902, 2903, 2906, 2907, 2908, 2909, 3152, 3153, 3154, 3155
RNA polymerase I-2470, 2471, 2472
RNA polymerase II-800, 2472
RNA polymerase III-2472
RNA synthesis-394, 690, 883, 3154, 3155
RNP-1944
RNP particle-1944
rod-2395, 2396
Romania-272, 460, 561, 562, 713, 714, 715, 716, 2756, 3093
rotenone-3216

Rotifera(rotifer)-98,160,1067,2527,3171,3172
Rottnest Island-1593
rRNA-232,802,806,807,977,978,1010,1011,1084,1293,1387,1666,
2363,2365,2366,2728,2729,3275,3276,3328,3353,3354,3356
rRNA gene-2363,3353,3356
Russia-210,572,573,606,638,649,945,946,1667,1746,1794,1795,
1818,1828,1884,2015,2109,2116,2117,2256,2257,2447,2448,2450,
2451,2595,2786,3007,3075,3084,3093,3107,3165,3410,3411,3412,
3413,3414,3416,3454,3580,3619,3621
Russian-38,639,1282,1878,1880,2074,2446,2755,27843239
ruthenium 106-1712

S

S6-1791
Saccharomyces-59,1669,2816,2817,2900,3377
Saganus-546
Sagitta-2693
Sahara-511,1020,1035,1315,2332
salina-1078,1235
salinity-5,33,44,81,82,83,84,88,104,161,163,167,169,204,212,
214,246,247,248,250,253,260,320,329,341,402,434,443,446,451,
469,508,509,573,600,663,673,730,735,736,751,756,757,758,764,
765,767,788,789,826,849,952,970,1002,1014,1033,1054,1070,
1074,1092,1093,1098,1102,1185,1186,1249,1265,1281,1295,1318,
1319,1320,1330,1339,1340,1342,1346,1479,1481,1487,1495,1496,
1505,1508,1516,1525,1534,1535,1547,1590,1591,1592,1606,1627,
1629,1641,1646,1647,1648,1673,1674,1716,1742,1743,1765,1800,
1823,1827,1832,1840,1843,1844,1844,1900,1918,1935,1936,1937,
1943,1962,2033,2035,2036,2048,2058,2097,2102,2157,2177,2210,
2222,2255,2295,2322,2356,2409,2414,2434,2500,2501,2502,2505,
2506,2516,2540,2542,2593,2601,2602,2629,2653,2654,2667,2668,
2673,2676,2691,2714,2724,2757,2773,2777,2789,2825,2849,2863,
2864,2865,2866,2867,2868,2869,2870,2871,2873,2893,2895,2896,
2945,3049,3050,3053,3060,3071,3104,3161,3178,3184,3314,3337,
3366,3373,3382,3388,3396,3397,3406,3409,3416,3420,3450,3482,
3497,3523,3580,3591,3607,3608,3609,3610
Salmo-2154,2852,2899
Salmonella-326
salt-32,89,206,,212,402,403,481,494,512,602,721,723,734,735,
736,747,748,750,753,758,766,767,944,1102,1103,1603,
1609,2069,2070,2071,2072,2073
salt gland-747,748,750,753,758,766,767,944,1102,1103,1603,
2069,2070,2071,2072,2073
salt lake-32,89,206,402,403,494,512,602,721,723,734,735,736,
790,1041,1042,1043,1044,1051,1088,1189,1213,1214,1223,1294,
1300,1301,1337,1349,1350,1457,1500,1595,1692,1595,1692,1744,
1770,1846,2045,2195,2293,2296,2306,2369,2492,2603,2604,2605,
2606,2607,2608,2609,2646,2674,2675,2686,2699,2726,3015,3094,
3109,3110,3111,3112,3126,3169,3170,3202,3363,3364,3394,3402,3403,3406,3433,
3518,3520,3546,3565,3566,3603
salt field-1765
salt gland-747,748,750,753,758,766,767,944,1102,1103,1603,
2069,2070,2071,2072,2073
salt lake-32,89,206,402,403,494,512,602,721,723,734,735,736,
790,1041,1042,1043,1044,1051,1088,1189,1213,1214,1223,1294,
1300,1301,1337,1349,1350,1457,1500,1595,1692,1595,1692,1744,
1770,1846,2045,2195,2293,2296,2306,2369,2492,2603,2604,2605,
2606,2607,2608,2609,2646,2674,2675,2686,2699,2726,3015,3094,
3109,3110,3111,3112,3126,3169,3170,3202,3363,3364,3394,3402,3403,3406,3433,
3518,3520,3546,3565,3566,3603
salt manufacture-3169,3228
salt marsh-1762,2502

salt pan-1036
salt pond-3243,3433
salt production-862,864,865,2622
saltwork-865,3055
Salton Sea-2086
Sambhar Lake-404,1900,1901,2783
sampling-1470
San Bartolomeo-3096,3097,3098
San Francisco-1294,1739,2492,2512
San Francisco Bay-2492
San Gilla-262,3096,3097,3098
Santa Barbara-3533
Sardinia-1464,1465,2325,3095,3096,3097,3098,3101
Saskatchewan-972,1471,1472,2297,2640,2641,2676
scattering-932,1507,2381,2382,2388,2392,2393,2394,3224,3225
Scianenops-157
Scopthalmus-1038,1355,1618,1924,2528
Scyphozoa-596
SDH-2477
SDS-57
seabass-1778
seahorse-1533
season-1322,2109,3411,3414
seaweed-2720
Sebasticus-2798
secretion-765,781,782,917,921,1254,1255,1256
sediment-1042,2143,3502
sedimentation-1008
segment formation-3509,3510
SEM-272,1267,1344,1414,1603,1638,1639,1932,2064,2071,2073,
2087,2186,2474,2885,3257,3258,3259,3260,3261,3262,3263,3517,
3519
Senegal-1313
sense organ-842,1486
sensillum-3257
sensitivity-261,263,493,636,1332,1333,
sensitization-1705,1706,1707
separation-209,651,955,1732,1954,2038,2351,2533,2534,2535,
2814,3013,3070,3071,3072,3597
Sepia-3552
sequence-58,78,230,231,930,979,980,1293,1366,1730,1731,2216,
2268,2269,2280,2282,2311,2363,2364,2728,2729,3353,3354,3355
sequence conservation-2728,2729
sequencing-3305,3324,3351,3352
serotonin-152
Sesarma-85
Sete-2673
sevin-3123
sewage-102,106,112,1584,1745,2251,3230
sewage treatment-102,106,112,2207,2208,2793,3026,3027,3028,
3030
sex-435,473,536,642,1339,1340,1373,1426,1530,1586,1746,1951,
2564,2714,2890,3091,3098,3149,3421
sex chromosome-3098
sex determination-435,642,1373,2564
sex difference-1339,1340,1426,1746
sex linkage-473,3091
sex maturation-1530
sex ratio-1951,3421
shape-2714
shell-69,861,1143,1344,1821,1822,2050,2186,2314,2358,2483,
2914,3206,3519
shell gland-781,782,917,918,919,929,921,1143

Shirabil Lake-16
shrimp-19,84,102,126,243,761,762,1216,1482,1970,2370,2372,
2778
sibling species-479,1465,2737,3345
silicate-3124
Sillago-1980
Siphonophora-409
Sinai-989,2599,2600
single-cell protein-924
sinus gland-3601
sitosterol-3187,3188,3189
Sivash-2015,2786,3619
size-56,47,169,175,186,246,288,293,294,296,421,543,617,732,
733,823,931,997,1054,1877,1878,1895,1951,2084,2144,2245,
2378,2389,2455,2688,2689,2969,2974,3014,3064,3162,3202,3330,
3331,3338,3344,3381,3408,3620
skeletonema-3166
sludge-2333
smoke-738
socosyl-620
sodium-481,754,1215,2843,3124
sodium 22-3221
sodium 24-785,3210
sodium chromate-2558,2559
sodium citrate-2489
sodium flux-3001
sodium hypochlorite-1570
sodium lauryl sulphate-620,2033,2540
sodium metavanadate-2558,2559
sodium molybdate-2558,2559
sodium nitroprussate-2560
sodium pentachlorophenate-1982
sodium tungstate-2552559
solar lake-2596,2597,2598,2600,3083,3452
Solar salt production-862
solar saltworks-865
Solea-3,121,416,520,960,1038,1224,1355,1468,1617,2529,2815
solvent-1676,1678
somatic-295,296,297,407
somatic effect-2230
South America-832,833,2062,2081,2098,2851
southern blot-3303
Spain-40,41,42,43,44,45,46,47,48,49,929,1191,2516,2756,2825,
3042
Sparus-27,29,30,51,319,2530,2815
spasm-1838
spasmodic response-1838
speciation-6,8,307,484,1264
spectral sensitivity-493
sperm-215
spermatogenesis-1163
spermatozoon-215,524,525,5261159,1167,1171,1172,3090,3543
spermidine-1654
spindle-1436,1437
spirochete-3252,3253,3254,3255,3256
Spirulina-622,1013,1760,2526,3202
Spongodrynus-75
spruce-1604
St. Martin-2670
stable isotope-616,2860
Stachybotrys-1083,1818
staining-3100
standard test-1992,2541

standardization-2014, 2531, 3073, 3334, 3335, 3336
Stapelia-2239
starch-322.1, 2806, 3127
starvation-1563, 2478, 2805
statistic-2714, 2715
statocyst-563
sterigmatocystin-3581, 3582
sterility-1426, 1465, 1596
sterilization-1570, 2415
steroid-1364, 2784, 3082, 3448
sterol-436, 1364, 1794, 1795, 2316, 2370, 2503, 2755, 3188, 3189, 3190, 3191
stigmasterol-3189
stimulation-1673, 2167, 3437
stocking-2445
stoichiometry-2554
storage-128, 795, 957, 958, 1076, 1107, 1265, 1996, 2831, 3064, 2412, 3340
stratification-1487
streptocephalus-1867, 2299, 2300, 2435, 3108, 3167
streptomycin-948
stress-2247
strontium-413, 455, 652, 653
strontium 85-652, 653
strontium 90-455
structure-69, 136, 461, 464, 465, 936, 2312, 2320, 2322, 3185, 3186, 3203, 3575
sturgeon-210, 414, 1443, 1444, 3436
substrate-2327
subtilisin-2268, 2270, 2275
subunit-54, 221, 657, 658, 659, 791, 1194, 1266, 1574, 1887, 1888, 2216, 2280, 2281, 2311, 2363, 2379, 2380, 2381, 2382, 2383, 2385, 2386, 2547, 2553, 2554, 2901, 3019
succinic dehydrogenase-2355, 2477
sucrose-2842
sucrose gradient-2398
Sudan-2332
sugar-2644, 2645
sulfate-453, 478, 481, 620, 2033, 2559, 28003124, 3420
sulfate lake-858
sulfide-1025
sulfonamide-325
sulfur-2434
summary-2783, 3110, 3499
supernumerary gonopod-1547, 1557, 1558
superoxide dimutase-510
supply-522
surface area-1066
surfactant-619
survival-83, 251, 856, 1014, 1074, 1306, 1371, 1497, 1540, 1849, 2657, 2941, 2942, 2946, 31118, 3202, 3339
suspension-316, 317, 2298
swimmerette--2695, 2872, 3091
swimming-318, 1244, 1251, 1308, 1405
symbiont-2609
symposium-120, 241
synchrotron-1702
Synoscion-158
synthesis-280, 394, 462, 463, 629, 680, 690, 758, 801, 853, 883, 890, 891, 892, 902, 1098, 1126, 1156, 1158, 1232, 1377, 1378, 1380, 1415, 1492, 1549, 1608, 1609, 1610, 1611, 1612, 1622, 1632, 1634, 1635, 1636, 1654, 1789, 1856, 1857, 2037, 2092, 2093, 2094, 2095, 2096, 2118, 2119, 2205, 2217, 2218, 2265, 2274, 2329, 2422, 2430, 2454, 2549, 2550, 2566,

2567, 2568, 2680, 2681, 2682, 2683, 2685, 2717, 2746, 2760, 2761, 2769,
2771, 2950, 2994, 2995, 3081, 3131, 3154, 3155, 3180, 3234, 3300, 3462,
3475, 3476, 3477, 3507, 3568, 3569, 3571
synthesis-SYN
Syria-324
systematic-287, 303, 306, 839

T

Tadorna-2085, 2115
taka-diastase-900
Tanakius-1270
Tanymastix-1012, 1310
Tardigrada-795
Tasmania-3534
taxol-2082
taxonomy-5, 170, 171, 174, 182, 245, 255, 256, 257, 287, 303, 304, 306,
312, 320, 324, 352, 425, 443, 445, 460, 479, 481, 489, 502, 534, 650, 668,
776, 839, 947, 968, 973, 975, 1078, 1222, 1260, 1295, 1302, 1310, 1311,
1312, 1313, 1316, 1317, 1394, 1417, 1440, 1486, 1576, 1619, 1763, 1784,
1784, 1811, 1814, 1836, 1922, 1923, 1953, 1961, 1976, 2024, 2028, 2029,
2030, 2049, 2061, 2062, 2075, 2098, 2476, 2504, 2513, 2525, 2539, 2613,
2827, 2828, 2863, 2864, 2865, 2866, 2867, 2868, 2869, 2870, 2871, 2961,
3046, 3093, 3195, 3208, 3363, 3364, 3375, 3376, 3444, 3453, 3516, 3535,
3550
technique-94, 95, 1470, 2374, 2376, 2382, 2545, 2546, 3100
telophase-1122
temperature-104, 250, 332, 333, 334, 335, 336, 386, 389, 397, 402, 412,
413, 452, 528, 597, 636, 673, 735, 752, 754, 952, 970, 1014, 1015, 1026,
1033, 1034, 1070, 1074, 1077, 1186, 1258, 1265, 1287, 1301, 1307, 1332,
1333, 1395, 1396, 1525, 1531, 1551, 1581, 1582, 1606, 1629, 1641, 1674,
1677, 1687, 1688, 1698, 1700, 1800, 1839, 1843, 1844, 1854, 1855, 1971,
1972, 2074, 2082, 2097, 2127, 2161, 2168, 2169, 2286, 2343, 2540, 2542,
2647, 2657, 2667, 2668, 2691, 2710, 2719, 2748, 2773, 2777, 2825, 2830,
2863, 2864, 2865, 2866, 2867, 2868, 2869, 2870, 2871, 2915, 2962, 2971,
3037, 3049, 3050, 3053, 3060, 3071, 3140, 3149, 3161, 3162, 3163, 3178,
3202, 3235, 3285, 3318, 3337, 3396, 3397, 3415, 3418, 3423, 3452, 3520,
3521, 3531, 3585, 3597
template-851
tensid-434
ten years-1678
tenuazonic acid-866
teratogen-2975, 2976
teratology-1817
terminal-59
terminal residue-3323
termination-2682, 2683, 2685, 3180
terminus-428
ternary complex-2769
terramycin-3025
testis-3543, 3555, 3556
tetrachlordibenzo-p-dioxin-2172
Tetrahymena-2386, 2389
tetramethylthiuramdisulfide-2889
Tetranychus-155
tetraphosphate-710, 1202, 1203, 2706, 2708, 2954, 2958, 3467, 3468,
3469, 3471
tetraploid-173, 175, 176, 177, 178, 180, 183, 186, 187, 188, 189, 192,
193, 194, 267, 279, 285, 286, 288, 289, 314, 315, 372, 873, 874, 876, 877,
931, 1303, 2124, 2232, 2234, 2790, 3208
Tetraselmis-3026, 3027, 3028
tetrazolium-1826
Texas-106, 112, 723, 943, 1607

Thailand-3177,3425,3434
Thalassiosira-3166
thaw-2710
theory-2413
thermophilic-869
thermotolerant-869
thiol protease-2520,2522,2523
THO-1577
Thor-2820
thoracopod-2885
Thraustochytrium-244
thymidine-1062,1544,1555,1561,3006
Tibet-723,1651
tidal marsh-3278
Tigriopus-1270,2639,2938,2939,3488
Tilapia-1665
time-957,1686,2445
Tisbe-26
tobacco3624
toluene-1817
toluidine blue-1167
topless-1579
Tortanus-134
toxaphene-91,2242,2243,2367,2368,3502
toxicity-52,207,325,353,381,399,411,430,432,452,592,593,617,
627,628,771,773,815,867,869,1050,1280,1469,1623,1624,1625,
1715,1771,1772,1785,1837,1863,1955,1958,1983,2012,2013,2103,
2104,2105,2239,2302,2303,2304,2333,2493,2499,2514,2531,2540,
2587,2636,2700,2800,2888,2889,2978,3016,3073,3117,3118,3123,
3127,3138,3150,3179,3229,3327,3334,3335,3336,3443,3505,3544,
3548,3623
toxicology-377
toxin-207,857,867,868,869,935,937,981,982,983,985,1069,1082,
1083,1397,1413,1523,1718,1881,2947,2948,2949,3229,3231,3548
training-872
transcarbamylase-23
transcription-228,233,236,803,804,806,827,1536,1876,2466,
2874,2875,2876,2902,2903,3156
transfer-3221
transferase-1613
transformation-2863,2864,2865,2866,2867,2868,2869,2870,2871
translation-,1418,1429,1636,1679,1729,1730,1731,1889,1984,
1985,2126,2576,2577,2651,2684,2754,2950,2952,3200,3571,3606
translational inhibitor-2987
translocation-1329
transmutation-2347
transphosphorylase2760
trehalase-271,383,384,601,2959
trehalose-383,469,680,682,798,1029,1096,1511,1628,2194,2711,
3248,3560
Trematoda1259
triad-2695
trichothecene-411,1082,1083,1489,2948
trichothecin-411
Trieste-1394
triggering-3033
Triops-1344
trioxide-2946
triphosphatase-657,658,659,660,751,1103,2311,2544,2554
triphosphate-11,2033,2616,2954,2957,2958,3300,3459,3468,3469
triphenyl tin acetate-1982
triphenyl tin fluoride-1982
triploid-315

Tripoli-2332
tritium1577,1578,2318
tRNA-219,239,665,1292,1920,2010,2254,2340,2427,2428,2429,
2432,2758,2950,3080,3081,3227,3470,3567,3568,3613,3614,3615,
3616
trout-93,2793
trunk septa-3261
trypsin-25,836,1105,1106,1107,2804,2805,2807,2808,2811,2812
tryptic digestion-1327
tryptic fragment-2995
tryptophan-1560,1562
Tu-3445
Tubatrix-1616
tubular structure-3256
tubulin-1432,2079,2087,2088,2090,2091
tungstate-2558,2559
Tunisia-1021,1310,1311,1314,1454,1517,1518,3202,3297
turbidimeter-3371
turbot-2798
Turkey-776,3265
Tuticorin-1727,1951,2667,2777,2782,2783
Tween-60-626
Tween-80-626
Tween-20-620
twelve years-731
tyrosine-885

U

ultrastucture-2073
Ulva-2720
undermethylation-3463
unmasking-2148
United States-111,722
update-2515
UpN-2650
uptake-198,454,455,652,796,1062,1490,1866,2721
upwelling-2745,3214,3215
uracil-415
uracil-DNA-415
urea-2842,2972
urease-467
uricase-466
uridine-2649
Urmi-2488
USA-3042
Utah-32,89,494,512,721,723,734,735,736,973,974,1042,1043,
1044,1051,1088,1189,1213,1214,1223,1294,1300,1301,1337,1349,
1350,1457,1500,1595,1692,1744,1770,1896,2045,2195,2293,2296,
2306,2369,2492,2603,2604,2605,2606,2607,2608,2609,2646,2674,
2675,2686,2699,2726,3015,3094,3102,3109,3110,3111,3112,3126,
3169,3170,3202,3363,3364,3394,3402,3403,3406,3518,3520,3546,
3565,3566,3603

V

vacuum-795,959,1307,1698,3340,3520,2521
vanadium-1346
variability-1284
variation-6,375,1269,1435,1505,2737,3115
vector-518
Venezuela-2851
Verticillium-3150
vibration-1307,2580,3395

Vietnam-2652
vinblastine-2079
virus-1584
vision-1587, 1798, 2043, 2044, 3495
vitamin-1050, 1207, 1298, 1390, 1492, 1540, 2154, 2557, 2635, 2733,
2938, 2939, 2969, 3125, 3493
vitamin A-2557
vitamin B12-1540
vitamin C-2154
vitellogenesis-3298
viviparity-1032, 1700, 3096, 3097, 3359, 3361, 3413

W

warfarin-2514
Washington-71, 517, 723, 973, 2083, 3523
waste-106, 112, 545, 575, 1367, 1599, 2208, 2251, 2793
waste disposal-575, 1599
waste treatment-112
waste water-545, 1367, 2208, 2251, 2793
water-197, 545, 618, 622, 687, 688, 689, 690, 691, 692, 693, 694, 695,
696, 697, 698, 699, 700, 702, 705, 706, 707, 708, 709, 711, 747, 789, 792,
793, 797, 798, 799, 1024, 1075, 1246, 1276, 1369, 1370, 1376, 1487,
1501, 1502, 1507, 1525, 1578, 1680, 1681, 1682, 1685, 1686, 1691, 1781,
1802, 1819, 1841, 2056, 2068, 2208, 2251, 2436, 2610, 2793, 2917, 2918,
2919, 2920, 2921, 3011, 3018, 3176, 3223, 3224, 3225, 3312, 3367, 3438,
3560
water density-1487
water loss-707, 708
water treatment-197
weaning-276
weight-86, 380, 677, 700, 791, 1660, 1864, 1878, 1996, 2154, 2288,
2301, 2378, 2392, 2507, 2554, 2693, 3121, 3125, 3144, 3147, 3333, 3338,
3562, 3596
wet weight-3144
wheat bran-2720
wheat flour-3590
wheat germ-1375, 3221
white eye-473, 1798, 1853
wild type-476
workshop-312, 2968, 3054
world-2536
Wyoming-1606

X

x chromosome-475, 477
x organ-1059, 1925, 1927
xanthine dehydrogenase-1543
xanthine monophosphate-2572, 2708
xanthine oxidase-1542
xenon trioxide-2946
Xenopus-903, 904, 1790, 1791, 2126
xiphophorus-2738
XMP-2572, 2708
xylene-1676, 1678, 3182

Y

y chromosome-475, 477
yeast-377, 971, 1013, 1792, 1808, 2408, 2936, 2937, 3078, 3184, 3493
yolk-140, 144, 331, 398, 614, 879, 884, 887, 1105, 1107, 1125, 1139,
2113, 2147, 2148, 2149, 2150, 2151, 2152, 2361, 2438, 2440, 2441, 2443,
2517, 2523, 2524, 2642, 2958, 3206, 3286, 3288, 3289, 3290, 3291, 3292.

3459, 3464, 3465, 3466, 3469, 3472, 3599, 3600
yolk degradation-2523
yolk gland--1125
yolk granule-331, 1884
yolk platelet-398, 614, 879, 1105, 1107, 2147, 2148, 2149, 2150,
2151, 2152, 2361, 2438, 2440, 2441, 2443, 2642, 2958, 3206, 3286, 3288,
3289, 3290, 3291, 3292, 3459, 3464, 3465, 3466, 3469, 3472, 3599, 3600
yolk nucleus-1139

Z

zinc-24, 25, 273, 274, 431, 521, 628, 1241, 1419, 1615, 1722, 1817,
1982, 2342, 2515, 2587, 2719, 2721, 2801, 3221, 3229, 3541, 3547
zinc 65-273, 274, 1241, 1419, 1615, 2342, 2719, 2721, 3227, 3541
ZnCl-1772
ZnSO₄-871
ZnSO₄-K₂Cr₂O₇-(NaPO₃)₆-2587
zoogeography-364
zoopherin-3629
zygogenesis-448641
Zuni Lake-491
zymogen-1914

NUMBERS

5S-77, 78, 79, 230, 232, 802, 977, 978, 3572
5.8S-3275, 3276, 3353, 3354
15 habitats-481
16S-1387
18S-1387, 2363, 2364
19S-896, 897, 898, 899, 907, 909, 911
20-hydroxyecdysone-3082
22S-912
28S-1666, 2365, 2366
30S-1359, 3204, 3205
40S-462, 463, 1398, 1815, 1887, 1888, 2417, 2418, 3212, 3227, 3613,
3614, 3615, 3616
50S-3572
60S-1815, 2101, 2185, 2291, 2417, 3295, 3296
80S-629, 1377, 1378, 1380, 2759
24000-907, 911
27000M-909
38000-905, 913, 3306

