

Checklists of Species of *Ergasilus* von Nordmann, 1832 (Copepoda: Ergasilidae) Parasitic on Fishes of Iraq

Furhan T. Mhaisen^{1*} and Salem A. M. Al-Daraji² 

¹Tegnervägen 6B, Katrineholm 641 36, Sweden

²Department of Marine Biology, Marine Science Centre, University of Basrah, Iraq

*Corresponding author: mhaisenft@yahoo.co.uk

Received 03/09/2023

Accepted 21/10/2023

Published 25/12/2023

Abstract

Surveying of 144 literature concerning occurrence of the copepod parasites of the genus *Ergasilus* parasitizing fishes of Iraq, indicated that there are 11 identified species of *Ergasilus* von Nordmann, 1832 as well as some unidentified species of this genus infecting 38 fish species. The infections were distributed in fishes from Tigris, Euphrates and Shatt Al-Arab rivers and some of their tributaries, as well as in some lakes, marshes, drainage networks, many fish ponds and floating cages in different parts of Iraq, in addition to marine waters of the Arab Gulf. Among the infected fishes, the mugilid fish *Planiliza subviridis* was infected with the highest number of *Ergasilus* species (eight species), followed by *Carasobarbus luteus*, *Cyprinus carpio*, *Leuciscus vorax* and *Planiliza abu* (seven parasite species each), while seven fish species were infected with only one *Ergasilus* species each. Among *Ergasilus* species, *E. sieboldi* was infecting a total of 25 different fish species, while each of *E. iraquensis*, *E. lizae* and *E. synanceiensis* were detected from one fish host species.

Keywords: Copepoda, *Ergasilus* species, Gills, Distribution, Fishes, Iraq

Introduction

Ergasilus von Nordmann, 1832 of the family Ergasilidae, order Cyclopoida, class Copepoda of the phylum Arthropoda, represents the type and most speciose genus with 161 valid species and 34 synonyms worldwide (WoRMS, 2023). *Ergasilus* is a species-rich genus with a wide distribution in freshwater, marine and brackish environments (Míč *et al.*, 2023). *Ergasilus* species are ectoparasites that infect many species of fishes (Roberts, 1970). Eggs of these species are in external

egg sacs attached to the parasitic female. They go through several copepodid stages and after reaching maturity, the adults mate and, while males remain free-living, females become parasitic (Hudson and Lesko, 2003). Figure 1, which is extracted from the Institute of Fisheries Management (2018), demonstrates the life cycle of *E. sieboldi*.




Figure 1: Illustration of the life cycle of *E. sieboldi*.

The high occurrence of *Ergasilus coatiarus* Araujo & Varella, 1998 in two species of cichlid fishes (*Cichla monoculus* and *Chaetobranchius semifasciatus*) of economic importance for aquaculture in the Amazon region points out the need to improve the strategies of parasitic prevention and control in order to better prevent future disease outbreaks (Mathews *et al.*, 2018). In a recent review, Ahmed *et al.* (2022) demonstrated the major crustaceans that parasitize on fishes by describing their corresponding harms to the hosting fishes, factors affecting the prevalence of the crustacean parasites and some of their hazardous effects on the infected fishes as well as trials for the chemical and biological control of the crustacean infestations.

In Iraq, Herzog (1969) was the first one to report the first *Ergasilus* species (*E. sieboldi*) from *Leuciscus vorax* (reported as *Aspius vorax*). After that, ten different species of that genus were reported or described from some fish species, in addition to some unidentified species of this genus (Mhaisen, 2023).

The present article is designed to revise all records on *Ergasilus* species from fishes of Iraq and provide updated lists of them and their host species in Iraq. It is a continuation of some recent checklists on some groups of fish parasites of Iraq, such as those on *Trichodina* species (Mhaisen and Abdul-Ameer, 2020), *Myxobolus* species (Mhaisen and Al-Jawda, 2020), *Lernaea* species (Mhaisen and Abdul-Ameer, 2021a), *Contracaecum* species (Mhaisen and Abdul-Ameer, 2021b) and fish parasites of floating cages (Mhaisen, 2022).

Sources and Methods

A total of 144 references (84 published research papers, 34 unpublished M. Sc. theses, three M. Tech. theses, 14 unpublished Ph. D. theses and nine abstracts) dealing with records on *Ergasilus* species from fishes of Iraq were used to prepare the present article. Data from such references were gathered to provide reliable information on the distribution of such parasites on fishes from different water bodies and fish farms in Iraq as well as the fish-*Ergasilus* list. For fishes, the scientific names were reported as they appeared in their original references. Fish valid scientific names and their authorities were corrected according to Fricke *et al.* (2023), Froese and Pauly (2023), GBIF.org (2023) and WoRMS (2023). For each alphabetically listed *Ergasilus* species, valid fish host species are also alphabetically arranged together with their synonyms (if any) and their chronologically arranged references.

Results and Discussion

List of fish species infected with *Ergasilus* species in Iraq

The following list includes the scientific names of all Iraq fish species infected with *Ergasilus* species, their full authorities and their orders and families, based on Fricke *et al.* (2023) and Froese and Pauly (2023).

Class Actinopteri

Order Clupeiformes

Family Clupeidae

- Tenualosa ilisha* (Hamilton, 1822)
- Order Cypriniformes
- Family Cyprinidae
- Arabibarbus grypus* (Heckel, 1843)
- Carasobarbus luteus* (Heckel, 1843)
- Carassius auratus* (Linnaeus, 1758)
- Carassius carassius* (Linnaeus, 1758)
- Cyprinion kais* Heckel, 1843
- Cyprinion macrostomus* Heckel, 1843¹
- Cyprinus carpio* Linnaeus, 1758
- Garra rufa* (Heckel, 1843)
- Luciobarbus barbulus* (Heckel, 1847)
- Luciobarbus esocinus* Heckel, 1843
- Luciobarbus kersin* (Heckel, 1843)
- Luciobarbus xanthopterus* Heckel, 1843
- Mesopotamichthys sharpeyi* (Günther, 1874)
- Family Xenocyprididae²
- Ctenopharyngodon idella* (Valenciennes, 1844)
- Hemiculter leucisculus* (Basilewsky, 1855)
- Hypophthalmichthys molitrix* (Valenciennes, 1844)
- Family Leuciscidae
- Acanthobrama centisquama* Heckel, 1843³
- Acanthobrama marmid* Heckel, 1843
- Alburnus sellal* Heckel, 1843
- Chondrostoma regium* (Heckel, 1843)
- Leuciscus vorax* (Heckel, 1843)
- Squalius lepidus* Heckel, 1843
- Squalius spurius* Heckel, 1843
- Order Siluriformes
- Family Bagridae
- Mystus pelusius* (Solander, 1794)
- Family Sisoridae
- Glyptothorax cavia* (Hamilton, 1822)⁴
- Glyptothorax steindachneri* (Pietschmann, 1913)
- Family Siluridae
- Silurus glanis* Linnaeus, 1758
- Silurus triostegus* Heckel, 1843
- Family Heteropneustidae
- Heteropneustes fossilis* (Bloch, 1794)

Order Gobiiformes

Family Gobiidae

Bathygobius fuscus (Rüppell, 1830)

Boleophthalmus dussumieri Valenciennes, 1837

Order Synbranchiformes

Family Mastacembelidae

Mastacembelus mastacembelus (Banks & Solander, 1794)

Order Cichliformes

Family Cichlidae

Coptodon zillii (Gervais, 1848)

Order Mugiliformes

Family Mugilidae

Planiliza abu (Heckel, 1843)

Planiliza subviridis (Valenciennes, 1836)

Order Perciformes

Family Synanceiidae

Pseudosynanceia melanostigma Day, 1875⁵

Family Sparidae

Acanthopagrus arabicus Iwatsuki, 2013

In addition to the above fish list, some unspecified fish hosts were reported to be infected with some *Ergasilus* species by Al-Niaeem *et al.* (2015). Through a correspondence with Dr. Khalidah S. Al-Niaeem, she declared that these fishes were in fact the same as those reported by her M. Sc. student (Ahmed, 2015).

¹ The specific name of this fish is spelled as *macrostomus* according to Fricke *et al.* (2023), Froese and Pauly (2023) and WoRMS (2023), but as *macrostomum* in some Iraqi references.

² All references so far concerning the occurrence of *Ergasilus* species in Iraq referred to the grass carp *Ctenopharyngodon idella*, sharpbelly *Hemiculter leucisculus* and the silver carp *Hypophthalmichthys molitrix* as belonging to the family Cyprinidae. However, Tan and Armbruster (2018) in their phylogenetic classification placed these three species within the family Xenocyprididae. This is also followed by both Fricke *et al.* (2023) and Froese and Pauly (2023), but not yet by both GBIF.org (2023) and WoRMS (2023).

³ According to Coad (2010), Freyhof *et al.* (2021), Fricke *et al.* (2023) and Froese and Pauly (2023), *Acanthobrama centisquama* does not

occur in Iraq, but it is distributed in Syria and Turkey. Hence, in this article it is considered as *Acanthobrama* sp.

⁴ *Glyptothorax cavia* is distributed in South Asia (Fricke et al., 2023; Froese and Pauly, 2023), so, its report from Iraq by Ali (1989) may be considered as *Glyptothorax* sp. as *G. cavia* is unknown in Iraq (Coad, 2010).

⁵ According to both Froese and Pauly (2023) and WoRMS (2023), *Pseudosynanceia melanostigma* belongs to the order Perciformes, but to the order Scorpaeniformes according to GBIF.org (2023).

Localities of collection of fishes of Iraq infected with *Ergasilus* species

The record of available literature concerning the occurrence of different species of *Ergasilus* from fishes of Iraq can be grouped into nine major categories according to the localities of collection of the infected fishes. These are:

- 1- Tigris River in Nineveh Province (Fattohy, 1975; Al-Niaemi, 1997; Rahemo, 2011), Salah Al-Din Province (Abdul-Ameer, 1989; Al-Jawda et al., 2000; Al-Jubori, 2013) and Baghdad Province (Balasem et al., 1993; Mhaisen et al., 1995; Adday et al., 1999; Asmar et al., 2003; Mansor et al., 2012; Rasheed, 2016; Hammood, 2017; Bdair, 2018; Bdair and Al-Rudainy, 2018; Abbas, 2019; Sheyaa, 2019; Abbood, 2022), as well as some tributaries of Tigris River which included: Greater Zab River (Rashed and Hussain, 1988; Ali, 1989; Abdullah, 2002; Abdullah and Mhaisen, 2003, 2006, Shwani, 2009; Abdullah and Shwani, 2010; Abdullah and Mhaisen, 2011; Al-Marjan, 2016; Bilal, 2016), Lesser Zab River (Rashid et al., 1989; Abdullah, 2002; Abdullah and Mhaisen, 2006; Abdullah and Mhaisen, 2011), Bahdinan River in Erbil Province (Bilal, 2006; Bilal and Abdullah, 2008) and Diyala River (Ali et al., 1987; Al-Shaikh et al., 1995; Balasem et al., 2001; Al-Rubaie et al., 2003; Mohammed, 2017).
- 2- Euphrates River and its branches in Al-Anbar Province (Al-Alusi, 1998, 2010; Al-Salmany, 2015, 2022), Babylon Province (Al-Sa'adi, 2007; Al-Zubaidy, 2007; Hussain, 2007, 2009; Mhaisen et al., 2015), Karbala Province (Al-Saadi, 2007; Al-Saadi et al., 2010, 2011), Al-Diwaniah province (Al-Jadoaa, 2002; Al-Waaly, 2005), Thi Qar Province (Al-Abbadie, 2006) and Al-Muthanna Province (Al-Helli, 2019).

- 3- Shatt Al-Arab River (Ho *et al.*, 1996; Al-Janabi, 2010; Eassa *et al.*, 2014; Ahmed, 2015; Al-Niaeem *et al.*, 2015; Khamees and Mhaisen, 1995, 2001) and some of its branches in Basrah Province which included: Garmat Ali River (Khamees, 1996; Jori, 1998; Khamees and Mhaisen, 1998; Abdul-Rahman, 1999; Adday, 2001; Al-Salim and Jori, 2002; Adday *et al.*, 2006a, b; Al-Niaeem, 2006; Al-Salim *et al.*, 2007; Al-Janae'e, 2010; Adday, 2013), Al-Majidiah River (Mehdi, 1989; Khudhair *et al.*, 1992; Mehdi *et al.*, 2009), Al-Salihiya River (Al-Janae'e, 2010), Ashar Canal (Ahmed, 2015; Al-Niaeem *et al.*, 2015) and Mehajeran Creek (Khamees, 1983; Mhaisen *et al.*, 1986; Khamees and Mhaisen, 1988; Mhaisen *et al.*, 1988).
- 4- Some lakes, depressions and marshes: These included Darbandikhan Lake (Abdullah, 2013, Abdullah and Abdullah, 2015a, b, c), Dokan Lake (Abdullah, 1990; Abdullah and Rasheed, 2004), Al-Qadisiya Dam Lake (Asmar *et al.*, 1999; Balasem *et al.*, 2003), Al-Habbaniyah Lake (Herzog, 1969; Ali *et al.*, 1988a; Mhaisen *et al.*, 1999), Al-Tharthar- Tigris Canal in Salah Al-Din Province (Ali and Shaaban, 1984, Khalifa, 1989), Ibn-Najim Marsh in Al-Najaf Al-Ashraf Province (Al-Azebawe, 2010), Al-Dalmaj Marsh of Al-Diwaniyah Province (Al-Khenifsawy, 2022; Al-Khenifsawy and Al-Mayli, 2022) and Al-Hammar Marsh in Basrah Province (Al-Daraji, 1986; Mohamad, 1989; Al-Salim and Mohamad, 1993a, b; Jori, 2006; Abbas, 2007; Awad *et al.*, 2007a, b, c).
- 5- Some drainage networks in Baghdad Province (Balasem *et al.*, 2002a, b; Asmar *et al.*, 2003; Mhaisen *et al.*, 2003), Babylon Province (Kadim, 2003; Al-Musawi, 2016), Karbala Province (Al-Hajimi, 2021) and Al-Diwaniyah Province (Al-Waaly, 2005; Al-Jadoaa, 2008) in addition to Shatt Al-Basrah Canal (Adday and Ali, 2011).
- 6- Fish hatcheries in Wasit Province (Mhaisen and Abul-Eis, 1993) as well as some fish aquaria in Basrah Province (Al-Niaeem, 2006).
- 7- Fish ponds and farms which included some in Nineveh Province (Al-Hamdane and Azziz, 2006), Erbil Province (Abdullah, 2004), Salah Al-Dean Province (Khalifa, 1989), Baghdad Province (Ali and Shaaban, 1984; Khalifa, 1989; Mhaisen *et al.*, 1995; Mohammad-Ali *et al.*, 1999; Al-Nasiri, 2000; Salih *et al.*, 2000; Asmar *et al.*, 2001; Al-Nasiri *et al.*, 2002, 2003; Asmar *et al.*, 2004), Babylon Province (Ali and Shaaban, 1984; Ali *et al.*, 1988b; Mhaisen and Abul-Eis, 1991; Al-Zubaidy, 1998; Asmar *et al.*, 2001; Al-Jadoaa, 2002; Kadim

- , 2003; Al-Dulaimi *et al.*, 2006; Al-Rubaie *et al.*, 2007; Al-Musawi, 2016), Wasit Province (Ali *et al.*, 1988b) and Basrah Province (Abed, 2005; Al-Niaem, 2006; Al-Salim *et al.*, 2007; Hussein *et al.*, 2011) in addition to some floating cages at Al-Habbaniya Lake (Ali *et al.*, 1988a).
- 8- Fish markets in Baghdad Province (Mansoor, 2009; Mansoor and Al-Shaikh, 2011) and Basrah Province (Mhaisen, 1986).
 - 9- Marine waters of Iraq, which included those from Khor Al-Zubair (Piasecki *et al.*, 1993; Al-Daraji, 1995; Amado *et al.*, 2001; Al-Daraji, 2002a, b, c) and Khor Abdullah (Bannai, 2002).

***Ergasilus* species from fishes of Iraq**

The following is an alphabetical listing of *Ergasilus* species so far recorded from fish species of Iraq with their authorities.

- 1- *Ergasilus barbi* Rahemo, 1982.
- 2- *Ergasilus boleophthalmi* Adday & Ali, 2011.
- 3- *Ergasilus iraquensis* Amado, in Amado, da Rocha, Piasecki, Al-Daraji & Mhaisen, 2001.
- 4- *Ergasilus lizae* Krøyer, 1863.
- 5- *Ergasilus mosulensis* Rahemo, 1982.
- 6- *Ergasilus ogawai* Kabata, 1992.
- 7- *Ergasilus pararostralis* Amado, in Amado, da Rocha, Piasecki, Al-Daraji & Mhaisen, 2001.
- 8- *Ergasilus peregrinus* Heller, 1865.
- 9- *Ergasilus rostralis* Ho, Jayarajan & Radhakrishnan, 1992.
- 10- *Ergasilus sieboldi* von Nordmann, 1832.
- 11- *Ergasilus synanceiensis* Amado, in Amado, da Rocha, Piasecki, Al-Daraji & Mhaisen, 2001.
- 12- Unidentified *Ergasilus* species.

***Ergasilus*-host list**

The different *Ergasilus* species infecting fishes of Iraq are alphabetically arranged here. Under each parasite species, valid fish host species (and synonyms when applicable) are alphabetically listed. Concerned references on records of each host species are chronologically arranged. The reference of the first record of each *Ergasilus* species in Iraq is underlined.

Ergasilus barbi was reported from 15 fish species. These were: *Arabibarbus grypus* (reported as *Barbus grypus*) by Fattohy (1975), Rahemo (1982), Abdullah (1990) and Abdullah and Rasheed (2004), *Carasobarbus luteus* (also reported as *Barbus luteus*) by Ali (1989), Al-Nasiri (2000), Abdullah (2002), Abdullah and Mhaisen (2003), Balasem *et al.* (2003), Abdullah and Mhaisen (2006), Al-Saadi (2007), Al-Saadi *et al.* (2010) and Al-Salmany (2015, 2022), *Carassius auratus* by Mohammed (2017), *Carassius carassius* by Al-Salmany (2022), *Cyprinion macrostomus* by Ali (1989), Abdullah (1990), Abdullah and Rasheed (2004), Bilal (2006), Bilal and Abdullah (2008) and Al-Salmany (2015), *Cyprinus carpio* by Abdullah (2004), Al-Saadi (2007), Al-Saadi *et al.* (2010) and Mohammed (2017), *Glyptothorax* sp. (as *Euglyptosternum lineatum*) by Ali (1989), *Leuciscus vorax* (as *Aspius vorax*) by Al-Saadi (2007) and Al-Saadi *et al.* (2010), *Luciobarbus barbulus* (as *Barbus barbulus*) by Ali (1989), Bilal (2006) and Bilal and Abdullah (2008), *Luciobarbus esocinus* (as *Barbus esocinus*) by Abdullah (1990) and Abdullah and Rasheed (2004), *Luciobarbus kersin* (as *Barbus kersin*) by Bilal (2006) and Bilal and Abdullah (2008), *Planiliza abu* (also reported as *Liza abu*) by Al-Nasiri (2000), Abdullah (2002), Balasem *et al.* (2002b), Al-Nasiri *et al.* (2003), Kadim (2003), Abdullah and Mhaisen (2006), Al-Dulaimi *et al.* (2006), Al-Saadi (2007), Al-Saadi *et al.* (2010), Abdullah and Mhaisen (2011), Al-Saadi *et al.* (2011), Al-Musawi (2016), Mohammed (2017) and Al-Salmany (2022), *Silurus glanis* by Abdullah (2002) and Abdullah and Mhaisen (2006), *Squalius lepidus* (as *Leuciscus lepidus*) by Ali (1989) and *Squalius spurius* (as *Leuciscus spurius*) by Ali (1989).

Ergasilus boleophthalmi was reported only from two fish species: *Bathygobius fuscus* and *Boleophthalmus dussumieri*, both by Adday and Ali (2011).

Ergasilus iraquensis was also reported as *Ergasilus irakiensis* by Al-Daraji (2002a) and Bannai (2002). However, according to WoRMS (2023), it is considered as a synonym of *E. iraquensis* Amado, in Amado, da Rocha, Piasecki, Al-Daraji & Mhaisen (2001). This parasite was reported only from *Planiliza subviridis* (as *Liza subviridis*) by Amado *et al.* (2001), Al-Daraji (2002c) and Bannai (2002).

Ergasilus lizae was reported only from *Planiliza subviridis* (as *Chelon subviridis*) by Adday (2013).

Ergasilus mosulensis was reported from 24 fish species: *Acanthobrama marmid* by Rahemo (2011), *Acanthopagrus arabicus* by Ahmed (2015), *Alburnus sellal* (as *Alburnus mossulensis* and

Chalcalburnus sellal) by Abdul-Rahman (1999) and Ahmed (2015), *Carasobarbus luteus* (also as *Barbus luteus*) by Khamees (1983), Al-Daraji (1986), Mhaisen (1986), Mhaisen *et al.* (1986), Khamees and Mhaisen (1988), Abdul-Ameer (1989), Abdullah (1990), Abdul-Rahman (1999), Balasem *et al.* (2002b), Al-Rubaie *et al.* (2003), Balasem *et al.* (2003), Al-Waaly (2005), Al-Saadi (2007), Al-Saadi *et al.* (2010), Ahmed (2015) and Al-Hajimi (2021), *Carassius auratus* by Ahmed (2015), *Carassius carassius* by Abdul-Rahman (1999), *Coptodon zillii* (as *Tilapia zillii*) by Al-Azebawe (2010), *Ctenopharyngodon idella* by Al-Zubaidy (1998), Abdul-Rahman (1999) and Asmar *et al.* (2004), *Cyprinion kais* by Al-Azebawe (2010), *Cyprinion macrostomus* by Rahemo (1982) and Al-Azebawe (2010), *Cyprinus carpio* by Abdullah (1990), Al-Zubaidy (1998), Abdul-Rahman (1999), Abed (2005), Hussein *et al.* (2011), Ahmed (2015), Rasheed (2016) and Al-Salmamy (2022), *Glyptothorax steindachneri* by Al-Sa'adi (2007) and Mhaisen *et al.* (2015), *Heteropneustes fossilis* by Abdul-Rahman (1999), *Hypophthalmichthys molitrix* by Al-Zubaidy (1998), *Leuciscus vorax* (also as *Aspius vorax*) by Al-Daraji (1986), Abdul-Rahman (1999), Al-Saadi (2007), Al-Saadi *et al.* (2010), Rasheed (2016) and Al-Salmamy (2022), *Luciobarbus barbulus* by Sheyaa (2019), *Mastacembelus mastacembelus* by Abdul-Rahman (1999), *Mesopotamichthys sharpeyi* (also as *Barbus sharpeyi*) by Al-Daraji (1986) and Abdul-Rahman (1999), *Mystus pelusius* by Abdul-Rahman (1999), *Planiliza abu* (also as *Liza abu*) by Fattohy (1975), Khamees (1983), Al-Daraji (1986), Mhaisen (1986), Mhaisen *et al.* (1986, 1988), Ho *et al.* (1996), Khamees (1996), Al-Alusi (1998), Jori (1998), Khamees and Mhaisen (1998), Abdul-Rahman (1999), Mohammad-Ali *et al.* (1999), Balasem *et al.* (2001), Mhaisen and Khamees (2001), Balasem *et al.* (2002b, 2003), Kadim (2003), Abed (2005), Al-Dulaimi *et al.* (2006), Al-Niaeem (2006), Al-Saadi (2007), Hussain (2007), Al-Alusi (2010), Al-Saadi *et al.* (2010, 2011), Hussein *et al.* (2011), Ahmed (2015), Al-Salmamy (2015), Al-Musawi (2016), Rasheed (2016), Mohammed (2017), Abbas (2019), Al-Hajimi (2021), Al-Khenifsawy (2022), Al-Khenifsawy and Al-Mayli (2022) and Al-Salmamy (2022), *Planiliza subviridis* (as *Chelon subviridis* and *Liza subviridis*) by Jori (1998), Abdul-Rahman (1999) and Ahmed (2015), *Silurus glanis* by Al-Niaeemi (1997), Rahemo and Al-Neemi (1999), Rahemo and Al-Niaeemi (2001), *Silurus triostegus* (also as *Parasilurus triostegus*) by Al-Daraji (1986), Abdul-Rahman (1999), Jori (2006), Abbas (2007), Awad *et al.* (2007b, 2007c), Shwani (2009)

, Abdullah and Shwani (2010) and Bilal (2016) and *Squalius lepidus* by Abdullah (2013) and Abdullah and Abdullah (2015a, b, c).

Ergasilus ogawai was also misidentified as *E. ovatus* by Abdul-Rahman (1999). It was reported from 17 fish species: *Acanthobrama marmid* by Al-Janae'e (2010), *Acanthopagrus arabicus* (also as *Acanthopagrus latus*) by Adday (2001), Adday *et al.* (2006a), Al-Janae'e (2010) and Ahmed (2015), *Alburnus sellal* (as *Alburnus mossulensis*) by Al-Janae'e (2010), *Carasobarbus luteus* (as *Barbus luteus*) by Al-Janae'e (2010), *Carassius auratus* by Al-Janae'e (2010), *Coptodon zillii* (as *Tilapia zillii*) by Al-Janae'e (2010), *Cyprinus carpio* by Al-Janae'e (2010) and Eassa *et al.* (2014), *Hemiculter leucisculus* by Al-Janae'e (2010), *Heteropneustes fossilis* by Abdul-Rahman (1999) (reported as *E. ovatus*), *Leuciscus vorax* (as *Aspius vorax*) by Al-Janae'e (2010), *Luciobarbus xanthopterus* (as *Barbus xanthopterus*) by Al-Janae'e (2010), *Mastacembelus mastacembelus* by Abdul-Rahman (1999) (reported as *E. ovatus*), Adday (2001) and Adday *et al.* (2006a), *Mystus pelusius* by Adday (2001) and Adday *et al.* (2006a), *Planiliza abu* (as *Liza abu*) by Al-Janae'e (2010), *Planiliza subviridis* (as *Chelon subviridis* and *Liza subviridis*) by Al-Janae'e (2010) and Ahmed (2015), *Silurus triostegus* by Abdul-Rahman (1999) (reported as *E. ovatus*), Adday (2001), Adday *et al.* (2006a, 2006b) and Al-Janae'e (2010) and *Tenualosa ilisha* by Al-Janae'e (2010).

Ergasilus pararostralis was also reported as *Ergasilus pararostralis* by Al-Daraji (2002b), but according to WoRMS (2003), it was considered as a synonym of *E. pararostralis* Amado, in Amado, da Rocha, Piasecki, Al-Daraji & Mhaisen (2001). This parasite was reported from two fish species: *Planiliza subviridis* (as *Liza subviridis*) by Amado *et al.* (2001), Al-Daraji (2002b) and Bannai (2002) and *Silurus triostegus* by Jori (2006) and Awad *et al.* (2007a).

Ergasilus peregrinus was reported from nine fish species: *Acanthobrama* sp. (as *A. centisquama*) by Balasem *et al.* (2003), *Arabibarbus grypus* (also as *Barbus grypus*) by Balasem *et al.* (2003), Bdair (2018) and Bdair and Al-Rudainy (2018), *Carasobarbus luteus* (also as *Barbus luteus*) by Al-Saadi (2007), Al-Sa'adi (2007), Al-Saadi *et al.* (2010), Al-Jubori (2013) and Mhaisen *et al.* (2015), *Chondrostoma regium* by Bdair (2018) and Bdair and Al-Rudainy (2018), *Cyprinus carpio* by Balasem *et al.* (2003), *Glyptothorax steindachneri* by Al-Sa'adi (2007) and Mhaisen *et al.* (2015), *Leuciscus vorax* (as *Aspius vorax*) by Abdul-Ameer (1989), Al-Saadi (2007) and Al-Saadi *et al.* (2010), *Mesopotamichthys sharpeyi* (as *Barbus sharpeyi*) by Al-Saadi (2007) and Al-Saadi *et al.* (2010) and *Planiliza*

abu (as *Liza abu*) by Abdul-Ameer (1989), Balasem *et al.* (2003), Al-Saa'di (2007), Mhaisen *et al.* (2015), Al-Hajimi (2021). It is appropriate to mention here that the year of authority of this ergasilid was erroneously given as 1868 instead of 1865 by Abdul-Ameer (1989), Al-Saadi (2007), Al-Sa'adi (2007) and Al-Saadi *et al.* (2010).

Ergasilus rostralis was reported from 19 fish species: *Acanthobrama marmid* by Al-Janae'e (2010), *Acanthopagrus arabicus* (also as *Acanthopagrus latus*) by Al-Janae'e (2010) and Ahmed (2015), *Alburnus sellal* (as *Alburnus mossulensis*) by Al-Janae'e (2010), *Arabibarbus grypus* (also as *Barbus grypus*) by Al-Saadi (2007) and Al-Saadi *et al.* (2010), *Carasobarbus luteus* (also as *Barbus luteus*) by Abdul-Rahman (1999), Al-Saadi (2007), Al-Janae'e (2010), Al-Saadi *et al.* (2010), Ahmed (2015) and Al-Helli (2019), *Carassius auratus* by Al-Janae'e (2010), Ahmed (2015) and Mohammed (2017), *Coptodon zillii* (as *Tilapia zillii*) by Al-Janae'e (2010), *Ctenopharyngodon idella* by Abdul-Rahman (1999), *Cyprinus carpio* by Abdul-Rahman (1999), Al-Niaeem (2006), Al-Salim *et al.* (2007), Al-Janae'e (2010) and Ahmed (2015), *Hemiculter leucisculus* by Al-Janae'e (2010), *Heteropneustes fossilis* by Abdul-Rahman (1999), *Leuciscus vorax* (also as *Aspius vorax*) by Abdul-Rahman (1999), Al-Saadi (2007), Al-Janae'e (2010), Al-Saadi *et al.* (2010) and Ahmed (2015), *Luciobarbus xanthopterus* (as *Barbus xanthopterus*) by Al-Janae'e (2010), *Mesopotamichthys sharpeyi* (as *Barbus sharpeyi*) by Al-Saadi (2007) and Al-Saadi *et al.* (2010), *Mystus pelusius* by Abdul-Rahman (1999), *Planiliza abu* (also as *Liza abu*) by Khamees and Mhaisen (1995), Ho *et al.* (1996), Khamees (1996), Jori (1998), Khamees and Mhaisen (1998), Abdul-Rahman (1999), Khamees and Mhaisen (2001), Mhaisen and Khamees (2001), Al-Salim and Jori (2002), Abed (2005), Al-Niaeem (2006), Al-Salim *et al.* (2007), Al-Alusi (2010), Al-Janae'e (2010), Hussein *et al.* (2011), Ahmed (2015) and Al-Helli (2019), *Planiliza subviridis* (as *Chelon subviridis* and *Liza subviridis*) by Al-Daraji (1995), Jori (1998), Al-Salim and Jori (2002), Al-Janae'e (2010) and Ahmed (2015), *Silurus triostegus* by Abdul-Rahman (1999), Jori (2006) and Al-Janae'e (2010) and *Tenualosa ilisha* by Al-Janae'e (2010).

Ergasilus sieboldi was reported from 25 fish species, namely: *Acanthobrama* sp. (as *A. centisquama*) by Balasem *et al.* (2003), *Acanthobrama marmid* by Rashid *et al.* (1989), Al-Nasiri (2000), Al-Jawda *et al.* (2003) and Al-Janae'e (2010), *Acanthopagrus arabicus* (as *Acanthopagrus latus*) by Al-Janae'e (2010), *Alburnus sellal* (also as *Alburnus capito*) by Al-Nasiri, 2000 and Balasem *et al.*, 2002b) by

Al-Nasiri (2000), Balasem *et al.* (2002b) and Al-Janae'e (2010), *Arabibarbus grypus* (as *Barbus grypus*) by Ali *et al.* (1987), Al-Nasiri (2000), Balasem *et al.* (2003), Al-Saadi (2007), Al-Zubaidy (2007) and Al-Saadi *et al.* (2010), *Boleophthalmus dussumieri* (misidentified as *Pseudopocrypte dentatus*) by Al-Janabi (2010), *Carasobarbus luteus* (also as *Barbus luteus*) by Ali *et al.* (1987), Rashed and Hussain (1988), Asmar *et al.* (1999), Al-Jawda *et al.* (2000), Al-Nasiri (2000), Balasem *et al.* (2002a, 2003), Al-Abbadie (2006), Al-Saadi (2007), Al-Zubaidy (2007), Al-Janae'e (2010), Al-Saadi *et al.* (2010) and Mohammed (2017), *Carassius auratus* by Al-Janae'e (2010) and Mohammed (2017), *Carassius carassius* by Mhaisen *et al.* (1999), *Chondrostoma regium* by Ali *et al.* (1987), Mhaisen *et al.* (1995), Bilal (2006) and Bilal and Abdullah (2008), *Coptodon zillii* (as *Tilapia zillii*) by Al-Janae'e (2010), *Ctenopharyngodon idella* by Ali *et al.* (1988a), Al-Zubaidy (1998), Al-Jadoaa (2002), *Cyprinus carpio* by Ali *et al.* (1988a, 1988b), Mhaisen and Abul-Eis (1991), Al-Zubaidy (1998), Asmar *et al.* (1999), Mohammad-Ali *et al.* (1999), Al-Nasiri (2000), Al-Jadoaa (2002), Al-Nasiri *et al.* (2002), Balasem *et al.* (2003), Asmar *et al.* (2004), Al-Rubaie *et al.* (2007), Al-Saadi (2007), Al-Zubaidy (2007), Mansoor (2009), Al-Janae'e (2010), Al-Saadi *et al.* (2010), Mansoor and Al-Shaikh (2011), Rasheed (2016), Mohammed (2017), Al-Khenifsawy (2022), Al-Khenifsawy and Al-Mayli (2022) and Al-Salmany (2022), *Garra rufa* by Ali *et al.* (1987) and Al-Jadoaa (2002), *Hemiculter leucisculus* by Al-Janae'e (2010), *Heteropneustes fossilis* by Al-Nasiri (2000), *Hypophthalmichthys molitrix* by Ali *et al.* (1988a), Al-Zubaidy (1998), Asmar *et al.* (2001) and Al-Jadoaa (2002), *Leuciscus vorax* (also as *Aspius vorax*) by Herzog (1969), Al-Abbadie (2006), Al-Saadi (2007), Al-Janae'e (2010), Al-Saadi *et al.* (2010), Rasheed (2016) and Al-Salmany (2022), *Luciobarbus xanthopterus* (as *Barbus xanthopterus*) by Khalifa (1989), Salih *et al.* (2000), Al-Janae'e (2010), Bdair (2018), Bdair and Al-Rudainy (2018) and Al-Salmany (2022), *Mesopotamichthys sharpeyi* (as *Barbus sharpeyi*) by Balasem *et al.* (2003), Al-Saadi (2007) and Al-Saadi *et al.* (2010), *Mystus pelusius* (also as *Mystus halepensis*) by Ali *et al.* (1988a) and Al-Jadoaa (2002), *Planiliza abu* (also as *Liza abu*) by Ali *et al.* (1987), Abdullah (1990), Balasem *et al.* (1993), Mhaisen and Abul-Eis (1993), Al-Shaikh *et al.* (1995), Adday *et al.* (1999), Asmar *et al.* (1999), Mhaisen *et al.* (1999), Al-Nasiri (2000), Al-Jadoaa (2002), Balasem *et al.* (2002a, 2002b), Al-Nasiri *et al.* (2003), Al-Rubaie *et al.* (2003), Asmar *et al.* (2003), Balasem *et al.* (2003), Mhaisen *et al.* (2003), Asmar *et al.* (2004), Al-Abbadie (2006), Al-Saadi (2007), Al-

Sa'adi (2007), Al-Zubaidy (2007), Al-Jadoaa (2008), Hussain (2009), Al-Janae'e (2010), Al-Saadi *et al.* (2010, 2011), Al-Salmamy (2015), Mhaisen *et al.* (2015), Al-Musawi (2016), Rasheed (2016), Hammood (2017), Mohammed (2017), Al-Hajimi (2021) and Abbood (2022), *Planiliza subviridis* (as *Liza subviridis*) by Al-Janae'e (2010), *Silurus triostegus* by Shwani (2009), Abdullah and Shwani (2010), Al-Janae'e (2010) and Al-Salmamy (2022) and *Tenualosa ilisha* by Al-Janae'e (2010). It is appropriate to indicate here that Mansor *et al.* (2012) reported *E. sieboldi* from unspecified fish species.

Ergasilus synanceiensis was also reported as *Ergasilus synanceiensis* by Al-Daraji (2002c) However, according to WoRMS (2023), it was considered as a synonym of *E. synanceiensis* Amado, in Amado, da Rocha, Piasecki, Al-Daraji & Mhaisen (2001). It was reported only from *Pseudosynanceia melanostigma* by Amado *et al.* (2001) and Al-Daraji (2002c).

Unidentified *Ergasilus* species were reported from 13 fish species: *Acanthobrama marmid* by Ahmed (2015), *Carasobarbus luteus* (also as *Barbus luteus*) by Al-Daraji (1986), Rashed and Hussain (1988) and Ahmed (2015), *Chondrostoma regium* by Al-Marjan (2016), *Cyprinion macrostomus* by Al-Jadoaa (2002), *Cyprinus carpio* by Al-Hamdane and Azziz (2006), *Heteropneustes fossilis* by Mohamad (1989) and Al-Salim and Mohamad (1993a, b), *Hypophthalmichthys molitrix* by Asmar *et al.* (2004), *Leuciscus vorax* (as *Aspius vorax*) by Al-Daraji (1986), *Mesopotamichthys sharpeyi* (as *Barbus sharpeyi*) by Rashed and Hussain (1988), *Planiliza abu* (as *Liza abu*) by Ali and Shaaban (1984), Al-Daraji (1986), Mehdi (1989), Al-Hadithi *et al.* (1990), Khudhair *et al.* (1992) and Mehdi *et al.* (2009), *Planiliza subviridis* (as *Liza subviridis*) by Piasecki *et al.* (1993), *Silurus triostegus* (as *Parasilurus triostegus*) by Al-Daraji (1986) and *Tenualosa ilisha* by Adday (2013).

Finally, it is appropriate to indicate here that three *Ergasilus* species were considered as synonyms: *Ergasilus irakiensis* Al-Daraji, 2002c, *Ergasilus pararostralis* Al-Daraji, 2002b and *Ergasilus synanceiensis* Al-Daraji, 2002a, are synonyms with *Ergasilus iraquensis* Amado, in Amado, da Rocha, Piasecki, Al-Daraji and Mhaisen, 2001; *Ergasilus pararostralis* Amado, in Amado, da Rocha, Piasecki, Al-Daraji and Mhaisen, 2001 and *Ergasilus synanceiensis* Amado, in Amado, da Rocha, Piasecki, Al-Daraji and Mhaisen, 2001, respectively. according to both GBIF.org (2023) and WoRMS (2023). On the other hand, *Ergasilus amplexens* Dogiel & Akhmerov, 1952,

which was reported from *Planiliza abu* (as *Liza abu*) by Zangana (2008) from Al-Khazir River in Ninevah Province is considered as a synonym of *Dermoergasilus amplexans* (Dogiel and Akhmerov, 1952) according to GBIF.org (2023) and WoRMS (2023). Based on confirmation by Dr. Ju-shey Ho of California State University, Khamees *et al.* (2015) indicated that *Ergasilus ovatus* Shen, 1957, reported by Abdul-Rahman (1999) from *H. fossilis*, *M. mastacembelus* and *S. triostegus* from Garmat Ali River, Basrah Province was erroneously identified as *Ergasilus ovatus* Shen, 1957 and it belongs to *E. ogawai* Kabata, 1992.

Host-parasite list

The following list of infected fishes with ergasilid species is alphabetically listed. For each fish species, names of ergasilid species are also alphabetically listed.

Acanthobrama marmid: *Ergasilus mosulensis*, *E. ogawai*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.

Acanthobrama sp. (as *A. centisquama*): *Ergasilus peregrinus*, *E. sieboldi*.

Acanthopagrus arabicus: *Ergasilus mosulensis*, *E. ogawai*, *E. rostralis*, *E. sieboldi*.

Alburnus sellal: *Ergasilus mosulensis*, *E. ogawai*, *E. rostralis*, *E. sieboldi*.

Arabibarbus grypus: *Ergasilus barbi*, *E. peregrinus*, *E. rostralis*, *E. sieboldi*.

Bathygobius fuscus: *Ergasilus boleophthalmi*.

Boleophthalmus dussumieri: *Ergasilus boleophthalmi*, *E. sieboldi*.

Carasobarbus luteus: *Ergasilus barbi*, *E. mosulensis*, *E. ogawai*, *E. peregrinus*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.

Carassius auratus: *Ergasilus barbi*, *E. mosulensis*, *E. ogawai*, *E. rostralis*, *E. sieboldi*.

Carassius carassius: *Ergasilus barbi*, *E. mosulensis*, *E. sieboldi*.

Chondrostoma regium: *Ergasilus peregrinus*, *E. sieboldi*, *Ergasilus* sp.

Coptodon zillii: *Ergasilus mosulensis*, *E. ogawai*, *E. rostralis*, *E. sieboldi*.

Ctenopharyngodon idella: *Ergasilus mosulensis*, *E. rostralis*, *E. sieboldi*.

Cyprinion kais: *Ergasilus mosulensis*.

- Cyprinion macrostomus*: *Ergasilus barbi*, *E. mosulensis*, *Ergasilus* sp.
- Cyprinus carpio*: *Ergasilus barbi*, *E. mosulensis*, *E. ogawai*, *E. peregrinus*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.
- Garra rufa*: *Ergasilus sieboldi*.
- Glyptothorax steindachneri*: *Ergasilus mosulensis*, *E. peregrinus*.
- Glyptothorax* sp. (as *G. cavia*): *Ergasilus barbi*, *E. mosulensis*.
- Hemiculter leucisculus*: *Ergasilus ogawai*, *E. rostralis*, *E. sieboldi*.
- Heteropneustes fossilis*: *Ergasilus mosulensis*, *E. ogawai*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.
- Hypophthalmichthys molitrix*: *Ergasilus mosulensis*, *E. sieboldi*, *Ergasilus* sp.
- Leuciscus vorax*: *Ergasilus barbi*, *E. mosulensis*, *E. ogawai*, *E. peregrinus*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.
- Luciobarbus barbulus*: *Ergasilus barbi*, *E. mosulensis*.
- Luciobarbus esocinus*: *Ergasilus barbi*.
- Luciobarbus kersin*: *Ergasilus barbi*.
- Luciobarbus xanthopterus*: *Ergasilus ogawai*, *E. rostralis*, *E. sieboldi*.
- Mastacembelus mastacembelus*: *Ergasilus mosulensis*, *E. ogawai*.
- Mesopotamichthys sharpeyi*: *Ergasilus mosulensis*, *E. peregrinus*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.
- Mystus pelusius*: *Ergasilus mosulensis*, *E. ogawai*, *E. rostralis*, *E. sieboldi*.
- Planiliza abu*: *Ergasilus barbi*, *E. mosulensis*, *E. ogawai*, *E. peregrinus*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.
- Planiliza subviridis*: *Ergasilus iraquensis*, *E. lizae*, *E. mosulensis*, *E. ogawai*, *E. pararostralis*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.
- Pseudosynanceia melanostigma*: *Ergasilus synanceiensis*.
- Silurus glanis*: *Ergasilus barbi*, *E. mosulensis*.
- Silurus triostegus*: *Ergasilus mosulensis*, *E. ogawai*, *E. pararostralis*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.
- Squalius lepidus*: *Ergasilus barbi*, *E. mosulensis*.
- Squalius spurius*: *Ergasilus barbi*.
- Tenualosa ilisha*: *Ergasilus ogawai*, *E. rostralis*, *E. sieboldi*, *Ergasilus* sp.

Acknowledgements

Sincere thanks are due to Dr. Hayder Ali Al-Hasson of Basrah Education Directorate, Iraq for his help in providing the figure of this article, Dr. Khalidah, S. Al-Niaem of the College of Agriculture, University of Basrah for her declaration on some fish species which

were reported to be infected with some *Ergasilus* species by her M. Sc. student (Ahmed, 2015) and to Mrs. Kefah N. Abdul-Ameer of the College of Education (Ibn Al-Haitham), University of Baghdad for her critical reading of the manuscript.

References

- Abbas, A.A.K. (2007). Histopathological studies of some parasites of the Asian catfish, *Silurus triostegus* (Heckel, 1843) and potassium permanganate on the black molly, *Poecilia sphenops* (Valenciennes, 1846). Ph. D. Thesis, Coll. Educ., Univ. Basrah: 144 pp. (In Arabic).
- Abbas, J.A. (2019). The parasitic fauna of some species of fishes from Tigris River at Al-Autaifia Region, Baghdad Province, Iraq. M. Sc. Thesis, Coll. Educ. Pure Sci. (Ibn Al-Haitham), Univ. Baghdad: 140 pp. (In Arabic).
- Abbood, M.S. (2022). Parasitic fauna of some fish species from Tigris River, at Al-Rashidiya Region, north of Baghdad Province, Iraq. M. Sc. Thesis, Coll. Educ. Pure Sci. (Ibn Al-Haitham), Univ. Baghdad: 108 pp. (In Arabic).
- Abdul-Ameer, K.N. (1989). Study of the parasites of freshwater fishes from Tigris River in Salah Al-Dien Province, Iraq. M. Sc. Thesis, Coll. Sci., Univ. Baghdad: 98 pp. (In Arabic).
- Abdullah, S.M.A. (1990). Survey of the parasites of fishes of Dokan Lake. M. Sc. Thesis, Coll. Sci., Univ. Salahaddin: 121 pp. (In Arabic).
- Abdullah, S.M.A. (2002). Ecology, taxonomy and biology of some parasites of fishes from Lesser Zab and Greater Zab rivers in north of Iraq. Ph. D. Thesis, Coll. Educ. (Ibn Al-Haitham), Univ. Baghdad: 153 pp. (In Arabic).
- Abdullah, S.M.A. (2004). Comparison between the parasitic infections of fishes caught in two of each of small natural habitats and fish farms in Erbil City. Zanco, 16(4): 43-50. (In Arabic).
- Abdullah, S.M.A. and Mhaisen, F.T. (2003). The ecology of *Ergasilus barbi* (Copepoda: Crustacea) parasitizing gills of *Barbus luteus* from Greater Zab River in north of Iraq. Iraqi J. Agric. (Spec. Issue), 8(1): 141-147.

- Abdullah, S.M.A. and Mhaisen, F.T. (2006). Parasitic infections with Protozoa and Crustacea on fishes of Lesser Zab and Greater Zab rivers, north of Iraq. Proc. 4th Sci. Conf. Coll. Vet. Med., Univ. Mosul, Mosul: 20-21 Sept. 2006, Vol. 1: 51-58.
- Abdullah, S.M.A. and Mhaisen, F.T. (2011). Some ecological aspects of the crustacean *Ergasilus barbi* parasitizing gills of *Liza abu* from Greater Zab and Lesser Zab rivers in north of Iraq. Second Sci. Conf. Biol. Scs., Coll. Sci., Univ. Mosul, Mosul: 16-17 Nov. 2011: 145-152. (In Arabic).
- Abdullah, S.M.A. and Rasheed, A.A.M. (2004). Parasitic fauna of some freshwater fishes from Dokan Lake, north of Iraq. I: Ectoparasites. Ibn Al-Haitham J. Pure Appl. Sci., 17(1): 34-46.
- Abdullah, S.M.A. and Shwani, A.A.A. (2010). Ectoparasites of the Asian catfish *Silurus triostegus* (Heckel, 1843) from Greater Zab River- Kurdistan Region- Iraq. J. Duhok Univ., 13(1): 164-171.
- Abdullah, Y.S. (2013). Study on the parasites of some fishes from Darbandikhan Lake in Kurdistan Region, Iraq. M. Sc. Thesis, Fac. Sci. Sci. Educ., Univ. Sulaimani: 116 pp.
- Abdullah, Y.S. and Abdullah, S.M.A. (2015a). Observations on fishes and their parasites of Darbandikhan Lake, Kurdistan Region in north Iraq. Am. J. Biol. Life Scs., 3(5): 176-180.
- Abdullah, Y.S. and Abdullah, S.M.A. (2015b). The parasitic infections of some freshwater fishes from Darbandikhan Lake, Kurdistan Region, Iraq. J. Garmian Univ., Spec. Issue 2: 874-884.
- Abdullah, Y.S. and Abdullah, S.M.A. (2015c). Some observations on fishes and their parasites of Darbandikhan Lake, Kurdistan Region in north Iraq. Eur. Sci. J. Spec. Ed., ISSN-1857-7431: 409-417.
- Abdul-Rahman, N.M. (1999). Parasites infection in fish from Garmat Ali River and its relation with food items. M. Sc. Thesis, Coll. Agric., Univ. Basrah: 103 pp. (In Arabic).
- Abed, J.M. (2005). Biological and ecological survey of some enemies of fishes in three fish farms in Iraq. Ph. D. Thesis, Coll. Agric., Univ. Basrah: 111 pp. (In Arabic).

- Adday, T.K. (2001). Biology of the crustacean *Ergasilus ogawai* Kabata, 1992 which parasitized on some Iraqi fishes. M. Sc. Thesis, Coll. Agric., Univ. Basrah: 117 pp. (In Arabic).
- Adday, T.K. (2013). Parasitic crustaceans of some marine fishes of Basrah Province, Iraq. Ph. D. Thesis, Coll. Agric., Univ. Basrah: 302 pp. DOI: 10.13140/RG.2.2.24950.80963.
- Adday, T.K. and Ali, A.H. (2011). *Ergasilus boleophthalmi* sp. n. (Copepoda: Ergasilidae) parasitic on gobiid fishes from Shatt Al-Basrah Canal, south of Iraq. Wiad. Parazytol., 57(3): 137-142. PMID: 22165733.
- Adday, T.K.; Balasem, A.N. and Khamees, N.R. (2006a). First occurrence of the crustacean *Ergasilus ogawai* from gills of four species of fishes in Iraq. Ibn Al-Haitham J. Pure Appl. Sci., 19(2): 18-31. (In Arabic). <https://jih.uobaghdad.edu.iq/index.php/j/article/view/1565>.
- Adday, T.K.; Khamees, N.R. and Balasem, A.N. (2006b). Biology of the copepod *Ergasilus ogawai* Kabata, 1992 parasitic on gills of *Silurus triostegus* at Garmat Ali River, north of Basrah City. Ibn Al-Haitham J. Pure Appl. Sci., 19(1): 18-27. (In Arabic). <https://jih.uobaghdad.edu.iq/index.php/j/article/view/1524>.
- Adday, T.K.; Balasem, A.N.; Mhaisen, F.T. and Al-Khateeb, G.H. (1999). A second survey of fish parasites from Tigris River at Al-Zaafaraniya, south of Baghdad. Ibn Al-Haitham J. Pure Appl. Sci., 12(1): 22-31.
- Ahmed, F.; Ali, H.; Bakheet, Y. and Ahmed, Y. (2022). Fish's crustacean parasites: Types, prevalence, clinical signs, and control. Sohag J. Sci., 7(2): 123-129. DOI:10.21608/sjsoci.-2022.234455.
- Ahmed, R.A.-Z. (2015). Evaluation of organic pollution level and its effect on diversity of the filamentous algae and fishes infected with copepods from three stations in Basrah Province, Iraq. M. Sc. Thesis, Coll., Agric., Univ. Basrah: 139 pp. (In Arabic).
- Al-Abbadie, F.A.M. (2006). Preliminary study on the parasites of some freshwater fishes in Al-Gharraf River, southern Iraq. J. Thi Qar Univ., 2(3): 17-27. (In Arabic).

- Al-Alusi, M.A.-S. (1998). A study of some biological aspects and parasites of the mugilid fish *Liza abu* (Heckel) in Alus Region, upper Euphrates River, Anbar Province. Ph. D. Thesis, Coll. Sci., Al-Mustansirya Univ.: 121 pp. (In Arabic).
- Al-Alusi, M.A. (2010). Use of some chemicals in treating the copepod crustaceans *Ergasilus mosulensis* and *E. rostralis* parasitized on gills of *Liza abu*. J. Kerbala Univ., 8(2): 61-71. (In Arabic).
- Al-Azebawe, S.J.M. (2010). Isolation and diagnosis of some ectoparasites of fishes in Ibn Najim Marsh and the ecological factors affected on them in Al-Najaf Al-Ashraf Province. M. Sc. Thesis, Coll. Educ. Girls, Univ. Kufa: 111 pp. (In Arabic).
- Al-Daraji, S.A.M. (1986). Survey of parasites from five species of fishes found in Al-Hammar Marsh. M. Sc. Thesis, Coll. Agric., Univ. Basrah: 130 pp. (In Arabic).
- Al-Daraji, S.A.M. (1995). Taxonomical and ecological studies on the metazoan parasites of some marine fishes of Khor Al-Zubair Estuary, north-west of the Arabian Gulf. Ph. D. Thesis, Coll. Agric., Univ. Basrah: 182 pp.
- Al-Daraji, S.A.M. (2002a). A new species of ergasilid copepods parasitic on the scorpion fish *Pseudosynanceia melanostigma* Day, 1875 in Khor Al-Zubair Lagoon, south Iraq. Mar. Mesopot., 17(1): 147-154.
- Al-Daraji, S.A.M. (2002b). Description of *Ergasilus pararostralis* new species (Copepoda: Poecilostomatoida) infesting *Liza subviridis* (Valenciennes, 1836) in Khor Al-Zubair Lagoon, Iraq. Mar. Mesopot., 17(1): 155-162.
- Al-Daraji, S.A.M. (2002c). *Ergasilus irakiensis* new species (Copepoda: Poecilostomatoida) from *Liza subviridis* (Valenciennes, 1836) in Iraq. Mar. Mesopot., 17(2): 341-346.
- Al-Dulaimi, F.H.A.; Al-Hamiary, A.K.A. and Al-Khafaji, A.H.A. (2006). Infection of *Liza abu* with parasitic crustaceans in waters of a fish farm in Al-Eskandaria District, Babylon Province. J. Babylon Univ., Pure Sci., 12(3): 749-758. (In Arabic).
- Al-Hadithi, I.A.W.; Khudhair, A.Y. and Mehdi, D.S. (1990). Effect of intensity of infection with parasites on protein content in *Liza abu*. Basrah J. Agric. Sci., 3(1 and 2): 209-218. (In Arabic).

- Al-Hajimi, Y.M.M. (2021). Survey study on the parasitic on gills and intestine of some fishes of Karbala Main Drainage. M. Technol. Thesis, Al-Mussaib Tech. Coll., Al-Furat Al-Awsat Tech. Univ.: 90 pp. (In Arabic).
- Al-Hamdane, A.H. and Azziz, A.H. (2006). Study of some parasitic diseases of pond fish in Mosul Area. Iraqi J. Vet. Sci., 20(2): 225-228. (In Arabic). DOI:10.33899/ijvs.2006.45816.
- Al-Helli, A.M.S. (2019). Fish assemblage structure and some of its environmental and health aspects in Euphrates River near Samawa City. Ph. D. Thesis, Coll. Agric., Univ. Basrah: 208 pp. (In Arabic).
- Ali, B.A.-R. (1989). Studies on parasites of some freshwater fishes from Greater Zab- Iski-Kalak. M. Sc. Thesis, Coll. Sci., Univ. Salahadden: 120 pp. (In Arabic).
- Ali, M.D. and Shaaban, F. (1984). Some species of parasites of freshwater fish raised in ponds and in Tigris- Al-Tharthar Canal Region. Seventh Sci. Conf. Iraqi Vet. Med. Assoc., Mosul: 23-25 Oct. 1984: 44-46. (Abstract).
- Ali, N.M.; Abul-Eis, E.S. and Abdul-Ameer, K.N. (1988a). Study on the parasites of common carp *Cyprinus carpio* and other freshwater fishes in Habbaniyah Lake, Iraq. J. Biol. Sci. Res., 19(2): 395-407.
- Ali, N.M.; Al-Jafery, A.R. and Abdul-Ameer, K.N. (1987). Parasitic fauna of freshwater fishes in Diyala River, Iraq. J. Biol. Sci. Res., 18(1): 163-181.
- Ali, N.M.; Salih, N.E. and Abdul-Ameer, K.N. (1988b). Protozoa and Crustacea infesting three species of carp raised in ponds in Iraq. J. Biol. Sci. Res., 19(2): 387-394.
- Al-Jadoaa, N.A.A. (2002). The parasitic infections and pathological changes of some local and cultured fishes from Al-Qadisiya and Babylon provinces. Ph. D. Thesis, Coll. Educ., Al-Qadisiya Univ.: 158 pp. (In Arabic).
- Al-Jadoaa, N.A. (2008). Study of the parasitic infection of *Liza abu* fish in drainage water at Al-Diwaniya Province. J. Babylon Univ., 15(1): 256-263. (In Arabic).

- Al-Janabi, M.I.G. (2010). The relation between sex and ectoparasites infestation of Albushlumbo *Pseudapocrypte dentatus* in Iraq. Al-Anbar J. Vet. Sci., 3(2): 89-96. (In Arabic).
- Al-Janae'e, A.M.S. (2010). Parasites of some Iraqi fishes in two localities varied in their trophic levels in inland water of Basrah. M. Sc. Thesis, Coll. Agric., Univ. Basrah: 227 pp. (In Arabic).
- Al-Jawda, J.M.; Balasem, A.N.; Mhaisen, F.T. and Al-Khateeb, G.H. (2000). Parasitic fauna of fishes from Tigris River at Salah Al-Deen Province, Iraq. Iraqi J. Biol. Sci., 19 and 20: 16-24.
- Al-Jawda, J.M.; Balasem, A.N.; Mhaisen, F.T.; Al-Shaikh, S.M.J.; Asmar, K.R. and Adday, T.K. (2003). Some fish parasites from Tigris River at Neinava Province, north of Iraq. Basrah J. Agric. Sci., 16(2): 19-29.
- Al-Jubori, M.I.A. (2013). Parasitic infections of some cyprinid and mugilid families fishes from Tigris River passing through Tikrit City. M. Sc. Thesis, Coll. Sci., Univ. Tikrit: 86 pp. (In Arabic).
- Al-Khenifsawy, R.H.A. (2022). Diagnostic and systematic study of parasites of three common fish species in Al-Dalmaj Marsh/ Iraq. M. Sc. Thesis, Coll. Educ., Univ. Al-Qadisiyah: 86 pp. (In Arabic).
- Al-Khenifsawy, R.H.A. and Al-Mayli, H.M.H. (2022). Detection of internal and external parasites of some common fish species from Al-Dalmaj Marsh/ Iraq. Int. J. Entomol. Res., 7(2): 37-47.
- Al-Marjan, K.S.N. (2016). Seasonal variations and prevalence of infections of some species of ectoparasites affecting freshwater fish, *Chondrostoma regium* from Greater Zab River, Kurdistan Region, Iraq. PolyTechnic, 6(1): 310-315.
- Al-Musawi, A.M.K. (2016). Epidemiological study of external parasites that parasitic on *Planiliza abu* in three different habitats in the Province of Babylon. M. Technol. Thesis, Al-Musaib Tech. Coll., Al-Furat Al-Awsat Tech. Univ.: 126 pp. (In Arabic).
- Al-Nasiri, F.S. (2000). Parasitic infections of fishes in a man-made lake at Al-Amiriya Region, Baghdad. M. Sc. Thesis, Coll. Educ. (Ibn Al-Haitham), Univ. Baghdad: 133 pp. (In Arabic).

- Al-Nasiri, F.S.; Mhaisen, F.T. and Al-Nasiri, S.K. (2002). Parasitic infections of the common carp, *Cyprinus carpio* in a man-made lake at Baghdad Region. Iraqi J. Agric. (Spec. Issue), 7(1): 175-181.
- Al-Nasiri, F.S.; Mhaisen, F.T. and Al-Nasiri, S.K. (2003). Parasites of the grey mullet *Liza abu* in a man-made lake at Baghdad Region. Iraqi J. Agric. (Spec. Issue), 8(1): 133-140.
- Al-Niaeem, K.S.K. (2006). Infection distribution of fish parasites in Basrah Province and pathological effects of *Saprolegnia* sp. and its susceptibility to some plant extracts. Ph. D. Thesis, Coll. Agric., Univ. Basrah: 172 pp. (In Arabic). DOI:10.13140/RG.2.2.19357.72165.
- Al-Niaeem, K.S.; Al-Saboonchi, A.A. and Ahmed, R.A. (2015). Effect of water quality on fishes infected with copepods from three stations in Basrah Province, Iraq. J. Int. Acad. Res. Multidiscipl., 3(4): 428- 436. DOI:10.13140/RG.2.1.2671.6249.
- Al-Niaeemi, B.H.S. (1997). A study on parasites of the fish *Silurus glanis* L., from Tigris River in Mosul City with special reference to the histopathological effects caused by some infections. M. Sc. Thesis, Coll. Sci., Univ. Mosul: 116 pp. (In Arabic).
- Al-Rubaie, A.L.; Hussain, H.T. and Abdul-Ameer, K.N. (2007). The external parasites of the common carp (*Cyprinus carpio*) in Technical Institute of Al-Mussayab Fish Farm. J. Babylon Univ., Sci., 14(3): 46-50.
- Al-Rubaie, I.A.; Mohammad-Ali, N.R.; Balasem, A.N. and Al-Jawda, J.M. (2003). Study on fish diseases in Diyala River. Iraqi J. Agric. (Spec. Issue), 8(6): 40-47. (In Arabic).
- Al-Saadi, A.A.J.J. (2007). Ecology and taxonomy of parasites of some fishes and biology of *Liza abu* from Al-Husainia Creek in Karbala Province, Iraq. Ph. D. Thesis, Coll. Educ. (Ibn Al-Haitham), Univ. Baghdad: 155 pp. (In Arabic).
- Al-Saadi, A.A.J.; Mhaisen, F.T. and Hasan, H.R. (2010). Ectoparasites of seven fish species from Al-Husainia Creek, Karbala Province, Mid Iraq. J. Kerbala Univ., 8(4): 1-7.

- Al-Saadi, A.A.J.; Mhaisen, F.T. and Hasan, H.R. (2011). Some aspects of the reproductive biology of the mugilid fish *Liza abu* (Heckel) in Al-Husainia Creek, Karbala Province, Iraq and effect of parasitism on its gonadosomatic index. *Iraqi J. Agric. Res. (Spec. Issue)*, 16(3): 166-173. (In Arabic).
- Al-Sa'adi, B.A.-H.E. (2007). The parasitic fauna of fishes of Euphrates River: Applied study in Al-Musaib City. M. Technol. Thesis, Al-Musaib Tech. Coll., Found. Tech. Educ.: 102 pp. (In Arabic).
- Al-Salim, N.K. and Jori, M.M. (2002). Study of the parasites of two mugilid fish species and the effect of some of them on the blood parameters. II: Effect of the crustacean *Ergasilus rostralis* on blood parameters of *Liza abu* and *L. subviridis*. *Mar. Mesopot.*, 17(1): 209-221. (In Arabic).
- Al-Salim, N.K. and Mohamad, E.T. (1993a). Infection of *Heteropneustes fossilis* with some parasite species and their pathological effects on the infected fishes. *First Sci. Symp., Coll. Agric., Univ. Basrah: 12-13 April 1993: 17.* (In Arabic). (Abstract).
- Al-Salim, N.K. and Mohamad, E.T. (1993b). Seasonal variation of infection of *Heteropneustes fossilis* with some parasite species. *First Sci. Symp., Coll. Agric., Univ. Basrah: 12-13 April 1993: 18.* (In Arabic). (Abstract).
- Al-Salim, N.K.; Khamees, N.R. and Al-Niaem, K.S. (2007). Seasonality of some parasites found in three species of fishes in two different localities. *J. Basrah Res., Spec. Issue, Third Sci. Conf. Microbiol.: 32-46.* (In Arabic).
- Al-Salmany, S.O.K. (2015). Parasitic infections of some fish species from Euphrates River at Al-Qaim City, Anbar Province. M. Sc. Thesis, Coll. Sci., Univ. Tikrit: 193 pp. (In Arabic).
- Al-Salmany, S.O.K. (2022). Isolation and diagnosis of helminthes and crustacea parasitizing in some fish species caught from determinant areas of Upper Euphrates River/ Al-Anbar Province, Iraq. Ph. D. Thesis, Coll. Sci., Univ. Tikrit: 169 pp. (In Arabic).
- Al-Shaikh, S.M.; Mhaisen, F.T.; Al-Khateeb, G.H.; Balasem, A.N. and Mansoor, N.T. (1995). Collection of some fish parasites from the lower reaches of Diyala River, Mid Iraq. *J. Environ. Sci. Health, A* 30(8): 1707-1715. DOI:10.1080/10934529509376297.

- Al-Waaly, A.B.M. (2005). A comparative study for parasites of *Barbus luteus* fishes in Al-Daghara River and drainage water. M. Sc. Thesis, Coll. Educ., Univ. Al-Qadisiya: 101 pp. (In Arabic).
- Al-Zubaidy, A.B. (1998). Studies on the parasitic fauna of carps in Al-Furat Fish Farm, Babylon Province, Iraq. Ph. D. Thesis, Coll. Sci., Univ. Babylon: 141 pp. (In Arabic).
- Al-Zubaidy, A.B. (2007). A study on some crustacean fish parasites from fresh and marine water. J. Egypt. Acad. Soc. Environ. Develop., 8(2): 127-137.
- Amado, M.A.P.M.; Rocha, C.E.F.; Piasecki, W.; Al-Daraji, S.A.M. and Mhaisen, F.T. (2001). Copepods of the family Ergasilidae (Poecilo-stomatoida) parasitic on fishes from Khor Al-Zubair Lagoon, Iraq. Hydrobiologia, 459: 213-221. DOI:10.1023/A:10-12511716677.
- Asmar, K.R.; Balasem, A.N.; Adday, T.K. and Al-Jawda, J.M. (2003). Parasitic infections in some lotic water systems in Mid Iraq. Iraqi J. Agric. (Spec. Issue), 8(6): 59-65. (In Arabic).
- Asmar, K.R.; Balasem, A.N.; Al-Jawda, J.M. and Adday, T.K. (2004). Recording of parasitic and fungal infections in three fish farms, south of Baghdad. Iraqi J. Aquacult., 2: 117-132. (In Arabic). DOI: 10.58629/ijaq.v1i2.323.
- Asmar, K.R.; Balasem, A.N.; Al-Jawda, J.M.; Hummadi, A.J. and Adday, T.K. (2001). Study of the parasitic infections in some fish farms. I.A.E.C. Report No. 7050- PO 152-2001: 5 pp. (In Arabic).
- Asmar, K.R.; Balasem, A.N.; Mhaisen, F.T.; Al-Khateeb, G.H. and Al-Jawda, J.M. (1999). Survey of the parasites of some fish species from Al-Qadisiya Dam Lake, Iraq. Ibn Al-Haitham J. Pure Appl. Sci., 12(1): 52-61.
- Awad, A.H.; Abdullah, F.A. and Jori, M.M. (2007a). Taxonomic study of parasites of the Asian catfish *Silurus triostegus* (Heckel, 1843) from Al-Hammar Marsh, Basrah, Iraq. Second Sci. Conf. Rehabilit. South. Iraqi marshes. Basrah: 2-4 April 2007: 32. (Abstract). (In Arabic).

- Awad, A.H.; Abdullah, F.A. and Jori, M.M. (2007b). Immunological study on the Asian catfish *Silurus triostegus* (Heckel, 1843) from Al-Hammar Marsh, Basrah, Iraq. Second Sci. Conf. Rehabilit. South. Iraqi marshes. Basrah: 2-4 April 2007: 63. (Abstract). (In Arabic).
- Awad, A.H.; Abdullah, F.A. and Jori, M.M. (2007c). Effect of two parasites on blood parameters of the Asian catfish *Silurus triostegus* (Heckel, 1843). Second Sci. Conf. Rehabilit. South Iraqi marshes. Basrah: 2-4 April 2007: 67. (Abstract). (In Arabic).
- Balasesm, A.N.; Mhaisen, F.T.; Al-Jawda, J.M. and Asmar, K.R. (2002a). Collection of some fish parasites from the northern Sector of Saddam's River, Mid Iraq. Sci. J. Iraqi Atom. Energy Comm., 4(2): 186-191.
- Balasesm, A.N.; Mhaisen, F.T.; Adday, T.K.; Al-Jawda, J.M. and Asmar, K.R. (2003). A second survey of parasitic infections in freshwater fishes from Al-Qadisiya Dam Lake, Euphrates River, Iraq. Mar. Mesopot., 18(2): 123-140. (In Arabic).
- Balasesm, A.N.; Mhaisen, F.T.; Al-Jawda, J.M.; Asmar, K.R. and Adday, T.K. (2002b). Parasitic fauna of some fishes in Northern Sector of Saddam's River at Al-Mahmoodiya City, Iraq. Al-Tharwa Al-Samakia, 21: 43-48. (In Arabic).
- Balasesm, A.N.; Mustafa, S.R.; Salih, A.M.; Al-Jawda, J.M. and Mohammad-Ali, N.R. (2001). A second study for fish parasites of Diyala River. Al-Fatah J., 10: 457-470. (In Arabic).
- Balasesm, A.N.; Mhaisen, F.T.; Al-Shaikh, S.M.J.; Al-Khateeb, G.H.; Asmar, K.R. and Adday, T.K. (1993). Survey of fish parasites from Tigris River at Al-Zaafaraniya, south of Baghdad, Iraq. Mar. Mesopot., 8(3): 226-235.
- Bannai, M.A.-A. (2002). Parasites of some marine fishes of Khor Abdulla, north-west Arabian Gulf. M. Sc. Thesis, Coll. Educ., Univ. Basrah: 103 pp. (In Arabic).
- Bdair, A.T. (2018). Diagnosis of ectoparasitic infestation in some fishes in the Tigris River at Al-Zaafaraniya Region from Baghdad City. M. Sc. Thesis, Coll. Vet. Med., Univ. Baghdad: 118 pp. (In Arabic).

- Bdair, A.T. and Al-Rudainy, A.A.J. (2018). Digenetic trematodes and crustacean parasitising some fishes from the Tigris River, Al-Zaafaraniya Region, Baghdad City. *J. Entomol. Zool. Stud.*, 6(1): 681-685.
- Bilal, E.F. (2016). Effect of parasitic infections on some haematological and biochemical parameters in *Silurus triostegus* from Greater Zab River, Kurdistan Region, Iraq. M. Sc. Thesis, Coll. Educ, Univ. Salahaddin: 87 pp.
- Bilal, S.J. (2006). Parasitic fauna of some cyprinid fishes from Bahdinan River in Kurdistan Region- Iraq. M. Sc. Thesis, Sci. Educ. Coll., Univ. Salahaddin: 90 pp.
- Bilal, S.J. and Abdullah, S.M.A. (2008). Protozoa and Crustacea infesting some cyprinid fishes from Bahdinan River in Kurdistan Region- Iraq. *J. Duhok Univ.*, 12(1), Spec. Issue: 108-112.
- Eassa, A.M.; Al-Jenaei, A.M.; Abdul-Nabi, Z.A.; Abood, M.A.; Kzaal, R.S. and Aliwy, Y.J. (2014). Comparative ecological study of pathogens structure between wild and cultured common carp *Cyprinus carpio* L. in Basrah. *Marsh Bull.*, 9(2): 107-123.
- Fattohy, Z.I. (1975). Studies on the parasites of certain teleostean fishes from the River Tigris, Mosul, Iraq. M. Sc. Thesis, Coll. Sci., Univ. Mosul: 136 pp.
- Freyhof, J.; Kaya, C. and Ali, A. (2021). Chapter 35: A critical checklist of the inland fishes native to the Euphrates and Tigris: 815-855. In: Jawad, L.A. (Ed.). *Tigris and Euphrates rivers: Their environment from headwaters to mouth drainages*. Springer. Cham. 1640 pp. DOI:10.1007/978-3-030-57570-0_35.
- Fricke, R.; Eschmeyer, W.N. and Van der Laan, R. (eds.) (2023). *Eschmeyer's Catalog of Fishes: Genera, Species, References*. (<http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>). Electronic version updated 8 August 2023.
- Froese, R. and Pauly, D., (eds.) (2023). *FishBase*. World Wide Web electronic publication. www.fishbase.org, version (02/2023).
- GBIF.org (2023). GBIF Home page. Available from <http://www.gbif.org> . (Accessed 29 August 2023).

- Hammood, N.W. (2017). Investigation of some parasitic and bacterial infections in some fish species of Tigris River at Baghdad City. M. Sc. Thesis, Coll. Sci., Univ. Tikrit: 141 pp. (In Arabic).
- Herzog, P.H. (1969). Untersuchungen über die parasiten der süßwasserfische des Irak. Arch. Fischereiwiss., 20(2/3): 132-147.
- Ho, J.-S.; Khamees, N.R. and Mhaisen, F.T. (1996). Ergasilid copepods (Poecilostomatoida) parasitic on the mullet *Liza abu* in Iraq, with the description of a new species of *Paraergasilus* Markevich, 1973. Syst. Parasitol., 33: 79-87. DOI:10.1007/BF00009424.
- Hudson, P.L. and Lesko, L.T. (2003). Free-living and parasitic copepods of the Laurentian Great Lakes: Keys and details on individual species. Ann Arbor, MI: Great Lakes Science Center Home Page. <http://www.glsc.usgs.gov/greatlakescopepods/>.
- Hussain, H.T. (2007). Survey of ectoparasites of some fishes of Al-Hilla River in Babylon Province. J. Babylon Univ., Sci., 14(3): 228-232. (In Arabic).
- Hussain, H.T. (2009). Effect of temperature on the external parasites which recorded on the mugilid fish *Liza abu* (Heckel, 1843) in Al-Hilla River, Babylon Province. Sci. J. Kerbala Univ., 7(3), Sci.: 5-11. (In Arabic).
- Hussein, S.A.; Al-Salem, N.K. and Abed, J.M. (2011). Survey of parasites and fish enemies in three selected fish farms in Iraq. IV: Survey of fish parasites in Basrah University Fish Farm/ Marine Science Center. Iraqi J. Agric., 16(1): 82-89. (In Arabic).
- Institute of Fisheries Management (2018). The life cycle of *Ergasilus sieboldi*. <https://ifm.org.uk>. (Uploads/2018/08).
- Jori, M.M. (1998). Study of the parasites of two mugilid fish species and the effect of some on the blood parameters. M. Sc. Thesis, Coll. Agric., Univ. Basrah: 136 pp. (In Arabic).
- Jori, M.M. (2006). Parasitic study on the Asian catfish *Silurus triostegus* (Heckel, 1843) from Al-Hammar marshes, Basrah, Iraq. Ph. D. Thesis, Coll. Educ., Univ. Basrah: 192 pp.

- Kadim, R.A. (2003). Investigation of crustacean parasites on some species of fishes in Al-Furat Fish Farm and Al-Mahaweel Drainage Collector in Babylon Province. M. Sc. Thesis, Coll. Sci., Univ. Babylon: 103 pp. (In Arabic).
- Khalifa, K.A. (1989). Incidence of parasitic infestation of fishes in Iraq. Pak. Vet. J., 9(2): 66-69.
- Khamees, N.R. (1983). A study of the parasites of *Carasobarbus luteus* (Heckel), *Liza abu* (Heckel) and *Aspius vorax* Heckel from Mehajieran Canal, south of Basrah. M. Sc. Thesis, Coll. Agric., Univ. Basrah: 148 pp. (In Arabic).
- Khamees, N.R. (1996). Ecological and biological studies of some copepods (family Ergasilidae) infesting gills of the mugilid fish, *Liza abu* from Basrah. Ph. D. Thesis, Coll. Agric., Univ. Basrah: 92 pp.
- Khamees, N.R. and Mhaisen, F.T. (1988). Ecology of parasites of the cyprinid fish *Carasobarbus luteus* from Mehajieran Creek, Basrah. J. Biol. Sci. Res., 19(2): 409-419.
- Khamees, N.R. and Mhaisen, F.T. (1995). Two copepod crustaceans as additional species to the parasitic fauna of fishes of Iraq. Basrah J. Sci., 13(1): 49-56.
- Khamees, N.R. and Mhaisen, F.T. (1998). Attachment methods for species of Ergasilidae (Copepoda) parasitic on gills of *Liza abu*. Fifth Sci. Conf., Fish. Mar. Resour., Basrah: 3-4 Nov. 1998. (Abstract). (In Arabic).
- Khamees, N.R. and Mhaisen, F.T. (2001). Some ecological aspects of *Ergasilus rostralis* (Copepoda: Crustacea) from the mullet, *Liza abu* from Shatt Al-Arab River. Al-Mustansiriya J. Sci., 12(5): 21-28.
- Khamees, N.R.; Mhaisen, F.T. and Ali, A.H. (2015). Checklists of crustaceans of freshwater and marine fishes of Basrah Province, Iraq. Mesopot. J. Mar. Sci., 30(1): 1-32. DOI:10.58629/mjms.v30i1.122.

- Mansoor, N.T. (2009). Ectoparasites and eye parasites of *Cyprinus carpio* L. from Bab Al-Muatham Fish markets, Baghdad City. M. Sc. Thesis, Coll. Vet. Med., Univ. Baghdad: 82 pp.
- Mansoor, N.T. and Al-Shaikh, S.M.J. (2011). Isolate two crustaceans which infect *Cyprinus carpio* L. from Bab Al-Muatham Fish markets, Baghdad City. Iraqi J. Vet. Med., 35(1): 54-60.
- Mansor, N.T.; Falah, A.B.; Al-Jawda, J.M. and Asmar, K.R. (2012). Histo-pathological study of some Tigris River fish which infected by parasites. Iraqi J. Vet. Med., 36(1): 33-42 (In Arabic). DOI:10.30539/iraqijvm.v36i1.564.
- Mathews, P.D.; Patta, A.C.M.F.; Gama, G.S. and Mertins, O. (2018). Infestation by *Ergasilus coatiarus* (Copepoda: Ergasilidae) in two Amazonian cichlids with new host record from Peru: An ectoparasites natural control approach. Comptes Rendus Biol., 341(1): 16-19. DOI:10.1016/j.crv.2017.12.001.
- Mehdi, D.S. (1989). Effect of parasites on the biochemical constituents of fishes *Liza abu*. M. Sc. Thesis, Coll. Educ., Univ. Basrah: 98 pp. (In Arabic).
- Mehdi, D.S.; Berghash, A.J. and Abid-Ali, J.M. (2009). Study of seasonal variation of infected fish (*Liza abu*) with three types of parasites. Al-Taqani, 22(2): 53-57. (In Arabic).
- Mhaisen, F.T. (1986). Records of some fish parasites from Shatt-Al-Arab River and the north west of the Arab Gulf. Bull. Basrah Nat. Hist. Mus., 6(1): 111-124.
- Mhaisen, F.T. (2022). Checklists of carp parasites in floating cages of Iraq. Iraqi J. Aquacult., 19(2): 140-166. DOI:10.58629/ijaq.v19i2.424.
- Mhaisen, F.T. (2023). Index-catalogue of parasites and disease agents of fishes of Iraq (Unpublished: mhaisenft@yahoo.co.uk).
- Mhaisen, F.T. and Abdul-Ameer, K.N. (2020). Checklists of the species of *Trichodina* Ehrenberg, 1830 (Ciliophora: Oligohymenophorea: Peritrichida) from fishes of Iraq. Biol. Appl. Environ. Res., 4(2): 196-228.

- Mhaisen, F.T. and Abdul-Ameer, K.N. (2021a). Checklist of fish hosts of species of *Lernaea* Linnaeus, 1758 (Hexanauplia: Cyclopoida:Lernaeidae) in Iraq. Biol. Appl. Environ. Res., 5(1): 53-73. DOI:10.51304/baer.2021.5.1.53.
- Mhaisen, F.T. and Abdul-Ameer, K.N. (2021b). Checklist of fish hosts of species of *Contracaecum* Railliet & Henry, 1912 (Nematoda: Ascaridida: Anisakidae) in Iraq. Biol. Appl. Environ. Res., 5(2): 281-306. DOI:10.51304/baer.2021.5.2.281.
- Mhaisen, F.T. and Abul-Eis, E.S. (1991). Parasites of the common carp *Cyprinus carpio* in the Babylon Fish Farm, Hilla, Iraq. Thalassographica, 14: 27-33.
- Mhaisen, F.T. and Abul-Eis, E.S. (1993). External parasites of Al-Wahda Fish Hatchery at Suwaira, south of Baghdad. Mar. Mesopot., 8(2): 202-206.
- Mhaisen, F.T. and Al-Jawda, J.M. (2020). Checklists of the species of *Myxobolus* Bütschli, 1882 (Cnidaria: Myxozoa: Myxobolidae) from fishes of Iraq. Biol. Appl. Environ. Res., 4(2): 127-166.
- Mhaisen, F.T. and Khamees, N.R. (2001). Control of some copepod crustaceans parasitic on gills of the mugilid fish *Liza abu*. Ibn Al-Haitham J. Pure Appl. Sci., 14(3): 24-32
- Mhaisen, F.T.; Al-Rubaie, A.L. and Al-Sa'adi, B.A. (2015). Crustaceans and glochidians of fishes from the Euphrates River at Al-Musaib City, Babylon Province, Mid Iraq. Am. J. Biol. Life Sci., 3(4): 116-121.
- Mhaisen, F.T.; Al-Saadi, A.A.J. and Al-Shamma'a, A.A. (1999). Some observations on fish parasites of Habbaniya Lake. Ibn Al-Haitham J. Pure Appl. Sci., 12(1): 62-67.
- Mhaisen, F.T.; Al-Salim, N.K. and Khamees, N.R. (1986). The parasitic fauna of two cyprinids and a mugilid fish from Mehajjeran Creek, Basrah. J. Biol. Sci. Res., 17(3): 63-73.
- Mhaisen, F.T.; Al-Salim, N.K. and Khamees, N.R. (1988). Occurrence of parasites of the freshwater mugilid fish *Liza abu* (Heckel) from Basrah, Southern Iraq. J. Fish Biol., 32(4): 525-532. DOI:10.1111/j.1095-8649.1988.tb05392.x.

- Mhaisen, F.T.; Al-Yamour, K.Y. and Allouse, S.B. (1995). Parasites of some freshwater fishes from Tigris River at Al-Rashidia, north of Baghdad, Iraq. *Arq. Mus. Bocage, Nova Série*, 2(32): 547-554.
- Mhaisen, F.T.; Al-Khateeb, G.H.; Balasem, A.N.; Al-Shaikh, S.M.J.; Al-Jawda, J.M. and Mohammad-Ali, N.R. (2003). Occurrence of some fish parasites in Al-Madaen Drainage Network, south of Baghdad. *Bull. Iraq Nat. Hist. Mus.*, 10(1): 39-47.
- Míč, R.; Řehulková, E. and Seifertová, M. (2023). Species of *Ergasilus* von Nordmann, 1832 (Copepoda: Ergasilidae) from cichlid fishes in Lake Tanganyika. *Parasitology*, 150(7): 579-598. DOI:10.1017/S0031182023000239.
- Mohamad, E.T. (1989). Study on parasites of the stinging catfish *Heteropneustes fossilis* (Bloch, 1797) from Al-Hammar Marsh, Basrah. M. Sc. Thesis, Coll. Agric., Univ. Basrah: 103 pp. (In Arabic).
- Mohammad-Ali, N.R.; Balasem, A.N.; Mhaisen, F.T.; Salih, A.M. and Waheed, I.K. (1999). Observations on the parasitic fauna in Al-Zaafaraniya Fish Farm, south of Baghdad. *Vet.*, 9(2): 79-88.
- Mohammed, H.J. (2017). Parasitic fauna of some fish species from Diyala River in Diyala Province. M. Sc. Thesis, Coll. Educ. Pure Sci., Ibn Al-Haitham, Univ. Baghdad: 122 pp. (In Arabic).
- Piasecki, W.; Al-Daraji, S.A.M. and Mhaisen, F.T. (1993). Preliminary survey on copepod parasites of four fish species from Khor-Al-Zubair Lagoon, Iraq. *Aquacult. Assoc. Canada's 10th Ann. Meet. Conf.*, Charlottetown: 24-27 Aug. 1993. (Abstract).
- Rahemo, Z.I.F. (1982). Two new species of *Ergasilus* (Copepoda: Cyclopoida) from the gills of two Iraqi freshwater fishes. *Bull. Basrah Nat. Hist. Mus.*, 5: 39-59.
- Rahemo, Z.I.F. (2011). Parasitic fauna of the freshwater fish (Arath) *Acanthobrama marmid* caught from River Tigris passing through Mosul City, Iraq. VIII International Symposium of Fish Parasites. Vina del Mar, Chile: 26-30 Sept. 2011 (Abstract).
- Rahemo, Z.I.F. and Al-Neemi, B.H.S. (1999). Observations on the histopathology caused by some parasites of the freshwater fish, *Silurus glanis* L. *Riv. Parassitol.*, 16(60), No. 3: 227-235.

- Rahemo, Z.I.F. and Al-Niaeemi, B.H.S. (2001). Parasites of *Silurus glanis* inhabiting Tigris River passing Mosul City. J. Al-Qadisiya, Pure Sci., 6(3): 116-125. (In Arabic).
- Rashed, A.-R.A.-M. and Hussain, M.M.S. (1988). Preliminary study on the parasites of some freshwater fishes from Greater Zab River, north east of Iraq. Zanco, 2(2): 7-16.
- Rasheed, R.A.-R. (2016). Parasites of some fishes of Tigris River in Al-Shawwaka Region, Baghdad City- Iraq. M. Sc. Thesis, Coll. Educ. (Ibn Al-Haitham), Univ. Baghdad: 106 pp. (In Arabic).
- Rashid, A.-R.A.-M.; Othman, H. and Nsayf, Z.M. (1989). Preliminary study on some freshwater fish parasites from Little Zab, north east of Iraq. J. Biol. Sci. Res., 20(3): 107-114. (In Arabic).
- Roberts, L.S. (1970). *Ergasilus*: Revision and key to species in North America. Trans. Am. Microscop. Soc., 89: 134-161.
- Salih, A.M.; Balasem, A.N.; Al-Jawda, J.M.; Asmar, K.R. and Mustafa, S.R. (2000). On a second survey of fish parasites in Al-Zaafaranya Fish Farm- Baghdad. J. Diyala, 1(8 Part 1): 220-238. (In Arabic).
- Sheyaa, F.A.-R. (2019). Parasitic infections in some fish species from Tigris River at Al-Taji Beach in Baghdad Province, Iraq. M. Sc. Thesis, Coll. Educ. Pure Sci., Univ. Baghdad: 92 pp. (In Arabic).
- Shwani, A.A.A. (2009). The parasitic fauna of Asian catfish *Silurus triostegus* (Heckel, 1843) from Greater Zab River- Kurdistan Region- Iraq. M. Sc. Thesis, Coll. Sci. Educ., Univ. Salahaddin: 75 pp.
- Tan, M. and Armbruster, J.W. (2018). Phylogenetic classification of extant genera of fishes of the order Cypriniformes (Teleostei: Ostariophysii). Zootaxa, 4476(1): 006-039. DOI:10.11646/zootaxa.4476.1.4.
- WoRMS (2023). World Register of Marine Species at <http://www.marinespecies.org> at VLIZ. (Accessed 29 August 2023).
- Zangana, M.G.M.A. (2008). Survey study of parasites of freshwater fishes from Al-Khazir River in Nineveh Province. M. Sc. Thesis, Coll. Vet. Med., Univ. Mosul: 123 pp. (In Arabic).

قوائم مرجعية لأنواع الجنس *Ergasilus* von Nordmann, 1832 (صنف مجدافية الأرجل: عائلة أركاسيليدي) المتطفلة على أسماك العراق

فرحان ضمد محيسن^{1*} وسالم عبد مطلق الدراجي² **id**

¹بناية 6 ب، كاترينهاولم 36 641، السويد

²مركز علوم البحار، جامعة البصرة، البصرة، العراق

*Corresponding Author e-mail: mhaisenft@yahoo.co.uk

تاريخ النشر: 2023/12/25

تاريخ القبول: 2023/10/21

تاريخ الإستلام: 2023/09/03

المستخلص

من خلال مسح 144 من المصادر المعنية بتواجد مجدافيات الأقدام من الجنس *Ergasilus* المتطفلة على أسماك العراق، تبين أن هناك 11 نوعاً، إضافة إلى بعض الأنواع غير المشخصة من هذا الجنس تصيب 38 نوعاً من الأسماك. توزعت الإصابات في الأسماك في أنهار دجلة، الفرات وشط العرب مع بعض روافدها، البحيرات، الأهوار، شبكات الميازل، العديد من أحواض الأسماك والأقفاص العائمة في أجزاء مختلفة من العراق، فضلا عن المياه البحرية في الخليج العربي. من بين الأسماك المصابة، كانت أسماك البياح الأخضر مصابة بأكثر عدد من أنواع هذا الجنس (ثمانية أنواع)، تلتها أسماك الحمري، الكارب الإعتيادي، الشلك والخشني (سبعة أنواع متطفلة على كل منها)، في حين كانت سبعة أنواع من الأسماك مصابة بنوع واحد فقط من هذه لطفيليات. من بين أنواع هذا الجنس، كان النوع *E. sieboldi* متطفلا على ما مجموعه 25 نوعا مختلفا من هذه الأسماك، في حين تم عزل كل من النوع *E. iraquensis* والنوع *E. lizae* والنوع *E. synanciensis* من نوع واحد فقط من الأسماك المضيفة.

الكلمات المفتاحية: مجدافيات الأقدام، أنواع الجنس *Ergasilus*، غلاصم، التوزيع، أسماك، العراق