

The GEOTRACES Intermediate Data Product 2014



The GEOTRACES Group

Edward Mawji^a, Reiner Schlitzer^{b,*}, Elena Masferrer Dodas^c, Cyril Abadie^c, Wafa Abouchami^d, Robert F. Anderson^e, Oliver Baars^f, Karel Bakker^g, Mark Baskaran^h, Nicholas R. Batesⁱ, Katrin Bluhm^j, Andrew Bowie^k, Johann Bown^l, Marie Boye^l, Edward A. Boyle^m, Pierre Branellecⁿ, Kenneth W. Bruland^o, Mark A. Brzezinski^p, Eva Bucciarelli^q, Ken Buesseler^r, Edward Butler^s, Pinghe Cai^t, Damien Cardinal^u, Karen Casciotti^r, Joaquin Chaves^v, Hai Cheng^w, Fanny Chever^x, Thomas M. Church^y, Albert S. Colman^z, Tim M. Conway^{aa}, Peter L. Croot^{ab}, Gregory A. Cutter^{ac}, Hein J.W. de Baar^g, Gregory F. de Souza^{ad}, Frank Dehairs^{ae}, Feifei Deng^{af}, Huong Thi Dieu^{ag}, Gabriel Dulaquais^l, Yolanda Echegoyen-Sanz^m, R. Lawrence Edwards^{ah}, Eberhard Fahrback^{b,1}, Jessica Fitzsimmons^m, Martin Fleisher^e, Martin Frank^j, Jana Friedrich^{ai}, François Fripiat^{ae}, Stephen J.G. Galer^d, Toshitaka Gamo^{aj}, Ester Garcia Solsona^{ak}, Loes J.A. Gerringa^g, José Marcus Godoy^{al}, Santiago Gonzalez^g, Emilie Grossteffan^l, Mariko Hatta^{am}, Christopher T. Hayes^e, Maija Iris Heller^o, Gideon Henderson^{af}, Kuo-Fang Huang^{an}, Catherine Jeandel^c, William J. Jenkins^r, Seth John^{aa}, Timothy C. Kenna^e, Maarten Klunder^g, Sven Kretschmer^b, Yuichiro Kumamoto^{ao}, Patrick Laan^g, Marie Labatut^c, Francois Lacan^c, Phoebe J. Lam^o, Delphine Lannuzel^k, Frederique le Moigne^{aq}, Oliver J. Lechtenfeld^b, Maeve C. Lohan^{ar}, Yanbin Lu^{ah}, Pere Masqué^{ak}, Charles R. McClain^v, Christopher Measures^{am}, Rob Middag^{as}, James Moffett^{at}, Alicia Navidad^{au}, Jun Nishioka^{av}, Abigail Noble^{aw}, Hajime Obata^{aj}, Daniel C. Ohnemus^{ax}, Stephanie Owens^r, Frédéric Planchon^q, Catherine Pradoux^c, Viena Puigcorb  ^{ak}, Paul Quay^{ay}, Amandine Radic^c, Mark Rehk  mper^{az}, Tomas Remenyi^k, Micha J.A. Rijkenberg^g, Stephen Rintoul^{ba}, Laura F. Robinson^{bb,r}, Tobias Roeske^b, Mark Rosenberg^{ap}, Michiel Rutgers van der Loeff^b, Evgenia Ryabenko^j, Mak A. Saito^r, Saeed Roshan^{bm}, Lesley Salt^g, G  rardine Sarthou^l, Ursula Schauer^b, Peter Scott^{af}, Peter N. Sedwick^{ac}, Lijuan Sha^w, Alan M. Shiller^{bc}, Daniel M. Sigman^f, William Smethie^e, Geoffrey J. Smith^o, Yoshiki Sohrin^{ag}, Sabrina Speich^{bd}, Torben Stichel^{be}, Johnny Stutsman^{ay}, James H. Swift^{bf}, Alessandro Tagliabue^{bg}, Alexander Thomas^{bh}, Urumu Tsunogai^{bi}, Benjamin S. Twining^{ax}, Hendrik M. van Aken^g, Steven van Heuven^{bj}, Jan van Ooijen^g, Evaline van Weerlee^g, Celia Venchiarutti^b, Antje H.L. Voelker^{bk}, Bronwyn Wake^l, Mark J. Warner^{ay}, E. Malcolm S. Woodward^{bl}, Jingfeng Wu^{bm}, Neil Wyatt^{ar}, Hisayuki Yoshikawa^{bn}, Xin-Yuan Zheng^{af}, Zichen Xue^{az}, Moritz Zieringer^j, Louise A. Zimmer^{ac}

^a British Oceanographic Data Centre, Southampton, University of Southampton Waterfront Campus, European Way, Southampton SO14 3ZH, United Kingdom

^b Alfred Wegener Institute, Bremerhaven, Helmholtz Centre for Polar and Marine Research, Am Handelshafen 12, Bremerhaven 27570, Germany

^c Laboratoire d'Etudes en G  ophysique et Oc  anographie Spatiales, LEGOS, UMR5566, CNRS-CNES-IRD-Universit   de Toulouse III, 14 Avenue Edouard Belin, Toulouse 31400, France

^d Max Planck Institute for Chemistry, Hahn-Meitner-Weg 1, Mainz 55128, Germany

^e Lamont-Doherty Earth Observatory of Columbia University, P.O. Box 1000, 61 Route 9W, Palisades, NY 10964-1000, United States

^f Department of Geosciences, Princeton, NJ University, Guyot Hall, Washington Road, Princeton, NJ 08544-1003, United States

^g Royal Netherlands Institute for Sea Research, P.O. Box 59, Den Burg 1790 AB, The Netherlands

^h Department of Geology, Wayne State University, 0224 Old Main, 4841 Cass Avenue, Detroit, MI 48202, United States

ⁱ Bermuda Institute of Ocean Sciences, 17 Biological Lane, Ferry Reach, St. Georges GE01, Bermuda

^j GEOMAR, Helmholtz Centre for Ocean Research Kiel, Wischhofstrasse 1-3, Kiel 24148, Germany

^k Antarctic Climate and Ecosystems CRC and Institute for Marine and Antarctic Studies University of Tasmania, Private Bag 80, Hobart 7001, Australia

* Corresponding author.

E-mail address: Reiner.Schlitzer@awi.de (R. Schlitzer).

¹ Deceased.

- ¹ Laboratory of Marine Environmental Science (LEMAR-UMR 6539, CNRS-UBO-IRD-IFREMER), Institut Universitaire Européen de la Mer (IUEM), Place Nicolas Copernic, Technopôle Brest Iroise, Plouzané 29280, France
- ^m Department of Earth, Atmospheric and Planetary Sciences, Massachusetts Institute of Technology (MIT), Building E25 Rm. 619, 77 Massachusetts Avenue, Cambridge, MA 02139, United States
- ⁿ IFREMER, Brest, Z.I. Pointe du Diable, B.P. 70, Plouzané 29280, France
- ^o University of California, Santa Cruz, Department of Ocean Sciences, 1156 High St., Santa Cruz, CA 95064, United States
- ^p Marine Science Institute and the Department of Ecology, Evolution and Marine Biology, University of California, Santa Barbara, CA 93106-9620, United States
- ^q Université de Brest, Laboratoire des Sciences de l'Environnement Marin (LEMAR), Place Nicolas Copernic, Technopôle Brest Iroise, Plouzané 29280, France
- ^r Woods Hole Oceanographic Institution, Department of Marine Chemistry and Geochemistry, 266 Woods Hole Road, Woods Hole, MA 02543, United States
- ^s Australian Institute of Marine Science, Darwin, P.O. Box 41775, Casuarina, NT 0811, Australia
- ^t State Key Laboratory of Marine Environmental Science, Xiamen University, 422 Siming South Road, Xiamen 361005, China
- ^u Sorbonne Universités (UPMC, Univ Paris 06)-CNRS-IRD-MNHN, LOCEAN Laboratory, 4 Place Jussieu CP100, 75252 Paris Cedex 5, France
- ^v NASA Goddard Space Flight Center, Ocean Ecology Laboratory, Code 616 Greenbelt, MD 20771, United States
- ^w Institute of Global Environmental Change, Xi'an Jiao Tong University, 99 Yanxiang Road, Western No. 1 Building, Xi'an 710049, China
- ^x School of Ocean and Earth Science, University of Southampton, National Oceanography Centre, European Way, Southampton SO14 3ZH, United Kingdom
- ^y College of Earth, Ocean, and Environment, University of Delaware, 111 Robinson Hall, Newark, DE 19716-3501, United States
- ^z Department of the Geophysical Sciences, University of Chicago, 5734 S. Ellis Avenue, Chicago, IL 60637, United States
- ^{aa} Department of Earth and Ocean Sciences, University of South Carolina, 701 Sumter Street, EWS 617, Columbia, SC 29208, United States
- ^{ab} Department of Earth and Ocean Sciences, School of Natural Sciences, National University of Ireland Galway (NUI Galway), University Road, Galway, Ireland
- ^{ac} Department of Ocean, Earth and Atmospheric Sciences, Old Dominion University, 4600 Elkhorn Avenue, Norfolk, VA 23529, United States
- ^{ad} ETH Zurich, Institute of Geochemistry and Petrology, Clausiusstrasse 25, 8092 Zurich, Switzerland
- ^{ae} Analytical, Environmental and Geo-Chemistry Department, Vrije Universiteit Brussel, Pleinlaan 2, B-1050 Brussels, Belgium
- ^{af} Department of Earth Sciences, University of Oxford, South Parks Road, Oxford OX1 3AN, United Kingdom
- ^{ag} Kyoto University, Institute for Chemical Research, Gokasho, Uji 611-0011, Japan
- ^{ah} Department of Earth Sciences, University of Minnesota, 310 Pillsbury Drive SE, Minneapolis, MN 55455-0231, United States
- ^{ai} Helmholtz Zentrum Geesthacht Center for Materials and Coastal Research, Max-Planck Str. 1, 21502 Geesthacht, Germany
- ^{aj} Atmosphere and Ocean Research Institute, The University of Tokyo, 5-1-5, Kashiwanoha, Kashiwa 277-8564, Japan
- ^{ak} Department of Physics and Institute of Environmental Science and Technology, Universitat Autònoma de Barcelona, 08193 Bellaterra, Spain
- ^{al} Department of Chemistry, Pontifical Catholic University of Rio de Janeiro, Rua Marquês de São Vicente, 225, Gávea, Rio de Janeiro 22453-900, Brazil
- ^{am} Department of Oceanography, University of Hawai'i at Manoa, 1000 Pope Road, Honolulu HI, 96822-3324, United States
- ^{an} Institute of Earth Sciences, Academia Sinica, 128, Sec. 2, Academia Road, Nangang, Taipei 11529, Taiwan
- ^{ao} Research and Development Center for Global Change, Japan Agency for Marine-Earth Science and Technology, 2-15 Natsushima-Cho, Yokosuka 237-0061, Japan
- ^{ap} Antarctic Climate and Ecosystems CRC, Private Bag 80, Hobart 7001, Australia
- ^{aq} National Oceanography Centre, Southampton, European Way, Southampton SO14 3ZH, United Kingdom
- ^{ar} School of Geography, Earth and Environmental Sciences, University of Plymouth, Drake Circus, Plymouth PL4 8AA, United Kingdom
- ^{as} Department of Chemistry, NIWA/University of Otago Research Centre for Oceanography, P.O. Box 56, Dunedin 9054, New Zealand
- ^{at} Department of Biological Sciences, University of Southern California, 3616 Trousdale Parkway, Los Angeles, CA 90089-0371, United States
- ^{au} CSIRO Marine and Atmospheric Research, Hobart, Castray Esplanade, Hobart 7000, Australia
- ^{av} Institute of Low Temperature Sciences, Hokkaido University, Kita-19, Nishi-8, Kita-ku, Sapporo 060-0819, Japan
- ^{aw} Environmental Chemistry Group, Gradient, 20 University Road, Cambridge, MA 02138, United States
- ^{ax} Bigelow Laboratory for Ocean Sciences, 60 Bigelow Drive, P.O. Box 380, East Boothbay, ME 04544, United States
- ^{ay} School of Oceanography, University of Washington, P.O. Box 357940, Seattle, WA 98195-7940, United States
- ^{az} Department of Earth Science and Engineering, Imperial College London, London SW7 2AZ, United Kingdom
- ^{ba} CSIRO Oceans and Atmosphere Flagship, Hobart, Castray Esplanade, Hobart 7001, Australia
- ^{bb} School of Earth Sciences, University of Bristol, Wills Memorial Building, Queen's Road, Bristol BS8 1RJ, United Kingdom
- ^{bc} Department of Marine Science, University of Southern Mississippi, 1020 Balch Boulevard, Stennis Space Center, MS 39529, United States
- ^{bd} Ocean Physics Laboratory, University of Western Brittany, 6 Avenue Victor-Le-Gorgeu, BP 809, Brest 29285, France
- ^{be} Ocean and Earth Science, National Oceanography Centre Southampton, University of Southampton, Southampton SO14 3ZH, United Kingdom
- ^{bf} Scripps Institution of Oceanography, University of California, San Diego, 9500 Gilman Dr., MC-0214, La Jolla, CA 92093-0214, United States
- ^{bg} Dept. of Earth, Ocean and Ecological Sciences, School of Environmental Sciences, University of Liverpool, Liverpool, United Kingdom
- ^{bh} University of Edinburgh, School of Geosciences, Grant Institute, James Hutton Road, Edinburgh, EH9 3FE, United Kingdom
- ^{bi} Graduate School of Environmental Studies, Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8601, Japan
- ^{bj} Energy and Sustainability Research Institute Groningen, University of Groningen, Nijenborgh 4, 9747 AG Groningen, The Netherlands
- ^{bk} Portuguese Institute of the Ocean and the Atmosphere (IPMA), Avenida de Brasília 6, 1449-006 Lisbon, Portugal
- ^{bl} Plymouth Marine Laboratory, Prospect Place, The Hoe, Plymouth PL1 3DH, United Kingdom
- ^{bm} University of Miami, Rosenstiel School of Marine and Atmospheric Science (RSMAS), Marine and Atmospheric Chemistry (MAC), 4600 Rickenbacker Causeway, Miami, FL 33149-1098, United States
- ^{bn} Graduate School of Environmental Science and Faculty of Environmental Earth Science, Hokkaido University, Kita 10, Nishi 5, N10W5 Kita-ku, Sapporo 060-0810, Japan

ARTICLE INFO

Article history:

Received 21 November 2014

Received in revised form 1 April 2015

Accepted 12 April 2015

Available online 16 April 2015

Keywords:

GEOTRACES

Trace elements

Isotopes

Electronic atlas

ABSTRACT

The GEOTRACES Intermediate Data Product 2014 (IDP2014) is the first publicly available data product of the international GEOTRACES programme, and contains data measured and quality controlled before the end of 2013. It consists of two parts: (1) a compilation of digital data for more than 200 trace elements and isotopes (TEIs) as well as classical hydrographic parameters, and (2) the *eGEOTRACES Electronic Atlas* providing a strongly inter-linked on-line atlas including more than 300 section plots and 90 animated 3D scenes. The IDP2014 covers the Atlantic, Arctic, and Indian oceans, exhibiting highest data density in the Atlantic. The TEI data in the IDP2014 are quality controlled by careful assessment of intercalibration results and multi-laboratory data comparisons at cross-over stations. The digital data are provided in several formats, including ASCII spreadsheet, Excel spreadsheet, netCDF, and Ocean Data View collection. In addition to the actual data values the IDP2014 also contains data quality flags and 1- σ data error values where available. Quality flags and error values are useful for data filtering. Metadata about data originators, analytical methods and original publications related to the data are linked to the data in an easily accessible way. The *eGEOTRACES Electronic Atlas* is the visual representation of the IDP2014 data providing section plots and a new kind of animated 3D scenes. The basin-wide 3D scenes allow for viewing of data from many cruises at the same time, thereby providing quick overviews of large-scale tracer distributions. In addition, the 3D scenes provide geographical and bathymetric context that is crucial for the interpretation and assessment of observed tracer plumes, as well as for making inferences about controlling processes.

1. Introduction

GEOTRACES is an international study of the marine biogeochemical cycles of trace elements and their isotopes (TEIs), designed by marine geochemists to accelerate TEI research under a global program. Combining ocean sections, process studies, data synthesis, and modelling, GEOTRACES will identify and quantify the processes that supply TEIs at ocean boundaries as well as the physical and biological processes that redistribute TEIs within and between ocean basins (Anderson et al., 2014; SCOR Working Group, 2007; GEOTRACES, 2006; Anderson and Henderson, 2005; Frank et al., 2003; <http://www.geotraces.org/>).

GEOTRACES decided in 2011 to create and release the *GEOTRACES Intermediate Data Product 2014* (IDP2014). The main motivation was to not wait until the end of the programme to issue a final data product, but instead to create and release a first intermediate data product at a time when the programme is very active and still expanding, both in terms of observational activities as well as the scientific analysis of the data produced so far. By releasing and sharing the data at an early stage, GEOTRACES intends not only to strengthen and intensify collaboration within the geochemical community itself, but also to attract and invite colleagues from other communities, such as physical and biological oceanography, as well as modelling, to apply their unique knowledge and skills to marine geochemical problems.

Realising that building-up and strengthening multi-disciplinary collaboration takes time, GEOTRACES from its beginning has stimulated cross-disciplinary collaboration by organising a series of data/model synergy workshops (6–8 September 2007, Hanse Wissenschaftskolleg, Delmenhorst, Germany; 7–10 December 2009, École Normale Supérieure, Paris, France; 14–17 November 2011, Universitat Autònoma de Barcelona, Spain). The release of the IDP2014 now provides the extensive and high-quality observational dataset needed for conducting the many new collaborative projects and modelling studies initially discussed at these workshops and aimed at improving our understanding of the cycling of TEIs in the ocean and quantifying respective sources and sinks (GEOTRACES, 2006).

The IDP2014 is the result of a community effort and would not exist without the successful collaboration of a large part of the marine geochemical community within GEOTRACES and the willingness of participating scientists to release their published and even unpublished data as part of this product. In a field where sampling, measurement and calibration of the various tracers involve highly specialised skills and can

only be achieved by few laboratories world-wide, this degree of collaboration, openness and sharing of data is exceptional.

The IDP2014 consists of two parts: (1) the digital data compilation of trace elements and isotopes (TEIs) as well as classic hydrographic parameters and (2) the *eGEOTRACES Electronic Atlas* providing section plots and animated 3D scenes of the data.

2. IDP2014 digital data

The IDP2014 digital data package consists of two datasets: (1) the CTD sensor data and (2) the discrete sample dataset containing the TEI data. Both datasets include data from 15 cruises conducted in the 5-year period from 2007 to 2012 (Table 1). These cruises cover the Arctic, Atlantic and Indian oceans (Fig. 1). The best coverage and highest station density are found in the Atlantic. In addition to GEOTRACES Sections, GA02, GA03, GA10, GA11, and GI04, the IDP2014 also includes data from the GEOTRACES compliant cruise GAc01 (CoFeMUG) and five cruises GIPY2, GIPY4, GIPY5, GIPY6, and GIPY11, which were conducted as part of the International Polar Year (for an overview of IPY activities see: <http://www.icsu.org/publications/reports-and-reviews/ipy-summary>). Links to the cruise reports of all cruises are provided in Table 2.

The CTD sensor dataset contains temperature, salinity, oxygen, fluorescence, transmissometer, turbidity, and photosynthetically-active radiation (PAR) data at 1126 stations at 1 meter vertical resolution. The fluorescence and transmissometer data provide information on phytoplankton abundance and suspended particle concentrations and are thus important for the interpretation of TEI data. Where calibrated data were not available, raw values are provided. These uncalibrated data are still useful as they reveal the relative magnitude and vertical extent of phytoplankton and suspended particle features.

The IDP2014 discrete sample dataset contains data for 796 stations. Of these stations, 693 provide full-depth coverage of the water column. There are data for a total number of 237 parameters, including (1) classic hydrographic parameters and tracers such as temperature, salinity, oxygen, nutrients, CFCs, SF6, Tritium, and He-3, (2) dissolved and particulate trace elements such as Al, Ba, Cd, Cu, Fe, Mn, Mo, Ni, Pb, Zn and Rare Earth Elements (REEs), (3) stable isotopes such as H-2, C-13, N-15, O-18, Si-30, Fe-56, Cd-110, Cd-114, and Nd-143 as well as (4) radioactive isotopes like Pb-210, Po-210, Th-230, Pa-231, Th-232, and Th-234.

Table 1

List of cruises included in the GEOTRACES Intermediate Data Product 2014. Suffixes (n), (s), (w), (e), and (c) indicate northern, southern, western, eastern or central parts of a section.

Section	Cruise	Chief scientist	Country	Start date	End date
GA02 (n)	PE319	Gerringa, Loes	Netherlands	28-Apr-2010	26-May-2010
GA02 (c)	PE321	Rijkenberg, Micha	Netherlands	11-Jun-2010	08-Jul-2010
GA02 (s)	JC057	Rijkenberg, Micha	Netherlands	01-Mar-2011	07-Apr-2011
GA03 (e)	KN199-4	Jenkins, William	USA	15-Oct-2010	04-Nov-2010
GA03 (w)	KN204-1	Boyle, Edward	USA	06-Nov-2011	11-Dec-2011
GA10 (e)	D357	Henderson, Gideon	UK	18-Oct-2010	22-Nov-2010
GA10 (w)	JC068	Henderson, Gideon	UK	24-Dec-2011	27-Jan-2012
GA11	M81_1	Frank, Martin	Germany	04-Feb-2010	08-Mar-2010
GAc01	KN192-5	Saito, Mak	USA	16-Nov-2007	13-Dec-2007
GI04	KH09-05	Gamo, Toshitaka	Japan	06-Nov-2009	10-Jan-2010
GIPY2	AU0703	Griffiths, Brian	Australia	21-Jan-2007	19-Feb-2007
GIPY4	MD166	Speich, Sabrina	France	08-Feb-2008	24-Mar-2008
GIPY5	ANTXXIV/3	Fahrbach, Eberhard	Germany	06-Feb-2008	16-Apr-2008
GIPY6	AU0806	Rintoul, Steve	Australia	22-Mar-2008	17-Apr-2008
GIPY11	ARKXXII/2	Schauer, Ursula	Germany	29-Jul-2007	07-Oct-2007




Fig. 1. Map of stations included in the GEOTRACES Intermediate Data Product 2014.

The 796 stations include a total number of 27,366 discrete samples. The average number of depths sampled at each station is 34 but reached up to 182 depths at heavily sampled “super” stations. Table 3 summarises the number of observations for GEOTRACES key parameters, including micronutrients essential to life in the ocean (e.g., Fe, Zn, Cd, Cu), tracers of modern processes in the ocean (e.g., Al, Mn, N-15), tracers significantly perturbed by human activities (e.g., Pb), and tracers used as proxies to reconstruct the past (e.g., Th-230, Pa-231, Nd isotopes). Data for micronutrients are most abundant, with the total number of Fe measurements amounting to 6715, 4840 of which are for dissolved Fe alone. There are almost 2500 data values for the radioactive isotope Th-234 and almost 1000 values for Th-230 and Pa-231.

This is, however, an “intermediate” product, and there is clearly a significant amount of further data to come from GEOTRACES cruises, both those represented in the IDP2014, and those more recently

completed or planned. The IDP2014 contains only those data that were completed and submitted before the cut-off date of December 2013. Further data will be included in subsequent intermediate products (as detailed below) and will significantly augment the data coverage represented in IDP2014.

The GEOTRACES Standards and Intercalibration Committee reviewed all key GEOTRACES TEI data for the IDP2014 following procedures developed as part of the 2008–2010 Intercalibration programme (Cutter, 2013) and the results from the GEOTRACES Intercalibration programme can be found in a special issue of Limnology & Oceanography Methods <http://www.aslo.org/lomethods/si/intercal2012.html>, which outlines procedures for all TEI's. The intercalibration procedures used for the IDP can be found at <http://www.geotraces.org/science/intercalibration/945-intercalibration-procedures>. In brief, at common stations occupied by two GEOTRACES cruises – crossover stations –

Table 2

Links to cruise reports of cruises included in the GEOTRACES Intermediate Data Product 2014.

Cruise	Cruise report
PE319	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/pe319.pdf
PE321	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/pe321.pdf
JC057	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/jc057.pdf
KN199-4	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/KN199-4.pdf
KN204-1	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/KN204-1.pdf
D357	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/d357.pdf
JC068	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/jc068.pdf
M81_1	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/meteor81_1.pdf
KN192-5	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/KN192-5.pdf
KH09-05	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/hakuhomaru_kh-09-5.pdf
AU0703	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/auroraaustralis0703.pdf
MD166	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/mariondufresne166.pdf
ANTXXIV/3	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/polarstern_antxxiv3.pdf
AU0806	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/auroraaustralis0806.pdf
ARKXXII/2	http://www.bodc.ac.uk/data/information_and_inventories/cruise_inventory/report/polarstern_arkxxii2_07.pdf

Table 3

Number of discrete measurements of GEOTRACES key parameters in the IDP2014 and percentage contributions to the total number of discrete samples (27,366) in parentheses.

Key parameter	Number of observations
<i>Trace elements</i>	
Fe	All forms: 6715 (24.5%); dissolved: 4840 (17.7%)
Mn	All forms: 5444 (19.9%); dissolved: 4420 (16.2%)
Al	All forms: 4278 (15.6%); dissolved: 3539 (12.9%)
Zn	All forms: 3387 (12.4%); dissolved: 3299 (12.1%)
Cd	All forms: 3865 (14.1%); dissolved: 2865 (10.5%)
Pb	All forms: 3035 (11.1%); dissolved: 2315 (8.5%)
Cu	All forms: 2214 (8.1%); dissolved: 1472 (5.4%)
<i>Stable isotopes</i>	
Si-30	All forms: 294 (1.1%); silicate: 266 (1.0%)
O-18	All forms: 2384 (8.7%); water: 1926 (7.0%)
N-15	All forms: 1226 (4.5%); nitrate: 768 (2.8%)
C-13	All forms: 846 (3.1%); DIC: 644 (2.4%)
<i>Radioactive isotopes</i>	
Th-234	All forms: 2459 (9.0%); dissolved: 1431 (5.2%)
Th-230	All forms: 924 (3.4%); dissolved: 752 (2.7%)
Pa-231	All forms: 921 (3.4%); dissolved: 751 (2.7%)
Pb-210	All forms: 606 (2.2%); dissolved: 311 (1.1%)
<i>Radiogenic isotopes</i>	
Nd-143	All forms: 237 (0.9%); dissolved: 237 (0.9%)

TEI data from both cruises were evaluated to see if they met criteria established by the larger TEI community (e.g., concentrations within 10% for Cd) and proper calibration and verification (e.g., analysing certified reference materials) procedures were followed. The distinct advantage of comparing crossover data was that it included the factors affecting accuracy due to sampling and sample handling procedures as well as from analytical methods. For cruises not having crossover stations to date (e.g., Indian Ocean), replicate sampling at multiple depths and having multiple labs analyse these samples allowed for examinations of accuracy for at least the sample handling through analytical steps.

In addition to the actual data values the IDP2014 also contains data quality flags and 1- σ data error values where available. Quality flags and error values are useful for data filtering. Quality flags are single character codes reflecting the quality of the respective data value. The IDP2014 uses the IODE quality flag set that was recently recommended as standard flagging scheme for the exchange of oceanographic and marine meteorological data (www.iode.org/mg54_3). The IODE flagging scheme is generic and simple, only containing the five flags listed in Table 4.

The IDP2014 employs the following parameter naming scheme. Standard hydrographic parameters, such as pressure, depth, oxygen, and nutrients, use names as defined in the WOCE/CLIVAR naming conventions (http://cchdo.ucsd.edu/parameter_descriptions). Examples are CTDPRS, CTDTMP, CTDSAL and CTDOXY for pressure, temperature, salinity and oxygen from CTD sensors, respectively, and SALNTY, PHSPHT, NITRAT, SILCAT for salinity, phosphate, nitrate and silicate, respectively, measured on bottle samples.

All other trace elements and isotope names are composed of up to six separate tokens as follows:

Table 4

The IODE quality flagging scheme used for the IDP2014.

Value	Flag short name	Definition
1	Good	Passed required QC tests
2	Not evaluated, not available or unknown	Used for data when no QC test performed or the information on quality is not available
3	Questionable/suspect	Failed non-critical metric or subjective test(s)
4	Bad	Failed critical QC test(s) or as assigned by the data provider
9	Missing data	Used as place holder when data are missing

1	2	3	4	5	6
Element/Compound	[_Oxidation State]	[_Atomic Mass]	_Phase	_Data Type	_Sampling System

Tokens 2 and 3 are optional, while all other tokens are mandatory. Meaning and possible values of all the six tokens are described in Table 5. Example parameter names are given in Table 6.

The IDP2014 digital data compilation is available for download at <http://www.bodc.ac.uk/geotraces/data/idp2014/>. Users are required to register and agree to usage rules asking for proper citation of the relevant original papers associated with the particular data used, as well as citation of the IDP2014 data product itself (this paper). The data are available in various formats: (1) as ASCII text files suitable for usage in standard software, (2) as Excel spreadsheet files for Microsoft Excel or similar software, (3) as netCDF files suitable for access by models and netCDF readers, and (4) as ODV collections for use with the popular *Ocean Data View* software (<http://odv.awi.de>).

Cruise reports as well as the data info files provide information about data originator, original publications related to the data as well as analytical methods and are maintained for every parameter and every cruise and are delivered with all format options. Access to these meta-data is particularly easy in ODV, where only two mouse clicks are required to obtain detailed information about the data producer and the analytical methods for any given data value. One more mouse click shows the references of the original publications associated with a given parameter and cruise. Proper linkage of originator and publication information is used throughout the IDP2014.

The publication links in the IDP2014 point to a reference database of original publications maintained at the GEOTRACES International Programme Office (IPO). This reference database is updated whenever

Table 5

Description of the IDP2014 parameter naming scheme.

#	Explanation	Example
1	Element or compound (mandatory)	Fe, Th, DIC, NO3, L1Fe
2	Oxidation state as roman numeral (optional)	_II, _IV
3	Atomic mass (optional; two entries for isotope ratios)	_56, _208_204
4	Phase on which element or compound was measured (mandatory)	_D (dissolved), _S (soluble), _C (colloidal), _TD (total dissolvable), _TP (total particulate), _SP (small particulate), _SPL (small particulate, labile fraction), _SPR (small particulate, refractory fraction), _SPT (small particulate, total (unleached)), _LP (large particulate), _LPT (large particulate, total (unleached)), _F (free (un-complexed)), _TPL (total particulate, labile fraction), _TPR (total particulate, refractory fraction)
5	Data type (mandatory)	_CONC, _DELTA, _EPSILON, _RATIO, _LogK
6	Sampling system (mandatory)	_BOTTLE, _PUMP, _FISH

Table 6

Example IDP2014 parameter names. The last 5 parameters are not included in the IDP2014 but are expected to be part of future data products.

Parameter name	Explanation
Fe_D_CONC_BOTTLE	Concentration of dissolved Fe
Fe_II_D_CONC_BOTTLE	Concentration of dissolved Fe(II)
Fe_II_TP_CONC_BOTTLE	Concentration of total particulate Fe(II) determined by filtration from a water sampling bottle
Fe_TPL_CONC_BOTTLE	Concentration of labile particulate iron determined by filtration from a water sampling bottle
Nd_143_144_D_RATIO_BOTTLE	Atom ratio of given isotopes for dissolved Nd
Nd_143_D_EPSILON_BOTTLE	Atom ratio of dissolved Nd isotopes expressed in conventional EPSILON notation
DIC_13_D_DELTA_BOTTLE	$\delta^{13}\text{C}$ of DIC
NO3_15_D_DELTA_BOTTLE	$\delta^{15}\text{N}$ of nitrate
DIC_14_D_DELTA_BOTTLE	$\Delta^{14}\text{C}$ of DIC
Cu_II_F_CONC_BOTTLE	Concentration of free Cu^{++}
Pb_206_204_D_RATIO_BOTTLE	Atom ratio of given isotopes for dissolved Pb
L1Fe_D_CONC_BOTTLE	Concentration of dissolved L1 Fe-binding ligand
L1Fe_D_LogK_BOTTLE	Log of the stability constant of L1 Fe


new papers are published. Clicking on a reference link in the IDP2014 will always show the up-to-date list of relevant publications in the reference database for a particular TEI. This mechanism was chosen to allow for dynamic inclusion of papers published after the release of the data product.

3. eGEOTRACES Electronic Atlas

The eGEOTRACES Electronic Atlas (<http://egeotrac.es.org/>) is based on the digital data package described above and provides section plots (Fig. 2) and animated 3D scenes (Fig. 3) for many of the parameters. Users select tracers, cruise tracks and ocean basins using list-boxes and interactive maps. eGEOTRACES then presents tracer distributions along the selected sections, or animated 3D scenes showing tracer distributions along all available sections in the selected basin. Section plots and 3D animations contain the names of the scientists who produced or are responsible for the data.

Clicking on a section plot loads a high-resolution version of the image, which can be saved for use in publications and presentations.

eGEOTRACES



(c) 2014 Reiner Schiller, Alfred Wegener Institute, Bremerhaven, Germany

References: [Link to references associated with these data](#)


Other tracers along this section: [Al dissolved](#) | [Ba dissolved](#) | [Fluorescence Chl-a](#) | [CTD Oxygen](#) | [CTD Salinity](#) | [CTD Potential Temperature](#) | [Transmissometer Beam Attenuation](#) | [Cd dissolved](#) | [Dissolved Inorganic Carbon](#) | [Dissolved Organic Carbon](#) | [Fe dissolved](#) | [delta O18 \(H2O\)](#) | [delta Deuterium \(H2O\)](#) | [La dissolved](#) | [Mn dissolved](#) | [Mo dissolved](#) | [Nitrate](#) | [Ni dissolved](#) | [Oxygen \(Winkler or CTD\)](#) | [Phosphate](#) | [Pa_231 dissolved](#) | [Pa_231/Th_230 dissolved Ratio](#) | [Pb dissolved](#) | [Salinity](#) | [Silicate](#) | [delta Si30 \(SILCAT\)](#) | [Total Alkalinity](#) | [Total Nitrogen](#) | [Total Organic Carbon](#) | [Potential Temperature](#) | [Th_232 total particulate \(pump\)](#) | [Th_234 dissolved](#) | [U dissolved](#) | [Y dissolved](#) | [Zn dissolved](#)

Other sections with this tracer: [GA03](#) | [GA03_e](#) | [GIPY5_e](#) | [GIPY5_w](#)

3D scenes with this tracer: [Atlantic](#) | [North Atlantic](#) | [South Atlantic](#)

Goto: [Sections Home](#) | [3D Scenes Home](#) | [eGEOTRACES Home](#)

Fig. 2. Example of eGEOTRACES section page.



Other tracers in this scene: [Al dissolved](#) | [Cd dissolved](#) | [Fe dissolved](#) | [Mn dissolved](#) | [Nitrate](#) | [Oxygen \(Winkler or CTD\)](#) | [Phosphate](#) | [Pa_231 dissolved](#) | [Pa_231/Th_230 dissolved Ratio](#) | [Pb dissolved](#) | [Salinity](#) | [Silicate](#) | [delta Si30 \(SILCAT\)](#) | [Potential Temperature](#) | [Th_230 dissolved](#)

Other 3D scenes with this tracer: [Indian Ocean](#) | [North Atlantic](#) | [South Atlantic](#)

Sections with this tracer: [GA02](#) | [GA03](#) | [GA03_e](#) | [GA10](#) | [GI04](#) | [GIPY5_e](#) | [GIPY5_w](#) | [GIPY6](#)

Goto: [Larger-size Video](#) | [Sections Home](#) | [3D Scenes Home](#) | [eGEOTRACES Home](#)

Fig. 3. Example of eGEOTRACES 3D scene.

You use the browser's "Back" button to return to the original section page. Clicking on a rotating 3D scene produces a blown-up version of the animation. Clicking on the blown-up animation returns it to the original size. An option bar appears when the mouse is over the animation. You can use the bar to stop the animation at arbitrary angles and quickly choose other viewing angles.

Section and 3D animation pages contain groups of links at the bottom of the page. These include (a) links to other tracers along this section or in this scene, (b) other sections or 3D scenes with this tracer, and (c) 3D scenes or sections with this tracer. These links greatly facilitate the switching between and comparing of different tracers, sections and 3D scenes. All section plots use the same window layout. Therefore section plots perfectly match when switching between tracers. The links under category (c) allow for easy transitions between section plots and 3D animations. Section pages also contain a link to the original publications associated with the given tracer and section. Clicking on this link shows the current list of publications from the dynamically updated reference database maintained at the IPO (see above).

eGEOTRACES provides quick overviews of the occurrence of geochemically relevant tracers. The 3D scenes provide geographical and bathymetric context crucial for correctly assessing the extent and origin of tracer plumes as well as for inferring processes acting on the tracers and shaping their distribution. The numerous links to other

tracers, sections and basins found on section plots and 3D animations allow for quick switching between tracers and domains and facilitate comparative studies. In addition to the anticipated usage for marine research, eGEOTRACES and the contained visual material can help in teaching and outreach activities and can also facilitate conveying societally-relevant scientific results to interested non-scientists and policy makers.

Images from the eGEOTRACES Atlas are freely available for non-commercial purposes, such as in scientific publications, posters, presentations or teaching activities, if the source is cited as follows: Schlitzer, R., eGEOTRACES - Electronic Atlas of GEOTRACES Sections and Animated 3D Scenes, <http://egeotrac.es.org>, 2014. Users must not remove the names of data producers and graphics creator. High-resolution images are available on request.

4. Summary

With the release of the IDP2014, GEOTRACES seeks to promote intensified collaboration within the marine geochemical community and beyond. The availability of a large integrated and quality controlled dataset, such as the IDP2014, will allow a much wider range of studies than would be possible with individual cruise data alone. Examples of such research include basin-wide tracer budgets and quantification

of sources and sinks on large scales. The new 3D visualisation techniques and the strong inter-linkage of sections and 3D scenes provided by the *eGEOTRACES Atlas* aids the scientific interpretation of TEI data, but also facilitates outreach to a wider community, including not only scientists from different disciplines but also the general public and policy makers.

In early 2015, the GEOTRACES Data Management Committee will formally seek feedback from the community on IDP2014, with an email sent out to those who provided data, those who have downloaded the product and also those on the GEOTRACES mailing list, directing them to an online survey.

The IDP2014 is the first in a series of intermediate data products planned to be produced at regular intervals with the next scheduled for release at the Goldschmidt Conference in 2017. These future data products will extend the geographical coverage by including data from new GEOTRACES cruises in the Mediterranean Sea, Pacific, Atlantic and Indian Oceans, as well as containing additional data from existing cruises for parameters that take longer to measure and complete. User feedback from the survey will help make the next IDP an even more useful product.

Acknowledgements

We gratefully acknowledge financial support by the Scientific Committee on Oceanic Research (SCOR) through grants from the U.S. National Science Foundation, including grants OCE-0608600, OCE-0938349, and OCE-1243377. Financial support was also provided by

the UK Natural Environment Research Council, the Ministry of Earth Science of India, the Centre National de Recherche Scientifique, l'Université Paul Sabatier de Toulouse, the Observatoire Midi-Pyrénées Toulouse, the Universitat Autònoma de Barcelona, the Kiel Excellence Cluster *The Future Ocean*, the Swedish Museum of Natural History, The University of Tokyo, The University of British Columbia, The Royal Netherlands Institute for Sea Research, the GEOMAR-Helmholtz Centre for Ocean Research Kiel, and the Alfred Wegener Institute. This work is dedicated to the memory of Eberhard Fahrbach, a great polar scientist and colleague whose legacy in polar oceanography will carry on for the years to come. Eberhard served as chief scientist on GIPY5 and was a long-time supporter of GEOTRACES.

References

- Anderson, R.F., Henderson, G., 2005. GEOTRACES. A global study of the marine biogeochemical cycles of trace elements and their isotopes. *Oceanography* 18 (3), 76–79.
- Anderson, R.F., Mawji, E., Cutter, G.A., Measures, C.I., Jeandel, C., 2014. GEOTRACES: changing the way we explore ocean chemistry. *Oceanography* 27 (1), 50–61.
- Cutter, G.A., 2013. Intercalibration in chemical oceanography – getting the right number. *Limnol. Oceanogr. Methods* 11, 418–424.
- Frank, M., Jeandel, C., Anderson, R.F., Henderson, G., Francois, R., Sharma, M., 2003. GEOTRACES: studying the global marine biogeochemistry of trace elements and isotopes. *Eos Trans. AGU* 84 (34).
- GEOTRACES, 2006. GEOTRACES (an international study of the marine biogeochemical cycles of trace elements and their isotopes): Science Plan. (ISBN 1932–794, <http://www.geotraces.org/science/science-plan>).
- SCOR Working Group, 2007. GEOTRACES – an international study of the global marine biogeochemical cycles of trace elements and their isotopes. *Chem. Erde-Geochem.* <http://dx.doi.org/10.1016/j.chemer.2007.02.001>.