

International Council for the
Exploration of the Sea

C.M. 1984/K : 2
Shellfish Committee

An indexed bibliography on the common shrimp,
Crangon crangon (L.), complementary to Tiews, 1967.

F. Redant

Fisheries Research Station,
Ankerstraat 1, B-8400 Oostende, Belgium

Abstract.

An indexed bibliography on the shrimp Crangon crangon (L.), complementary to Tiews' "Synopsis of Biological Data on the Common Shrimp" (1967) is presented. It covers about 560 papers on a variety of topics such as taxonomy, morphology, anatomy, zoogeography, biochemistry, physiology, reproduction biology, metabolism, ethology, ecology, exploitation, management and culture of the brown shrimp. The bibliography is followed by an index of key-word entries to the literature. Some major trends in the scientific research on the brown shrimp are summarized.

Résumé.

Un index bibliographique sur la crevette Crangon crangon (L.), complémentaire au "Synopsis of Biological Data on the Common Shrimp" par Tiews (1967) est présenté. L'index contient environ 560 contributions, traitant sur la taxonomie, la morphologie, l'anatomie, la zoogéographie, la biochimie, la physiologie, la reproduction, le métabolisme, l'éthologie, l'écologie, l'exploitation, la gestion et la culture de la crevette grise. La bibliographie est suivie par une liste de mots-clés, donnant accès à la littérature. Les tendances les plus importantes dans les recherches scientifiques sur la crevette grise sont résumées.

This study was subsidized by the Institute for Scientific Research in Industry and Agriculture, Brussels, Belgium.

1. Introduction.

Since Tiews published his "Synopsis of Biological Data on the Common Shrimp, Crangon crangon (Linnaeus, 1758)" (TIEWS, 1967) the scientific literature on the brown shrimp swell to enormous proportions. Tiews' bibliography, covering the literature until 1967, included nearly 120 titles ; since then over 400 new scientific contributions dealing exclusively or amongst other animal species, with the brown shrimp have been written.

The literature on Crangon crangon grows in an almost exponential way : around 10 papers per decennium in the period 1891-1920, 10 to 30 papers per decennium in the period 1921-1950, almost 70 papers in the fifties, nearly 200 in the sixties and over 350 in the seventies.

Prior to 1940 the literature mainly treated the natural history of the brown shrimp (reproduction biology, migrations, growth,...). From 1940 onwards an increasing number of contributions on physiological and biochemical aspects of the shrimp's biology, especially on osmoregulation, pigmentation, food requirements and utilization, was published. About fifteen years later marine biologists showed a steadily growing interest in the exploitation and management problems of the shrimp fisheries (the by-catch problem, gear design, the possible overfishing of the shrimp stocks, stock management,...). This trend was rapidly followed by a more ecological approach of the shrimp's population dynamics (the impact of predation, the rôle of the brown shrimp in the ecosystem,...). Finally, from the mid-sixties onwards, an almost endless flood of papers on the impact of pollution and pollutants was produced. Not so much because the brown shrimp was endangered but merely because, "for routine testing, the mortality of the readily available species of brown shrimp (Crangon crangon) was selected as the effect to be measured" (BLACKMAN and colleagues, 1978, pag. 235).

Notwithstanding these major trends the study of fundamental aspects of the shrimp's natural history, physiology and behaviour was continued. Partly because our knowledge on several of these aspects (e.g. growth, age, migration, metabolism,...) shows serious contradictions, partly because the available data are insufficient to produce ready to hand explanations for ecological and pollution-induced phenomena.

This brief historical review shows that at least an important part of the scientific work on Crangon crangon closely fits the "spirit of the times" and the changing social, political and economic concerns and interests. However, one main rapid seems to have left the Crangon-biologists relatively unaffected : up to now only a few (rather unsuccessful) attempts have been made to rear or culture the brown shrimp.

2. Scope of the bibliography.

This bibliography covers the literature on a variety of topics such as taxonomy, morphology, anatomy, zoogeography, biochemistry, physiology, reproduction biology, metabolism, ethology, ecology, exploitation, management and culture of Crangon crangon. It includes about 560 titles : 440 published since 1967 and about 120 not yet included in Tiews' review. However, papers on the food and food composition of predatory fishes, where Crangon is mentioned as a prey item, and papers on the processing, preservation and marketing of shrimps were omitted. A partial bibliography on the first topic can be found in REDANT (1978).

Even within these confines several restrictions and criteria had to be respected :

- a. books and general reviews were excluded,
- b. publications of a non-scientific or a journalistic nature were excluded,
- c. periodical contributions by international or governmental organizations on catch and landing statistics were excluded,
- d. periodical publications by institutes or individual scientists on cooperative stock surveys were excluded,
- e. unpublished reports, theses, etc. were included solely when they were not yet published in any other form,
- f. similar or identical contributions published under different forms (e.g. as an ICES-paper and in the "open" literature) were grouped under the same serial number. All the references are given but the title is not repeated.

The references have been selected from different sources, the main ones being :

- a. the compiler's personal reference system,

- b. other bibliographies and current abstracts,
- c. scientific periodicals,
- d. collected reprints from scientific institutes,
- e. proceedings of conferences and symposia,
- f. specialized books,
- g. references from the papers themselves.

A particular effort has been made to cover the literature on Mediterranean Crangon crangon which, apparently, is not readily available to North Sea scientists. Publications which were not seen by the compiler are marked with an asterisk.

The bibliography is followed by an index of key-word and key-item entries to the literature. The choice of these keys was based on Tiews' Synopsis to make the two reference lists as compatible as possible. The key-words and -items are classified under the following headings : Identity, Distribution, Reproduction, Hardiness, Nutrition and Growth, Behaviour, Population, Exploitation and Management and Culture.

Unavoidably a project like this one will be incomplete and imperfect. Therefore any comments, corrections and additions will be welcomed by the compiler.

3. References.

- BLACKMAN, R.A.A., FRANKLIN, F.L., NORTON, M.G. and WILSON, K.W. (1978) :
New procedures for the toxicity testing of oil slick dispersants in the
United Kingdom.
Mar. Pollut. Bull., 9 (9), 234-238
- REDANT, F. (1978) : Konsumptie en produktie van post-larvale Crangon crangon
(Crustacea; Decapoda) in de Belgische kustwateren.
PhD Thesis, Vrije Universiteit Brussel, 450 pp
- TIEWS, K. (1967) : Synopsis of biological data on the common shrimp, Crangon crangon (Linnaeus, 1758).
FAO Fisheries Synopsis, 91, 58 pp

4. Bibliography

- A 001 ABBOTT, O.J. and PERKINS, E.J. (1977) : Further studies upon a steel works effluent.
Mar. Pollut. Bull., 8 (9), 210-213
- 002 --- and --- (1977) : The biology of the brown shrimp, Crangon crangon, in the Solway Firth.
Sci. Rep. Cumbria Sea Fish. Comm., 17 (4), 1-34
- 003 --- and --- (1979) : The toxicity of a presumptive steel works effluent formulation.
Mar. Pollut. Bull., 10 (6), 176-177
- 004 ADEKA, D.M.M. and COOPMAN, H. (1975) : Accumulation and elimination of dieltrin by mussels, shrimps and guppies.
Central Lab. TWO, MD-N+E 75/2, 1-20
- 005 AL-ADHUB, A.H.Y. and NAYLOR, E. (1975) : Emergency rhythms and tidal migrations in the brown shrimp Crangon crangon (L.).
J. Mar. Biol. Ass. UK, 55 (4), 801-810
- 006 ALLEN, J.A. (1963) : The dynamics of mixed populations of natant Decapod Crustacea in the North Sea.
In : Proc. XVI Int. Congress of Zoology, Washington D.C., August 20-27, 1963, 103
- 007 --- (1966) : The rhythms and population dynamics of Decapod Crustacea.
Oceanogr. Mar. Biol. Ann. Rev., 4, 247-265
- 008 --- (1966) : The dynamics and interrelationships of mixed populations of Caridea found off the North-East coast of England.
In : Some Contemporary Studies in Marine Science, Ed. H. Barnes, G. Allen and Unwin Ltd, London, 45-66
- 009 --- (1972) : Recent studies on the rhythms of postlarval Decapod Crustacea.
Oceanogr. Mar. Biol. Ann. Rev., 10, 415-436
- 010 --- and GARRETT, M.R. (1971) : Taurine in marine invertebrates.
In : Advances in Marine Biology, Ed. F.S. Russell and M. Yonge, Academic Press, London, 2, 205-254
- 011 ALVAREZ, R.Z. (1968) : Crustaceos decapodos Ibericos.
Inv. Pesq., 32, 1-510
- 012 ALZIEU, C., DE BARIAC, H. and MAGGI, P. (1975) : Tolérance de la faune marine à Bacillus thuringiensis.
Science et Pêche, 250, 11-18
- A 013 AMANIEU, M. (1969) : Recherches écologiques sur les faunes des plages arbitrés de la région d'Arcachon.
Helgol. Wiss. Meeresunters., 19 (4), 455-557
- 014 ANDERSEN, A.T. and NEELAKANTAN, B.B. (1974) : Mercury in some marine organisms from the Oslofjord.
Norw. J. Zool., 22, 231-235
- 015 ANDERSON, J.I.W. and CONROY, D.A. (1968) : Significance of diseases in preliminary attempts to raise Crustacea in sea water.
In : Symposium de la Commission de l'Office International des Epizooties pour l'Etude des Maladies de Poissons, Stockholm, September 23-27, 1968, 1-5
- 016 ANDREWS, M.J. and RICKARD, D.G. (1980) : Rehabilitation of the inner Thames Estuary.
Mar. Pollut. Bull., 11 (11), 327-332
- 017 ANGER, K. (1975) : On the influence of sewage pollution on inshore benthic communities in the south of Kiel Bay. 2. Quantitative studies on community structure.
Helgol. Wiss. Meeresunters., 27 (4), 408-438
- 018 ANKAR, S. and JANSSON, B.O. (1973) : Effects of an unusual natural temperature increase on a Baltic soft-bottom community.
Marine Biology, 18 (1), 9-18
- 019 ANONYMUS (1963) : Rückgang der Beifänge an im Sinne der Nordsee-Konvention schonbedürftigen Fischen in der deutschen Garnelenfischerei.
Inf. f.d. Fischwirtsch., 10 (3), 106-107
- 020 --- (1963) : Neue Ergebnisse von Garnelenmarkierungen.
Inf. f.d. Fischwirtsch., 10 (4), 133-135
- 021 --- (1964) : Weitere Garnelenmarkierungen.
Inf. f.d. Fischwirtsch., 11 (6), 235
- 022 --- (1965) : Über die Zusammensetzung der Fänge der deutschen Garnelenfischerei.
Inf. f.d. Fischwirtsch., 12 (1), 13-15
- 023 --- (1965) : A guide to fish marks used by members of the International Council for the Exploration of the Sea and by some non-participant countries.
J. du Conseil, 30 (1), 87-160
- 024 --- (1971) : Some notes on marine fish and shellfish potential in Scottish waters.
In : Symposium Food Industries in Rural Scotland, Institute Food Science and Technology, April 1971, Aviemore, 4 (4), 241-257
- 025 --- (1973) : Rapport de la consultation d'experts des chaluts sélectifs

- A** ... à crevette. Procès verbal.
Rapports FAO sur les Pêches, 132, FIIG/R 139, 1-15
- 026 ARNTZ, W.E. (1981): Entwicklung von marinen Bodentiergemeinschaften bei Ausschluss von Räubern: nur Artefakte?
Meeresforschung, 28 (4), 189-204
- 027 ASMUS, H., THEEDE, H., NEUHOF, H.G. and SCHRAMM, W. (1980): The role of epibenthic macrofauna in the oxygen budget of Zostera communities from the Baltic Sea.
Ophelia, suppl. 1, 99-111
- 028 ATKINS, D. (1955): Pythium thalassium sp. nov. infecting the eggs of the pea crab Pinnotheres pisum.
Trans. Brit. Mycol. Soc., 38, 41-46
- B** 029 BACHELET, G. (1979): Les peuplements macrobenthiques de l'estuaire de la Gironde: évolution annuelle des paramètres démographiques.
J. Rech. Océanogr., 4 (1), 3-13
- 030 PAETEMAN, M. (1978): Onderzoek naar de toxiciteit voor garnalen (Crangon crangon L.) van afvalstoffen afkomstig van de fabricage van radiografische emulsies.
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 147-1978, 1-19
- 031 --- (1978): Onderzoek naar de toxiciteit van afvalstoffen afkomstig van de fosforaumbereiding op Mytilus edulis L., Crangon crangon (L.) en Pleuronectes platessa L..
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 148-1978, 1-19
- 032 --- (1978): Onderzoek naar de toxiciteit van de afvalstoffen afkomstig van de produktie van herbiciden (thiocarbamaten) op schol (Pleuronectes platessa L.), garnalen (Crangon crangon L.) en mosselen (Mytilus edulis L.).
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 149-1978, 1-20
- 033 --- (1978): Onderzoek naar de toxiciteit van een industrieel afvalprodukt, afkomstig van de produktie van hydroxyethyl-cellulose op garnalen (Crangon crangon L.), schol (Pleuronectes platessa L.) en mosselen (Mytilus edulis L.).
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 150-1978, 1-22
- 034 --- (1980): Onderzoek naar de akute toxiciteit van fenolhoudende afvalstoffen afkomstig van de kunststofsproductie op schol (Pleuronectes platessa L.), garnalen (Crangon crangon L.) en mosselen (Mytilus edulis L.).
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 164-1980, 1-23
- 035 BALSS, H. (1930): Wanderungen bei Decapoden (Crustaceen).
Ergebn. Biol., 6, 305-326
- B** 036 BAST, H.D. and VON OERTZEN, J.A. (1976): Zusammenstellung von Energieäquivalenten aquatischer Organismen unter besonderer Berücksichtigung der Ostsee.
Meeresbiol. Beitrage Sekt. Biol. Univ. Rostock, 25 (3), 295-304
- 037 BECKER, H.B. and POSTUMA, K.H. (1974): Enige voorlopige resultaten van vijf jaar "Waddenzeeproject".
Visserij, 27 (2), 69-79
- 038 BEILLOIS, P. and GULLY, F. (1982): Une technique artisanale pour la pêche de la crevette grise: les tesures en Baie du Mont St Michel.
ICES, Fish Capt. Comm., CM 1982/B: 10, 1-6 (mimeo)
- 039 BENDITO, A.C. (1965): Decapodos marinos de la ría de Vigo.
Inv. Pesq., 28, 133-159
- 040 BERGHAHN, R. (1983): Untersuchungen an Plattfischen und Nordseegarnelen (Crangon crangon) im Eulitoral des Wattenmeeres nach dem Übergang zum Bodenleben.
Helgol. Meeresunters., 36 (2), 163-181
- 041 BERGMAN, M., KUIPERS, B., SPLITTHOFF, P. and VAN DER VEER, H. (1976): Garnalen en krabben als mogelijke predatoren van 0-jarige schol op het Balgzand.
Visserij, 29 (7), 432-438
- 042 BESANÇON, H.C. (1973): Etude de la mise au point du chalut sélectif pour la pêche de la crevette aux Pays-Bas.
Rapports FAO sur les Pêches, 139, FIIG/R 139, 21-25
- 043 BEUKEMA, J.J. (1974): Seasonal changes in the biomass of the macrobenthos of a tidal flat area in the Dutch Wadden Sea.
Neth. J. Sea Res., 8 (1), 94-107
- 044 --- (1976): Biomass and species richness of the macro-benthic animals living on the tidal flats of the Dutch Wadden Sea.
Neth. J. Sea Res., 10 (2), 236-261
- 045 --- (1979): Biomass and species richness of the macro-benthic animals living on a tidal flat area in the Dutch Wadden Sea: effects of a severe winter.
Neth. J. Sea Res., 13 (2), 203-223
- 046 ---, DE BRUIN, W. and JANSEN, J.J.M. (1978): Biomass and species richness of the macrobenthic animals living on the tidal flats of the Dutch Wadden Sea: long-term changes during a period with mild winters.
Neth. J. Sea Res., 12 (1), 58-77
- 047 BEYER, F. (1968): Zooplankton, zoobenthos and bottom sediments as related to pollution and water exchange in the Oslofjord.
Helgol. Wiss. Meeresunters., 17 (1/4), 496-509

- B** 061 BODDEKE, R. (1967) : Developments in shrimp fishing and shrimp research in the Netherlands.
ICES, Shellfish and Benthos Comm., CM 1967/K : 15, 1-5 (mimeo)
Also : Visserij, 20 (7/8), 159-165
- 062 --- (1967) : 1967 een schraal garnalenjaar.
Visserij, 20 (7/8), 167-169
- 063 --- (1967) : Visserij-biologische veranderingen in de westelijke Waddenzee.
Visserij, 20 (9), 213-222
- 064 --- (1968) : Sexual cycle and growth of the brown shrimp (Crangon crangon L.).
Arch. Néerl. Zool., 18 (3), 427
- 065 --- (1968) : A new shrimp sieve.
ICES, Gear and Behaviour Comm., CM 1968/B : 12, 1-3 (mimeo)
Also : Visserij, 21 (6), 279-287
- 066 --- (1968) : Forecasting the landings of brown shrimp (Crangon crangon) in the Netherlands.
ICES, Shellfish and Benthos Comm., CM 1968/K : 8, 1-4 (mimeo)
Also : Visserij, 21 (6), 302-303
- 067 --- (1968) : Biologische aspecten van de afsluiting van de Lauwerszee.
* Unpublished report, partly published in : Waddenbulletin, 4 (1), 19-21
- 068 --- (1970) : The crisis in the Dutch shrimp fisheries in 1969.
ICES, Shellfish and Benthos Comm., CM 1970/K : 14, 1-5 (mimeo)
Also : Visserij, 22 (7), 376-385
- 069 --- (1970) : De overbevissing van de garnalenstand.
Visserij, 23 (1), 5-11
- 070 --- (1971) : The influence of the strong 1969 and 1970 year-classes of cod on the stock of brown shrimp along the Netherlands coast in 1970 and 1971.
ICES, Shellfish and Benthos Comm., CM 1971/K : 32, 1-11 (mimeo)
- 071 --- (1971) : De spoelsortermachine voor de garnalenvisserij.
Visserij, 24 (1), 3-11
- 072 --- (1972) : Fluctuations of the brown shrimp stock along the Dutch coast during the period 1959-1972.
ICES, Shellfish and Benthos Comm., CM 1972/K : 4, 1-5 (mimeo)
Also : Visserij, 25 (3), 189-195
- 073 --- (1972) : De garnalenvisserij langs de Franse westkust.
Visserij, 25 (2), 73-78

- B** 048 BJÖRCK, W. (1913) : Dekapoden aus dem Kattegat und Skagerrak.
* Ark. Zool., 8, 1-12
- 049 BLACKMAN, R.A.A. (1972) : Effects of sunken crude oil on the feeding and survival of brown shrimp Crangon crangon.
ICES, Shellfish and Benthos Comm., CM 1972/K : 13, 1-8 (mimeo)
- 050 --- (1974) : Toxicity of oil-sinking agents.
Mar. Pollut. Bull., 5 (8), 116-118
- 051 ---, FRANKLIN, F.L., NORTON, M.G. and WILSON, K.W. (1977) : New procedures for the toxicity testing of oil slick dispersants.
MAFF, Fish. Res. Techn. Report, 39, 1-7
Also : (1978) : Mar. Pollut. Bull., 2 (9), 234-238
- 052 --- and LAV, R.J. (1980) : The Eleni V oil spill : fate and effects of the oil over the first twelve months.
Mar. Pollut. Bull., 11 (8), 217-220
- 053 BLEGVAD, H. (1915) : Food and conditions of nourishment among the communities of invertebrate animals found on or in the sea bottom in Danish waters.
Rep. Dan. Biol. Stat., 22, 41-78
- 054 --- (1926) : Continued studies on the quantity of fish food in the sea bottom.
Rep. Dan. Biol. Stat., 31, 27-56
- 055 --- (1932) : Investigations of the bottom fauna at outfalls of drains in the Sound.
Rep. Dan. Biol. Stat., 37, 1-20
- 056 BOCK, K.J. and MANN, H. (1972) : Toxikologische Untersuchung von Emulgatoren für die Bekämpfung von Ölverschmutzungen.
Arch. Fisch. Wiss., 23 (1), 64-67
- 057 BODDEKE, R. (1963) : Influence of the severe winter 1962-1963 in Dutch coastal waters.
ICES, Near Northern Seas Comm., report n° 119, 1-3 (mimeo)
Also : Visserijnieuws, 16 (5), 126-128
- 058 --- (1963) : Donkere wolken boven de kustvisserij.
Visserijnieuws, 16 (8), 194-196
- 059 --- (1966) : Op de kleintjes passen ! De situatie in de garnalenvisserij.
Visserijnieuws, 19 (6), 90-93
- 060 --- (1966) : Vangstverwachtingen voor de garnalenvisserij.
Visserijnieuws, 19 (9), 170-173

- B 088** BODDEKE, R. and DAAN, N. (1971) : Waar zijn de garnalen gebleven ? Visserij, 24 (6), 323-335
- 089** --- and DE BOER, E.J. (1968) : Garnalenzeven en garnalen zeven. Visserij, 21 (2), 58-71
- 090** --- and DE VEEN, J.F. (1971) : Results of a tagging experiment with plaice caught with a Dutch shrimp boat. ICES, Gear and Behaviour Comm., CM 1971/B : 14, 1-2 (mimeo)
- 091** ---, DIJKEMA, R. and SIEMELINK, M.E. (1978) : The patterned migration of shrimp populations : a comparative study of Crangon crangon and Penaeus brasiliensis. In : Symposium on Progress in Marine Research in the Caribbean and Adjacent Regions, FAO Fisheries Report, 200, 31-49
- 092** --- and KAT, M. (1979) : Differences in food preference of Penaeid shrimp species. ICES, Shellfish Comm., CM 1979/K : 20, 1-7 (mimeo)
- 093** --- and MOLENAAR, N. (1980) : De Nederlandse garnalenvisserij, een strohalm in de oostenwind ? Visserij, 33 (3), 125-133
- 094** --- and VERBAAN, A. (1976) : Het mechanisch transport voor de spoel-sorteermachine. Visserij, 29 (6), 386-396
- 095** --- and VINGERHOED, B. (1978) : Differences between the growth patterns of Crangon crangon and Nephrops norvegicus. ICES, Shellfish and Benthos Comm., CM 1978/K : 12, 1-6 (mimeo)
- 096** BOGUCKI, M. and NETZEL, A. (1937) : Epoque de la reproduction de quelques espèces de la faune bathique (in Polish with French summary). Bull. Stat. Marit. Hel., 1 (1), 18-21
- 097** BOHL, H. and KOURA, R. (1962) : Mesh selection experiments with beam trawls on shrimp (Crangon vulgaris) off the German coast. ICES, Comp. Fish. Comm., report n° 43, 1-13 (mimeo)
- 098** BOMIRSKI, A. and KLEK, E. (1974) : Action of eyestalk on the ovary in Rhithropanopeus harrissii and Crangon crangon (Crustacea, Decapoda). Marine Biology, 24 (4), 329-337
- 099** --- and KLEK-KAWINSKA, E. (1976) : Stimulation of oogenesis in the sand shrimp, Crangon crangon, by a human gonadotrophin. Gen. Comp. Endocrinol., 30 (3), 239-242
- 100** BOONSTRA, G.P. and DE GROOT, S.J. (1970) : Report on the development of an electrified shrimp trawl in the Netherlands. ICES, Gear and Behaviour Comm., CM 1970/B : 5, 1-6 (mimeo)

- B 074** BODDEKE, R. (1973) : Développements dans la pêche de la crevette grise (Crangon crangon). Rapports FAO sur les Pêches, 139, FIIG/R 139, 16-20
- 075** --- (1973) : Fluktuationen in de garnalenvisserij. Visserij, 26 (6), 339-345
- 076** --- (1974) : 1974 en 1975, twee gunstige jaren voor de garnalenvisserij ? Visserij, 27 (2), 80-83
- 077** --- (1975) : The use of biological tags in shrimp research. ICES, Shellfish and Benthos Comm., CM 1975/K : 45, 1-12 (mimeo)
- 078** --- (1975) : De naamgeving bij garnalen. Visserij, 28 (3), 131-136
- 079** --- (1975) : Autumn migration and vertical distribution of the brown shrimp Crangon crangon L. in relation to environmental conditions. In : Proceedings 9th European Marine Biological Symposium, Ed. H. Barnes, Aberdeen University Press, 483-494
- 080** --- (1976) : The seasonal migration of the brown shrimp Crangon crangon. Neth. J. Sea Res., 10 (1), 103-130
- 081** --- (1978) : Changes in the stock of brown shrimp (Crangon crangon L.) in the coastal area of the Netherlands. Rapp. Proc.-verb. Réunion. ICES, 172, 239-249
- 082** --- (1978) : De problemen in de garnalenvisserij. Visserij, 31 (2), 119-127
- 083** --- (1979) : Het voortplantingspotentieel van de garnaal. Visserij, 32 (6), 415-423
- 084** --- (1982) : The occurrence of winter and summer eggs in the brown shrimp (Crangon crangon) and the pattern of recruitment. Neth. J. Sea Res., 16, 151-162
Also : (1981) : ICES, Shellfish Comm., CM 1981/K : 27, 1-22 (mimeo)
- 085** --- (1983) : The coastal zone of Holland, a new Waddensea. ICES, Shellfish Comm., CM 1983/K : 21, 1-8 (mimeo)
Also : Visserij, 36 (2), 91-99
- 086** --- and BECKER, H.B. (1977) : Stock size and fishing mortality rates of a brown shrimp (Crangon crangon) population along the Dutch coast in the years 1973-1975. ICES, Shellfish Comm., CM 1977/K : 4, 1-12 (mimeo)
- 087** --- and --- (1979) : A quantitative study of the fluctuations of the stock of brown shrimp (Crangon crangon) along the coast of the Netherlands. Rapp. Proc.-verb. Réunion. ICES, 175, 253-258

- B** 101 BOONSTRA, G.P. and DE GROOT, S.J. (1974) : Notes on the further development of an electrified shrimp trawl in the Netherlands. ICES, Gear and Behaviour Comm., CM 1974/B : 5, 1-6 (mimeo)
- 102 --- and --- (1974) : The development of an electrified shrimp trawl in the Netherlands. J. du Conseil, 32 (2), 165-170
- 103 BORREMAN, C. and REDANT, F. (1983) : In vitro experiments on the predation by the swimming crab, *Macropipus holsteus*, on brown shrimps, *Crangon crangon*. ICES, Shellfish Comm., CM 1983/K : 19, 1-7 (mimeo)
- 104 BOSSANYI, J. (1957) : A preliminary survey of the small natant fauna in the vicinity of the sea floor off Blyth, Northumberland. J. Anim. Ecol., 26, 353-368
- 105 BOSSCHTER, J.R. (1979) : Onderzoek naar de copulatie bij de garnaal (*Crangon crangon*). RIVO Rapport, ZE 79-02, 1-51
- 106 BOURDILLON-CASANOVA, L. (1960) : Le méroplankton du Golfe de Marseille : les larves de Crustacés Décapodes. Rec. Trav. Stat. Mar. d'Endoume, 30 (18), 1-286
- 107 BOURDON, R. (1965) : Inventaire de la faune marine de Roscoff. Décapodes - Stomatopodes. Trav. Stat. Biol. Roscoff, 16, 1-45
- 108 BOYSEN, H.O. (1975) : Das Hyperbenthos in der Kieler Bucht - Zusammensetzung, Jahressgang und Verbreitung. Ber. dt. wiss. Komm. Meeresforsch., 24 (2/3), 151-171
- 109 --- (1975) : Seasonal variations in abundance of hyperbenthic animals in the Kiel Bight. Merentutkimuslait. Julk./Havsforskningsinst. Skr., 239, 206-212
- 110 --- (1977) : Regionale und saisonale Unterschiede in der Besiedlungsdichte von Mysidaceen und Dekapoden-larven im Hyperbenthos der Kieler Bucht. Ber. dt. wiss. Komm. Meeresforsch., 25 (1/2), 54-63
- 111 BRABANT, J.C. (1973) : Le chalut sélectif dévismes pour la crevette grise (*Crangon crangon*). Rapports FAO sur les Pêches, 139, FIQ/R 139, 30-33 Also : Science et Pêche, 236, 1-18
- 112 BRANDT, K. (1897) : Die Fauna der Ostsee, insbesondere der Kieler Bucht. Verh. dtsh. zool. Ges., 1, 10-34
- 113 BRINKMEIER, G. (1977) : Aufnahme und biologische Halbwertszeit von

- B** ... Radiocobalt und Radiocaesium in der Nordseegarnale (*Crangon crangon*). Thesis University of Hamburg, 60 pages
- 114 BROWN, B.E. (1982) : The form and function of metal containing "granules" in invertebrate tissues. Biol. Rev., 57, 621-667
- 115 BRYAN, G.W. (1971) : The effects of heavy metals (other than mercury) on marine and estuarine organisms. Proc. Royal Soc. London, Series B, 177 (1048), 389-410
- 116 BUCHANAN, J.B. (1963) : The bottom fauna communities and their sediment relationships off the coast of Northumberland. Oikos, 14 (2), 154-175
- C** 117 CADIOCH, L. and GLAGOM, R. (1975) : Distribution des peuplements benthiques en Manche Orientale, de la Baie de Somme au Pas-de-Calais. C.R. Acad. Sc. Paris, 280, 491-494
- 118 --- and --- (1977) : Distribution des peuplements benthiques en Manche Orientale du Cap d'Antifer à la Baie de Somme. C.R. Acad. Sc. Paris, 285, 209-212
- 119 CASPERS, H. (1951) : Quantitative Untersuchungen über die Bodentierwelt des Schwarzen Meeres im bulgarischen Küstenbereich. Arch. f. Hydrobiol., 45, 1-192
- 120 CHASSARD-BOUCHAUD, C. (1965) : L'adaptation chromatique chez les *Natantia* (Crustacés, Décapodes). Cah. Biol. Mar., 6, 473-576
- 121 --- (1972) : Analyse chimique des chromatophores de *Crangon crangon* (Linné) (Crustacé Décapode) par spectrographie aux rayons X. Différences quantitatives de composition en éléments Ca, P, S et Mg au cours du cycle d'intermue. C.R. Hebd. Séances Acad. Sci. Paris (D), 274 (17), 2511-2514
- 122 --- (1978) : Quelques aspects de la physiologie des Crustacés Décapodes étudiés en fonction des stades du cycle d'intermue. Microanalyse et microscopie électronique. Arch. Zool. Exp. Gen., 119 (2), 283-296
- 123 --- (1978) : Concentrations minérales détectées par spectrographie des rayons X chez *Crangon crangon* (Crustacé Décapode) au cours du cycle d'intermue. Cah. Biol. Mar., 19 (4), 459-471
- 124 --- and HUBERT, M. (1971) : Premières données relatives à la présence de microtubules cytoplasmiques dans les chromatophores de crustacés. C.R. Acad. Sc. Paris, Série D, 272 (10), 1405-1408

- C 125 CLARKE, A. (1979) : On living in cold water : K-strategies in Antarctic benthos. Marine Biology, 55 (2), 111-119
- 126 CLEIREN, G. (1966) : Arbeidsstudies in de garnalenvisserij. I. Behandeling van het vistuig op een zijtrawler. Minist. Landbouw, Komm. TWOZ, Werkgroep "Techniek in de Zeevisserij", report n° 19, 1-22 (mimeo)
- 127 --- (1967) : Arbeidsstudies in de garnalenvisserij. II. Behandeling van het vistuig op een hekbokker. Minist. Landbouw, Komm. TWOZ, Werkgroep "Techniek in de Zeevisserij", report n° 20, 1-16 (mimeo)
- 128 --- (1968) : Arbeidsstudies in de garnalenvisserij. III. Behandeling van het vistuig op een bokkenvaartuig. Minist. Landbouw, Komm. TWOZ, Werkgroep "Techniek in de Zeevisserij", report n° 27, 1-25 (mimeo)
- 129 --- (1970) : Arbeidsstudies in de garnalenvisserij. Behandeling van de vangst. Minist. Landbouw, Komm. TWOZ, Werkgroep "Techniek in de Zeevisserij", report n° 34, 1-23 (mimeo)
- 130 --- (1972) : Arbeidsstudie toegepast op de spoel- en sorteermachine. Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 73 - TZ/53 - 1972, 1-32
- 131 --- and HOVART, P. (1970) : Arbeidstechnische verbeteringen in de garnalenvisserij. Landbouwtijdschr., 23 (5), 843-852
- 132 COLE, H.A. and MISTAKIDIS, M.N. (1953) : A device for the quick and accurate measurement of carapace length in prawns and shrimps. J. du Conseil, 19 (1), 77-79
- 133 CONNOR, P.M. (1972) : Further investigations into the toxicity of oil and dispersants. ICES, Fish. Improv. Comm., CM 1972/E : 14, 1-6 (mimeo)
- 134 --- (1972) : Acute toxicity of heavy metals to some marine larvae. Mar. Pollut. Bull., 3, 190-192
Also : (1974) : ICES, Shellfish and Benthos Comm., CM 1971/K : 16, 1-9 (mimeo)
- 135 --- and PORTMANN, J.E. (1968) : The toxicity of pesticides to marine animals and further data on the occurrence of pesticides in oysters. ICES, Shellfish and Benthos Comm., CM 1968/K : 13, 1-8 (mimeo)
- 136 --- and WILSON, K.W. (1972) : A continuous-flow apparatus for assessing the toxicity of substances to marine animals. ▶
- C ... J. Exp. Mar. Biol. Ecol., 2, 209-215
Also : (1971) : ICES, Fish. Improv. Comm., CM 1971/E : 8, 1-9 (mimeo)
- 137 CREUTZBERG, F. (1979) : "Aurelia"-cruise reports on the benthic fauna of the Southern North Sea. Introductory report. Interne Verslagen NIOZ Texel, 1979-4, 1-31
- 138 CUZON, G. (1970) : Elevage et alimentation artificielle de Crangon crangon, Palaemon serratus et Penaeus kerathurus. Thèse de Doctorat, Spécialité Océanographie biologique, Université d'Aix-Marseille, 107 pages
- 139 CZERPAC, R. and CZECHUGA, B. (1969) : Studies of the pigments in the shrimp Crangon crangon (Crustacea, Malacostraca). Marine Biology, 3 (1), 122-125
- D 140 DAHM, E. (1975) : Untersuchungen zum Nahrungserwerb von Crangon crangon (L.). Ber. dt. wiss. Komm. Meeresforsch., 24 (2/3), 105-133
- 141 DALLEY, R. (1980) : The survival and development of the shrimp Crangon crangon (L.) reared in the laboratory under non-circadian light-dark cycles. J. Exp. Mar. Biol. Ecol., 47, 101-112
- 142 --- and BAILEY, H. (1981) : A new apparatus to record the locomotor rhythms of laboratory reared prawns and shrimps. Mar. Ecol. Progr. Series, 4, 229-234
- 143 DANIEL, R.J. (1926) : The abdominal muscular systems of the common shrimp (Crangon vulgaris). Rep. Lancashire Sea Fish. Lab., 35, 92-158
- 144 --- (1929) : The abdominal muscular systems of the zoëa and mysis stage of the shrimp (Crangon vulgaris) and their bearing on phylogeny. Rep. Lancashire Sea Fish. Lab., 38, 95-109
- 145 --- (1930) : Comparative study of the abdominal musculature in Malacostraca. Part I : The main ventral muscles of the typical abdominal segments. Rep. Lancashire Sea Fish. Lab., Volume for 1930, 57-71
- 146 --- (1931) : Comparative study of the abdominal musculature in Malacostraca. Part II : The superficial and main ventral muscles, dorsal muscles and lateral muscles and their continuation into the thorax. Rep. Lancashire Sea Fish. Lab., Volume for 1931, 46-107
- 147 --- (1932) : Comparative study of the abdominal musculature in Malacostraca. Part III : The abdominal muscular systems of Lobogaster typicus and Gnathophausia zoëa and their relationship with the ▶

- D ... musculature of other Malacostraca.
Rep. Lancashire Sea Fish. Lab., Volume for 1932, 71-132
- 148 DEBAISLEUX, P. (1971) : Appareil branchial de Crangon vulgaris (Décapode nageur). Anatomie et histologie. Cellule, 69 (1), 65-78
- 149 DE CLERCK, R. (1974) : By-catch of flatfishes in the Belgian shrimp fishery. Annales Biol., 29, 165
- 150 --- (1974) : Belgian shrimp research during 1971-1972. Annales Biol., 29, 186
- 151 --- and REDANT, F. (1972) : On the use of the floating mean in shrimp investigations. ICES, Shellfish and Benthos Comm., CM 1972/K : 23, 1-12 (mimeo)
- 152 --- and --- (1974) : The evolution of the shrimp stock along the Belgian coast in 1969-1973. ICES, Shellfish and Benthos Comm., CM 1974/K : 23, 1-7 (mimeo)
- 153 --- and --- (1975) : Belgian shrimp research in 1973. Annales Biol., 30, 214-215
- 154 ---, VANDERSTAPPEN, R. and VINCKE, W. (1974) : Mercury content of fish and shrimps caught off the Belgian coast. Ocean Mgmt., 2, 117-126
- 155 --- and VAN DE VELDE, J. (1974) : Biological description of a dumping area for industrial waste derived from a titanium dioxide process. ICES, Fish. Improv. Comm., CM 1974/E : 29, 1-8 (mimeo)
- 156 DE GROOT, S.J. (1973) : De invloed van trawlen op de zeebodem. Visserij, 26 (7), 401-409
- 157 --- and APeldoorn, J. (1971) : Some experiments on the influence of the beam trawl on the bottomfauna. ICES, Gear and Behaviour Comm., CM 1971/B : 2, 1-5 (mimeo)
- 158 --- and BOONSTRA, G.P. (1974) : Kunnen we elektrisch garnaal en tong vangen? Visserij, 27 (3), 159-173
- 159 DEMEL, K. (1935) : Etudes sur la faune benthique et sa répartition dans les eaux polonaises de la Baltique (in Polish with French summary). Arch. Hydrobiol. Rybactwa, 2 (3/4), 239-333
- 160 DE MIRANDA, A. (1933) : Ensayo de un catalogo de los Crustaceos Decapodos marinos de España y Marruecos Español. Notas y Resúmenes, Inst. Esp. Oceanogr., Serie II, 67, 1-72
- D 161 DE MIRANDA, A. (1940) : Datos para la fauna carcinologica de España : Decapodos marinos de Vigo. Notas y Resúmenes, Inst. Esp. Oceanogr., Serie II, 103, 1-31
- 162 DESBROSSES, P. (1953) : Résumé de nos connaissances sur la crevette grise. Science et Pêche, Série B, Biologie et Pêche, 4, 1-4
- 163 DEYHLESEN, V. (1978) : Uptake, retention and loss of cadmium by brown shrimp (Crangon crangon). Ber. dt. wiss. Komm. Meeresforsch., 26 (4/4), 137-152 Also : (1977) : ICES, Fish. Improv. Comm., CM 1977/E : 12, 1-21 (mimeo) Also : (1977) : Inf. f.d. Fischwirtschaft, 24 (5), 161-162
- 164 DE VEEN, J. (1977) : Aspecten van de Nederlandse zee- en kustvisserij. Visserij, 30 (8), 453-487
- 165 ---, BODDEKE, R. and POSTUMA, K.H. (1979) : Tien jaar kinderkamernames in Nederland. I. Het Zeeuwse estuarium. Visserij, 32 (1), 3-23
- 166 DIGBY, P.S.B. (1961) : Sensitivity of the shrimp Crangon crangon to hydrostatic pressure. J. Physiol., 158 (1), 12-13
- 167 DYANGLAH, J.S. (1970) : The effects of feeding and starvation on copper in the blood and hepatopancreas and on the blood proteins of Crangon vulgaris (Fabricius). Comp. Biochem. Physiol., 32, 709-731
- 168 --- and GROVE, D.J. (1970) : Blood and hepatopancreas copper in Crangon vulgaris (Fabricius). Comp. Biochem. Physiol., 32, 733-745
- 169 --- and --- (1971) : Oxygen affinity of haemocyanin in diluted blood of Crangon. Comp. Biochem. Physiol., 38 A, 461-464
- 170 DÖRJE, J. (1976) : Primärgefüge, Bioturbation und Makrofauna als Indikatoren des Sandversatzes im Seegebiet vor Norderney (Nordsee). II. Zonierung und Verteilung der Makrofauna. Senckenbergiana Marit., 8 (4/6), 171-188
- 171 --- (1977) : Über die Bodenfauna des Borkum Riffgrundes (Nordsee). Senckenbergiana Marit., 9 (1/2), 1-17
- 172 ---, GADOW, S., REINECK, H.E. and BIR SINGH, J. (1969) : Die Rinnen der Jade (Südliche Nordsee). Sedimente und Makrobenthos. Senckenbergiana Marit., 1, 5-62
- 173 ---, ---, --- and --- (1970) : Sedimentologie und Makrobenthos der Nordergründe und der Aussenjade (Nordsee). Senckenbergiana Marit., 2, 31-59

D 186 DYER, M.F. and UGLOW, R.F. (1978) : Heart and scaphognathite beat behaviour in laboratory-held Crangon crangon (L.). J. Exp. Mar. Biol. Ecol., 32 (2), 209-218

187 --- and --- (1980) : Cardiac and ventilatory changes associated with altered salinity in Crangon crangon (L.). Ophelia, 19 (2), 117-125

188 DZIWILLO, M. (1959) : Temperaturbeobachtungen küstennahe Feuerschiffe in der Deutschen Bucht und einigen Küstenstationen und ihre Verwendbarkeit für Garnelenuntersuchungen. Arch. Fisch. Wiss., 10 (1/2), 100-117

E 189 EDER, G., ERNST, W., GÖRKE, H., DUINKER, J.C. and HILLERAND, M.T.J. (1981) : Organochlorine residues analysed in invertebrates of the Dutch Waddensea by two methods. Meth. J. Sea Res., 15 (1), 78-87

190 EDWARDS, R.R.C. (1978) : Effects of water-soluble oil fractions on metabolism, growth and carbon budget of the shrimp Crangon crangon. Marine Biology, 46 (3), 259-265

191 ELEFThERIOU, A. (1974) : The epifauna of a plaice nursery ground. ICES, Shellfish and Benthos Comm., CM 1974/K : 24, 1-10 (mimeo)

192 ELOFSSON, R. and KAURI, T. (1971) : The ultrastructure of the chromatophores of Crangon and Pandalus (Crustacea). J. Ultrastruct. Res., 36 (1/2), 263-270

193 ELSS, U. (1969) : On the seasonal distribution of Crangon larvae on the German coast. ICES, Shellfish Comm., CM 1969/K : 14, 1-6 (mimeo)

194 ELSS, U. (1973) : Vorkommen und Häufigkeit der Garnelenlarven (Crangon crangon (L.)) vor den deutschen Küsten während der Wintermonate der Jahre 1968-1970 im Vergleich zur sommerlichen Verbreitung. Arch. Fisch. Wiss., 24 (1/3), 77-86

195 ERIKSSON, S., EVANS, S. and TALLMARK, B. (1975) : On the coexistence of scavengers on shallow, sandy bottoms in Gullmar Fjord (Sweden). Zoon, 3 (1), 65-70

196 ---, --- and --- (1975) : On the coexistence of scavengers on shallow, sandy bottoms in Gullmar Fjord (Sweden) : activity patterns and feeding ability. Zoon, 3 (2), 121-124

197 EVANS, G.W., LYES, M. and LOCKWOOD, A.P.M. (1977) : Some effects of oil dispersants on the feeding behaviour of the brown shrimp, Crangon crangon. Mar. Behav. Physiol., 4 (3), 171-182

D 174 --- and REINECK, H.E. (1977) : Fauna und Fazies einer Sandplate (Mellum Bank, Nordsee). Senckenbergiana Marit., 2 (1/2), 19-45

175 DORWHEIM, H. (1969) : Beiträge zur Biologie der Garnele Crangon crangon (L.) in der Kieler Bucht. Ber. dt. wiss. Komm. Meeresforsch., 20 (3/4), 179-215 Also : ICES, Shellfish and Benthos Comm., CM 1969/K : 16, 1-5 (mimeo)

176 DREWA, G., DABROWSKA, T., ZBYTNIEMSKI, Z. and PAUTSCH, F. (1978) : Purification and properties of arylsulphatases isolated from hepatopancreas of the shrimp Crangon crangon L.. Kieler Meeresforsch., 4 Sonderdruck, 360-365

177 ---, ZBYTNIEMSKI, Z. and PAUTSCH, F. (1977) : The effect of detergent "Solo" and crude oil on the activities of cathepsin D and acid phosphatase in hemolymph of Crangon crangon L.. Pol. Arch. Hydrobiol., 24, 279-284

178 DRIES, R.R. and THEEDE, H. (1974) : Sauerstoffmangelresistenz mariner Bodenterebraten aus der Westlichen Ostsee. Marine Biology, 25 (4), 327-334

179 DRIESSEN, G. (1982) : De Noordzeekust als kinderkamer voor de garnaal Crangon crangon. RIVO-Rapport, ZE 82-04

180 DRIVER, P.A. (1976) : Prediction of fluctuations in the landings of brown shrimp (Crangon crangon) in the Lancashire and Western Sea Fisheries District. Estuar. Coast. Mar. Sci., 4 (5), 567-573

181 --- (1978) : The prediction of shrimp landings from sunspot activity. Marine Biology, 47 (4), 359-361

182 DUINKER, J.C. and HILLERAND, M.T.J. (1983) : Composition of PCB mixtures in biotic and abiotic marine compartments (Dutch Wadden Sea). Bull. Envir. Contam. Toxicol., 31 (1), 25-32

183 ---, --- and BOON, J.P. (1983) : Organochlorines in benthic invertebrates and sediments from the Dutch Wadden Sea, identification of individual PCB components. Meth. J. Sea Res., 17 (1), 19-38

184 DYER, M.F. and UGLOW, R.F. (1977) : On a technique for monitoring heart and scaphognathite activity in Natantia. J. Exp. Mar. Biol. Ecol., 27 (2), 117-124

185 --- and --- (1978) : Gill chamber ventilation and scaphognathite movements in Crangon crangon (L.). J. Exp. Mar. Biol. Ecol., 31 (2), 195-207

- F 198 FAURE, G. (1972) : Contribution à l'étude bionomique et écologique des peuplements des plages de l'Ile de Ré (Côte atlantique française). *Téthys*, 3 (3), 619-637
- 199 FAURE, L. (1955) : La teneur à crevettes. *Science et Pêche*, 24, 1-3
- 200 --- (1965) : Les crevettes et les coquilles St Jacques de la Baie de Saint Briec. Compte rendu de la mission du "Roselys" 20-31 mars 1965. *Science et Pêche*, 137, 1-3
- 201 FELDT, W., KELLERMAN, H.J., KANISCH, G., LAUER, R., MELZER, M., NAGEL, G. and BRINKMEIER, G. (1981) : Radioökologische Studien an der Elbe. 1. Vorbelastung, Konzentrationsfaktoren. Ber. Isotopenlab. Bundesforsch.anst. Fisch., report n° 2, 1-149
- 202 FONTEYNE, R. (1978) : Vergleichende arbeitsstudie tussen de schudzeef en de garnalenspoel- en sorteeremachine met automatische toevoer. Minist. Landbouw, Meded. Rijkstat. Zeevisserij, 143-NZ/89-1978, 1-29
- 203 --- and VAN DEN BROUCKE, G. (1979) : Vergleichende proeven met een nieuwe klossenpeel- en sorteeremachine met automatische toevoer. Minist. Landbouw, Meded. Rijkstat. Zeevisserij, 156-NZ/93-1979, 1-23
- 204 FORSMAN, B. (1956) : Notes on the invertebrate fauna of the Baltic. *Ark. Zool.*, 2 (17), 389-419
- 205 FOXON, G.E.H. (1934) : Notes on the swimming methods and habits of certain Crustacean larvae. *J. Mar. Biol. Ass. UK*, 19 (2), 829-850
- 206 FRANC, A. (1951) : Nouvelles considérations sur le zooplancton de la région de Dinard-Saint Malo. *Bull. Lab. Marit. Dinard*, 35, 33-35
- 207 FRANKLIN, F.L. (1974) : Seasonal variation in the organo-chlorine content of shrimps and oysters. *ICES, Fish. Improv. Comm.*, CM 1974/E : 21, 1-9 (mimeo)
- 208 --- (1980) : Assessing the toxicity of industrial wastes, with particular reference to variations in sensitivity of test animals. *MAFF, Fish. Res. Tech. Rep.*, 61, 1-14
- 209 FULLARTON, J.H. (1889) : Solway shrimp and flounder fishing. *Ann. Rep. Fish. Bd. Scotland*, 7 (3), 175-178
- 210 FUSTE, X. (1982) : Ciclo anual de las larvas de Crustaceos Decapodos de la costa de Barcelona. *Inv. Pesc.*, 46 (2), 287-304
- 211 FYHN, H.J. (1966) : Function of the isosmotic intracellular regulation during moult in the shrimp *Crangon vulgaris*. ▶

- F ... In : Proceeding XII Scandinavian Congress Physiology, Turku, 1966. *Acta Physiol. Scand.*, 68 (suppl. 277), 56
- G 212 GELDIAI, R. and KOCATAS, A. (1968) : Report on a collection of Natantia (Crustacea Decapoda) from the Bay of Izmir and its neighbourhood (in Turkish with English summary). *Scient. Rep. Fac. Science, University Ege*, 21, 1-46
- 213 GERLACH, S.A. (1971) : On the importance of marine meiofauna for benthos communities. *Oecologia*, 6, 176-190
Also : (1969) : ICES, Shellfish and Benthos Comm., CM 1969/K : 7, 1-12 (mimeo)
- 214 --- and SCHRAGE, M. (1969) : Freilebende Nematoden als Nahrung der Sandgarnale *Crangon crangon*. Experimentelle Untersuchungen über die Bedeutung der Meiofauna als Nahrung für das marine Makrobenthos. *Oecologia*, 2, 362-375
- 215 GILIS, C. (1951) : L'effet de tamisage des mailles du chalut à crevettes. *Annales Biol.*, 8, 173-174
- 216 GILSON, G. (1935) : Recherches sur la destruction de jeunes poissons par la pêche crevetteière sur les côtes de Belgique. *Ann. Inst. Etudes Marit. de Belgique, Mémoire n° 3*, 1-72
- 217 GÖRKE, H., EDER, G., WEBER, K. and EINST, W. (1979) : Patterns of organochlorine residues in animals of different trophic levels from the Weser estuary. *Mar. Pollut. Bull.*, 10 (5), 127-133 and *Mar. Pollut. Bull.*, 10 (8), 240 (erratum)
- 218 GOUDSWAARD, P.C. (1980) : Onderzoek naar de O-Q verhouding bij de garnaal *Crangon crangon* (L.). *RIVO-Rapport ZE 81-01*, 1-48
- 219 GRAEFTE, E. (1902) : Übersicht der Fauna des Golfes von Triest. *V. Crustacea. Arb. Zool. Inst. Wien*, 13, 33-77
- 220 GRIMM, A.S. (1969) : Osmotic and ionic regulation in the shrimps *Crangon vulgaris* (Fabricius) and *Crangon allmanni* Kinahan. Thesis, University of Glasgow
- 221 GROH, K. (1982) : Die Besiedlung von Lahnungsfeldern in den Nordseewatten durch Jugendstadien von *Crangon crangon* (L.). Thesis, University of Hamburg, 111 pages
- 222 GUILLOU, A. and NIJCK, J.C. (1978) : Analyse des structures de la pêche,

G ... française dans le proche atlantique de 1961 à 1975.
Rev. Trav. Inst. Pêches Marit., 42 (1/2), 17-102

223 GÜNTHER, F., OOSTINGA, I. and BURCKHART, O. (1972) : Über die Quecksilbergehalte in See- und Süswasserfischen sowie in Krusten-, Muschel- und Säugetieren der ostfriesischen Küsten- und Binnengewässern. Medizin Ernähr., 13, 263-267

H 224 HAAR, E. (1975) : Schwermetallgehalte in Benthosorganismen aus den Wattengebieten der deutschen Nordseeküste ; Beziehungen zum Schwermetallgehalt von Schwebstoffen und Sediment.
Thesis, University of Hamburg, 67 pages

225 HAGEMAN, L. (1970) : The oxygen consumption of Crangon vulgaris (Fabr.) in relation to salinity.
Ophelia, 7, 283-292

226 --- (1970) : Locomotory activity patterns of Crangon vulgaris (Fabr.).
Ophelia, 8, 255-266

227 --- (1971) : Osmoregulation and sodium balance in Crangon vulgaris (Fabr.) in varying salinities.
Ophelia, 9, 21-30

228 --- (1973) : Ionic regulation in relation to the moult cycle of Crangon vulgaris (Fabr.) (Crustacea, Natantia) from brackish water.
Ophelia, 12, 141-149

229 --- (1973) : Ionic regulation in Crangon vulgaris (Fabr.) (Crustacea, Natantia) from brackish water.
Ophelia, 12, 151-157

230 --- (1976) : Respiration, activity and salt balance in the shrimp Crangon vulgaris (Fabr.).
Contr. Mar. Biol. Lab. Helsingør, Contribution n° 104, 1-6

231 --- (1976) : The respiration during the moult cycle of Crangon vulgaris (Fabr.) (Crustacea, Natantia).
Ophelia, 15 (1), 15-21

232 --- (1976) : The loss rate of sodium in Crangon vulgaris (Fabr.) (Crustacea, Natantia) in the absence of sodium chloride in the medium.
Ophelia, 15 (2), 99-104

233 --- (1978) : Aspects of the osmotic and ionic regulation of the urine in Crangon vulgaris (Fabr.) (Crustacea, Natantia).
J. Exp. Mar. Biol. Ecol., 32, 7-14

234 --- and LARSEN, M.M.Z. (1977) : The urinary flow in Crangon vulgaris →

H ... (Fabr.) (Crustacea, Natantia) during the moult cycle.
Ophelia, 16 (1), 143-150

235 HAGEMAN, L. and UGLOW, R.F. (1982) : Effects of hypoxia on osmotic and ionic regulation in the brown shrimp Crangon crangon (L.) from brackish water.
J. Exp. Mar. Biol. Ecol., 63 (1), 93-104

236 HALSBAND, E. and HALSBAND, I. (1971) : Physiologische Studien zur Ermittlung des Schädlichkeitsgrades von "Rotschlamm" in Seewasser. Wasser, Luft und Betrieb, 15 (7), 268-273

237 HANCOCK, D.A. (1973) : The relationship between stock and recruitment in exploited invertebrates.
Rapp. Proc.-verb. Réun. ICES, 164, 113-131

238 HARDISTY, M.W., HUGGINS, R.J., KARTAR, S. and SAINSBURY, M. (1974) : Ecological implications of heavy metals in fish from the Severn Estuary. Mar. Pollut. Bull., 5 (1), 12-15

239 HARTSUYKER, L. (1966) : Daily tidal migrations of the shrimp Crangon crangon L..
Neth. J. Sea Res., 3 (1), 52-67

240 HAVINGA, B. (1950) : De wisselvallige vangsten bij de garnalenvisserij. Visserijnieuws, 2 (12), 137-142

241 --- (1951) : Shellfish in the Netherlands.
Rapp. Proc.-verb. Réun. ICES, 128 (2), 64-68

242 --- (1952) : Statistical investigations on the shrimp (Crangon vulgaris).
Annales Biol., 7, 153-156

243 --- (1956) : The influence of the shrimp fishery (Crangon vulgaris) on the stock.
ICES, Shellfish Comm., report n° 62, 1-4 (mimeo)

244 --- (1957) : The stock of shrimps (Crangon vulgaris) in the Dutch coastal waters.
Annales Biol., 12, 220-221

245 HEALEY, M.C. (1972) : Bioenergetics of a sand goby (Gobius minutus) population.
J. Fish. Res. Bd. Canada, 29 (2), 187-194

246 HEERENHOUT, G.R. (1974) : Distribution and ecology of the Decapoda Natantia of the estuarine region of the rivers Rhine, Meuse and Scheldt.
Neth. J. Sea Res., 8 (1), 73-93

247 HENNEGUY, F. (1892) : Myxosporidies parasites des muscles chez quel- →

H ...

- 248 HERMAN, P. and BOUQUIAUX, N. (1973) : Study of the pollution in sea fish and shellfish. Ann. Microgr., 4, 617-641
- 249 HESTHAGEN, I.H. (1973) : Diurnal and seasonal variations in the near-bottom fauna - the hyperbenthos - in one of the deeper channels of the Kieler Bucht (Western Baltic). Kieler Meeresforsch., 29 (2), 116-140
- 250 --- and GJERMUNDSEN, B. (1979) : Late summer diurnal migration in the hyperbenthos of Vejsnäs Rinne, Western Baltic. Ber. dt. wiss. Komm. Meeresforsch., 27 (1), 19-26
- 251 HOLTUIS, L.B. and GOTTLIEB, E. (1958) : An annotated list of the Decapod Crustacea of the Mediterranean coast of Israel, with an appendix listing the Decapoda of the Eastern Mediterranean. Bull. Sea Fish. Res. Stat. Haifa, 18, 1-126
- 252 --- and HERREBOUT, G.R. (1976) : De Nederlandse Decapoda. Wetensch. Meded. KNNV, 111, 1-56
- 253 --- and ROSA, H. Jr (1965) : List of species of shrimps and prawns of economic value. FAO Fish. Techn. Paper, n° 52, 1-21
- 254 HOWARD, F.G. (1978) : The Scottish shrimp fisheries. Scott. Fish. Bull., 44, 34-48
- 255 HUDDART, R. and ARTHUR, D.R. (1971) : Shrimps in relation to oxygen depletion and its ecological significance in a polluted estuary. Environ. Pollut., 2 (1), 13-35
- 256 --- and --- (1971) : Shrimps and whitebait in the polluted Thames estuary. Int. J. Environm. Stud., 2 (1), 21-34
- 257 HUGUET, D. and HUGUET, P. (1971) : La glande androgène de Palaemon serratus (Pennant), Crangon crangon (Linné) et Aristeus antennatus (Risso) (Crustacés Décapodes Natantia). Description et étude expérimentale. Bull. Mus. Natl. Hist. Nat. Paris, 3° Série, 2 (10), 597-610
- 258 HYLLEBERG KRISTENSEN, J. (1972) : Carbohydrases of some marine invertebrates with notes on their food and on the natural occurrence of the carbohydrases studied. Marine Biology, 14 (2), 130-142
- I 259 ICES (1972) : Report of the North Sea Flatfish Working Group. ICES, Demersal Fish (N) Comm., CM 1972/F : 2, 1-25 (mimeo)
- 260 --- (1974) : Report of the Working Group for the International Study of the Pollution of the North Sea and its Effects on Living Resources and their Exploitation. ICES, Coop. Res. Rep., 32, 1-191
- 261 --- (1977) : The ICES coordinated monitoring programme in the North Sea, 1974. ICES, Coop. Res. Rep., 58, 1-19
- 262 --- (1977) : The ICES coordinated monitoring programmes, 1975 and 1976. ICES, Coop. Res. Rep., 72, 1-26
- 263 --- (1979) : Report of the Working Group on Crangonid Shrimps. ICES, Shellfish Comm., CM 1979/K : 7, 1-31 (mimeo)
- 264 --- (1979) : Reports of the ICES Advisory Committee on Fishery Management, 1979. ICES, Coop. Res. Rep., 23, 1-216
- 265 --- (1980) : The ICES coordinated monitoring program, 1977. ICES, Coop. Res. Rep., 28, 1-27
- 266 --- (1983) : Second Report of the Benthos Methodics Working Group. ICES, Biol. Oceanogr. Comm., CM 1983/L : 38, 1-37 (mimeo)
- J 267 JANSSEN, G.M. (1980) : De voedselopname van de garnaal Crangon crangon (L.). Interne Verslagen NIOZ Texel, report n° 1980-3, 1-34
- 268 --- and KUIPERS, B.R. (1980) : On tidal migration in the shrimp Crangon crangon. Neth. J. Sea Res., 14 (3/4), 339-348
- 269 JORGENSEN, O.M. (1924) : Plankton investigations. (4) Crustacea. Dove Mar. Lab., Report for the year ending June 30th, 1924, NS 13, 68-102
- 270 JUNKER, M. (1956) : Vitamin A in Fischen, Krebsen und Muscheln. Arch. Fisch. Wiss., 7 (3), 248-260
- K 271 KÄNDLER, R. (1952) : Jahreszeitliches Vorkommen und unperiodisches Auftreten von Fischbrut, Medusen und Dekapodenlarven im Fehmarnbelt in den Jahren 1934-1943. Ber. dt. wiss. Komm. Meeresforsch., 12 (1), 49-85

- K 272 KÄNDLER, R. (1961) : Über das Vorkommen von Fischbrut, Dekapodenlarven und Medusen in der Kieler Förde.
Kieler Meeresforsch., 17, 48-64
- 273 KELLE, W. (1977) : Verletzungen an untermassigen Plattfische in der Garnelenfischerei.
Arch. Fisch. Wiss., 28 (2/3), 157-171
- 274 --- (1977) : Sterblichkeit untermassiger Plattfische im Beifang der Garnelenfischerei.
Ber. dt. wiss. Komm. Meeresforsch., 25 (1/2), 77-89
Also : (1976) : ICES, Dem. Fish (N) Comm., CM 1976/F : 28, 1-9 (mimeo)
Also : Inf. f.d. Fischwirtsch., 24 (1), 32
- 275 KEMP, S. (1910) : The Decapoda Natantia of the coasts of Ireland.
Sci. Invest. Fish. Bd. Ireland (1908), 1, 1-190
- 276 KILS, U. (1979) : Preliminary data on volume, density and cross section area of Antarctic krill.
Meeresforschung, 27 (3), 207-209
- 277 KIRBOE, T., MOHLENBERG, F. and RIISGÅRD, H.U. (1983) : Mercury levels in fish, invertebrates and sediment in a recently recorded polluted area (Nissum Broad, Western Limfjord, Denmark).
Mar. Pollut. Bull., 14 (1), 21-24
- 278 KLAUSING, J.H. and LEFEVRE, S. (1961) : Enquête concernant la pêche aux crevettes sur les côtes orientales de la Mer du Nord en rapport avec un "overfishing" possible de la crevette grise.
Revue de l'Agriculture, 14 (2), 209-254
- 279 KLEK-KAWINSKA, E. and BOMIŃSKI, A. (1975) : Ovary-inhibiting hormone activity in shrimp (Crangon crangon) eyestalks during the annual reproduction cycle.
Gen. Comp. Endocrinol., 25 (1), 9-13
- 280 KORRINGA, P. (1980) : Management of marine species.
Helgol. Meeresunters., 33 (1/4), 641-664
- 281 --- and HAGEL, P. (1974) : Mercury pollution, a local problem.
In : Problems of the Contamination of Man and his Environment by Mercury and Cadmium, Comm. Europ. Commun., EUR 5075, 279-293
- 282 KRISTJONSSON, H. (1967) : Techniques of finding and catching shrimp in commercial fishing.
FAO World Scientific Conference Biology and Culture of Shrimps and Prawns, BCSP/67/R 5, 1-69 (mimeo)
- 283 KÜHL, H. and MANN, H. (1963) : On the distribution of shrimp larvae (Crangon crangon L.) in the estuary of the Elbe.
ICES, Shellfish Comm., report n° 8, 1-2 (mimeo)

- K 284 KÜHL, H. and MANN, H. (1967) : Untersuchungen über das Plankton der Aussen-Elbe.
Gewässer und Abwässer, 44/45, 7-36
- 285 --- and --- (1968) : Über das Zooplankton der Unteren Ems.
Veröff. Inst. Meeresforsch. Bremerhaven, 11, 119-136
- 286 --- and --- (1973) : Untersuchungen zur Hydrobiologie der Unteren Ems.
Arch. Fisch. Wiss., 23 (3), 243-268
- 287 KUIPERS, B.R. and DAPPER, R. (1981) : Production of Crangon crangon in the tidal zone of the Dutch Wadden Sea.
Neth. J. Sea Res., 15 (1), 33-53
- 288 KUNNE, C. (1952) : Untersuchungen über das Grossplankton in der Deutschen Bucht und im Nordsylder Wattenmeer.
Helgol. Wiss. Meeresunters., 4 (1), 1-54
- 289 KURC, G. and FAURE, L. (1965) : Un nouveau modèle de chalut sélectif pour la pêche des crevettes.
ICES, Comp. Fish. Comm., report n° 56, 1-9 (mimeo)
- L 290 LABAT, J.P. (1977) : Ecologie de Crangon crangon (L.) (Decapoda, Caridea) dans un étang de la côte languedocienne. I. Croissance, reproduction, migrations mer-étang.
Vie et Milieu, 27 (2), 273-292
- 291 --- (1977) : Ecologie de Crangon crangon (L.) (Decapoda, Caridea) dans un étang de la côte languedocienne. II. Mouvements et répartition intralagunaires.
Vie et Milieu, 27 (3), 360-367
- 292 LAFUSTE, J. (1953) : Observations sur la crevette grise (Crangon vul-garis Fabr.) de la Baie de l'Aiguillon.
Annales Biol., 10, 191
- 293 LADARÈRE, J.P. (1970) : Les crevettes du Golfe de Gascogne (Région Sud).
Téthys, 1 (4), 1023-1048
- 294 --- (1971) : Les fonds de pêche de la côte Ouest de l'Île d'Oléron.
I. Cartographie bionomique - le milieu.
Téthys, 3 (1), 57-79
- 295 --- (1972) : Les fonds de pêche de la côte Ouest de l'Île d'Oléron.
II. Cartographie bionomique - remarques systématiques, biologiques et écologiques.
Téthys, 3 (2), 265-282

- L 296 LAGARDERE, J.P. (1972) : Les fonds de pêche de la côte Ouest de l'île d'Orléon. III. Les peuplements benthiques. Téthys, 3 (3), 507-538
- 297 --- (1973) : Distribution des décapodes dans le sud du Golfe de Gascogne. Rev. Trav. Inst. Pêches Marit., 37 (1), 77-96
- 298 LATIFF, S.A. (1969) : Preliminary results of the experiments on the toxicity of oil counteracting agent (Esso Corexit 7664), with and without Iraq crude oil, for selected members of marine plankton. Arch. Fisch. Wiss., 20 (2/3), 182-185
- 299 LEBOUR, M.V. (1931) : The larvae of the Plymouth Caridea. I. The larvae of the Crangonidae. Proc. Zool. Soc. London, 1-9.
- 300 --- (1947) : Notes on the inshore plankton of Plymouth. J. Mar. Biol. Ass. UK, 26 (4), 527-547
- 301 LEFEVERE, S., LELOUP, E. and VAN MEEL, L. (1956) : Observations biologiques dans le port d'Ostende. Kon. Belg. Inst. Nat. Wetensch., Verhandeling 133, 1-157
- 302 LELOUP, E. (1952) : Contributions à l'étude de la faune belge. XIX. Observations sur la crevette grise au large de la côte belge en 1949. Meded. Kon. Belg. Inst. Nat. Wetensch., 27 (1), 1-28
- 303 --- and GILIS, C. (1965) : La pêche belge aux crevettes. Rapp. Proc.-verb. Réunion. ICES, 156, 124-127
- 304 --- and --- (1965) : Onderzoek in verband met de garnalenvisserij door beroepsvissers in 1962. Ed. ZWI, Oostende, 1965/1, 1-32
- 305 --- and --- (1965) : Zeedieren waargenomen in de experimentele garnaalvangst (1949-1964). Ed. ZWI, Oostende, 1965/2, 1-26
- 306 --- and --- (1967) : La crevette grise (Crangon crangon L.) dans le sud de la Mer du Nord. Symp. Ser. Mar. Biol. Ass. India, 2 (4), 1398-1407 Also : (1963) : Ed. ZWI, Oostende, 1-70
- 307 --- and KONIETZKO, B. (1956) : Recherches biologiques sur les eaux saumâtres du Bas-Escalut. Kon. Belg. Inst. Nat. Wetensch., Verhandeling 132, 1-112
- 308 --- and MILLER, O. (1940) : La flore et la faune du bassin de chasse d'Ostende (1937-1938). Kon. Belg. Inst. Nat. Wetensch., Verhandeling 94, 1-122
- L 309 LELOUP, E. and POLK, P. (1967) : La flore et la faune du bassin de chasse d'Ostende (1960-1961). Kon. Belg. Inst. Nat. Wetensch., Verhandeling 157, 1-124
- 310 LEWIS, J.R. (1970) : Pollution studies at Robin Hood's Bay. Mar. Pollut. Bull., 1 (1), 53-55
- 311 L'HERROUX, M. (1970) : Peuplements des sables fins en Baie de Saint-Brieuc (Manche). Téthys, 2 (1), 41-88
- 312 LIMA-ZANGHI, C. (1969) : Evidence of fluorescent substances in the eyes of three species of decapod crustaceans : Crangon crangon (Linne), Palaeon serratus (Pennant) and Penaeus japonicus (Bate). Arch. Zool. Exp. Gén., 110, 289-301
- 313 LO BIANCO, S. (1909) : Notizie biologiche riguardanti specialmente il periodo di maturita sessuale degli animali del Golfo di Napoli. Mitt. Zool. Sta. Naepel, 12, 513-763
- M 314 MACDONALD, A.G. and TEAL, J.M. (1975) : Tolerance of oceanic and shallow water crustacea to high hydrostatic pressure. Deep Sea Res. Oceanogr. Abstr., 22 (3), 131-144
- 315 MAGGI, P. (1973) : Toxicité relative de deux insecticides organophosphorés : l'abate et le fénitrothion. Rev. Trav. Inst. Pêches Marit., 37 (1), 137-144
- 316 --- and COSSA, D. (1973) : Nocivité relative de cinq détergents anioniques en milieu marin. I. Toxicité aigue à l'égard de quinze organismes. Rev. Trav. Inst. Pêches Marit., 37 (3), 411-417
- 317 MANN, H. (1970) : The toxicity of amino acid chelating agents. ICES, Fish. Improv. Comm., CM 1970/E : 2, 1-2 (mimeo)
- 318 --- (1973) : Beiträge zur Wirkung nichtionogener Tenside auf Fische und Fischnährtiere des Brackwassers. Ber. dt. wiss. Komm. Meeresforsch., 22 (4), 452-457
- 319 MANNING, R.B. and SPEVICK, Z. (1982) : Decapod fauna of the Piran Gulf. Quad. Lab. Technol. Pesca, 3 (2/5), 285-304
- 320 MARR, J. (1963) : Some notes on the preservation of marine animals. J. du Conseil, 28 (1), 121-125
- 321 MARRE, G. (1958) : Rendabilitätsberechnungen von Betrieben der schleswig-holsteinischen Kutterfischerei aus den Jahren 1955-1956 und 1957. Arch. Fisch. Wiss., 2 (3), 222-229

M 322 MASON, J. (1967) : Shrimps around Scotland.
= Scott. Fish. Bull., 27, 13-16

323 --- (1968) : The Scottish fishery for brown shrimp Crangon crangon (L.) in the Solway Firth.
ICES, Shellfish and Benthos Comm., CM 1968/K : 22, 1-9 (mimeo)

324 MASSE, H. (1964) : Quelques données sur l'économie alimentaire d'une biocoenose infralittorale.
Rec. Trav. Stat. Mar. d'Endoume, 47 (31), 153-166

325 MASSONET, R. (1960) : Caroténoides et vitamine A chez les invertébrés marins.
Bull. Stat. Aquicult. Pêche Castiglione, NS 10, 135-173

326 MASSY, A.L. (1911) : Report of a survey of trawling grounds on the coasts of counties Down, Louth, Meath and Dublin.
Dept. Agr. Ireland, Fish. Branch, Scient. Invest., 1911 (1), 1-226

327 MAUCLINE, J. (1958) : An improved instrument for measuring small Crustacea.
J. du Conseil, 23 (2), 245-248

328 --- (1976) : The Hiatt growth diagram for Crustacea.
= Marine Biology, 35 (1), 79-84

329 --- (1977) : Growth of shrimps, crabs and lobsters - an assessment.
J. du Conseil, 37 (2), 162-169

330 --- and TEMPLETON, W.L. (1966) : Strontium, calcium and barium in marine organisms of the Irish Sea.
J. du Conseil, 30 (2), 161-170

331 McINTYRE, A.D. and ELEUTHERIOU, A. (1967) : The bottom fauna of a flatfish nursery ground.
ICES, Shellfish and Benthos Comm., CM 1967/K : 18, 1-9 (mimeo)

332 McJUSKY, D.S., HAGERMAN, L. and MITCHELL, P. (1982) : Effect of salinity acclimation on osmoregulation in Crangon crangon and Praunus flexuosus.
Ophelia, 21 (1), 89-100

333 MEER, A. (1918) : On the Crustacea.
Dove Mar. Lab., Report for the year ending June 30th, 1918, NS 7, 19-45

334 MEIXNER, R. (1967) : Reproduction of the sand shrimp Crangon crangon (L.).
FAO World Scientific Conference Biology and Culture of Shrimps and Prawns, BCSP/67/E 5, 1-4 (mimeo)

335 --- (1968) : Verletzungen und Regenerate in Fangproben von Crangon crangon (L.).
Arch. Fisch. Wiss., 12 (1), 56-61

M ... Also : (1967) : ICES, Shellfish and Benthos Comm., CM 1967/K : 19, 1-3 (mimeo)

336 MEIXNER, R. (1969) : Wachstum, Häutung und Fortpflanzung von Crangon crangon (L.) bei Einzelaufzucht.
Ber. dt. wiss. Komm. Meeresforsch., 20 (2), 93-111

337 --- (1969) : Is there a spot disease in Crangon crangon (L.) ?
ICES, Shellfish and Benthos Comm., CM 1969/K : 15, 1-2 (mimeo)

338 --- (1970) : Grössenzunahme bei der Häutung von Crangon crangon aus der Nordsee und Ostsee.
Ber. dt. wiss. Komm. Meeresforsch., 21 (1/4), 393-398

339 MEDEDITH, S.S. (1952) : A study of Crangon vulgaris in the Liverpool Bay area.
Proc. Trans. Liverpool Biol. Soc., 58, 75-109

340 MEYER-WAARDEN, P.F. (1958) : Investigations on the German shrimp fishery in 1958.
Annales Biol., 15, 222

341 --- (1958) : The influence of the water temperature on the yields of the shrimp fishery.
ICES, Shellfish Comm., report n° 105, 1-5 (mimeo)

342 --- (1961) : Ertragschwankungen in der Garnelenfischerei haben natürliche Ursachen.
Inf. f.d. Fischwirtschaft, 8 (1), 12-13

343 --- and TIEMS, K. (1959) : Unusual abundance of whiting in the German shrimp catches of 1959.
Annales Biol., 16, 253

344 --- and --- (1959) : On the collection of water temperature data for biological investigations concerning the German shrimp fishery.
ICES, Shellfish Comm., report n° 74, 1-13 (mimeo)

345 --- and --- (1963) : Catch composition of the German shrimp fishery in 1962.
ICES, Shellfish Comm., report n° 6, 1-2 (mimeo)

346 --- and --- (1965) : Further results of the German shrimp research.
Rapp. Proc.-verb. Réun. ICES, 156, 131-137

347 MICALLEFF, H. and EVANS, F. (1968) : The marine fauna of Malta.
Royal University of Malta, Biol. Dept., Malta University Press, 1-26

348 MILLNER, R.S., DICKSON, R.R. and ROLFE, M.S. (1977) : Physical and biological studies of a dredging ground off the East coast of England.
ICES, Fish. Improv. Comm., CM 1977/E : 48, 1-11 (mimeo)

- M** 349 KISTAKIDIS, M.N. (1951) : Quantitative studies on the bottom fauna of Essex oyster grounds. MAFF, Fish. Invest., Series II, 17 (6), 1-48
- 350 MOHR, H. and RAUCK, G. (1979) : First results of German experiments with a selective shrimp trawl. ICES, Fish. Techn. Comm., CM 1979/B : 7, 1-7 (mimeo)
Also : (1978) : Inf. f.d. Fischwirtschaft, 25 (5), 138-140
- 351 MORDUE, W. and STONE, J.V. (1976) : Comparison of the biological activities of an insect and a crustacean neurohormone that are structurally similar. Nature, 264 (5583), 287-289
- 352 MURRAY, A.J. (1979) : Metals, organochlorine pesticides and PCB residues in fish and shellfish landed in England and Wales in 1974. MAFF, Aquatic Environm. Monitoring Report, 2, 1-11
- 353 --- (1981) : Metals, organochlorine pesticides and PCB residue levels in fish and shellfish landed in England and Wales during 1975. MAFF, Aquatic Environm. Monitoring Report, 2, 1-41
- 354 --- and BURF, J.R. (1969) : Torrey Advisory Note 38.
UK Ministry Technology, Torrey Advisory Note 38, 1-14
- 355 MUUS, B.J. (1967) : The fauna of Danish estuaries and lagoons. Distribution and ecology of dominating species in the shallow reaches of the mesohaline zone. Medd. Danm. Fisk. og Havunders., NS 2 (1), 3-316
- 356 MØHLENBERG, F. and KJØRBOE, T. (1983) : Burrowing and avoidance behaviour in marine organisms exposed to pesticide-contaminated sediment. Mar. Pollut. Bull., 14 (2), 57-60
- 357 MØLLER CHRISTENSEN, J. (1969) : Proposal for revision of the international standard statistical classification of Mollusca and Crustacea. ICES, Shellfish and Benthos Comm., CM 1969/K : 2, 1 (mimeo)
- N** 358 NAROSKA, V. (1968) : Vergleichende Untersuchungen über die Wirkung des hydrostatischen Druckes auf die Überlebensfähigkeit und die Stoffwechselintensität mariner Evertbraten und Teleosteer. Kieler Meeresforsch., 24, 95-123
- 359 NELLEN, W. (1979) : Fischereiliche Bedeutung des Wattenmeeres. Arbeiten Dtsch. Fischerei-Verbandes, 27, 1-16
- 360 NELSON-SMITH, A. (1970) : The problem of oil pollution of the sea. In : Advances in Marine Biology, Ed. F.S. Russell and M. Yonge, Academic Press, London, 8, 215-306

- N** 361 NORTON, M.G. and FRANKLIN, F.L. (1980) : Research into toxicity evaluation and control criteria of oil dispersants. MAFF, Fish. Res. Techn. Rep., 57, 1-20
- 362 ---, --- and BLACKMANN, R.A.A. (1978) : Toxicity testing in the United Kingdom for the evaluation of oil slick dispersants. Spec. Tech. Publ. Am. Soc. Testing and Materials, 659, 18-34
- 363 NOUVEL, L. (1936) : Sur un mode de régénération des appendices locomoteurs, particulièrement aux Crangon. C.R. Acad. Sci. Paris, 202, 584-586
- P** 364 PANDIAN, T.J. (1967) : Changes in chemical composition and caloric content of developing eggs of the shrimp Crangon crangon. Helgol. Wiss. Meeresunters., 16, 216-224
Also : ICES, Shellfish Comm., CM 1967/K : 12, 1-7 (mimeo)
- 365 PASTORE, M.A. (1972) : Decapoda Crustacea in the Gulf of Taranto and the Gulf of Catania with a discussion of a new species of Dromidae (Decapoda, Brachyura) in the Mediterranean Sea. Thalassia Jugosl., 8 (1), 105-117
- 366 PAUTSCH, F. (1953) : Colour adaptation of the zoëa of the shrimp Crangon crangon L.. Bull. Acad. Pol. Sci. Lettr., Cl. Sci. Math. Nat., Série B, Sci. Nat., (2), 1951, 511-523
- 367 --- (1953) : The colour change of the zoëa of the shrimp Crangon crangon L.. Experientia, 9, 274-276
- 368 --- (1967) : Pigmentation and colour change in decapod larvae. Symp. Ser. Mar. Biol. Ass. India, 2 (3), 1108-1123
- 369 --- (1978) : Review of experiments on the chronic toxicity exerted by some pollutants on animal species from the Bay of Gdansk. Kieler Meeresforsch., 4 Sonderdruck, 335-359
- 370 ---, BOMIRSKI, A., DĄBROWSKA, T., DREWA, G., KLEK-KAWINSKA, E., JAWINSKI, I., TARZYŃSKA-KLEINER, J., ZBYTIEWSKI, Z., ZAWROCKA-WRZOŹKOWA, T., CISZEWSKA, I., DOMINICZAK, T., SKORKOWSKI, E.F., SZLACHETIC-NAJDROWSKA, J. and TUROBOYSKI, K. (1975) : Studies on the toxicity of phosphogypsum. Pol. Arch. Hydrobiol., 22 (3), 449-476
- 371 PERKINS, E.J. (1972) : Some problems in marine toxicity studies. Mar. Pollut. Bull., 3 (1), 13-14
- 372 ---, GRIBBON, E. and LOGAN, J.W.M. (1973) : Oil dispersant toxicity. Mar. Pollut. Bull., 4 (6), 90-93

- P** 373 PETÄJÄ, A. (1966) : On the occurrence and reproduction biology of Crangon crangon (L.) in the Archipelago Sea (in Finnish).
 Fil. lis.-tutkielma (Lic. thesis), Turun yliopisto eläintieteen laitoks, 82 pages
- 374 PLETT, A. (1964) : On the distribution of shrimp larvae (Crangon crangon (L.)) on the German coast during 1963.
 ICES, Shellfish Comm., report n° 49, 1-2 (mimeo)
 Also : Inf. f.d. Fischwirtschaft, 11 (1), 25-27
- 375 POCHON-MASSON, J. (1968) : Ultrastructure and the vesicular spermatozooids of decapod crustaceans before and during experimental devagination.
 II. Macrura.
 Ann. Sci. Natur. Zool. Paris, 10, 367-454
- 376 POOLSANGUAN, B. and UGLOW, R.F. (1974) : Quantitative changes in blood sugar levels of Crangon vulgaris.
 J. Comp. Physiol., 93 (1), 1-6
- 377 PORTMANN, J.E. (1967) : Pesticid residues in fish and shellfish off the coast of Essex.
 ICES, Fish. Improv. Comm., CM 1967/E : 4, 1-6 (mimeo)
- 378 --- (1968) : Progress report on a programme of insecticide analysis and toxicity-testing in relation to the marine environment.
 Helgol. Wiss. Meeresunters., 17 (1/4), 247-256
- 379 --- (1969) : A summary of the results of toxicity tests with 36 oil-dispersing mixtures.
 ICES, Fish. Improv. Comm., CM 1969/E : 9, 1-5 (mimeo)
- 380 --- (1970) : Results of acute toxicity tests with marine organisms, using a standard method.
 In : Marine Pollution and Sea Life, FAO Technical Conference on Marine Pollution, Rome, December 1970, Fishing News (Books) Ltd, 212-217
- 381 --- (1970) : Toxicity-testing with particular reference to oil-removing materials and heavy metals.
 In : Marine Pollution and Sea Life, FAO Technical Conference on Marine Pollution, Rome, December 1970, Fishing News (Books) Ltd, 217-222
- 382 --- (1970) : Monitoring of organo-chlorine residues in fish from around England and Wales, with special reference to poly-chlorinated biphenyls (PCB's).
 ICES, Fish. Improv. Comm., CM 1970/E : 9, 1-5 (mimeo)
- 383 --- (1979) : Chemical monitoring of residue levels in fish and shellfish landed in England and Wales, 1970-73.
 MAFF, Aquatic Environm. Monitoring Report, 1, 1-21

- P** 384 PORTMANN, J.E. and CONNOR, P.M. (1968) : The toxicity of several oil-spill removers to some species of fish and shellfish.
 Marine Biology, 1 (4), 322-329
- 385 --- and PRESTON, A. (1975) : Preliminary results of ICES coordinated monitoring programme in the North Sea.
 ICES, Fish. Improv. Comm., CM 1975/E : 21, 1-22 (mimeo)
- 386 --- and WILSON, K.W. (1971) : The toxicity of 140 substances to the brown shrimp and other marine animals.
 MAFF, Shellfish Information Leaflet, 22 (mimeo)
- 387 --- and YARDLEY, J.D. (1972) : The distribution of some metals in shellfish taken from the coasts of England and Wales.
 ICES, Shellfish and Benthos Comm., CM 1972/K : 12, 1-10 (mimeo)
- 388 POULSEN, E.M. (1922) : On the frequency and distribution of Crangon vulgaris, Carcinus maenas and Portunus holsatus in the Danish coastal waters.
 Medd. Danm. Fisk. og Havunders., 6 (7), Serie Fiskeri, 1-18
- 389 --- (1951) : Changes in the frequency of larger bottom invertebrates in the Limfjord in 1927-50.
 Rep. Dan. Biol. Stat., 53, 17-35
- 390 POWER, R.H. (1974) : Onderzoek met betrekking tot een mogelijk karakteristiek verspreidingspatroon van garnalenlarven (Crangon crangon) in zee.
 RIVO, Doktoraalverslag (unpublished report)
- 391 PRICE, R.K.J. and UGLOW, R.F. (1979) : Some effects of certain metals on development and mortality within the moult cycle of Crangon crangon (L.).
 Mar. Environm. Res., 2 (4), 287-299
- 392 --- and --- (1980) : Cardiac and ventilatory responses of Crangon crangon to cadmium, copper and zinc.
 Helgol. Wiss. Meeresunters., 33 (1/4), 59-67
- 393 PURASJOKI, K.J. (1945) : The shrimp Crangon crangon observed at Tvärminne (in Finnish).
 Luonn. Yst., 49, 178-180
- Q** 394 QUIGNARD, J.P. and AUTEM, M. (1982) : Description de quelques pêcheries d'estuaire et paralaéguaires du Languedoc (globes, carrellets, ganguis).
 Science et Pêche, 323, 1-21
- 395 ---, MAZOWER, C., VIANET, R., MAN WAI, R. and BENHARRAT, K. (1983) : Un exemple d'exploitation lagunaire en languedoc : l'étang de l'or (Mauguio), pêche et production halieutique.
 Science et Pêche, 336, 1-23

- R 396 RACHOR, E. (1977) : Faunenverarmung in einem Schlickgebiet in der Nähe Helgolands.
Helgol. Wiss. Meeresunters., 30 (1/4), 633-651
- 397 --- and GERLACH, S.A. (1978) : Changes of macrobenthos in a sublittoral sand area of the German Bight, 1967 to 1975.
Rapp. Proc.-verb. Réun. ICES, 172, 418-431
- 398 RANKE, B. (1959) : Über die nicht-eiweisgebundenen und eiweisgebundenen Aminosäuren-bestände von Fischen, Mollusken und Krebsen.
Arch. Fisch. Wiss., 10 (1/2), 117-159
- 399 RAUCK, G. (1975) : Wie gross ist der Wegfang untermassiger Nutzfische durch die Garnelenfischerei ?
Inf. f.d. Fischwirtsch., 22 (5), 131-134
- 400 --- (1979) : Ist es sinnvoll die winterliche Garnelenfischerei vor der Westküste Schleswig-Holsteins einzuschränken ?
Inf. f.d. Fischwirtsch., 26 (2), 59-63
- 401 REDANT, F. (1974) : A qualitative and quantitative study on the invertebrates in the catches of experimental shrimp fishing in the Westdijp.
ICES, Shellfish and Benthos Comm., CM 1974/K : 21, 1-13 (mimeo)
- 402 --- (1974) : The benthic and epibenthic fauna of the Thornton Bank area.
ICES, Shellfish and Benthos Comm., CM 1974/K : 22, 1-11 (mimeo)
- 403 --- (1976) : The Belgian shrimp (Crangon crangon) stock in 1974.
Annales Biol., 31, 184-185
- 404 --- (1977) : In situ onderzoek van de invloed van industriële lozingen op de mariene fauna. II. Epibenthos.
In : ICWB, Projekt Zee (Mathmodelsea), Eindverslag Volume 5, Ed. J.C. Nihoul and Y. Adam, 243-252
- 405 --- (1977) : Epibenthos.
In : ICWB, Projekt Zee (Mathmodelsea), Eindverslag Volume 7, Ed. J.C. Nihoul and L. De Coninck, 177-202
- 406 --- (1977) : Het epibenthos en de door haar veroorzaakte fluxen.
In : ICWB, Projekt Zee (Mathmodelsea), Eindverslag Volume 8, Ed. J.C. Nihoul and P. Polk, 199-244
- 407 --- (1980) : Population dynamics of brown shrimp (Crangon crangon) in the Belgian coastal waters. 1. Consumption-production model.
ICES, Shellfish Comm., CM 1980/K : 32, 1-23 (mimeo)
- 408 --- (1980) : Population dynamics of brown shrimp (Crangon crangon) in the Belgian coastal waters. 2. Predation mortality.
ICES, Shellfish Comm., CM 1980/K : 33, 1-24 (mimeo)
- 409 --- (1981) : Dynamique de la crevette grise le long du littoral belge.►
- R ... Biomar, Comptes Rendues des Séminaires de Biologie Marine, Ed. Jangoux and Van de Vyver, Presses Universitaires de Bruxelles, 86-99
- 410 REDANT, F. and DE CLERCK, R. (1975) : Unfavorable prospects for the Belgian shrimp fishery in 1975.
ICES, Shellfish and Benthos Comm., CM 1975/K : 43, 1-17 (mimeo)
- 411 REGNAULT, M. (1976) : Influence du substrat sur la mortalité et la croissance de la crevette Crangon crangon (L.) en élevage.
Cah. Biol. Mar., 17 (3), 347-357
- 412 --- (1978) : Besoins quantitatifs en protéines de la crevette grise
C. crangon et influence d'un régime composé sur les modalités de la croissance.
Oceanis (Doc. Océanogr.), 4 (1), 73-81
- 413 --- (1979) : Ammonia excretion of the sand shrimp Crangon crangon (L.) during the moult cycle.
J. Comp. Physiol., 133 (3), 199-204
- 414 --- (1980) : Adaptation du métabolisme de la crevette grise à l'environnement acoustique et à des conditions nutritionnelles défavorables.
Oceanis (Doc. Océanogr.), 7 (6), 675-686
- 415 --- (1981) : Respiration and ammonia excretion of the shrimp Crangon crangon L. : metabolic response to prolonged starvation.
J. Comp. Physiol., 141 (4), 549-555
- 416 ---, CAMPILLO, A. and LUQUET, P. (1975) : Croissance des crevettes Crangon crangon et Palaeomon serratus soumises à un régime artificiel : influence du mode de présentation et du mode de séchage de l'aliment.
Cah. Biol. Mar., 16 (1), 1-20
- 417 --- and LUQUET, P. (1974) : Besoins en protéines de la crevette grise Crangon crangon (L.) au cours de sa croissance.
Ann. Nutr. Alim., 28 (6), 523-537
- 418 --- and --- (1974) : Study by evolution of nucleic acid content of prepuberal growth in the shrimp Crangon vulgaris.
Marine Biology, 25 (4), 291-298
- 419 REIS, C.S., MARQUES, V.M., CALVARIO, J., MARQUES, J.C., MELO, R. and SANTOS, R. (1982) : Contribuição para o estudo dos povoamentos bentónicos (substrato movedel) da costa ocidental portuguesa.
Oecologia Aquatica, 6, 91-105
- 420 REISE, K. (1977) : Predator exclusion experiments in an intertidal mud flat.
Helgol. Wiss. Meeresunters., 30 (1/4), 263-271
- 421 --- (1978) : Experiments on epibenthic predation in the Waddensea.
Helgol. Wiss. Meeresunters., 31 (1/2), 55-101

- R 422 REISE, K. (1979) : Moderate predation on meiofauna by the macrobenthos of the Wadden Sea.
Helgol. Wiss. Meeresunters., 32 (4), 453-465
- 423 RIEUCAU, J. (1979) : Inventaire des ressources halieutiques et conchylicoles de la Manche.
La Pêche Maritime, 58 (1219), 600-603
- 424 RILEY, J.P. and WAHBY, S. (1977) : Concentrations of PCB's, dieldrin and DDT residues in marine animals from Liverpool Bay.
Mar. Pollut. Bull., 8 (1), 9-11
- 425 RINKE, H. (1938) : Über die chemische Zusammensetzung einiger Bodentiere der Nord- und Ostsee und ihre Heizwertbestimmung.
Helgol. Wiss. Meeresunters., 1 (2), 112-140
- 426 ROCHANABURANON, T. and WILLIAMSON, D.I. (1976) : Laboratory survival of larvae of Palaemon elegans Rathke and other Caridean shrimps in relation to their distribution and ecology.
Estuar. Coastal Mar. Science, 4 (1), 83-91
- 427 ROSENBERG, R., GRAHN, O. and JOHANSSON, L. (1975) : Toxic effects of aliphatic chlorinated hydrocarbons from vinyl chloride production on marine animals.
Water Research, 9 (7), 607-612
- 428 ROSOU, N.S. (1976) : Composition des lipides de quelques espèces de mollusques et crevettes des eaux roumaines de la Mer Noire.
Rapp. Proc.-verb. Réunion. Comm. Int. Explor. Sci. Mer. Méditerran., Monaco, 23 (6), 87-88
- 429 RUDOLF, J. (1959) : Der Einfluss der Temperatur auf die osmotische Resistenz der decapoden Crustaceen des Meeres unter besonderer Berücksichtigung von Crangon crangon L..
Thesis, University of Kiel
- S 430 SCHLIEPER, C. (1968) : High pressure effects on marine invertebrates and fishes.
Marine Biology, 2 (1), 5-12
- 431 SCHLOTTFELDT, H.J. (1970) : Preliminary results of the influence of anionic detergents and metal salts on Crangon crangon.
ICES, Fish. Improv. Comm., CM 1970/E : 5, 1-2 (mimeo)
- 432 --- (1972) : Jahreszeitliche Abhängigkeit der "Schwarzfleckenkrankheit" bei den Carnele Crangon crangon (L.).
Ber. dt. wiss. Komm. Meeresforsch., 22 (3), 397-399
- 433 SCHOCKAERT, E. (1968) : Contribution à l'étude de la croissance et de la reproduction de la crevette grise (Crangon crangon L.) au large

S

- de la côte belge.
Biol. Jaarboek, 36, 169-179
- 434 SCHOCKAERT, E. (1968) : La croissance de la crevette grise (Crangon crangon L.) au large de la côte belge.
Ann. Soc. Royale Zool. Belg., 98, 217-231
- 435 SCHRIEVER, G. (1974) : Die sessile, hemisessile und vagile Hartbodenfauna der Schlei im ökologischen Vergleich.
Kieler Meeresforsch., 30 (2), 80-90
- 436 SCHUMACHER, A. and TIEWS, K. (1979) : On the population dynamics of the brown shrimp (Crangon crangon) off the German coast.
Rapp. Proc.-verb. Réunion. ICES, 175, 280-295
- 437 SCOTT, T. (1888) : A revised list of the Crustacea of the Firth of Forth.
Ann. Rep. Fish. Bd. Scotland, 6 (3), 235-262
- 438 --- (1897) : The marine fishes and invertebrates of Loch Fyne.
Ann. Rep. Fish. Bd. Scotland, 15 (3), 107-174
- 439 SEDGWICK, R.W. (1979) : Some aspects of the ecology and physiology of nekton in the Thames Estuary, with special reference to the shrimp Crangon vulgaris.
Ph.D. Thesis, Kings College, London University
- 440 SEGERSTRÅLE, S.G. (1971) : Aspects of the biology of the Baltic Sea, with special reference to the littoral zone.
In : Coldwater and Inshore Marine Biology, Some Regional Aspects, Marine Science Inst., Nahant, October 1969, 7-13
- 441 --- (1972) : The distribution of some Malacostracan Crustaceans in the Baltic Sea in relation to the temperature factor.
Merentutkimuslait. Julk./Havsforskingsinst. Skr., 237, 13-26
- 442 SHELTON, R.G.J. (1971) : Two recent problems in oil pollution research.
ICES, Fish. Improv. Comm., CM 1971/E : 12, 1-10 (mimeo)
- 443 --- (1974) : Observations on the occurrence of an epizootic blue-green alga on the chemoreceptor setae of the brown shrimp Crangon crangon (L.).
J. Mar. Biol. Ass. UK, 54 (2), 301-307
- 444 ---, SHELTON, P.M.J. and EDWARDS, A.S. (1975) : Observations with the scanning electron microscope on a filamentous bacterium present on the aesthetasc setae of the brown shrimp Crangon crangon (L.).
J. Mar. Biol. Ass. UK, 55 (4), 795-800
- 445 SINDERMAN, C.J. (1977) : Recent data on possible associations of coastal/estuarine pollution with fish and shellfish diseases.
ICES, Fish. Improv. Comm., CM 1977/E : 14, 1-33 (mimeo)

- S** 446 SINDERMAN, C.J. and ROSENFELD, A. (1968) : Principal diseases of commercially important marine bivalve Mollusca and Crustacea. Fish. Bulletin, US Dept. Interior, 66 (2), 335-386
- 447 SKORKOWSKI, E.F. (1971) : Isolation of three chromatophorotropic hormones from the eyestalk of the shrimp Crangon crangon. Marine Biology, 8 (3), 220-223
- 448 --- (1973) : Chromatophorotropic neurohormones of the shrimp Crangon crangon. Partial purification of the red-pigment-concentrating hormone. Marine Biology, 19 (2), 149-152
- 449 --- (1973) : Chromatophores and colour changes in decapod crustaceans. Oikos, 15, 267
- 450 --- and KLEINHOLZ, L.H. (1973) : Comparison of white pigment concentrating hormone from Crangon and Pandalus. Gen. Comp. Endocrinol., 20 (3), 595-597
- 451 --- and SWIERCZYNSKI, J. (1982) : Unusual behaviour of NADP-linked malic enzyme from crustacean tissues on 2',5' ADP-sepharose 4B. Comp. Biochem. Physiol., 72B (4), 647-650
- 452 SMIDT, E.L.B. (1951) : Animal production in the Danish Waddensea. Medd. Danm. Fisk. og Havunders., Serie Fiskeri, 11 (6), 1-151
- 453 SNAUWAERT, F., TOBACK, E. and MAES, E. (1973) : Carotenoid pigments in the brown shrimp (Crangon vulgaris Fabr.). Lebensm.-Wiss. Technol., 6 (2), 43-47
- 454 SPAARGAREN, D.H. (1974) : Aspects of the osmotic regulation in the shrimps Crangon crangon and Crangon allmanni. Neth. J. Sea Res., 5 (3), 275-335
- 455 --- (1972) : Determination of the extracellular volume of the shrimp Crangon crangon (L.). Comp. Biochem. Physiol., 43A (4), 843-848
- 456 --- (1975) : Energy relations in the ion regulation in three crustacean species. Comp. Biochem. Physiol., 51A (3), 543-548
- 457 --- (1976) : On stroke volume of the heart and cardiac output in aquatic animals. Neth. J. Sea Res., 10 (1), 131-139
- 458 --- (1980) : The significance of seawater viscosity for the tidal transport of common shrimp, Crangon crangon (L.). Ophelia, 19 (2), 145-153
- 459 --- and ACHITUV, Y. (1977) : On the heart rate response to rapid

- S** --- temperature changes in various marine and brackish water Crustaceans. Neth. J. Sea Res., 11 (1), 107-117
- 460 --- and KRAAY, G.W. (1973) : The contribution of chloride to electrolyte regulation in blood and tissues of the shrimp Crangon crangon. Neth. J. Sea Res., 6 (1/2), 205-212
- 461 SPRAGUE, V. (1970) : Some protozoan parasites and hyperparasites in marine decapod Crustacea. In : A Symposium on Diseases of Fishes and Shellfishes, Ed. S.F. Snieszko, Am. Fish. Soc., Spec. Publ. 5, 416-430
- 462 --- and COUCH, J. (1971) : An annotated list of protozoan parasites, hyperparasites and commensals of Decapod Crustacea. J. Protozool., 18 (3), 526-537
- 463 STEVCIC, Z. (1971) : Beitrag zur Revision der Decapodenfauna der Umgebung von Rovinj. Thalassia Jugosl., 7 (2), 525-531
- 464 STRANGE, E.S. (1981) : An introduction to commercial fishing gear and methods used in Scotland. DAFS, Scottish Fish. Inform. Pamphlet, 1/1981, 1-35
- 465 SZANIANSKA, A. (1980) : Elements of ecological energetics of Crangon crangon (L., 1758) (Crustacea, Decapoda) in Gdansk Bay. ICES, Biol. Ocean. Comm., CM 1980/L : 6, 1-14 (mimeo)
- T** 466 TEN BERGE, W.F. and HILLERAND, M. (1974) : Organochlorine compounds in several marine organisms from the North Sea and the Dutch Waddensea. Neth. J. Sea Res., 8 (4), 361-368
- 467 TESCH, J.J. (1908) : Bijdrage tot de fauna van de Zuidelijke Noordzee. IV. Decapode Crustaceën, ten deele verzameld met de "Wodan". Jaarb. Rijksinst. Onderzoek der Zee, 1908, 59-111
- 468 THAIN, J.E. and WILSON, K.W. (1974) : The toxicity of some herbicides used for Spartina control. ICES, Fish. Improv. Comm., CM 1974/E : 22, 1-9 (mimeo)
- 469 THEEDE, H. (1973) : Comparative studies on the influence of oxygen deficiency and hydrogen sulphide on marine bottom invertebrates. Neth. J. Sea Res., 7 (1/4), 244-252
- 470 ---, POMAT, A., HIROKI, K. and SCHLIEFER, C. (1969) : Studies on the resistance of marine bottom invertebrates to oxygen-deficiency and hydrogen sulphide. Marine Biology, 2 (4), 325-337
- 471 TIEWS, K. (1961) : The role of whiting as an undesirable guest in

T ...

- German coastal waters.
ICES, Near Northern Seas Comm., Report n° 28, 1-8 (mimeo)
- 472 TIEMS, K. (1964) : Verwendung von Doppelmarken bei Garnelenmarkierungen erfolgreich.
Inf. f.d. Fischwirtsch., 11 (3), 118-119
- 473 --- (1965) : An attempt to estimate the predation of shrimps (Crangon crangon L.) caused by predatory fishes on the German coast.
ICES, Shellfish Comm., Report n° 24, 1-7 (mimeo)
Also : Inf. f.d. Fischwirtsch., 12 (2), 71-74
- 474 --- (1967) : Standardisierungsvorschläge für Garnelenfangeräte.
Inf. f.d. Fischwirtsch., 14 (2), 90-91
- 475 --- (1968) : By-catch in the German shrimp fishery Crangon crangon in 1967.
Annales Biol., 24, 205
- 476 --- (1969) : By-catch in the German shrimp fishery Crangon crangon in 1968.
Annales Biol., 25, 256
- 477 --- (1969) : Die Markierung von 60 000 Nordseegarnelen Crangon crangon (L.) und ihre Ergebnisse.
Arch. Fisch. Wiss., 20 (1), 33-41
- 478 --- (1970) : By-catch in the German shrimp fishery Crangon crangon in 1969.
Annales Biol., 26, 277
- 479 --- (1971) : By-catch in the German shrimp fishery Crangon crangon in 1970.
Annales Biol., 27, 193
- 480 --- (1971) : Weitere Ergebnisse von Langzeitbeobachtungen über das Auftreten von Beifangfischen und -Krebsen in den Fangen der deutschen Garnelenfischerei (1961-1967).
Arch. Fisch. Wiss., 22 (3), 214-255
- 481 --- (1971) : Reiche Kabeljaunachwuchsjahrgänge dezimieren Nordseegarnelenbestand.
Inf. f.d. Fischwirtsch., 18 (3), 92-93
- 482 --- (1973) : By-catch in the German shrimp fishery Crangon crangon in 1971.
Annales Biol., 28, 218
- 483 --- (1974) : By-catch in the German shrimp fishery Crangon crangon in 1972.
Annales Biol., 29, 177

- T 484 TIEMS, K. (1975) : The by-catch in the German shrimp fishery Crangon crangon in 1973.
Annales Biol., 30, 205
- 485 --- (1976) : By-catch in the shrimp fishery (Crangon crangon) by the Federal Republic of Germany in 1974.
Annales Biol., 31, 178
- 486 --- (1977) : By-catch in the shrimp (Crangon crangon) fishery of the Federal Republic of Germany in 1975.
Annales Biol., 32, 179-180
- 487 --- (1978) : The German industrial fisheries in the North Sea and their by-catches.
Rapp. Proc.-verb. Réun. ICES, 172, 230-238
- 488 --- (1978) : The predator-prey relationship between fish-populations and the stock of brown shrimp (Crangon crangon L.) in German coastal waters.
Rapp. Proc.-verb. Réun. ICES, 172, 250-258
Also : (1975) : ICES, Shellfish and Benthos Comm., CM 1975/K : 4, 1-27 (mimeo)
Also : (1975) : Inf. f.d. Fischwirtsch., 22 (3/4), 89-91
- 489 --- (1979) : By-catch in the shrimp (Crangon crangon) fishery by the Federal Republic of Germany in 1977.
Annales Biol., 34, 227
- 490 --- (1980) : By-catch in the shrimp (Crangon crangon) fishery of the Federal Republic of Germany in 1978.
Annales Biol., 35, 247
- 491 --- (1981) : By-catch in the shrimp (Crangon crangon) fishery of the Federal Republic of Germany in 1979.
Annales Biol., 36, 192
- 492 --- (1983) : By-catch in the shrimp (Crangon crangon) fishery of the Federal Republic of Germany in 1980.
Annales Biol., 37, 233-234
- 493 --- (1983) : Über die Veränderungen im Auftreten von Fischen und Krebsen im Beifang der deutschen Garnelenfischerei während der Jahre 1954-1981. Ein Beitrag zur Ökologie des deutschen Wattenmeeres und zum biologischen Monitoring von Ökosystemen im Meer.
Arch. Fisch. Wiss., 34 (Beiheft 1), 1-156
Also : ICES, Mar. Environm. Qual. Comm., CM 1983/E : 16, 1-18 (mimeo)
Also : Inf. f.d. Fischwirtsch., 30 (3), 144-146
- 494 --- and SCHUMACHER, A. (1979) : Assessment of brown shrimp stocks (Crangon crangon) off the German coast.
ICES, Shellfish Comm., CM 1979/K : 10, 1-14 (mimeo) ▶

T ... Also : (1981) : Arch. Fisch. Wiss., 32 (1/3), 1-11
Also : (1977) : Inf. f.d. Fischwirtschaft., 24 (2), 52-56

495 TOUIR, A. (1977) : Données nouvelles concernant l'endocrinologie sexuelle des Crustacés Décapodes *Natantia* hermaphrodites et gonochoriques. 1. Maintien des glandes androgènes et rôle de ces glandes dans le contrôle des gamétogénèses et des caractères sexuels externes mâles.
Bull. Soc. Zool. France, 102 (4), 375-400

V 496 VANDAMME, K. and BAETEMAN, M. (1982) : Teneur des organismes marins des eaux côtières belges en PCB et en pesticides organo-chlorés.
Revue de l'Agriculture, 35 (2), 1981-1986

497 VAN DEN BROUCKE, G. (1973) : First results of electro-fishing experiments.
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 68 - TZ/50/1973, 1-4

498 --- (1973) : Further investigations on electrical fishing.
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 90 - TZ/58/1973, 1-6
Also : ICES, Gear and Behaviour Comm., CM 1973/B : 14, 1-6 (mimeo)

499 --- (1974) : Oriënterende proeven met een garnaalnet met gewijzigde snit.
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 96 - TZ/63/1974, 1-8

500 --- (1975) : Proeven met een dubbelboomkorre op garnalen en rondvis.
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 106 - TZ/68/1975, 1-8

501 --- (1975) : Verdere proeven met een dubbelboomnet voor garnalen en rondvis.
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 120 - TZ/76/1975, 1-7

502 --- and DE LANGHE, F. (1975) : Oriënterende studie over de automatische toevoer van de garnalen spoel- en sorteermachine.
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 107 - TZ/69/1975, 1-7

503 --- and --- (1979) : Verdere proeven over het elektrisch vissen op garnaal.
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 161 - TZ/94/1979, 1-12

504 --- and VAN HEE, J. (1979) : Vergelijkende proeven met dubbele boomkorren.
Minist. Landbouw, Meded. Rijksstat. Zeevisserij, 154 - TZ/92/1979, 1-17

505 --- and VAN MIDDELEM, A. (1973) : Essais de chalut sélectif pour la pêche de la crevette.
Rapports FAO sur les Pêches, 139, FIG/R 139, 26-29

506 VAN DER BAAN, S.M. (1975) : Migrations of *Crangon crangon* in surface

V ... waters near the "Texel" lightship.
Neth. J. Sea Res., 2 (3/4), 287-296

507 VAN DIJK, J.J., VAN DER MEER, C. and WIJNANS, M. (1977) : The toxicity of sodium pentachlorophenolate for three species of decapod crustaceans and their larvae.
Bull. Environm. Contam. Toxicol., 17 (5), 622-630

508 VAN DONK, E. and DE WILDE, P.A. (1981) : Oxygen consumption and motile activity of the brown shrimp *Crangon crangon* related to temperature and body size.
Neth. J. Sea Res., 15 (1), 54-64

509 VAN LEEUWEN, F. (1975) : Verspreiding van verschillende garnalen soorten in de Zuidelijke Noordzee gedurende verschillende seizoenen.
Intern Rapport NIOZ, 1975/8, 1-66

510 VAN LISSA, J.H.L. (1977) : Aantallen, voedselopname, groei en produktie van de garnaal (*Crangon crangon* L.) in een getijdengebied, alsmede de voedselopname en groei onder laboratorium-omstandigheden.
Intern Rapport NIOZ, 1977/10, 1-101

511 VAN NOORT, G.J., CREUTZBERG, F. and DAPPER, R. (1982) : "Aurelia"-cruise reports on the benthic fauna of the Southern North Sea.
6. Trawl survey September-November 1975.
Intern Rapport NIOZ, 1982/7, 1-68

512 ---, --- and --- (1983) : "Aurelia"-cruise reports on the benthic fauna of the Southern North Sea. 7. Trawl survey February-March 1976.
Intern Rapport NIOZ, 1983/3, 1-76

513 ---, VAN LEEUWEN, F. and CREUTZBERG, F. (1979) : "Aurelia"-cruise reports on the benthic fauna of the Southern North Sea. 1. Trawl survey April-May 1972.
Intern Rapport NIOZ, 1979/5, 1-104

514 ---, --- and --- (1979) : "Aurelia"-cruise reports on the benthic fauna of the Southern North Sea. 2. Trawl survey June-July 1972.
Intern Rapport NIOZ, 1979/6, 1-107

515 ---, --- and --- (1979) : "Aurelia"-cruise reports on the benthic fauna of the Southern North Sea. 3. Trawl survey October-November 1972.
Intern Rapport NIOZ, 1979/7, 1-115

516 ---, --- and --- (1979) : "Aurelia"-cruise reports on the benthic fauna of the Southern North Sea. 4. Trawl survey January-February 1973.
Intern Rapport NIOZ, 1979/8, 1-100

517 ---, --- and --- (1981) : "Aurelia"-cruise reports on the benthic fauna of the Southern North Sea. 5. Trawl survey October-November 1974.
Intern Rapport NIOZ, 1981/1, 1-116

- W 518 VAN WEERS, A.W. (1975) : Uptake of cobalt-60 from sea water and from labelled food by the common shrimp Crangon crangon (L.).
In : Impacts of Nuclear Releases into the Aquatic Environment, Proc. Intern. Symp. on "Radiological Impacts of Release from Nuclear Facilities into Aquatic Environments", Otniemi, Finland, June-July 1975, Ed. by IAEA-SPI/PUB 406, 349-361
- 519 --- (1980) : Uptake and retention of ^{124}Sb in the common mussel, shrimp and shore crab.
In : Impacts of Radionuclide Releases into the Marine Environment, Proc. Intern. Symp. on "Impacts of Radionuclide Releases into the Marine Environment", Ed. by IAEA, Proc. Series IAEA, 381-399
- 520 VERHOEST, J. and MATON, A. (1964) : Double-rig shrimp trawling.
In : Modern Fishing Gear of the World, Part 2, Second FAO World Fishing Gear Congress, London 1963, Ed. by Fishing News (Books) Ltd, London, 209-217
Also : (1963) : Minist. Landbouw, Comm. TWOZ, 1-19
- 521 VERVOORT, D., REDANT, F. and DECLERCK, D. (1980) : Causes and incidence of the "black spot disease" on brown shrimp (Crangon crangon).
ICES, Shellfish Comm., CM 1980/K : 34, 1-14 (mimeo)
- 522 VILELA, H. (1936) : Coleção oceanografica de D. Carlos. I. Catalogo des Crustaceos Decapodos e Estomatopodos.
Bull. Soc. Portug. Sciences Natur., 12 (27), 215-242
Also : Trav. Stat. Biol. Mar. Lisbonne, 40
- 523 --- (1949) : Invertébrés marins comestibles du Portugal.
Rapp. Proc.-verb. Réun. ICES, 128 (II), 63
- 524 VINOGRADOV, A.P. (1953) : The elementary chemical composition of marine organisms.
Mem. Sears Fdn. Mar. Res., 2, 1-647
- 525 VYNCKE, W., VANDERSTAPPEN, R., DE CLERCK, R., MOERMANS, R. and VAN HOEYWECHEN, P. (1981) : L'évolution de la teneur en métaux lourds dans la plie, le merlan, le sprat et les crevettes pêchées dans les eaux côtières belges.
Revue de l'Agriculture, 34 (5), 1351-1365
- W 526 WARREN, P.J. (1971) : Shrimp landings in the Wash : a possible relationship with temperature.
ICES, Shellfish and Benthos Comm., CM 1971/K : 22, 1-8 (mimeo)
- 527 --- (1973) : English trials of a Dutch shrimp sorting machine.
ICES, Shellfish and Benthos Comm., CM 1973/K : 25, 1-9 (mimeo)
Also : Rapports FAO sur les Pêches, 139, FIG/R 139, 65-72

- W 528 WĄRZCZA, J. (1982) : Structure of benthic macrofauna communities in the Gulf of Gdansk.
ICES, Biol. Oceanogr. Comm., CM 1982/L : 58, 1-17 (mimeo)
- 529 WATERMANN, B. and DETHLEFSEN, V. (1983) : Schwarzflecken der Garnelen - Umweltproblem, Krankheit oder Verletzung ?
Inf. f.d. Fischwirtsch., 30 (1), 24-29
- 530 WEAR, R.G. (1974) : Incubation of British Decapod Crustacea and the effects of temperature on the rate and success of embryonic development.
J. Mar. Biol. Ass. UK, 54 (3), 745-762
- 531 WEBER, R.E. and KRAAY, G.W. (1972) : De invloed van een verstoorde ionenbalans op zeewaterorganismen toegelicht aan kalium en garnaal.
Waddenbulletin, 1 (2), 34-36
- 532 --- and SPAARGAREN, D.H. (1970) : On the influence of temperature on the osmoregulation of Crangon crangon and its significance under estuarine conditions.
Neth. J. Sea Res., 2 (1), 108-120
- 533 --- and VAN MARREWILK, W.J.A. (1972) : Free amino acids in the shrimp Crangon crangon and their osmoregulation significance.
Neth. J. Sea Res., 2 (4), 391-415
Also : Life Sci., 11 (II), 589-595
- 534 WHARFE, J.R. and VAN DEN BROEK, W.L.F. (1977) : Heavy metals in macro-invertebrates and fish from the lower Medway Estuary, Kent.
Mar. Pollut. Bull., 8 (2), 31
- 535 --- and --- (1978) : Chlorinated hydrocarbons in macroinvertebrates and fish from the lower Medway Estuary, Kent.
Mar. Pollut. Bull., 8 (3), 76-79
- 536 WHITTLE, K.J., MACKIE, P.R., HARDY, R., MC INTYRE, A.D. and BLACKMAN, R.A.A. (1975) : UK area hydrocarbon baseline survey : main findings, preliminary conclusions and implications for future survey and monitoring programmes.
ICES, Fish. Improv. Comm., CM 1975/E : 38, 1-13 (mimeo)
- 537 WIENBERG, M. (1976) : Experimentelle Untersuchungen im infraroten Licht zur Bewegungsaktivität und zur Effektivität der Nahrungssuche der Nordseegarnelle Crangon crangon (L.).
Ber. dt. wiss. Komm. Meeresforsch., 24 (4), 280-295
Also : (1975) : ICES, Shellfish and Benthos Comm., CM 1975/K : 14, 1-14 (mimeo)
- 538 WILCOCK, S.E., WANN, K.T. and MACDONALD, A.G. (1978) : The motor activity of Crangon crangon subjected to high hydrostatic pressure.
Marine Biology, 45 (1), 1-7

- W 539 WILLIAMSON, D.I. (1956) : The plankton in the Irish Sea, 1951 and 1952.
 Bull. Mar. Ecol., 4 (31), 87-114
- 540 --- (1957) : Crustacea, Decapoda : Larvae. I. General.
 ICES, Zooplankton Sheets, 67, 1-7
- 541 --- (1960) : Crustacea, Decapoda : Larvae. VII. Caridea, Family Crangonidae.
 ICES, Zooplankton Sheets, 90, 1-5
- 542 WILSON, K.W. (1972) : Assessing the toxicity of industrial effluents.
 ICES, Fish. Improv. Comm., CM 1972/E : 15, 1-9 (mimeo)
- 543 --- (1974) : Toxicity testing for ranking oils and oil dispersants.
 In : Ecological Aspects of Toxicity Testing of Oils and Dispersants, Workshop on the Toxicity of Oils and Dispersants, Ed. L.R. Beynon and E.B. Cowell, Applied Science Publishers Ltd, Barking, Essex, 11-22
- 544 --- and BLACKMANN, R.A.A. (1973) : Observations of the effects of red mud on marine animals.
 ICES, Fish. Improv. Comm., CM 1973/E : 15, 1-8 (mimeo)
- 545 --- and CONNOR, P.M. (1973) : The accumulation of mercury and cadmium from water by shrimps.
 ICES, Fish. Improv. Comm., CM 1973/E : 16, 1-4 (mimeo)
- 546 ---, THAIN, J.E. and YARDLEY, J. (1975) : Uptake and loss of dieldrin by marine organisms.
 ICES, Fish. Improv. Comm., CM 1975/E : 23, 1-12 (mimeo)
- 547 ---, WHITE, I.C. and CARTWRIGHT, N. (1974) : A review of the biological effects of acid-iron wastes from titanium dioxide production in the United Kingdom.
 ICES, Fish. Improv. Comm., CM 1974/E : 40, 1-16 (mimeo)
- 548 WITTE-MAAS, E.L.M. and SPARGAREN, D.H. (1977) : Some lethal and sub-lethal effects in Crangon crangon at experimental K⁺ enrichment of their environment.
 Neth. J. Sea Res., 11 (3/4), 316-324
- 549 WOLFF, W.J. and ZIJLSTRA, J.J. (1980) : Management of the Wadden Sea.
 Helgol. Meeresunters., 33 (1/4), 596-613
- 550 WRIGHT, D.A. (1976) : Heavy metals in animals from the North East coast.
 Mar. Pollut. Bull., 7 (2), 36-38
- 551 --- and DAVIDSON, A.W. (1974) : Fluoride in marine animals.
 Mar. Pollut. Bull., 5 (8), 119-121

- Z 552 ZAITSEV, Yu. P. (1968) : La neustologie marine : objet, méthodes, réalisations principales et problèmes.
 Pelagos, 8 (1), 1-47
- 553 ZAUKE, G.P. (1977) : Mercury in benthic invertebrates of the Elbe estuary.
 Helgol. Wiss. Meeresunters., 22 (3), 358-374
- 554 ZBYNIEWSKI, Z., DREMA, G., PAUTSCH, F. and DABROWSKA, T. (1978) : Influence of crude oil and detergents on the concentration of some ions in hemolymph of the shrimp Crangon crangon L. and of the crab Rhithropanopeus harrisi Gould.
 Kieler Meeresforsch., 4 Sonderdruck, 366-369
- 555 --- and PAUTSCH, F. (1973) : Effect of phospho-gypsum on the protein and alpha-amine nitrogen level and on the tyrosinase activity in the hemolymph of Crangon crangon.
 Oikos, Suppl. 15, 232-235
- 556 ZIEGELMEIER, E. (1970) : Über Massenvorkommen verschiedener makrobenthaler Wirbelloser während der Wiederbesiedlungsphase nach Schädigungen durch "katastrophale" Umwelteinflüsse.
 Helgol. Wiss. Meeresunters., 21 (1/2), 9-20
- 557 --- (1978) : Macrobenthos investigations in the eastern part of the German Bight from 1950 to 1974.
 Rapp. Proc.-verb. Réun. ICES, 172, 432-444
- 558 ZIJLSTRA, J.J. (1968) : De betekenis van de Waddenzee voor de visserij.
 Visserij, 21 (6), 267-277
- 559 ZMUDZINSKI, L. (1959) : Decapods of the Vistula mouth and adjacent waters.
 ICES, Baltic Seas Comm., Report n° 22, 1-3 (mimeo)
- 560 --- (1967) : Zoobenthos of Gdansk Bay.
 Prace Morsk. Inst. Ryback. Gdynia, 14 A, 47-80
- 561 ZUKOWSKA-ARENDARCZYK, M. (1981) : Effect of hypophyseal gonadotropine (FSH and LH) on the ovaries of the sand shrimp Crangon crangon (Crustacea, Decapoda).
 Marine Biology, 63 (3), 241-247

5. Index to the bibliography

I. IDENTITY

I.1. Taxonomy, common names and vernacular names

078 - 144 - 252

I.2. Morphology

I.2.1. External morphology

Larvae : 299 - 540 - 541

Adults : 011 - 251 - 252 - 320 - 333 - 433

Cross reference : R.5.

I.2.2. Biometrics

Adults : 064 - 065 - 077 - 079 - 080 - 095 - 132 - 175 - 276 - 320 - 323
327 - 328 - 433 - 434 - 510

I.3. Anatomy, histology and cytology

I.3.1. Body wall

Adults : 124 - 192

I.3.2. Muscular system

Larvae : 144

Adults : 143 - 145 - 146 - 147

I.3.3. Circulatory system

Adults : 184 - 186

I.3.4. Respiratory system

Adults : 148 - 184 - 185 - 186

I.3.5. Nervous system and sense organs

Larvae : 205 - 312

I.3.6. Reproductive system

Adults : 099 - 257 - 375 - 433 - 495

I.4. Biochemistry

I.4.1. Biochemical compounds

Eggs : 364

Adults : 010 - 114 - 121 - 122 - 139 - 167 - 168 - 169 - 176 - 258 - 270

I.4.1. Biochemical compounds (continued)

Adults : 312 - 325 - 351 - 354 - 376 - 398 - 418 - 425 - 428 - 447 - 448
450 - 451 - 453 - 524 - 533

Cross references : N.3. - B.3.1. (partim : osmoregulation) - B.3.2. (partim : pigmentation)

I.4.2. Caloric value

Eggs : 364

Larvae : 036

Adults : 245 - 354 - 425 - 465

D. DISTRIBUTION

D.1. Geographic distribution

D.1.1. Baltic Sea

Larvae : 110

Adults : 048 - 108 - 112 - 159 - 204 - 253 - 355 - 373 - 388 - 393 - 559

Cross references : P.2. - P.6.

D.1.2. North Sea

Larvae : 072 - 088 - 104 - 374

Adults : 037 - 137 - 246 - 252 - 253 - 301 - 307 - 308 - 309 - 355 - 388
437 - 467 - 509 - 511 - 512 - 513 - 514 - 515 - 516 - 517

Cross references : P.2. - P.6.

D.1.3. English Channel and Irish Sea

Larvae : 299 - 300 - 539

Adults : 107 - 200 - 253 - 275 - 438

Cross references : P.2. - P.6.

D.1.4. Bay of Biscay and Atlantic coast

Adults : 011 - 039 - 160 - 161 - 253 - 275 - 293 - 297 - 522 - 523

Cross references : P.2. - P.6.

D.1.5. Mediterranean Sea and Black Sea

Larvae : 106

Adults : 011 - 119 - 160 - 212 - 219 - 251 - 253 - 319 - 347 - 365 - 463

Cross references : P.2. - P.6.

D D.2. Differential distribution

D.2.1. Distribution of different parts of the population, nurseries

002 - 037 - 067 - 070 - 081 - 083 - 085 - 165 - 179 - 221 - 246
291 - 359 - 390 - 549 - 558

D.2.2. Distribution in relation to environmental parameters

See : B.3. Responses to stimuli

Cross reference : P.6.1.

D.3. Seasonal distribution

See : B.1. Migrations, local movements and seasonal distribution

R R. REPRODUCTION

R.1. Sexuality, sexual maturity and sex change

064 - 079 - 080 - 083 - 098 - 099 - 151 - 162 - 164 - 175 - 257
279 - 290 - 306 - 323 - 334 - 336 - 339 - 355 - 375 - 433 - 495
561

Cross reference : I.3.6.

R.2. Mating and fertilization

083 - 105 - 162 - 336 - 375

R.3. Spawning, spawning and spawning periods

002 - 008 - 059 - 060 - 062 - 064 - 077 - 083 - 084 - 087 - 096
098 - 106 - 119 - 162 - 164 - 175 - 219 - 246 - 271 - 272 - 279
290 - 292 - 302 - 306 - 313 - 323 - 333 - 334 - 336 - 339 - 355
364 - 373 - 434 - 530

R.4. Embryonic development

084 - 175 - 364 - 369 - 530

R.5. Larval development and metamorphosis

040 - 084 - 141 - 162 - 175 - 333 - 426 - 530

H H. HARDINESS

H.1. Tolerance to changes in the physico-chemical environment

H.1.1. Salinity and temperature

Larvae : 426 - 530

Adults : 018 - 045 - 057 ▶

H H.1.1. Salinity and temperature (continued)

Cross reference : B.3.1.

H.1.2. Oxygen deficiency

Adults : 178 - 255 - 469 - 470

Cross reference : B.3.3.

H.1.3. Pressure

Adults : 166 - 314 - 358 - 430

Cross reference : B.3.4.

H.1.4. Other physico-chemical parameters

Adults : 141 - 469 - 470 - 548

H.2. Tolerance to starvation

Adults : 415

Cross reference : B.3.7.

H.3. Competitors

Adults : 008 - 063 - 195 - 196 - 291 - 420

H.4. Predators

Adults : 063 - 070 - 072 - 075 - 076 - 081 - 082 - 085 - 088 - 103 - 150
152 - 240 - 241 - 303 - 342 - 400 - 403 - 408 - 409 - 410 - 471
473 - 481 - 488 - 493 - 560

Cf. remarks on the scope of the bibliography

H.5. Parasites, diseases and injuries

Adults : 015 - 028 - 247 - 335 - 337 - 363 - 432 - 443 - 444 - 445 - 446
461 - 462 - 521 - 529

H.6. Pollution and pollutants

H.6.1. Concentrations of pollutants in body tissues ; uptake, retention and elimination of pollutants

Heavy metals : 014 - 154 - 163 - 223 - 224 - 238 - 248 - 260 - 261 - 262
265 - 277 - 330 - 352 - 353 - 383 - 385 - 387 - 525 - 534
545 - 550 - 553

Pesticides : 004 - 182 - 183 - 189 - 207 - 217 - 260 - 261 - 262 - 265
352 - 353 - 377 - 382 - 383 - 385 - 424 - 466 - 496 - 535
546

Others : 113 - 330 - 518 - 519 - 551

H.6.2. Toxicity of pollutants

Heavy metals : 115 - 134 - 136 - 208 - 371 - 378 - 380 - 381 - 385 - 386
391 - 392 - 431 ▶

H H.6.2. Toxicity of pollutants (continued)

Pesticides	: 012 - 032 - 135 - 136 - 208 - 315 - 356 - 371 - 378 - 380
	385 - 386 - 468
Oil and oil dispersants	: 049 - 050 - 051 - 052 - 056 - 133 - 136 - 177 - 190 - 208
	298 - 360 - 361 - 362 - 369 - 371 - 372 - 379 - 380 - 381
	384 - 386 - 442 - 536 - 543 - 554
Others	: 003 - 030 - 031 - 033 - 034 - 113 - 136 - 208 - 236 - 316
	317 - 318 - 370 - 371 - 380 - 386 - 427 - 431 - 507 - 542
	544 - 547 - 555

Cross references : H.6.3. - B.3.5.

H.6.3. Crangon in a polluted environment

001	- 016 - 017 - 047 - 049 - 052 - 055 - 081 - 155 - 201 - 238
255	- 256 - 281 - 310 - 360 - 396 - 397 - 402 - 404 - 442 - 445
493	- 529 - 536 - 544 - 547

Cross references : H.6.1. - H.6.2.

H.7. Impact of man-made perturbations, others than fisheries and pollution

Sand/gravel extraction	: 348
Land reclamation	: 067 - 549

N N. NUTRITION and GROWTH

N.1. Food composition and food uptake

N.1.1. Food composition

Adults	: 006 - 008 - 041 - 053 - 057 - 092 - 138 - 162 - 164 - 195 - 213
	214 - 267 - 287 - 324 - 355 - 412 - 416 - 417 - 510

N.1.2. Food uptake and feeding behaviour

Adults	: 049 - 057 - 140 - 167 - 196 - 197 - 213 - 214 - 267 - 324 - 334
	336 - 406 - 407 - 409 - 411 - 412 - 414 - 415 - 417 - 422 - 465
	510 - 537

Cross reference : B.3.7.

N.2. Moulting and growth

Larvae : See : R.5. Larval development* and metamorphosis

Adults	: 002 - 009 - 058 - 059 - 064 - 077 - 080 - 087 - 095 - 121 - 122
	123 - 141 - 151 - 162 - 167 - 175 - 190 - 211 - 214 - 228 - 231
	234 - 287 - 290 - 292 - 328 - 329 - 333 - 334 - 336 - 338 - 355
	391 - 407 - 409 - 411 - 412 - 413 - 416 - 417 - 418 - 433 - 434
	436 - 465 - 510 - 561

Cross reference : N.3.1.

N N.3. Metabolism, respiration and excretion

N.3.1. Metabolism

Adults	: 122 - 123 - 125 - 167 - 184 - 186 - 190 - 213 - 214 - 267 - 287
	334 - 336 - 358 - 376 - 407 - 409 - 412 - 414 - 417 - 418 - 456
	457 - 459 - 465 - 510

Cross references : I.4.1. - H.6.1.

N.3.2. Respiration

Adults	: 027 - 168 - 169 - 184 - 185 - 186 - 187 - 225 - 230 - 231 - 392
	414 - 415 - 465 - 508

Cross references : I.3.4. - I.4.1. - B.3.3.

N.3.3. Excretion

Adults	: 123 - 233 - 234 - 413 - 414 - 415
--------	-------------------------------------

Cross references : I.4.1. - B.3.1. (partim : osmoregulation)

B B. BEHAVIOUR

B.1. Migrations, local movements and seasonal distribution

Larvae	: 040 - 070 - 083 - 106 - 110 - 193 - 194 - 206 - 210 - 269 - 271
	272 - 283 - 288 - 299 - 300 - 374 - 390 - 539
Adults	: 002 - 005 - 006 - 007 - 008 - 009 - 020 - 035 - 037 - 040 - 043
	057 - 063 - 079 - 080 - 083 - 084 - 091 - 108 - 109 - 150 - 155
	162 - 164 - 165 - 175 - 239 - 241 - 246 - 249 - 250 - 255 - 268
	287 - 290 - 291 - 306 - 346 - 355 - 388 - 389 - 403 - 404 - 405
	454 - 458 - 472 - 477 - 506 - 509 - 510 - 556 - 558

Tags and tagging : 020 - 021 - 023 - 077 - 472 - 477

Cross reference : B.3.

B.2. Behaviour, activity patterns and rhythms

Larvae	: 040 - 141 - 205
Adults	: 005 - 007 - 009 - 040 - 079 - 080 - 091 - 103 - 140 - 141 - 142
	162 - 196 - 197 - 226 - 230 - 239 - 249 - 250 - 255 - 335 - 356
	411 - 458 - 506 - 508 - 537 - 552

Cross reference : B.3.

B.3. Responses to stimuli

B.3.1. Salinity and temperature

Larvae	: 283 - 284 - 285
Adults	: 006 - 009 - 058 - 060 - 062 - 066 - 072 - 079 - 080 - 081 - 088
	125 - 162 - 164 - 187 - 188 - 225 - 241 - 246 - 302 - 306 - 307
	332 - 340 - 341 - 344 - 355 - 440 - 441 - 459 - 506 - 508 - 526

B B.3.1. Salinity and temperature (continued)

Osmoregulation : 009 - 211 - 220 - 227 - 228 - 229 - 230 - 232 - 233
234 - 235 - 241 - 332 - 429 - 454 - 455 - 456 - 460 - 531 - 532 - 533

Cross references : I.4.1. - H.1.1. - P.6.1.

B.3.2. Light

Larvae : 104 - 141 - 205
Adults : 005 - 140 - 141 - 175 - 196 - 226 - 249 - 250 - 312 - 537
Pigmentation : 120 - 121 - 124 - 139 - 192 - 312 - 325 - 351 - 366 - 367
368 - 447 - 448 - 449 - 450 - 453

Cross references : I.4.1. - P.6.1.

B.3.3. Oxygen concentration

Adults : 169 - 235 - 255

Cross references : I.4.1. - H.1.2. - P.6.1.

B.3.4. Tides, currents, pressure and depth

Larvae : 040 - 283
Adults : 005 - 007 - 040 - 085 - 140 - 166 - 170 - 239 - 268 - 293 - 297
306 - 307 - 314 - 358 - 376 - 430 - 458 - 509 - 510 - 538 - 560

Cross references : H.1.3. - P.6.1.

B.3.5. Pollutants

Adults : 177 - 190 - 197 - 208 - 255 - 256 - 356 - 360 - 392 - 554 - 555

Cross reference : H.6.

B.3.6. Sediment type

Adults : 040 - 116 - 195 - 221 - 411 - 560

Cross reference : P.6.1.

B.3.7. Food availability and composition

Adults : 140 - 167 - 213 - 214 - 414 - 415 - 537

Cross references : H.2. - P.6.1.

P P. POPULATION

P.1. Population structure and composition

P.1.1. Age and length composition

070 - 076 - 085 - 086 - 087 - 088 - 091 - 151 - 175 - 237 - 268
287 - 302 - 323 - 342 - 355 - 407 - 436 - 494 - 509 - 510

P P.1.1. Age and length composition (continued)

Cross references : D.2.1. - B.1.

P.1.2. Sex ratio

175 - 218 - 290 - 323

Cross references : D.2.1. - R.1.

P.2. Abundance, density and biomass

Larvae : 062 - 070 - 072 - 088 - 110 - 374
Adults : 027 - 037 - 043 - 044 - 045 - 046 - 054 - 070 - 084 - 085 - 108
109 - 150 - 152 - 153 - 155 - 165 - 237 - 246 - 287 - 323 - 359
388 - 389 - 403 - 404 - 405 - 406 - 407 - 409 - 452 - 465 - 488
494 - 510 - 511 - 512 - 513 - 514 - 515 - 516 - 517 - 560

Cross references : D.2.1. - B.1. - P.6.1.

P.3. Natality and recruitment

006 - 008 - 040 - 060 - 067 - 083 - 084 - 085 - 087 - 165 - 175
179 - 221 - 237 - 263 - 287 - 359 - 407 - 409 - 494 - 510 - 556
558

Cross references : R.1.5. - D.2.1.

P.4. Mortality

P.4.1. Predation mortality

Adults : 070 - 076 - 081 - 082 - 085 - 087 - 088 - 103 - 152 - 237 - 240
263 - 264 - 287 - 303 - 306 - 342 - 359 - 400 - 406 - 407 - 408
409 - 410 - 436 - 471 - 473 - 481 - 488 - 493 - 494

Cross reference : H.4.

P.4.2. Other natural mortality

Adults : 018 - 045 - 057 - 287 - 335 - 337 - 339 - 406 - 407 - 409 - 411

Cross references : H.1. - H.2. - H.3. - H.5.

P.4.3. Fishing mortality

083 - 086 - 087 - 240 - 243 - 263 - 264 - 306 - 406 - 407 - 409
436 - 473 - 477 - 488 - 493 - 494

Cross references : E.4.1. - E.4.2.

P.4.4. Other man-made mortality

See : H.6. Pollution and pollutants

H.7. Impact of man-made perturbations, others than fisheries and pollution

P P.5. Population dynamics

P.5.1. Changes in population size and structure

006 - 007 - 057 - 070 - 072 - 075 - 076 - 079 - 080 - 081 - 083
084 - 086 - 087 - 088 - 152 - 237 - 240 - 263 - 264 - 342 - 389
400 - 403 - 406 - 407 - 409 - 410 - 436 - 465 - 488 - 493 - 494
510 - 556

Cross references : P.3. - P.4.

P.5.2. Models of population dynamics

086 - 087 - 237 - 263 - 264 - 287 - 406 - 407 - 409 - 436 - 494

P P.6. The population in the community and ecosystem

P.6.1. Community structure and composition

Larvae : 110 - 284 - 285 - 286
Adults : 008 - 013 - 017 - 026 - 027 - 029 - 043 - 044 - 045 - 046 - 054
108 - 109 - 116 - 117 - 118 - 119 - 137 - 159 - 170 - 171 - 172
173 - 174 - 191 - 195 - 196 - 198 - 290 - 294 - 295 - 296 - 307
308 - 309 - 311 - 324 - 326 - 331 - 348 - 349 - 359 - 397 - 401
402 - 405 - 406 - 407 - 419 - 420 - 421 - 422 - 435 - 528 - 552
557 - 558 - 560

Cross references : H.3. - H.4. - P.6.2.

P.6.2. Community dynamics

Adults : 006 - 008 - 018 - 026 - 027 - 028 - 029 - 041 - 043 - 045 - 046
109 - 213 - 214 - 324 - 331 - 359 - 396 - 397 - 406 - 407 - 409
420 - 421 - 422 - 452 - 493 - 549 - 556 - 558

Cross reference : P.6.1.

E E. EXPLOITATION and MANAGEMENT

E.1. Fishing gear

E.1.1. Descriptions of existing gear

025 - 038 - 073 - 074 - 097 - 126 - 127 - 128 - 131 - 156 - 157
162 - 199 - 209 - 222 - 241 - 282 - 304 - 323 - 394 - 395 - 464
474 - 520

Cross reference : E.5.2.

E.1.2. Gear design

025 - 042 - 074 - 100 - 101 - 102 - 111 - 158 - 203 - 263 - 264
289 - 350 - 497 - 498 - 499 - 500 - 501 - 503 - 504 - 505

Cross reference : E.5.2.

E E.2. Fishing boats and operations

071 - 073 - 094 - 126 - 127 - 128 - 129 - 130 - 131 - 202 - 209
222 - 282 - 303 - 304 - 321 - 502 - 520

E.3. Fishing areas and seasons

024 - 061 - 073 - 093 - 150 - 153 - 162 - 200 - 209 - 222 - 241
244 - 253 - 254 - 263 - 264 - 278 - 280 - 282 - 303 - 306 - 322
323 - 326 - 359 - 423 - 494 - 523

Cross references : E.1. - P.2.

Cf. remarks on the scope of the bibliography

E.4. Results of fishing operations

E.4.1. Effort, catches and landings

024 - 058 - 059 - 060 - 061 - 066 - 068 - 069 - 070 - 072 - 073
075 - 081 - 082 - 086 - 088 - 093 - 149 - 150 - 152 - 153 - 162
164 - 188 - 209 - 222 - 240 - 241 - 242 - 243 - 244 - 253 - 254
263 - 264 - 278 - 303 - 305 - 306 - 321 - 322 - 323 - 340 - 341
342 - 344 - 345 - 346 - 357 - 359 - 403 - 407 - 410 - 436 - 473
475 - 476 - 478 - 479 - 480 - 482 - 483 - 484 - 485 - 486 - 487
488 - 489 - 490 - 491 - 492 - 493 - 494 - 526

Cf. remarks on the scope of the bibliography

E.4.2. By-catch : foddershrimps

025 - 042 - 058 - 059 - 060 - 061 - 062 - 068 - 069 - 071 - 074
075 - 081 - 089 - 156 - 157 - 240 - 241 - 242 - 243 - 263 - 264
278 - 306 - 345 - 346 - 359 - 436 - 475 - 476 - 478 - 479 - 480
482 - 483 - 484 - 485 - 486 - 487 - 489 - 490 - 491 - 492 - 493
494 - 502

Cf. remarks on the scope of the bibliography

E.4.3. By-catch : commercial fish species

019 - 022 - 025 - 042 - 058 - 068 - 071 - 074 - 089 - 090 - 111
149 - 156 - 157 - 216 - 240 - 259 - 263 - 264 - 273 - 274 - 280
289 - 304 - 305 - 340 - 343 - 345 - 346 - 350 - 399 - 471 - 475
476 - 478 - 479 - 480 - 482 - 483 - 484 - 485 - 486 - 487 - 489
490 - 491 - 492 - 493 - 500 - 501 - 504

Cf. remarks on the scope of the bibliography

E.4.4. By-catch : other species

022 - 042 - 111 - 156 - 157 - 263 - 266 - 302 - 305 - 346 - 350
401 - 402 - 480 - 487 - 493

E.4.5. Catch forecasting

060 - 062 - 066 - 076 - 081 - 088 - 180 - 181