

A bibliography of benthic marine invertebrates of the Faroese Economic Exclusive Zone

Our aim has been to compile a list, as complete as possible, of the scientific literature in which records of bottom invertebrates from the Faroese Economic Exclusive Zone are mentioned. As given, the list is an print from a newly erected literature database later to be found and constantly updated in the Kaldbak Marine Biological Laboratory, The Faroe Islands, and the Zoological Museum, Copenhagen.

There are some delimitation problems. Although the island group of The Faroes has been the target of some fauna projects it has, in a wider sense, only been at the periphery of the working areas of a number of expeditions from several countries. Some stations were taken within what is today the Faroese EEZ, others were on the borderline or close outside. Reports on stations inside the limit are all included; in borderline cases as well as regarding sta-

tions outside but close, we have taken a pragmatic view and included the reference in question where the results can be expected to be valid within the EEZ as well. We also have listed revisions and fauna surveys, where Faroese information is included even if they do not treat new material; in our opinion this gives an easier access to the relevant literature for the users of the bibliography. In a number of cases articles of a more popular nature has been included, mostly selected from the point of view that they bring information not given elsewhere. Some are in Faroese or Danish, but it is obviously of local interest to list them.

The bibliography is in four parts. The first lists the publications alphabetically. The second groups the publications under taxonomic headings. The third and fourth are lecture and poster abstracts, respectively.

List of works in alphabetical order by first author

Abildgaard, P.C., 1789. Animalium Daniae et Norvegiae. - In: Müller O.F. (ed.). Zoologia Danica. 1-71. Hauniae.

Agassiz, A., 1882. Report on Echinoidea. - In: Tizard T.H., J. Murrey (eds.). Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'. Proceedings of the Royal Society of Edinburgh. 11: 697-698.

Allman, G.J., 1874. Report on the Hydroida collected during the Expedition of H.M.S. 'Porcupine'. - Transactions of the Zoological Society of London. 8(14): 469-481.

Allman, G.J., 1883. Report on the Hydroi-da. - The Voyage of the H.M.S. 'Challenger' 1873-1876, Zoology. London. 7(20): 1-55.

Anonymous, 1988. Tóv. - 'Magnus Heina-son', Fiskirannsóknarstovan. Pf. Einars Prent, Tórshavn. 67 charts.

Appellöf, A., 1906. Die Decapoden Crus-taceen. - Meeresfauna von Bergen. 2-3: 113-233.

Arnesen, E., 1920. Spongia. - Report on the Scientific Results of the 'Michael Sars' North Atlantic Expedition 1910. Bergen. 3(2): 1-28.

Ax, P., 1993a. *Turbanella lutheri* (Gastrotricha, Macrotrichoidea) im Brachwasser der Färöer. - Microfauna Marina. 8: 139-144.

Ax, P., 1993b. Die Brachwasserart *Coelogy-nopora hangoensis* (Proseriata, Plathelminthes) von Grönland und den Färöer. - Microfauna Marina. 8: 145-152.

Ax, P., 1994a. *Coronhelmis*-Arten (Rhabdo-coela, Plathelminthes) von Grönland und den Färöern. - Microfauna Marina. 9: 221-237.

- Ax, P., 1994b. *Macrostomum magnacurvituba* n. sp. (Macrostomida, Plathelminthes) replaces *Macrostomum curvituba* in coastal waters of Greenland and Iceland. - *Microfauna Marina*. 9: 335-338.
- Ax, P., 1995. Brackish-water Plathelminthes from the Faroe Islands. - *Hydrobiologia*. 305: 45-47.
- Balss, H., 1911. Paguriden. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 20: 85-124.
- Balss, H., 1925a. Macrura der deutschen Tiefsee-Expedition. 1. Palinura, Astacura und Thalassinidea. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 20: 185-315.
- Balss, H., 1925b. Macrura der deutschen Tiefsee-Expedition. 2. Natantia, Teil A. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 20: 217-315.
- Barthel, D., O.S. Tendal, 1993a. Sponge spicules in abyssal and bathyal sediments of the NE Atlantic. - *Deep-Sea Newsletter*. 20: 15-18.
- Barthel, D., O.S. Tendal, 1993b. The sponge association of the abyssal Norwegian-Greenland Sea: species composition, substrate relationships and distribution. - *Sarsia*. 78: 83-96.
- Bell, F.J., 1883. Report on the Echinodermata collected by M.Fr. Day in H.M.S. 'Triton' off the Eastern Coast of Scotland in July 1882. - *Journal of the Linnean Society of London, Zoology*. 17: 102-104.
- Bell, F.J., 1892. Catalogue of the British Echinoderms. - London. 205 pp.
- Berge, J., W. Vader, 1997a. Stegocephalid (Crustacea, Amphipoda) species collected in the BIOFAR and BIOICE programmes. - *Sarsia*. 82: 347-370.
- Berge, J., W. Vader, 1997b. Atlantic and Mediterranean species of the genus *Andaniexis* Stebbing (Amphipoda: Stegocephalidae). - *Journal of Natural History*. 31: 1429-1455.
- Berge, J., W. Vader, 1997c. North Atlantic species of the genus *Stegocephaloides* Sars (Amphipoda, Stegocephalidae). - *Sarsia*. 82: 325-346.
- Berggren, M., 1990. Occurrence of fascigera forms of shrimp *Hippolyte varians* (Leach.) in Gullmarsfjorden, Sweden, with comparisons from the Faroe Islands. - *Cahiers de Biologie Marine*. 31: 147-157.
- Berggren, M., 1993. Aquaria experiments on habitat choice of littoral shrimps of the Faroe Islands. - *Crustaceana*. 65: 129-143.
- Bergh, R., 1900. Nudibranchiate Gastropoda. - *The Danish Ingolf Expedition*. Copenhagen. 1(3): 1-49.
- Bjerkan, P., 1905. Ascidien von dem norwegischen Fischereidampfer 'Michael Sars' in den Jahren 1900-1904 gesammelt. - *Bergens Museums Aarbok*. 1904(5): 30 pp.
- Bock, S., 1913. Studien über Polycladen. - *Almquist & Wiksells Boktryckeri AB., Akademische Abhandlung*, Uppsala. 343 pp.
- Boisen-Bennicke, S.A., 1968. Supplement to Polychæta. - *In*: Spärck R., S.L. Tuxen (eds.). *The Zoology of the Faroes*. 16, suppl.: 1-6. Andr. Fred. Høst & Søn. Copenhagen.
- Boschma, H., 1928a. Rhizocephala. - *In*: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). *The Zoology of the Faroes*. 28: 1-3. Andr. Fred. Høst & Søn. Copenhagen.
- Boschma, H., 1928b. Rhizocephala of the North Atlantic Region. - *The Danish Ingolf Expedition*. Copenhagen. 3(10): 1-49.
- Bouchet, P., A. Warén, 1979. The abyssal molluscan fauna of the Norwegian Sea and its relation to other faunas. - *Sarsia*. 64: 211-243.

- Bouchet, P., A. Warén, 1993. Revision of the Northeast Atlantic bathyal and abyssal Mesogastropoda. - *Bolletino Malacologico. Supplemento*. 3: 579-840.
- Bouvier, E.L., 1914. Les Crustacés de profondeur et les Pycnogonides recueillis par le Pourquoi-Pas? Sous la direction de M. le Dr Jean Charot, dans l'Atlantique septentrionale au cours de la campagne estival de 1913. - *Bulletin du Muséum Nationale d'Histoire Naturelle (Paris)* 20: 215-221.
- Brady, G.S., A.M. Norman, 1889. A Monograph of the marine and freshwater Ostracoda of the North Atlantic and North-Western Europe. Section 1: Podocopa. - *Scientific Transactions of the Royal Dublin Society*. 4(2): 63-270.
- Brady, H.B., 1882. Report on the Foraminifera. - *In*: Tizard T.H., J. Murrey (eds.). Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'. Proceedings of the Royal Society of Edinburgh. 11: 708-717.
- Brady, H.B., 1884. Report on the Foraminifera. - *The Voyage of the H. M. S. 'Challenger' 1873-1876, Zoology*. London. 9(22): 1-436.
- Brandt, A., 1872. Bericht über die Cyamiden des zoologischen Museums der Kaiserlichen Akademie der Wissenschaften St. Petersburg. - *Mélanges Biologiques tirés du Bulletin de l'Académie Impériale des Sciences de St. Petersburg*. 8: 673-702.
- Brattegard, T., L.K. Meland, 1997. Mysidacea (Crustacea) in the Faroe area. - *Fróðskaparrit*. 45: 69-95.
- Brattegard, T., E.I. Rømer, 1998. Decapoda Natantia (Crustacea) in the Faroe area. - *Fróðskaparrit*. 46: 91-126.
- Brattström, H., G. Thorson, 1941. Notes on the distribution of the Polychaete *Miroserpula inflata* Dons through the North Atlantic. - *Videnskabelige Meddelelser fra Dansk Naturhistorisk Forening*. 105: 21-30.
- Broch, Hj., 1914. Stylasteridae. - *The Danish Ingolf Expedition*. Copenhagen. 5(5): 1-25.
- Broch, Hj., 1916. Hydroida, I. - *The Danish Ingolf Expedition*. Copenhagen. 5(6): 1-66.
- Broch, Hj., 1918. Hydroida, II. - *The Danish Ingolf Expedition*. Copenhagen. 5(7): 1-206.
- Broch, Hj., 1924. Cirripedia Thoracica von Norwegen und dem norwegischen Nordmeere. Eine systematische und biologisch-tiergeografische Studie. - *Videnskabselskabets Skrifter, naturvidenskabelig og matematisk afdeling*. 17: 1-121.
- Broch, Hj., 1953. Cirripedia, Thoracia. - *The Danish Ingolf Expedition*. Copenhagen. 3(14): 1-17.
- Bruntse, G., T.E. Lein, R. Nielsen (eds.). 1999. Marine benthic algae and invertebrate communities from the shallow waters of the Faroe Islands. A baseline study. - *Kaldbak Marine Biological Laboratory, the Faroe Islands*. 117pp.
- Bruntse, G., T.E. Lien, R. Nielsen, K. Gunnarsson, 1999. Response to wave exposure by littoral species in the Faroe Islands. - *Fróðskaparrit* 47: 181-198.
- Bruun, A.Fr., 1928. Marine Hirudinea. - *In*: Spärck R., S.L. Tuxen (eds.). *The Zoology of the Faroes*. 18: 1-5. Andr. Fred. Høst & Søn. Copenhagen.
- Brøndsted, H.V., 1932. Marine Spongia. - *In*: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). *The Zoology of the Faroes*. 3: 1-34. Andr. Fred. Høst & Søn. Copenhagen.
- Burton, M., 1928. Hexactinellida. - *The Danish Ingolf Expedition*. Copenhagen. 6(4): 1-18.
- Busk, G., 1882. Report on Polyzoa. - *In*: Tizard T.H., J. Murrey (eds.). Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'. Proceedings of the Royal Society of Edinburgh. 11: 690-692.

- Bürger, O., 1907. Die Nemertinen. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 16: 1-121.
- Børup, O., 1908. Beretning om Dampminebaaden 'Beskytteren's Fiskeriundersøgelser. - Fiskeri-beretning for Finanssaaret 1906-1907. 241-254. G.E.C. Gad, København.
- Carlgren, O., 1912. Ceriantharia. - The Danish Ingolf Expedition. Copenhagen. 5(3): 1-78.
- Carlgren, O., 1913. Zoantharia. - The Danish Ingolf Expedition. Copenhagen. 5(4): 1-62.
- Carlgren, O., 1921. Actiniaria. - The Danish Ingolf Expedition. Copenhagen. 5(9): 1-241.
- Carlgren, O., 1930. Actiniaria and Zoantharia. - In: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 7b: 1-5. Andr. Fred. Høst & Søn. Copenhagen.
- Carlgren, O., 1942. Actiniaria, II. - The Danish Ingolf Expedition. Copenhagen. 5(12): 1-92.
- Carpenter, P.H., 1888. Report on the Crinoidea. - The Voyage of the H. M. S. 'Challenger' 1873-1876, Zoology. London. 26(60): 1-339.
- Carpenter, W.B., C. Wyville Thomson, 1868. Preliminary report, of dredging operations in the seas to the north of the British Islands, carried on in her majestys steam-vessel 'Lightning'. - Proceedings of the Royal Society. 17(107): 167-200.
- Carpenter, W.B., J.G. Jeffreys, C. Wyville Thomson, 1870. Preliminary report of the scientific exploration of the deep sea in H.M. surveying-vessel 'Porcupine' during the summer of 1869. - Proceedings of the Royal Society. 18(121): 395-492.
- Carter, H.J., 1874. Descriptions and figures of Deep-Sea Sponges and their Spicules from the Atlantic Ocean, dredged up on board H.M.S. 'Porcupine', chiefly in 1869. - Annals and Magazine of Natural History. 4(14): 207-221 and 245-257.
- Cedhagen, T., 1994. Taxonomy and biology of *Hyrrokkin sarcophaga* gen. et sp. n., a parasitic foraminiferan (Rosalinidae). - Sarsia. 79: 65-82.
- Chemnitz, J.H., 1788. Neues Systematisches Conchylien-Cabinet. - Martini-Chemnitz Conchylien-Cabinet. 376 pp. Nürnberg.
- Chemnitz, J.H., 1795. Neues Systematisches Conchylien-Cabinet. - Martini-Chemnitz Conchylien-Cabinet. 310 pp. Nürnberg.
- Chemnitz, J.H., 1874. Neues systematisches Conchylien-Cabinet. - Martini-Chemnitz Conchylien-Cabinet. 372 pp. Nürnberg.
- Christiansen, M.E., 1969. Crustacea Decapoda Brachyura. - Marine Invertebrates of Scandinavia. 2: 1-143. Universitetsforlaget, Oslo.
- Clark, A.H., 1923. Crinoidea. - The Danish Ingolf Expedition. Copenhagen. 4(5): 1-58.
- Clark, A.M., 1970. Echinodermata Crinoidea. - Marine Invertebrates of Scandinavia. 3: 1-55. Universitetsforlaget, Oslo.
- Clark, A.M., M.E. Downey, 1992. Starfishes of the Atlantic. - Chapman & Hall, London. 794 pp.
- Clausen, C., 1995. On some new macrodasyid Gastrotricha from the Northeast Atlantic, with a view to zoogeography. - 9th International Meiofauna Conference, Perpignan, July 1995.
- Dahl, E., L. Laubier, M. Sibuet, J.-O. Strömberg, 1976. Some quantitative results on benthic communities of the deep Norwegian Sea. - Astarte. 9: 61-79.
- Dam, M., 1998. Målinger af miljøgifte i et udvalg af indikatorarter i det færøske marine miljø. - Heilsufrøðiliga Starvstovan 1998: 1. 92 pp.

- Dam, M., 1999. AMAP, Phase 1, the Faroe Islands. - Heilsufrøðiliga Starvstovan 1999: 1. 70 pp.
- Dam, M., 2000. Integrated ecological monitoring in the coastal zone, Environmental pollutants, Faroe Islands. - Heilsufrøðiliga Starvstovan 2000: 2. 97 pp.
- Danielsen, D.C., J. Koren, 1879. Echinodermer fra den Norske Nordhavs Expedition. - *Nyt Magazin for Naturvidenskab*. 24(3): 229-266.
- Danielsen, D.C., J. Koren, 1881. Gephyrea. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-58.
- Danielsen, D.C., 1882. Holothuroidea. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-94.
- Danielsen, D.C., J. Koren, 1884. Asteroidea. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-118.
- Danielsen, D.C., 1887. Alcyonida. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-169.
- Danielsen, D.C., 1890. Actinida. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-182.
- Danielsen, D.C., 1892. Crinoidea. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-28.
- Danielsen, D.C., 1892. Echinida. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-9.
- Davidson, Th., 1886. A monograph of Recent Brachiopoda. Part 1. - *Transactions of the Linnean Society of London*. 2(4): 1-74.
- Dinesen, G., 1994. Færøske muslinger og deres logerende. - *Dyr i Natur og Museum*. 2: 6-9.
- Ditlevsen, A., 1936. Oligochaeta. - *In*: Spärck R., S.L. Tuxen (eds.). *The Zoology of the Faroes*. 17: 1-15. Andr. Fred. Høst & Søn. Copenhagen.
- Ditlevsen, Hj., 1917. Annelids, I. - *The Danish Ingolf Expedition*. Copenhagen. 4(4): 1-71.
- Ditlevsen, Hj., 1926. Free living Nematodes. - *The Danish Ingolf Expedition*. Copenhagen. 4(6): 1-42.
- Ditlevsen, Hj., 1929. Polychæta. - *In*: Spärck R., S.L. Tuxen (eds.). *The Zoology of the Faroes*. 16: 1-83. Andr. Fred. Høst & Søn. Copenhagen.
- Doflein, F., 1904. Brachyura. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 6: 1-314.
- Doflein, F., H. Balss, 1913. Die Galatheiden der deutschen Tiefsee-Expedition. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 20: 125-184.
- Duncan, P.M., 1870. On the Madreporaria dredged up in the Expedition of H.M.S. 'Porcupine'. - *The Annals and Magazine of Natural History*. 4(5): 286-298.
- Duncan, P.M., 1874. A description of the Madreporaria dredged up during the Expeditions of H.M.S. 'Porcupine' in 1869 and 1870. - *Transactions of the Zoological Society of London*. 8: 303-344.
- Duncan, P.M., 1878. A description of the Madreporaria dredged up during the Expedition of H.M.S. 'Porcupine' in 1869 and 1870. Part 2. - *Transactions of the Zoological Society of London*. 10: 235-249.
- Döderlein, L., 1906. Die Echinoiden der deutschen Tiefsee-Expedition. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 5: 1-290.
- Ehlers, E., 1908. Die bodensässigen Anneliden aus den Sammlung der Deutschen Tiefsee-Expedition. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedi-*

- tion auf dem Dampfer 'Valdivia' 1898-1899. 16: 1-167.
- Emson, R.H., P. A. Tyler, A. Nørrevang, 1994. Distribution of bathyal ophuroids around the Faroes in relation to the local hydrographic regime. - In: David B. (ed.). Proceedings of the 8th International Echinoderm Conference. 411-418.
- Fabricius, O., 1797. Tvende forskjællige Færøiske Bløddyr, en Doride og en Søe-Nelde. - Skrivter af Naturhistorie-Selskabet, København. 4: 38-55.
- Forlin, L., S.P. Baden, S. Eriksson, Å. Granmo, E. Lindsjoo, K. Magnusson, R. Ekelund, A. Esselin, J. Sturve, 1996. Effects of contaminants in roundnose Grenadier (*Coryphaenoides rupestris*) and Norway lobster (*Nephrops norvegicus*) and contaminant level in mussels (*Mytilus edulis*) in the Skagerrak and Kattegat compared to the Faroe Islands. - Journal of Sea Research. 35: 209-222.
- Frederiksen, R., 1992. Faunaen associeret med korallen *Lophelia pertusa* i færøske farvande. - Havforskning fra Miljøstyrelsen. 25: 189-191.
- Frederiksen, R., A. Jensen, H. Westerberg, 1992. The distribution of the scleractinian coral *Lophelia pertusa* around the Faroe Islands and the relation to intertidal mixing. - Sarsia. 77: 157-171.
- Frederiksen, R., A. Jensen, 1992. Korallbanker i færøske farvande. - Fiskerirannsóknir. 7: 113-120.
- Friele, H., 1886. Mollusca, II. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-44.
- Friele, H., 1901. Mollusca, III. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-129.
- Friele, H., 1903. Mollusken der ersten Nordmeerfahrt des Fischereidampfers 'Michael Sars' 1900. - Bergens Museums Aarbok. 1901(3): 18 pp.
- Funch, P., R.M. Kristensen, 1995. Cycliophora is a new phylum with affinities to Entoprocta and Ectoprocta. - Nature London. 378: 711-714.
- Funch, P., 1996. The chordoid larva of *Symbion pandora* (Cycliophora) is a modified trochophore. - Journal of Morphology. 230: 231-263.
- Funch, P., R.M. Kristensen, 1997. Cycliophora. - In: Harrison F.W. (ed.). Microscopic Anatomy of Invertebrates, Volume 13: Lophophorates, Enteroprocta and Cycliophora. 6: 409-474. Wiley-Liss. Inc., New York.
- Funch, P., R.M. Kristensen, 1998. Cycliophora. - In: Knobil, E., J.D. Neill (eds.). Encyclopedia of Reproduction. Vol. 1: 800-808. Academic Press.
- Galløe, 1907. Beretning om Fiskeriundersøgelser, foretagne fra Dampminebaaden 'Beskytteren' i Sommeren 1906. - Fiskeri-Beretning for Finansaaret 1905-1906. 253-260. G.E.C. Gad, København.
- Gee, J.M., R.M. Warwick, 1996. A study of global diversity patterns in the marine motile fauna of hard substrate. - Journal of the marine biological Association, U. K. 76: 177-184.
- Gerken, S., L. Watling, 1999. Cumacea (Crustacea) of the Faroe Island region. - Fróðskaparrit 47: 199-227.
- Graff, L.v., 1884. Report on the Myzostomida collected during the Voyage of the H.M.S. Challenger during the years 1873-1876. - The Voyage of the H. M. S. 'Challenger' 1873-1876, Zoology. London. 10(27): 1-82.
- Grasshoff, M., H. Zibrowius, 1983. Kalkkrusten auf Achsen von Hornkorallen, rezent und fossil. - Senckenbergiana maritima. 15: 111-145.
- Grieg, J.A., 1893. Ophiuroidea. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-41.

- Grieg, J.A., 1920. Brachiopoda, Scaphopoda, Gastropoda and Lamellibranchiata. - Report on the Scientific Results of the 'Michael Sars' North Atlantic Expedition 1910. Bergen. 3(2): 1-16.
- Grieg, J.A., 1921. Echinodermata. - Report on the Scientific Results of the 'Michael Sars' North Atlantic Expedition 1910. Bergen. 3(2): 1-44.
- Grieg, J.A., 1926. Decapoda Crustacea from the West Coast of Norway and the North Atlantic. - Bergens Museums Aarbok 1925. (7): 53 pp.
- Haeckel, E., 1872. Die Kalkschwämme. I-III. - Berlin. 418 pp.
- Hansen, G.A., 1879. Annelider fra den Norske Nordhavs Expedition i 1876. - Nyt Magazin for Naturvidenskab. 24(1): 1-17.
- Hansen, G.A., 1882. Annelida. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-53.
- Hansen, G.A., 1885. Spongiadæ. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-25.
- Hansen, H.J., 1886. Kara-havets Pycnogonider. - Djimphna togtets zoologisk-botaniske udbytte. 27 pp. Bianco Lunos Kgl. Hof-Bogtrykkeri (F. Dreyer), København.
- Hansen, H.J., 1908. Crustacea Malacostraca, I: Decapoda, Euphausiacea, Mysidacea. - The Danish Ingolf Expedition. Copenhagen. 3(2): 1-120.
- Hansen, H.J., 1913. Crustacea Malacostraca, II: Tanaidacea. - The Danish Ingolf Expedition. Copenhagen. 3(3): 1-145.
- Hansen, H.J., 1916. Crustacea Malacostraca. 3. Isopoda. - The Danish Ingolf Expedition. Copenhagen. 3(5): 1-262.
- Hansen, H.J., 1920. Crustacea Malacostraca. 4. Cumacea and Nebaliacea. - The Danish Ingolf Expedition. Copenhagen. 3(6): 1-86.
- Hansen, H.J., 1923. Crustacea Copepoda II. Copepoda parasitica and hemiparasitica. - The Danish Ingolf Expedition. Copenhagen. 3(7): 1-92.
- Hartmeyer, R., 1911. Ascidien aus dem Skagerrak, dem Trondhjemsfjord und von den Fär Öer. - Videnskabelige Meddelelser fra den Naturhistoriske Forening i København. 63: 261-286.
- Hartmeyer, R., 1912. Die Ascidien der deutschen Tiefsee-Expedition. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 16: 1-389.
- Hartmeyer, R., 1923. Ascidiacea, part I. - The Danish Ingolf Expedition. Copenhagen. 2(6): 1-365.
- Hartmeyer, R., 1924. Ascidiacea, part II. - The Danish Ingolf Expedition. Copenhagen. 2(7): 1-275.
- Hasenbank, W., 1932. Bryozoa der deutschen Tiefsee-Expedition. 1. Teil. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 21: 317-380.
- Hayward, P.J., 1994. New species and new records of cheilostomatous Bryozoa from the Faroe Islands, collected by BIOFAR. - Sarsia. 79: 181-206.
- Hayward, P.J., K.B. Hansen, 1999. Three newly recognized cheilostomate bryozoans from the British sea area. - Journal of the Marine Biological Association of the United Kingdom 79: 917-921.
- Heding, S.G., 1935. Holothurioidea, I. - The Danish Ingolf Expedition. Copenhagen. 4(9): 1-84.
- Heding, S.G., 1942. Holothuroidea, II. - The Danish Ingolf Expedition. Copenhagen. 4(13): 1-39.
- Heinen, 1911. Die Nephthydeen und Lycorideen der Nord und Ostsee einschliesslich der verbindenden Meeresteile. - Wissenschaftliche Meeresuntersuchun-

- gen, Biologischen Anstalt auf Helgoland, Abteilung Kiel. Neue Folge. 13: 1-87.
- Helmcke, J.-G., 1939. Die Brachiopoden des Zoologischen Museums zu Berlin. - Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin, Jahrgang 1938. 221-268.
- Helmcke, J.-G., 1940. Die Brachiopoden der deutschen Tiefsee-Expedition. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 24: 215-316.
- Herdman, W.A., 1884a. Report on the Tunicata collected during the Cruise of H.M.S. 'Triton' in the Summer 1882. - Transactions of the Royal Society of Edinburgh. 32(1): 93-117.
- Herdman, W.A., 1884b. Report upon the Tunicata dredged during the cruises of H.M.S. 'Porcupine' and 'Lightning', in the summers of 1868, 1869, and 1870. - Transactions of the Royal Society of Edinburgh. 32(2): 219-231.
- Herdman, W.A., 1886. Report on the Tunicata. Part II. - Ascidiæ Compositæ. - The Voyage of the H. M. S. 'Challenger' 1873-1876, Zoology. London. 14(38): 1-432.
- Herdman, W.A., 1888. Report on the Tunicata. - The Voyage of the H. M. S. 'Challenger' 1873-1876, Zoology. London. 27(76): 1-157.
- Hoek, P.P.C., 1882. Report on Pycnogonida. - In: Tizard T.H., J. Murrey (eds.). Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'. Proceedings of the Royal Society of Edinburgh. 11: 689-690.
- Hofker, J., 1929. Foraminifera. - In: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 2a: 1-21. Andr. Fred. Høst & Søn. Copenhagen.
- Holthe, T., 1978. The Zoogeography of the Terebellomorpha (Polychaeta) of the Northern European waters. - Sarsia. 63: 191-198.
- Holthe, T., 1986. Polychaeta Terebellomorpha. - Marine Invertebrates of Scandinavia. 7: 1-194. Universitetsforlaget, Oslo.
- Hougaard, L., C. Christoffersen, P.H. Nielsen, A. Klitgaard, O.S. Tendal, 1991. The chemical composition of *Geodia*, *Isops* and *Stryphnus* (Choristida: Demospongia: Spongia) - A comparative study with some taxonomical implications. - Biochemistry Systematics and Evolution. 19: 223-235.
- Hougaard, L., U. Anthoni, C. Christoffersen, C. Larsen, P.H. Nielsen, 1991. Characterization and quantitative estimation of quarternary ammonium compounds in marine demosponges. - Comparative Biochemistry and Physiology. 99B: 469-472.
- Hoyle, W.E., 1884. Report on the Ophiuroidea of the Farøe Channel, mainly collected by H.M.S. 'Triton' in August 1882, with remarks on the distribution of the order. - Proceedings of the Royal Society of Edinburgh. 12: 707-730.
- Hoyle, W.E., 1886. Report on the Cephalopoda. - The Voyage of the H. M. S. 'Challenger' 1873-1876, Zoology. London. 16(44): 1-245.
- Huys, R., P.F. Andersen, R.M. Kristensen, 1991. *Tantulacus hoegi* gen. et sp. nov. (Tantulocarida: Deotertheridae) from the meiobenthos of the Faroe Bank, North Atlantic. - Sarsia. 76: 287-297.
- Hägg, R., 1905. Mollusca und Brachiopoda gesammelt von der schwedischen zoologischen Expedition nach Spitzbergen, dem nordöstlichen Grönland und Jan Mayen im Jahre 1900. - Arkiv för Zoologi. 2(13): 1-136.
- Høeg, J., J. Lützen, 1985. Crustacea Rhizocephala. - Marine Invertebrates of Scandinavia. 6: 1-92. Universitetsforlaget, Oslo.
- Høisæter, T., 1986. An annotated check-list of marine molluscs of the Norwegian coast and adjacent waters. - Sarsia 71: 73-145.
- Høisæter, T., 1990. An annotated check-list

of echinoderms of the Norwegian coast and adjacent waters. - *Sarsia* 75: 83-106.

Højgaard, D.P., 1995. Experimental infection of macroplankton from Faroese waters with newly hatched *Anisakis simplex* larvae. - *Fróðskaparrit*. 43: 115-121.

Høpner Petersen, G., 1968. Marine Lamelibranchiata. - In: Spärck R., S.L. Tuxen (eds.). *The Zoology of the Faroes*. 55: 1-80. Andr. Fred. Høst & Søn. Copenhagen.

Hørring, R., 1902. Rapport om Fiskeriundersøgelserne under Færøerne og Island i Sommeren 1901. - *Fiskeri-Beretning for Finansåret 1900-1901*. 177-226.

Jaekel, S., 1932. Nachtrag zu den Scaphopoden der Valdivia-Expedition. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 21: 301-315.

Jeffreys, J.G., 1863. *British Conchology*. Vol. 2. - London. 465 pp.

Jeffreys, J.G., 1868. Reports on dredging. - *Annals and Magazine of Natural History*. 2(4): 448-449.

Jeffreys, J.G., 1869. *British Conchology*. Vol. 5. - London. 258 pp.

Jeffreys, J.G., 1878. On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70. Part 1. - *Proceedings of the Zoological Society of London*. 393-416.

Jeffreys, J.G., 1879. On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70. Part 2. - *Proceedings of the Zoological Society of London*. 553-588.

Jeffreys, J.G., 1881a. On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70. Part 4. - *Proceedings of the Scientific Meetings of the Zoological Society of London*. 88-115.

Jeffreys, J.G., 1881b. On the Mollusca pro-

cured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70. Part 3. - *Proceedings of the Zoological Society of London*. 693-724.

Jeffreys, J.G., 1882a. On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70. Part 5. - *Proceedings of the Scientific Meetings of the Zoological Society of London*. 655-687.

Jeffreys, J.G., 1882b. Report on Mollusca. - In: Tizard T.H., J. Murrey (eds.). *Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'*. *Proceedings of the Royal Society of Edinburgh*. 11: 680-682

Jeffreys, J.G., 1883a. On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70. Part 6. - *Proceedings of the Scientific Meetings of the Zoological Society of London*. 88-115.

Jeffreys, J.G., 1883b. On the Mollusca procured during the Cruise of H.M.S. 'Triton' between the Hebrides and Faroes in 1882. - *Proceedings of the Scientific Meetings of the Zoological Society of London*. 389-399.

Jeffreys, J.G., 1884a. On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70. Part 7. - *Proceedings of the Scientific Meetings of the Zoological Society of London*. 111-149.

Jeffreys, J.G., 1884b. On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70. Part 8. - *Proceedings of the Scientific Meetings of the Zoological Society of London*. 341-372.

Jeffreys, J.G., 1885. On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70. Part 9. - *Proceedings of the Scientific Meetings of the Zoological Society of London*. 27-63.

Jensen, A., R. Frederiksen, 1990. Koralbanker af *Lophelia pertusa* (Linné, 1758). En kvantitativ og kvalitativ faunaundersøgelse i farvandet omkring Færøerne. - *Faglig Rapport fra DMU*. 4: 217-222.

- Jensen, A., R. Frederiksen, 1992. The fauna associated with the bank-forming deep-water coral *Lophelia pertusa* (Scleractinia) on the Faroe shelf. - *Sarsia*. 77: 53-69.
- Jensen, A.S., 1912. Lamellibranchiata, Part I. - The Danish Ingolf Expedition. Copenhagen. 2(5): 1-119.
- Jensen, A.S. and Spärck, R. 1934. Bløddyr, 2. Saltvandsmuslinger. - Danmarks Fauna, 40: 208 pp.
- Joensen, J.S., 1971. Havet omkring Færøerne. - In: Nørrevang, A., T.J. Meyer, S. Christensen. Danmarks Natur. Grønland og Færøerne. Volume 10: 489-511.
- Johansen, F., 1906. Beretning om Fiskeriundersøgelser, foretagne fra Dampminebaaden 'Beskytteren' i Sommeren 1905. - Fiskeri-Beretning for Finansaaret 1904-1905. 301-319.
- Johansen, P.-O., T. Brattegard, 1998. Observations on behaviour and distribution of *Natatolana borealis* (Lilljeborg) (Crustacea, Isopoda). - *Sarsia*. 83: 347-360.
- Jungersen, H.F.E., 1904. Pennatulida. - The Danish Ingolf Expedition. Copenhagen. 5(1): 1-95.
- Jungersen, H.F.E., 1917. Alcyonarian and Madreporarian corals in the Museum of Bergen collected by the FRAM-Expedition 1898-1902 and by the 'Michael Sars' 1900-1906. - Bergens Museums Aarbok 1915-1916. (6): 44 pp.
- Kaas, P. 1981. Scandinavian species of *Leptochiton* Gray, 1847 (Mollusca, Polyplacophora). - *Sarsia*. 66: 217-229.
- Kirkegaard, J.B., 1998. Polychaetes of the families Glyceridae, Gonianidae and Nereidae from the North Atlantic around the Faroes, together with a description of a new species of *Rullierneri* (Nereidae). - *Sarsia*. 83: 317-328.
- Kiær, H., 1899. Thalamorpha. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-13.
- Klitgaard, A., 1990. Faunaen associeret med svampe (Porifera) ved Færøerne. - Faglig Rapport fra DMU. 4: 209-215.
- Klitgaard, A., 1991a. *Gnathia abyssorum* (G.O. Sars, 1872) (Crustacea, Isopoda) associated with sponges. - *Sarsia*. 76: 33-39.
- Klitgaard, A., 1991b. Haremmet i svampe. - Dyr i Natur og Museum. 1: 27-29.
- Klitgaard, A., 1995. The fauna associated with outer shelf sponges (Porifera, Demospongia) at the Faroe Islands, northeastern Atlantic. - *Sarsia*. 80: 1-22.
- Klitgaard, A., O.S. Tendal, H. Westerberg, 1993. Masseforekomster af svampe (Porifera) omkring Færøerne og baggrunden herfor. - Havforskning fra Miljøstyrelsen. 25: 193-197.
- Klitgaard, A., O.S. Tendal, H. Westerberg, 1997. Mass occurrence of large-sized sponges (Porifera) in Faroe Islands (NE-Atlantic) shelf and slope areas: characteristics, distribution and possible causes. - Pp. 129-142 In: Hawkins L.E. and S. Hutchinson with A.C. Jensen, M. Shearer, J.A. Williams (eds.). The Responses of Marine Organisms to their Environment. Proceedings of the 30th European Marine Biology Symposium, University of Southampton. 362 pp.
- Knight-Jones, P., 1994. Two new species *Branchiomma* (Sabellidae) with redescrptions of closely related species and comments on *Pseudobranchiomma* and Sabellastarte. - In: Dauvin J.-C., L. Laubier, D.J. Reish (eds.). Actes de la 4^{ème} Conférence internationale des Polychètes. 191-198.
- Knight-Jones, P., 1994. Notes on Sabellariidae of the Faroes. - Polychaete Research. 16: p. 22.
- Knudsen, J., 1970. Amphineura. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 51: 1-8. Andr. Fred. Høst & Søn. Copenhagen.
- Kramp, P.L., 1929. Marine Hydrozoa. - In: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes.

- 5: 1-59. Andr. Fred. Høst & Søn. Copenhagen.
- Kramp, P.L., 1930. Alcyonaria. - In: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 7a: 1-12. Andr. Fred. Høst & Søn. Copenhagen.
- Kramp, P.L., 1934. Kamptozoa. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 14: 1-2. Andr. Fred. Høst & Søn. Copenhagen.
- Kramp, P.L., 1934. Bryozoa. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 58: 1-39. Andr. Fred. Høst & Søn. Copenhagen.
- Kristensen, T., 1996. Korallalgen og dens mange beboere. - Dyr i Natur og Museum. 2: 25-27.
- Køie, M., 1993. Nematode parasites in teleosts from 0 to 1540 m depth off the Faroe Islands (the North Atlantic). - *Ophelia*. 38(217): 243.
- Landt, J., 1800. Forsøg til en beskrivelse af Færøerne. - Copenhagen. Translated to: 1810. A description of the Faroe Islands. - London.
- Lange, S., 1999. Rhizocephala (Crustacea, Cirripedia) of the Faroe Islands. - *Sarsia*. 84: 79-84.
- Larsen, K., 1996. A redescription of *Protellina ingolfi* (Crustacea, Amphipoda, Caprellidae) from the north-eastern Atlantic. - *Journal of marine biological Association*, U. K. 76: 657-664.
- Larsen, K., 1998. Caprellidea (Crustacea; Amphipoda) from the Faroe Islands waters, with a key to the North-Atlantic species. - *Fróðskaparrit*. 46: 81-90.
- Leloup, E., 1954. A propos d'*Arachnatis al-bida* M. Sars. - Report on the Scientific Results of the 'Michael Sars' North Atlantic Expedition 1910. Bergen. 5(10): 1-6.
- Lemche, H., 1929. Gastropoda Ophisto-branchiata. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 53: 1-35. Andr. Fred. Høst & Søn. Copenhagen.
- Lendenfeld, R.v., 1907. Die Tetraxonia. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 11: 1-373.
- Levinsen, G.M.R., 1883. Systematisk-geografisk oversigt over de nordiske Annulata, Gephyrea, Chætognathi og Balanoglossi. - Videnskabelige Meddelelser fra den Naturhistoriske Forening i København. 1-354.
- Levinsen, G.M.R., 1886. Kara-Havets Echinodermata. - "Dijmphna" Togtets zoologisk-botaniske Udbytte. 38 pp. Bianco Lunos Kgl. Hof-Bogtrykkeri (F. Dreyer), København.
- Lieberkind, I., 1929. Echinoderma. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 60: 1-20. Andr. Fred. Høst & Søn. Copenhagen.
- Lieberkind, I., 1935. Asteroidea. - The Danish Ingolf Expedition. Copenhagen. 4(10): 1-37.
- Lincoln, R.J., 1979. British marine Amphipoda: Gammaridea. - British Museum (Natural History), London. 657 pp.
- Ludwig, H., 1897. Die Seesternen des Mittelmeeres. - Fauna und Flora des Golfes von Neapel, Monographie. 24: 1-491.
- Ludwig, H., S.G. Heding, 1935. Die Holothurien der deutscher tiefsee-Expedition. 1. Fußlose und dendrochirote Formen. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 24: 121-214.
- Lundbeck, W., 1902. Porifera, I. Homorhaphidæ and Heterorrhaphidæ. - The Danish Ingolf Expedition. Copenhagen. 6(1): 1-108.
- Lundbeck, W., 1905. Porifera, II. Desmacionidæ (Pars). - The Danish Ingolf Expedition. Copenhagen. 6(2): 1-219.

- Lundbeck, W., 1910. Porifera, III. Desmacidonidæ (Pars). - The Danish Ingolf Expedition. Copenhagen. 6(3): 1-124.
- Lyell, Ch., 1842. Remarks on Fossil and Recent Shells collected by Capt. Bayfield in Canada. - Transactions of the Geological Society of London. 2(6): 135-141.
- Lyman, T., 1882. Report on Ophiuroidea. - In: Tizard T.H., J. Murrey (eds.). Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'. Proceedings of the Royal Society of Edinburgh. 11: 707-707.
- Lütken, C.F., 1856. De ved Danmarks kyster levende Pighude. - Videnskabelige Meddelelser fra den Naturhistoriske Forening i København. 1-23.
- Lütken, C.F., 1873. Contribution to the knowledge of the species of the genus *Cyamus* Latr. or whale lice. Translated from Lütken, Chr. Fr., 1873. Bidrag til Kundskab om Arterne af Slægten *Cyamus* Latr. eller Hvallusene. - Videnskabs Selskabets Skrifter, 5. Række, naturvidenskabelig og matematisk afdeling. 10(3): 229-284.
- Lönnberg, E., 1891. Öfversigt öfver Sveriges Cephalopoder. - Bihang til Kongelige Svenska Vetenskabs-Akademiens Handlingar. Band 17, afd. 4(6): 1-41.
- M'Intosh, W.C., 1882. Report on the Annelida. - In: Tizard T.H., J. Murrey (eds.). Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'. Proceedings of the Royal Society of Edinburgh, 11: 693-694.
- M'Intosh, W.C., 1885. Report on the Annelida Polychæta. - The Voyage of the H. M. S. 'Challenger' 1873-1876, Zoology. London. 12(34): 1-554.
- Mackie, A.S.Y., F. Pleijel, 1995. A review of the *Melinna cristata*-species group (Polychaeta: Ampharetidae) in the northeastern Atlantic. - Mitteilungen aus der Hamburgischen Zoologischen Museum und Institut. 92, Ergbd.: 103-124.
- Madsen, F.J., 1944. Octocorallia. - The Danish Ingolf Expedition. Copenhagen. 5(13): 1-65.
- Madsen, F.J., 1949. Marine Bivalvia. - Zoology of Iceland. 4(63): 1-116.
- Madsen, F.J., 1987. The *Henricia sanguinolenta* complex (Echinodermata, Asteroidea) of the Norwegian Sea and adjacent waters. A re-evaluation, with notes on related species. - Steenstrupia. 13(5): 201-268.
- Madsen, F.J., B. Hansen, 1994. Echinodermata Holothuroidea. - Marine Invertebrates of Scandinavia. 9: 1-141. Universitetsforlaget, Oslo.
- Magnusson, K., R. Ekelund, G. Dave, Å. Granmo, L. Forlin, L. Wenneberg, M.-O. Samuelsson, M. Berggren, E. Brorstrom-Lundén, 1996. Contamination and correlation with toxicity of sediment samples from the Skagerrak and Kattegat. - Journal of Sea Research. 35(1-3): 223-234.
- Malmgren, A.J., 1867. Annulata polychaeta Spetsbergiæ, Grönlandiæ, Islandiæ et Scandinaviæ hactenus cognita. - Öfversigt af Kongelige Vetenskabs-Akademiens Förhandlingar. 4: 127-235.
- Marshall, A.M., 1883. Report on the Pennatulida dredged by H.M.S. 'Triton'. - Transactions of the Royal Society of Edinburgh. 32(1): 119-152.
- Marshall, A.M., G. H. Fowler, 1887. Report on the Pennatulida dredged by H.M.S. 'Porcupine'. - Transactions of the Royal Society of Edinburgh. 33(2): 453-464.
- Martens, T., 1904. Die beschaltten Gastropoden der deutschen Tiefsee-Expedition 1898-1899. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 7: 1-146.
- Mayer, P., 1890. Caprelliden des golfes von Neapel und der Angrenzenden Meeres-Abschnitte. Nachtrage. - Zoologische Station zu Neapel. 1-157.
- Mayer, P., 1903. Die Caprellidae der Sibor-

- ga-Expedition. - Siboga-Expeditie. Leiden. 34: 1-160.
- Meinert, Fr., 1899. Pycnogonidæ. - The Danish Ingolf Expedition. Copenhagen. 3(1): 1-71.
- Meland, L.K., T. Brattegard, 1995. Redescription of the North Atlantic *Pseudomma* species (Crustacea, Mysidacea), with the addition of *Pseudomma jasi* n. sp. - Sarsia. 80: 107-144.
- Michaelson, W., 1904. Die stolidobranchiaten Ascidien der deutschen Tiefsee-Expedition. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 7(1): 260.
- Michaelson, W., 1921. Die Botrylliden und Didemniden der Nordsee und der zur Ostsee führenden Meeresgebiete. - Wissenschaftliche Meeresuntersuchungen, Helgoland, Neue Folge. 14(2): 97-124.
- Millar, R.H., 1966. Tunicata Ascidiacea. - Marine Invertebrates of Scandinavia. 1: 1-123. Universitetsforlaget, Oslo.
- Mohr, N., 1786. Forsøg til en Islandsk Naturhistorie. - København. 413 pp.
- Monniot, C., F. Monniot, 1979. Tuniciers benthiques récoltés au cours de la campagne Norbi en mer de Norvège. - Bulletin du Muséum national d'histoire naturelle, Paris. 4e sér., 1, section A(3): 563-573.
- Monniot, C., A. Klitgaard, 1994. A new incubatory mode in an ascidian: Redescription of *Molgula mira* (Ärnäck-Christie-Linde, 1931). - Ophelia. 40: 159-165.
- Montcervelle, J. and G.J. Favanne de, 1780. La Conchyliologie. - In: D'Argenville D. (ed.). 3 volumes. Paris.
- Mortensen, Th., 1903. Echinoidea I. - The Danish Ingolf Expedition. Copenhagen. 4(1): 1-193.
- Mortensen, Th., 1907. Echinoidea II. - The Danish Ingolf Expedition. Copenhagen. 4(2): 1-200.
- Mortensen, Th., 1927. Handbook of the Echinoderms of the British Isles. - Oxford University Press, 471 pp.
- Mortensen, Th., 1933. Ophiuroidea. - The Danish Ingolf Expedition. Copenhagen. 4(8): 1-121.
- Muus, B.J. 1959. Skallus, Søtænder, Blæksprutter. - Danmarks Fauna, 65: 1-239. Dansk Naturhistorisk Forening. København.
- Myers, A.A., 1998. New and little known Corophioidea (Amphipoda: Gammaridea) from Faroese and Icelandic waters. - Journal of the Marine Biological Association of the United Kingdom 78: 211-222.
- Mørch, O.A.L., 1868. Faunula Molluscorum Insularum Færoënsium. Beretning om de hidtil fra Færøerne bekendte Bløddyr, incl tillæg. - Videnskabelige Meddelelser fra Dansk Naturhistorisk Forening. 1-47.
- Mørch, O.A.L., 1869. Tillæg til "Faunula Molluscorum Insularum Færoënsium." - Videnskabelige Meddelelser fra Dansk Naturhistorisk Forening. 228-229.
- Negoescu, I., J. Svavarsson, 1997. Anthurideans (Crustacea, Isopoda) from the North Atlantic and the Arctic Ocean. - Sarsia. 82: 159-202.
- Neuhaus, B., R.M. Kristensen, W. Peters, 1997. Ultrastructure of the cuticle of Loricifera and demonstration of chitin using gold-labelled wheat germ agglutinin. - Acta Zoologica (Stockholm). 78: 215-225.
- Nicolajsen, Á., 1989. Húmmaraveiðan. - Smárit. 3. Fiskirannsóknarstovan. 13 pp.
- Nicolajsen, Á., 1997. The history of the Queen scallop fishery of the Faroe Islands. - NOAA Technical Report NMFS. 129: 49-56.
- Nielsen, E., 1930. Cephalopoda. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 56: 1-9. Andr. Fred. Høst & Søn. Copenhagen.

- Nilsson-Cantell, C.-A., 1978. Cirripedia Thoracica and Acrothoracica. - *Marine Invertebrates of Scandinavia*. 5: 1-135. Universitetsforlaget, Oslo.
- Nordgaard, O., 1907. Bryozoen von dem norwegischen Fischereidampfer 'Michael Sars' in den Jahren 1900-1904 gesammelt. - *Bergens Museums Aarbok* 1906. (2): 20 pp.
- Norman, A.M., 1879. Crustacea Cumacea of the 'Lightning', 'Porcupine' and 'Valorous' Expeditions. - *Annals and Magazine of Natural History*. 5(3): 54-73.
- Norman, A.M., 1882. Report on Crustacea. - In: Tizard T.H., J. Murrey (eds.). *Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'*. *Proceedings of the Royal Society of Edinburgh*, 11: 683-689.
- Norman, A.M., T. R. R. Stebbing, 1886. Crustacea Isopoda of the 'Lightning', 'Porcupine' and 'Valorous' Expeditions. - *Transactions of the Zoological Society*. 12(4): 77-141.
- Norman, A.M., 1903. Copepoda Calanoida, chiefly Abyssal, from the Faroe Channel and other parts of the North Atlantic. - *Journal of the Linnean Society of London, Zoology*. 29: 133-141.
- Norman, C., 1900. British Amphipoda of the Tribe Hyperiidea and the Families Orchestiidae and some Lysianassidae. - *Annals and Magazine of Natural History*. 7(5): 126-145.
- Nørrevang, A., 1990. Botndjórallívið á føroyskum gáttarfirdum. - *Fiskirannsóknir*. 6: 259-287.
- Nørrevang, A., 1997. Livet på havets bund ved Færøerne. - *Carlsbergfondets Årsskrift* 1997: 46-53.
- Nørrevang, A., 1993. Bunddyrfaunaen på Færøbanke. - *Seminar om Færøbanke*, Torshavn, november 1992. 116-122.
- Nørrevang, A., O. S. Tendal, 1992. Sjótrø undir Føroyum. - *Fiskirannsóknir*. 7: 121-127.
- Nørrevang, A., T. Brattegard, A. Josefson, J.-A. Snæli, O. S. Tendal, 1994. List of BIO-FAR stations. - *Sarsia*. 79: 165-180.
- Ockelmann, W.K., 1958. Marine Lamellibranchiata. - *Meddelser om Grønland*. 122(4): 256 pp.
- O'Connor, B.D.S., 1987. The Glyceridae (Polychaeta) of the North Atlantic and Mediterranean, with descriptions of two new species. - *Journal of Natural History*. 21: 167-189.
- Olsen, Ø., 1913. Pycnogonida. - Report on the Scientific Results of the 'Michael Sars' North Atlantic Expedition 1910. Bergen. 3(1): 1-7.
- Overgaard Nielsen, C., 1968. Nemertini. - In: Spärck R., S.L. Tuxen (eds.). *The Zoology of the Faroes. Zoology of the Faroes*, 11: 1-4. Andr. Fred. Høst & Søn. Copenhagen.
- Pacnevich, A.V., 1997. Size and age characteristics of Brachiopoda Articulata *Macandrewia cranium* (Müller, 1776) from the Faroe and Lofoten Islands. - Pp. 78-81 in A.P. Kuznetsov & O.N. Zvezina (eds.): *Benthos of the northern Euro-asian seas*. UNRO Publishing House. Moscow. 109 pp.
- Palerud, R., W. Vader, 1991. Marine Amphipoda Gammaridea in North-East Atlantic and Norwegian Arctic. - *Tromsø Naturvitenskap*. 86: 1-91.
- Pawsey, E.L., F.M. Davis, 1924. Report on Exploratory Voyages to Lousy Bank and Adjacent Areas. - *Fishery Investigations* (London), Ser II, vol VII, no 2: 1-22. (With appendices by G.T. Atkensau and H.H. Goodchild).
- Petersen, M.E., 1998. Pholoe (Polychaeta: Pholoidea) from northern Europe: a key and notes on the nearshore species. - *Journal of Marine Biological Association of United Kingdom* 78: 1373-1376.

- Pilsbury, H.A., 1916. The sessile barnacles (Cirripedia) contained in the collections of the U.S. National Museum; including a monograph of the American species. - U. S. National Museum Bulletin. 93: 1-366.
- Pleijel, F., 1991. Phylogeny and classification of the Phyllodocidae (Polychaeta). - Zoologica Scripta. 20: 225-261.
- Pleijel, F., 1993a. Polychaeta, Phyllodocidae. - Marine Invertebrates of Scandinavia. 8: 1-159. Universitetsforlaget, Oslo.
- Pleijel, F., 1993b. Phylogeny of Phyllodoce (Polychaeta, Phyllodocidae). - Zoological Journal of the Linnean Society. 108: 287-299.
- Pleijel, F., 1993c. Taxonomy of European species of *Amphiduros* and *Gyptis* (Polychaeta: Hesionidae). - Proceedings of the Biological Society of Washington. 106: 158-181.
- Posselt, H.J., 1889. Cephalopoda. - Det videnskabelige Udbytte af Kanonbaaden 'Hauch's Togter etc. 135-145. Kjøbenhavn.
- Posselt, H.J., 1898. Brachiopoder og Bløddyr. Udgivet efter forfatterens død ved Ad.S. Jensen. - Meddelser om Grønland. 23(1): 1-298.
- Pryde, J.W., 1914. Report on the Annelida Polychaeta collected in the North Sea and adjacent parts by the Scotch Fishery Board Vessel 'Goldseeker'. Part 2. Nephthydidae to Hesionidae. - Annals and Magazine of Natural History. 8(13): 266-275.
- Pryde, J.W., 1914. Report on the Annelida Polychaeta collected in the North Sea and adjacent parts by the Scotch Fishery Board Vessel 'Goldseeker'. Part 3. Syllidae to Eunicidae. - Annals and Magazine of Natural History. 8(14): 289-315.
- Raaphorst, W.v., 1997. Processes on the continental slope, a multidisciplinary research cruise in the Faroe-Shetland Channel 28 April – 19 May 1997. Cruise Report. – NIOZ. Den Burg, NL.
- Rasmusen, T., J. Jensen, U. Anthoni, C. Christoffersen, P.H. Nielsen, 1993. Structure and synthesis of bromoidoles from the marine sponge *Pseudosuberites hyalinus*. - Journal of Natural Products. 56: 1553-1558.
- Reid, D.G., 1996. Systematics and evolution of *Littorina*. - Royal Society. 164: 1-463.
- Russel, E.S., 1921. Report on the Cephalopoda collected by the research steamer 'Goldseeker', during the years 1903-1908. - Scientific Investigations, Fishery Board for Scotland. 3: 1-45.
- Salvini-Plaven, L.v., 1971. Die Nordatlantischen Caudofoveata des Zoologischen Museums zu Kopenhagen. - Steenstrupia. 2: 27-34.
- Salvini-Plaven, L.v., 1975. Mollusca Caudofoveata. - Marine Invertebrates of Scandinavia. 4: 1-55. Universitetsforlaget, Oslo.
- Sandberg, L., P.A. McLaughlin, 1998. Crustacea, Decapoda, Paguridea. - Marine Invertebrates of Scandinavia. 10: 1-115. Universitetsforlaget, Oslo.
- Sará, M., G. Bavostrelli, P. Mensi, 1992. Redescription of the *Tethya norvegica* Bowerbank (Porifera, Demospongiae), with remarks on the genus *Tethya* in the North East Atlantic. - Zoologica Scripta 21: 211-216.
- Sars, G.O., 1877. Prodromus descriptionis Crustaceorum et Pycnogonidarum, quæ in Expeditione Norvegica Anno 1876. - Archiv for Mathematik og Naturvidenskab, Kristiania. 2: 337-371. Kristiania.
- Sars, G.O., 1879. Crustacea et Pycnogonida nova in itinere 2do et 3tio expeditione norvegicæ anno 1877 & 78 collecta. (Prodromus descriptionis). - Archiv for Mathematik og Naturvidenskab, Kristiania. 4: 427-476.
- Sars, G.O., 1885. Crustacea, 1. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-280.
- Sars, G.O., 1886. Crustacea, 2. - The Nor-

- wegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-96.
- Sars, G.O., 1891. Pycnogonidea. - The Norwegian North Atlantic Expedition, 1876-1878, Zoology. Christiania. 1-163.
- Schander, C., 1995. Pyramellidae (Mollusca, Gastropoda, Heterobranchia) of the Faroe Islands. - *Sarsia*. 80: 55-65.
- Schellenberg, A., 1922. Neue Notodelphyiden des Berliner und Hamburger Museums, I-II. - *Mitteilungen aus dem Zoologischen Museum in Berlin*. 10: 217-298.
- Schellenberg, A., 1926. Amphipoda 3: Die Gammariden der deutschen Tiefsee-Expedition. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 23: 193-243.
- Schiøtte, T., 1998. A taxonomic revision of the genus *Diaphana* Brown, 1827, including a discussion of the phylogeny and zoogeography of the genus (Mollusca: Ophistobranchia). - *Steenstrupia*. 24(1): 77-140.
- Schmidt, O., 1848a. Neue Beiträge zur Naturgeschichte der Würmer gesammelt auf einer Reise nach den Färöer im Frühjahr 1848. - Jena, 44 pp.
- Schmidt, O., 1848b. Vorläufige Mittheilungen über meine auf den Färöer gemachten zoologischen Beobachtungen. - *Notizen aus dem Gebiete der Natur- und Heilkunde* (M. J. Schleiden & R. Froriep). 3 Reihe(7): 163-164.
- Schmidt, O., 1852. Neue Rhabdocölen aus dem nordischen und dem adriatischen Meere. - *Sitzungsberichte der mathem. - naturwiss. Klasse der kais. Akademie der Wissenschaften*. 9: 490-508.
- Schultze, F.E., 1882. Report on the Sponges. - In: Tizard T.H., J. Murrey (eds.). *Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'*. *Proceedings of the Royal Society of Edinburgh*, 11: 708.
- Schultze, F.E., 1904. Hexactinellida. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 4: 1-266.
- Sclater, W.L., 1886. On a new Madreporarian coral of the genus *Stephanotrochus* from the British seas, with notes on its anatomy. - *Proceedings of the Zoological Society of London* 1886: 128-136.
- Seaward, D.R., 1990. Distribution of the marine molluscs of north west Europe. - *Nature Conservancy Council, U.K.* 113pp.
- Selenka, E., 1885. Report on the Gephyrea. - *The Voyage of the H. M. S. 'Challenger' 1873-1876, Zoology*. London. 13(36): 1-24.
- Sibuet, M., 1979. Distribution and diversity of asteroids in Atlantic abyssal basins. - *Sarsia*. 64: 85-91.
- Simpson, J., 1910. Notes on some rare Molluscs from the North Sea and Shetland - Faroe Channel. - *Journal of Conchology*. 13: 109-115.
- Sivertsen, E., L.B. Holthuis, 1956. Crustacea Decapoda (the Penaeidea and Stenopodidea excepted). - *Report on the Scientific Results of the 'Michael Sars' North Atlantic Expedition 1910*. Bergen. 5(12): 1-54.
- Sladen, W.P., 1882. Asteroidea dredged during the Cruise of the 'Knight Errant' in July and August 1880. - In: Tizard T.H., J. Murrey (eds.). *Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'*. *Proceedings of the Royal Society of Edinburgh*, 11: 698-707.
- Sladen, W.P., 1882. Description of Mimas-ter, a new genus of Asteroidea from the Faeröe Channel. - *Transactions of the Royal Society of Edinburgh*. 30: 579-584.
- Sladen, W.P., 1883. Asteroidea dredged in the Faroe Channel during the cruise of H.M.S. 'Triton' in August 1882. - *Transactions of the Royal Society of Edinburgh*. 32: 153-164.

- Sladen, W.P., 1889. Report on the Asteroidea. - The Voyage of the H. M. S. 'Challenger' 1873-1876, Zoology. London. 30(51): 1-893.
- Small, W., 1912. Report on the Annelida Polychaeta collected in the North Sea and adjacent parts by the Scotch Fishery Board Vessel 'Goldseeker'. Part 1. Amphinominae to Sigalionidae. - Annals and Magazine of Natural History. 8(10): 165-185.
- Sneli, J.-A., 1992. First record of *Placiphorella atlantica* (Mollusca, Amphineura) from the North Atlantic. - Sarsia. 77: 143-146.
- Sneli, J.-A., 1992. Mollusker - en spennende dyregruppe. - Norðurlandahúsið í Føroyum, Árbók 1991-92. 58-60.
- Sneli, J.-A., 1998. A simple benthic sledge for shallow and deep-sea sampling. - Sarsia 83: 69-72.
- Sneli, J.-A., 1999. Echinodermata, Asteroidea in the Faroe region. - Fróðskaparrit 47: 229-259.
- Spengler, L., 1790. Beskrivelse og oplysning over den hidindtil lidet udarbejdede slægt af mangeskallede konchylier, som Linnæus har kaldet *Lepas*, med tilføje nye og ubeskrevne arter. - Skrifter af Naturhistorie-Selskabet. 1(1): 158-212.
- Spärck, R., 1923. En pludselig forekomst af *Sepia*-skaller ved Færøerne i foråret 1923. - Videnskabelige Meddelelser fra Dansk Naturhistorisk Forening. 76: 141-146.
- Spärck, R., 1929a. Den zoologiske undersøgelse af Færøerne og dens foreløbige resultat. - Report of the 18. Scandinavian Naturalist Congress in Copenhagen, 26.-31. August 1929, 3 pp. Copenhagen.
- Spärck, R., 1929b. Preliminary survey of the results of quantitative bottom investigations in Iceland and Faroe waters, 1926-1927. - Rapport et Procès-Verbaux des Réunion. 57: 1-28.
- Spärck, R., G. Thorsen, 1933. Marine Gastropoda Prosobranchiata. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 52: 1-41. Andr. Fred. Høst & Søn. Copenhagen.
- Stebbing, T.R.R., 1908. On two new species of Northern Amphipods. - Journal of the Linnean Society of London, Zoology. 30: 191-197.
- Steenstrup, J.J., 1852. Om *Xenobalanus globicipitis*, en ny Cirriped-Slægt af Coronulafamilien. - Videnskabelige Meddelelser fra den Naturhistoriske Forening i København. 4: 62-64.
- Steenstrup, J.J., 1861. Overblik over de i Kjöbenhavns Museer opbevarede Blæksprutter fra det åbne hav (1860-61). - Oversigt over det Kongelige Danske Videnskabs Selskabs Forhandlinger. 1-18.
- Steinböck, O., 1930. Marine Turbellaria. - In: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 8: 1-26. Andr. Fred. Høst & Søn. Copenhagen.
- Stephensen, K., 1923. Crustacea Malacostraca, V: Amphipoda I. - The Danish Ingolf Expedition. Copenhagen. 3(8): 1-100.
- Stephensen, K., 1925. Crustacea Malacostraca, VI: Amphipoda II. - The Danish Ingolf Expedition. Copenhagen. 3(9): 101-178.
- Stephensen, K., 1928. Marine Crustacea Decapoda. - In: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 22: 1-24. Andr. Fred. Høst & Søn. Copenhagen.
- Stephensen, K., 1928. Marine Crustacea Amphipoda. - In: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 23: 1-40. Andr. Fred. Høst & Søn. Copenhagen.
- Stephensen, K., 1929. Marine Crustacea Isopoda and Tanaidacea. - In: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 24: 1-23. Andr. Fred. Høst & Søn. Copenhagen.

- Stephensen, K., 1929. Marine Crustacea Mysidacea, Cumacea and Nebaliacea. - *In*: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 26: 1-10. Andr. Fred. Høst & Søn. Copenhagen.
- Stephensen, K., 1929. Marine Crustacea Cirripedia (excl. Rhizocephala). - *In*: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 27: 1-9. Andr. Fred. Høst & Søn. Copenhagen.
- Stephensen, K., 1929. Marine Crustacea Ostracoda. - *In*: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 29: 1-8. Andr. Fred. Høst & Søn. Copenhagen.
- Stephensen, K., 1929. Marine parasitic, semiparasitic and non-pelagic Crustacea Copepoda. - *In*: Jensen A.S., W. Lundbeck, Th. Mortensen, R. Spärck (eds.). The Zoology of the Faroes. 30: 1-18. Andr. Fred. Høst & Søn. Copenhagen.
- Stephensen, K., 1931. Crustacea Malacostraca, VII: Amphipoda III. - The Danish Ingolf Expedition. Copenhagen. 3(11): 179-290.
- Stephensen, K., 1935. Two Crustaceans (a Cirriped and a Copepod) endoparasitic in Ophiurids. - The Danish Ingolf Expedition. Copenhagen. 3(12): 1-18.
- Stephensen, K., 1944. Crustacea Malacostraca, VIII: Amphipoda IV. - The Danish Ingolf Expedition. Copenhagen. 3(13): 1-51.
- Støp-Bowitz, C., 1948. Polychaeta. - Report on the Scientific Results of the 'Michael Sars' North Atlantic Expedition 1910. Bergen. 5(8): 1-91.
- Sumida, P.Y.G., P.A. Tyler, J.D. Gage, A. Nørrevang, 1998. Postlarval development in shallow and deep sea ophiuroids (Echinodermata: Ophiuroidea) of the NE Atlantic Ocean. - Journal of the Linnean Society 124: 264-300.
- Sund, O., 1920. Peneides and Stenopides. - Report on the Scientific Results of the 'Michael Sars' North Atlantic Expedition 1910. Bergen. 3(2): 1-32.
- Svabo, J.C., 1959. Indberetninger fra en rejse i Færoe 1781 og 1782. - Selskabet til udgivelse af Færøske kildekrifter og studier, København. 1-497.
- Svavarsson, J., 1982. *Nannoniscus profundus* sp.n. and *Austroniscus norbi* sp.n. (Isopoda, Asellota, Nannoniscidae) from the deep Norwegian Sea. - Sarsia. 67: 179-186.
- Svavarsson, J., 1984. Ischnomesidae (Isopoda: Asellota) from the bathyal and abyssal depths in the Norwegian and North Polar Seas. - Sarsia. 69: 25-36.
- Svavarsson, J., 1987a. Eurycopidae (Isopoda, Asellota) from bathyal and abyssal depth in the Norwegian, Greenland and North Polar Seas. - Sarsia. 72: 183-196.
- Svavarsson, J., 1987b. Re-evaluation of Katianira in arctic waters and erection of a new family, Katianiridae fam. nov. (Isopoda, Asellota). - Journal of Crustacean Biology. 7(4): 704-720.
- Svavarsson, J., 1988a. Desmosomatidae (Isopoda, Asellota) from bathyal and abyssal depths in the Norwegian, Greenland and North Polar Seas. - Sarsia. 73: 1-32.
- Svavarsson, J., 1988b. Bathyal and abyssal Asellota (Crustacea, Isopoda) from the Norwegian, Greenland and North Polar Seas. - Sarsia. 73: 83-106.
- Svavarsson, J., T. Brattegard, J.-O. Strömberg, 1990. Distribution and diversity patterns of asellote isopods (Crustacea) in deep Norwegian and Greenland Seas. - Progress in Oceanography. 24: 297-310.
- Svavarsson, J., J.-O. Strömberg, T. Brattegard, 1993. The deep-sea asellote /Isopoda, Crustacea) fauna of the Northern Seas: species composition, distributional patterns and origin. - Journal of Biogeography. 20: 537-555.

- Svavarsson, J., B. Davidsdóttir, 1994. Foraminiferan (Protozoa) epizoites on Arctic isopods (Crustacea) as indicator of isopod behaviour? - *Marine Biology*. 118: 239-246.
- Sæmundsson, B., 1918. Bidrag til Kundskaben om Islands polychæte Børsteorme. (Annulata polychæta Islandiæ). - *Videnskabelige Meddelelser fra den Naturhistoriske Forening i København*. 69: 165-241.
- Søgaard Andersen, F., 1962. The Norway Lobster in Faro Waters. - *Meddelelser fra Dammarks Fiskeri- og Havundersøgelser N.S.* 3(9): 265-326.
- Tattersall, W.-M., O.S. Tattersall, 1951. The British Mysidacea. - *Royal Society Monograph*. 460 pp.
- Tendal, O.S., A. Nørrevang, 1990. Søtræet - en kæmpekorall i de nordiske have. - *Dyr i Natur og Museum*. 1: 10-12.
- Tendal, O.S., 1992a. The North Atlantic distribution of the octocoral *Paragorgia arborea* (L., 1758) (Cnidaria, Anthozoa). - *Sarsia*. 77: 213-217.
- Tendal, O.S., 1992b. Koraller og havsvampe ved Færøerne. - *Norðurlandahúsið i Føroyum, Árbók 1991-92*. 61-66.
- Tendal, O.S., D. Barthel, 1993. *Chondrocladia gigantea* (Desmospongiae) - the Giant Club sponge of the Northeastern Atlantic. - *Deep-Sea Newsletter*. 20: 12-15.
- Tendal, O.S., 1996. Bægerkorallen - ny korall for Danmark og Færøerne. - *Dyr i Natur og Museum*. 2: 28-31.
- Tesch, J.J., 1911. Amphipoda. - *Bulletin Trimestriel* 1902-08. 176-193.
- Théel, H., 1882. Report on the Holothurioida. - *In*: Tizard T.H., J. Murrey (eds.). *Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'*. *Proceedings of the Royal Society of Edinburgh*, 11: 694-697.
- Thiel, H., 1971. Häufigkeit und Verteilung der Meiofauna im Bereich des Island-Färöer-Rückens. - *Berichte der Deutschen Wissenschaftlichen Kommission für Meeresforschung*. 35: 99-128.
- Thiele, J., S. Jaeckel, 1931. Muscheln der deutscher Tiefsee-Expedition. - *Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899*. 21: 159-268.
- Thomsen, E., 1990. Application of brachiopods in palaeoceanographic reconstructions: *Macondrewia cranium* (Müller, 1776) from the Norwegian shelf. - *Boreas* 19: 25-37.
- Thompson, H., 1930. The Tunicata of the Scottish Area. Part I. - *Scientific Investigations, Fishery Board for Scotland*. 3: 1-45.
- Thompson, H., 1931. The Tunicata of the Scottish Area. Part II. - *Scientific Investigations, Fishery Board for Scotland*. 1: 1-46.
- Thomson, J.A., 1906. Note on *Primnoa reseda* from the Faeroe Channel, and on its embryos. - *Royal Physical Society, Edinburgh*. 17: 65-72.
- Thomson, J.A., 1909. Note on a large antipatharian from the Faroes. - *Proceedings of the Royal Physical Society of Edinburgh*. 17: 188-194.
- Thomson, J.A., 1910. Note on *Eunephthya glomerata*, Verrill, from the Faroe Channel. - *Proceedings of the Royal Physical Society of Edinburgh*. 18: 98-99.
- Thomson, J.A., 1931. Alcyonarians and solitary corals. - *Report on the Scientific Results of the 'Michael Sars' North Atlantic Expedition 1910*. Bergen. 5(2): 1-10.
- Thorsen, G., R. Spärck, 1929. Scaphopoda. - *In*: Spärck R., S.L. Tuxen (eds.). *The Zoology of the Faroes*. 54: 1-4. Andr. Fred. Høst & Søn. Copenhagen.
- Thorsen, M., 1992. Hydrokoraller - havets falske koraller. - *Dyr i Natur og Museum*. 2: 6-8.

- Thorsen, M., 1993. Færøernes hydroider (Cnidaria, Hydrozoa). - Havforskning fra Miljøstyrelsen. 25: 197-202.
- Tizard, T.H., J. Murrey, 1882. Exploration of the Faroe Channel, during the summer of 1880, in H.M.'s hired ship 'Knight Errant'. - Proceedings of the Royal Society of Edinburgh, 11: 638-720.
- Traustedt, M., 1880. Oversigt over de fra Danmark og dets nordlige Bilandes kjendte *Ascidiae simplices*. - Videnskabelige Meddelelser fra den Naturhistoriske Forening i København. 49 pp.
- Tyler, P.A., L. Fenaux, 1994. Cherchez la femme: is the upper bathyal ophiuroid *Ophiura carnea* the adult of *Ophiopluteus compressus*? - Sarsia. 79: 45-52.
- Urban, F., 1908. Die Calcareia. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 19: 1-40.
- Urk, R.M. van, 1964. The genus *Ensis* in Europe. - Basteria. 28: 13-44.
- Ursin, E., 1956. Distribution and growth of the Queen, *Chlamys opercularis* (Lamelli-branchiata) in Danish and Faroese waters. - Meddelelser fra Danmarks Fiskeri- og Havundersøgelser, Ny serie. 1(13): 1-32.
- Vedel Thåning, Å., 1958. Havdyr. - Pp. 79-101 in: Færøerne I. Det danske forlag, København. 406 pp.
- Wagler, E., 1926. Amphipoda 2: Scinidae der deutschen Tiefsee-Expedition. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 20: 317-446.
- Wallich, G.C., 1862. The North Atlantic Seabed: Comprising a diary of the voyage on board H.M.S. Bulldog, in 1860; and observations on the pressence of animal life, and the formation and nature of organic deposits, at great depths in the ocean. - John van Voorst. London. 160 pp.
- Wandel, C.F., 1899. Report on the voyage. - The Danish Ingolf Expedition. Copenhagen. 1(1): 1-21.
- Warén, A., 1991. New and little known Mollusca from Iceland and Scandinavia. - Sarsia. 76: 53-124.
- Warén, A., A. Klitgaard, 1991. *Hanleya nagelfar*, a sponge-feeding ecotype of *H. hanleya* or a distinct species of chiton? - Ophelia. 34: 51-70.
- Warén, A., 1993. New and little known Mollusca from Iceland and Scandinavia. Part 2. - Sarsia. 78: 159-201.
- Warén, A., S. Gofas, C. Schander, 1993. Systematic position of three European Heterobranch Gastropods. - The Veliger. 36: 1-15.
- Weltner, W., 1917. Cirripedia der deutschen Tiefsee-Expedition. - Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899. 23: 59-112.
- Wesenberg-Lund, E., 1928. Gephyrea and Sternaspidae. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 20: 1-5. Andr. Fred. Høst & Søn. Copenhagen.
- Wesenberg-Lund, E., 1930. Priapulidæ and Sipunculidæ. - The Danish Ingolf Expedition. Copenhagen. 4(7): 1-44.
- Wesenberg-Lund, E., 1940. Brachiopoda. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 59: 1-8. Andr. Fred. Høst & Søn. Copenhagen.
- Wesenberg-Lund, E., 1941. Brachiopoda. - The Danish Ingolf Expedition. Copenhagen. 4(12): 1-17.
- Wesenberg-Lund, E., 1950. Polychaeta. - The Danish Ingolf Expedition. Copenhagen. 4(14): 1-92.
- Willemoes-Suhm, R.v., 1873. Ueber die Anneliden an den Küsten der Faer-Oeer. - Zeitschrift für wissenschaftliche Zoologie, Leipzig. 23: 346-349.

- Wilson, J.B., 1975. The distribution of the coral *Caryophyllia smithii* S. & B. on the Scottish continental shelf. - Journal of the marine biological Association, U.K. 55: 611-625.
- Wilson, J.B., 1979. The distribution of the coral *Lophelia pertusa* (L.)(*L. prolifera* (pallas)) in the north-east Atlantic. - Journal of the marine biological Association, U.K. 59: 149-164.
- Winther, G., 1879. Fortegnelse over de i Danmark og dets nordlige bilande fundne hydroide Zoophyter. - Naturhistorisk Tidsskrift. 3(12): 223-278.
- Wollebæk, A., 1909. Decapod Crustaceans of the North Atlantic and Norwegian fiords. - Bergens Museums Aarbok 1908. 77 pp.
- Worm, O., 1655. Museum Wormianum. - Leiden. 392 pp.
- Worsaae, K., 1998. Algehæfterøddernes etagebyggeri. - Dyr i Natur og Museum. 2: 13-16.
- Wyville Thomson, C., 1871; 1871-1872. On the Crinoids of the 'Porcupine' Deep-Sea Dredging-Expedition. - Proceedings of the Royal Society of Edinburgh. 7: 764-773.
- Wyville Thomson, C., 1873. The depths of the sea. - MacMillan and Co., London. 527 pp.
- Wyville Thomson, C., 1874. On the Echinoidea of the 'Porcupine' Deep-Sea Dredging-Expeditions. - Philosophical Transactions of the Royal Society of London. 164(2): 719-756.
- Zaptsepin, V.I., L.A. Rittikh, 1977. Quantitative distribution of macrobenthos in the Norwegian Sea and southern part of the Greenland Sea. - Oceanology, Academy of sciences of the USSR, 16: 397-400 (English version).
- Zibrowius, H., 1980. Les Scleractiniares de la Méditerranée et de l'Atlantique nord-oriental. - Memoires de l'Institut Oceanographique, Monaco. 11: 1-284.
- Ärnbäck-Christie-Linde, A., 1934. Northern and Arctic Invertebrates in the collection of the Swedish State Museum (Riksmuseum). 12. Tunicata. 4. Cionidae, Agnesiidae, Rhodosomatidae. - Kungliga Svenska Vetenskapsakademiens Handlingar, Stockholm. 3(12): 1-91.
- Ärnbäck-Christie-Linde, A., 1952. Tunicata. - In: Spärck R., S.L. Tuxen (eds.). The Zoology of the Faroes. 61: 1-52. Andr. fred. Høst & Søn. Copenhagen.
- Örsted, A.S., 1844. Entwurf einer systematischen Eintheilung und speciellen Beschreibung der Plattwürmer. - Kjøbenhavn.

Publications arranged according to taxonomic group

FAUNA AND FLORA

General: Abildgaard 1789; Bruntse *et al.* 1999; Børup 1907; 1908; Carpenter & Wyville Thomson 1868; Carpenter *et al.* 1870; Dahl *et al.* 1976; Galløe 1907; Gee & Warwick 1996; Hørring 1902; Joensen 1971; Johansen 1906; Landt 1800; Mohr 1786; Nørrevang 1990; 1993; 1997; Nørrevang *et al.* 1994; Raaphorst 1997; Pawsey 1924; Spärck 1929a; 1929b; Svabo 1959; Tizard & Murray 1882; Vedel-Thåning 1958; Wandel 1899; Zaptsepin & Rittikh 1977.

Associated: Dinesen 1994 (horse mussel); Jensen & Frederiksen 1990; 1992 (corals); Frederiksen 1992 (corals); Klitgaard 1990; 1991a; 1991b; 1995 (sponges); Kristensen 1996 (Corallina); Svavarsson & Davidsdóttir 1994 (Isopoda); Worsaae 1998 (Laminaria holdfasts).

MEIOFAUNA

Ax 1993a; 1993b; 1994a; 1994b; 1995; Clausen 1995; Funch 1995; 1996; Funch & Kristensen 1997; 1998; Huys *et al.* 1991; Neuhaus *et al.* 1997; Thiel 1971.

FORAMINIFERA

Brady 1882; 1884; Cedhagen 1994; Hofker 1929; Kiær 1899; Svavarsson & Davidsdóttir 1994.

PORIFERA

Anonymous 1988; Arnesen 1920; Barthel & Tendal 1993a; 1993b; Brøndsted 1932; Burton 1928; Carter 1874; Haeckel 1872; Hansen 1885; Hougaard *et al.* 1991; Klitgaard *et al.* 1993; Klitgaard 1995; Klitgaard *et al.* 1997; Lendenfeld 1907; Lundbeck 1902; 1905; 1910; Sará *et al.* 1992; Schulze 1882; 1904; Tendal 1992b; Tendal & Barthel 1993; Urban 1908.

CNIDARIA

Hydrozoa: Allman 1874; 1883; Broch 1914; 1916; 1918; Kramp 1929; Leloup 1954; Thorson 1992; 1993; Winter 1883.

Anthozoa: Anonymous 1988; Carlgren 1912; 1913; 1921; 1930; 1942; Danielsen 1887; 1890; Duncan 1874; 1878; Fabricius 1797; Frederiksen 1992; Frederiksen *et al.* 1992; Frederiksen & Jensen 1992; Grasshoff & Zibrowius 1983; Jensen &

Frederiksen 1990; 1992; Jungersen 1904; 1917; Kramp 1930; Madsen 1944; Marshall 1883; Marshall & Fowler 1887; Nørrevang & Tendal 1992; Sclater 1886; Tendal & Nørrevang 1990; Tendal 1992a; 1992b; 1996; Thomson 1906; 1931; Wilson 1975; 1979; Zibrowius 1980.

PLATYHELMINTHES

Ax 1993a; 1993b; 1994; Bock 1913; Schmidt 1848a; 1848 b; 1852; Steinböck 1930; Örsted 1844.

NEMERTEA

Bürger 1907; Overgaard Nielsen 1968.

NEMATODA

Ditlevsen 1926; Højgaard 1995; Køie 1993.

PRIAPULIDA

Wesenberg-Lund 1928; 1930.

ANNELIDA

Polychaeta: Boysen-Bennike 1968; Brattström & Thorsen 1941; Danielsen & Koren 1881; Ditlevsen 1917; 1929; Ehlers 1908; Graff 1884; Hansen 1879; 1882; Heiner 1911; Holthe 1978; 1986; Kirkegaard 1998; Knight-Jones 1994a; 1994b; Levinsen 1883; M'Intosh 1882; 1885; Mackie & Pleijel 1995; Malmgren 1867; Pleijel 1991, 1993a; 1993b; 1993c; Selenka 1885; Støp-Bowitz 1948; Sæmundsson 1918; Wesenberg-Lund 1928; 1950; Willemoes-Suhm 1873.

Oligochaeta: Ditlevsen 1936;

Hirudinea: Bruun 1928;

CRUSTACEA

General: Norman 1882; Sars 1877; 1879; 1885; 1886.

Ostracoda: Brady & Norman 1889; Stephensen 1929; 1935.

Copepoda: Hansen 1923; Norman 1903; Schellenberg 1922; Stephensen 1929.

Cirripedia: Boschma 1928a; 1928b; Broch 1924; 1953; Høeg & Lütken 1985; Nilsson-Cantell 1978; Pilsbury 1916; Spengler 1790; Steenstrup 1852; Stephensen 1929, 1935; Weltner 1917.

Nebaliacea: Hansen 1920; Stephensen 1929.

Mysidacea: Brattegard & Meland 1997; Me-

land & Brattegard 1995; Stephensen 1929.

Cumacea: Gerken & Watling 1999; Hansen 1920; Norman 1879; Stephensen 1929.

Isopoda: Hansen 1916, Johansen & Brattegard 1998; Klitgaard 1991a; Negaescu & Svavarsson 1997; Norman 1886; Stephensen 1929; Svavarsson 1982; 1984; 1987a; 1987b; 1988a; 1988b; Svavarsson *et al.* 1990; 1993; Svavarsson & Davidsdóttir 1994.

Tanaidacea: Hansen 1913; Stephensen 1929.

Amphipoda: Berge & Vader 1997a; 1997b; Brandt 1872; Larsen 1996; 1998; Lütken 1873; Mayer 1890; 1903; Norman 1900; Myers 1998; Palerud & Vader 1991; Schellenberg 1926; Stebbing 1908; Stephensen 1923; 1925; 1928; 1931; 1944; Tesch 1911; Wagler 1926.

Decapoda: Appelöf 1906; Balss 1911; 1925a; 1925b; Berggren 1990; 1993; Brattegard & Rømer 1998; Christiansen 1969; Doflein 1902; 1913; Grieg 1926; Hansen 1908; Nicolajsen 1989; Sandberg & McLaughlin 1998; Sivertsen & Holthuis 1956; Stephensen 1928; Sund 1920; Wollebæk 1909.

PYCNOGONIDA

Hansen 1886; Hoeck 1882; Meinert 1899; Olsen 1913; Sars 1877; 1879; 1891.

MOLLUSCA

General: Bouchet & Warén 1979; Friele 1886; 1901; 1903; Högg 1905; Jeffreys 1863; 1869; 1878; 1879; 1881a; 1881b; 1882a; 1882b; 1883a; 1883b; 1884a; 1884b; 1885; Lyell 1842; Montcervelle & Favonne 1780; Mørch 1868; Posselt 1898; Seaward 1990; Simpson 1910; Sneli 1992; Warén 1991; 1993.

Amphineura: Knudsen 1970; Muus 1959; Salvini-Plaven 1975; Sneli 1992; Warén & Klitgaard 1991.

Gastropoda: Bergh 1900; Bouchet & Warén 1993; Chemnitz 1788; 1795; 1874; Fabricius 1797; Grieg 1920; Lemche 1929; Martens 1904; Schander 1995; Schiøtte 1998; Spärck & Thorsen 1933; Warén *et al.* 1993.

Bivalvia: Dinesen 1994; Grieg 1920; Høpn-

er Petersen 1968; Jensen 1912; Jensen & Spärck 1934; Madsen 1949; Nicolajsen 1997; Ockelmann 1958; Thiele & Jaeckel 1931; Ursin 1956.

Scaphopoda: Grieg 1920; Jaeckel 1932; Muus 1959; Thorsen & Spärck 1929.

Cephalopoda: Hoyle 1886; Lönnberg 1891; Muus 1959; Nielsen 1930; Posselt 1889; Russel 1921; Spärck 1923; Steenstrup 1861.

ENTOPROCTA

Kramp 1934.

SIPUNCULA

Danielsen & Koren 1881; Wesenberg-Lund 1928; 1930.

BRYOZOA

Busk 1882; Hasenbak 1932; Hayward 1994; Kramp 1934; Nordgaard 1907; Selenka 1885.

BRACHIOPODA

Davidson 1896; Grieg 1920; Helmcke 1939; 1940; Hägg 1905; Posselt 1898; Paknevič 1997; Thomsen 1990; Wesenberg-Lund 1940; 1941.

ECHINODERMATA

General: Bell 1883; 1892; Danielsen & Koren 1879; Grieg 1921; Levinsen 1886; Lieberkind 1929; Lütken 1856; Mortensen 1927.

Crinoidea: Carpenter 1888; Clark 1923; 1970; Danielsen 1892; Wyville Thomson 1871.

Asteroidea: Danielsen & Koren 1884; Lieberkind 1935; Ludwig 1897; Madsen 1987; Sibuet 1979; Sladen 1882, 1889; Sneli 1999.

Echinoidea: Agassiz 1882; Danielsen 1892; Döderlein 1906; Mortensen 1903; 1907; Wyville Thomson 1874.

Ophiuroidea: Emson *et al.* 1994; Grieg 1893; Hoyle 1884; Lyman 1882; Mortensen 1933; Tyler & Fenaux 1994.

Holothuroidea: Danielsen 1882; Heding 1935; 1942; Ludwig & Heding 1935; Madsen & Hansen 1994; Théel 1882.

ASCIDIACEA

Bjerkan 1905; Hartmeyer 1911; 1912; 1923; 1924; Herman 1884a; 1884b; 1886; 1888; Michaelsen 1904; 1921; Millar 1966; Monniot & Monniot 1979; Monniot & Klitgaard 1994; Thompson 1930; 1931; Traustedt 1880; Årnäck-Christie-Linde 1934; 1952.

CHEMICAL COMPOUNDS, TOXIC COMPOUNDS, ETC. Dam 1998; Dam 1999, Dam 2000, Forlin *et al.* 1996; Hougaard *et al.* 1991; Hougaard *et al.* 1991; Magnusson *et al.* 1996; Rasmussen *et al.* 1993.

Lecture abstracts

Berggren, M., 1992. Distribution and habitat choice of littoral shrimps (Crustacea, Decapoda) at the Faroe Islands. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.82.

Bird, G.J., 1992. The Tanaidacea (Crustacea) of the Faroes region. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.83.

Brattegard, T., 1992: BIOFAR-programmet. The Marine Benthic Fauna of the Faroes. – *Norske Havforskeres Forening, årsmøtet 1992*.

Brattegard, T., J.H. Fosså, 1992. Distribution of opossum shrimps (Mysidacea) in Faroese waters. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.77.

Clausen, C., 1992. Macrofaunal Gastropoda from the Faroe Bank. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.87.

Engnell, L., 1992. Comparing species richness in constant and fluctuating environments: A study of some bathyal soft-sediment communities on the Faroe-Iceland rise. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.77.

Fosså, J.H., T. Brattegard, H. Westerberg, 1992. Faunal groups related to distribution of water masses in Faroese waters. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.76.

Frederiksen, R., 1992. The fauna associated with the coral *Lophelia pertusa* around the Faroes. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.79.

Gutt, J., 1992. Photographic observations of the mega-benthos at the Faroes. Demonstration and outlook for ecological analysis. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.81.

Holthe, T., 1992. Revision and review of some Amparetidae (Annelida Polychaeta). – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.81.

Josefson, A., 1992. Benthic macrofaunal structure – A comparison between the Faroe shelf and the North Sea areas. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.86.

Klitgaard, A., 1991: Dybhavstogt ved Færøerne. – *Dansk Naturhistorisk Forenings Årsskrift 1989/90*:56.

Klitgaard, A.B., 1995: Mass occurrences of sponges (Porifera) along the Northeast Atlantic shelf and slope. – *1:st Nordic Marine Sciences Meeting. Abstractbook*, p.38.

Kristensen, R.M., 1992. The meiobenthic fauna of Faroe Bank. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.86.

Køie, M., 1992. The relationship between the benthic invertebrate fauna and the parasite-fauna of teleost fishes at the Faroes. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.88.

Ockelmann, K.W., 1992. Marine bivalves as zoogeographical indicators in relation to their biology. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.84.

Palerud, R., 1992. Amphipods of the Faroes: Patterns of distribution related to depth and

- water masses. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.83.
- Petersen, M.E., 1992. Provisional review of the Cirratulidae from the Faroes, with comments on some other groups (Annelida: Polychaeta). – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.79.
- Rainer, S.F., 1992. Nephtyid Polychaetes from the Faroe Islands. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.80.
- Schiøtte, T., 1995: The gastropod genus *Diaphana* (Brown): Deductions on zoogeography and Phylogeny based on a taxonomic revision. - 1:st Nordic Marine Sciences Meeting. Abstractbook, p.55.
- Stockland, Ø., 1992. The bivalve genus *Thyasira* in the North Eastern Atlantic waters indentification and distribution. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.84.
- Tendal, O.S., 1990: Færøernes havbundsfauna. - Dansk Naturhistorisk Forenings Årsskrift 1988/89: 24.
- Tendal, O.S., 1992: Færøernes marine bundfauna - status for BIOFAR-projektet. - Dansk Naturhistorisk Forenings Årsskrift 1990/91: 17.
- Tendal, O.S., 1995: The sponge fauna of the North Atlantic cold water region: a challenge in systematics, zoogeography and biology. — 1:st Nordic Marine Sciences Meeting. Abstractbook, p.63.
- Tendal, O.S., A.B. Klitgaard & H. Westerberg, 1993: Mass occurrences of sponges along the northeast Atlantic shelf and slope: distribution, characteristics and possible causes. - 4th International Porifera Congress, Amsterdam.
- Tyler, P.A., E.H. Emson, 1992. The Ophiuroidea (Echinodermata) collected by BIOFAR. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.87.
- Watling, L., 1992. Zoogeographical relationships of Cumacea of the Faroes. – Norðurlandahúsið í Føroyum, Árbók 1991-92. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.82.
- Westerberg, H., 1992. Internal mixing and the distribution of large suspension feeders in the Faroe area. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.76.
- Zibrowius, H., 1992. The Scleractinia (Cnidaria, Anthozoa) of the BIOFAR project. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.78.
- Zibrowius, H., M.S. Thorsen, 1992. The Stylasteridae (cnidaria, Hydrozoa) of the BIOFAR project. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.78.

Poster abstracts

- Bird, G.J., 1992. The Tanaidacea of the deep Norwegian Sea – a comparison with the Faroes and Rockall Trough. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.89.
- Clausen, C., 1992. Faroe Bank gastrottrichs. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.89.
- Dilly, P.N., 1992. Pterobranchs of the Faroe Islands. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.89.
- Eibye-Jacobsen, D., 1992. The Phyllodocidae, Lacydoniidae, Tomopteridae, and Pisionidae (Polychaeta) of the Faroe Islands: A preliminary report. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.90.
- Eibye-Jacobsen, D., 1995: A comparison of the phyllodocid fauna (Polychaeta: Phyllodocidae) of the Faroe Islands and Iceland. - 1:st Nordic Marine Sciences Meeting. Abstractbook, p.26.
- Groß, O., H. Thiel, 1992. The distribution of meiofauna along a depth transect in the Faroe-Shetland Channel. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.91.
- Jensen, K.R., 1992. Some rare species of nudibranch molluscs redescribed from the Faroe Islands. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.91.
- Klitgaard, A.B. & O.S. Tendal, 1999: Distribution and species composition of mass occurrences of large-sized sponges in the northeast Atlantic. - 2. Nordic Marine Sciences Meeting. Abstractbook, p.86.
- Klitgaard, A.B., 1992. *Gnathia abyssorum* (G.O. Sars, 1872) (Crustacea, Isopoda) associated with sponges. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.91.
- Klitgaard, A.B., G. Bruntse & O.S. Tendal, 1999: A new map of the Faroe Islands biocoenoses and bottom types. - 2. Nordic Marine Sciences Meeting. Abstractbook, p.85.
- Klitgaard, A.B., J. Knudsen, 1992. Some coat-of-mail shells (chitons) of the North Atlantic. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.92.
- Klitgaard, A.B., O.S. Tendal, H. Westerberg, 1992. Dense aggregations of Demospongiae along the shelf of the Faroes, and possible causes. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.92.
- Knight-Jones, P., 1992. BIOFAR Serpuloidea and associated fauna. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.93.
- Knight-Jones, P., 1992. Sabellariidae and Sabellidae of the Faroes including some forgotten species. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.92.
- Krapp, F., 1992. The Pycnogonida in the Faroe Islands. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.94.
- Moyse, J., R. Williams, 1992. Pedunculate barnacles from the BIOFAR survey. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.94.
- Petersen, M.E., 1992. Well known cosmopolitan polychaete species: A closer look at some Faroese representatives. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.95.
- Rømer, E.I., 1992. Distribution of Decapoda Natantia (shrimps and prawns) in the Faroe area. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.95.
- Schander, C., 1992. Electrophoretic studies of the European species of *Astarte* (mollusca, Bivalvia) and some observations on the Faroese fauna. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.96.
- Schiøtte, T., 1992. The tectibranch gastropods of the Faroe Islands and their relation to temperature and depth. – *Norðurlandahúsið í Føroyum, Árbók 1991-92*, p.96.
- Snæli, J.-A., A. Warén, 1992. Depth variation in shell shape in *Colus gracilis* (Bivalvia,

Buccinidae). – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.97.

Tendal, O.S., 1995: Zoological Museum of Copenhagen: A century of activity in the North Atlantic and the aims at the turn of the millenium. - 1:st Nordic Marine Sciences Meeting. Abstractbook, p.63.

Thorsen, M.S., 1992. The Hydroids of the Faroes. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.97.

Vader, W., R. Pallerud, 1992. Overview of Norwegian Sea Amphipods, with special reference to amphipods of Faroese waters. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.95.

Wikander, P.B., 1992. Xyloredo Turner, 1972, (Bivalvia, Pholadidae, Xylophaginae) in the Faroe Islands and the North Atlantic. – Norðurlandahúsið í Føroyum, Árbók 1991-92, p.97.