National Report Marine biodiversity in Kenya – the known and the unknown

Esther Fondo, Kenya Marine & Fisheries Research Institute, P.O. Box 81651, GPO 80100, Mombasa, Kenya

INTRODUCTION

The Kenyan coastline is about 600 km in length and forms part of the western border of the Indian Ocean. It has an almost continuous fringing coral reef usually running parallel to the coast. Kenya's territorial sea and Exclusive Economic Zone extend 12 nm and 200 nm respectively, with the total area of EEZ being 118 km².

The Kenyan coast runs in a southwesterly direction from the Somalian border in the north 1°41'S to 4°40'S at the border with Tanzania. Climate and weather systems on the Kenyan coast are dominated by the two distinct monsoon periods. From November to March, the north-east monsoon dominates and is comparatively dry. End of March to September the south-east monsoon dominates bringing heavy rains. Mean annual total rainfall ranges from 508 mm to1016 mm. Relative humidity is comparatively high all year round reaching its peak during the wet months of April and July.

Living coral reefs occur all along the length of the Kenyan coast. A fringing reef colonizes the shallow parts of the continental shelf along most of the Kenyan coastline to a depth of around 45 km and at a distance of between 500 m to 2 km offshore, except where river systems create conditions of low salinity and high turbidity which limit coral growth. The estimated continental shelf area is about 19,210 km². Two main rivers drain into the Indian Ocean: the Tana River (850 km) and Sabaki River (650 km). The Tana River enters the sea at Ungwana Bay and discharges 3 million tonnes of sediment per year, while the Sabaki River enters the Indian Ocean north of Malindi and discharges about 2 million tonnes of sediment per year. The sea surface temperature ranges from 24°C to 29°C depending on the monsoon season. Salinities vary from a minimum of 34.5 ppt to a maximum of 35.4 ppt.

Coastal Ecosystems and Resources

Marine beaches and dunes: These are lightly vegetated by highly specialized colonizing plants. There are approximately 27,000 ha of beach and dunes in Kenya.

Estuaries and other wetlands: These systems are sheltered from high energy waves and colonized by mangrove trees and associated plants. The Sabaki Estuary contains an important flood plain. Subsistence fisheries for cichlid fish and freshwater prawns are found in coastal wetlands.

Mangroves: There are 9 species of mangrove trees and shrubs found along the Kenyan coast. The mangrove swamps along the Kenyan coast cover 53,000 ha with the largest stands occurring in the Lamu area (460 km²). Kenyans have traditionally exploited the rich natural products of the mangrove swamp as well as various parts of the trees themselves. Mangrove vegetation has also been cleared for solar salt works and prawn farms. Mangroves are nursery grounds for fish and prawns and support diverse flora and fauna.




Figure 1: Map of Kenya showing the coastal resources and MPAs (source KeNODC)
Seagrasses and seaweeds: A total of 12 species of seagrasses have been recorded in Kenya, none of which is endemic. Seagrass beds support variety of commercially important fish species, and act as feeding grounds for turtles and dugong. There are more species of red seaweeds than browns and

greens combined. A survey of Kenyan coastal waters has shown that there are no sites with significant stands of commercially important seaweeds. Only two commercially important genera are found in Kenya: *Gracilaria* and *Euchema*.

Corals: Approximately 183 species of corals belonging to 59 genera have been recorded. The total area of coral reef is approximately 50,000 ha; one of the best known reefs being located at Malindi-Watamu. Corals support a variety of fauna and attract tourists.

Fisheries: Only 7.4% of the national total annual fishery production comes from marine waters. Landings by about 5,000 coastal fishermen have remained consistent between 5,000 and 8,000 tonnes. Commercial prawn trawling also is also important. (Eastern Africa Atlas, 1998)

THE KNOWN

Both local and visiting researchers have conducted research on the marine biota of Kenya. However, a lot still needs to be done. Among the taxa that have been adequately researched include the marine plants under the following classes: Anthophyta, Rhodophycota, Chlorophycota and Phaeophycota. Phyla from the animal kingdom that have been adequately researched include Pisces, Crustacea, Mollusca, Aves, Cnidaria, Echinodermata and Mammalia. The diversity of marine animals in Kenya is considerably more than this and a lot more research needs to be undertaken. Coverage of the three major ecosystems (mangroves, corals and seagrass beds) has been adequate, but studies on other habitats (such as the benthic habitats) have been minimal. The total biodiversity in Kenya is unknown, as are the levels of endemicity.

Estimates of marine species documented from Kenya, as recorded in databases that include Fishbase (1998) and Marine Species Diversity of Eastern Africa (MASDEA), are listed below:

Plants

Approximately 56 families (over 204 species) of marine plants are known, under the following Classes:

Anthophyta	15
Chlorophycota	62
Cyanophycota	3
Magnoliophycota	1
Phaeophycota	32
Rhodophycota	82
Mangroves	9

Animals

About 345 families (over 1808 species) have been documented, under the following Classes:

Annelida	10
Arthropoda (Crustacea)	343
Pisces	662
Aves	173
Mammalia	25
Reptalia	3
Cnidaria	183

Echinodermata 93 Mollusca 297 Platyhelminthes 17 Porifera 2

Species list for Kenyan finfish are known to be incomplete. Only one biotope, the mangrove swamps, has been studied in any detail. Studies in the Gazi mangrove creek identified 109 finfish species belonging to 44 families. Over 80 species of gastropods and bivalves find their way into curio shops and fish markets. A total of 450 species of birds are found on the coast and adjacent interior (Eastern Africa Atlas, 1998).

Twelve coastal and marine species are known to be endemic to Kenya:

Mammals 6 Birds 4 Fish 1 Plant 1

Endemic to Kenya and Tanzania:

Birds 6

Birds 2 (and Mozambique)

The coastal zone appears to be the habitat for the majority of Kenya's Internationally IUCN threatened species. Of the 159 species of threatened trees and shrubs, 38% come from the coast; of the 71 threatened bird species 27% inhabit the coast, while of the 9 threatened mammal species 55% are located on the coast (Eastern Africa Atlas, 1998).

Endangered marine species

Vulnerable

Rare

Commercially threatened

Green and Hawksbill turtles

Loggerhead turtle and dugong

3 bird species and a mollusc

2 molluscs and spiny lobster

The gaps identified in the information on marine biodiversity in the Eastern African region led to the development of MASDEA, a taxonomic/geographical database on marine species of the region. Data entry was started in1996 by Dr E. Van den Berghe at the Kenya Marine & Fisheries Research Institute and was supported by the RECOSCIX-WIO Project (Regional Cooperation for Scientific Information Exchange). The database is accessible on http://www.vliz.be/vmdcdata/Masdea/about.htm and is hosted by the Flanders Marine Institute, Belgium. In spite of the existence of a number of taxonomic databases, there is still a lack of this important information specific for this region. Furthermore, these databases cover mainly terrestrial species or are based on specific groups.

Consequently the database was developed with the following objectives:

- 1. Collect all available literature on the marine species of the region.
- 2. Enter data on the species into the database.
- 3. Seek the support of taxonomic experts (of different groups) of the region.
- 4. Search for more literature to be entered in the database.
- 5. Eventually make the database available to scientists in the region and beyond.

The database is useful in conservation in that it gives knowledge on the diversity of the species in the region. One can keep track of extinct species and also keep track of old information and literature. Current and valid names as well as synonyms of species are clearly indicated as well as the authority

(author who described the species) thereby avoiding confusion. The database also includes accounts for newly discovered species. The database has entries for 21 countries and regions within the Western Indian Ocean.

THE UNKNOWN

The coastal and marine environments of Kenya are very rich in biotic resources, yet they are the least studied of Kenyan natural environments and there are a number of significant gaps in baseline information.

Considerable research work on the Kenyan coast has been carried out by visiting scientists. Local scientists are limited by financial support and lack of appropriate facilities. Expertise is restricted to mostly the environmental and ecological fields, with taxonomy poorly represented. This has led to limited taxonomical information on the marine biota of Kenya. Taxa that have been neglected include Annelida and Porifera. Even among the adequately covered classes (Crustacea, Cnidaria) some taxa have been poorly studied, e.g. Mysidacea, Amphipoda, Ostracoda, Cirripedia and Pycnogonida. In addition, the Nudibranchia, Bryozoa, Nemertea and Tunicata have also been largely ignored.

Adequate taxonomic keys are a major limitation. Among the seagrass beds and corals, smaller fauna utilising these habitats and have been poorly researched. Benthic habitats have received little attention despite their importance in the marine ecosystems.

CURRENT THREATS

Increased demands for marine resources have resulted in significant changes along the Kenyan coast. These changes were brought about because of a number of threats that include:

- Overexploitation of marine resources: overfishing has resulted in declining fish resources and disappearance of some species e.g. holothurians.
- Destruction of habitats through cutting of mangroves and destructive fishing methods such as seine nets and poisons as well as commercial trawling. Careless collection methods in the corals are on the increase. Conversion of mangrove areas to prawn farms, e.g. Ngomeni area.
- Pollution: land and marine based pollutants, domestic effluents, chemicals and eutrophication.
- Sedimentation, resulting from the erosion of agricultural land. This has been on the increase resulting in one of the major rivers (Sabaki) changing its course.
- Urbanization and unplanned development.
- Natural threats such as El Nino, and localised changes in sea temperatures have impacted on the corals and mangroves.

MARINE PROTECTED AREAS IN KENYA

Kenya led Africa with the establishment of the continent's first marine protected areas in 1968. These areas were primarily designed to conserve Kenya's coral reefs and which form biodiversity hot spots. There are five MPAs in Kenya and they are managed by the Kenya Wildlife Service (KWS).

Malindi Marine National Park

The Malindi Marine National Reserve encloses Watamu and Malindi Marine National Parks. These were set up in 1968. The area also includes several coral islets, notably Whale Island at the entrance to Mida Creek in the Watamu Marine National Park. The reserve is 213 km² forming a complex of marine and tidal habitats on Kenya's North Coast. It extends 5 km into the sea and stretches 30 km along the coast from Malindi town to beyond the entrance to Mida Creek. Habitats include intertidal rock, sand and mud; fringing reefs and coral gardens; beds of sea grass; coral cliffs, platforms and islets; sandy beaches and mangrove forests. Mida Creek is a large, almost land locked expanse of saline water, mangrove forest and intertidal mud protected in the Watamu Marine Reserve.

Watamu Marine National Park

Watamu National Park is part of a complex of marine and tidal habitats on Kenya's North coast stretching from Malindi town to beyond the entrance to Mida Creek. It is enclosed by the Malindi Marine National Reserve that also encloses Malindi Marine National Park. Habitats include intertidal rock, sand and mud; fringing reefs and coral gardens; beds of sea grass; coral cliffs, platforms and islets; sandy beaches and Mida Creek mangrove forest. The park was designated as a Biosphere reserve in 1979.

Mombasa Marine National Park & Reserve

The park is 10 km² while the reserve is 200 km². These were established in 1986. Both the park and reserve are the most highly utilised among marine protected areas. Their coastline is heavily developed with tourist facilities. The Coral gardens and the beach are the major attractions.

Kiunga Marine National Reserve

Kiunga Marine National Reserve (set up in 1979) incorporates a chain of about 50 calcareous offshore islands and coral reefs in the Lamu Archipelago, running for some 60km parallel to the coastline off the northern most coast of Kenya and adjacent to Dodori and Boni National Reserves on the mainland. Composed of old, eroded coral, the islands mainly lie inland around 2km offshore and inshore of the fringing reef. They vary in size from a few hundred square metres to 100 ha or more. Their walls rise sheer from the surrounding seabed and are usually deeply undercut on the landward side. The small outer islands provide nest sites for migratory seabirds. The reserve conserves valuable coral reefs, sea grass meadows and extensive mangrove forests, with their attendant biodiversity and is also a refuge for sea turtles and dugongs.

Kisite Marine Park & Mpunguti Reserve

Kisite and Mpunguti Marine Parks (gazetted in 1973 and 1978 respectively) are located on the south coast off Shimoni and south of Wasini Island in Kwale District on the south Kenyan coast near the Tanzanian border. Kisite Park covers 11 km² while Mpunguti reserve covers 28 km². The complex covers a marine area with four small islands surrounded by coral reef.

Two more protected areas have been proposed: The Tana River Delta Wetland Reserve and the Diani Chale Marine Reserve.

The World Wildlife Fund has made efforts to set up the Eastern African Marine Ecoregion (EAME), which is part of the larger Western Indian Ocean Region. The ecoregion approach recognises that the protection of biodiversity is an integral component of protecting resources and the economies and social fabrics that depend on them. In Kenya the following areas rich in biodiversity are included in the EAME: Lamu Archipelago, Mida Creek-Malindi, Tana River Delta, Msambweni-Tanga, Tanzania (EAME Proceedings, 2001).

Kenya has made a number of International commitments to the protection of the coastal and marine environment and its resources. Some of these include:

- Convention on the Continental Shelf, Geneva, 1958. Kenya ratified this convention on 20 September 1969.
- Convention on the prevention of marine pollution by dumping of wastes and other matters, London, 1972. Kenya ratified this convention on 17 January 1976.
- Convention for the Conservation of Migratory Species of Wild Animals (1979).
- Convention on International Trade in Endangered Species of Wild Fauna and Flora (1973).
- Convention on Biological Diversity (1992)
- Nairobi Convention for the Protection, Management and Development of the Marine Environment and the coastal areas of the East African Region (1996).
- RAMSAR Convention on Wetlands of International Importance especially as Waterfowl habitat (1971).

The Kenyan government has the responsibility of creating national legislation that ensures the implementation of these agreements.

CAPACITY

Human Capacity (Taxonomists and Conservationists)

Kenyans

Name Expertise Contact

Enoch Wakwabi Prawns <u>enochwakwabi@yahoo.com</u>

James KairoMangrovesigkairo@kmfri.co.keAgnes MuthumbiNematodesamuthumbi@uonbi.ac.ke

David Olendo Turtles

Joseph Wakibia Algae <u>jwakibia@kmfri.co.ke</u>

Nyawira Muthiga Corals, Echinoderms nmuthiga@africaonline.co.ke

dobura@cordio.info David Obura Corals Melckzedeck Osore mosore@kmfri.co.ke Copepods Copepods imwaluma@kmfri.co.ke James Mwaluma kruwa@kmfri.co.ke Renison Ruwa Decapods Benthos jokondo@kmfri.co.ke Julius Okondo Gerald Mwatha Fish gmwatha@kmfri.co.ke gokemwa@kmfri.co.ke Gladys Moragwa **Turtles** Esther Fondo Decapods efondo@kmfri.co.ke Edward Kimani ekimani@kmfri.co.ke Oysters Jacqueline Uku Seagrasses juku@kmfri.co.ke Peter Wawiye Phytoplankton/algae pwawiye@kmfri.co.ke Helida Oyieke Sea weeds nmk@museums.or.ke Elizabeth Akinyi Fresh water fishes nmk@museums.or.ke doo@iucnearo.org Dalmas Oyugi Marine fishes George Gatere Fresh water diatoms nmk@museums.or.ke Paul Webala Mammals nmk@museums.or.ke Alfred Owino Water birds nmk@museums.or.ke Collins Handa Marine Snails nmk@museums.or.ke Nathan Gichuki Water birds nmk@museums.or.ke Patrick Gwada Mangroves, seagrass pgwada@kmfri.co.ke Stephen Mwangi Microbiology smwangi@kmfri.co.ke

Visiting scientists

A number of visiting scientists have been active workers on the marine biota of Kenya and the Western Indian Ocean region. Some of these scientists are listed below.

Name	Expertise	Contact
Tim Mc Clanahan	Corals	crcp@africonline.co.ke

Jan MeesMysidsjan.mees@vliz.beTim DeprezMysidsTim.Deprez@rug.ac.be

Tris Wooldridge Mysids <u>zlathw@up.ac.za</u>

Didier V. Spiegel Ophiuroidea <u>Spiegel@africamuseum.be</u>
Michel Jangoux Asteroidea <u>miangoux@ulb.ac.be</u>
Yves Samyn Echinoderms ysamyn@vub.ac.be

Claude Massin Echinoderms Claude Massin@naturalscience.be

Ahmed Thandar Echinoderms <u>thandar@pixie.udw.ac.za</u>

eric.coppejans@rug.ac.be Eric Coppejans Algae vannini m@DBAG.UNIFI.IT Marco Vannini Decapods Decapods cannicci@DBAG.UNIFI.IT S. Cannicci fdahdouh@vub.ac.be Mangroves F. Dahdouh-Guebas Birds Leon.bennun@birdlife.uk Leon Bennun Warwick University Charles Sheppard Corals

Nest Schockaert Flatworms

Yehuda Benayahu Corals Yehuda B@tauex.tau.ac.il

Institutional Capacity

The National Museums of Kenya keeps all specimen collections. Visiting scientists and cruises also have collections and some of the holdings in other Institutions are shown in the table below.

Institution	Collections	Documentation Status	Contact person
University	Invertebrates (9)	Preparing	Ray Symonds
Museum of	Fish (3)	electronic	ris13@cam.ac.uk
Zoology,		catalogue	
Cambridge			
The Natural	Algae	Database	Ms. Jenny Bryant
History	Others		i.Bryant@nhm.ac.uk
Museum			
of London			
Swedish	Molluscs	Not catalogued	Anders Waren
Museum of	Oligochaetes (4)	e-database	Anders.waren@nrm.se
Natural History			
Zoological	Rotifers	Mounted	Martin Sorensen
Museum			mvsorensen@zmuc.ku.dk
University of			
Copenhagen			
National	Molluscs	Card catalogue	Sankurie Pye
Museum of	Other invertebrates		s.pve@nms.ac.uk
Scotland			
Smithsonian	512 marine	All online*	Chad Walter
Institution,	species:		WALTER.CHAD@NMNH.SI.EDU
National	Coelentrata		
Museum of	Arthropoda		Cheryl Bright
Natural History	Echinodermata		Bright.Cheryl@nmnh.si.edu
	Mollusca		
	Sarcomastigophora		
	Porifera		
	Chordata		
	Annelida		
	Platyhelminthes		
	Nematoda		
	Sipuncula		
Zoological	Crustacea	e-catalogue in	Bjarne Bisballe

Museum	Others	preparation	Bbisballe@zmuc.ku.dk
Denmark			
Puglia Museum			
of Zoology,			
Italy			
Rome Museum	Molluscs	Card catalogue	A. Zilli
of Zoology			<u>a.zilli@comune.roma.it</u>
Australian	Crustacea (8)	e-database	Penny Berents
Museum			pennyb@austmus.gov.au
Oxford	Crustacea	Not identified	Sammy De Graves
University			sammy.degrave@university-
Museum of			museum.oxford.ac.uk
Natural History			
Australian	Fish (8)	e-database	McGrouther
Museum			markm@austmus.gov.au
Zoology	Soft Corals	e-database	Prof. Hudi Benayahu
Museum Tel	Benthic		YehudaB@tauex.tau.ac.il
Aviv University	invertebrates		
	Sponges		
	Tunicates		
Hungary	Molluscs	e-database	Zoltan Feher
Museum of			korsos@zoo.zoo.nhmus.hu
Natural History			
Zoological	Echinoderms	Card catalogue	Cecilia Volpi
Museum,	Cephalopods		volpi@specola.unifi.it
University of	Molluscs		
Florence, Italy	Crustacea		
Royal Belgian	Echinoderms	e-database	Claude Massin
Institute of	Molluscs		Claude.Massin@naturalscience.be
Natural			
Sciences			

^{* &}lt;a href="http://goode.si.edu/mcs/iz/Query.php">http://goode.si.edu/mcs/iz/Query.php http://www.mnh.si.edu/rc/db/colldb.html

List of institutions/organisations active in marine biodiversity research and conservation

Kenya Marine & Fisheries Research Institution

Kenya Wildlife Service

National Museums of Kenya

Fisheries Department

Forestry Department

National Environment Management Authority

Coast Development Authority

Coral Reef Degradation in the Indian Ocean

Coral Reef Conservation Project

World Conservation Union (IUCN- East Africa Regional Office)

World Wildlife Fund for Nature

Kenya Sea Turtle Conservation Committee
East African Wild Life Society
Nature Kenya (East African Natural History Society)
PACT Kenya
National Oil Spills Response Committee
Beach Management Units (by local communities along the Kenyan coast)
United Nations Environment Programme

BIODIVERSITY REFERENCES

References from MASDEA

Author(s):	Year:	Reference:
Abbott, R.T. & S.P. Dance	1986	Compendium of sea shells. American Malacologists, Inc:Melbourne, Florida
Aleem, A.A.	1984	Distribution and Ecology of Seagrass communities in the Western Indian Ocean. Deep Sea Research 31: 919-933
Al-Ghais S.M. & R.T. Cooper	1996	Brachyura (Grapsidae, Ocypodidae, Portunidae, Xantidae and Leucosiidae) of Umm Al Quwain mangal, United Arab Emirates. Tropical Zoology 9: 409-430
Anderson, D.T.	1994	Barnacles: Structure, function, development and evolution. Chapman & Hall
Baker, A.N. & L.M. Marsh	1976	The rediscovery of Halityle regularis Fisher (Echinodermata: Asteroidea). Re. West. Aust. Mus. 4(2): 107-116
Bakus, G.J.	1973	The Biology and Ecology of Tropical Holothurians. Biology and Geology of Coral Reefs. 2: 325 - 367.
Bandel, K. & D. Kadolsky	1982	Western Atlantic Species of Nodolittorina (Gastropda: Prosobranchia): comparative morphology and its functional, ecological, phylogenetic and taxonomic implications. Veliger 25 (1): 1-42.
Barnard, K. H.	1925	A Revision of the Family Anthuridae (Crustacea Isopoda), with Remarks on certain Morphological Peculiarities. Journ. Limn. Soc (London) (Zool.) 36: 109-160.
Barnard, K.H.	1950	Descriptive catalogue of South African decapod Crustacea. Ann. S. Afr. Mus 38: 1-837
Barnard, K.H.	1955	Additions to the fauna list of South African Crustacea and Pycnogonida. Annals of the South African Museum 43 (1): 1-107.
Bell, F.J.	1884	Echinodermata. In: R.W. Coppinger (ed): Report on the Zoological Collections made in the indo-pacific Ocean during the voyage of HMS Alert, 1881-2. London.
Berry, L.E.	1954	Africa's rarest cowries. JEANHS XXII (95): 82-85.
Best, W. G., G. Faure & M. Pichon	1980	Contribution to the knowledge of the stony corals from the Seychelles and Eastern Africa. Rev. Zool. Afr. 94,3: 600 - 627.
Bhaud, M.	1977	Note sur quelques representants du genre Phyllochaetopterus (Annelides polychetes) et observations au microscope a balayage des soies specialisees. Vie-Milieu A Biol. Mar. 27(1): 11-33.
Bock, K.R.	1975	Preliminary checklist of the fishes of the south bank, Kilifi Creek, Kenya. Journal of the East Africa Natural History Society and National Museum 148.
Böhlke & McCosker	1982	Monopenchelys, a new eel genus, and a redescription of the type species, Uropterygius acutus Parr (Pisces: Muraenidae). Proc. Acad. Nat. Sce Philadelphia 134: 127-134.
Boileau, E.K.	1918	The game fish of Mombasa. JEANHS 6(12): 240-246.
Boileau, E.K.	1916	The Game fish of Mombasa and Malindi. JEANHS 5(10): 65-70.
Brown, L.H., E.K. Urban & K. Newman	1982	The birds of Africa Volume I. Academic Press, London.
Bruce, A.J.	1967	Notes on some indo-pacific Pontoniinae III-IX. Descriptions of some new genera and species from the Western Indian Ocean and the South China Sea. Zoologische Verhandelingen 87.
Bruce, A.J.	1993	The occurrence of the semi-terrestrial shrimps Merguia oligodon (De Man 1888) and M. rhizophorae (Rathbun 1900)(Crustacea Decapoda Hippolitidae) in Africa. Tropical Biology 6: 179-187.
Bruce, A.J.	1974	A synopsis of the pontoniid shrimp fauna of Central East Africa. J. Mar. Biol. Ass.

Author(s):	Year:	Reference:
		India 16(2): 462-490
Bruce, A.J.	1994	Periclimenes gonioporae sp., nov., a new pontoniinid shrimp from Kenya. African Journal of Tropical Hydrobiology and Fisheries 5(I): 45 - 49.
Bruce, A.J.	1974	Abbreviated larval development in the alpheid shrimp Racilius compressus Paulson. Journal of the East Africa Natural History Society and National Museum 147, 1-8
Bruce, A.J.	1971	Onycocaris zanzibarica sp. nov., a new pontoniid shrimp from East Africa. J. Nat. Hist. 5: 293-298
Bruce, A.J.	1973	Notes on some Indo-Pacific Pontoniinae, XXIII. Tectopontonia maziwiae gen. nov., sp. nov., a new coral associate from Tanganyika (Decapoda, Palaemonidae). Crustaceana 24 (2): 169-180.
Bruce, A.J. & R. Serene	1972	The rediscovery of Notopodoides latus Henderson in the western Indian Ocean. Afr. J. trop. Hydrobiol Fish. 2 (1): 76-81.
Brusher, H.A.		The magnitude, Distribution and availability of Prawn (Penaeidae) resources in coastal and estuarine waters of Kenya, 1970. Journal of the Marine Biological Associateion of India 16 (2): 1-14.
Burgess, C.M.	1970	The Living Cowries. AS Barnes and Co, Ltd. Cranbury, New Jersey
Canaris, A.G. & D.G. Murphy	1965	A Scincid reptile feeding primarily on marine crustacea, with a note on its parasites. J.E.A.N.Hist. Soc. XXV (111): 129-130.
Chan, T.Y. & H.P. Yu	1995	The rare lobster genus Palinustus A. Milne Edwards, 1880 (Decapoda: Palinuridae), with description of a new species. J. Crust. Biol. 15(2): 376-394.
Clark, A.M. & F.W.E. Rowe	1971	Monograph of Shallow-water Indo-West Pacific Echinoderms. Trustees of the British Museum (Natural History): London.
Collette, B.B. & C.E. Nauen	1983	FAO Species Catalogue Vol 2: Scombrids of the World. FAO, Rome.
Colman, J.G.	1997	A review of the Biology and ecology of the whale shark. Journal of Fish Biology 51: 1219-1234
Compagno, L.J.V.	1984	FAO Species Catalogue No. 4. Sharks of the world. An Annotated and illustrated catalogue of shark species known to date. Part 1. Hexanchiformes to Lamniformes. FAO Fish. Synop. (125) Vol 4, Part 1. 246 pp. FAO, Rome.
Cook, P.L.	1966	Some 'sand fauna' Polyzoa (Bryozoa) from Eastern Africa and the northern Indian Ocean. Cah. Biol. Mar. 7: 207-223.
Copley, H.	1938	Recent additions to fish exhibits in the Museum. JEANHS 13(5): 191-192.
Copley, H.	1945	List of cowries collected on the Kenyan coast by Colonel Maxwell and friends during July, 1944. JEANHS XVII (83&84): 160.
Copley, H.	1934	Holacanthus semicirculatus (Cuv). JEANHS 12(1-2): 51.
Cottarelli, V. & G. Mura	1981	Remarks on the Genus Afrolaophonte (Crustacea, Copepoda, Harpacticoida): Description of three new species. Vie et Milieu 31(2):153 - 161.
Crane, J	1975	Fiddler crabs of the world. Ocypodidae: genus Uca. Princeton university press, Princeton, New Jersey. 736 pp.
Crosnier, A.	1987	Les especes indo-ouest-pacifiques d'eau profonde du genre Metapenaeopsis (Crustacea Decapoda Penaeidae). Bull. Mus. Natn. Hist. Nat., Paris, 4ieme ser 9(2): 409-453.
Cuninghame, R. J.	1912	Notes on collecting sea fish at Mombasa. JEANHS 111(5) 4-13.
Cutler, E.B.	1966	Sipunculids of Madagascar. Cah. ORSTOM Ocean. 3: 50-xx.
Dahdouh-Guebas, F.	1994	Kenyan Mangrove Crabs: Feeding ecology and behavioural ecology of some selected species
Dance, S.P.	1974	The encyclopedia of shells. Blanford Press
Dawson, C.E & J.E. Randall	1975	Notes on Indo-Pacific Pipefishes (Pisces: Syngnathidae) with description of two new species. Proceedings of the Biological Society of Washington. Vol. 88 (25):

Author(s):	Year:	Reference:
		263-280.
Day, J.	1975	South African Cumacea. Part 1: Family Bodotriidae, Subfamily Vaunthompsoniinae. Annals of the South African Museum. Vol 66 (9): 177- 220.
Day, J.H.	1967	Polychaeta of Southern Africa. Part 1. Errantia. British Museum (Natural History), London. 458 & xxix pp.
Day, J.H.	1967	Polychaeta of Southern Africa. Part 2. Sedentaria. British Museum (Natural History), London. Pp 459-842.
De Decker, A.H.B.	1984	Near-surface copepod distribution in the south-western Indian and south-eastern Atlantic Ocean. Ann. S. Afr. J. Mar. Sci. 12: 341-354.
Deichmann, E.	1948	The Holothurian fauna of South Africa. Annals of the Natal Museum 11 (2): 325-376
Demeulenaere, B.	1991	Marine phytal harpacticoida from Kenya: with empasis on seagrass dwelling species. MSc. Thesis in Fundamental and Applied Marine Ecology. 49 pp.
Den Hartog, C.	1970	Seagrasses of the world. Verhandelingen der koninklijke Nederlandse Akademie van Wetenschappen, Afd. Natuurkunde, Reeks 2, 59 (1): 1-275
Derijard, R.	1966	Note preliminaire sur les crustaces stomatopodes et decapodes recoltes a l'ile Europa du 6 au 24 Avril 1964. Mem Mus Natn Hist Nat, Paris 4 (41): 159-180
Eschmeyer, N.M., K.V. Rama-Rao & L.E. Hallacher		Fishes of the Scorpionfish subfamily Choridactylinae from the Western Pacific and the Indian Ocean. Proceedings of the California Academy of Sciences. Fourth Series. Vol.XLI (21): 475-500.
Fauchald, K.	1977	The Polychaete Worms: Definitions and Keys to the Orders, Families and Genera
Fenaux, R.	1973	Appendicularians from the Indian Ocean, Red Sea and the Persian Gulf. p. 409-414 in: Zeitchel, B. & S.A. Gerlach (eds), The biology of the Indian Ocean. Ecological Studies Vol. 3. Jacobs, J., O.L. Lange, J.S. Olson & W. Wieser (eds) Chapman & Hall Ltd.
Fischer, W. & G. Bianchi (Eds.)	1984	FAO Species identification sheets For Fisheries Purposes: Western Indian Ocean. FAO, Rome.
FishBase	1996	FishBase 96 CD-ROM. Iclarm, Manila.
Fleminger, A., B.H.R. Othman & J.G. Greenwood		The Labidocera pectinata group: an Indo-west Pacific lineage of planktonic copepods with descriptions of two new species. Journal of Plankton Research. Vol. 4. No. 2: 245-270.
Frazier, J.	0	Marine Turtles of the Western Indian Ocean. Oryx. 164 - 175.
Fry, C.H., S. Keith & E.K. Urban	1988	The Birds of Africa, Volume III, Academic Press, London.
Galil, B & M Vannini	1990	Research on the coast of Somalia: Xanthidae, Trapeziidae, Carpiliidae, Menippidae (Crustacea Brachyura). Tropical Zoology 3: 21-56.
Gambell, R., P.B. Best & D.W. Rice	1975	Report on the international Indian Ocean Whale marking cruise. Rep. int. Whal. Commn 26: 240-252.
Gibbons, M.J., M. Barange & L. Hutchings	1995	Zoogeography and diversity of euphausiids around southern Africa. Marine Biology 123: 257-268.
Goh, N.K.C. & L.M. Chou	1996	An annotated checklist of the gorgonians (Anthozoa: Octocorallia) of Singapore, with a discussion of the gorgonian diversity in the Indo-West Pacific. The Raffles Bulletin of Zoology 44 (2): 435-459.
Gon, O.	1996	Fifty years of fish systematics at the J.L.B. Smith Institute of Ichthyology. Trnas. Roy. Soc. S. Afr. 51: 45-78.
Gosliner, T.	1987	Biogeography of the Opisthobranch gastropod fauna of Southern Africa. Am. malac. Bull. 5: 243-258.
Grove, S.J., M.C. Little & P. J. Reay	1986	Tudor Creek Mombasa: the early life-history stages of fish and prawns 1985. Report of Overseas Development Administration Research Project R3888

Author(s):	Year:	Reference:
		Structure and coral reef Fauna of east african reefs. Bull. Mar. Sci. 34: 248-266
W.H. Brakel		
Hartnoll, R.G.	1975	The Grapsidae and Ocypodidae (Decapoda: Brachyura) of Tanzania. J. Zool. London 177, 305-328
Hayman, P., J. Marchant & T. Prater	1986	Shorebirds, An identification guide to the waders of the world, Christopher Helm, London.
Healy, B.	1997	Marionina schrijversi (Oligochaeta Enchytraeidae), a new species from a mangrove in Kenya. Tropical Zoology 10: 129-132.
Herring, P.J.	1972	Observations on the distribution and feeding habits of some echinoids from Zanzibar. J. Nat. Hist. 6: 169-175.
Holdich, D.M. & D.A. Jones	1973	The systematics and ecology of a new genus of sand beach isopod (Sphaeromatidae) from Kenya. J. Zool. Lond. 171: 385-395.
Holthuis, L.B.	1980	FAO Species Catalogue. Vol. 1. Shrimps and Prawns of the world. An annotated catalogue of species of interest to fisheries. FAO Fish. Synop. (125) 1: 271 pp.
Holthuis, L.B.	1952	On some Indo-West Pacific Palaemoninae (Crustacea Decapoda Caridea). Zoologische Mededelingen, Rijksmuseum van Natuurlijke Historie te Leiden XXXI (18): 201-211.
Humphreys, W.F.	1981	The echinoderms of Kenya's marine parks and adjacent regions. Koninklijk Museum voor Midden-Africa (Tervuren, Belgium) Zoologische Documentatie 19. 39 pp.
Iceley, J.D. & D.A. Jones	1978	Factors affecting the distribution of the Genus Uca (Crustacea: Ocypodidae) on an East African shore. Estuar. Coast Mar. Sci. 6: 313-325
Isaac, F.M.	1968	Marine Botany of the Kenyan coast. 4. Angiosperms. Journal of the East African Natural History Society 27 (1): 29-47
Isaac, W.E.	1967	Marine Botany of the Kenya Coast 1. A First List of Kenya Marine Algae. Journal of East Afr. Nat. Hist. Soc. XXXVI 2 (114): 75 - 84.
Isaac, W.E. & F. Isaac	1968	Marine Botany of the Kenya Coast 3. General account of the environment, Flora and vegetation. J. E. Afr. Nat. Hist. Soc. 27(116): 7 - 27.
Jaasund, E.	1976	Intertidal seaweeds in Tanzania. University of Tromsø.
James, D.B.	1973	Studies on Indian Echinoderms - 5. New and little-known starfishes from the Indian Seas. J. mar. biol. Ass. India 15(2): 556-559.
Jefferson, T.A., S. Leatherwood and M.A. Webber		FAO species identification guide. Marine mammals of the world. Rome, FAO
Johnsen, T.	1983	Commercial trawling for fish and deep sea lobster (Puerulus spp.) off Somalia. SWIOP-DOC. 1983. 47 pp
Jouk, P.E.H. & A.J.P. De Vocht	1989	Kalyptorhynchia (Plathelminthes Rhabdocoela) from the Kenyan coast, with descriptions of four new species. Tropical Zoology 2: 145-157.
Kalk, M.	1959	The Zoogeographical composition of the intertidal fauna of Inhaca Island, Mozambique. S. Afr. J. Sci 55: 178-180.
Kalk, M.	1958	The Fauna of the intertidal rocks at Inhaca Island, Delagoa Bay. Ann. Natal Mus. 14: 189-242.
Keith, S., E.K. Urban & C.H. Fry	1992	The Birds of Africa, Volume IV. Academic Press, London.
Kensley, B.	1981	On the zoogeography of southern African decapod crustacea, with a distribution checklist of the species. Smithsonian Contr. Zool. 338: 1-64.
Knight-Jones, P.	1972	New species and a new subgenus of Spirorbinae (Serpulidae: Polychaeta) from Kenya. J. Zool. Lond. 166: 1-18.
Lafay, B., A.B. Smith & R. Christen	1995	A combined morphological and molecular approach to the phylogeny of Asteroids (Asteroidea: Echinodermata). Syst. Biol. 44(2): 190 - 208.

Author(s):	Year:	Reference:
Lampert, K.		Die von Dr. Stuhlmann in den Jahren 1888 und 1889 an der Ostkueste Afrikas gesammelten Holothurien. Mittheilungen aus dem Naturhistorischen Museum Hamburg, XIII:40
Lawson, G.W.		Some observations on the Littoral Ecology of Rocky shores in East Africa (Kenya and Tanzania). Trans. Roy. Soc. S. Afr., 38, Part4, 329 - 339.
Lemmens, J.W.T.J.	1993	Reef-building corals (Cnidaria: Scleractinia) from the Watamu Marine National Reserve, Kenya; an annotated species list. Zoologische mededelingen 67, 453-465
Levin, V.S.		Aspidochirote holothurians of the upper sublittoral zone of Indo-West Pacific: species composition and distribution. Biol. Morya 5: 17-23.
Lewinsohn, C.	1982	Researches on the coast of Somalia. The shores and dunes of Sar Uanle. 33. Diogenidae, Paguridae and Coenobitidae (Crustacea, Decapoda, Paguridae). Monit. Zool. Ital. 2: 35-68.
Lewinsohn, C.	1979	Researches on the coast of Somalia. The shore and the dune of Sar Uanle. 23. Porcellanidae (Crustacea Decapoda Anomura). Monitore zoologico italiano NS Supplemeto XII 6: 39-57.
Lewinsohn, C.	1977	Die Dromiidae des Roten Meeres (Crustacea Decapoda: Brachyura). Zoologische Verhandelingen (Rijksmuseum van Natuurlijke Historie, Leiden) 151. 41 pp.
Littlewood, D.T.J., A.B.Smith, K.A. Clough &		The interrelationships of the echinoderm classes: morphological and molecular evidence. Biological Journal of the Linnean Society 61: 409- 438.
Liversidge, M.J.H.	1963	A collection of Cypraea from Diani, Kenya. Journal of Conchology 25(4): 166-169.
Losse, G.F.	1968	The elopoid and clupeoid fishes of East African coastal waters. JEANHS 27(2): 77-115
Losse, G.F.		Notes on the portunid crab Charybdis edwardsi Leene & Buitendijk, 1949, from the Western Indian Ocean. J. Nat. Hist. 3: 145-152.
Losse, G.F.	1967	Rhinoptera javanica Muller & Henle from Kenya waters (Pisces: Rhinopteridae). JEANHS 26 (1): 49-50.
MacDonald & Co	1979	The MacDonald Encyclopedia of Shells. MacDonald & Co. London & Sydney.
MacNae, W. & M. Kalk	1962	The ecology of mangrove swamps at Inhaca Island, Mozambique. J. Ecol. 50: 19-34.
Marsh, L.M. & A.R.G. Price		Indian Ocean echinoderms collected during the Sinbad Voyage (1980-1981): 2. Asteroidea. Bull. Br. Mus. Nat. Hist (Zool.) 57(1): 61-70.
McClanahan	1990	Excel list
McClanahan, T.R.	1994	Coral-eating snail Drupella cornus population increase in Kenyan coral reef lagoons. Marine ecology progress series. 115: 131-137.
McClanahan, T.R.		Fish predators and scavengers of the sea urchin Echinometra mathaei in Kenyan coral-reef marine parks. Environ. Biol. Fish. 43: 187-193.
McClanahan, T.R.	1997	Dynamics of Drupella comus populations on Kenyan coral reefs. Proc. 8th. Int. Coral Reef Symp. 1: 633-638.
McClanahan, T.R.	1994	Kenya coral reef lagoon fish: effects of fishing, substrate complexity, and sea urchins. Coral Reefs 13: 231-241
McClanahan, T.R. & J.C. Mutere	1994	Coral and sea urchin assemblage structure and interrelationships in Kenyan reef lagoons
McCosker J.E. & D.G. Smith	1997	Two new Indo-Pacific morays of the genus Uropterygius (Anguilliformes: Muraenide). Bulletin of Marine Science 60(3): 1005-1014.
McCosker, J.E. & J.E. Randall	1977	Three new species of Indo-Pacific moray eels (Pisces: Murenidae). Proceedings of the California Academy of Sciences, Fouth Series 41(3): 161-168.
McCosker, J.E. & J.E.	1982	Synonymies of Indian Ocean eels, with the description of Gymnothorax

Author(s):	Year:	Reference:
Randall		enigmaticus, a moray previously known as G. ruppeli. Proc. Cal. Acad. Sci 43(2):17-24.
Merret, N.R.	1968	Lepidocybium flavo-brunneum (Smith, 1849)(Gempylidae) from the Western Indian Ocean. J. Nat. Hist 2: 201-204
Mienis, H.K.	1973	Notes on a small collection of Littorinidae from Somalia. Basteria 37: 57-62.
Millard, N.A.H.	1978	The geographical distribution of southern African hydroids. Ann. S. Afr. Mus. 74: 159-200
Moens J.B., E.E. Martens & E.R. Schockaert		Syndesmis longicanalis sp.nov., an umagillid turbellarian (plathelminthes) from echinoids from the Kenyan coast. Belg. J. Zool. 124: 105-114
Muller, H. G.	1995	Sphaeromatidae from the Watamu area, Kenya description of a new genus and four new species (Isopoda, Flabellifera). Crustaceana 68(1): 350-381.
Ng, P. K. L.	1996	Cancer armadillus Herbst, 1790. The valid name for Demania bangladeshensis Ng, Huda & Banu, 1987, and Demania indiana Deb, 1987 (Decapoda, Brachyura, Xanthidae). Crustaceana 69(1): 76-83.
NODC	1997	NODC Taxonomic codes
Ochumba, P.B.O	1988	The distribution of skates and rays along the Kenyan coast. J. EA Nat Hist Soc & Nat. Mus. 78 (192)
Okemwa, E. N.	1992	A long-term sampling study of Copepods across a Tropical Creek in Mombasa, Kenya. E. Afr. Agric. For. J. 57(4):199 - 215.
Oldewage, W. H.	1995	Redescription of Alebion carchariae Kroyer, 1863 (Copepoda, Siphonostomatoida) from Isurus oxyrhinchus in South Africa. Crustaceana 68 (1): 38 - 42.
Panning, A.	1941	Ueber einige Ostafrikanische Seewalzen und ihre eignung zur Trepanggewinnung. Thalassia IV (8): 1-18.
Pearson, J.	1914	Notes on the Holothurioidea of the Indian Ocean. II. The sub-genera Argiodia and Actinopyga. Spolia Zeylan. 9 (35): 173-190.
Pearson, J.	1913	Notes on the Holothurioidea of the Indian Ocean. I. The genus Holothuria. Spolia Zeylan. 9 (34): 49-101
Playfair, R.L. & A.C.L.G. Guenther	1866	The Fishes of Zanzibar. John Van Voorst: Paternoster Row, London
Poss, S.G. & H.T. Boschung	1996	Lancelets (Cephalochordata: Branchiostomatidae): How many species are valid? Isr. J. Zool 42 (Suppl):S13-S66
Pulitzer-Finali, G.	1993	A collection of marine sponges from East Africa. Ann. Mus. Civ. Stor. Nat. "G. Doria" 89: 247-350.
Randall, J. E. & A. Edwards	1982	A new Labrid fish of the Genus Thalassoma from the Pitcairn Group, with a review of related Indo- Pacific species. Journal of Agriculture & Aquatic Sciences Vol. IV, No. 2.
Reay, P.J.	1985	Littoral hermit crabs (Decapoda: Anomura) from port Mombasa. Journal of the East Africa Natural History Society and National Museum 75(182): 1-11.
Reay, P.J. & J. Haig	1990	Coastal hermit crabs (Decapoda: Anomura) from Kenya, with a review and key to East African species. Bulletin of Marine Science 46(3): 578-589
Reid, D.G.	1986	The littorinid molluscs of mangrove forests in the Indo-Pacific region. British Museum (Natural History), London.
Revis, N. & E. N. Okemwa	1988	Additional records of species of copepods and their distribution in the coastal and inshore waters of Kenya. Kenya Journal of Sciences Series B 9: 123 - 127.
Richardson, B.J. & A.M. McKenzie	1994	Taxonomy and distribution of Australian cephalochordates (Chordata: Cephalochordata). Invertebr. Taxon. 8 (6): 1443-1459.
Richmond, M.D. (Ed)	1997	A guide to the seashores of eastern Africa and the western Indian Ocean Islands. Sida, Sweden. 448 pp.

Author(s):	Year:	Reference:
Riegl, B.	1995	A revision of the hard coral genus Acropora Oken, 1815 (Scleractinia: Astrocoeniina: Acroporidae) in south-east Africa. Zoological Journal of the Linnean Society 113: 249-288
Riegl, B.	1995	Description of four new species in the hard coral genus Acropora Oken, 1815 (Scleractinia: Astrocoeniina: Acroporidae) from south-east Africa. Zoological Journal of the Linnean Society 113: 229-247.
Roper, C.F.E., M.J. Sweeney & C.E. Nauen	1984	FAO Species catalogue. Vol 3. Cephalopods of the World. An annotated and illustrated catalogue of species of interest to fisheries. FAO Fish. Synop. (125), Vol 3: 277 p.
Rudman, W.B.		The Chromodorididae (Ophistobranchia: Mollusca) of the Indo-West Pacific: the genus Ceratosoma J.E. Gray. Zoological Journal of the Linnean Society 93 (1): 133-185.
Rudman, W.B.	1987	The Chromodorididae (Ophistobranchia: Mollusca) of the Indo-West Pacific: Chromodoris epicura, C. aureopurpurea, C. annulata, C. coi and Risbecia tryoni colour groups. Zoological Journal of the Linnean Society 90 (3): 305-407.
Rudman, W.B.	1978	The dorid opisthobranch genera Halgerda Bergh and Sclerodoris Eliot from the Indo-West Pacific. Zoological Journal of the Linnean Society 62: 59-88.
Rudman, W.B.		The Chromodorididae (Ophistobranchia: Mollusca) of the Indo-West Pacific: Noumea purpurea and Chromodoris decora colour groups. Zoological Journal of the Linnean Society 86 (4): 309-353.
Rudman, W.B.	1977	Chromodorid opisthobranch mollusca from East Africa and the tropical West Pacific. Zoological Journal of the Linnean Society 61: 351-397
Ruwa, R.K.	1989	Macrofaunal composition and zonation on sandy beaches at Gazi, Kanamai and Malindi Bay, Kenya. Kenya Journal of Sciences (Series B) 10 (1-2): 31-45
Ruwa, R.K.	1984	The commercial Cypraea (Mollusca: Gastropoda) of Kenya: their zoogeography and the implications to conservation. POST (Kenya) 9 (1-3): 33-49.
Ruwa, R.K.	1984	Invertebrate faunal zonation on rocky shores around Mombasa, Kenya. Kenya Journal of Science and technology Series B 7(2): 41-45
Ruwa, R.K. & V. Jaccarini	1986	The dynamic zonation of Nerita plicata, N. undata and N. textilis (Prosobranchia, Neritacea) populations on a rocky shore in Kenya. Marine Biology 92: 425-430
Ruwa, R.K. & V. Jaccarini		Nocturnal feeding migrationns of Nerita plicata, N. undata and N. textilis on a rocky shore at Mkomani, Mombasa, Kenya. Marine Biology 99: 229-234
Semper, C.	1869	Die Holothurien Ostafrika's. Baron Carl Claus von der Decken's Reisen in Ost- Afrika in den Jahren 1859-1865, Wissenschaftlicher Theil, 3 (1): 117-122.
Serene, R		Crustaces Decapodes Brachyoures de l'Ocean Indien et de la Mer Rouge. Xanthoidea: Xanthidae et Trapeziidae. Editions Orstom. Collection Faune Tropicale No. 24.
Sheppard, C.R.C.	1987	Coral species of the Indian Ocean and adjacent seas: a synonymised compilation and some regional distribution patterns. Atoll Research Bulletin Nr 307
Sheppard, C.R.C.	1998	Corals of the Indian Ocean: a taxonomic and distribution database for coral reef ecologists
Smith, J.L.B.	1963	Fishes of the Family Syngnathiformes from the Red Sea and the Western Indian Ocean. Ichthyol. Bull. Rhodes Univ. 27: 515-543.
Smith, J.L.B.		Coral Fishes of the Family Pomacentridae from the Western Indian Ocean and the Red Sea. Ichthyological Bulletin No. 19: 317-349
Smith, J.L.B.		The Fishes of the Family Pomacanthidae in the Western Indian Ocean. Ann. Mag. Nat. Hist. 12(8): 377-384.
Smith, J.L.B.		Fishes of the family Apogonidae of the Western Indian Ocean and the Seychelles. Ichthyological Bulletin 22.
Smith, J.L.B.	1967	Two flatfishes new to South and East Africa. J. Nat. Hist 4: 457-464

Author(s):	Year:	Reference:
Smith, J.L.B.	1961	Fishes of the Family Anthiidae from the Western Indian Ocean and the Red Sea. Ichthyological Bulletin No.21. 359-369.
Stephenson, W.	1976	Notes on Indo-West Pacific Portunids (Decapoda, Portunidae) in the Smithsonian Institution. Crustaceana 31 (1): 11-26.
Stephenson, W.	1972	An annotated checklist and key to the Indo-Pacific swimming crabs (Crustacea: Decapoda: Portunidae). Royal Society of New Zealand Bulletin No. 10.
Stephenson, W. & M. Rees	1967	Portunid crabs from the International Indian Ocean Expedition in the Smithsonian Collections (Crustacea: Portunidae). Proceedings of the US National Museum 122:1-34
Stephenson, W. & M. Rees	1967	Portunid crabs (Crustacea: Decapoda: Portunidae) collected by the 'Discovery' in the Indian Ocean. J. Nat. Hist. 1: 285-288.
Thandar, A.S.	1989	Zoogeography of the southern African echinoderm fauna. S. Afr. J. Zool. 24: 311-318
Urban, E.K., C.H. Fry & S. Keith	1986	The Birds of Africa, Volume II, Academic Press, London.
Vannini M., G. Innocenti & R.K. Ruwa	1993	Family group structure in mysids, commensals of hermit crabs (Crustacea). Tropical Zooligy 6: 189-205.
Vannini, M., A. Oluoch & R.K. Ruwa	1997	The tree climbing decapods of the Kenyan mangroves. In: Mangrove Ecosystem case studies in Latin America and Africa. Edited by B. Kjerfve, L.D. Lacerda and E.S. Diop. UNESCO, Paris
Verdcourt, B.	1955	The cowries of the East African Coast: Supplement I. JEANHS XXII (97): 163-164.
Verdcourt, B.	1954	The cowries of the East African Coast (Kenya, Tanganyika, Zanzibar and Pemba). JEANHS XXII (96): 129-144.
Verdcourt, B.	1959	The cowries of the East African Coast: Supplement II. JEANHS XXIII (100): 130-134.
Verdcourt, B.	1960	The cowries of the East African Coast: Supplement III. JEANHS XXIII (104): 281-285.
Veron, J.E.N.	1986	Corals of Australia and the Indo-Pacific
Zimmerman, D.A., Turner,D.A. & Pearson, D.J.		Birds of Kenya and Northern Tanzania, Russel Friedman Books, Halfway House, South Africa.

BIBLIOGRAPHY

Eastern Africa Atlas of Coastal Resources. 1998. A project of UNEP with the support of the Government of Belgium.

EAME Proceedings. 2001. Proceedings of the Eastern African Marine Ecoregion Visioning Workshop. WWF.