

This paper not to be cited without prior reference to the author.

DOSAGES NITRATE ET NITRITE

par

Prof. Y. ELSKENS & Mme D. JANSSEN - V.U.B.

CROISIERE 4 - ESTUAIRE DE L'ESCAUT (Novembre 1971)

Echantillons non filtrés et non dialysés.

Identification	NO ₂ µgr N/l.	NO ₃ µgr N/l.	Echantillons non filtrés et non dialysés.
MSC.031171.1025.00	225	805	
" " 1320.00	189	734	
" " 1630.00	223	1031	
" " 1320.06	218	944	
" " 1630.06	307	1503	
" " 1025.13	203	789	
" " 1320.13	260	962	
" " 1630.13	173	942	
MSC.041171.1530.00	202	989	
" " 1715.00	348	1675	
" " 1915.00	235	1308	
" " 1530.04	258	1350	
" " 1715.04	260	1370	
" " 1915.04	268	1526	
" " 1530.08	239	1276	
" " 1715.08	278	1445	
" " 1915.08	265	1609	
MSC.051171.0015.00	269	1054	
" " 0400.00	302	1629	
" " 0515.00	260	1493	
" " 0730.00	237	1363	
" " 1135.00	280	1433	
" " 1330.00	151	737	
" " 0015.04	214	909	
" " 0400.04	272	1405	
" " 0730.04	230	1305	
" " 1135.04	192	1214	
" " 1330.04	183	940	
" " 0400.08	244	1233	
" " 0515.08	223	1393	
" " 0730.08	220	1315	

CIPS-DOSAGES NITRATE ET NITRITE-CROISIERE 4 - Estuaire de l'Escaut (novembre 1971)

Identification	NO ₂ ⁻ μgr N/l.	NO ₃ ⁻ μgr N/l.
ZSC.01.051171.0515.00	151	1658
" " " 04	153	1762
" " " 08	143	1742
ZSC.02.051171.1115.00	125	652
" " " 06	154	915
" " " 12	309	1991