

sivertensi Allgén, 1957
filiformis (Eberth, 1863) Filipjev, 1921
hispanicum Platonova, 1970
coronatum (Eberth, 1863) Marion, 1870
Thoracostomopsis
galeata Filipjev, 1927
ditlevseni Filipjev, 1927
barbata Ditlevsen, 1918
doveae Warwick, 1970
longissima Filipjev, 1927
Trefusia
litoralis (Allgén, 1932) De Coninck & Schuurmans Stekhoven, 1933
filicauda Allgén, 1933
zostericola Allgén, 1933
helgolandica Riemann, 1966
longicauda de Man, 1893
pseudilitoralis Vitiello, 1970
filum Schuurmans Stekhoven, 1942
Trichethmolaimus
hirsutus (Gerlach, 1956) Platt, 1982
Trichotheistis
mirabilis (Schuurmans Stekhoven & De Coninck, 1933) Wieser, 1956
psammoides (Warwick, 1970)
Tricoma
brevirostris (Southern, 1914) Steiner, 1916
longirostris (Southern, 1914) Steiner, 1916
suecica Allgén, 1930
strandii (Allgén, 1939) Gerlach, 1958
steineri de Man, 1922
septuaginta Schuurmans Stekhoven, 1942
profunda (Schepotieff, 1907) Stauffer, 1924
pellucida Allgén, 1935
maxima (Schepotieff, 1907) Allgén, 1942
islandica Kreis, 1963
bacescui (Paladian & Andriescu, 1963) Timm, 1970
bergensis (Schepotieff, 1907) Filipjev, 1922
platycephala Filipjev, 1922
elongata (Panceri, 1876) Stauffer, 1924
polydesma (Southern, 1914) Steiner, 1916
litoralis (Allgén, 1934) Timm, 1970
norvegica (Schepotieff, 1907) Stauffer, 1924
nematoides (Greeff, 1869) Stauffer, 1924
adelpha (Greeff, 1869) Stauffer, 1924
cincta Cobb, 1894
Trileptium
subterraneum (Gerlach, 1952) Cobb, 1933
parisetum Warwick & Platt, 1973
Triodontolaimus
acutus (Villot, 1875) de Man, 1893
Tripyla
cornuta Skwarra, 1921
setifera Bütschli, 1873
glomerans Bastian, 1865
Tripylodes
gracilis (Ditlevsen, 1918) Filipjev, 1927
omblaica Micoletzky, 1924
marinus (Bütschli, 1874) de Man, 1886
Trissonchulus
benepapillosus (Schulz, 1935) Gerlach & Riemann, 1974
oceanus Cobb, 1920
obtusus (Schuurmans Stekhoven, 1935) Inglis, 1961
Trochamus
carinatus Boucher & Bovée, 1972
Tubolaimoides
tenuicaudatus (Allgén, 1934) Gerlach, 1963
Valvaelaimus
euxinus (Filipjev, 1918) Lorenzen, 1977
Vasculonema
caeruleum (Eberth, 1863) Kreis, 1928
conicaudatum Kreis, 1928
Viscosia
minudonta Vitiello, 1970

separabilis (Wieser, 1953) Lorenzen, 1981
stenolaima Filipjev, 1927
longidentatus (Schuurmans Stekhoven, 1931) Lorenzen, 1981
brevidentatus (Vitiello, 1967) Lorenzen, 1981
elegans (Kreis, 1924) Lorenzen, 1981
parva Kreis, 1929
palmae Schuurmans Stekhoven, 1942
profundus (Vitiello, 1970) Lorenzen, 1981
langrunensis (de Man, 1890) Filipjev, 1918
brachylaima Filipjev, 1927
elongata Filipjev, 1922
rusticus (Kreis, 1929) Lorenzen, 1981
papillosa (Eberth, 1863) Kreis, 1934
viscosa (Bastian, 1865) de Man, 1890
minor Filipjev, 1918
glabra (Bastian, 1865) de Man, 1890
abyssorum (Allgén, 1933) Wieser, 1953
filipjevi Paramonov, 1929
macramphida Chitwood, 1951
macrorhopalocerca Kreis, 1932
megalaima (Ditlevsen, 1928) Hope & Murphy, 1972
cobbi Filipjev, 1918
diodon (Wieser, 1951) Lorenzen, 1981
Wieseria
glandulosa (Kreis, 1929) Gerlach, 1956
clavata Gerlach, 1956
pica Gerlach, 1956
hispidia Vitiello, 1972
inaequalis Gerlach, 1956
leptura Vitiello, 1972
longiseta (Allgén, 1947) Gerlach, 1956
Xennella
suecica Allgén, 1935
Xyala
striata Cobb, 1920
longicaudata Ward, 1972
barbata Ward, 1972
riemanni Boucher & Helléouët, 1977

Nematoda (parasitic)

Compiled by David I. Gibson

The list of parasitic nematode species was derived from the Host-Parasite Data-base and Catalogue maintained by the Parasitic Worms Division, Department of Zoology, The Natural History Museum. Some attempt has been made to restrict the list to valid taxa and to use that latest nomenclature. However, the many, usually unrecognisable and often larval, names listed under *Ascaris* have been listed separately.

The list was kindly commented upon by Dr F. Moravec and Dr H.-P. Fagerholm.

NEMATODA, PARASITIC

Acanthocheilus
rotundatus (Rudolphi, 1819)
Agamascaris
septentrionalis Kreis, 1952
Agamonema
 sp.
Amidostomum
acutum (Lundahl, 1848)
Anguillicola
crassus Kuwahara, Niimi & Itagaki, 1974
Anisakis
pegreffii Campana-Rouget & Biocca, 1955
physeteris (Baylis, 1923)
schupakovi Mosgovoï, 1951
simplex (Rudolphi, 1809)
simplex C of Nascetti *et al.* (1986)
typica (Diesing, 1860)
ziphidarum Paggi *et al.*, 1988

- Ascarophis*
arctica Poljansky, 1952
capelanus Nikolaeva & Naidenova, 1964
crassicolis Dollfus & Campana-Rouget, 1956
filiformis Poljansky, 1952
morrhuae van Beneden, 1871
mullus Naidenova & Nikolaeva, 1968
- Bulbocephalus*
pseudupenei Vassiliades & Diaw, 1978
- Camallanus*
lacustris (Zoega, 1776)
truncatus Rudolphi, 1814
- Capillaria*
anatis (Schränk, 1790)
gracilis (Bellingham, 1840)
wickinsi Ogden, 1965
- Contraecaecum*
filiforme (Stossich, 1904)
mulli (Wedl, 1855)
osculatum (Rudolphi, 1802)
papilligerum (Creplin, 1846)
pedum (Deslongchamps, 1824)
rudolphii Hartwich, 1964
septentrionale Kreis, 1955
- Cosmocephalus*
obelatus (Creplin, 1825)
- Crassicauda*
anthonyi Chabaud, 1962
boopis Baylis, 1920
carbonelli Raga *et al.*, 1988
grampicola Johnston & Mawson, 1941
- Cristitectus*
congeri Petter, 1970
- Cucullanus*
attenuata (Molin, 1858)
bioccai Orecchia & Paggi, 1987
campanae Lebre & Petter, 1984
carbonelli Campos, Carbonell & Rodriguez-Babio, 1993
cirratus Müller, 1777
dodsworthi Barreto, 1922
dogieli Krotas, 1959
elongatus Smedley, 1933
gendrei Campana-Rouget, 1957
heterochrous Rudolphi, 1802
hians (Dujardin, 1845)
longicollis (Stossich, 1899)
longispiculum De Oliveira Rodrigues *et al.*, 1973
lophii Campana-Rouget & Chabaud, 1956
micropapillatus Tomquist, 1931
mugili Belous, 1965
murenophidis Campana-Rouget, 1957
orthagorisci (Rudolphi, 1819)
parvus Tomquist, 1931
praecinctus (Dujardin, 1845)
pulcherrimus Barreto, 1918
rotundata (Molin, 1859)
truttiae Fabricius, 1794
- Cystidicola*
farionis Fischer, 1798
- Cystoopsis*
scomber Zlatev, 1936
- Desmidocercella*
 sp.
- Dichelyne*
abbreviatus (Rudolphi, 1819)
adriaticus (Tomquist, 1931)
elongatus (Tomquist, 1931)
mauritanicus (Gendre, 1928)
minutus (Rudolphi, 1819)
pomadasysi Vassilaides & Petter, 1981
tripapillatus (Gendre, 1927)
- Dipetalonema*
spirocauda (Leidy, 1858)
- Echinocephalus*
spinosissimus von Linstow, 1905
uncinatus Molin, 1858
- Echinomermella*
matsi Jones & Hagen, 1987
- Eustrongylides*
 sp.
- Fellicola*
longispiculus Petter & Koie, 1993
- Goezia*
annulata (Molin, 1859)
ascaroides (Goeze, 1782)
kollari (Molin, 1859)
tricirrata Osmanov, 1940
- Halocercus*
delphini (Baylis & Daubney, 1925)
kleinenbergi Delamure, 1951
lagenorhynchi Baylis & Daubney, 1925
ponticus Delamure, 1946
taurica Delyamure, 1942
- Heliconema*
heliconema Travassos, 1919
- Heligmus*
longicirrus Dujardin, 1845
- Hysterothylacium*
aduncum (Rudolphi, 1802)
arnoglossi Petter & Maillard, 1988
auctum (Rudolphi, 1802)
bifidalatum Petter & Maillard, 1988
collare (Cobb, 1929)
cornutum (Stossich, 1904)
corrugatum Dearnorff & Overstreet, 1981
cyclopteri (Kreis, 1952)
fabri (Rudolphi, 1819)
increscens (Molin, 1858)
incurvum (Rudolphi, 1819)
legendrei (Dollfus, 1933)
reliquens (Norris & Overstreet, 1975)
rhacodes (Dearnorff & Overstreet, 1978)
rigidum (Rudolphi, 1809)
- Ichthyianisakis*
monodi Gendre, 1928
- Ichthyascaris*
mediterraneus (Lebre & Petter, 1983)
- Ichthyobronema*
hamulatum (Moulton, 1931)
- Ichthyofilaria*
bergensis (Wulker, 1930)
- Johnstonmawsonia*
murenophidis (Campana-Rouget, 1955)
- Kathlania*
leptura (Rudolphi, 1819)
- Mawsonascaris*
laymani (Mozgovoy, 1950)
pastinacae (Rudolphi, 1819)
- Onchophora*
melanocephala (Rudolphi, 1819)
- Paracapillaria*
gibsoni Moravec, 1987
- Paracuaria*
adunca (Creplin, 1846)
tridentata (Linstow, 1877)
- Paranisakiopsis*
coelorhynchi Yamaguti, 1941
- Paranisakis*
monodi (Gendre, 1928)
squatinae Baylis, 1923
- Parascarophis*
sphyrnae Campana-Rouget, 1955
- Philometra*
globiceps (Rudolphi, 1819)
obturans (Prennant, 1886)
onchorhynchi Kuitinen-Ekbaum, 1933
ovata (Zeder, 1803)
rishta Skrjabin, 1917
rubra (Leidy, 1856)

saltatrix Ramachandran, 1973
sanguinea (Rudolphi, 1819)
scombresoxis Nikolaeva & Naidenova, 1964
tauridica Ivashkin, Naidenova, Kovaleva & Khromova, 1971
translucida Walton, 1927
Philometroides
oveni Parukhin, 1975
Phocascaris
cystophorae Berland, 1963
phocae Høst, 1932
Piscicapillaria
baylisi Moravec, 1987
Porrocaecum
sulcatum (Rudolphi, 1819)
Proleptus
acutus Dujardin, 1845
obtusus Dujardin, 1845
robustus (van Beneden, 1871)
Pseudalius
inflexus (Rudolphi, 1808)
Pseudanisakis
baylisi Gibson, 1973
Pseudocapillaria
adriatica (Nikolaeva & Naidenova, 1964)
bainae (Justine & Radujkovic, 1988)
salvelini (Polyansky, 1952)
Pseudoproleptus
sp.
Pseudoterranova
bulbosa (Cobb, 1888)
decipiens (Krabbe, 1878)
krabbei Paggi *et al.*, 2000
Raphidascaris
acus (Bloch, 1779)
adelinae (Condorelli-Francaviglia, 1898)
Rhabdochona
sp.
Skryabinialius
cryptocephalus Delyamure, 1942
guevarai Gallego & Selva, 1979
Spinitectoides
berlandi Petter, 1969
Spinitectus
oviflagellis Fourment, 1883
Stenurus
globicephalae Baylis & Daubney, 1925
minor (Kuhn, 1829)
ovatus (von Linstow, 1910)
Streptocara
crassicauda (Creplin, 1829)
Terranova
chiloscyllii Johnston & Mawson, 1951
galeocerdonis (Thwaite, 1927)
rochalimai (Pereira, 1935)
Tetrameres
fissispina (Diesing, 1861)

ACANTHOCEPHALA

Compiled by David I. Gibson

The list of acanthocephalan species was derived from the Host-Parasite Data-base and Catalogue maintained by the Parasitic Worms Division, Department of Zoology, The Natural History Museum. Some attempt has been made to restrict the list to valid taxa and to use that latest nomenclature.

The list was kindly commented upon by Prof. C.R. Kennedy and Dr Z.M. Dimitrova.

PHYLUM ACANTHOCEPHALA

Acanthocephaloides
distinctus Golvan, 1969
geneticus (Buron, Renaud & Euzet, 1985)
incrassatus (Molin, 1858)
propinquus (Dujardin, 1845)
Acanthocephalus
anguillae (Müller, 1780)
clavula Dujardin, 1845
lucii (Müller, 1777)
Acanthogyrus
lizae Orecchia, Paggi & Radujkovic, 1988
Andracantha
phalacrocoracis (Yamaguti, 1939)
tunitae (Weiss, 1914)
Arhythmorhynchus
longicollis (Villot, 1875)
Aspersentis
johni (Baylis, 1929)
Bolbosoma
capitatum (von Linstow, 1880)
physeteris Gubanov, 1952
vasculosum (Rudolphi, 1819)
Breizacanthus
chabaudi Golvan, 1969
golvani Gaevskaja & Shukhgalter, 1984
irenae Golvan, 1969
ligur Paggi, Orecchia & Della Setta, 1975
Corynosoma
magdaleni Montreuil, 1958
semerme (Forsell, 1904)
strumosum (Rudolphi, 1802)
Echinorhynchus
armoricanus Golvan, 1969
bothniensis Zdzitowiecki & Valtonen, 1987
brayi Wayland, Sommerville & Gibson, 1999
calloti Golvan, 1969
cinctulus Porta, 1905
 = *E. borealis* Linstow, 1901
gadi Zoega in Müller, 1776
gadi sp. I of Väinölä Valtonen & Gibson (1994)
gadi sp. II of Väinölä Valtonen & Gibson (1994)
gadi sp. III of Väinölä Valtonen & Gibson (1994)
trachyrinci Wayland, Gibson & Sommerville, 1997
Euzetacanthus
simplex (Rudolphi, 1810)
Floridosentis
mugilis (Machado, 1951)
Golvanacanthus
blennii Paggi & Orecchia, 1972
problematicus Mordvinova & Parukhin, 1978
Gorgorhynchus
robertdolfusi Golvan, 1956
Illiosentis
africanus (Golvan, 1955)
Leptorhynchoides
plagicephalus (Westrum, 1821)
Metechinorhynchus
salmonis (Müller, 1780)
truttae (Schrank, 1788)
Neoechinorhynchus
agilis (Rudolphi, 1819)