MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM.

INTERNATIONAL FISHERY INVESTIGATIONS.

P74

SECOND REPORT (SOUTHERN AREA)

ON

FISHERY AND HYDROGRAPHICAL INVESTIGATIONS IN THE NORTH SEA AND ADJACENT WATERS.

CONDUCTED

FOR HIS MAJESTY'S GOVERNMENT

BY THE

MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM.

1904—1905.

PART II.

(Including Observations to 1908. In Continuation of [Cd. 3837].)

Presented to both Houses of Parliament by Command of His Majesty.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

And to be purchased, either directly or through any Bookseller, from
WYMAN and SONS, Ltd., Fetter Lane, E.C., and
32, Abingdon Street, Westminster, S.W.; or
OLIVER & BOYD, Tweeddale Court, Edinburgh; or
E. PONSONBY, 116, Grafton Street, Dublin.

1909.

[Cd. 4641.] *Price* 8*s.* 9*d.*

CONTENTS.

Page.

SECOND REPORT (PART II.) OF THE COUNCIL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM ON WORK CARRIED OUT IN CONNECTION WITH THE INTERNATIONAL FISHERY INVESTIGATIONS iii

REPORT ON THE VITALITY OF TRAWL-CAUGHT PLAICE. BY J. O. BORLEY, M.A. *With Figures* 1–3 *in the Text* 1

REPORT ON THE SIZE AND AGE OF PLAICE AT MATURITY IN THE NORTH SEA AND ENGLISH CHANNEL. BY WILLIAM WALLACE, D.SC. *With Tables* 1, 2 *and* 2A, 3 *and* 3A, 4 *and* 4A *in the Text and Diagrams, Figures* 1, 2, 3. *Tables I. and* IA, *II. and* IIA, *and one Chart at the End.* APPENDIX BY G. T. ATKINSON 51

REPORT ON THE LOWESTOFT SAILING TRAWLER RECORDS, 1903–1906. BY ROSA M. LEE, M.A. *With Figures* 1–4 : *Tables I.–X.* ; *Appendix I. and one Chart* 89

TRAWLING INVESTIGATIONS, 1904–5. WITH CHARTS 1–4 AT THE END.

I. Particulars of Trawling Stations of ss. "Huxley" 114

II. Detailed Measurements of Plaice caught at each haul of the Commercial Trawls (ss. "Huxley") 168

III. Summaries of hauls made by ss. "Huxley," distinguishing the sizes of fish in 10 centimeter groups 200

REPORT ON THE PHYSICAL CONDITIONS IN THE ENGLISH CHANNEL AND ADJACENT WATERS, 1904 AND 1905. BY DONALD J. MATTHEWS. *With Figures* 1–3 *and Plates* 1–8 279

SECOND REPORT (PART II.) of the COUNCIL of the MARINE BIOLOGICAL ASSOCIATION of the UNITED KINGDOM on work carried out in connection with the INTERNATIONAL FISHERY INVESTIGATIONS.

TO THE NORTH SEA FISHERIES INVESTIGATION COMMITTEE.

GENTLEMEN,

I AM instructed by the Council of the Marine Biological Association to submit for the information of the North Sea Fisheries Investigation Committee Part II. of their Second Report, which deals chiefly with observations made at sea during the years 1904–1905.

The Council desire to draw attention to the following points in the special memoirs, drawn up under their direction by the members of the scientific staff, which in their opinion seem worthy of particular consideration.

I.—FISHERY INVESTIGATIONS IN THE NORTH SEA.

Vitality of Trawl-caught Plaice.

Experiments have been made on the s.s. *Huxley*, in order to obtain definite information as to the amount of injury which is done to fish during the ordinary processes of trawling, with a view especially of determining what proportion of small plaice would be likely to survive, if they were returned to the sea after they had once reached the deck of a commercial steam trawler. This has always been recognised as a question of importance in connection with proposals to prohibit the landing or sale of small fish.

The plaice from 38 hauls of the commercial Otter- and Beam-trawls, made on grounds where small fish are abundant, have been examined and tested in such a way as to obtain a measure of their vitality or the probability of their survival in case they were returned to the sea. The fish to be tested were placed in tanks of running sea-water on the deck of the *Huxley*, and after an interval of time in the tanks varying from 20 minutes to, in one case, 55 hours, they were examined and classed either as healthy, moribund, or dead, the percentage belonging to each of these classes being recorded. Some fish were tested in this way immediately after leaving the net, and others were tested after different intervals of exposure on deck and after exposure under different conditions. In this way it has been possible to estimate the amount of injury to the fish which took place in the trawl itself, and that which was caused by conditions, such for example as hot sunshine, operating after the fish had left the water.

The experiments have shown that the Otter-trawl injures the fish to a greater extent than the Beam-trawl, and that fish from a haul of long duration are much more unlikely to survive than those from a short haul, especially when the Otter-trawl is used. Hot sunshine and a high temperature whilst the fish remain on deck, are also injurious, and fish stored in baskets quickly perish.

One hour may be taken as the shortest time that would be likely to elapse between the arrival of the trawl on deck and the shovelling overboard of any unmarketable small fish under the ordinary conditions of commercial trawling. In the case of hauls of the Otter-trawl the experiments show that, out of 12 hauls, half the small fish (under 10 inches in length) could not be classed as healthy in a single case after one hour's exposure on deck, nor did the numbers of probable survivors exceed 25 per cent. in more than two of the experiments. In the case of hauls of the Beam-trawl relatively fewer fish appear to be fatally injured, though even with this net 50 per cent of the small fish were considered to be healthy in only 5 of the 16 experiments. It is probable that these estimates of the percentage of fish, which would recover if thrown overboard, overstate rather than understate the chances of survival of small plaice caught and reliberated by commercial fishing vessels.

These experiments on the vitality of trawl-caught plaice give some indication that the power of resisting the effects of injury is not the same for fish of all sizes, and that it is somewhat different for the two sexes. Fish of each sex appear to increase in vitality with size, but not in a uniform way in each sex.

Lowestoft Trawler Records.

In order to supplement the trawling investigations carried out by the special research steamer, it was arranged, at an early period of the investigations, that certain selected captains of trawling vessels, working from different ports, should keep detailed

1000 Wt 13507 12/08 D & S 32 33939

records of each haul made in the course of their ordinary fishing, and the collection of information in this manner has been continued. Three captains of Lowestoft trawling smacks have kept such records, and the detailed returns regularly furnished by them of 4,794 hauls made during the years 1903–1906 have been analysed, so far as they concern the catches of plaice and soles. The thanks of the Council of the Association are due to the owners of the fishing vessels in question for allowing these records to be used, and to the captains of the vessels for the very careful and intelligent manner in which the records have been kept.

From the information thus provided, much valuable evidence has been obtained concerning the seasonal distribution, in the years under investigation, of plaice and soles in the southern bight of the North Sea, which supports and confirms the results of other investigations, which the Association has carried out.

As regards plaice, it is shown that in the northern part of the region worked over by the Lowestoft trawlers, these fish occur in maximum quantity by weight during the summer, and in minimum quantity during the winter months. In the southern part of the area, on the other hand, there is a maximum in winter and a minimum in summer. In the intermediate region between these two parts of the area, the maxima occur in spring and autumn. These results are clearly in agreement with the movements indicated by the marking experiments in this part of the North Sea, namely a southward migration for the purpose of spawning in the late autumn and early winter, and a northward migration in spring.*

A remarkable feature of these records is the steady decline of the average catch of plaice during the years investigated, though the period is too short to show whether this decline is or is not due to temporary fluctuations.

The records show, further, that whereas plaice are not numerous on the shallow inshore grounds off the English coast, but increase in numbers as we proceed eastward, and become most abundant on the shallow continental grounds, soles, on the other hand, are most numerous on the English side, small soles especially being abundant on all the inshore grounds along our east coast from the Thames to the Norfolk coast. On these grounds the greatest numbers of soles are taken during the spring months, whilst the maximum abundance of large soles on the outer and deeper grounds occurs in autumn and winter.

Size and age of Plaice at Maturity.

In our previous Reports observations have been recorded on the age of plaice of different sizes, as determined by the number of annual rings shown by the otoliths or ear stones. These observations have now been extended with special reference to the size and age at which plaice reach maturity for the first time, and important conclusions have been arrived at. Although there is a considerable range of individual variation in the age, as well as in the size at which plaice become ripe for the first time, the average sizes at first maturity have definite values, which are different in different regions.

In the central part of the North Sea, around the Dogger Bank, female plaice are on the average 40 centimeters (16 inches) long and the majority are just six years old, when they become mature for the first time ; whilst male plaice are about 32 centimeters (12½ inches) long and five years old, when they first reach maturity. These figures correspond closely with the average size at first maturity recorded for the east coast of Scotland and are apparently consistent with the records of Danish observers for the Horn Reef area.

In the southern bight of the North Sea, the average size of females at first maturity is about 33 centimeters (13 inches) and the average age five years, that is to say a year earlier than in the more northern region. These figures agree with the average size as recorded for the German and Dutch coasts by other observers.

In the western part of the English Channel the average size at first maturity appears to be the same as in the southern bight of the North Sea, but the corresponding age is about a year less, owing to the more rapid rate of growth of the young plaice in the Devon Bays.

---

* Garstang. Report on experiments with Marked Fish during 1902–3. *Internat. Inves. Mar. Biol. Assoc. Report I.* 1902–3 [1905] *Cd.* 2670. There is also much unpublished information on later marking experiments, which confirms these migrations.

In this connection some observations made by a member of our staff on board a steam trawler working in the Barents Sea may be mentioned. These show that the average size at first maturity in that extreme northern region is the same as in the central parts of the North Sea, although the age at first maturity there is higher, presumably owing to the slower rate of growth. (*Journal of the Marine Biological Association, Vol. VIII.*, 1908, *p.* 82.)

These observations are of importance in showing that the regional differences as to size and age of plaice at first maturity are more extensive and numerous than has hitherto been recognised, and are of interest in connection with the hypothesis of the existence of two races of plaice, a northern and a southern one, in the North Sea.

Trawling Investigations.

In addition to the detailed memoirs, dealing with the subjects already referred to, a series of tables is presented, recording the particulars of the trawling stations worked by the "Huxley" in the years 1904–05, with a record of the number of fish captured at each station arranged in groups of 10 centimeter lengths for each species, whilst for the plaice, the measurements of each individual fish are also given. These detailed figures are put forward as a contribution to the general scheme of trawling investigations, which is being carried out by the International Council for the Study of the Sea. As they have already been summarised and discussed, together with similar figures supplied by other countries, extending over the period 1902 to 1907, in the Report of the Convener of Committee B of the International Council, it is not considered useful to deal with them further in this Report. A detailed discussion is better reserved until the figures for a further number of years are available.

II.—HYDROGRAPHICAL INVESTIGATIONS IN THE ENGLISH CHANNEL.

Records of the observations on the salinity and temperature of the waters of the English Channel have been published at regular intervals in the Quarterly Bulletin issued by the International Council for the Study of the Sea. In the present Report the observations made in the years 1904–1905 are all brought together in the form of Tables and Charts, and are subjected to a detailed discussion.

It has been possible to compare the hydrographical conditions during the years under consideration not only with those of the year 1903, which were described in a previous report, but also with the average condition over a number of years, as calculated by the Hydrographical Staff of the International Council. From these comparisons it appears that the year 1903 was abnormal as regards the degree of salinity of the water in the English Channel, the salt Atlantic water having advanced into the Channel to an exceptional extent. Similar conditions were found by foreign observers to obtain during that year in other regions bordering the coasts of the North Atlantic.

In both the years 1904 and 1905 the salinities in the English Channel reached a maximum in the early months of the year, and fell to a minimum in the summer, but the range of salinity was much greater in 1904 than in 1905. In 1904 there was much more horizontal division of the water into layers of different salinity at the western end of the Channel than was the case in 1905. Both the greater range of the salinities and the increased division into layers point to more frequent and rapid movement of the water in 1904 than in 1905.

At the western end of the Channel the presence of the two currents, which were shown to exist in 1903, was again apparent, namely, a current of water of high salinity entering the Channel from the south-west, and a current of low salinity moving southwards from the Irish Channel. In 1904 the low salinity current had a minimum strength in the early months of the year, and a maximum strength in summer. In 1905 both the currents were relatively weak.

I am,

Gentlemen,

Your obedient Servant,

E. J. ALLEN,

Director and Secretary to the Council.

Marine Biological Laboratory,
Plymouth,
31st March, 1909.

REPORT

ON

THE VITALITY OF TRAWL-CAUGHT PLAICE.

BY

J. O. BORLEY, M.A.

Assistant Director of the Lowestoft Laboratory.

With Figures 1-3 in the Text.

CONTENTS.

Page.

I.—Preliminary 3

II.—Method 4

III.—Comparative Vitality of the Two Sexes and of various Sizes 6

IV.—The Effects of Trawling upon Vitality:

A. General 10

B. The Effect of Physical Conditions 12

C. The Effect of the Contents of the Trawl 13

D. The Effects related with the Process of Trawling 14

V.—The Effects of Exposure on Deck upon the Vitality of the Fish:

A. General 15

B. The Effect of Temperature and Sunshine 17

C. The Effect of the Use of Baskets 18

VI.—Actual Chances of Survival 18

VII.—Summary and Conclusion 22

Addendum:

Experiments 29–39 23

Previous Researches on Vitality 25

Appendix A.—Forms used in Recording the Results of the Experiments 27

Appendix B.—Particulars of the Experiments 29

REPORT

ON

THE VITALITY OF TRAWL-CAUGHT PLAICE.

BY

J. O. BORLEY, M.A.

I.—PRELIMINARY.

The protection of young plaice by the imposition of size-limits must take the form either of preventing their capture, or of securing their liberation in a healthy condition after capture. It is possible that certain grounds possess a population of small plaice so nearly free from admixture of more valuable fish (of any species), that an appropriate size-limit would prevent all but a few casual visits of fishing vessels, and afford the desired protection by practically closing the ground. In other cases, however, fishing operations would continue, owing to the presence of other species of fish or of larger plaice. The effective protection would, in these cases, depend on the condition of the plaice which the size-limit excluded from the market, when these were returned to the sea by the fishermen. It is the purpose of the experiments presently to be described, to test this condition in the case of small trawl-caught plaice, with a view to ascertaining, approximately, what proportion of the catch might be expected to survive if returned to the sea, and thus whether any good purpose would be served by so returning them.

The way in which it was designed to make this test will be seen on reading the first of the two forms reproduced in Appendix A. This form was drawn up by Professor Garstang, to whose initiative the general plan of the operations is due; it was used as a guide in the earlier experiments (Experiments 1–4), and although some modifications were introduced as time went on (the second form of Appendix A. being used in the remaining experiments), its directions were observed in all essentials throughout the work.

The first experiment took place in May, 1904. It and its immediate successors were briefly described by Garstang,* and a tabular statement of the results of the first 11 experiments was subsequently drawn up by myself at Professor Garstang's request, and published in the "Summary Report on the Present State of our Knowledge with regard to the Plaice and Plaice-Fishery" of Petersen, Garstang, and Kyle.† This report mentions the vigorous condition of the fish captured by small Dutch and German sailing trawlers, states that "practically all" the fish from Danish vessels are landed alive, and after referring to the reasons furnished by the tables for expecting but a small survival from larger trawlers, expresses the need for more evidence (p. 70).

The information to hand has greatly increased since the publication of the report quoted. Twenty-eight experiments have taken place, involving a total of 16,163 fish, and each experiment consists of several sections, which for many purposes can be treated independently; taking the series as a whole there are 89 sections. The collection of this information is the work of Professor Garstang (Experiment 2), Mr. Todd (Experiment 3), Mr. Atkinson (Experiment 4 and the long series 12–28), Dr. Wallace (Experiments 9–11), and myself (Experiments 1 and 5–8) who carried out the work at sea.

I take this opportunity of expressing my thanks both to the colleagues whom I have mentioned for the arduous sea-work involved in the experiments, and to Professor Garstang, Dr. Allen, Dr. Schuster, and Miss Lee for criticism and advice. To Professor Garstang I owe valuable suggestions throughout the work, and to Miss Lee advice in the section on the comparative vitality of the different sexes and sizes of fish.

* Rapports et Procès-Verbaux, Vol. III., 1905, Appendix H., pp. 15, 16.

† Rapports et Procès-Verbaux, Vol. V I., 1907, Tables XXXVII. and XXXVIII.

II.—METHOD.

All experiments were made on the "Huxley" upon the catches, either of a 43-foot Beam trawl, or of an Otter trawl with an 86-foot headline. The fish to be tested were placed in iron tanks through which a constant circulation of sea-water was kept up, and remained there for a time varying from twenty minutes to four hours.¶ They were then taken out singly, classed as healthy,† moribund, or dead, and were measured and recorded. The distinction made between healthy and moribund fish depends for its value solely upon the judgment of the operator, and of course cannot be said to be absolute. Of the two terms, moribund probably more accurately describes the fish to which it was applied, the term healthy being used for all fish neither dead nor moribund. A fish was considered to be moribund if only capable of such feeble movements as a slight raising of the gill cover; in Experiments 12–28 it was only classed as healthy if it attempted to regain its normal position, when placed with its white side upwards while in the tank—a position to which flat fish apparently greatly object. The time spent in the tanks was not of uniform duration throughout the experiments; partly because it frequently happened that doubt arose as to the class to which a fish belonged, and the stay was extended in the hope of resolving the doubt.

As a rule, some fish were put into the tanks at once on arrival, with a view to testing the injuries, or the freedom from injuries, at the end of the actual operations of trawling and heaving in. After this, batches of fish were put in the tanks at intervals to test their vitality after various periods out of water or under known conditions, until either all were found to be dead or no more remained. Some idea of the maximum vitality has thus been attained. The treatment of each of these batches of fish, although drawn from the same haul, involves independent testing, measuring and recording, and so really constitutes an independent experiment. To avoid confusion, however, the word "experiment" is applied only to the treatment of the whole haul, that of the separate batches being spoken of as sections of the experiment. Until a fish reached the tank, it was, as far as possible, subject to the conditions that would pertain on an ordinary trawler, unless it was placed in special conditions whose effect on it was to be observed: for instance, on one occasion some fish were left in the sun, others shielded from it. The temperature of the air was in each experiment taken with a whirling thermometer, the reading of the black-bulb thermometer was noted, as were also the contents of the trawl other than plaice, the weight of the catch, and other particulars.

The division of plaice into three classes will be seen to yield in any given case two estimates of the chances of survival: one, based on the assumption that all fish not actually dead would recover if liberated, and one based on the proportion of the fish neither dead nor moribund. The first is a maximum estimate, and probably excessive: the second is in the opinion of the observers more nearly accurate. The following table is given to indicate roughly the relation between the proportions of healthy, moribund and dead fish; the 28 experiments have been divided into four sets of seven, taken chronologically, and the percentages of living, moribund and dead expressed to the nearest integer for each set.

TABLE I.—SHOWING the numbers of fish under 25 cm. in length which were tested on hauling and after exposure on deck, and the percentage of these classed as healthy, moribund, and dead.

Experiment.	On hauling.				After one hour or less on deck.				After more than one hour on deck.			
	Percentage Healthy.	Percentage Moribund.	Percentage Dead.	Total No.	Percentage Healthy.	Percentage Moribund.	Percentage Dead.	Total No.	Percentage Healthy.	Percentage Moribund.	Percentage Dead.	Total No.
1 to 7 ...	74	7	19	285	37	8	55	1156	25	5	70	2540
8 to 14 ...	54	29	16	408	5	17	78	881	2	2	96	1738
15 to 21 ...	66	22	12	803	12	11	77	1461	1	5	94	803
22 to 28 ...	32	34	35	1638	2	6	92	2507	0	+	100	834
Grand Total	47	28	25	3134	12	9	79	6005	11	4	85	5915

+ Indicates an inconsiderable percentage.

¶ The method of testing the fish was thus that used by Fulton and Herdman (*vide infra*, p. 45), but the time the fish remained in the tanks was generally longer, and the classification was into three instead of two classes.

† Throughout this paper the term "living" is applied to the healthy together with the moribund.

It will be seen that the percentage moribund decreases rapidly with exposure on deck, except in the first group, where it is almost constant and is small ; by the end of an hour it averages 9 per cent., never being above 17 per cent ; after longer periods it is never over 5 per cent. of the whole. Many of the results of the experiments are so marked that this percentage is quite insufficient to invalidate their character, similar conclusions being reached whether the healthy fish alone or the whole of the fish alive, are considered as survivors. As, however, even a small percentage of the small plaice trawled commercially is of considerable importance from an economic point of view, it may be well to examine the trustworthiness of the determination of " healthy " fish rather more closely.

Examining first the particulars of the observations made upon plaice put into tanks within a few minutes of hauling, Experiments 1-7 will be seen to have a very low percentage of moribund and dead fish. This is probably due to the exceptionally favourable conditions under which these hauls were carried out (see Table 5 p. 11). In the three remaining groups there is some approach to uniformity among the percentages of moribund fish, none of which differ from the average for all the experiments by more than 6 per cent. : further, there is some parallelism between the percentages of moribund and dead fish in the three groups, the group with the most dead fish having also the most moribund, and so on. Turning next to the condition of the fish after exposure for an hour or more on deck, the relatively small increase in the percentage dead in Experiments 1-7, compared with that in the other experiments, confirms the high estimate of the vitality on hauling in the first group. Similarly Experiments 22-28 give further indications of being the most fatal group, as they were judged to be on hauling. The great decline in the percentage classed as moribund, as exposure increases in duration, is a natural result of the depletion of the " healthy " class from which the " moribund " class is recruited.

Thus although the percentages recorded as healthy, moribund, and dead differ to some extent in the four groups of experiments, this appears from internal evidence to be due to actual differences in the hauls, and need not be put down to the use of different standards by different observers. The consistency of the results after exposure with those on hauling point to a substantial correctness of classification.

There is some slight evidence of a tendency to overestimate rather than underestimate the number of healthy fish, but it can hardly be considered conclusive, and certainly points to no very serious errors. The first indication arises in the examination of the effects of exposure. Supposing the estimation of healthy fish to be accurate, the decline in the proportion in any one catch classed as healthy should depend solely on the duration and conditions of exposure, and not at all on trawling conditions. In three Beam and four Otter catches tested after half an hour's exposure this is the case : in five Otter catches tested after an hour on deck it is not. Details of the results referred to will be found on pp. 15, 16. Again injuries inflicted by Medusae appear very difficult to detect at once, (see pp. 13, 14.) The facts thus suggest that some fish which would cease to be vigorous during the second half hour out of water owing to injuries contracted in the trawl have been, in the Otter experiments at any rate, wrongly called healthy. These fish however form but a very small proportion of the whole. Again, in Experiment 20 a few fish were left in the tanks twelve hours, and showed a lower proportion of survivors than those put in with them and tested soon after. The number left in the tanks was however small.

On the whole, it appears to me that we have good grounds for concluding (i) that the personal bias of individual observers does not seriously affect the comparability of the results recorded for these experiments, (ii) that the proportion of fish classed as healthy gives a fairly correct though rough estimate of the numbers that would survive if thrown overboard, and (iii) that this estimate tends to be somewhat too high rather than too low.

It may be well to point out that the observers were accustomed to co-operation in the work of marking and transplanting plaice. In this work the same tanks were used, and there was the same necessity of judging from the behaviour of the fish in the tanks, whether it could be considered sufficiently vigorous and uninjured to have a good chance of survival on liberation ; and co-operation in carrying out such experiments should go far towards producing a common standard of judgment, and eliminating such personal bias as would make the vitality results incomparable.

The experiments were carried out in the spring and summer months (April to August), in which the trawlers most frequent the small fish grounds.

III.—COMPARATIVE VITALITY OF THE TWO SEXES AND OF VARIOUS SIZES.

Before discussing the experimental results it is necessary to decide in what groups the fish are to be considered. Should marked differences in vitality be found between the two sexes or between various sizes the fish would need grouping accordingly, both for the study of these differences and to avoid their confusing the indications of other phenomena.

In studying comparative vitality, the fish treated were, in each sex, first tabulated in 2-cm. groups, viz., 12-13 cm., 14-15 cm., etc. These groups were chosen because their members were numerous enough for study, yet of very nearly uniform length. The proportion of healthy fish of each size-group in each sex in each section of an experiment was then expressed as a fraction whose numerator is the number of fish surviving, and whose denominator is the total number of fish in the group. In Experiment 20, section I., for instance, of 20 female fish in the 14-15 cm. group six survived. This is indicated by the fraction $\frac{6}{20}$. The fractions so formed will for brevity be spoken of as the vitalities of the groups to which they belong. The comparison of vitality of the sexes is simple. The vitality of each 2-cm. male group is divided by the corresponding female vitality *in the same section of the same experiment.* For instance the male vitality of the males of 14-15 cm. of experiment 20, section I. is $\frac{9}{27}$. If $\frac{9}{27}$ is divided by $\frac{6}{20}$ the resulting quotient 1·11 expresses the male vitality relatively to the female. This process has been carried out throughout, with the results shown in the table and curve. (Table 2, Fig. 1.)

TABLE 2.—The vitality of male fish relative to that of female fish of the same size.

Size of Fish (cm.).	12–13	14–15	16–17	18–19	20–21	22–23	24–25	26–27
Average	0·85	1·29	1·08	1·15	1·29	1·15	1·18	0·96
Number of Fish treated ...	651	1214	1094	973	775	727	389	64
Number of comparisons made.	15	21	31	35	31	27	16	4
Probable error of average	0·05	0·04	0·04	0·04	0·03	0·04	0·08	—
Probable error of difference of averages.		0·06	0·06	0·06	0·05	0·05	0·09	

[NOTE.—From these calculations are omitted (1) all groups of less than five fish (as too small to give useful results), and (2) all groups in which none survived, since to include them would have introduced infinite quantities into the results.

Groups in which all survive also present a difficulty, since though treated as having (say) twice the vitality of another group half of whose numbers live, they may, strictly speaking, be in more than twice as good condition. To lessen this defect the experiment of omitting groups in which all survived was tried, and the averages were also weighted to diminish the importance of such cases. No considerable effect being produced, the simple numbers were retained.

This note applies to all similar calculations made in the paper.

The distinction of sex among small plaice is somewhat uncertain except by the aid of dissection, some females being quite possibly recorded as males. Such errors would not occur to any considerable extent among plaice above ca. 15 c.m., though some might occur at smaller sizes. The result of the mistake would be to approximate the apparent male vitality to the female, and hence to make the apparent relative vitality closer to unity than its true value. Supposing the error to affect Table 2 and Curve 1, its correction would thus cause the entries in the table to recede from unity and the curve to become somewhat more convex.

This correction could not, however, greatly affect the values given. The true relative vitality of the males is given by the formula

$$R_n = \frac{r_n - F_n E_n}{1 - E_n}$$

where R_n, r_n, F_n, are respectively the true and apparent relative vitalities and the female vitality of the n group, and E the proportion of the "male" class really females. This, even assuming that a quarter of all the so-called males below 20 cm. were females, only results in the following slightly changed relative vitalities :—

12-13 cm. 0·80 14-15 cm. 1·03 16-17 cm. 1·11 18-19 cm. 1·20]

It will be seen that at 20-21 cm. the male vitality is given as rather over one and a quarter times that of the females, and that on each side of this point it falls off, becoming at 26-27 cm. (though this group is very poorly represented) less than that of the other




FIG. 1.—SHOWING the comparative vitality of the two sexes at the sizes named. The ordinates express the value obtained by dividing the proportion of male fish found to be healthy by the proportion of healthy female fish of the same size.

sex, as it was at the 12-13 cm. group. The probable errors of the differences of the averages seem to justify this general description of the character of the curve.

There is therefore reason for concluding that at 12-13 cm. the female fish are more vigorous than the male, that from this size onward to a length of ca. 20-21 cm. group the increase in vitality of the male is more rapid than in the female, after which it is less rapid, the result being that from 14-15 cm. to 24-25 cm. the male fish are the stronger, but from this size onward it is very possible they are the weaker. It would also appear that the operation of a size limit of 25 cm. or less would protect male plaice in rather more numerous cases than it would benefit the females.

These results agree with the indications of Figures 2 and 3.

The comparison of the vitality at different sizes presents more difficulty. Were the vitalities within each 2 cm. group to be averaged, the result might be vitiated by the presence of certain size-groups (say the large fish) only in hauls whose conditions were more than usually detrimental to the fish ; the average of such group would be unduly depressed. To obviate this, relative vitalities have been substituted for actual ones, in a manner which will be clear from an example. Experiment 20, Section I., females, has the following vitalities :—

Size Group (cm.)	12-13	14-15	16-17	18-19	20-21	22-23	24-25	26-27
Vitality.	$\frac{0}{1}$	$\frac{6}{20}$	$\frac{15}{34}$	$\frac{13}{20}$	$\frac{13}{20}$	$\frac{10}{12}$	$\frac{2}{2}$	$\frac{1}{1}$

Dividing by the vitality at 20-21 cm., and omitting certain groups for reasons already given, we have all vitalities expressed in relation to that at 20-21 cm. We have :—

Size Group (cm.)	14-15	16-17	18-19	20-21	22-23
Vitality relative to that at 20-21 cm.	0·46	0·68	1·00	1·00	1·28

Such relative vitalities I consider comparable with others from other sections and experiments. For however good or bad the conditions of a 2 cm. group, they are the same for the 20-21 cm. group of the same section of the same experiment. Accordingly all such comparisons with this 20-21 cm. group will yield statements of vitality in the same terms, and from which the influence of conditions other than size is eliminated. Relative vitalities furnish, of course, no information as to the absolute chances of survival. The 20-21 cm. group was chosen as a standard because it was present in a greater number of sections than were other groups.

The results of the process are the following Tables and Fig. 2.

TABLE 3.—VITALITY relative to that at 20-21 cm.

MALES.

Size-group (cm.).	12–13	14–15	16–17	18–19	20–21	22–23	24–25	26–27
Average*	0·56	0·71	0·79	0·97	1·00	1·09	1·05	1·07
Number of Fish treated ...	402	648	642	698	404	580	271	100
Number of comparisons made.	12	17	24	27	—	24	12	4
Probable error of Average	0·05	0·04	0·05	0·04	0·00	0·04	0·05	0·04
Probable error of difference of Average.	0·06	0·06	0·06	0·04	0·04	0·06	0·06	

FEMALES.

Average	0·92	0·70	0·87	1·11	1·00	1·32	1·71	1·71
Number of Fish treated ...	514	973	1029	884	639	863	601	335
Number of comparisons made.	14	22	26	28	—	31	23	16
Probable error of Average	0·07	0·04	0·05	0·05	0·00	0·04	0·13	0·04
Probable error of difference of Average.	0·08	0·06	0·05	0·05	0·04	0·14	0·14	




FIG. 2.—Showing the vitality of plaice of various sizes compared with that of plaice of the same sex and 20-21 cm. in length. The ordinates express the values obtained by dividing the proportion at the given sizes found to be healthy by the proportion of healthy of 20-21 cm. length. Males, continuous line; females, broken line.

The vitality of the male fish is seen to rise regularly till the 22–23 cm. group, after which it tends to remain stationary. The female vitality also rises, though the curve is irregular. Its rate of increase is rather more rapid than is that of the male and continues longer; but in the end (24–25 cm.) it shows signs of remaining unaltered. It is just these final groups (22–23, 26–27 cm.) that the probable error of difference of the averages shows to be untrustworthy as evidence of vitality.

As the female averages are uneven another method was also used. Instead of a fixed standard group, in terms of which all vitalities were expressed, the standard became the group 6 cm. smaller. Thus the vitality of the 18–19 cm. group was divided by that of the 12–13 cm. group, and so on, the result giving the vitality relative not, as before, to a fixed standard but to a defined but moving one.

* Adopting the notation of the note p. 6, the true male values in this table are given by—

$$\frac{M_n}{M_{20,21}} = \frac{m_n}{M_{20,21}\,(1-E_n)}\left(1-\frac{1}{r_n}\right),$$

where M_n is the true and m_n the apparent male vitality of the group n. Assuming even that a quarter of all so-called males below 20-21 were females (a most unlikely proportion), the values of the above average become—12-13 cm. 0·53, 16-17 cm. 0·81, 18-19 cm. 1·01. The rest are unaltered. The error, if any, cannot therefore be serious.

TABLE 4.—VITALITY relative to a group of Smaller Fish.

Size (cm.)	Male.*					Female.				
	18–19	20–21	22–23	24–25	26–27	18–19	20–21	22–23	24–25	26–27
	12–13	14–15	16–17	18–19	20–21	12–13	14–15	16–17	18–19	20–21
Average	1·89	1·93	1·81	1·34	1·07	1·65	1·65	1·69	1·63	1·71
Number of fish treated ...	616	648	456	222	100	498	825	624	450	335
Number of comparisons made	15	17	18	10	4	14	20	23	18	16
Probable error of average ...	0·19	0·15	0·19	0·08	0·04	0·07	0·10	0·11	0·10	0·04
Probable error of difference of average	0·24	0·24	0·21	0·09		0·12	0·15	0·15	0·11	




FIG. 3.—SHOWING the vitality of plaice of various sizes compared with that of others of the same sex and smaller size. The ordinates express the values obtained by dividing the proportion at the given sizes, which were found to be healthy, by the proportion of healthy among others of the same sex and 6 cm. smaller. Males, continuous line ; females, broken line.

The curve for the males corroborates in a general way that of Fig. 2. That for the females agrees also until the 26–27 cm. group, up to which its constant rate of increase continues, instead of as in Fig. 2 slackening, though in the two cases in the 28–29 cm. group complete arrest of increase has taken place, the vitality being equal to that of the 22–23 cm. group.

The number of fish represented in these curves (Figs. 2 and 3) is considerable, the indications consistent and, since the 2 cm. groups available for the various methods are not always the same,† one curve is to some extent a check on the other. It seems probable, therefore, that the indications furnished as to change of vitality with size are not accidental ; and as power to resist the effects of trawling and exposure to air is probably in the main a matter of general stamina, the method may be capable of contributing to our knowledge of plaice-biology. It is even possible that the differences of vitality of the two sexes is one of the causes of the marked difference found to exist between the numbers of large male and female plaice trawled in the North Sea.‡ It is to be regretted that no considerable number of large plaice occurred in the catches treated. The clear evidence of a marked diminution of the rate of increase of vigour among the males, and the almost complete absence of such increase among the females, coupled with the fact that the male plaice matures at a smaller size than the females of the same area, suggest that the approach of maturity may be concerned in the changes observed ; but the number of larger fish treated is insufficient to test the suggestion satisfactorily.

* Assuming the same notation as in previous notes, the true value of the male averages, supposing errors to have occurred in sex determination, is given by—

$$\frac{M_l}{M_s} = \frac{m_l}{m_s} \cdot \frac{r_l}{r_s} \cdot \frac{E_s\,(1-r_s) + r_s}{E_l\,(1-r_l) + r}.$$

Where M_l, M_s, m_l, m_s, are the real and apparent male vitalities of the large and of the corresponding small group.

If in all groups below 20 cm. even a quarter of the so-called "males" were females, the values for the males in Table 4 become—18–19 cm., 2·09 ; 20–21 cm., 1·55 ; 22–23 cm., 1·70 ; 24–25 cm., 1·31 ; 26–27 cm., 1·07. Thus the curve is not materially affected by errors made as to sex.

† For example, a section of an experiment is useless for curve 2 if the 20–21 cm. group is absent, but not for curve 3.

‡ Wallace : Age and growth rate of Plaice. Internat. Investigations Mar. Biol. Assoc., Second Report, Southern Area, Part I. (Cd. 3837), 1907, p. 34.

From the consideration of the above results it was decided to deal with the fish of 10–19 cm., 20–24 cm., and 25–29 cm. separately, but not to distinguish sexes, since, for the study of differences of vitality as marked as those from which it would be safe to draw conclusions of any value for the purpose in hand, the error introduced by the preponderance of different sexes in the groups compared would not greatly influence the result. An examination of the distribution of the fish within these groups showed that there was no serious danger of this distribution being other than fairly uniform throughout. The test applied was the comparisons of the medians of each 5 cm. group in each section of an experiment.

IV.—THE EFFECTS OF TRAWLING.

A. General.

The causes of death of fish caught in a trawl fall into two main groups, namely, injuries sustained during capture, and injuries sustained whilst on deck. It is convenient to deal with these separately, and first with the former.

The percentage of fish found healthy on hauling ranges from 100 to 0. The factors that lead to this great difference of result are so many that out of 28 tests it rarely happens that two experiments differ in respect of one only of these factors. It is therefore impossible to assess accurately the influence of each in a simple way, and the following table has been prepared to show at a glance in a general manner what conditions, alone or in combination, make for a high or low mortality.

In preparing this table the hauls of the trawl were first placed in descending order of vitality, *i.e.*, each haul in the array was less fatal than that on its right. Although nothing more than general correctness is claimed for the order given, considerable care was taken to make it as accurate as the material allowed. The percentages of both living and healthy fish were studied in the size-groups given, and where the order indicated by the two groups or by the living and healthy fish differed, the number of fish involved was also taken into account. Below the numbers indicating experiments were added the percentage of fish below 25 cm. found to be vigorous on hauling, and particulars of any accompanying condition, either physical or connected with the nature of the catch, which appeared likely to affect the vitality of the plaice.

TABLE 5.—General synopsis of the conditions of the hauls, the hauls being arranged in descending order of vitality of the fish.

Experiment.	2	1	5	6	10	7	16	17	21	19	26	8	27	23	3	20	14	11	22	18	4	9	25	13	15	24	12	28
10-19 cm. Healthy	100	100	—	—	—	—	89	—	89	76	—	85	80	67	52	**46**	**49**	52	**35**	**32**	—	**40**	**29**	**24**	—	**4**	—	**0**
20-24 cm. Healthy	100	100	100	—	100	—	99	—	71	97	99	81	87	91	—	74	**48**	**40**	79	55	52	**40**	**33**	**12**	**20**	**1**	—	2
Soil	f.s.	f.l.s.	f.s.m. oz.	f.s. oz.	f.s.	s.oz. bl.m.	**s.**	m.s.	**s.**	**s.**	**s.**	s.m.	**s.**	**s.**	f.g.s.	**s.**	**s.c.s.**	f.s.	**s.**	**s.**	f.g.s.	f.s.	**s.**	**s.**	**s.**	**s.**	**s.**	f.s.
Depth (fathoms)	7½	**15-14**	7½-7	6-7½	**15**	7½-9	**17-12**	9-8	**17 14**	**12-12**	**13-13**	7-9	**13-13**	**11-9**	9	**12-12**	**10-12**	**17-13**	**14-13**	9-9	**14-13½**	**13-15**	**13-13**	**16-17**	**12-17**	**12-13**	**14-17**	**13-16**
Sea	m.s.	—	—	—	—	—	m.	—	m.	m.	m.	m.s.	m.	—	—	m.	m.s.	m.	m.	—	—	m.s.	m.	m.	m.	m.	**r.**	—
Sun—Black bulb on Hauling..	N.	g.	g.	**39·4**	None	**56·6**	23·6	**35·8**	18·3	C	26·6	N	**54·5**	**41·9**	**58·9**	15·8	21·6	**54·4**	N.	**41·7**	**G.**	C	**36·4**	23·0	23·5	**45·0**	**32·8**	16·6
Air Temperature °C. (on hauling).	9·4	13·6	6·6	8·3	12·8	**20·6**	12·4	13·5	14·4	Cw.	14·4	4·8	—	**15·3**	**22·1**	11·7	12·6	10·0	14·2	13·9	**25·5**	11·6	**15·3**	13·9	13·3	**15·3**	13·9	13·9
Rain	r.	—	—	—	r.	—	—	—	r.	—	—	—	—	—	—	—	—	—	—	—	—	r.	—	—	—	—	—	—
Spiny fishes	—	**G.**	—	—	**G**W	—	**G.**	R	—	—	—	R	—	**G.**	—	—	**G.**	**G**W.	**G.**	—	WR	**G**W	R	**G.**	**G.**	—	W.	**G**R
Medusæ	—	—	—	—	—	—	—	M	**ACy.**	**A**	—	—	Cy	**A**Cy Ch	**Ch Cy**	A	M	—	A Cy.	**A**	—	—	A	—	—	—	Cy.	Cy.
Other invertebrates	—	Ai., Ar.	**Ar**	—	—	**Ar**	—	P	—	—	Ar	**Ar**	—	—	—	—	—	—	—	—	—	**Ar**	**Ar**	AiCc.	—	**Ar**	—	Ar.
Weight (kg.)	152	83	213	215	65	264	210	ca. 68	84	ca. 75	96	147	76	ca. 77	—	74	95	104	ca. 35	—	ca. 84	140	175	142	**318**	**464**	48	143
Duration of haul (hours) ..	3	3	2·5	2·5	**5**	2·5	**4**	1	3	2	1	2·5	1	2	**4**	2	2	3	2	2	**7**	**5**	3	**4**	**4**	**4**	**5**	**4**
Gear	B.	B.	B.	B.	B.	**O.**	B.	B.	B.	B.	B.	**O.**	B.	B.	**O.**	**O.**	**O.**	**O.**	B.	B.	B.	**O.**	B.	**O.**	**O.**	**O.**	**O.**	**O.**

SOIL: b, black. c, coarse. f, fine. g, grey. l, light. m, mud. oz, ooze. s, sand. SEA: m, moderate. r, rough. s, smooth. SUN: C, cloudy. G, gentle sunshine. N, night haul. Cw, cold wind. SPINY FISHES: g, grey gurnard (*Trigla gurnardus*). R, various rays, principally *Raja clavata*. W, the greater weever (*Trachinus draco*). MEDUSÆ A, *Aurelia* sp. Ch, *Chrysaora* sp. Cy, Cyanea sp. M, various species. OTHER INVERTEBRATES Ai, *Astropecten irregularis*. Ar, *Asterias rubens*. C.c, *Corystes cassivelaunus*. P, Portunus holsatus. Heavy type is used where an abundance of any invertebrate species or over 100 spiny fishes were present. GEAR: B, Beam trawl. O, Otter trawl.

It will be seen that in some cases the heavy type, which denotes the presence in a high degree of the condition signified, is scattered along the line fairly evenly. The vitality of the fish is naturally but little affected by climatic conditions, and accordingly the air temperatures above 15° and Black-bulb temperatures above 30° are distributed practically indiscriminately. The same may also be said of the symbols recording as common or abundant the invertebrates other than Medusæ. In all other cases the heavy type shows some tendency to concentrate towards the right—that is to furnish some reason for regarding the conditions represented as detrimental to the vitality of the fish. Unfortunately, however, this very unanimity of tendency greatly increases the difficulty of studying the effect of each condition. Thus the least fatal hauls are to some extent those made on the finest soil, but they are at the same time mostly hauls made in shallow water ; and considering the immense pressure that the catch must sustain as the great cone-shaped net, with its meshes drawn taut, is drawn upwards through the water in hauling (a process whose duration increases with the depth), it is highly possible that the depth is the really important influence, the fine texture of the soil being merely incidental. Similarly, the Otter trawl appears destructive : yet it must be noticed that the Otter trawl hauls showing low vitality are usually of long duration, and, moreover, many are taken in moderately rough weather, and result in the capture of spiny fishes. The table, however, does give rise to the impression that the worst conditions for the vitality of the catch appear to be the use of the Otter rather than the Beam trawl, the protraction of the haul, and possibly the presence of an abundance of Medusæ and of a heavy catch.

The following analysis may facilitate the examination of the table. The hauls are grouped according to the percentage of the catch which was classed as healthy, hauls in which no test was made on hauling being classed with their neighbours in the table.

TABLE 6.—Arrangement of Table 5 in four grades of vitality.

Probable Percentage healthy.	Size Group.	Total No. of Experiments.	Number of hauls with.										
			Otter.	Duration 4 hours or more.	Moderately rough sea.	Weight over 300 kilograms.	Sand bottom.	Depth over 10 fathoms.	Over 100 Grey Gurnard.	Abundant.			
										Aurelia.	Cyanea.	Chrysaora.	Asterias.
100–75	10–19 c.m.	13	2	2	5	—	5	7	3	2	1	—	3
	20–24 c.m.	14	2	2	5	—	6	8	3	2	—	—	3
74–50	10–19 c.m.	3	2	1	1	1*	1	2	—	1	1	1	—
	20–24 c.m.	5	2	2	2	2*	3	3	—	2	2	1	—
49–25	10–19 c.m.	7	3	2	3	1*	5	6	1	1	—	—	2
	20–24 c.m.	4	3	1	2	—	2	4	1	—	—	—	2
24–0	10–19 c.m.	5	5	5	4	2	4	5	3	—	—	—	1
	20–24 c.m.	5	5	5	4	2	4	5	3	—	—	—	1
Total ...		28	12	10	13	4	15	20	7	4	2	1	6

B. The Effect of Physical Conditions.

The sea, it will be seen, was moderately rough in a greater proportion of hauls in the lowest grade of survival than in the higher grades ; there are, however, many influences detrimental to the fish at work in the hauls of the lowest grade, and among the three higher grades the sea was moderately rough in a fairly constant proportion of hauls. The haul in sea described as rough (Experiment 9) has a low vitality, but it also possesses other features probably detrimental to the fish. The hauls in deep water are especially numerous in the lowest grade, as are those carried out on a "Sand" bottom. As these two conditions are not present in gradually increasing proportion from the highest to the lowest grade of vitality, it is probable that within the narrow limits of depth and soil concerned these conditions do not greatly affect the catch.

* These entries assume that the catches of Experiments 3 and 18, which included great masses of Medusæ, exceeded 300 kilograms in weight.

C. The Effect of the Contents of the Trawl.

Coming next to the contents of the trawl, the same remark may perhaps be applied to the spiny fishes; they are most numerous in the lowest grade hauls, but more numerous in the best than in the intermediate grades, and thus (at least when only from 100 to 300 in number), cannot exert a very marked influence. *Asterias rubens* has obviously no detrimental effect on the fish. Medusæ are absent from the lowest grade, the hauls in which must therefore have been subject to conditions more destructive than abundance of jelly fish. They are present in far greater proportion in the hauls of the second grade of vitality than those of the first, the increase in the proportion of catches containing Medusæ being very much the same as that in the use of the Otter trawl and in the length of haul.

The influence of Medusæ thus needs closer examination. The two hauls in which great masses of Medusæ (Experiments 3 and 18) were present show not only a low initial vitality, but an exceedingly rapid death rate during the first hour on deck. Thus in Experiment 3, all were dead half an hour after hauling, with the exception of two fishes recorded as moribund; in the case of Experiment 18, after one hour 3 per cent. and 4 per cent. of the 10-19 cm. and 20-24 cm. fish were living, and but 2 per cent. of each group vigorous. The great bulk and weight of the jelly fish may, however, have contributed to this result; not only does the substance of the animals envelop the fish, but the net becomes clogged, setting up enormous pressure during the hauling of the trawl, by preventing the escape of water and also by the weight of the mass itself. It is noteworthy that neither catch could be weighed as a whole.

There are experiments more or less free from this complication of excessive mass and weight, though characterised by the presence of Medusæ in considerable quantity. The following table compares hauls in which jelly fish were present with those from which they were absent, hauls succeeded by the same small letter, *a*, *b*, &c., being fairly comparable. The experiments are entered in order of the duration of haul, and an average for the Beam hauls (none of which exceeded three hours in duration), is supplied.

Table 7.—Showing the character of comparable catches with and without Medusæ.

A. With Medusæ.

Experiment.	10–19 cm.		20–24 cm.	
	Percentage Healthy on Hauling.	Percentage Healthy after one hour on Deck.	Percentage Healthy on Hauling.	Percentage Healthy after one hour on Deck.
27 *a* (Beam)	80	0	87	0
19 *b* „	76	11	97	50*
22 *b* „	35	2	79	9
23 *b* „	67	(33)	91	(45)
21 *c* „	89	11	71	32
25 *c* „	29	0	38	0
Average of above	62·7	9·5	77·2	22·7
20 *d* (Otter)	46	7	74	19
28 *e* „	0	(0)	2	(0)

B. Without Medusæ.

26 *a* (Beam)	—	0	99	4
5 *b* „	—	67	100	72
6 *b* „	—	58	—	89
1 *c* „	100	(72)	100	(73)
2 *c* „	100	(75)	100	(96)
Average of above	100	54·4	99·8	66·8
14 *d* (Otter)	49	(2)	48	(9)
13 *e* „	24	(9)	12	(9)

Values in brackets are interpolated from observations before and after one hour on deck.
* Only 12 fish tested.

Perhaps in consequence of the irregularity in the quantity of Medusæ present, as well as in other factors, the results are not uniformly striking, and it is evident that the presence of small quantities of jelly-fish, as in Experiment 20, is not incompatible with a high percentage of the catch being apparently healthy on hauling. Over three-quarters of the 10–19 cm. fish were alive in three out of the six short hauls of the Beam trawl in which jelly-fish were present, and in four out of the same experiments over three-quarters of the larger fish were uninjured. The low percentage of survivors after an hour's exposure proves however that Medusæ materially decrease the number of survivors in any catch in which they occur, and that their destructive effects are shown, when given time to develop, to be far more serious than at first appears.

There is no appearance of different degrees of virulence being associated with the *Aurelia*, *Chrysaora*, and *Cyanea* which made up the greater part of the Medusæ taken.

D. The Effects related with the Process of Trawling.

Dealing lastly with the factors due to trawling, the indications are far more clear. The Otter trawl was used for a far smaller proportion of hauls in the highest grade than in the second, and for a far smaller proportion of those in the third than in the fourth grade: long hauls were far less frequent in the first than in the second grade, far more frequent in the lowest grade than in any other. Thus both Otter trawl and long hauls seem detrimental to the fish: and, though it is impossible from the evidence to separate the effect of each, the smaller proportion of long hauls in the third grade compared with the second constitutes some evidence that it is the Otter trawl that is the more destructive; especially as the third grade, with its short Otter hauls, is nearly free from Medusæ, spiny fish, rough sea, and excessive weight.

Since, however, the comparison of Otter and Beam catches is somewhat important, it will be well to attempt to study it more closely.

Three Beam and three Otter hauls took place in circumstances which permit of their arrangement in pairs whose members differ but little, except in gear used, though in one pair (Experiments 19 and 20) temperature conditions acted unfavourably to the Otter hauls. The first two pairs, being under conditions so nearly identical, give particularly reliable results. The following table shows the percentage of plaice classed as healthy in the catches of these hauls after one hour's exposure on deck.

Table 8.—Comparison of the vitality of Otter and Beam trawl catches.

Size of Fish (cm.).	Percentage Healthy one hour after Hauling.					
Experiment	6.	7.	5.	8.	19.	20.
Gear ...	Beam.	Otter.	Beam.	Otter.	Beam.	Otter.
10–19	58	33	67	28	11	7
20–24	89	17	72	10	50*	19

* Only 12 fish tested. In experiments 19 and 20 the two size groups taken together give Beam 14 per cent., Otter 10 per cent.

The proportion healthy from the Otter hauls is seen to be far lower than from the Beam hauls.

The deadly nature of the Otter trawl probably results from the far greater pressure which must be set up in its net than in the Beam trawl. It is towed slightly faster than the Beam, the average speed for the Beam hauls in these experiments being 2·16 knots per hour, that of the Otter being 2·56 knots per hour. The increase in speed however by no means represents the increase of pressure. The spread of the Otter net can probably be put down quite safely at 60 feet, against the 43 feet of the Beam, and the headline forming the upper margin of the net's opening, instead of having a fixed position a very few feet above the bottom, as has the actual beam of the Beam trawl, arches up to a height which though variable must be very considerable. Thus the intake of the Otter trawl is far greater than that of the Beam, and as, unlike the latter, the Otter

depends on its movement for keeping it at work, the ship's engines have to be used far more vigorously in Otter trawling. The "Huxley" when using the Beam and Otter trawl works her engines at about 40-50 and 80-86 revolutions per minute respectively when towing with the tide, and 58-60 and as many as 96 respectively when towing against the tide. With the enormous difference of pressure which must exist in the two nets when in use, it is but natural that the condition of the catches should differ markedly. The chafed appearance so common in Otter-caught fish, especially round fish, would alone be eloquent of the violent action of this net.

It is also to be expected that prolonged pressure would prove detrimental to the fish ; and the following comparison of fairly comparable hauls bears out the provisional conclusion to that effect already reached.

TABLE 9.—COMPARISON of the vitality in short and long hauls.

Size of Fish (cm).	Percentage Healthy on Hauling.			
Gear	Beam.		Otter.	
Experiment	22	27	9	11
Time	2 hours.	1 hour.	5 hours.	3 hours.
10–19	35	80	40	52
20–24	79	87	40	40

The shorter Beam haul has a greater percentage of vigorous fish than the longer, especially in the 10-19 cm. group. The vitality of the smaller group is lower in the long than in the short Otter haul also ; and though an equal percentage of the larger group was vigorous in Experiments 9 and 11, the total percentage alive was 77 in the five hour haul and 83 in that of three hours duration.

It does not seem possible to isolate the effect of weight on the catch. None of the catches are of great weight except, in all probability, Experiments 3 and 18, where great masses of jelly-fish filled the trawl. If we regard these two catches as weighing over 300 kgr., hauls of this considerable weight are present in the second grade of vitality in almost the same proportion as in the last, and more prevalent than in the third grade. It is, moreover, as impossible to separate weight-effect from the effect of long Otter hauls in the last grade as from the presence of jelly-fish in Experiments 3 and 18. Thus, although the view of Garstang* as to the fatal character of a heavy catch is inherently probable, the present experiments have nothing decisive to add in its support.

Summing up the results of the present section, it may be said that, among the conditions prevailing in the experiments, the influences found most detrimental to the fish are the use of the Otter trawl, the prolongation of the haul, and the presence in quantity of Medusæ.

V.—EXPOSURE ON DECK.

A. GENERAL.

Supposing a number of fish put into sea water immediately after hauling to be a fair sample of the whole, it is possible to study the effect of exposure on their vitality : for if, for example, 50 per cent. of the fish tested at once are found to be alive, and 25 per cent. of another batch tested later are alive, it may be concluded that half the fish alive on reaching the deck have died in the interval between the tests. The study of fish remaining out of the tanks is complicated by the fact that (as has been shown in the section on Medusæ), the mortality on deck is partly due to injuries received in the trawl. The following tables, which are intended to aid in a general search for the conditions most detrimental to the fish when on deck, therefore include entries of the trawling factors already found to be most destructive.

An example may make more clear the way in which the change of condition during exposure has been estimated. In Experiment 25, Section 1, 29 per cent. of the small

* Rapports et Procès verbaux, Vol. III, 1905, App. H, p. 5.

fish tested on hauling were classed as healthy, and 37 per cent. as moribund. Hence there were 66 per cent. alive. In the same experiment, Section 2, 7 per cent. of the fish tested half an hour after hauling were healthy and 32 per cent. living. Since 7 is 24·2 per cent. of 29, the percentage remaining healthy through half an hour's exposure, is entered in Table 10 as 24. Similarly, since 32 is 48·5 per cent. of 66, the percentage remaining alive is entered as 48.

TABLE 10.—SHOWING the percentage of the fish below 20 cm. in length and alive on hauling which survived half an hour's exposure on deck under various conditions.

Experiment.	Percentage.		Sun, Black Bulb Thermometer °C.	Air Temperature °C.	Sea.	Medusæ.	Weight (Kilogrammes).	Duration of Haul. (Hours.)	Gear.
	Healthy.	Living.							
16	82	74	23·6	12·4	Moderate	Gy.	210	4	B.
25	24	48	36·4	15·3	„	Few	175	3	„
27	0	0	54·5	—	„	„	76	1	„
28*	—	13	16·6	13·9	Smooth	„	143	4	O.
24	25	13	45·0	15·3	Moderate	None	464	4	„
11	17	33	54·4	10·0	„	„	104	3	„
14	6	67	21·6	12·6	„	Few	95	2	„

Gy., Grey Gurnard, common.
* None healthy on hauling; 1 per cent. of batch tested after an hour, healthy.

Among the three Beam trawl hauls there is no evidence that length of haul, or weight of catch exerted any influence on the fish surviving actual trawling. The best condition shown is that of the haul without Medusæ. The most striking feature is the regular decline of vitality with rise of temperature and increase of sunshine.

Among the four Otter trawl hauls there is no evidence of moderate sea or weight of catch influencing the fish after hauling. The one haul with Medusæ is in the worst condition. There is less evidence of the destructive effects of strong sun than among the Beam experiments, possibly owing to the Medusæ of Experiment 14, and there is less correspondence between the vital scale and temperature. The interesting feature of the Otter experiments is, however, the appearance of relation between percentage living (not remaining healthy) through a half-hour's exposure and the length of haul. The descending order of Otter experiments in respect of the percentage living is 14, 11, 24, 28, which is the ascending order of duration of haul. The Otter experiments thus contrast sharply with the Beam experiments, since the latter furnish no indication that the mortality on deck was due to other causes than exposure. The number of hauls with either gear is however too small to do more than suggest.

Table 11 shows similarly the effects of an hour's exposure.

TABLE 11.—SHOWING the percentage of fish below 20 cm. healthy and alive on hauling, which survived an hour's exposure on deck under various conditions.

Experiment.	Percentage.		Sun, Black Bulb °C.	Air Temperature °C.	Sea.	Medusæ.	Weight (Kilogrammes).	Duration of Haul (Hours.)	Gear.
	Healthy.	Living.							
6	(59)	(93)	39·4	8·3	Smooth	None	215	2·5	B.
5	67	72	Gentle	6·6	„	„	213	2·5	„
19	14	23	Cloudy	Cold wind.	Moderate	Fairly abundant.	75*	2	„
21	12	20	18·3	14·4	„	Abundant	84	3	„
22	6	9	Night	14·2	„	Few	Small	2	„
18	6	4	41·7	13·9	Moderately smooth.	Abundant	Great	2	„
16	0	5	23·6	12·4	Moderate	None	210	4	„
25	0	0	36·4	15·3	„	Several	175	3	„
8	33	57	None	4·8	Moderately smooth.	None	147	2·5	O.
7	(33)	(36)	56·6	20·6	Smooth	„	264	2·5	„
20	15	39	15·8	11·7	Moderate	Few	74	2	„
9	2	2	Cloudy	11·6	Moderately smooth.	None	140	5	„
24	0	1	45·0	15·3	Moderate	„	464	4	„

Percentages in brackets are percentages of the whole section tested after an hour, no fish having been tested on hauling.
* Weight of fish only.

It is difficult to interpret the position of the various Beam experiments in the scale of vitality. On the whole those showing the worst condition took place in warmer air, and the worst two were made upon fish from hauls of longer duration than the rest. Neither correspondence to temperature nor to duration of haul is however at all close ; and none of the other conditions seem to have had any obvious effect.

The vitality in the Otter experiments shows marked dependence on only one condition, namely, duration of haul. As in Table 10, the vitality of the fish from longer hauls is lower than that from shorter hauls. Thus, in spite of the presence of some Medusæ, Experiment 20 is higher in the vital scale than Experiment 9, which is a longer haul made under similar climatic conditions, and lower than Experiment 7 which, though free from Medusæ, has a slightly heavier catch and was carried out at a far higher temperature and under a far hotter sun. It thus appears that the fish dying on deck from injuries received in the trawl are sufficiently numerous to mask any effects of heat and sun, which thus need specially controlled tests, carried out upon fish from the same catch, for their estimation. The effects of duration of haul are also obvious, and since they affect not only the living (which include those recognisably moribund), but the vigorous, it is probable that in these experiments at all events the vigour of the fish was somewhat over-estimated on hauling. In Table 10 the percentage remaining vigorous is quite unaffected by the length of haul. Hence such evidence as the table furnishes suggests that mistaken classification has only occurred in the case of a few fish, which cease to be vigorous during the second half hour on deck—a very small proportion of those tested.

Before passing to the special experiments mentioned, the remarkable length of time which plaice survived, when in certain experiments the conditions were exceptionally favourable to them, seems worthy of mention. In Experiments 2 and 5, an appreciable percentage of fish were found to be healthy after exposure of 7 hours 50 minutes and 12 hours respectively. In Experiment 2 the fish were kept moist by rain and spray, but in Experiment 5 this was not so. The fish were from short hauls, but the long survival was probably due to the exposure occurring during the night : the effects of the sun (and incidentally of high temperature) were thus avoided.

B.—The Effect of Temperature and Sunshine.

Although on hauling the vitality of fish caught on hot and sunny days was not necessarily low, it might be expected that its decline would be rapid as the fish lay on the deck. In Experiment 6 two attempts were made to test the effect of a bright sun directly, two batches of fish being left in the sun, two in the shade. The difference of conditions was, owing to the ship's motion, not complete, but it was nearly so. The following table expresses the results of the test :—

Table 12.—Showing the effect of sunshine and heat on the vitality of the catch.

Exposure on deck ...	2 hours.		2 hours.		3 hours.		3 hours.	
Temperature of air ...	11·1° C.		11·1° C.		17·8° C.		17·8° C.	
Black bulb thermometer	41·9° C.		In shade.		51·8° C.		In shade.	
Length of fish (cm.)	Percentage healthy.	Total Number.	Percentage healthy.	Total Number.	Percentage healthy.	Total Number.	Percentage healthy.	Number.
10–19	70	132	85	150	32	68	11	174
20–24	82	45	98	54	23	43	24	50
25–29	100	11	100	12	9	22	100	1

It will be seen that, during the first two hours exposure, the great majority of the fish in each group were still alive, but among the fish below 25 cm. in length the mortality in the sun was fully twice as great as in the shade. After three hours exposure, on the other hand, the great majority of these fish were dead in each group, and the proportion of survivors was actually greater among the fish in the sun than among those in the shade. The condition of the protected and unprotected fish of larger size was identical in the first test ; the numbers dealt with were, however, very small. In the second test (after three hours on deck) scarcity of fish quite prevents useful comparison.

In view of the general increase in the air temperature, which had taken place while the fish were exposed, (from 8·3° at the beginning of the experiments to 17·8° in the third hour) it seems probable that after two hours exposure the relative effects of sunshine and shade had ceased to be distinguishable, in consequence of the more rapid mortality induced by the increased drying power of the atmosphere. Probably the degree of heat, within the limits usually experienced, exerts its chief effect on the fish as one of the factors determining the rate of desiccation. Wind, rain spray, even the quantity of fish and the rolling of the ship, however, also play their part in accelerating or retarding desiccation, and in the rest of the experiments it is impossible to isolate the effects of the sunshine and heat from those of the other factors.

C.—The Effect of the Use of Baskets.

The fish were usually left, while on the deck, just as they fell, or else thrown in a low heap. In Experiment 2, after a night haul, at 1.30 a.m. the effect of putting them in a basket was tried at Dr. Petersen's suggestion, as it seemed possible that if kept moist in this way the fish might have a better chance of life. On examination next morning practically all the fish were dead, as were those on the deck. A few of the most promising were put into the tanks. The results were unequivocal, and were diametrically opposite to the expectation. A renewed trial was made in Experiment 5, under more rigorous conditions, with the same result.

Table 13.—Comparing the vitality of fish kept in a basket with those on the deck.

Exposure.	One hour on deck.		One hour in basket.		Two hours twenty minutes on deck.		Two hours twenty minutes in basket.		Three hours on deck.		Three hours in basket.	
Length of fish.	Percentage Healthy.	Total Number.	Percentage Healthy.	Total Number.	Percentage Healthy.	Total Number.	Percentage Healthy.	Total Number.	Percentage Healthy.	Total Number.	Percentage Healthy.	Total Number.
10–19 cm. ...	67	82	33	172	58	108	11	94	25	119	1	224
20–24 cm. ...	72	36	43	35	77	48	26	34	63	44	0	45
25–29 cm. ...	100	3	64	25	86	7	29	7	67	3	0	2

The vitality of fish kept in a basket in Experiment 11 was also low; but in this case there was no control experiment on deck.

Several causes might be conjectured for this fatal effect of the basket: the weight of the fish on top may keep the gill covers of those below closed, so hastening asphyxiation; and again there is no possibility of a lively fish near the bottom working his way to the top and the fresh air, a frequent occurrence among the fish lying in a heap on deck, owing to the flapping and wriggling of the more lively fish.

VI.—ACTUAL CHANCES OF SURVIVAL.

The previous sections have been devoted to attempts at detecting the influences most and least prejudicial to the fish, and to their comparison with each other. They are therefore unsuitable for the purpose of finding what was the general condition of the fish from any given haul at a certain time.

An attempt has, therefore, been made to put the results into a form bearing directly on the economic question of chances of survival under trade conditions.

For this purpose neither the vitality on hauling nor the utmost length of time a few fish survive are of moment; the latter being insignificant and the former irrelevant, since the men would doubtless first attend to the duties of their trade, and only afterwards throw or shovel overboard the small fish, which would in the meantime have been left on the decks with the "rubbish." The time occupied by these duties would of course vary greatly with the quantity of fish caught, the nature of it and of the rubbish, and the occurrence or non-occurrence of accidents to the net. The very least it can be placed at, as an average, is I think one hour. The accompanying table accordingly states for the groups, which a size-limit of 25 cm. (10 inches) would affect, the percentage alive or healthy one hour after hauling, in each experiment. The interpolated numbers tend rather towards over- than under-estimation of the vitality of the fish, since in calculating them it is assumed that in exposures of more than one hour in which the survival is nil,

the last fish alive died just as the period of exposure came to an and. The percentage of living (or of the healthy) fish is, in these calculations assumed to decline at a uniform rate.

TABLE 14.—SHOWING condition of the fish after one hour on deck.

Gear.	Duration of Haul.	Experiment.	Percentage Healthy after One hour's Exposure.		Percentage Alive after One hour's Exposure.	
			10–19 cm.	20–24 cm.	10–19 cm.	20–24 cm.
B.	1	17	(0)	(16)	(25)	(72)
	1	26	0	4	1	4
	1	27	0	0	0	0
	2	18	2	2	3	4
	2	19	11	50	23	75
	2	22	2	9	5	15
	2	23	(33)	(45)	(39)	(47)
	2·5	5	67	72	72	83
	2·5	6	59	89	93	100
	3	1	(72)	(73)	(72)	(74)
	3	2	(75)	(96)	(81)	(96)
	3	21	11	32	20	41
	3	25	0	0	0	3
	4	16	0	8	5	18
	5	10	(38)	(43)	(40)	(65)
	7	4	5	3	5	7
O.	2	14	(2)	(9)	(47)	(70)
	2	20	7	19	27	42
	2·5	7	33	17	36	32
	2·5	8	28	10	53	61
	3	11	(6)	(7)	(15)	(13)
	4	3	0	0	0	0
	4	13	(9)	(9)	(13)	(9)
	4	15	0*	0	0*	0
	4	24	0	0	1	2
	4	28	(0)	0	2	4
	5	9	1	0	1	2
	5	12	0†	0†	20†	35†

* Ten fish only tested.
† After 40 minutes. Only 5 fish below 20 cm. tested.

The following analysis of the table may be of service.

TABLE 15.—SHOWING the number of hauls in which stated percentages of the catch survived one hour on deck.

Grades of Survival.	Beam.				Otter.			
	10–19 cm.		20–24 cm.		10–19 cm.		20–24 cm.	
	Healthy.	Alive.	Healthy.	Alive.	Healthy.	Alive.	Healthy.	Alive.
0–24 per cent.	10	9	8	7	10	8	12	7
25–49 „	2	3	3	2	2	3*	—	3
50–74 „	3	2	3	3	—	1	—	2
75–100 „	1	2	2	4	—	—	—	—
Total Number of Experiments...	16	16	16	16	12	12	12	12

* Including Experiment 12.

Thus in the Otter experiments a quarter of the fish survived the hour's exposure in at most five cases out of twelve, while a quarter were apparently vigorous in only two short hauls, made under very favourable circumstances. After the same period on deck, a quarter of the Beam-trawl catches lived and were vigorous in half the experiments in the case of the larger fish, and in a rather smaller proportion in the case of the smaller fish.

An attempt has also been made at estimating the time elapsing before half the fish cease to be healthy and before half are dead. Table 16 states these intervals to the nearest quarter of an hour, interpolated results being bracketed. B. indicates that less than 50 per cent. were living (or healthy) on hauling, H. that this proportion was found on hauling.

TABLE 16.—SHOWING the time elapsing before the percentage healthy or living falls to half of the whole.

Gear.	Duration of Haul. (Hours.)	Experiment.	Hour's Exposure leaving 50 per cent. Healthy.		Hour's Exposure leaving 50 per cent. Alive.	
			10–19 cm.	20–24 cm.	10–19 cm.	20–24 cm.
Beam	1	17	(B)	(B)*	(H)	(1½)
	1	26	(½)	(½)	(½)	(½)
	1	27	(¼)	(¼)	(¼)	(¼)
	2	18	B	(H)	(½)	(½)
	2	19	(½)	1	(¾)	(1¼)
	2	22	B	(½)	H	(½)
	2	23	(½)	(1)	(½)	(1)
	2·5	5	(1½)	(1¾)	(1¾)	(3)
	2·5	6††	(2½)	(2½)	(2¾)	(2¾)
	3	1	(1½)	(1½)	(1½)	(1¾)
	3	2	(3)	(4½)	(3½)	(4½)
	3	21	(½)	(½)	(¾)	(¾)
	3	25	B	B	(¼)	(¾)
	4	16	(¾)	(¾)	(¾)	(¾)
	5	10	(¾)	(1¼)	(¾)	(1½)
	7	4	B	H	B	(¼)
Otter	2	14	B†	B‡	(1)	(1½)
	2	20	B	(½)	(½)	(¾)
	2·5	7	(½)	(B)	(½)	(½)
	2·5	8	(½)	(½)	(1)	(1¼)
	3	11	H	B	(¼)	(¼)
	4	3	H	H	H	H
	4	13	B	B	H	B
	4	15	B§	B	(H)	(½)
	4	24	B	B	(¼)	(¼)
	4	28	B	B	B	(¼)
	5	9	B	B	H	(¼)
	5	12	—‖	—‖	—¶	—¶

* 8 fish tested. † 49 per cent. healthy on hauling. ‡ 48 per cent. healthy on hauling. § 7 fish tested.
‖ None healthy after 40 minutes exposure. ¶ Less than 40 minutes exposure.
†† Percentages calculated from sections 2–5.

The results of this Table are summarised in Table 17.

TABLE 17.—SHOWING the number of hauls in which 50 per cent. of the small plaice survived after stated periods of exposure.

Limits of Exposure.	Beam.				Otter.			
	10–19 cm.		20–24 cm.		10–19 cm.		20–24 cm.	
	Fifty per cent. Healthy.	Fifty per cent. Alive.	Fifty per cent. Healthy.	Fifty per cent. Alive.	Fifty per cent. Healthy.	Fifty per cent. Alive.	Fifty per cent. Healthy.	Fifty per cent. Alive.
Survival precluded. ...	5	1	2	0	7	1	8	1
Limit 0–½ hour	5	7	6	6	5*	9*	4*	8*
„ ¾–1 „	2	4	3	3	—	2	—	1
„ 1¼–2 hours	2	2	3	4	—	—	—	2
„ 2¼–3 „	2	1	1	2	—	—	—	—
„ 3½–4	—	1	—	—	—	—	—	—
„ 4¼–5 „	—	—	1	1	—	—	—	—
Total No. of hauls ...	16	16	16	16	12	12	12	12

* Including Experiment 12.

Thus, in the Otter trawl experiments, 50 per cent. even of the larger fish survived an exposure of more than an hour's duration in only two out of twelve experiments, while in not one case were 50 per cent. considered healthy, after more than half an hour's exposure. Half an hour is the maximum exposure survived by half the fish (even the larger fish) from any haul of more than 3 hours duration, and this is reached in but one case (Experiment 15), or possibly, with the dubious inclusion of Experiment 12, in two. In three-quarters of the Otter hauls half the smaller fish were dead on hauling.

The fish caught in the Beam trawl survived longer. In almost exactly a quarter of the total number of experiments half the fish were classed as healthy after more than an hour on deck, the remaining hauls including all those (three in number) in which the trawl was down for more than three hours, and the eight hauls in which Medusæ were present in the catch. The number of hauls in which 50 per cent. were alive after over an hour's exposure also forms a quarter of the total number in the case of the 10-19 cm. fish, and about a half (namely, 7 out of 16) in the case of the larger fish. Lastly, the hauls in which half the fish were dead after a maximum exposure of half an hour form half of the experiments in the case of the smaller group, and rather less than half in the case of the 20-24 cm. fish. The proportion in which, after the same period, half the fish were healthy is of course smaller.

In only three of the sixteen Beam hauls did 50 per cent. of either size group live for two hours on deck. These (Numbers 2, 5, and 6) were short hauls on a sandy bottom in less than eight fathoms, with a smooth or but slightly broken sea in the relatively cool months of April and May.

These results, based as has been said on observations on over 16,000 fish derived from 28 hauls of the trawl made under varied conditions, constitute a mass of evidence which tells with great weight against the possibility of saving more than a very small proportion of the small plaice caught by commercial trawlers, as long as trawling on the small plaice grounds is commercially profitable under the regulations in force at the time.

In this connection it may be pointed out, that these experiments have been carried out under conditions of trawling in several respects more favourable to the fish caught than those under which trawling on the small plaice grounds is usually prosecuted. Fine weather has been selected as far as possible, and the weight of the catch has been usually considerably less than the weight which would satisfy a commercial trawler. Fine weather is essential to experiments of this kind, since it is necessary to avoid the artificial injury of the fish in the testing tanks, which would result from any violent movements of the ship ; but commercial trawling can be carried on in much rougher weather than was encountered during these experiments.

The length of the twelve Otter hauls described approximates to those usual with steam trawlers on the Eastern Grounds. Only two of the series exceeded four hours duration, while four were less than three hours. The usual length of haul made is from three to four hours. The " Huxley's " operations, however, differed from those of an ordinary fishing vessel, in that they were not confined to places where the densest accumulations of fish were found. The hauls made with the Beam trawl were of much less duration than is customary with this gear in commercial practice. A smack usually keeps her net down for an entire tide, *i.e.*, six hours ; of the Beam trawl hauls at present treated only three exceeded three hours in time. It will be noticed that in Experiment 4, where the net was down for seven hours, the condition of the fish closely resembles that found in the experiments with the Otter trawl.

The differences in length of haul may counterbalance the greater liability to injury, which fish possibly undergo in a Beam trawl, when worked and hauled from a steamer like the " Huxley ", as compared with the conditions on board a sailing smack. To this difference may be added the difference between the ground ropes in the two cases. The smack frequently uses a much heavier ground rope (often provided with chains and dangles) than that of the " Huxley's " Beam trawl, thus increasing the probability of obtaining a heavy catch.

Although the moderately rough seas prevailing in certain of the experiments now described do not seem to have markedly depreciated the condition of the catch, all familiar with the details of trawling operations will agree that the mortality of the small fish directly caused by the weight of the catch or (which is in some respects the same thing) by a long haul, is in all probability considerably increased by a very rough sea. The prolongation of the process of heaving in the net, the succession of violent and sudden pressures to which the catch is subjected as the rolling of the vessel alternately augments and relaxes the tension of the net, and finally the violent impact of the whole cod-end against the side or rail of the vessel cannot fail to be detrimental to the fish.

VII.—SUMMARY AND CONCLUSION.

Reviewing the work done, it will be seen that the fish from 28 hauls have been subjected to a test designed to ascertain what proportion of them would survive if returned to the sea. Of these hauls, 16 were carried out with the commercial Beam trawl, 12 with the commercial Otter trawl, all being made from a steam trawler. The test applied consisted in placing a number of the fish, not selected in any way, into tanks of circulating sea-water, leaving them there for a time, then examining them individually, and recording them as healthy, moribund, or dead. The success of this method depended firstly on the time spent in the tanks being sufficient to revive exhausted fish and allow of hidden injuries becoming apparent in others, and secondly on the judgment of the observer. The observers have co-operated so long in work of a similar nature to the tests of vitality, that their estimates may be assumed to be closely comparable; and their classification of the fish throughout the experiments presents internal evidence of being substantially correct.

From the above considerations and from the consistency of the results attained, the method used seems capable of yielding trustworthy information as to the effective protection any given system of size-limits could be expected to afford to the small fish actually captured in trawls. It could, however, only do so when applied to a sufficient number of hauls, in circumstances representative of the fishing on the ground concerned, both as to gear and duration. For this reason, if for no other, it is desirable that further work by the present (or other suitable) method should be carried out. Should work on present lines be continued, experience suggests that the hauls would be most instructive if conducted under similar conditions in sets of two or three at least, that the number of hauls necessary to efficiently represent given circumstances might be ascertained; and that fish be put into the tanks at fixed intervals of time and left as long as possible. The adoption of fixed intervals of exposure would remove many of the difficulties in the examination of the results obtained.

Already, however, certain conclusions may be said to be established.

The Otter trawl has been shown to be far more destructive than the Beam, and long hauls to be more unfavourable to the fish than short ones. The proportion of fish below 25 cm. in length which would be returned to the sea in a vigorous condition from commercial trawlers would be very variable, but generally extremely small. In the hauls actually made with the Otter trawl it very rarely reached 25 per cent., and in most cases was below 10 per cent. of the whole.

The fish caught with the Beam trawl were in far better condition, and in short hauls under favourable conditions half or even three-quarters of the catch survived. The deleterious effect of prolonging the haul appears less marked than in the case of the Otter haul, but the point has not yet been sufficiently tested.

The conditions most unfavourable to the fish are thus the use of the Otter trawl, the prolongation of the haul, the presence of Medusæ, and the prevalence of hot sunshine and high temperature while the fish are on deck. Fish kept in baskets quickly perish. Great weight of catch and great depth seem likely to depreciate the vitality of the catch, but the present experiments cast no light on their effect.

Lastly, the method seems capable of assisting in the study of the comparative extent to which fish of different sexes and various sizes can resist rough usage, and of demonstrating that this power increases at different rates in the two sexes. As this power of resistance to the accidents of trawling is very probably an expression of general stamina, vitality experiments may yield biological results of value, especially if extended to the larger fish. The evidence so far gathered favours the conclusion that the vigour of male fish increases with size until about 21 cm. length is attained, and that a slackening of increase then occurs, which is not immediately shared by the female. The evidence fails, however, to show whether, or at what rate, the male fish resume this increase of strength, and also whether or at what size, slackening or arrest occurs in the female.

Settlement of these points and the refutation or establishment of the above indications must be the result of future work.

ADDENDUM.

Experiments 29–38.

Since this Report was written, ten additional experiments have been made on the s.s. "Huxley," in four of which the Otter trawl was used, the Beam trawl being employed in the remainder. The condition of 3,407 plaice was examined in the course of these experiments, 1,335 of the fish being below 20 cm. in length.

The chief object of these experiments was the testing of the previous classification of the fish. Since the time the plaice were left in sea-water had been seldom recorded, and was usually but a few hours, it was obviously impossible to decide whether the "healthy" fish included any considerable number really suffering from internal injuries whose effects had not developed, and whether any of the "moribund" would recover if given a longer time to revive. I am indebted to my colleague, Mr. Todd, for carrying out the work at sea. The procedure which he adopted was as follows :—The fish were placed in the tanks as in previous work, but instead of one examination, resulting in a classification into living, moribund and dead, they were examined repeatedly, at each examination the dead being removed and the living remaining in the water for a further test ; in the end all remaining fish were removed and classified, but these fish had been in the tanks for a very considerable length of time. Since the experiments were designed to examine the validity of previous classification, and not to test the effects of exposure, most of the batches entered the tanks as soon as they arrived on deck, and among these the longest test lasted $55\frac{3}{4}$ hours, the shortest 10 hours, while the average test took 30 hours. To ascertain the total number of plaice tested in one of these experiments it was only necessary to add to the number tested at the end, the number of those previously removed ; while the number living at the time of any given observation was found by subtracting from this total the total number which, up to and including the time in question, had been taken out dead. Thus, taking for example the 10–19 cm. fish of Exp. 31, 7 fish were removed dead 7 hours after capture, 5 more after 12 hours, while after 21 hours all were classified, when 18 were found to be alive and 13 dead. In this case, therefore, the total number tested was 43, of which 31 were alive 12 hours after capture.

The first noteworthy result obtained is the complete elimination of the "moribund" fish by the longer tests. Those which were obviously feeble at first either died, or possibly in a few cases recovered, and in consequence one is relieved of any doubt as to their condition. If, as I think is generally the case, the continual passage of sea-water obviates any ill effects arising from the presence of dead fish, this gives the longer tests a great advantage over the shorter. It is impossible to say how long elapsed in any case before the feeble fish were eliminated.

The next result has been to show very clearly that many fish succumb to their injuries many hours after hauling, though it is impossible of course to say whether these were apparently healthy or not on hauling. In Experiment 36, plaice caught with the Beam trawl died after 22 hours in the tanks, and in other experiments after 20 hours (Experiment 37), 3 hours (Experiment 33), 34 hours (Experiment 35) and after 9, 12, 7 and 4 in the case of those caught by the Otter trawl (Experiments 30, 31, 32 and 29). Nor does this mortality appear to be due to the confined quarters of the tanks : for although towards the end of the longer tests the number of fish in the tanks was very small, deaths still occurred.

Putting together the continued mortality and the final absence of moribund fish, it becomes obvious that in Experiments 1–28 the plaice classed as healthy more truly represent the survivors than do the living, and it is at least very likely that even estimates of survival based on the healthy are excessive.

Unfortunately the method followed furnishes no direct evidence as to whether some of the healthy class were in reality suffering from some internal injury which would ultimately prove fatal. The only evidence bearing on the point is indirect, consisting of the comparison of the estimates of healthy in Experiments 1–28 with those of living at the end of the tests in Experiments 29–38, in comparable experiments, and it is very meagre. The most nearly comparable experiments are Experiments 16 and 34 : and in Experiment 16 the percentages of the two size groups classed as healthy were respectively 23 per cent. and 10 per cent. greater than those classed as living after a longer test in Experiment 34. Again if the mean of the five and seven hour hauls, Experiments 4 and 10, be compared with the six hours haul Experiment 35, the healthy in the former form a greater proportion of the catch than do the living in the latter ; although the weight of the catch is greater in Experiment 35, it cannot be called very great, and probably does not account for the difference. Lastly such evidence as one can gather from the comparison

of Experiments 3, 22, 28 with 30, 31, 36, 37, points in the same direction: though from the fact that these catches included *Medusae*, whose quantity and time of entering the trawl would influence the result, no great weight can be attached to this comparison. Such as the evidence is, it evidently favours the conclusion that some of the so-called healthy fish would not ultimately survive.

As has been said it was not found that after a time no further deaths occurred. Thus no time was ascertained which could be stated to be of duration generally sufficient for a test. It is, however, evident that a test of 20 hours avoids a considerable amount of error, and in the case of the 20–24 cm. group was practically sufficient in the two Beam trawl Experiments 36 and 37.

The material does not warrant any conclusions as to differences in the numbers of fish injured internally in hauls of various gear or duration.

The chances of survival, had the fish been returned to the sea after capture in commercial trawling, are only indicated in the Otter trawl Experiment 32, in which none survived an hour's exposure, and the Beam trawl Experiments 33, 34, 36, in none of which more than 1 per cent. of the 10–19 cm. group survived the same period on deck.

Without going into a detailed examination of the other indications of Experiments 29–38, it may be said that examination of Tables 18–20 shows that the conclusions of Experiments 1–28 are in the main corroborated.

TABLE 18.—SHOWING the conditions of the experiments 29–38 the hauls being arranged in descending order of vitality.

Experiment.	36	35	37	34	38	31	30	29	33	32
Percentage alive after ca. 20 hrs., 10–19 cm.	(100)	(80)	67	66	60*	**(45)**	**(39)**	**(17)**	**(14)**	**(0)**
Percentage alive after ca. 20 hrs., 20–24 cm.	98	(87)	87	89	92*	(58)	—	**(33)**	(52)	**(5)**
Soil	**s.**	**s.**	**s.**	fs.	**s.**	**c.s.,fs.**	**ds.,sh.**	**s., sh.**	fs., s.	fs.
Depth	10	10	10	10	10	8–10½	7–8	**16–14½**	9½–9	10½–9½
Sea	m.	—	m.	m.	r.	—	some rolling.	some rolling.	—	—
Sun—Black bulb on hauling	**49·5**	C.	**39·9**	N.	C.	C.	—	C.	**55·8**	25·3
Air temperature °C. (on hauling)	**16·8**	13·2	**16·8**	**15·1**	**15·8**	—	—	—	**17·9**	14·3
Medusæ	M.	—	M.	—	M.	**Ch.**	Ch.	—	**M.**	**Ch.**
Weight (kg.)	61+	219+	79+	178+	169+	80+	—	—	222++	171+
Duration of haul (hours)	2	**6**	2	**4**	**4**	**4**	**4**	**6**	**6**	**6**
Gear	B.	B.	B.	B.	B.	**O.**	O.	**O.**	B.	**O.**

* At 15 hours.
The symbols are those of Table 5.

In Table 18 the hauls are placed in descending order of percentage of survivors among those placed in the tanks on hauling, as nearly as I can judge that percentage to have been 20 hours afterwards; and it will be seen that there is the same gravitation of the long Otter hauls, of the Otter hauls as a whole, and the hauls containing the *Medusae* towards the lower grades of survival, that has been already noted. There is also the same lack of convincing evidence of deleterious effects resulting from prolonging a Beam trawl haul, from a rough sea, or from a moderate increase in the weight of the catch.

The estimates of relative vitality of different sexes and sizes already arrived at from the study of Experiments 1-28 are supported by the results of the later work, as closely as the smaller number of fish dealt with in the latter would lead one to expect.

TABLE 19.—SHOWING the vitality of male plaice relative to that of female fish of same size.

Size of Fish (cm.).	12–13	14–15	16–17	18–19	20–21	22–23	24–25	26–27
Average, experiments 1–28	0·85	1·29	1·08	1·15	1·29	1·15	1·18	0·96
„ „ 29–38	0·66	1·33	0·93	1·17	1·27	1·41	1·12	—
Number of comparisons, experiments 1–28	15	21	31	35	31	27	16	4
„ „ „ 29–38	1	5	11	13	13	10	4	—

Thus in Table 19 the vitality of the males was, according to each series of experiments, at first lower than that of the females, then with increase of size was greater, and among larger fish approached equality with it ; and the maximum excess of the male vitality over that of the females occurs at 20-21 cm. in one table and 22-23 c.m. in the other. Some of the corresponding entries in the two tables are remarkably close.

TABLE 20.—SHOWING the vitality of plaice of various sizes relative to that at 20-21 cm.

MALES.

Size Group (cm.).	12–13	14–15	16–17	18–19	20–21	22–23	24–25	26–27
Average, experiments 1–28	0·56	0·71	0·79	0·97	1·00	1·09	1·05	1·07
„ „ 29–38	—	0·69	0·78	1·04	1·00	1·85	1·38	—
Number of comparisons, experiments 1–28	12	17	24	27	—	24	12	4
„ „ „ 29–38	—	6	10	10	—	11	5	—

FEMALES.

Size Group.	12–13	14–15	16–17	18–19	20–21	22–23	24–25	26–27
Average, experiments 1–28	0·92	0·70	0·87	1·11	1·00	1·32	1·71	1·71
„ „ 29–38	—	0·68	0·91	0·89	1·00	1·30	1·61	1·73
Number of comparisons, experiments 1–28	14	22	26	28	—	31	23	16
„ „ „ 29–38	—	11	14	16	—	13	7	2

Similarly in Table 20 it will be seen that in each set of experiments the vitality of female plaice from 14–15 cm. upwards increases constantly in size until 24–25 cm. is reached, the entries for 26–27 closely approximating, while among the male fish the increase of vigor reaches a maximum at 22–23 cm., subsequently declining. Both these tables have been constructed in precisely the same way as Tables 2 and 3 : no comparison has been made in which any group of less than five fish was involved, and no fish is used for more than one comparison.

PREVIOUS RESEARCHES ON VITALITY.

The following mention of other enquiries into the vitality of plaice may be of service.

Fulton* in a first account of his vitality observations epitomised the previous observations of M'Intosh, made in 1884. In hauls of from five to seven hours the plaice were usually all alive : in shorter hauls all were alive. He also found that hauls on muddy bottoms, and long hauls, were more destructive than shorter hauls or hauls on clean sand. Fulton then gives particulars of a four hour haul from the "Garland," in which only four plaice were dead out of a total of 173. He however expresses the opinion that in commercial fishing, which was then carried out with the Beam trawl, most of the small fish would perish. Finally, he mentions the opinions of M. M. Giard and Roussin that even the shrimp trawl is responsible for the destruction of great quantities of small fish.

In a longer paper† dealing with most of the edible species, observations on many more fish were recorded. The determinations were carried out on the "Garland" by Mr. T. Scott. The fish were in most cases classed as living or dead when they reached the deck, without a test in sea-water ; some however were a few minutes after arrival put in tubs through which a constant circulation of sea water was kept up, and kept there for thirty or forty minutes. No plaice died in the tubs; some fish classed as dead when they were put in failed to revive. Although the conditions of the hauls as to depth, duration and sea bottom was purposely varied, only an inconsiderable proportion of the plaice were dead on hauling, namely 0·12 per cent. of all sizes and 0·18 per cent. of the immature. This result at first sight appears contradictory to those I have obtained. I do not think however that it is so. The "Garland" was a small ship, working a Beam trawl only 25 feet in beam. The conditions were thus more favourable to the fish than in the "Huxley" hauls and even

* The capture of Immature fish. Eighth Report of Scottish Fishery Board, 1890, Part III., pp. 183–187.

† The Capture and Destruction of Immature Sea-fish. Ninth Annual Report of the Scottish Fishery Board, 1891, Part III., pp. 203–206.

in these the whole catch of a Beam trawl sometimes survived. To this, more than to the fact that later experiments have shown the half-hour test insufficient, I am inclined to ascribe the difference: it must however, be remembered that on the "Garland" no attempt was made to put all the fish in sea water, even for a short time. Duration of haul affected the vitality of most species caught very markedly, but the difference recorded for plaice from long and short hauls is very slight (Cf. pp. 15–17). Fulton also examined fish caught by shrimp trawl, with similar results, all fish being alive after a short haul, even on the muddy bottoms he considers so injurious, and all from even longer hauls on clean sand.

Herdman* in 1893 conducted experiments on plaice caught by the "John Fell," and gives the numbers surviving in 25 cases, a Shrimp trawl being used in 13 cases and a Beam trawl in 12. The test was similar to that already described, the fish remaining in the tanks from half an hour to (in one case) seven hours, but usually for less than two hours. Out of 393 plaice 81 per cent. were considered to have recovered. Only one of the hauls dealt with lasted more than two hours, and Professor Herdman considers, probably with justice, that the longer hauls usual in commercial fishing would have killed more fish. He ascribes the lowest rates of survival occurring to the presence of exceptional quantities of "rubbish" in the net.

Since the present paper was written, von Reitzenstein has also reported on the same subject.† The experiments described were carried out, some on the s.s. "Poseidon," which uses an Otter trawl, some on sailing cutters. The method of testing the fish was similar to that followed on the "Garland," but only two classes of fish were recognised; as the "living" fish consisted of those which at the conclusion of the experiment exhibited vigorous body movements and respiratory movements, and as they were thought suitable for marking experiments, it is evident that they corresponded with the "healthy" fish of the present report. The fish were first sorted into the dead and those showing signs of life, the latter only being placed in the tanks (or in the case of the cutters into the well) and remaining for four hours. They do not seem, in any of the experiments, to have remained on the deck for a longer time than this sorting rendered necessary.

A great difference was found between the condition of the fish in the two series of experiments. Combining all those carried out on the s.s. "Poseidon" von Reitzenstein finds that only 2·4 per cent. of what he terms "untermassigen Schollen," namely those below 18 cm. in length, were alive at the conclusion of the tests; of the same class of fish captured by sailing boats 35·4 per cent. survived. The corresponding percentages for the 10–19 cm. group are 3·3 per cent. and 40 per cent. This difference he ascribes in part to the length of haul being far greater in the case of the "Poseidon," in part to the gear she employs being heavier than that of the cutters. About half the "Poseidon" hauls exceeded seven hours in duration, whilst five of the seven hauls from cutters did not exceed two hours. The difference between the length of haul in the Otter trawl experiments of the "Huxley" and "Poseidon" probably largely accounts also for the difference in the estimates of vitality in the two series of experiments. Von Reitzenstein's conclusions as to the greater vigour of large plaice and as to the effect of prolonging the haul agree with those arrived at in this report. He ascribes the fatal nature of a long haul in part to the prevalence of sharp shell fragments in the stomach contents of plaice.

Lastly, Masterman,‡ in a memorandum on the vitality of trawled plaice, expresses the opinion that the fish sustain comparatively little injury while the net is being dragged along the bottom, the fatal operation being the hauling up and inboard of the trawl. He made some observations bearing on the point, which he rightly considers inconclusive. While agreeing that the hauling in is responsible for many injuries, it will be seen (pp. 14–17) that I do not think the dragging of the net along the bottom unattended by serious consequences to the plaice, the Otter being in this respect far more destructive than the Beam trawl.

---

* Lancashire Sea Fisheries, Superintendent's Report, 31st July, 1893.

† Untersuchungen uber die Lebensfahigkeit der mit Grundschleppnetz gefangen Schollen, Die Beteiligung Deutschlands an der Internationalen Meeresforschung, Jahresbericht iv/v, 1908.

‡ Memorandum on the vitality of trawl-caught fish. Cons. perm. internat. Publication de circonstance, No. 42, 1908.

APPENDIX A.

Forms used for recording the results of the vitality Experiments.

FORM USED IN EXPERIMENTS 1–4.

EXPERIMENTS ON THE VITALITY OF TRAWL-CAUGHT FISH.

Name of Species.....

Vessel.....

Kind of Trawl... .....

.....

Locality .....

....

Depth .....

Date..... .....

Duration of Haul.....hrs.....mins. (Should be between 3 and 5 hrs.)

Length of Fishes	Total Caught.	I. Immediately after Hauling.				II. After exposure of hrs. min.				III. After exposure of hrs. min.			
		Healthy.	Moribund.	Dead.	Total.	Healthy.	Moribund.	Dead.	Total.	Healthy.	Moribund.	Dead.	Total.
10–19													
20–24													
25–29													
30+													
Totals													

REMARKS :—

Was the deck dry or wet with spray, &c. ?

Were the small fish in a heap or scattered ?

Nature of Ground.....

....

Sea..... .....

Sunshine.....

Rain or snow. .....

Air Temp.....

Chief kinds of Fish Caught.....

....

.....

....

Weight of Total Catch (all species).....kilo.

I.—The object of this experiment is to determine what proportion of the fishes are injured *during the actual process of trawling*. A sufficient number of fishes of different sizes should, therefore, be placed in tanks of circulating water *immediately* after opening the cod end.

II.—The object of this experiment is to determine the *minimum mortality* of the small fishes, after they have been exposed on deck to conditions similar to those prevailing on a commercial trawler. The marketable fishes should therefore be removed from the heap and sorted before any experimental work is done. In these experiments, however, plaice and soles below 25 cm. in length should be treated as unmarketable.

III.—The object of this experiment is to determine the *maximum vitality* of the fishes after prolonged exposure on deck (*e.g.*, 3 to 6 hours). The duration of the exposure must be left to the discretion of the observer.

FORM USED IN EXPERIMENTS 5–28.

Since the healthy fish were those considered likely to survive if returned to the sea, they were frequently spoken of as the living, which word is used instead of healthy in this form. No change of classification was intended, and none occurred.

EXPERIMENTS ON THE VITALITY OF TRAWL-CAUGHT FISH.

Species..... ..... Experiment No.....

Vessel.	Voyage.	Station.	Date.	Locality.	Kind of Trawl.

Duration of Haul.	Total Weight of Catch (all Species).	Depth		Sea.	Nature of Ground.	Air Temperature.	Sunshine and Black-bulb Temperature.	Rain or Snow.
		Shot.	Hauled.					
			Fms.					
hrs. mins.	kgr. lbs.		Mrs.					

CHIEF SPECIES CAUGHT (FISH AND INVERTEBRATES).

Length of fish (cm.).	Total caught.	1.				2.				3.				4.				5.				6.			
		Healthy.	Moribund.	Dead.	Total.	Healthy.	Moribund.	Dead.	Total.	Healthy.	Moribund.	Dead.	Total.	Healthy.	Moribund.	Dead.	Total.	Healthy.	Moribund.	Dead.	Total.	Healthy.	Moribund.	Dead.	Total.
10–19																									
20–24																									
25–29																									
30+																									
Grand Total																									
Percentages ...																									

REMARKS :—

APPENDIX B.

Particulars of the Experiments.

EXPERIMENT 1.

Date, 15/iv/04. Locality, Off Haaks Light-vessel. Beam trawl. Duration of haul, 3 hours. Total weight of catch, 83½ kilogrammes or 183½ lbs. Depth, 14-15 fathoms or 26-27 metres. Soil, fine light sand. Time of hauling, 10 a.m. Sea, smooth. Air temperature, 13·6°. Sunshine, continuous, but not hot. Rate of towing, 2⅝ miles per hour. Chief species caught, plaice, grey gurnard (112), dabs. *Asterias rubens* and *Astropecten irregularis*, very common.

Remarks :—The plaice were sorted into baskets in groups of less than 10 inches and over 10 inches, on a wet deck. The baskets were then upset, the plaice forming a low heap on a dry part of the deck.

In sections 1 and 2 the fish remained half an hour in the tanks. In section 3 they were left in the tanks 2 hours.

Section		1.							2.							3.						
Length of Fish (cm.).		Immediately after hauling.							After exposure of 14 minutes.							After exposure of 3 hours.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	9	100	—	—	—	—	9	31	100	—	—	—	—	31	—	—	—	—	51	100	51
	F.	7		—		—		7	10		—		—		10	—		—		23		23
20–24	M.	33	100	—	—	—	—	33	46	96·3	3	3·7	—	—	49	—	—	2	5·4	50	94·6	52
	F.	22		—		—		22	33		—		—		33	—		3		37		40
25–29	M.	23	100	—	—	—	—	23	22	97·3	—	2·8	—	—	22	—	—	4	11·4	15	88·7	19
	F.	19		—		—		19	13		1		—		14	—		1		24		25
30+	M.	5	100	—	—	—	—	5	—	100	—	—	—	—	—	—	—	—	20·0	—	80·0	—
	F.	2		—		—		2	2		—		—		2	—		1		4		5
Grand Total.	M.	70	100	—	—	—	—	70	99	98·9	3	1·1	—	—	102	—	—	6	5·1	116	94·9	122
	F.	50		—		—		50	58		1		—		59	—		5		88		93

EXPERIMENT 2.

Date, 21–22/v/04. Locality, Sylt Inner. Beam trawl. Duration of haul, 3 hours. Total weight of catch, 152 kilogrammes or 334 lbs. Depth, 7½ fathoms or 14 metres. Soil, fine sand. Time of hauling, 1.30 a.m. Sea, slightly broken, no heavy swell but some rolling. Air temperature, 9·4°. Sunshine, none. Rate of towing, 2 miles per hour. Chief species caught, plaice and dabs almost entirely ; thornback rays (2).

Remarks :—The fish were in a low heap where they received some shaking, but were frequently wetted by showers of rain and some spray.

The plaice in section 4 were taken from the top of a basketful. The remainder were apparently in worse condition.

Section		1.							2.							3.						
Length of Fish (cm.)		After selecting 198 marketable Fish.							After exposure of 1 hour 20 minutes.							After exposure of 7 hours 50 minutes.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	7	100	—	—	—	—	7	21	66·7	2	4·8	6	28·6	29	1	1·5	—	—	62	98·5	63
	F.	6		—		—		6	7		—		6		13	—		—		32		32
20–24	M.	14	100	—	—	—	—	14	25	94·9	—	—	1	5·1	26	3	4·7	—	—	41	95·3	44
	F.	8		—		—		8	12		—		1		13	—		—		20		20
25–29	M.	11	100	—	—	—	—	11	—	100	—	—	—	—	—	—	—	—	—	2	100	2
	F.	6		—		—		6	1		—		—		1	—		—		4		4
30+	M.	5	100	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	6		—		—		6	—		—		—		—	—		—		—		—
Grand Total.	M.	37	100	—	—	—	—	37	46	80·5	2	2·4	7	17·1	55	4	2·5	—	—	105	97·5	109
	F.	26		—		—		26	20		—		7		27	—		—		56		56

EXPERIMENT 2—*continued.*

Section		4.							5.						
Length of Fish (cm.)		After exposure of 7 hours 50 minutes in basket.							After exposure all night scattered on deck.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No	Per cent.	No
10-19	M.	—	—	—	—	—	—	—	—	—	—	—	13	100	13
	F.	—		—		—		—	—		—		6		6
20-24	M.	—	—	—	—	—	—	—	—	—	—	—	23	100	23
	F.	—		—		—		—	—		—		6		6
25-29	M.	2	33·3	2	33·3	1	33·3	5	—	—	—	—	3	100	3
	F.	--		—		1		1	—		—		1		1
30+	M.	—	—	—	—	2	100	2	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—
Grand Total.	M.	2	25·0	2	25·0	3	50·0	7	—	—	—	—	39	100	39
	F.	—		—		1		1	—		—		13		13

EXPERIMENT 3.

Date, 3/viii/04. Locality, Off Ymuiden. Otter trawl. Duration of haul, 4 hours. Total weight of fish, ca. 35 kilogrammes or 77 lbs. Depth, 9 fathoms or 16 metres. Soil, fine grey sand. Time of hauling, 10.30 a.m. Sea, smooth. Air temperature, 22·1°. Sunshine, 58·9° of black bulb thermometer. Rate of towing, 2½ miles per hour. Chief species caught, plaice, greater weevers, 43 ; grey gurnard, 4 ; latchet, 4 ; and great mass of jelly-fish (*Chrysaora* and *Cyanea*).

Remarks :—The medusæ may have injured the fish by their stings and their weight, and also by clogging the meshes of the net, thus increasing the pressure on the fish during the towing and hauling.

Section		1.							2.							3.						
Length of Fish (cm.).		Immediately after hauling.							After exposure of 10 minutes.							After exposure of 20 minutes.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10-19	M.	23	52·5	3	5·2	18	42·3	44	7	17·9	2	6·0	29	76 1	38	—	—	1	1·4	74	98·6	75
	F.	18		1		15		34	5		2		22		29	—		1		65		66
20-24	M.	3	57·1	—	28·6	—	14·3	3	—	—	—	—	1	100	1	—	—	—	—	4	100	4
	F.	1		2		1		4	—		—		—		—	—		—		7		7
25-29	M.	—	100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	100	—
	F.	1		—		—		1	—		—		—		—	—		—		1		1
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—	—		—		—		—
Grand Total.	M.	26	53·5	3	7·0	18	39·5	47	7	17·7	2	5·8	30	76·5	39	—	—	1	1·3	78	98·7	79
	F.	20		3		16		39	5		2		22		29	—		1		73		74

EXPERIMENT 4.

Date, 22/viii/04. Locality, Broad Fourteens. Beam trawl. Duration of haul, 7 hours. Total weight of catch, ca. 84 kilogrammes or 186 lbs. Depth, 13½-14 fathoms or 24-26 metres. Soil, fine grey sand. Time of hauling, 10.30 a.m. Sea, calm with slight swell. Air temperature, 25·5°. Sunshine, gentle, but continuous. Rate of towing, 2½ miles per hour. Chief species caught, plaice, greater weevers (half a basket), thornback ray (3).

Remarks :—The deck was dry on hauling. The plaice lay about on deck within the area bounded by the pound-boards, and as they had been stirred about in packing up other fish.

Section 1 consists of fish put in the tank after selecting 48 marketable fish.

Length of Fish (cm.).	Section	1. Immediately after hauling.							2. After exposure of 1 hour.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	—	25·0	—	—	1	75·0	1	1	5·3	—	—	14	94·7	15
	F.	1		—		2		3	—		—		4		4
20–24	M.	19	52·4	10	20·6	7	27·0	36	3	3·4	5	3·4	111	93·2	119
	F.	14		3		10		27	4		2		83		89
25–29	M.	—	16·7	4	66·7	1	16·7	5	2	18·8	—	6·3	6	75·0	8
	F.	1		—		—		1	1		1		6		8
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—
Grand Total	M.	19	48·0	14	23·2	9	28·8	42	6	4·5	5	3·2	131	92·2	142
	F.	16		3		12		31	5		3		93		101

EXPERIMENT 5.

Date, 10/iv/06. Locality, Off Graa Deep Fairway. Beam trawl. Duration of haul, 2·5 hours. Total weight of catch, 213 kilogrammes or 468 lbs. Depth, 7½–7 fathoms or 14–13 metres. Soil, fine sand, mud, and fine sand and ooze. Time of hauling, 6.5 p.m. Sea, smooth. Air temperature on hauling. 6·6°. Sunshine, sunset. Rate of towing, 2½ miles per hour. Chief species caught, almost entirely plaice ; few small dabs ; two baskets of invertebrates, weighing 52 kilogrammes, and mainly consisting of *Asterias rubens*.

Remarks :—Attempts were made in this experiment to ascertain the effect of keeping the fish in a basket. The fish were sorted into plaice and other species, the plaice of over and under 10 inches were thrown into baskets, and those which were to be simply exposed on deck were then tipped out on a dry part of the deck. The sorting took place in the pound, through which the sea water from the tanks was flowing, and lasted 35 minutes.

Section 3 consists of the top half of a basket. Since the remainder in the basket seemed in even worse condition, the injurious effects of the storage of plaice in a basket is very clearly shown.

Most of the batches remained in the tanks half an hour, but Sections 6 and 7 remained 12 hours.

The sun, though on hauling too feeble to affect the black bulb thermometer, shone vigorously next morning, and Sections 8 and 9 were put into the tanks when the black bulb showed 37·7° and 39·4° respectively, while the air temperature, which in Sections 4 and 5 had sunk to 5·0° and was even lower in the night, rose 6·6° in Section 8, and 10° in Section 9.

Length of Fish (cm.).	Section	1. Immediately on hauling.							2. After 1 hour in low heap on deck.							3. After 1 hour in basket.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total
		No.	Per cent.	No.	Per cent.	No.	Per cent	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M	2	100	—	—	—	—	2	22	67·1	2	4·9	11	28·1	35	27	33·2	7	5·2	55	61·6	89
	F.	—		—		—		—	33		2		12		47	30		2		51		83
20–24	M.	11	100	—	—	—	—	11	9	72·2	2	11·1	2	16·7	13	6	42·8	3	20·0	1	37·1	10
	F.	14		—		—		14	17		2		4		23	9		4		12		25
25–29	M.	6	100	—	—	—	—	6	1	100	—	—	—	—	1	5	64·0	1	16·0	—	20·0	6
	F.	8		—		—		8	2		—		—		2	11		3		5		19
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	100	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—	1		—		—		1
Grand Total.	M.	19	100·0	—	—	—	—	19	32	69·4	4	6·6	13	23·9	49	38	38·0	11	8·6	56	53·2	105
	F.	22		—		—		22	52		4		16		72	51		9		68		128

EXPERIMENT 5—*continued.*

Section		4. After 2 hours 20 minutes in basket.							5. After 2 hours 20 minutes in low heap on deck.							6. After 3 hours in basket.						
Length of Fish (cm.).		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	2	10·6	—	5·3	36	84·1	38	19	58·3	4	13·0	9	28·7	32	2	0·9	1	0·5	71	98·6	74
	F.	8		5		43		56	44		10		22		76	—		—		150		150
20–24	M.	4	26·5	—	8·8	6	64·6	10	7	77·1	—	12·5	—	10·4	7	—	--	—	—	14	100	14
	F.	5		3		16		24	30		6		5		41	—		—		31		31
25–29	M.	—	28·6	—	57·1	—	14·3	—	3	85·8	—	—	—	14·2	3	—	—	—	—	—	100	—
	F.	2		4		1		7	3		—		1		4	—		—		2		2
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—	—		—		—		—
Grand Total.	M.	6	15·6	—	8·9	42	75·5	48	29	65·0	4	12·3	9	22·7	42	2	0·7	1	0·4	85	98·7	88
	F.	15		12		60		87	77		16		28		121	—		—		183		183

Section		7. After 3 hours on deck.							8. After 12 hours on deck. (6 p.m.–6 a.m.).							9. After 14 hours 40 minutes on deck. (6 p.m.–8.40 a.m.).						
Length of Fish (cm.).		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent,	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	17	25·2	7	14·3	42	60·5	66	2	4·5	1	0·9	66	94·6	69	—	—	—	1·0	59	99·0	59
	F.	13		10		30		53	3		—		38		41	—		1		48		49
20–24	M.	15	63·5	2	11·4	4	25·0	21	1	8·1	—	10·8	18	81·1	19	—	—	4	14·9	12	85·1	16
	F.	13		3		7		23	2		4		12		18	—		3		28		31
25–29	M.	2	66·7	—	33·3	—	—	2	—	20·0	—	—	1	80·0	1	—	—	—	—	2	100	2
	F.	—		1		—		1	1		—		3		4	—		—		1		1
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—	—		—		—		—
Grand Total.	M.	34	36·1	9	13·8	46	50·0	89	3	5·9	1	3·3	85	90·8	89	—	—	4	5·1	73	95·0	77
	F.	26		14		37		77	6		4		53		63	—		4		77		81

EXPERIMENT 6.

Date, 11/iv/06. Locality, Off Graa Deep Fairway. Beam trawl. Duration of haul, 2·5 hours. Total weight of catch, 215 kilogrammes or 473 lbs. Depth, 6–7½ fathoms or 11–14 metres. Soil, fine sand ; sand and ooze. Time of hauling, 7·38 a.m. Sea, smooth. Air temperature on hauling, 8·3°. Sunshine on hauling, 39·4°, black-bulb thermometer. Rate of towing, 2½ miles per hour. Chief species caught, all plaice but few dabs and a thornback ray. Practically no invertebrates.

Remarks :—Attempts were made in this experiment to test the effect of sun on the fish. Although in the main successful, the motion of sun and vessel made complete separation of shaded fish from those placed in the sun impossible.

The following temperatures prevailed when the fish were placed in the tanks :—

Sections.	Air Temperatures.	Black-bulb Thermometer.
1	9·4°	40·5°
2 & 3	11·1°	41·9°
4 & 5	17·8°	51·8°
6	19·4°	56·6°

Section		1. After 1 hour on deck partly in sun.							2. After 2 hours on deck mainly in sun.							3. After 2 hours on deck mainly in shade.						
Length of Fish cm.).		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	35	58·9	23	34·6	4	7·5	62	46	70·0	10	9·8	15	20·3	71	70	85·0	5	7·3	6	8·0	81
	F.	27		14		4		45	46		3		12		61	57		6		6		69
20–24	M.	19	89·1	1	10·9	—	—	20	16	82·0	2	11·1	—	6·9	18	29	98·0	—	2·0	—	—	29
	F.	30		5		—		35	21		3		3		27	24		1		—		25
25–29	M.	2	80·0	—	—	—	20·0	2	1	100·0	—	—	—	—	1	1	100·0	—	—	—	—	1
	F.	2		—		1		3	10		—		—		10	11		—		—		11
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—	—		—		—		—
Grand Total.	M.	60	68·9	24	25·8	4	5·4	84	63	74·4	12	9·6	15	15·8	90	100	88·9	5	5·6	6	5·6	111
	F.	59		19		5		83	77		6		15		98	92		7		6		105

EXPERIMENT 6—*continued.*

Length of Fish (cm.).	Section	4. After 3 hours on deck mainly in shade.							5. After 3 hours on deck mainly in sun.							6. After 5 hours on deck mostly in sun but many shaded.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	9	11·0	5	8·6	72	80·4	86	8	32·0	—	5·9	20	61·8	28	—	1·6	—	—	62	98·4	62
	F.	10		10		68		88	14		4		22		40	2		—		59		61
20–24	M.	4	24·0	3	18·0	11	58·0	18	6	23·0	1	14·0	7	62·9	14	—	—	—	—	20	100·0	20
	F.	8		6		18		32	4		5		20		29	—		—		37		37
25–29	M.	—	100·0	—	—	—	—	—	—	9·0	—	—	4	91·0	4	—	—	—	—	7	100·0	7
	F.	1		—		—		1	2		—		16		18	—		—		10		10
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	100·0	1
	F.	—		—		—		—	—		—		—		—	—		—		2		2
Grand Total.	M.	13	14·2	8	10·7	83	75·2	104	14	25·6	1	7·5	31	66·2	46	—	1·0	—	—	90	99·0	90
	F.	19		16		86		121	20		9		58		87	2		—		108		110

EXPERIMENT 7.

Date, 11/iv/06. Locality, Off Graa Deep Fairway. Otter trawl. Duration of haul, 2·5 hours. Total weight of catch, 264½ kilogrammes or 581½ lbs. Depth, 7½-9 fathoms or 14-16 metres. Soil, sand, ooze and sand, and black mud. Time of hauling 11 a.m. Sea, smooth. Air temperature on hauling, 20·6°. Sunshine on hauling, 56·6°, black bulb thermometer. Rate of towing, 3½ miles per hour. Chief species caught, plaice almost entirely, 41 kilogrammes of invertebrates, mainly *Asterias rubens.*

Remarks :—The fish remained where they fell from the cod end, covering an area about half as large again as the pound. The deck was dry on hauling.

In the two hours during which section 2 were on deck the air temperature fell to 19·5°.

Length of Fish (cm.).	Section	1. After 1 hour on deck in low heap.							2. After 2 hours on deck in low heap.						
		Living.		Moribund.		Dead.		Total.	Living.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	15	32·7	1	3·5	19	63·8	35	1	1·0	—	—	54	99·0	55
	F.	4		1		18		23	—		—		42		42
20–24	M.	2	17·1	2	14·6	11	68·3	15	—	—	—	1·2	36	98·8	36
	F.	5		4		17		26	—		1		38		39
25–29	M.	1	14·3	2	21·4	8	64·3	11	—	—	—	—	1	100	1
	F.	3		4		10		17	—		—		9		9
30+	M.	—	—	—	25·0	1	75·0	1	—	—	—	—	—	—	—
	F.	—		1		2		3	—		—		—		—
Grand Total	M.	18	22·9	5	11·4	39	65·6	62	1	0·5	—	0·5	91	98–9	92
	F.	12		10		47		69	—		1		89		90

EXPERIMENT 8.

Date, 17/iv/06. Locality, Off Graa Deep Fairway. Otter trawl. Duration of haul, 2·5 hours. Total weight of catch, 147 kilogrammes or 325½ lbs. Depth, 7–9 fathoms or 13–16 metres. Soil, sand and mud. Time of hauling, 9 p.m. Sea, moderately smooth. Air temperature, 4·8° Sunshine, none. Rate of towing, 2½ miles per hour. Chief species caught, plaice, few dabs, 5 thornback rays, and 1 skate, 50 kilogrammes of invertebrates, mainly *Asterias rubens*.

Length of Fish (cm.).	Section	1. Put in tanks at once on hauling.							2. Put in tanks after 1 hour's exposure on deck in a heap.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	20	84·6	2	7·7	—	7·7	22	8	27·8	3	25·0	6	47·2	17
	F.	13		1		3		17	2		6		11		19
20–24	M.	24	80·9	6	17·5	—	1·6	30	—	9·7	7	51·6	4	38·7	11
	F.	27		5		1		33	3		9		8		20
25–29	M.	9	78·8	3	15·1	—	6·1	12	1	20·0	3	66·7	—	13·3	4
	F.	17		2		2		21	2		7		2		11
30+	M.	1	50·0	—	50·0	—	—	1	—	—	—	—	—	—	—
	F.	—		1		—		1	—		—		—		—
Grand Total	M.	54	81·1	11	14·6	—	4·4	65	9	19·5	13	42·7	10	37·8	32
	F.	57		9		6		72	7		22		21		50

Length of Fish (cm.).	Section	3. Put in tanks after 2 hours in heap on deck.							4. Put in tanks next morning after 9 hours 25 minutes in heap on deck.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	—	—	1	6·9	26	93·1	27	—	—	—	—	26	100	26
	F.	—		3		28		31	—		—		18		18
20–24	M.	1	3·5	4	12·3	23	84·2	28	—	—	—	—	19	100	19
	F.	1		3		25		29	—		—		24		24
25–29	M.	2	10·5	2	15·8	8	73·6	12	—	—	—	—	15	100	15
	F.	—		1		6		7	—		—		10		10
30+	M.	—	—	—	—	—	—	—	—	—	—	—	2	100	2
	F.	—		—		—		—	—		—		—		—
Grand Total	M.	3	2·9	7	10·4	57	86·6	67	—	—	—	—	62	100	62
	F.	1		7		59		67	—		—		52		52

EXPERIMENT 9

Date, 24/v/06. Locality, Between Egmond and Texel. Otter trawl. Duration of haul, hours. Total weight of catch, 140½ kilogrammes or 309 lbs. Depth, 13–15 fathoms or 24–27 metres. Soil, fine sand. Time of hauling, 9·45 a.m. Sea, moderately smooth. Air temperature, 11·6°. Sunshine, cloudy. Rate of towing, 2¼ miles per hour. Chief species caught, plaice, dabs, grey gurnard (253), greater weever (89), whiting, latchet (36), haddock, thornback ray (1). *Asterias rubens*, very plentiful.

Remarks :—Rain fell heavily for a quarter of an hour, commencing at 10.50.

Section		1.							2.							3.						
Length of Fish (cm.).		Immediately after hauling.							After 1 hour in heap on deck.							After 1 hour in basket on deck.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10-19	M.	5	40·0	4	16·0	4	44·0	13	—	0·7	1	0·7	85	98·6	86	—	—	—	—	37	100	37
	F.	5		—		7		12	2		1		61		64	—		—		14		14
20-24	M.	8	40·0	5	37·1	3	22·9	16	—	—	3	1·8	74	98·2	77	—	—	—	—	43	100	43
	F.	6		8		5		19	—		—		92		92	—		—		29		29
25-29	M.	5	57·1	2	38·4	—	4·8	7	—	—	2	9·4	12	90·6	14	2	3·7	—	—	18	96·3	20
	F.	7		6		1		14	—		1		17		18	—		—		34		34
30+	M.	2	57·1	—	14·3	1	28·6	3	—	33·3	—	—	—	66·7	—	—	28·6	—	14·3	1	57·1	1
	F.	2		1		1		4	1		—		2		3	2		1		3		6
Grand Total.	M.	20	45·4	11	29·5	8	25·0	39	—	0·8	6	2·3	171	96·9	177	2	2·2	—	0·5	99	97·3	101
	F.	20		15		14		49	3		2		172		177	2		1		80		83

Section		4.							5.						
Length of Fish (cm.).		After lying on deck 2 hours, no sunlight.							After 4 hours in basket on deck.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10-19	M.	—	—	—	—	234	100	234	—	—	—	—	—	—	—
	F.														
20 24	M.	—	—	—	—	85	100	85	—	—	—	—	34	100	34
	F.														
25-29	M.	—	—	—	—	4	100	4	—	—	—	—	29	100	29
	F.														
30+	M.	—	—	—	—	—	—	—	—	—	—	—	2	100	2
	F.														
Grand Total.	M.	—	—	—	—	323	100	323	—	—	—	—	65	100	65
	F.														

EXPERIMENT 10.

Date, 24/v/06. Locality, Between Egmond and Texel. Beam trawl. Duration of trawl, 5 hours. Total weight of catch, 65 kilogrammes or 145 lbs. Depth, 15 fathoms or 27 metres. Soil, fine sand. Time of hauling, 4 a.m. Sea, smooth. Air temperature, 12·8°. Sunshine, none. Rate of towing, 2¼ miles per hour. Chief species caught, plaice, grey gurnard (320), greater weever (87), haddock, tope (2), latchet (2).

Remarks:—Fish while being picked up for Section 1 were bathed in sea water flowing from the tanks.

Rain fell heavily for 25 minutes, commencing at 5.20; at 6.30 it was still falling, but less heavily.

Section		1.							2.							3.						
Length of Fish (cm.).		Immediately after hauling.							After 1½ hours on deck exposed to heavy rain for 25 minutes.							After 2½ hours in heap on deck.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10-19	M.	5	100	—	—	—	—	5	2	7·5	2	3·0	39	89·5	43	2	3·5	2	2·6	71	92·9	75
	F.								3		—		21		24	2		1		36		39
20-24	M.	24	100	—	—	—	—	24	10	34·4	3	12·5	8	53·1	21	4	20·4	1	4·1	16	75·5	21
	F.								1		1		9		11	6		1		21		28
25-29	M.	1	100	—	—	—	—	1	2	28·6	1	14·3	2	57·1	5	3	33·3	—	—	3	66·7	6
	F.								2		1		6		9	—		—		3		3
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	100	—	—	—	—	—	—	—	—
	F.												1		1	—		—		—		—
Grand Total.	M.	30	100	—	—	—	—	30	14	17·5	6	7·0	49	75·4	69	9	9·9	3	2·9	90	87·2	102
	F.								6		2		37		45	8		2		60		70

EXPERIMENT 11.

Date 25/v/06. Locality, West part of Texel Ground. Otter trawl. Duration of haul, 3 hours. Total weight of catch, 104 kilogrammes or 228 lbs. Depth, 13-17 fathoms or 24-31 metres. Soil, fine sand. Time of hauling, 8 a.m. Sea, moderate. Air temperature, 10°. Sunshine, 54·4° of black bulb thermometer. Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, grey gurnard (48), greater weever (44), tope (1), spur-dog (1), latchet (1).

Remarks:—The plaice of over 10′ were sorted in baskets from those of less than 10′ length. The latter were then (about 20 minutes after hauling) put in the shade (in baskets) for section 3, or tipped on to the deck for sections 2 and 4.

Section		1.							2.						
Length of Fish (cm.)		Immediately after hauling.							After ½ hour's exposure to sun on deck (moist).						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	10	52·0	4	40·0	—	8·0	14	2	8·7	9	22·0	27	69·4	38
	F.	3		6		2		11	3		4		14		21
20–24	M.	9	40·5	8	42·6	5	17·0	22	2	10·5	1	7·9	12	81·6	15
	F.	10		12		3		25	2		2		19		23
25–29	M.	3	26·3	10	73·7	—	—	13	—	—	—	—	—	—	—
	F.	2		4		—		6	—		—		—		—
30+	M.	2	60·0	1	40·0	—	—	3	—	—	—	—	—	—	—
	F.	1		1		—		2	—		—		—		—
Grand Total ...	M,	24	41·7	23	47·9	5	10·4	52	4	9·3	10	16·5	39	74·2	53
	F.	16		23		5		44	5		6		33		44

EXPERIMENT 11—*continued.*

Length of Fish (cm.).	Section	3. After 1¼ hours in basket, in shade.							4. After 2 hours on deck in sun.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	3	4·3	2	4·3	39	91·4	44	—	—	—	—	73	100	73
	F.	—		1		25		26	—		—		40		40
20–24	M.	1	5·0	1	5·0	36	90·0	38	—	—	—	1·1	50	98·9	50
	F.	2		2		18		22	—		1		45		46
25–29	M.	—	—	—	—	1	100	1	—	—	—	—	—	100	—
	F.	—		—		—		—	—		—		5		5
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	100	—
	F.	—		—		—		—	—		—		1		1
Grand Total ...	M.	4	4·6	3	4·6	76	90·8	83	—	—	—	0·5	123	99·5	123
	F.	2		3		43		48	—		1		91		92

EXPERIMENT 12.

Date, 20/vi/07. Locality, Broad Fourteens. Otter trawl. Duration of haul, 5 hours. Total weight of catch, 48 kilogrammes or 106 lbs. Depth, 14-17 fathoms or 26-31 metres. Soil, sand. Time of hauling, 9.30 a.m. Sea, rough. Air temperature, 13·9°. Sunshine, 32.8° of black bulb thermometer. Rate of towing, 2½ miles per hour. Chief species caught, plaice, grey gurnard (19), dabs, greater weever (39), latchet (2), half a basket of jellyfish (*Cyanea*) invertebrates weighing 40 lbs. in all.

Remarks:—In Experiments 12-28 the fish to be placed in tanks were usually shovelled in; they remained, except where otherwise stated, for from ½ hour to 4 hours. The fish were termed healthy (*a*) if swimming about vigorously and apparently uninjured; (*b*) if when placed white side upwards at the bottom of the tank they made decided movements to regain their proper position. Fish which were not healthy were laid on the deck and termed "moribund," if slight movements, *e.g.* of the gill cover were observed. The rest were classed as dead.

Length of Fish (cm.).	Section	1. After 40 minutes' exposure on deck.						
		Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	—	—	1	20·0	3	80·0	4
	F.	—		—		1		1
20–24	M.	—	—	6	35·0	12	65·0	18
	F.	—		5		5		10
25–29	M.	—	—	1	19·0	7	81·0	8
	F.	—		2		6		8
30+	M.	—	—	—	—	—	100	—
	F.	—		—		3		3
Grand Total ...	M.	—	—	8	29·0	22	71·0	30
	F.	—		7		15		22

EXPERIMENT 13.

Date, 27/vi/07. Locality, E. of Borkum Flat. Otter trawl. Duration of haul, 4 hours. Total weight of catch, 142½ kilogrammes or 313 lbs. Depth, 16–17 fathoms or 29–31 metres. Soil, sand. Time of hauling, 9.5 p.m. Sea, moderate. Air temperature, 13·9°. Sunshine, 23·0°, black bulb thermometer. Rate of towing, 3 miles per hour. Chief species caught, plaice, dabs, grey gurnard (116), latchet (20), greater weever (18), thornback ray (1), *Astropecten irregularis* common, *Corystes cassivelaunus* common.

Remarks :—All fish in Section 2 appeared much chafed.

Section		1.							2.							3.						
Length of Fish (cm.).		Five minutes after hauling.							Fifty minutes after hauling.							One hour 50 minutes after hauling.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead,		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	5	24	7	27	12	49	24	3	11	1	4	33	85	37	1	1	—	1	53	98	54
	F.	4		3		7		14	5		2		31		38	—		1		37		38
20–24	M.	2	12	2	28	8	60	12	3	11	—	—	13	89	16	—	—	1	2	22	98	23
	F.	1		5		7		13	1		—		20		21	—		—		17		17
25–29	M.	—	—	—	—	—	—	—	—	—	—	—	2	100	2	—	—	1	20	—	80	1
	F.	—		—		—		—	—		—		4		4	—		—		4		4
30+	M.	—	—	—	—	1	100	1	—	—	—	—	—	—	—	—	—	—	—	—	100	—
	F.	—		—		—		—	—		—		—		—	—		—		2		2
Grand Total.	M.	7	19	9	27	21	59	37	6	10	1	3	48	87	55	1	—	2	2	75	97	78
	F.	5		8		14		27	6		2		55		63	—		1		60		61

EXPERIMENT 14.

Date, 28/vi/07. Locality, Sylt Outer. Otter trawl. Duration of haul, 2 hours. Total weight of catch, 95½ kilogrammes or 210 lbs. Depth, 10–12 fathoms or 18–22 metres. Soil, sand, and coarse sand. Time of hauling, 9.15 a.m. Sea, some heavy rolling at first; fishes rolled violently in pound. Air temperature, 12·6° Sunshine, 21.6°, black bulb thermometer. Rate of towing, 2½ miles per hour. Chief species caught, plaice, dabs, grey gurnard (49), whiting, latchet (6), thornback (1), Medusæ present.

Section		1.							2.							3.						
Length of Fish (cm.).		Put in tanks immediately after hauling and left 1 hour.							Exposed ½ hour on deck; in tanks 1¼ hours.							Exposed on deck 2 hours 10 minutes.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	17	49	16	51	—	—	33	—	3	29	64	14	33	43	1	1	2	1	163	98	166
	F.	10		12		—		22	2		19		11		32	1		—		120		121
20–24	M.	6	48	9	52	—	—	15	3	13	17	73	7	15	27	—	—	—	—	77	100	77
	F.	7		5		—		12	4		23		1		28	—		—		86		86
25–29	M.	1	100	—	—	—	—	1	3	43	3	57	—	—	6	—	4	1	4	11	92	12
	F.	5		—		—		5	3		5		—		8	1		—		12		13
30+	M.	—	100	—	—	—	—	—	1	100	—	—	—	—	1	—	—	—	—	—	100	—
	F.	1		—		—		1	1		—		—		1	—		—		4		4
Grand Total.	M.	24	53	25	47	—	—	49	7	12	49	66	21	22	77	1	1	3	1	251	98	255
	F.	23		17		—		40	10		47		12		69	2		—		222		224

EXPERIMENT 15.

Date, 28/vi/07. Locality, Sylt Outer. Otter trawl. Duration of haul, 4 hours. Total weight of catch, 318½ kilogrammes or 700 lbs. Depth, 12-17 fathoms or 22–31 metres. Soil, sand. Time of hauling, 1.40 p.m. Sea, moderate. Air temperature, 13·3°. Sunshine, 23·5°, black bulb thermometer. Rate of towing, 2⅓ miles per hour. Chief species caught, plaice, dabs, whiting, latchet (5), grey gurnard (174).

Section		1.							2.							3.							
		Placed in tanks on hauling and left ¾ hour.							1 hour's exposure on deck.							2 hours' exposure on deck. In tank ¼ hour.							
Length (cm.)		Healthy.		Moribund.		Dead		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	
10–19	M	—	—	2	57	—	43	2	—	—	—	—	8	100	8	—	—	—	—	20	100	20	
	F.	—		2		3		5	—		—		2		2	—		—		11		11	
20–24	M.	8	20	29	71	3	9	40	—	—	—	—	31	100	31	—	—	—	—	74	100	74	
	F.	5		18		3		26	—		—		31		31	—		—		52		52	
25–29	M.	5	41	7	55	1	4	13	1	5	1	7	14	88	16	—	—	—	—	21	100	21	
	F.	6		8		—		14	1		2		22		25	—		—		28		28	
30+	M.	2	100	—	—	—	—	2	—	—	—	—	—	100	—	—	—	—	—	3	100	3	
	F.	1		—		—		1	—		—		1		1	—		—		4		4	
Grand Total.	M.	15	26	38	64	4	10	57	1	2	1	3	53	95	55	—	—	—	—	118	100	118	
	F.	12		28		6		46	1		2		56		59	—		—		95		95	

EXPERIMENT 16.

Date, 28/vi/07. Locality, Sylt Outer. Beam trawl. Duration of haul, 4 hours. Total weight of catch, 210¾ kilogrammes or 463 lbs. Depth, 12–17 fathoms or 22–31 metres. Soil, sand. Time of hauling, 6.45 p.m. Sea, moderate. Air temperature, 12·4°. Sunshine, 23·6°, black bulb thermometer, Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, latchet (2), grey gurnard (124), thornback (1).

Section		1.							2.						
		Placed in tanks on hauling.							¼ hour's exposure on deck, 1¾ hours in tank.						
Length of Fish (cm.).		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	8	89	—	11	—	—	8	7	73	—	—	1	27	8
	F.	8		2		—		10	1		—		2		3
20–24	M.	80	99	1	1	—	—	81	30	77	3	7	8	16	41
	F.	56		—		—		56	23		2		3		28
25–29	M.	24	100	—	—	—	—	24	10	84	—	8	—	8	10
	F.	28		—		—		28	9		2		2		13
30+	M.	2	100	—	—	—	—	2	2	67	—	—	—	33	2
	F.	2		—		—		2	—		—		1		1
Grand Total ...	M.	114	99	1	1	—	—	115	49	77	3	7	9	16	61
	F.	94		2		—		96	33		4		8		45

EXPERIMENT 16—*continued.*

Length of Fish (cm.).	Section	3. 1 hour's exposure on deck.							4. After 2 hours' exposure on deck.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent	No.	Per cent.	No.
10–19	M.	—	—	1	5	29	95	30	—	—	1	2	22	98	23
	F.	—		1		10		11	—		—		17		17
20–24	M.	4	8	5	10	41	82	50	—	1	4	7	63	92	67
	F.	5		6		49		60	2		5		63		70
25–29	M.	2	22	4	25	7	53	13	—	2	—	2	13	91	13
	F.	5		4		10		19	1		1		29		31
30+	M.	—	—	—	—	—	100	—	—	—	—	—	4	100	4
	F.	—		—		1		1	—		—		3		3
Grand Total ...	M.	6	9	10	11	77	80	93	0	1	5	5	102	94	107
	F.	10		11		70		91	3		6		112		121

EXPERIMENT 17.

Date, 2/vii/07. Locality, Graa Deep. Beam trawl. Duration of haul, 1 hour. Total weight of catch, 68¼ kilogrammes or 150 lbs. Depth, 8–9 fathoms or 15–16 metres. Soil, mud and sand. Time of hauling, 9·20 a.m. Sea, smooth. Air temperature, 13·5°. Sunshine, 35·8°–41·6°, black bulb thermometer. Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, thornback (12), grey gurnard (1), spur-dog (7), tope (2). Various medusæ present. *Portunus holsatus*, very common.

Remarks :—The plaice were gathered up in a basket, then tipped out on a dry deck. The sunshine was at first weak, but increased in strength.

Length of Fish (cm.).	Section	1. Exposed on deck 1 hour 10 minutes, in tank ½ hour.							2. Exposed on deck 1 hour 50 minutes and ½ hour in tank.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
0–19	M.	—	—	8	20	8	80	16	—	—	—	2	41	98	41
	F.	—		3		35		38	—		2		86		88
20–24	M.	—	13	4	50	1	37	5	—	—	1	26	5	74	6
	F.	1		—		2		3	—		5		12		17
25–29	M.	—	—	—	—	—	100	—	—	—	1	50	—	50	1
	F.	—		—		1		1	—		—		1		1
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—
Grand Total ...	M.	—	1	12	24	9	75	21	—	—	2	6	46	94	48
	F.	1		3		38		42	—		7		99		106

EXPERIMENT 18.

Date, 2/vii/07. Locality, Graa Deep. Beam trawl. Duration of haul, 2 hours. Depth, 9 fathoms or 16 metres. Soil, sand. Time of hauling, 0·15 p.m. Sea, slight roll. Air temperature, 13·9°. Sunshine, 41·7°, black bulb thermometer. Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, latchet (2), grey gurnard (17), great quantity of jellyfish, principally *Aurelia*.

Remarks:—The quantity of jellyfish made weighing of the total catch impossible. The second batch was spread out on a part of the deck, free from these jellyfish, and from the water from the testing tanks.

Section		1.							2.						
		Placed in tanks on hauling.							Placed in tanks after 1 hour's exposure.						
Length of Fish (cm.).		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	6	32	5	47	4	21	15	2	2	1	1	79	97	82
	F.	6		13		4		23	4		1		164		169
20–24	M.	1	55	1	40	1	5	3	—	2	—	2	14	96	14
	F.	10		7		—		17	1		1		31		33
25–29	M.	—	50	—	—	—	50	—	—	—	—	—	—	—	—
	F.	1		—		1		2	—		—		—		—
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—
Grand Total	M.	7	40	6	43	5	17	18	2	2	1	1	93	97	96
	F.	17		20		5		42	5		2		195		202

EXPERIMENT 19.

Date, 2/vii/07. Locality, Horn Reef South. Beam trawl. Duration of haul, 2 hours. Total weight of catch, 75½ kilogrammes or 166 lbs. Depth, 12 fathoms or 22 metres. Soil, sand. Time of hauling, 4.50 p.m. Sea, moderate. Air temperature, cold wind. Sunshine, sun clouded, but not obscured. Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, grey gurnard (15), *Aurelia* fairly abundant.

Section		1.							2.							3.						
		Placed in tanks on hauling.							After 1 hour's exposure.							After 1½ hours' exposure.						
Length of Fish (cm.).		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	83	76·0	21	23·0	1	1·0	105	12	11·0	16	12·0	105	77·0	133	1	1·0	2	2·0	119	97·0	122
	F.	70		24		1		95	13		13		76		102	3		3		109		115
20–24	M.	12	97·0	—	3·0	—	—	12	3	50·0	1	25·0	1	25·0	5	—	22·0	1	11·0	5	67·0	6
	F.	26		1		—		27	3		2		2		7	4		1		7		12
25–29	M.	2	100	—	—	—	—	2	—	100	—	—	—	—	—	—	—	—	—	—	100	—
	F.	3		—		—		3	1		—		—		1	—		—		1		1
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—	—		—		—		—
Grand Total.	M.	97	80 0	21	19·0	1	1·0	119	15	13·0	17	13·0	106	74·0	138	1	3·0	3	3·0	124	94·0	128
	F.	99		25		1		125	17		15		78		110	7		4		117		128

EXPERIMENT 20.

Date, 2/vii/07. Locality, Horn Reef South. Otter trawl. Duration of haul, 2 hours. Total weight of catch, 74¼ kilogrammes or 163 lbs. Depth, 12 fathoms or 22 metres. Soil, sand. Time of hauling, 7.30 p.m. Sea, moderate. Air temperature, 11·7°. Sunshine, 15·8°, black bulb thermometer. Rate of towing, 2½ miles per hour. Chief species caught, plaice, dabs, grey gurnard (32), latchet (23), tope (1), few *Aurelia*.

Section.		1.							2.							3.						
Length of Fish (cm.).		Tested on hauling.							After 1 hour's exposure.							Put in tank with section 1 and tested 12 hours later.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10-19	M.	39	46	16	24	28	30	83	7	7	30	20	92	73	129	8	37	3	17	8	46	19
	F.	34		22		19		75	12		27		112		151	3		2		6		11
20-24	M.	16	74	2	9	3	17	21	8	19	11	23	32	58	51	—	—	—	—	2	100	2
	F.	24		3		6		33	13		14		33		60	—		—		1		1
25-29	M.	—	100	—	—	—	—	—	2	45	—	28	—	28	2	—	—	—	—	—	—	—
	F.	2		—		—		2	3		3		3		9	—		—		—		—
30+	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	-		—		—		—	—		—		—		—
Grand Total.	M.	55	54	18	20	31	26	104	17	11	41	21	124	68	182	8	33	3	15	10	51	21
	F.	60		25		25		110	28		44		148		220	3		2		7		12

EXPERIMENT 21.

Date, 4/vii/07. Locality, Norderney. Beam trawl. Duration of haul, 3 hours. Total weight of catch, 84½ kilogrammes or 186 lbs. Depth, 14–17 fathoms or 26–31 metres. Soil, sand. Time of hauling, 6.3 p.m. Sea, moderate. Air temperature, 14·4°. Sunshine, 18·3°, black bulb thermometer. Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, grey gurnard (31), latchet (11), greater weever (11), *Aurelia* and *Cyanea* fairly abundant.

Length of Fish (cm.).	Section	1.							2.						
		Placed in tanks on hauling.							Placed in tanks after 1 hour's exposure.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10-19	M.	4	89·0	1	11·0	—	—	5	7	11·0	10	9·0	78	80·0	95
	F.	13		1		—		14	13		7		73		93
20-24	M.	—	71·0	1	29·0	—	—	1	1	32·0	1	9·0	5	59·0	7
	F.	10		3		—		13	10		2		15		27
25–29	M.	1	78·0	—	22·0	—	—	1	—	—	—	—	—	—	—
	F.	6		2		—		8	—		—		—		—
30+	M.	—	100	—	—	—	—	—	—	—	—	—	—	—	—
	F.	1		—		—		1	—		—		—		—
Grand Total ...	M.	5	81·0	2	19·0	—	—	7	8	14·0	11	9·0	83	77·0	102
	F.	30		6		—		36	23		9		88		120

EXPERIMENT 22.

Date, 4/vii/07. Locality, Norderney. Beam trawl. Duration of haul, 2 hours. Total weight of catch, ca. 35 kilogrammes or ca. 77 lbs. Depth, 13–14 fathoms or 24–26 metres. Soil, sand. Time of hauling, 9 p.m. Sea, moderate. Air temperature, 14·2°. Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, grey gurnard (62), latchet (3), thornback (1), few *Aurelia* and *Cyanea*.

Length of Fish (cm.).	Section	1. Placed in tanks on hauling.							2. Placed in tanks after 1 hour's exposure.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	41	35	19	18	45	47	105	3	2	10	3	247	95	260
	F.	29		18		50		97	8		6		250		264
20–24	M.	5	79	—	—	1	21	6	1	9	—	6	12	85	13
	F.	21		—		6		27	2		2		15		19
25–29	M.	—	100	—	—	—	—	—	—	—	—	—	—	—	—
	F.	1		—		—		1	—		—		—		—
30+	M.	—	100	—	—	—	—	—	—	—	—	—	—	—	—
	F.	1		—		—		1	—		—		—		—
Grand Total	M.	46	41	19	16	46	43	111	4	3	10	3	259	94	273
	F.	52		18		56		126	10		8		265		283

EXPERIMENT 23.

Date, 5/vii/07. Locality, Norderney. Beam trawl. Duration of haul, 2 hours. Total weight of catch, 77 kilogrammes or 169½ lbs. Depth, 9–11 fathoms or 16–20 metres. Soil, sand. Time of hauling, 9 a.m. Sea, heavy roll at times. Air temperature, 15·3°. Sunshine, 41·9°, black bulb thermometer. Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, grey gurnard (52), latchet (11), greater weever (2), tope (1). *Aurelia* very common. Some *Cyanea*, *Chrysaora*.

Remarks :—Fish kept wet by water retained by the jellyfish, &c.

Length of Fish (cm.).	Section	1. Placed in tanks on hauling.							2. Placed in tanks after 2 hours' exposure.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent	No.	Per cent.	No.	Per cent.	No.
10–19	M.	21	67	4	10	9	23	34	—	—	—	—	142	100	142
	F.	35		4		10		49	—		—		176		176
20–24	M.	12	91	—	2	—	7	12	—	—	—	—	3	100	3
	F.	29		1		3		33	—		—		18		18
25–29	M.	2	100	—	—	—	—	2	—	—	—	—	2	100	2
	F.	16		—		—		16	—		—		2		2
30+	M.	—	100	—	—	—	—	—	—	—	—	—	—	—	—
	F.	5		—		—		5	—		—		—		—
Grand Total	M.	35	80	4	5	9	15	48	—	—	—	—	147	100	147
	F.	85		5		13		103	—		—		196		196

EXPERIMENT 24.

Date, 6/vii/07. Locality, Eider. Otter trawl. Duration of haul, 4 hours. Total weight of catch, 464 kilogrammes or 1,021 lbs. Depth, 12-13 fathoms or 22-24 metres. Soil, sand. Time of hauling, 10.30 a.m. Sea, moderate. Air temperature, 15·3°. Sunshine, 45°–57·2°, black bulb thermometer. Rate of towing, 2½ miles per hour. Chief species caught, plaice, grey gurnard (28), latchet (36), thornback (2), skate (1), greater weever (1), spur-dog (1), *Asterias rubens* abundant.

Section		1.							2.							3.						
Length of Fish (cm.).		Placed in tanks on hauling.							In tanks after ½ hour's exposure.							In tanks after 1 hour's exposure.						
		Healthy.		Moribund		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10-19	M.	5	4	73	64	34	32	112	1	1	3	8	68	91	72	—	—	2	1	150	99	152
	F.	4		59		32		95	—		10		76		86	—		2		116		118
20-24	M.	—	1	26	85	8	14	34	—	—	2	12	16	88	18	—	—	—	2	23	98	23
	F.	1		40		3		44	—		5		36		41	—		1		37		38
25-29	M.	—	—	4	100	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	—		—		—		—	—		—		—		—
30+	M.	—	—	—	100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		1		—		1	—		—		—		—	—		—		—		—
Grand Total.	M.	5	3	103	70	42	27	150	1	—	5	9	84	91	89	—	—	2	2	173	98	175
	F.	5		100		35		140	—		15		112		127	—		3		153		156

EXPERIMENT 25.

Date, 6/vii/07. Locality, Eider. Beam trawl. Duration of haul, 3 hours. Total weight of catch 175 kilogrammes or 385 lbs. Depth, 13 fathoms or 24 metres. Soil, sand. Time of hauling, 2.20 p.m. Sea, moderate. Air temperature, 15·3°. Sunshine, 36·4°, black bulb thermometer. Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, grey gurnard (18), latchet (23), thornback (3), tope (2), smoothhound (1), several *Aurelia*, *Asterias rubens*, abundant.

Section.		1.							2.							3.						
Length of Fish (cm.).		Placed in tanks on hauling.							Placed in tanks after ½ hour's exposure.							Placed in tanks after 1 hour's exposure.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10-19	M.	61	29	101	37	70	34	232	10	7	30	25	109	67	149	—	—	—	—	129	100	129
	F.	62		55		72		189	10		38		72		120	—		—		100		100
20-24	M.	8	38	18	50	3	12	29	1	7	8	55	10	38	19	—	—	—	3	17	97	17
	F.	15		12		4		31	2		15		6		23	—		1		15		16
25-29	M.	1	67	1	33	—	—	2	—	13	3	87	-	—	3	—	—	1	13	3	87	4
	F.	3		1		—		4	1		4		—		5	—		—		4		4
30+	M	-	—	—	—	—	—	—	—	100	—	—	—	—	—	—	—	—	—	—	—	—
	F.	—		—		—		—	1		—		—		1	—		—		—		—
Grand Total.	M.	70	31	120	39	73	31	263	11	8	41	31	119	61	171	—	—	1	1	149	99	150
	F.	80		68		76		224	14		57		78		149	—		1		119		120

EXPERIMENT 26.

Date, 7/vii/07. Locality, Sylt Outer. Beam trawl. Duration of haul, 1 hour. Total weight of catch, 96 kilogrammes or 211 lbs. Depth, 13 fathoms or 24 metres. Soil, sand. Time of hauling 9.10 p.m. Sea, moderate. Air temperature, 14·4°. Sunshine, 26·6° of black bulb thermometer. Rate of towing, 2 miles per hour. Chief species caught, plaice, dabs, grey gurnard (31), latchet (1), lobster (1). *Asterias rubens* fairly common.

Remarks :—It is difficult to account for the very high mortality of this catch. It forms a notable exception to the usual short hauls of the beam trawl, which are distinguished by a low mortality.

Section		1.							2.						
		Placed in tanks on hauling.							Placed in tanks after 1 hour exposure.						
Length of Fish (cm.).		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	3*	100	—	—	—	—	3	—	—	1	1	101	99	102
	F.	1		—		—		1	—		—		87		87
20–24	M.	42	99	—	—	—	1	42	—	4	—	—	11	96	11
	F.	47		—		1		48	1		—		16		17
25–29	M.	15	100	—	—	—	—	15	—	—	—	—	—	—	—
	F.	22		—		—		22	—		—		—		—
30+	M.	1	100	—	—	—	—	1	—	—	—	—	—	—	—
	F.	5		—		—		5	—		—		—		—
Grand Total ...	M.	61	99	—	—	—	1	61	—	0	1	0	112	99	113
	F.	75		—		1		76	1		—		103		104

* One fish at 14 cm. had no tail.

EXPERIMENT 27.

Date, 7/vii/07. Locality, Sylt Outer. Beam trawl. Duration of haul, 1 hour. Total weight of catch, 76 kilogrammes or 167 lbs. Depth, 13 fathoms or 24 metres. Soil, sand. Time of hauling 10.30 a.m. Sea, moderate. Sunshine, 54·5° of black bulb thermometer. Rate of towing, 2 miles per hour. Chief species caught plaice, dabs, grey gurnard (13) thornback (1). Few *Cyanea capillata*.

Section		1.							2.						
		Placed in tanks on hauling.							In tanks after ½ hour exposure and left about 4 hours.						
Length of Fish (cm.)		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10-19	M.	5	80	—	—	1	20	6	—	—	—	—	122	100	122
	F.	3		—		1		4	—		—		94		94
20-24	M.	29	87	—	—	4	13	33	—	—	—	—	29	100	29
	F.	36		—		6		42	—		—		43		43
25-29	M.	5	100	—	—	—	—	5	—	—	—	20	1	80	1
	F.	14		—		—		14	—		1		3		4
30+	M.	1	100	—	—	—	—	1	—	—	—	—	—	—	—
	F.	1		—		—		1	—		—		—		—
Grand Total ...	M.	40	89	—	—	5	11	45	—	—	—	0	152	100	152
	F.	54		—		7		61	—		1		140		141

EXPERIMENT 28.

Date, 10/vii/07. Locality, Eider. Otter trawl. Duration of haul, 4 hours. Total weight of catch, 143 kilogrammes or 314½ lbs. Depth, 13–16 fathoms or 24–29 metres. Soil, dark grey sand, fine sand. Time of hauling, 1 a.m. Sea, smooth. Air temperature, 13·9°. Sunshine, 16·6° of black bulb thermometer. Rate of towing, 2½ miles per hour. Chief species caught, plaice, dabs, grey gurnard (131), latchet (35), thornback (3), spur-dog (1), tope (1). Few *Cyanea*. *Asterias rubens* fairly common.

Section.		1.							2.							3.						
Length of Fish (cm.).		Placed in tanks on hauling, for 1 hour.							Placed in tanks after ½ hour exposure on deck.							Placed in tanks after 1½ hour exposure.						
		Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.	Healthy.		Moribund.		Dead.		Total.
		No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.
10–19	M.	—	0	55	31	113	69	168	1	1	4	3	176	96	181	—	—	2	0	257	100	259
	F.	1		29		75		105	1		5		108		114	—		—		179		179
20–24	M.	1	2	17	67	9	31	27	—	—	2	7	9	93	11	—	—	—	—	18	100	18
	F.	—		21		9		30	—		—		19		19	—		—		39		39
25–29	M.	—	—	—	100	—	—	—	—	—	—	—	1	100	1	—	—	—	—	3	100	3
	F.	—		2		—		2	—		—		3		3	-		—		5		5
30+	M.	—	—	—	100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	100	—
	F.	-		1		—		1	—		—		—		—	—		—		1		1
Grand Total.	M.	1	1	72	38	122	61	195	1	2	6	3	186	95	193	—	—	2	0	278	100	280
	F.	1		53		84		138	1		5		130		136	—		—		224		224

Experiment 29.

Date, 26/vi/08. Locality, Texel Ground. Otter trawl. Duration of haul, 6 hours. Depth, 16-14½ fathoms. Soil, sand, sand and shells. Time of hauling, 7.40 a.m. Sea, smooth. Sunshine, cloudy. Rate of towing, 3 miles per hour. Chief species caught, plaice, dabs, grey gurnards, *Astropecten irregularis.*

Remarks :—Somewht heavy rolling occurred in the early morning of the 27th.

Length of Fish (cm.).		Placed in tanks on hauling.					
		No. of Fish.	Per cent. alive after				
			½ hour.	1 hour.	2 hours.	4 hours.	30 hours.
10–19	M.	105	55	49	42	35	6
	F.	90					
20–24	M.	49	77	69	66	56	18
	F.	75					
25–29	M.	5	73	70	60	57	27
	F.	25					

Experiment 30.

Date, 30/vi/08. Locality. Graa Deep. Otter trawl. Duration of haul, 4 hours. Depth, 7-8 fathoms. Soil, dark sand and shells. Time of hauling, 10.30 a.m. Sea, smooth. Sunshine, clear. Rate of Towing, 2¼ miles per hour. Chief species caught, plaice. Many *Chrysaora, Asterias rubens.*

Remarks :—A very small catch.

Length of Fish (cm.).		Placed in tanks on hauling.				
		No. of Fish.	Percentage alive after			
			1 hour.	3 hours.	9 hours.	12 hours.
10–19	M.	7	64	57	54	50
	F.	21				
20–24	M.	—	62	62	50	25
	F.	8				
25–29	M.	—	L.	L.	0	0
	F.	1				

L=living.

Experiment 31.

Date, 30/vi./08. Locality, Sylt Inner Ground. Otter trawl. Duration of haul, 4 hours. Total weight of catch, 80 kilogrammes or 176 lbs. Depth, 8–10½ fathoms. Soil, coarse sand, fine sand. Time of hauling, 4.20 p.m. Sea, smooth. Sunshine, cloudy. Rate of towing, 2½ miles per hour. Chief species caught, plaice, dabs, two or three baskets of *Chrysaora, Asterias rubens.*

Length of Fish (cm.).		Section	1.				2.		
			Put in tanks on hauling.				Exposed on deck ½ hour.		
			Number of Fish.	Per cent. alive after			Number of Fish.	Per cent. alive after	
				7 hours.	12 hours.	21 hours.		2 hours.	6½ hours.
10–19	M.		17	84	72	42	29	38	24
	F.		26				26		
20–24	M.		42	91	78	56	18	36	22
	F.		74				27		
25–29	M.		5	95	90	85	1	0	0
	F.		15				—		

EXPERIMENT 32.

Date, 30/vi/08 to 1/vii/08. Locality, Sylt Inner Ground. Otter trawl. Duration of haul, 6 hours. Total weight of catch, 171+ kgs. or 376+ lbs. Depth, 10½–9½ fathoms. Soil, fine sand. Time of hauling, 5.45 a.m. Sea, smooth. Air temperature, 14·3°. Sunshine, sun obscured by light cloud, 25·3° Black bulb thermometer. Rate of towing, 2¼ miles per hour. Chief species caught, plaice, dabs, one basket of *Chrysaora*, and about a third of a basket of other invertebrates.

Section		1.						2.			3.		4.	
Length of Fish (cm.).		Put in tanks on hauling.						Exposed ½ hour on deck.			Exposed 1 hour on deck.		Exposed 1½ hours on deck.	
		No. of Fish.	Percentage alive after					No. of Fish.	Percentage alive after		No. of Fish.	Percentage alive after 1 hr.	No. of Fish.	Percentage alive after 1 hr.
			1 hr.	3 hrs.	5 hrs.	7 hrs.	10 hrs.		½ hr.	7 hrs.				
10–19	F.	42	37	25	20	18	11	23	34	11	59	0	28	0
	M.	54						33			56		37	
20–24	F.	68	31	12	6	5	5	15	23	7	24	1	9	0
	M.	121						28			45		30	
25–29	F.	5	61	22	0	0	0	6	18	9	3	0	1	0
	M.	13						5			1		2	
30 +	F.	—	50	50	50	50	0	—	0	0	—	—	—	—
	M.	2						1						

EXPERIMENT 33.

Date, 1/vii/08. Locality, Sylt Inner Ground. Beam trawl. Duration of haul, 6 hours. Total weight of catch, 222+ kilogrammes or 488+ lbs. Depth, 9½–9 fathoms. Soil, fine sand, sand. Time of hauling, 1 p.m. Sea, smooth. Air temperature, 17·9°. Sunshine, 55·8° of black bulb thermometer. Rate of Towing, 2 miles per hour. Chief species caught, plaice, dabs, eight or nine baskets of Medusæ, chiefly *Chrysaora*.

Section		1.			2.		3.	
Length of Fish (cm.).		Put in tanks on hauling.			Exposed on deck ½ hour.		Exposed on deck 1 hour.	
		No. of Fish.	Percentage alive after		No. of Fish.	Percentage alive after 2 hours.	No. of Fish.	Percentage alive after 2 hours.
			3 hours.	20 hours.				
10–19	M.	45	23	14	43	1	41	0
	F.	53			31		41	
20–24	M.	59	60	52	17	29	22	0
	F.	49			24		26	
25–29	M.	7	61	61	—	—	2	0
	F.	6			2		1	

EXPERIMENT 34.

Date, 1/vii./08. Locality, Sylt Outer Ground. Beam trawl. Duration of haul, 4 hours. Total weight of catch, 178+ kilogrammes or 392+ lbs. Depth, 10 fathoms. Soil, fine sand. Time of hauling, 6.25 p.m. Sea, moderate. Air temperature, 15·1°. Sunshine, evening haul. Chief species caught, plaice, dabs, grey gurnard.

Remarks :—Rate of towing is not ascertainable in the case of experiments 34–38, owing to the vessel towing round a buoy at an uncertain distance from it.

Section		1.		2.			3.	
Length of Fish (cm.).		Put in Tanks on hauling.		Exposed on Deck ½ hour.			Exposed on Deck 1 hour.	
		No. of Fish.	Percentage alive after 20 hours.	No. of Fish.	Percentage alive after		No. of Fish.	Percentage after ½ hour.
					3 hours.	7½ hours.		
10-19	M.	37	66	40	41	38	38	1
	F.	30		71			47	
20–24	M.	26	89	14	90	90	15	9
	F.	49		16			17	
25–29	M.	4	90	—	L	L	—	0
	F.	6		1			5	
30+	F.	—	—	—	—	—	1	0

L = living.

EXPERIMENT 35.

Date, 1-2/vii/08. Locality, Sylt Outer Ground. Beam trawl. Duration of haul, 6 hours. Total weight of catch, 219+ kgs., or 482+ lbs. Depth, 10 fathoms. Soil, sand. Time of hauling, 1.15 a.m. (2nd). Sea smooth. Air temperature, 13·2°. Cloudy. Chief species caught, plaice, dabs, grey gurnard.

Section	1.				2.			3.		4.	
	Put in tanks on hauling.				Exposed on deck ½ hour.			Exposed on deck 1 hour.		Exposed on deck 1½ hours.	
Length of Fish (cm.).	No. of Fish.	Percentage alive after			No. of Fish.	Percentage alive after		No. of Fish.	Percentage alive after 1½ hours.	No. of Fish.	Percentage alive after 1 hour.
		2 hours.	31¾ hours.	55¾ hours.		1½ hours.	7 hours.				
10-19 ... M.	16	95	69	46	25	32	25	55	1	43	0
10-19 ... F.	23				28			44		39	
20-24 ... M.	35	97	79	69	13	78	74	6	22	6	0
20-24 ... F.	32				14			12		9	
25-29 ... M.	8	100	100	100				1	100	3	20
25-29 ... F.	13							1		2	
30+... ... M.	—	100	100	100							
30+... ... F.	2										

EXPERIMENT 36.

Date, 2/vii/08. Locality, Sylt Outer Ground. Beam Trawl. Duration of haul, 2 hours. Total weight of catch, 61+kgs., or 134 lbs. Depth, 10 fathoms. Soil, sand. Time of hauling, 10.15 a.m. Air temperature, 16·8°. Sunshine, clear sky, fair breeze, 49·5° of Black-bulb thermometer. Sea, moderate. Chief species caught, plaice, dabs, a dozen or two *Medusæ*.

Section	1.			2.		3.	
	Put in tanks on hauling.			Exposed on deck ½ hour.		Exposed on deck 1 hour.	
Length of Fish (cm.).	No. of Fish.	Percentage alive after		No. of Fish.	Percentage alive after 1 hour.	No. of Fish.	Percentage alive after ½ hour.
		22¼ hours.	46¼ hours.				
10-19 ... ... M.	30	99	92	62	1	27	0
10-19 ... ... F.	35			50		32	
20-24 ... ... M.	27	98	98	7	7	7	0
20-24 ... ... F.	24			8		13	
25-29 ... ... M.	2	100	100	—	0	—	0
25-29 ... ... F.	3			2		2	

EXPERIMENT 37.

Date, 2/vii./08. Locality, Sylt Outer Ground. Beam Trawl. Duration of haul, 2 hours. Total weight of catch, 79 + kgs. or 174 lbs. Depth, 10 fathoms. Soil, sand. Time of hauling, 12.45 p.m. Sea, moderate. Air temperature, 16·8°. Sunshine, 39·9° Black Bulb thermometer. Chief species caught, plaice, dabs, a dozen or two *Medusæ*.

Section	1.			2.	
	Put in tanks on hauling.			Exposed on deck ½ hour.	
Length of Fish (cm.).	No. of Fish.	Percentage alive after		No. of Fish.	Percentage alive after 2 hours.
		19¾ hours.	45¾ hours.		
10-19 ... ... M.	10	67	33	26	0
10-19 ... ... F.	17			33	
20-24 ... ... M.	14	87	85	6	0
20-24 ... ... F.	26			23	
25-29 ... ... M.	1	100	100	1	0
25-29 ... ... F.	3			2	

EXPERIMENT, 38.

Date, 2/vii/08. Locality, Sylt Outer Ground. Duration of haul, 4 hours. Beam trawl. Total weight of catch, 169+ kilogrammes or 372+ lbs. Depth, 10 fathoms. Soil, sand. Time of hauling, 5.10 p.m. Air temperature, 15·8°. Sunshine, cloudy. Sea rough. Chief species caught, plaice, dabs, grey gurnard, about a dozen *Medusæ*.

Length of fish (cm.).	Section	1. Put in tanks on hauling. No. of Fsh.	1. Percentage alive after 15½ hours.	1. Percentage alive after 39¼ hours.	2. Exposed on Deck ½ hour. No. of Fish.	2. Exposed on Deck ½ hour. Percentage alive after 1½ hours.
10–19	M.	25	60	40	35	19
	F.	32			28	
20–24	M.	25	92	63	7	48
	F.	40			14	
25–29	M	1	100	100	2	86
	F.	11			5	

REPORT

ON THE

SIZE AND AGE OF PLAICE AT MATURITY IN THE NORTH SEA AND ENGLISH CHANNEL.

BY

WILLIAM WALLACE, D.Sc.,

Assistant Naturalist on the Staff.

WITH TABLES 1, 2 AND 2A, 3 AND 3A, 4 AND 4A IN THE TEXT AND DIAGRAMS, FIGS. 1, 2, 3. TABLES I AND IA, II, AND IIA AND ONE CHART AT THE END,

WITH

AN APPENDIX BY G. T. ATKINSON.

CONTENTS.

Page.

I.—Introduction—

§ 1. Nature of the Investigation 53

§ 2. Material 53

§ 3. Determination of Maturity and Degrees of Ripeness 55

II.—Distribution of the Spawning Shoals 56

III.—Time and Duration of the Spawning Period 58

IV.—The Size of Plaice at First Maturity—

§ 1. Introductory 59

§ 2. Tabulation and Treatment of the Data 60

§ 3. Analysis of the Data 62

§ 4. Summary of Results 65

§ 5. Comparison of Present Results with Previous Investigations 65

V. Age and Maturity—

§ 1. Analysis 67

§ 2. Summary of Results 69

VI. Age, Size and Maturity 70

VII. Conclusions 71

Appendix.—Observations on the Market and on Sailing Trawlers 72

REPORT

ON THE

SIZE AND AGE OF PLAICE AT MATURITY IN THE NORTH SEA AND ENGLISH CHANNEL.

BY

WILLIAM WALLACE, D.Sc.

I.—INTRODUCTION.

§ 1. Nature of the Investigation

The objects of this research are as follows :—

(1.) The investigation of local differences in the age and size of plaice at first maturity in the North Sea and English Channel.

(2.) To obtain some evidence in regard to the distribution of the spawning shoals and the time and duration of the spawning period in the different parts of the North Sea.

(3.) To investigate the effect of maturity on the subsequent rate of growth ; to discover whether sexual and local differences in the age at first maturity give rise to corresponding differences in the age at which an arrest of growth takes place ; and, further, whether these differences are recognisable in the otoliths of mature plaice of different sexes from different localities.

The present report deals with the results so far obtained under the first two heads. In regard to (3), although interesting preliminary observations have been made, it is considered that more data are required to illustrate them. An account of these observations will be given in a later report.

§ 2. Material.

The material for this investigation consists of observations of size and maturity in 13,302 plaice in 4,107 of which the age also was determined by examination of the otoliths. These plaice, of which the condition of the reproductive organs was recorded, were caught on thirty-nine different occasions in various parts of the North Sea and English Channel by the S.S. *Huxley*, and partly by Lowestoft fishing smacks.

In the former case my colleagues and I made the necessary measurements, observations, and otolith collections on board. In this connection I have to thank especially Mr. G. T. Atkinson and Mr. R. A. Todd. The material from fishing smacks was either measured and examined on the Lowestoft Fish Market or—when otolith collections were required—was brought to the Laboratory. The market measurements and maturity examinations were made in the winters of 1907–08 by Mr. Atkinson, who has written an appendix to this paper (pp. 75, 76) giving details of the samples for which he is responsible. I am further indebted to Messrs. Atkinson and J. Potter for plotting on the Chart the central positions of the various stations on which the thirty-nine samples were obtained.

Table 1.—Table 1 summarises the material of the present investigation, and gives particulars of the thirty-nine samples referred to. In this table are given for each sample the locality, date, number of hours fishing and the numbers of immature and mature of either sex, distinguishing, in the case of the females, three degrees of ripeness (*see* p. 54).

Locality.—The arrangement of the samples in Table 1 is roughly according to the latitude of the fishing grounds. Beginning at the top with the Dogger Bank, the various grounds succeed one another in more or less geographical order from North to South

TABLE 1.—Summary of Maturity Observations with Particulars of Samples.

Reference No. of Sample.	Ground and Depth.	Date.	Vessel. Reference Nos. of Hauls.	No. of Hours Fishing.	Males.					Females.						
					No. of Immature.	No. of which Maturity doubtful.	No. of Mature.	Totals.	Percentage Mature.	No. Immature.	Stages of Maturity. 1. Ripening.	2. Ripe.	3. Spent	No. Mature.	Totals.	Percentage Mature.
1	Dogger Bank	(10½–18 fms.)	10–11/x/05	O. 356–359	13	11	1	5	17	**30**	16	22	0	0	22	38	**58**
2	" "	(10–15 ")	16–17/x/06	O. 414–416	18	1	0	2	3	**67**	8	18	0	0	18	26	**69**
3	" "	(10–17 ")	22–23/i/05	O. 270–275	70	17	0	1	18	**5**	43	2	1	6	9	52	**17**
4*	" "	(10½–17 ")	11–12/iii/04	O. 160–166	—	—	—	—	—	—	84	0	0	49	49	133	—
5	Clay Deep, edge of Dogger	(20–24 ")	12/x/05	O. 360–361	10	28	3	16	47	**34+**	64	17	0	0	17	81	**21**
6	Horn Reef Outer and Clay Deep ...	(15–25 ")	25–27/ix/06	B. 511, 515, 516, 519–521 ...	22	76	0	8	84	**10**	73	16	0	0	16	89	**18**
7	Flamborough Off Ground	(25–30 ")	19–20/x/05	B 397. O. 362–366	27½	41	4	38	83	**46+**	80	41	0	0	41	121	**34**
8	" "	(26–37 ")	20–23/x/06	O. 417–420. B. 522–531 ...	58¾	27	0	25	52	**47**	40	59	0	0	59	99	**59**
9	" "	(26–31 ")	13–21/i/05	B. 277. O. 266–269	20	14	2	168	184	**91+**	43	16	14	5	35	78	**45**
10	" "	(23–30 ")	22–29/iii/06	B. 415–417. O. 375–377 ...	27¼	17	8	25	50	**50+**	65	0	2	35	37	102	**36**
11	" "	(20–33 ")	10–13/iii/07	O. 425–430, 434, 435	21	4	6	25	35	**71+**	9	0	7	2	9	18	**50**
12	Well Bank Rough	(16–20 ")	15–23/iii/07	O. 436–438. B. 546	13	11	5	6	22	**27+**	42	0	0	20	20	62	**32**
13	Off Dudgeon Light Vessel	(11–16 fms.)	1–6/xii/07	LT. Smack, *Citizen*	—	131	—	11	142	**8**	133	14	0	0	14	147	**10**
14	Off Inner Dowsing Light Vessel ...	(11–19 ")	3–9/xii/07	LT. Smack, *Chrysolite* ...	—	139	—	20	159	**12**	195	27	0	0	27	222	**12**
15	South Botney Ground	(17½–20 fms.)	25/i/05	O. 276	5	13	2	4	19	**21+**	36	4	2	9	15	51	**29**
16	Leman Ground &c.	(12–17 ")	27–29/ix/04	B. 213, 214, 220, 221	16¼	16	41	41	98	**42+**	78	42	0	0	42	120	**35**
17	Leman Ground	(10–18 ")	24–25/x/05	O. 368–370	15	194	6	56	256	**22+**	346	57	0	0	57	403	**14**
18	Well Bank, N. end	(5½–19 ")	12–19/xi/07	R. Smack, *Victoria Cross* ...	—	46	2	52	100	**52+**	88	31	0	0	31	119	**26**
19	Well Bank, S. end	(7–20 ")	8–14/xi/07	LT. Smack, *Chrysolite* ...	—	98	3	76	177	**43+**	187	103	0	0	103	290	**35**
20	Leman Bank	(8–17 ")	2–8/iii/07	LT. Smack, *Gladys*	—	?	?	?	31	—	51	1	2	49	52	103	**50**
21	Leman to Smith's Knoll (S. part) ...	(14–20 ")	14–17/iii/06	B. 407–414	39	66	14	59	139	**42+**	106	0	1	20	21	127	**17**
22	Leman Bank to Smith's Knoll (N.part)	(5–23 ")	1–6/xi/07	LT. Smack, *Chrysolite* ...	—	61	10	101	172	**58+**	203	129	0	0	129	332	**39**
23	E. and W. of Smith's Knoll	(23–28 ")	2–8/xi/07	LT. Smack, *General Gordon* ...	—	28	—	69	97	**71**	108	77	0	0	77	185	**42**
24	E. of Smith's Knoll	(23–27 ")	5/11/xi/07	LT. Smack, *Consolation* ...	—	5	3	51	59	**86+**	61	125	0	0	125	186	**67**
25	E. of Smith's Knoll	(23 ")	28/x–3/xi/07	LT. Smack, *Emerald*	—	?	?	?	105	—	113	107	0	0	107	220	**48**
26	Gabbard Deep Water	(23–25 fms.)	15/i/08	LT. Smack, *Forward*	[14]	36	3	842	881	**95+**	166	12	32	17	61	227	**27**
27	Eastern Deep Water	(20–27 ")	1–5/ii/07	LT. Smack, *Rosebud*	[50⅓]	?	?	?	2,226	—	212	14	76	103	193	405	**47**
28	" " "	(18½–25 ")	6–11/iii/06	B. 400–406	34¾	9	14	58	81	**72+**	27	0	1	7	8	35	**23**
29	" " "	(25–27 ")	28–29/iii/07	B. 558–560	6	—	13	41	54	**76+**	7	0	0	4	4	11	**36**
30	Hinder Ground	(16–22 ")	27–28/iii/07	B. 552–557	19	43	22	213	278	**76+**	244	0	0	26	26	270	**15**
31	Sandette Bank	(19–21 ")	26/xi/04	B. 247–248	2	1	25	101	127	**88+**	5	11	1	0	12	17	**70**
32	" "	(16–22 ")	29/xi/06	B. 543–545	5¾	1	0	20	21	**95**	3	7	1	0	8	11	**73**
33	Schouwen Ground	(16–17 ")	1–5/xi/07	LT. Smack, *Holly*	—	57	0	204	261	**78**	153	52	0	0	52	205	**26**
34	" "	(13–19 ")	23–25/ii/07	LT. Smack, *Comrades*	—	888	0	618	1,506	**41**	1,469	0	0	66	66	1,535	**4**
35	West Capelle Ground	(15–17 ")	1/xii/07	LT. Smack, *Ena*	—	129	5	732	866	**84+**	470	?	?	?	55	525	**10**
	English Channel, Western Part.																
36	Inside "Eastern Scruff"	(17–23 fms.)	26/ii/04	O. 159	2½	25	3	11	39	**28+**	41	0	0	7	7	48	**15**
37	Between Beer Head and Berry Head...	(20–29 ")	12, 27/ii/06	O. 371, 373, 374	11¼	8	5	49	62	**75+**	30	0	4	14	18	48	**38**
38	Inside "Eastern Scruff"	(19–30 ")	28/ii–1/iii/07	O. 421–424	20	11	0	37	48	**77**	39	1	1	39	41	80	**51**
39	Teignmouth Bay	(3–6 ")	27–28/xi/07	Brixham Smack	—	82	3	31	116	**27**	111	17	0	0	17	128	**13**

* Sample No. 4 represents only a portion of the fish actually caught. None of the males were examined in regard to maturity on this occasion.

and finally West, ending at the foot of the table with the Great West Bay (English Channel).

For the purpose of this investigation I have adopted a larger grouping of the various grounds into five main regions, viz. :—

(i.) The Dogger region, including the Flamborough Off Ground and Clay Deep, &c. Samples Nos. 1 to 12.

(ii.) The Inner Dowsing region : off the Wash. Samples Nos. 13 and 14.

(iii.) The Leman region, including the neighbourhood of Smith's Knoll. Samples Nos. 15 to 25.

(iv.) The Southern Bight, including the Eastern Deep Water, Hinder Ground, and Sandette Bank, together with the shallower grounds off Schouwen. Samples Nos. 26 to 35.

(v.) The Great West Bay at the Western end of the English Channel. Samples Nos. 36 to 39.

Reference is given to particular hauls of S.S. *Huxley* ; *e.g.*, O. 270 means Otter trawl, haul No. 270. Similarly, B. 397 means Beam trawl, haul No. 397.

As regards the position of the fishing grounds from which the fishing smacks obtained the samples included in Table 1, information as precise as possible was obtained from the skippers by Mr. Atkinson. The positions given are of course not so accurate as in the case of the hauls of the S.S. *Huxley*, but sufficiently accurate for our present purpose (*see* Appendix pp. 72, 73).

The CHART shows the central positions of the hauls or groups of hauls from which the thirty-nine samples referred to were obtained.

§ 3.—DETERMINATION OF MATURITY AND DEGREES OF RIPENESS.

In the first place it is necessary to define the term " mature " as used here. In this category are classed not only those fishes which were actually spawning (*i.e.*, exuding ripe eggs or sperms) or had spawned, but also those whose ovaries or testes were in various stages of the process of ripening and which were clearly destined to spawn during the current or approaching season.

Samples 1 to 39 were collected during the period September to March in different years. During the whole of this period it is quite easy to tell whether a female is mature, as just defined, or immature. In the case of the males there was sometimes in a *minority* of cases some doubt in the matter, especially at the beginning of this period. In the tables referring to males I have, therefore, had to introduce a column to accommodate such doubtful cases.

On reference to Table 1 it will be seen that I have distinguished in the case of the *females* three degrees of ripeness.

The significance of these three stages is as follows :—

Stage 1.—Ripening. This signifies that condition of ovary when developing eggs can be separately distinguished on its walls, either with the naked eye or with the aid of a low-power lens. In this condition of the ovary the eggs of the approaching season's crop are opaque, and white, yellow or pink in colour, the opacity being due to the presence of separate yolk spheres in the substance of the egg.

Stage 2.—Ripe or partly ripe. This means that a certain proportion of the eggs in the ovary were fully ripe, as indicated by their transparency and by their having attained the definitive size of plaice eggs. The ripe eggs by this time are free from the walls of the ovary.

Stage 2 includes actually spawning fishes, viz., those in which the number of ripe eggs is so great that they stream from the urino-genital orifice on the application of the slightest pressure.

Stage 3.—Spent. This means a fish which has completed spawning. The ovary in this case is markedly flaccid or " baggy," with a wide lumen. A residuum of ripe eggs (usually dead) may or may not be present.

Heincke and Maier* distinguished eight degrees of ripeness in both sexes (Stages I to VIII). In actual practice an attempt was also made by us to distinguish various minor grades of ripeness, such as quarter ripe, half ripe, three-quarters ripe, spawning and half spent. The attempt, however, was soon abandoned, partly on account of the uncertainty of diagnosis, amounting in the case of the males to practicable impossibility, and partly because the practical use of so many classes, when the numbers were so small, was not very apparent. All these intermediate grades are, therefore, included in Stage 2.

II.—DISTRIBUTION OF THE SPAWNING SHOALS.

Some evidence as to the regions of the North Sea where plaice spawn and where they do *not* spawn is afforded by the data recorded in Table 1. In seeking information as to the distribution of the spawning shoals we shall be guided not only by the abundance of mature and actually spawning plaice, but also by another characteristic, which has been remarked upon by various international investigators, viz., a preponderance of the male sex. It has been found that in hauls in which spawning plaice occur in significant numbers males are much more numerous than females, whereas on the feeding grounds the reverse, or at least the equality of the sexes, is the rule.

According to Mr. A. E. Hefford's investigations,† the excess of males caught on the spawning grounds in the spawning season is probably due :—

(i.) Partly to the earlier maturity of the males and their consequent participation at a younger age in the spawning migration ;

(ii.) Partly to the more active habits of the reproductive males rendering them, as compared with the quiescent spawning females, more liable to capture in the trawl ; and

(iii.) Partly to the spawning migrations of the two sexes not being quite contemporaneous.

Turning now to Table 1, we may conveniently start by comparing (1) the proportion of the sexes and (2) percentages of mature of both sexes in three samples, all taken in January, 1905, viz., No. 3 from the South part of the Dogger, No. 9 from the Flamborough Off Ground, and No. 15 from the South Botney Ground.

The data for these three samples are as follows :—

No. 3.—18 males, 52 females ; 5 per cent. of males and 17 per cent. of females mature.

No. 9.—184 males, 78 females ; 91 per cent. of males and 45 per cent. of females mature.

No. 15.—19 males, 51 females ; 2 per cent. of males and 29 per cent. of females mature.

On comparison we note :—(i.) The great preponderance of males on the Flamborough Off Ground (9) and the decided preponderance of females on the Dogger (3) and on the South Botney Ground (15). (ii.) The fact that over 90 per cent. of males on the Flamborough Ground were mature whereas the proportion of mature males on the other two grounds was insignificant. (iii.) The much greater proportion of mature among the females on the Flamborough Ground than on the other two grounds.

Considering now the proportion of ripe (Stage 2) among the mature females in these three samples, we find that on the Flamborough Ground 14 out of a total of 35 mature were ripe ; on the Dogger only 1 out of 9 ; on the South Botney Ground only 2 out of 15.

Next let us compare two samples both obtained in the middle of March, 1907, viz., No. 11 on the Flamborough Off Ground, and No. 12 on the Well Bank Rough (*see* Chart) :—

No. 11.—35 males to 18 females ; 71 per cent. of males and 50 per cent. of females mature.

No. 12.—22 males to 62 females ; 27 per cent. of males and 32 per cent. of females mature.

---

* Maier, "Beiträge zur Alterbestimmüng der Fische" ; *Arb. d. wissen. Komm. f. d. Intern. Meeres. No.* 5. *Bd. VIII*, 1907.

† "On the Proportionate Distribution of the Sexes of Plaice in the North Sea." (Not yet published). I am indebted to Mr. Hefford for permission to read his paper in manuscript form.

Of the mature females 7 out of 9 on the Flamborough Ground and none on the Well Bank Rough were ripe. In the sample from the latter ground all the 20 mature females were spent (Stage 3).

So far as they go, these observations indicate that plaice congregate for spawning purposes on the Flamborough Off Ground, but that they do not spawn, at least in appreciable numbers, either on the South part of the Dogger or on the South Botney Ground, or on the Well Bank Rough.

I have already drawn attention in my last report to the practical absence on the South part of the Dogger in January of the older age groups (V+) which were present in considerable numbers in samples obtained there in October and March. The absence of these older fishes in winter was regarded as essentially due to an emigration of mature fishes into deeper water for the purpose of spawning.

In the series of five samples (Nos. 7 to 11) obtained in October, January and March on the Flamborough Off Ground the proportions of the sexes were as follows :—

No. 7, middle of October, 1905	83 males to 121 females.
No. 8, middle of October, 1906	51 males to 99 females.
No. 9, middle of January, 1905	184 males to 78 females.
No. 11, middle of March, 1907	35 males to 18 females.
No. 10, end of March, 1906	50 males to 102 females.

Thus on the Flamborough Off Ground, to judge from these few samples, the relative proportions of the sexes are completely reversed during the spawning season. Hefford, in the work referred to, has investigated on a large scale the proportion of the sexes at different sizes, and has pointed out that not only at the smaller but also at the larger sizes (35 cm. and upwards) is there a preponderance of males on certain grounds in the spawning season ; so that we cannot entirely explain the preponderance by the fact of the earlier maturity of the males (*see* p. 68). Since Hefford deals with *sizes* it may be interesting to give some data illustrating the changes in the proportions of the sexes at different *ages* on a spawning ground such as the Flamborough Off Ground appears to be. Such results as are to hand refer to samples Nos. 7, 8, 9 and 10, and are contained in the accompanying table :—

Sample No.	Date.	Sex.	Age Groups.							Totals.*
			I.	II.	III.	IV.	V.	VI.	VII.+	
7	19–20/x/05	Males	—	8	19	25	19	10	2	83
		Females	—	2	18	63	19	6	1	121
		Percentage males ...	—	80	51	29	50	62	13	40
8	'20–23/x/06	Males	—	—	10	16	19	5	1	51
		Females	—	1	7	21	24	12	33	99
		Percentage males ...	—	—	59	43	44	29	3	34
9	13–21/i/05	Males	3	3	15	36	36	9	6	108
		Females	0	0	7	6	3	5	0	21
		Percentage males ...	100	100	68	86	92	64	100	84
10	22–29/iii/06	Males	1	10	13	18	5	2	—	49
		Females	0	6	10	53	17	9	4	99
		Percentage males ...	—	63	57	25	33	18	0	33

* The numbers recorded for samples Nos. 9 and 10 in this table represent the samples taken for otolith investigations and do not include all the observations on maturity actually made. This accounts for the discrepancies between the totals for these samples in this table and in the statement above.

Referring to this table we find in *all* the samples up to three years of age (III. Group) inclusive a preponderance of males. In the older age groups on the other hand, of four years (IV. Group) and upwards, *taken as a whole*, there were more females than males in samples Nos. 7, 8 and 10 ; but in sample No. 9 (obtained in January) males greatly preponderated in each of the older as well as in the younger age groups. This result is in agreement with Hefford's conclusions.

We may now pursue the same line of investigation on more Southern grounds. If we compare as a whole the Leman region, as represented by samples Nos. 15 to 25, with the Southern Bight, as represented by samples Nos. 26 to 35, noting that in both regions

the samples were fished during the period November to March (except Nos. 16 and 17), we shall observe the following striking differences :—

(i.) *Females* preponderated in all the samples from the Leman region, except No. 21 from the neighbourhood of Smith's Knoll, where males *slightly* preponderated.

(ii.) *Males* preponderated in all samples from the Southern Bight, except No. 34, from the shallower and more inshore ground off Schouwen where females *slightly* preponderated.

(iii.) The percentage of mature among the *males* was higher in the samples from the Southern Bight than in the samples from the Leman region. The only exceptions are the above-mentioned sample No. 34 from off Schouwen and No. 24 from Smith's Knoll Deep Water.

In the case of the females the percentage of mature varied greatly and was generally under 50 per cent. except in the two samples from Sandette Bank, obtained at the end of November, one in 1904, the other in 1906. Here in the case of the females the percentages of mature were as high as 70 per cent. and 73 per cent. Here also we found the highest percentages of mature males, and nearly all were "milting."

It will be interesting now to compare two samples obtained at the same time of the year, viz., March, 1906, one (No. 21) from the Leman-Knoll region, the other (No. 28) from the Eastern Deep Water. The essential data are as follows :—

No. 21.—139 males to 127 females ; 42 per cent. of males and 17 per cent. of females mature.

No. 28.—81 males to 35 females ; 72 per cent. of males and 23 per cent. of females mature.

We see that there was a decidedly greater preponderance of males and a greater proportion of mature of both sexes in the sample from the Eastern Deep Water than in that from the Leman-Knoll region.

The facts just cited point to an accumulation of spawning plaice towards the Southern end of the North Sea, and it seems clear that plaice do not spawn in any appreciable numbers in the Leman region. This evidence agrees with the results of English* and Dutch† marking experiments showing a Southward tendency of the larger plaice in autumn and winter, and also with the Dutch‡ observations on the quantitative distribution of pelagic plaice eggs in the Southern Bight. The "setting in" of spawning plaice in the Southernmost part of the North Sea in winter has long been known to fishermen. The Lowestoft trawling smacks, for example, regularly go Southwards in winter to fish the spawning plaice, and some of the fishermen appear to have noted the preponderance of males in their catches at this season.

III.—TIME AND DURATION OF THE SPAWNING PERIOD.

It has been often stated and seems to be fairly well known among the fishermen that the time of spawning is earlier in the Channel and in the Southern part of the North Sea than on more Northern grounds. On this point it will be useful to have some precise data, even although, as in the present case, these data are somewhat scanty (*see* Table I.).

By noting the proportions of the three different stages of ripeness in the case of the females in samples obtained from the same ground at different times and from different grounds at the same time, we can arrive at an approximate estimate of the time and duration of the spawning period in different regions.

The earliest appearance of ripe plaice (Stage 2) so far noted was at the end of November (1904 and 1906) in samples (Nos. 31 and 32) from Sandette Bank.

---

* Garstang, "Experiments with marked Fish." *Mar. Biol. Assoc. Internat. Investigations, Report I., Southern Area*, 1902–03. *Cd.* 2670 (1905), pp. 13–33, and Charts : also "Provisional Report on the Natural History of the Plaice, based on the work of Committee B. in the period ending June 30, 1904," in *Vol. III. des Rapports et Procès-Verbaux du Conseil International pour l'exploration de la Mer* (1905), *Appendix H., p.* 9, *and Plate II.*

† Redeke. *Verhandelingen uit het Rijksinstituut voor het onderzoek der Zee. Eerste Deel II.*, 1906.

‡ Boeke. *Verhand. u. h. Rijksinst. v. h. onderz. der Zee. Eerste Deel IV.*, 1906.

The three samples (Nos. 9, 10, and 11) from the Flamborough Off Ground throw some light on the time and duration of the spawning period in this part of the North Sea. Below are given the numbers and percentages of the three grades of ripeness in the case of the females :—

	Numbers.			Percentages.		
	Ripening.	Ripe.	Spent.	Ripening.	Ripe.	Spent.
No. 9	16	14	5	46	40	14
No. 11	0	7	2	0	78	22
No. 10	0	2	35	0	5	95

From these examples it appears that on the Flamborough Ground in the third week of January, 1905 (No. 9), the spawning season was well advanced but not at its height, since 46 per cent. were still only in the ripening stage.

In the second week of March, 1907 (No. 11), the majority (although the numbers are very few) were "ripe," none were in the first or ripening stage.

In the last week of March, 1906, nearly all were spent.

These facts, though admittedly insufficient, indicate that in this region the spawning season is at its height in February.

For comparison it will be useful now to examine two samples from the Eastern Deep Water in the Southern Bight: one (No. 26) collected in the middle of January, 1908, the other (No. 27) at the beginning of February, 1907.

	Numbers.			Percentages.		
	Ripening.	Ripe.	Spent.	Ripening.	Ripe.	Spent.
No. 26	12	32	17	20	52	28
No. 27	14	76	103	8	39	53

Comparing No. 26 with No. 9 from the Flamborough Ground, also obtained in January, though in another year (1905), we see that in the sample from the Eastern Deep the majority were "ripe" and that slightly more were "spent" than "ripening," whereas, on the Flamborough Ground, the majority were "ripening" and comparatively few were spent. As early as the beginning of February (1907), to judge from sample No. 27, the majority of females in the Eastern Deep Water were spent, whereas on the Flamborough Off Ground (No. 11) in the second week of March in the same year the great majority (though the numbers are too small to place much reliance on) were still in stage 2.

Again, in the offshore grounds in the Great West Bay (English Channel) at the end of February and beginning of March (1904, 1906, and 1907), the great majority of females were spent (*see* Nos. 36, 37, and 38).

There is, therefore, some evidence from these facts to show that the spawning of the plaice is distinctly earlier in the English Channel and Southern Bight of the North Sea than on the more Northern Grounds.

IV.—THE SIZE AND AGE OF PLAICE AT FIRST MATURITY.

§ 1. Introductory.

Earlier investigations, viz., of Cunningham,* Fulton,† Holt,‡ and Kyle,§ clearly showed that mature plaice are met with in the English Channel and in the Southern part of the North Sea of a smaller size than are found in the Northern and central parts of the North Sea; and conversely that the largest immature plaice are found in the latter region. These observers also found that males were mature at a smaller size, and ostensibly earlier age, than the females. Kyle determined for the Northern and Southern parts of the North Sea what he called the *average size at first maturity*, that is the size at which fifty per cent.

* Cunningham.—*Journ. Marine Biol. Assoc., Vol. IV., pp.* 97–107 (1896), *No.* 2.

† Fulton.—Various *Ann. Reports of Fishery Board for Scotland, Part III., especially* 20*th* (1902), 22*nd* (1904), *and* 24*th* (1906).

‡ Holt.—*Journ. Marine Biol. Assoc., Vol. II., p.* 363, *&c.* (1891).

§ Kyle.—18*th Ann. Report Fishery Board for Scotland, pp.* 190–200 (1900); also *Journ. Marine Biol. Assoc., Vol. VI., No.* 4, *p.* 495, *&c.* (1903).

are mature and fifty per cent. immature. This size, as he pointed out, is most accurately determined in the following way. If the percentages of immature and mature at different sizes in a collection are represented graphically as in Fig. 1, it will be seen that the pair of curves thus constructed cross at a certain point (*m*). The *abscissa* (*a*) of this point is the average size at first maturity according to definition. Kyle found that (for a given sex) the place in the Southern part of the North Sea at first maturity were several centimetres smaller on an average than in the Northern part (*i.e.* off the Scottish Coast). Whether these well marked local differences in the average *size* at first-maturity represented differences in *age*, or whether, on the other hand, plaice (of the same sex) in all regions become first mature at the same age, the differences in the average size at first maturity being due to differences in local growth-rate, could not be decided at the time when these earlier researches were made, because no reliable method was then available for determining the age of fishes. Now, however, we are able to tell the age of a plaice by examining the *otoliths* (ear-stones) so that, by using this method in connection with the present research, it has been possible to obtain definite information in regard to the age as well as the size of the fishes at maturity.

In regard to the amount and nature of the material dealt with, the present research represents an advance on previous ones in the following respects :—

i. The number of observations made on plaice from any one region is larger.
ii. The proved reliability of the otolith method* has enabled the age as well as the size of the fishes to be taken into account.
iii. We know the exact locality from which our samples were obtained.

§ 2. Tabulation and Treatment of the Data.

The tables containing the details in regard to size, age, and maturity for the individual samples (Nos. 1–39) are placed at the end of this report.

Tables I., Ia. give the numbers of immature and mature at each centimetre in the different samples.

Tables II., IIa. give the number of immature and mature at each centimetre *in the different yearly groups* in those samples† of which the otoliths (of either the whole or part‡ of the catch) were examined.

The yearly groups are numbered 0, I, II, III, IV, V, VI, and VII + ; the 0 group including all plaice in the first year of their life, the I group consisting of plaice of the second year, and so on, until we come to the VII + group, which includes not only plaice in their eighth year but all older specimens as well.

In the text below will be found Summary tables (Tables 2, 2a, 3, 3a, and 4, 4a) in which the data for the individual samples are combined into five collections representing :— i. the Dogger Region, ii. the Inner Dowsing Region, iii. the Leman Region, iv. the Flemish Bight, and v. the Great West Bay. In Tables 2, 2a and 4, 4a instead of, as in the detailed tables, the numbers at each individual centimetre being given, a 2-centimetre grouping has been adopted so as to render the tables more compact and the curves constructed from the data (Figs. 1 and 2) smoother.

In all these tables the numbers of immature and mature at different sizes and ages are arranged side by side in vertical columns, the numbers of immature being printed in ordinary type, the numbers of mature in thick type. The *average size at first maturity* is indicated in the tables by a transverse line drawn across the two parallel columns at the point (size or age) where a majority of immature gives place to a majority of mature.

N.B.—In the subsequent text the average size at first maturity is generally referred to as the "F. M. average."

As will be seen from an inspection of the chart, *the thirty-nine samples naturally group themselves in five regions.* All the samples included in the Dogger region (Nos. 1–12) were collected north of 54° N. except No. 12 from the Well Bank Rough somewhat south of this latitude. This group is quite separate from the Leman group (Nos. 15–25) which is again quite distinct from the Inner Dowsing (Nos. 13 and 14) and, as a whole, from the Flemish Bight (Nos. 26–35) although the hauls (B. 400–414) which furnished samples No. 21 and No. 28 formed together a continuous series connecting the Leman Ground with the Eastern Deep Water.

---

* *See* Maier ; Beiträge zur Alterbestimmung der Fische ; *Arb. d. Wissen. Komm. f. d. Intern. Meeres. No.* 5, *Bd. VIII.*, 1907 ; also Wallace : Report on the Age and Growth-Rate of Plaice in the Southern North Sea, *Mar. Biol. Assoc. Internat. Investigations, Report II. (Southern Area). Part I.* [Cd. 3837 ; 1907.]

† Nos. 1–10, 15–17, 21, 26, 28, 31, 32, 35, 36–39.

‡ This explains why the total number in a given age sample in Tables II., IIA. sometimes falls short of the total under the same reference No. in Table I.

Fig. 1, *Diagrams A, B, C, D, and* A^1, B^1, C^1, D^1. In these diagrams the *percentages* of immature and mature at different sizes in the four principal collections are represented graphically, *the F. M. average being the abscissa* (*a*) *of the point of crossing* (*M*) *of the pairs of curves.*

TABLE 2.—SIZE AND MATURITY.—FEMALES.

Cm.	Dogger Region. Samples Nos. 1–12 combined. No. Im.	M.	Inner Dowsing Region Samples Nos. 13 & 14 combined. No. Im.	M.	Leman Region. Samples Nos. 15–25 combined. No. Im.	M.	Flemish Bight. Samples Nos. 26–35 combined. No. Im.	M.	English Channel, Great West Bay. Samples Nos. 36–39 combined. No. Im.	M.
9–14	—	—	—	—	4	—	65	—	29	—
15–19	1	—	6	—	40	—	657	6	36	—
20–21	5	—	19	—	53	—	494	22	17	—
22–23	18	—	61	—	70	1	580	55	16	3
24–25	39	1	75	—	165	1	437	56	30	7
26–27	46	—	71	—	205	1	275	64	20	6
28–29	58	1	50	—	243	8	133	48	25	9
30–31	60	2	25	—	213	25	70	31	27	9
32–33	77	4	13	2	214	46	30	28	13	10
34–35	86	10	5	1	108	80	10	31	7	10
36–37	89	16	3	1	42	120	5	30	1	7
38–39	43	22	—	3	18	118	—	19	—	4
40–41	32	51	—	6	2	106	—	23	—	10
42–43	9	36	—	6	—	88	—	20	—	2
44–45	3	38	—	4	—	55	—	17	—	2
46–47	1	46	—	3	—	41	—	12	—	—
48–49	—	37	—	6	—	22	—	7	—	1
50+	—	68	—	9	—	47	—	16	—	3
Totals ...	567	332	328	41	1,377	759	2,756	485	221	83

TABLE 2*a*.—SIZE AND MATURITY.—MALES.

Cm.	Dogger Region. Samples Nos. 1–12 combined. No. Im.	M.	Inner Dowsing Region. Samples Nos. 13 & 14 combined. No. Im.	M.	Leman Region. Samples Nos. 15–25 combined. No. Im.	M.	Flemish Bight. Samples Nos. 26–35 combined. No. Im.	M.	English Channel, Great West Bay. Samples Nos. 36–39 combined. No. Im.	M.
9	—	—	—	—	—	—	—	—	4	—
10–11	—	—	—	—	—	—	—	—	19	—
12–13	2	—	—	—	1	—	34	1	6	—
14–15	2	—	—	—	6	1	114	36	13	—
16–17	3	—	—	—	6	4	201^5	145	17	1
18–19	6	3	9	—	28	9	236^8	315	16^1	2
20–21	7^2	7	40	—	41^1	6	254^{14}	611	18^1	7
22–23	19^1	5	68	1	75^3	18	170^{13}	683	10^4	19
24–25	37	9	75	4	110^7	21	97^{12}	418	16^2	17
26–27	46^1	11	44	6	108^3	39	38^{12}	217	5^1	12
28–29	41^1	14	18	5	84^{12}	64	17^6	142	1	14
30–31	33^4	16	8	6	46^{31}	88	3^4	71	1^1	22
32–33	24^8	39	7	5	18^{12}	93	$—^3$	75	—	17
34–35	21^7	44	1	2	3^7	88	$—^2$	40	$—^1$	10
36–37	4^4	58	—	—	1^4	54	$—^2$	35	—	6
38–39	1	55	—	1	—	15	$—^1$	19	—	—
40+	1^1	58	—	1	$—^1$	9	—	21	—	—
Totals ...	247^{29}	319	270	31	527^{81}	509	1164^{82}	2829	126^{11}	127

NOTE.—*Index figures* = maturity doubtful.

§ 3. Analysis of the Data regarding Size and Maturity.

A study of the details of the individual samples (*see* Tables I., Ia.) is not only necessary to enable us to criticise the accuracy of our results, but is interesting because it raises certain questions connected with the migrations of plaice in the North Sea and the existence of more than one "race."

In the first place we see that the curves in Fig. 1, representing the percentages of immature and mature at different sizes, are smoother in the case of the females (A, B) than in that of the males* (A^1, B^1).

Considering in more detail the curves for the *males*, we observe that both in A^1 and B^1 the curves approximate or tend to approximate and diverge again before crossing definitely. The approximation point is about 21 cm. in the former case and 17 cm. in the latter. In C^1, representing the male collection from the Flemish Bight, the crossing point (F. M. average) is about 18 cm. Now this point agrees fairly well with the approximation points in the curves for the Dogger and Leman regions and rather suggests that shoals of Southern origin maturing on an average at about 17–21 cm. are also sparsely represented in the more northern regions where, however, shoals maturing at a larger size, viz., about 30–32 cm. predominate. The corresponding curves for the females (A. and B.) do not, however, show this double feature.

To understand the peculiar irregularities of the male curves and the relative smoothness of the female curves we must examine the details of the individual samples in Table I., Ia. If we do so we shall notice that in the data for females the F. M. average, that is the size at which a majority of immature gives place to a majority of mature, is approximately the same in all samples from the same region.† In the case of the males, however, the F. M. average is less easily definable, and moreover, there are considerable differences between samples collected in the same region on different occasions. In other words, the female material from the same region is more homogeneous than the male material, and this accounts for the greater smoothness of the female curves.

An examination of the different samples caught on different occasions in the Flamborough Off and Leman regions in connection with the dates of collection leads to the recognition of certain seasonal differences in the size of the smallest mature and in the proportions of mature under a certain size, showing that *smaller mature specimens (of either sex) and proportionately greater numbers of mature under a certain size were met with in the Flamborough Off and Leman grounds in the spawning season than in autumn.*

The males in our samples from the Flamborough Off Ground show the following seasonal differences :—


Sample No.	Date.	Smallest Mature.	Number under 26 cm.		
			Immature.	Mature.	Doubtful.
7	19–20/x/05	29 cm.	13	0	—
8	20–23/x/06	24 cm.	7	1	—
9	13–21/i/05	18 cm.	0	14	—
11	10–13/iii/07	19 cm.	3	6	3
10	22–29/iii/06	18 cm.	10	3	—

Here we see that whereas in October (1905) and (1906), the small males under 26 cm. were practically all immature ; in January (1905) they were all mature ; in the middle of March (1907) the majority were mature ; and at the end of March (1906) the majority were immature. We also note that the size of the smallest mature was much lower in the January and March samples than in the October samples.

* In the curves for the males the cases of doubtful maturity have necessarily been omitted. These doubtful cases, however, only amount to 5 per cent. in the collection from the Dogger region, 7 per cent. in the Leman collection, and 2 per cent. and 4 per cent. in the collections from the Flemish Bight and Great West Bay respectively.

† The numbers in the individual samples being small, the percentages of immature and mature in each 5 cm. group instead of in each 2 cm. group, were calculated and the curves plotted as in Fig. 1. for each sample. In the resulting diagrams, which it has not been thought necessary to publish, the crossing occurs at approximately the same size in all samples from the same region.

FIG. 1. DIAGRAMS A, B, C, D, (FEMALES), AND A', B', C', D' (MALES) SHOWING PERCENTAGES OF IMMATURE AND MATURE PLAICE AT DIFFERENT SIZES, IN COLLECTIONS FROM FOUR DIFFERENT REGIONS.



The abscissa (a) of the point (m), where the two curves cross is the average size at first maturity. Figures at points of the curves indicate number of observations.

——o——o—— = IMMATURE ——•——•—— = MATURE

Wallace. Size and Age of Plaice. To face p. 62.

2204 Weller & Graham, Ltd. Litho, London.



The various samples from the Leman region exhibit the following differences :—

Sample No.	Date.	Smallest Mature.	Number under 26 cm.		
			Immature.	Mature.	Doubtful.
16	27–29/ix/04	27 cm.	9	0	0
17	24–25/x/05	23 cm.	123	3	2
18	12–19/xi/07	23 cm.	19	7	1
19	8–14/xi/07	25 cm.	43	3	0
21	14–17/iii/06	15 cm.	42	40	4
22	1–6/xi/07	22 cm.	19	2	4
23	2–8/xi/07	23 cm.	11	2	—

In the above table we note the much lower size of the smallest mature in the sample obtained in March 1906, than in any of the other samples which were collected during September–November in different years. In the March sample also there was by far the greatest proportion of mature under 26 cm., the latter nearly equal in number to the immature which in all the other samples greatly preponderated.

In the females the seasonal differences in our samples from these grounds are not nearly so marked as in the case of the males, still they are clearly indicated and point in the same direction. The following are the essential data in regard to the Flamborough Off Ground :—

Sample No.	Date.	Smallest Mature Female.	Number under 31 cm.	
			Immature.	Mature.
7	19–20/x/05	31 cm.	14	0
8	20–23/x/06	34 cm.	5	0
9	13–21/i/05	25 cm.	9	2
10	22–29/iii/06	33 cm.	14	0
11	10–13/iii/07	39 cm.	5	0

We see from the above that the size of the smallest mature female was distinctly lower and the *proportion* of mature under 31 cm. higher in the January sample than in the samples obtained in October and March.

The various samples from the Leman ground show the following differences :—

Sample No.	Date.	Smallest Mature.	Number under 31 cm.	
			Immature.	Mature.
16	27–29/ix/04	33 cm.	37	0
17	24–25/x/05	29 cm.	256	3
18	12–19/xi/07	29 cm.	61	2
19	8–14/xi/07	29 cm.	131	3
21	14–17/iii/06	23 cm.	94	4
22	1–6/xi/07	30 cm.	115	2

Here we see that in the March sample the size of the smallest mature specimen was much lower and the proportion of mature under 31 cm. distinctly higher than in the other samples obtained in autumn.

It is clearly the presence of the small mature males in the samples collected on the Flamborough Off and Leman grounds in the spawning season (January and March) which accounts for the above-noted approximation of the pairs of percentage curves at 21 cm. and 17 cm. in diagrams A^1 and B^1 respectively. (Fig. 1.)

Turning now to the Flemish Bight collection (C and C^1) ; in the central parts (samples Nos. 26—32) mature males vastly preponderated, even down to 14 cm., while on the shallow coastal grounds off Schouwen the F. M. average was about 18—21 cm. It is the latter group which predominates in the total collection represented in C^1, in which the crossing point is about 18 cm.

At this stage two questions present themselves :—

(1.) Whence are derived the small mature plaice found on the Flamborough Off and Leman grounds in the spawning season but not in autumn ?

(2.) Is 18 cm. (or thereabouts) the true average size at first maturity of males reared on the Dutch coast ?

If about 18 cm. be the true average size at first maturity of male plaice and about 32 cm. the corresponding size of female plaice reared in this region, the difference between the two amounts to 14 cm. representing roughly *two* years' growth. Now in the collections from the Dogger region and in the Great West Bay the difference between the F. M. averages for the two sexes amount to *one* year's growth. Moreover in the Flemish Bight collection itself the difference between the *smallest* mature male, viz. 13 cm., and the *smallest* mature female (18 cm.) amounts to 5 cm., also representing just *one* year's growth. It seems not improbable, therefore, that 18 cm. is not the true average size at first maturity of male plaice in this region, and there is ground for supposing this in the fact that the samples were collected entirely in winter (November to February). For it has been remarked by several naturalists engaged in the international investigations, and is well known to fishermen, that small plaice (say under 26 cm.) are very scarce in winter, and this is generally explained by saying that these small plaice "sand themselves." We should hardly expect, however, that *mature* males of these sizes would sand themselves, because they would be actively engaged in spawning. Here then we have what seems a likely explanation or part-explanation both of the great increase in the proportions of mature to immature males under 26 cm. on certain grounds in the spawning season, and of the apparently too low F. M. average observed in our male collection from the Flemish Bight. On the other hand, this explanation does not appear adequate to account for the fact, that both on the Flamborough Off and Leman grounds in the spawning season (January-March) the size of the *smallest* mature specimen (of either sex) was much lower than in the autumn ; since even if, by the suppression of the immature owing to hybernation, the small mature males are brought more into prominence, this does not provide the reason why the *minimum* size of mature specimens should be lower in winter than in autumn.

Where do these smaller mature specimens which are found on the Flamborough Off and Leman grounds in the spawning season but not in the autumn come from ? * Do they come from the English coast ? This question cannot be answered with certainty, but such evidence as we possess points to the contrary and to the origin of these small plaice from the Dutch coast. The evidence is as follows :—

Samples Nos. 13 and 14 and Sample No. 35 were fished at the same time of the same year (December, 1907), Nos. 13 and 14 in the neighbourhood of the Wash (Inner Dowsing region), and No. 35 off Schouwen, the distance from land and depth of water being much the same for both English and Dutch samples.

The essential data for comparison are as follows :—

Sample No.	Range of Size.		Smallest Mature.		Males under 26 cm.		Females under 31 cm.	
	Males.	Females.	Males.	Females.	Immature.	Mature.	Immature.	Mature.
	cm.	cm.	cm.	cm.				
13, 14 ...	18–34	18–50	22	33	192	5	292	0
35	18–33	18–33	18	20	121	655	267	54

From the above we see that whereas in the neighbourhood of the English coast (in December, 1907) there were very few mature males under 26 cm. and no mature females under 31 cm. ; off the Dutch coast at the same time there were over six times as many mature as immature males, and a considerable number of mature females *under the specified sizes.*

So far as it goes then the above evidence rather points to *the derivation from the Dutch rather than from the English coast of those small mature plaice which are found on the Flamborough and Leman grounds in the spawning season.*

* The possibility must not be lost sight of that they may have been produced on the spot by the growing mature of plaice already there. It is of course quite possible, and perhaps even probable, that some specimens recorded as immature in autumn become ripe in the course of the breeding season. The point is one which requires further investigation. The theory I put forward is merely intended as a provisional one, partly suggested by the apparent absence of these small mature plaice on the English coast and their relative abundance on the Dutch coast.

§ 4. Summary of Results.

The chief data, viz., the average minimum and maximum sizes at first maturity in our collections from the five different regions are recorded in the following Table :—

Region.	Smallest Mature.		Average Size at First-maturity.		Largest Immature.		Number of Specimens.	
	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.
	cm.	cm.	cm.	cm.	cm.	cm.	cm.	cm.
Dogger, &c.	25	18	40	31–32	47	40	901	594
Leman, &c.	23	15	35	29–30	41	36	2096	1111
Flemish Bight	18	13	32–33	(18)	36	31	3231	4075
Great West Bay	22	17	32–34	22–25	37	30	304	263

This Table shows that *the average size at first maturity and also the size of the smallest mature and of the largest immature (of either sex) were highest on the grounds on and around the Dogger, lowest in the Southernmost part of the North Sea, and intermediate in the region of the Leman Banks.* We have already referred to the scarcity of mature plaice under a certain size in the samples obtained in the neighbourhood of the English coast (Inner Dowsing region) and contrasted this with the relative abundance of these small mature specimens on the Dutch side. As regards the Great West Bay, the F. M. average for females in our collection was about the same as in the collection from the Flemish Bight, and the sizes of the largest immature males and females in the two collections agree very closely. So far, however, we have not found in the western part of the Channel mature specimens of a size so small as in the collection from the Flemish Bight. Again, we cannot compare with any degree of certainty the F. M. averages for males in the two regions, since there are reasons for believing, as mentioned above, that the value of the F. M. average in our Flemish Bight collection is too low to be the true average size of the males at first maturity in this part of the North Sea.

We cannot enter further into the comparison between the different regions until we take into account *the question of age* as inferred from an examination of the otoliths of certain samples. But before presenting the results of this part of the investigation it will be well to see how far our determinations of F. M. averages for different regions agree with those of other observers.

§ 5. Comparison of Present Results with Previous Investigations.

The values of the F. M. averages for different regions, as determined by the observations of Cunningham, Fulton, Holt, Kyle and myself, are recorded in the accompanying Table :—

Reference Number.	Region.	Author and Reference.*	Females.			Males.			Remarks.
			Number.		F.M. Average cm.	Number.		F.M. Average cm.	
			Imm.	Mat.		Imm.	Mat.		
1	Scotland (East Coast)	Kyle ; 18th S.F.B. ; pp. 198, 199	64	34	39-40	68	81	32	
2	„ „	Fulton ; 22nd S.F.B. ; pp. 156, 157	82	52	40-42	25	98	33	
3	„ „	Fulton ; 24th S.F.B. ; pp. 189, &c.	679	49	42-43	—	—	—	
4	Grimsby Market	Holt ; M.B.A. II. ; p. 376 ..	?	?	41-43	?	?	35-36	
5	**Dogger Region**	Wallace : present report ..	**571**	**330**	**39-40**	**247**	**318**	**31-32**	29 Doubtful males omitted.
6	Heligoland	Kyle : 18th S.F.B. ; pp. 195, 196	43	47	32-33	—	—	—	
7	Leman Shoal	Cunningham ; M.B.A., IV. ; p. 104	34	29	35-36	—	—	—	
8	**Leman Region**	Wallace : present report ..	**1337**	**759**	**35-36**	**527**	**508**	**29-30**	76 Doubtful males omitted.
9	Brown Ridges	Cunningham ; M.B.A., IV. ; p. 99	67	38	32	—	—	—	
10	Off Dutch Coast	Cunningham ; M.B.A., IV. ; p. 99	62	33	30-31	35	67	25	
11	**Flemish Bight**	Wallace : present report ..	**2746**	**485**	**33-34**	**1164**	**2829**	**(18)**	82 Doubtful males omitted.
12	Helder and Lowestoft Markets ..	Kyle ; 18th S.F.B. ; pp. 195, 196.	105	61	32-33	34	106	< 24	
13	English Channel (Western part)..	Kyle ; M.B.A. VI. ; pp. 495-498	91	178	31-32	54	237	25	
14	**English Channel (Western part).**	Wallace : present report ..	**222**	**82**	**32-34**	**126**	**128**	**21-22**	11 Doubtful males omitted

* "M.B.A. II.," &c. refers to volumes of the Journal of the Marine Biological Association. "18th S.F.B.," &c. refer to Annual Reports of the Fishery Board for Scotland, Part III.

According to Kyle's results the F. M. averages in a collection of plaice from Aberdeen and St. Andrews markets (No. 1) were 39–40 cm. for females and 32 cm. for males, therefore the same as in my collection from the Dogger region (No. 5). Fulton's values for the Scottish coast are a trifle higher, but practically identical.

It is also important to note that the *smallest mature male so far found by Fulton off the East Coast of Scotland measured* 30 *cm., the smallest mature female* 36 *cm.** Holt's investigation of plaice obtained on the Grimsby market in 1901 (No. 4) also gives a slightly higher F. M. average for the female than that obtained by Kyle for the Scotch coast and myself for the Dogger region, and a considerably higher average for males.

Referring now to the Leman region it will be seen that according to Cunningham's observations (No. 7), the average size of the females at first-maturity was about 35–36 cm., the same as in my collection (No. 8) from this region. Also Cunningham's and my values for the female average in the Southernmost part of the North Sea (Nos. 9, 10, 11) agree, but he gives 25 cm. as the F.M. average for males in a sample collected in the neighbourhood of the Dutch coast. This is perhaps more likely to be the true average for males than mine (18 cm.) for reasons above stated (p. 64), and it makes the average difference between males and females one of a year's growth (6 cm.). Again, in samples from Helder and Lowestoft markets, examined by Kyle, the average size of females at first-maturity was about 32–33 cm. Therefore the observations of these three different observers on plaice from this part of the North Sea agree perfectly as regards the females. Finally Kyle's collections from the Western part of the Channel give values for the F. M. averages which agree very well with my own. It would seem, therefore, that *the values we are dealing with are very constant and characteristic of different regions.*

In attempting to account for these well-marked regional differences in the average size at first-maturity, the earlier investigators, whose observations have just been recorded, were handicapped by not having any reliable method of determining the ages of the fishes they were dealing with. Fulton, however, following the method of Petersen, attempted to define yearly groups of plaice from a study of the frequencies of certain sizes in different samples. His frequency curve for a large collection from Aberdeen Bay (obtained in November)† shows at least two well-defined size-groups with cusps at about 12 cm. and 21 cm. These doubtless represent plaice nearly two and three years old respectively (what we should call the I and II groups), but the significance of the cusps in that portion of the curve representing the sizes of the *larger* fishes is a matter of speculation. The configuration of his fourth group (our III group), for example, rather suggests that two years (III and IV) may be amalgamated in it. Accordingly the conclusion which Fulton draws from his investigations, viz., that, off the Scottish coast, the males become mature when *four* years old (III group) and the females when *five* years old (IV group) must be accepted with reserve. Judging from our collections from the Dogger region (*see* Table 3*a*) the majority of males in this region are not mature till they are *five* years old (IV group) and females not until *six* years old (V group), namely a year later than Fulton supposes. Further, Fulton considered it " probable that maturity is determined in the plaice in any given region not by size but by age, that the variation in size of mature and immature specimens and their overlapping is due to variation in growth, and that *the plaice in all regions spawn at the same age*‡, differences in the average size at first-maturity being due to differences in rate of growth in the different regions . . . . It is, I believe, the cause of the variations in the age at first-maturity which Cunningham found among plaice collected from various localities, sometimes not far apart, in the southern part of the North Sea."

Kyle, however, who also concluded from his observations that the males mature a year earlier than the females, considered that *the difference between the plaice of the Southern and Northern portions of the North Sea is just one year's growth.*‡ (M.B.A. VI, p. 496.)

To anticipate, it may be stated that my results, based on otolith-investigations, confirm the latter view.

As a result of his researches, Cunningham (M.B.A. IV, p. 104) accurately concluded as follows:—"It would appear that Channel conditions extend northward along the Dutch coast, while *the size of mature plaice which is characteristic of more northern grounds extends southward to some extent along the English coast.*‡ The latter half of this statement is confirmed by observations mentioned above, on plaice from the region of the Wash (*see* pp. 64, 65).

---

* The italics are mine. *See* 10th, 22nd, 24th S. F. B. reports.

† *See* 20th S. F. B. report. Plate XIV. &c. (1902).

‡ The italics are mine.—W.W.

I must now refer to certain observations made by foreign colleagues in the course of the International Investigations.

Heincke* states that the average size of plaice at first-maturity in the German Bight is 30–35 cm. for males and 35–39 cm. for females. Heincke concludes that "there are grounds for believing that two races occur, a Southern race extending from the English Channel to Heligoland, and a Northern race extending from Heligoland to the North, the first of which is constitutionally smaller than the second. We have also received spawning plaice of very small size caught off Borkum by a German sailing cutter in March, *one female with running spawn measured only 22 cm.*"

Further, in a sample from Heligoland, Kyle (*see* above table) found the value of the F. M. average for females was 32–33 cm. just as in samples from the Flemish Bight. From these observations, therefore, it appears fairly certain that *the small sizes of mature plaice characteristic of the Dutch coast extends along the German coast as far as Heligoland.* How far further north along the continental coast they extend is still somewhat uncertain, owing to the lack of sufficient observations. In this connection Johansen's observation on the plaice in the region of Horn Reef are of interest.† He says :— "By 'Thors' trawling experiments in the spring of 1903, a conspicuous size group of plaice was found, the average size of which was 24–26 cm. south of the Horn Reef, and 27–28 cm. north of the Reef. Among several hundred individuals of this group not a single mature specimen occurred, neither among males or females. *The smallest mature female I ever found at Horn Reef was of 27 cm.* (italics are mine). The age of individuals of this group must at least have been four, possibly five years. Here we notice that neither males or females of four years reach maturity in the Horn Reef area. The bulk of the plaice developed here, both males and females, are at least five years old at maturity." Further Danish observations from the Horn Reef area are recorded in Appendix C. of "Rapports et Procès-Verbaux," Vol. VII. In a collection made in 20–45 metres in September 1905, of which details of size and age are recorded in Table LV. of that appendix, the F. M. average for males appears to be about 30–31 cm. (but the total number of mature was only 33). Of 351 females ranging from 11 to 40 cm. there were only five mature, according to these observations, and *the smallest was 36 cm. long.*

From these observations of Johansen's it would seem probable that the average size at first-maturity of plaice in the Horn Reef area is about the same as in the Dogger region and off the Scottish coast, and that the smaller averages characteristic of the Dutch and German coasts do not extend so far north as what are usually called the "Eastern Grounds" (Danish coast), where the average size at first-maturity is apparently about the same as on the British coast as far south at least as the Wash (*see* pp. 64–66).

V.—AGE AND MATURITY.

§ 1. Analysis.

The age-and-maturity data for the individual samples are given in the detailed tables (Tables II., II*a*.) at the end of this report. They are combined in four collections in the summary tables appended here (Tables 3, 3*a*), and displayed in a graphic form in Figs. 2

Table 3.—Age and Maturity.—Females.

Age Groups.	Dogger Region. Otolith Samples Nos. 1, 2, 3, 5, 7, 8, 9, 10 combined.		Leman Region. Otolith Samples Nos. 15, 16, 17, 21 combined.		Flemish Bight. Otolith Samples Nos. 26, 28, 31, 32 & 35 combined.		English Channel, Great West Bay. Otolith Samples Nos. 36–39 combined.	
	Im.	M.	Im.	M.	Im.	M.	Im.	M.
0	—	—	—	—	—	—	21	—
I	—	—	27	—	18	—	85	—
II	14	1	89	—	122	5	80	16
III	124	1	103	5	193	34	32	36
IV	214	33	74	21	10	22	4	17
V	41	57	8	20	—	12	—	6
VI	12	35	1	8	—	—	—	5
VII+	—	74	—	22	—	21	—	3
Totals	406	201	302	76	343	94	222	83

* *Conseil permanent international pour l'exploration de la Mer. Rapports et Procès-Verbaux. Vol. III.*, 1905. *Appendix E, p.* 19.

† *Johansen. Medd. fra Komm. for Havundersögelser. Serie: Fiskeri. Bd. I., No.* 2. (1905), *p.* 24 (*footnote*).

and 3, the actual numbers given in the tables being converted into percentages in the diagrams.

TABLE 3*a*.—AGE AND MATURITY.—MALES.

Age Groups.	Dogger Region. Otolith Samples Nos. 1, 2, 3, 5, 7, 8, 9, 10 combined.		Leman Region. Otolith Samples Nos. 15, 16, 17, 21 combined.		Flemish Bight. Otolith Samples Nos. 26, 28, 31, 32 & 35 combined.		English Channel, Great West Bay. Otolith Samples Nos. 36–39 combined.	
	Im.	M.	Im.	M.	Im.	M.	Im.	M.
0	—	—	—	—	—	—	25	—
I	1	3	18	6	15^{6}	95	77^{1}	20
II	16^{1}	6	58^{5}	29	32^{14}	306	23^{10}	50
III	111^{3}	23	61^{17}	19	29^{12}	554	1	44
IV	77^{6}	77	15^{17}	31	6^{10}	175	—	14
V	18^{4}	72	$—^{1}$	17	$—^{1}$	57	—	—
VI	3	25	—	4	—	25	—	—
VII+	1	9	—	—	—	14	—	—
Totals	227^{14}	215	152^{40}	106	82^{43}	1226	126^{11}	128

NOTE.—*Index figures* = Maturity doubtful.

In Fig. 2 the same graphic method of representation (Kyle's) has been adopted as in the case of the size data (Fig. 1), that is to say, the percentages of immature and mature at different ages are plotted out in the form of two curves. The abscissa (a) of the point (m) where these two curves cross may be called the *average age at first-maturity*.

Taking firstly the females, if we regard the position of the crossing point in the series of four diagrams, A, B, C, D in Fig. 2, we find that, beginning with A this point is between IV. and V., but near V.; in B it is midway between III. and IV.; and in D between II. and III. This is a diagrammatic way of representing the fact that (according to our samples) *the average age of the females at first-maturity is younger in the Leman region than in the Dogger region, younger still in the Flemish Bight, and youngest in the Western part of the Channel.*

The corresponding series of diagrams for the males,* viz., A^1, B^1, and D^1, show corresponding regional differences in the average age at first-maturity, which in each case is about a year earlier than the females; namely, in A^1 the crossing point is at IV.; in B^1 it is midway between III. and IV.; in D^1 it is between I. and II. In C^1, however, the curves representing the percentages of immature and mature in the collection from the Flemish Bight do not cross because the mature greatly outnumbered the immature in *all* the age groups even the youngest present (the I. Group). Whether this is to be ascribed to a special selective migration of mature males into the central part of the Flemish Bight in winter or to the suppression of the small immature individuals owing to hybernation (as mentioned on p. 64), or to both these causes, is not certainly known.

Fig. 3 shows very clearly the percentages of mature (shaded portions of the rectangles) at different ages in the four collections represented by the diagrams A, B, C, D (females), and A^1, B^1, C^1, D^1 (males).


Comparing these diagrams we see that among plaice of any given age a larger proportion of mature occurred in the Leman region (B and B^1) than in the Dogger region (A and A^1), a still greater proportion in the Flemish Bight (C)†, and the greatest proportion in the Western part of the Channel (D and D^1). Take, for example, the III. Group, females. In the Dogger region (A) only about 1 per cent. of this group was mature; in the Leman region (B) 4 per cent.; in the Flemish Bight (C) 15 per cent.; and in the Great West Bay (D) $52\frac{1}{2}$ per cent.


This is simply another way of showing that the average age at first-maturity is earlier in the Leman region than in the Dogger region, younger still in the Flemish Bight, and youngest in the Channel.


* In the construction of these diagrams the cases of doubtful maturity (index figures in Table 3a) have necessarily been omitted. These doubtful cases, however, only amount to 3 per cent. in the collection from the Dogger region, 13 per cent. in the Leman collection, and 3 per cent. and 4 per cent. in the collections from the Flemish Bight and Great West Bay respectively.


† Diagram C^1 is exceptional, representing, as explained on page 64, the special conditions affecting the males on the central part of the Flemish Bight in winter.


FIG. 2. DIAGRAMS A, B, C, D, (FEMALES) AND A', B', C', D', (MALES) SHOWING PERCENTAGES OF IMMATURE AND MATURE PLAICE AT DIFFERENT AGES, IN COLLECTIONS FROM FOUR DIFFERENT REGIONS.





















The average age at first maturity is the abscissa (a) of the point (m) where the two curves cross. Figures at the points of the curves give the number of observations.


——o——o—— = IMMATURE —•—•— = MATURE


Wallace. Size and Age of Plaice. To face p. 68.

2204.

Weller & Graham, Ltd Litho. London.



















FIG 3. DIAGRAMS A, B, C, D. (FEMALES) AND A', B', C', D', (MALES) SHOWING PERCENTAGES OF IMMATURE AND MATURE PLAICE, AT DIFFERENT AGES (0, I, II ..... VII+) IN COLLECTIONS FROM FOUR DIFFERENT REGIONS.



A, A' = Dogger Region. B, B' = Leman Region. C. C' = Flemish Bight. D, D' = Great West Bay.

Figures at the top of the columns indicate number of observations.

IMMATURE MATURE NO OBSERVATIONS.

Weller & Graham, Ltd. Litho. London.

Comparing the difference between the percentages of mature in adjacent age groups, we note that *the most rapid rise in the percentages of mature invariably takes place at the age at which over 50 per cent. of mature first occurs.*

For example, in the females of the Dogger Bank and Leman regions (diagrams A and B) the youngest age group containing over 50 per cent. of mature is the V group, and we see that the greatest rise in the percentage of mature is from IV to V. In the Flemish Bight (C) the youngest group with a majority of mature is the IV group, and the most rapid rise in the percentage of mature is from III to IV. In the Great West Bay (D) the youngest group, containing over 50 per cent. mature, is the III group, and the most rapid rise in the percentage of mature is from II to III.

In the males of the Dogger and Leman regions, discounting minor irregularities, the causes of which have already been discussed (p. 62), the youngest group containing over 50 per cent. of mature is the IV group, and the most rapid rise in the percentage of mature takes place from III to IV. In the Great West Bay the youngest age group with a majority of mature is the II group, and the most rapid rise in the percentage of mature is from I to II.

*The relatively rapid rise in the percentage of mature in all these cases clearly means that at these particular ages in the different regions, the greatest numbers of plaice become mature for the first time.**

§ 2. Summary of Results.

(1.) There is a considerable range of individual variation in the age as well as the size at which plaice become ripe for the first time.

(2.) So far we have not met anywhere a mature female which had less than two white rings in its otoliths. According to our investigations these youngest mature specimens would be in the third year of their lives and just three years old when fully ripe. Relatively few, however, were found to be mature at this age. Even in the Channel where mature specimens of this age were relatively most abundant, only 17 per cent. of them were mature.

(3.) The youngest mature males, so far obtained, belonged to the I group. In other words the minimum age of the males at first-maturity is two years. Ripe individuals of this group are quite common in the spawning season, especially in the Flemish Bight.

(4.) We find much older immature specimens of both sexes in the Dogger region than in the Flemish Bight or in the western past of the Channel. The oldest immature females so far found in the two last regions belonged to the IV group. Several of the V group and one (out of a total of 9) of the VI group in the Leman region and 12 out of 37 of this group in the Dogger region were immature. The oldest immature male in the collection from the Great West Bay belonged to the III group. In the Flemish Bight and Leman region the oldest immature belonged to the IV group. In the Dogger region, however, much older immature males were found (*see* Table 3*a*).

(5.) In the Dogger region the majority of females become mature when six years old (V group), males when five years old (IV group) ; therefore just one year earlier than the females. In the collection from the Leman region the same relations hold, but the average age at first-maturity (*see* Fig. 2, B, B^1) is somewhat earlier. In the neighbourhood of the Dutch coast (Flemish Bight) the majority of females become mature when five years old (IV group).† In our male collection from this region, immature specimens formed only a small minority even of the youngest age group present, so that it is impossible to say from these observations what is the age of the majority of males in this region at first-maturity. In the Great West Bay the average age at first-maturity is earlier than in the Flemish Bight, the majority of females apparently becoming ripe for the first time when four years old (III group), the males when three years old (II group).

---

* Of course the greater proportion of mature in an older than in a younger group is partly due to the fact that the older group contains not only fishes which are spawning for the first time but also some which are spawning for the second time, &c., according to the age of the group.

† The otolith-investigations of H. Maier ("Beiträge zur Alterbestimmung der Fische" *Arb. d. wissen. Komm. f. d. Intern. Meeres. No. 5, Bd. VIII.* 1907, *p.* 99) show that on the German coast also the majority of females become ripe for the first time when five years old (IV group), males when four years old (III group).

VI.—AGE, SIZE, AND MATURITY.

As a result of the otolith-investigations we know that in a given region there is a certain age at which the great majority of plaice (of a given sex) become ripe for the first time.

Now the question arises :—Are the majority now ripe because they have attained this particular age, or because at this age the majority attain the size which is most favourable for reproduction ?

Tables 4 and 4*a* appear to throw some light on this question.

TABLE 4.—AGE, SIZE, AND MATURITY.—FEMALES.

—	Dogger Region.						Leman Region.						Flemish Bight.						Great West Bay.					
Ages.	III.		IV.		V.		III.		IV.		V.		III.		IV.		V.		III.		IV.		V.	
Cm.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
19 ..	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20–21 ..	3	—	—	—	—	—	4	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—	—	—
22–23 ..	8	—	—	—	1	—	5	1	1	—	—	—	36	5	1	1	—	—	—	1	—	—	—	—
24–25 ..	27	—	—	—	—	—	13	—	1	—	—	—	70	8	—	—	—	—	2	3	—	—	—	—
26–27 ..	25	—	4	—	1	—	14	2	2	—	—	—	46	8	—	—	—	—	3	4	—	—	—	—
28–29 ..	16	—	21	—	2	—	33	1	5	—	—	—	18	4	4	3	—	—	4	4	—	1	—	—
30–31 ..	18	—	20	—	3	—	18	—	8	1	—	—	10	3	2	2	—	—	14	7	1	—	—	—
32–33 ..	13	1	34	1	2	—	10	—	31	6	3	—	6	1	2	4	—	—	5	6	2	4	—	—
34–35 ..	9	—	40	5	4	2	3	—	15	4	—	1	2	—	—	6	—	1	4	3	1	5	—	—
36–37 ..	3	—	53	2	9	6	1	1	8	7	1	2	—	—	1	2	—	2	—	4	—	3	—	—
38–39 ..	1	—	26	8	4	5	—	—	3	2	3	11	—	—	—	3	—	4	—	2	—	1	—	1
40–41 ..	1	—	13	13	10	14	—	—	—	1	1	4	—	—	—	—	—	3	—	2	—	3	—	3
42–43 ..	—	—	2	3	5	8	—	—	—	—	—	1	—	—	—	1	—	2	—	—	—	—	—	2
44–45 ..	—	—	1	1	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	-	—	—
46–47 ..	—	—	—	—	—	9	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
48–49 ..	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Totals ..	124	1	214	33	41	56	103	5	74	21	8	20	193	34	10	22	—	12	32	36	4	17	—	6
Average Size cm.	28·6	—	35·0	39·3	37·0	42·6	28·4	28·7	33·2	35·5	36·9	39·6	26·0	25·9	30·5	34·0	—	39·2	30·7	31·8	32·7	36·9	—	41·3

TABLE 4*a*.—AGE, SIZE, AND MATURITY.—MALES.

—	Dogger Region.						Leman Region.						Flemish Bight.						Great West Bay.					
Ages.	II.		III.		IV.		II.		III.		IV.		II.		III.		IV.		II.		III.		IV.	
Cm.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
14–15 ..	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
16–17 ..	2	—	—	—	—	—	1	2	—	—	—	—	2	19	—	1	—	—	—	1	—	—	—	—
18–19 ..	5	1	—	—	—	—	2	4	—	1	—	—	5^2	64	—	14	—	—	1^1	1	—	—	—	—
20–21 ..	3	1	4	—	—	—	12^1	5	2	—	1	—	10^1	98	2^1	73	—	2	7	4	—	—	—	—
22–23 ..	3	1	15	—	1	1	15^1	9	3	5	—	—	9^4	90	8^4	149	—	5	1^4	6	1	5	—	—
24–25 ..	—	2	30	1	4	1	14^1	6	14^2	3	2	—	5^6	22	8^1	133	—	11	9^2	9	—	4	—	—
26–27 ..	$—^1$	—	31	2	12	—	8^2	2	16^1	2	2	1	$—^1$	10	5^4	83	4^3	24	3^1	10	—	1	—	—
28–29 ..	2	—	21	4	12	3	4	1	16^2	1	5^3	3	1	1	5^2	61	2^3	44	1	6	—	5	—	1
30–31 ..	—	—	4	1	20	6	1	—	9^6	4	3^{12}	8	—	1	1	24	$—^1$	28	1^1	7	—	11	—	4
32–33 ..	—	—	2^2	9	18^3	15	—	—	1^4	—	2^1	7	—	—	—	13	$—^2$	29	—	4	—	11	—	2
34–35 ..	—	1	3^1	4	8^1	21	—	—	$—^1$	2	$—^1$	10	—	—	—	2	$—^1$	16	$—^1$	2	—	4	—	4
36–37 ..	—	—	—	—	2^2	12	—	—	—	1	—	1	—	—	—	1	—	11	—	—	—	3	—	3
38–39 ..	—	—	—	1	—	13	—	—	—	—	—	1	—	—	—	—	—	4	—	—	—	—	—	—
40–41 ..	—	—	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
42–43 ..	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Totals ..	15^1	6	61^3	23	77^6	77	58^5	29	61^{17}	19	15^{17}	31	32^{14}	306	29^{12}	554	6^{10}	175	23^{10}	50	1	44	—	14
Average Size cm.	21·3	24·3	27·3	32·4	30·7	35·1	23·8	22·6	27·3	27·7	28·4	32·9	21·8	21·4	25·4	25·0	27·5	30·5	24·1	26·9	—	30·5	—	33·6

* Compiled from Tables II and II*a* at the end.

We learn from these tables that, given two or more adjacent age groups, the range of size of each of which includes the average size at first-maturity characteristic of a particular region*, the following relations exist between the three factors—age, size, and maturity.

(1.) Among plaice of a given age the average size of the mature is greater than the average size of the immature.†

(2.) Except where the numbers are obviously too small to give reliable proportions, we find *in each age group* a majority of immature at sizes *below* and a majority of mature at sizes *above* the average size at first-maturity.

These observations clearly show the importance of the attainment of a certain *size* at maturity, apart from age. The average size at first-maturity represents the size at which the majority of individuals of a given "race" or local population attain the bodily condition necessary for reproduction. Whether this is attained in a longer or shorter period, by slower or more rapid growth, would appear to be of secondary importance.

VII.—CONCLUSIONS.

Evidence adduced on pp. 56–58 tends to show that plaice spawn in the deep water off the Yorkshire coast on the one hand and in the deep water of the narrow Southern termination of the North Sea on the other; but that they do not spawn to any appreciable extent on the Dogger Bank, or in the region of the Leman banks and other shallower areas in the middle of the North Sea. There is also evidence to show that the spawning period in the region of the Dogger is somewhat later than in the Southern Bight of the North Sea and English Channel (p. 59).

Observations on the relations of size, age, and maturity (pp. 60–74) show that although there is considerable range of individual variation in the age as well as in the size at which plaice become ripe for the first time, the average sizes at first-maturity have different and definite values in different regions. (*See* Table, p. 61).

It appears that about 40 cm. for females and 31–32 cm. for males represent the average sizes at first-maturity of plaice in the region of the Dogger, and in the neighbourhood of the Scottish, English, and Danish coasts, although more data, especially from the first and last-named regions, are required to confirm the generalisation in its entirety.

In this region the majority of females are just six years old and the majority of males five years old on spawning for the first time.

In the neighbourhood of the Dutch and German coasts, the average size of the females at first-maturity is 33–34 cm., and the corresponding age five years; a year earlier, that is to say, than in the Northern and central parts of the North Sea. The average size and age at first-maturity of the males in this region are somewhat uncertain, for reasons discussed on p. 64.

In the Western part of the Channel the average size at first-maturity appears to be the same as on the Dutch coast and German coast, but the corresponding age is about a year earlier owing to the more rapid rate of growth of the young plaice in the Devon Bays.

Finally, according to Atkinson's observations‡ it would appear that the average size at first-maturity in the Barents Sea is the same as in the northern part of the North Sea, although the corresponding age there is much higher owing to the slower rate of growth.

These facts seem most readily explainable on the hypothesis that there are two "races" of plaice, each characterised by the attainment of a certain average size at first-maturity; "a Southern race" (as Heincke says) "extending from the English Channel to Heligoland and a Northern extending from Heligoland to the West and North, the first of which is constitutionally smaller than the second." The Barents Sea plaice would appear to be related (as we should expect) to those found in the Northern North Sea. When we say that the plaice found in the Channel and Southern North

---

* This is indicated *approximately* by a line drawn across the vertical columns of figures in Tables 4, 4*a*.

† Exceptions to this rule occur in the case of the Flemish Bight males, but here, as already stated, we have to do with special conditions affecting the males in the central parts of this region in winter.

‡ Atkinson. "Notes on a Fishing Voyage to the Barents Sea in August 1907." *Journ. Marine Biol. Assoc., Vol. VIII., No.* 2, *May*, 1908, *page* 82. Mr. Atkinson informs me that the values for the average sizes at first-maturity (males and females) there stated have been confirmed by observations made in June of the present year (1908).

Sea are "constitutionally smaller" than those found in the Northern North Sea, we do not refer to the rate of growth previous to maturity (which is very different in the Devon Bays and on the Dutch coast on the one hand, and in the Barents Sea and the Northern North Sea on the other), but we mean that these Southern plaice are so constituted as to be capable of reproduction at a smaller size than the Northern form.

It is evident that, owing to migrations, the two forms must mingle considerably in the intermediate region of the North Sea (between say Lat. 53° and 54° N.), and this is indicated by observations on the plaice in the Leman region; while from evidence adduced on p. 64 it appears that smaller mature plaice, probably derived from the Dutch coast, appear on the Leman Ground and off the Yorkshire coast in the spawning season than are found there in the autumn. But although there must be a certain mingling of the two forms, the general movements of the fishes and the direction of the surface drift in the North Sea, affecting the distribution of the eggs, must tend on the whole to keep the two apart.

APPENDIX.

Observations on the Market and on Sailing Trawlers.

With Chart.

By GEORGE T. ATKINSON.

In order to render more complete our observations on the maturity of plaice in the southernmost parts of the North Sea, it has been found desirable to supplement the records resulting from the voyages of the "Huxley" by examining from time to time the plaice in the catches of certain Lowestoft and Ramsgate smacks. This work has been done for the most part at the Lowestoft Market (Samples Nos. 13, 14, 18-20, 22-27, 33-35) usually on board the vessels stated. In this way fourteen of Dr. Wallace's samples have been obtained. It was found that the most advantageous and inexpensive method of dealing with large numbers of plaice was to measure them and examine the stage of maturity in the early morning when the catches were being packed for sale. In this way it was sometimes possible to work through the whole or the greater part of catches of plaice as brought to market (*see* samples 19, 22, 23, 24); on the other occasions the samples were sufficiently large for the limits of mature and immature, and the average size at first maturity to be obtained. As the plaice in late autumn and early winter are usually gutted before being brought to market, the examination of the reproductive organs could be readily made.

Two of the Samples (Nos. 27 and 34) have been dealt with on board smacks at sea. The former by myself on the smack "Rosebud" LT 580 with the assistance of the skipper and owner Mr. Frank Hutchings, and the latter by Mr. Hefford and myself on the smack "Comrades" LT 315 on one of the most successful "small plaice" voyages in 1907. In connection with the latter it is interesting to note that the "small plaice" had made their appearance after the "winter-rest" only about a week previously.

In the case of Sample 26 the skipper and owner of the "Forward" LT 708, Mr. W. Wharton, had instructions to bring in the whole catch of plaice from the last three hauls for otolith investigations.

I would here take the opportunity of thanking the skippers, smack owners and fish-buyers, through whose courtesy we have been enabled to collect this valuable material. Without their good-will much of this work would have been impossible; with it, some of the problems connected with the natural history of the plaice have been brought nearer solution.

I would also tender my thanks to Mr. A. W. James for his valuable assistance in recording the observations in the autumn, 1907.

The value of these records lies not only in the large numbers of specimens which can be dealt with in a short time, but also in the fact that the catches have been derived from the most important spawning area of the plaice in the North Sea and at the most critical period in this regard. Moreover at this period the services of the "Huxley" have seldom been available, but it is also to be borne in mind that, except along the Dutch coast, the area is for the most part ill-suited to the successful operations of a steam trawler on account of the rough nature of the bottom.

There are, however, many difficulties which the examination of fish from commercial fishing vessels involves; to avoid erroneous results one must always consider the amount of sorting into market sizes which the fish dealt with have undergone between capture and landing. It must also be ascertained accurately the extent of the area and the range of depths in which a vessel has worked. It must further be determined whether any fish have not been brought to market on account of their small size, though this consideration scarcely concerns our samples dealt with in the autumn and winter, for at these periods the smallest plaice caught are marketable. As will be shown later, the smallest plaice caught at these periods are *chiefly males* and these *mature* fish, the vast majority of small immature fish, which appear suddenly and are taken in great numbers throughout the spring, being protected by the mysterious habit of hibernation.

In the records I have obtained for Dr. Wallace's use every care has been taken to secure the fullest particulars regarding the catches dealt with.

Particulars of Samples of Plaice from Commercial Fishing Vessels Examined for Maturity.

The following are the particulars of Samples other than those dealt with on the "Huxley" (the particulars of these will be found by reference to Table 1, p. 54). For the approximate positions of the grounds from which all the Samples have been obtained *see* the Chart, for the drawing of which I am indebted to Mr. Potter.

No. of Sample.	Date Measured and Vessel.	Ground.	Remarks.
13	6.12.07. *Citizen*, LT. 65.	Dudgeon Light-vessel in sight bearing W.N.W. to W.S.W., 11–13 fathoms; once 16 fathoms.	Fish not sorted at sea. Two baskets out of a total of five measured on board.
14	9.12.07. *Chrysolite*, LT. 635.	Inside the Outer Dowsing LV., 11–13 fathoms; once 19 fathoms.	Sample of three baskets measured from total of about ten baskets. Measured on board.
18	19.11.07. *Victoria Cross*, R. 167.	North part of Well Bank, 5½–19 fathoms.	Two and a half out of a total of about eight baskets measured on board.
19	14.11.07. *Chrysolite*, LT. 635.	Both sides of Well Bank, 7–20 fathoms.	About seven baskets out of a total of about ten baskets. This sample possibly includes a few specimens from Smith's Knoll where one basket of plaice was caught.
20	9.3.07. *Gladys*, LT. 233.	Close to Leman Bank, 8–17 fathoms.	Contents of one trunk out of a total of two were measured on the market. Close examination of the males not possible owing to the fish being required by the merchant for packing.
22	7.11.07. *Chrysolite*, LT. 635.	North part of Smith's Knoll to South part of Leman Bank, 23–5 fathoms.	Whole catch measured on board with exception of less than a score of fish. Largest individual catch on Leman Bank (5 fathoms).
23	8.11.07. *General Gordon*, LT. 348.	South from Smith's Knoll, both sides of the bank, 23–28 fathoms.	With the exception of one basket of 'large' fish the whole catch was measured on board.
24	12.11.07. *Consolation*, LT. 170	South from Smith's Knoll, East side of the Bank, 23–27 fathoms.	Whole catch, between four and five baskets measured on board.
25	4.11.07. *Emerald*, LT. 296.	North from Smith's Knoll to South Leman Buoy, chiefly in 23 fathoms.	About four baskets out of total catch of about nine baskets measured on board. Larger fish probably a little over-represented. Maturity of the males not determined.
26	15.1.08. *Forward*, LT. 708.	Gabbard Deep Water, 23–25 fathoms.	Whole catch from last three hauls brought to Laboratory for otolith investigations.
27	1–5.2.07. *Rosebud*, LT. 580.	Eastern Deep Water (including one haul in Southwold Deep Water), 20–27 fathoms.	Every plaice caught was measured at sea. Maturity of males not determined.
33	6.11.07. *Holly*, LT. 105.	West of Schouwen Light-vessel (land light also in sight), 16–17 fathoms.	Measured contents of one trunk of small plaice on the market out of a catch of fourteen trunks.
34	23–25.2.07. *Comrades*, LT. 315.	West of Maas Light-vessel, 16–19 fathoms; once 13 fathoms.	Measured at sea; on this account the sample includes more of the smallest individuals caught than would have been represented if the fish had been measured on the market.
35	2.12.07. *Ena*, LT. 660.	West Kapelle.	This sample includes the smallest sizes caught but not the largest, these having been separated at sea. Contents of about three trunks measured (including one trunk of 400 fish bought for otolith investigations). Measured on board and in Laboratory.

TABLE I.—Length and Maturity—Females.

Dogger Region (Nos. 1–12). Inner Dowsing Region (Nos. 13, 14).

Sample No.	1		2		3		4		5		6		7		8		9		10		11		12		13		14	
Cm.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
9-14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15-19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	4	—
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3	—	4	—
21	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	4	—	8	—
22	—	—	—	—	—	—	2	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	2	—	11	—	8	—
23	—	—	—	—	1	—	2	—	—	—	3	—	—	—	1	—	1	—	1	—	1	—	—	—	15	—	27	—
24	—	—	—	—	—	—	4	—	1	—	10	—	—	—	2	—	—	—	2	—	—	—	—	—	18	—	17	—
25	2	—	—	—	2	—	3	—	1	—	9	—	—	—	1	—	1	1	—	—	—	—	1	—	15	—	25	—
26	1	—	—	—	2	—	1	—	1	—	10	—	3	—	—	—	1	—	3	—	1	—	—	—	12	—	19	—
27	—	—	—	—	—	—	3	—	1	—	8	—	1	—	—	—	1	—	3	—	1	—	5	—	15	—	25	—
28	1	—	—	—	1	—	5	—	4	—	10	—	—	—	—	—	1	1	1	—	1	—	1	—	9	—	18	—
29	4	—	—	—	2	—	4	—	8	—	4	—	3	—	1	—	3	—	1	—	—	—	3	—	12	—	11	—
30	2	—	—	—	4	—	6	—	8	—	7	—	4	—	—	—	1	—	—	—	—	—	1	1	2	—	8	—
31	—	—	—	—	5	—	5	—	7	—	1	—	1	1	—	—	2	—	2	—	1	—	3	—	8	—	7	—
32	1	—	—	—	5	—	9	—	12	—	2	—	3	—	—	—	4	—	1	—	—	—	4	1	3	—	8	—
33	1	—	1	—	1	—	6	—	6	—	2	—	9	1	3	—	2	1	2	1	—	—	3	—	—	—	2	2
34	3	—	—	—	8	—	8	1	4	—	1	—	9	—	4	1	6	—	4	2	—	—	2	1	2	—	1	1
35	—	—	—	—	4	—	5	—	3	1	1	—	6	2	4	—	3	—	4	1	—	—	7	1	1	—	1	—
36	—	—	—	—	1	—	5	2	4	—	—	—	12	1	5	2	8	—	5	1	1	—	3	1	1	—	2	—
37	1	—	—	—	4	—	3	2	2	1	—	—	9	—	4	3	3	1	14	1	—	—	5	1	—	1	—	—
38	—	—	—	—	—	—	4	1	2	2	1	—	4	1	7	—	2	—	5	1	1	—	—	1	—	—	—	—
39	—	1	1	1	2	—	3	3	—	2	1	—	4	1	—	1	1	2	4	4	1	1	—	—	—	1	—	2
40	—	1	4	—	—	—	2	2	—	—	—	2	4	7	1	4	2	1	2	5	—	—	2	2	—	1	—	2
41	—	2	1	1	—	—	2	3	—	1	—	—	5	3	4	8	—	4	3	2	—	—	—	3	—	1	—	2
42	—	2	—	—	—	1	1	5	—	—	1	1	—	1	2	2	—	3	3	3	—	—	—	2	—	3	—	1
43	—	3	—	—	—	—	—	2	—	—	—	1	—	1	—	1	—	3	2	1	—	3	—	1	—	—	—	2
44	—	1	—	—	1	2	—	3	—	1	—	2	—	2	1	3	—	3	—	6	—	—	—	—	—	1	—	2
45	—	—	1	—	—	—	—	2	—	2	—	1	—	2	—	2	—	1	—	3	—	1	—	1	—	—	—	1
46	—	5	—	—	—	—	—	3	—	1	—	3	—	2	—	3	—	3	—	4	—	1	—	—	—	—	—	2
47	—	1	—	—	—	1	—	5	—	1	—	1	—	3	—	4	1	1	—	—	—	1	—	3	—	1	—	—
48	—	2	—	2	—	—	—	8	—	—	—	1	—	4	—	2	—	7	—	—	—	—	—	—	—	—	—	4
49	—	—	—	—	—	1	—	—	—	1	—	1	—	1	—	5	—	1	—	1	—	—	—	—	—	2	—	—
50+	—	4	—	14	—	4	—	7	—	4	—	3	—	8	—	18	—	2	—	1	—	2	—	1	—	3	—	6
Totals ..	16	22	8	18	43	9	84	49	64	17	73	16	80	41	40	59	43	35	65	37	9	9	42	20	133	14	195	27

TABLE I.—LENGTH AND MATURITY—FEMALES—*continued.*

LEMAN REGION.

Sample No.	15		16		17		18		19		20		21		22		23		24		25	
Cm.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
9–14	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
15–19	1	—	2	—	18	—	—	—	2	—	—	—	16	—	1	—	—	—	—	—	—	—
20	—	—	2	—	17	—	1	—	5	—	—	—	6	—	1	—	—	—	—	—	—	—
21	—	—	—	—	11	—	1	—	3	—	—	—	5	—	1	—	—	—	—	—	—	—
22	—	—	3	—	16	—	3	—	7	—	—	—	4	—	1	—	—	—	—	—	3	—
23	—	—	2	—	12	—	1	—	2	—	—	—	9	1	2	—	3	—	—	—	2	—
24	2	—	1	—	30	—	6	—	10	—	—	—	6	—	11	—	3	—	2	—	3	—
25	3	—	—	—	25	—	4	—	18	—	—	—	16	—	12	—	2	—	3	—	8	1
26	4	—	4	—	41	—	7	—	15	—	—	—	8	1	10	—	8	—	2	—	9	—
27	5	—	2	—	25	—	7	—	15	—	1	—	7	—	10	—	13	—	1	—	11	—
28	7	—	6	—	26	—	5	—	24	—	—	—	8	—	34	—	12	2	4	—	11	—
29	3	—	9	—	20	1	11	1	18	1	3	—	3	2	18	—	12	—	2	—	7	1
30	4	—	5	—	15	2	15	1	12	2	7	1	3	—	14	2	8	—	9	2	14	3
31	1	—	7	—	18	1	6	2	14	1	8	—	1	—	26	2	8	1	7	2	11	3
32	2	—	11	—	19	2	5	—	13	1	12	1	3	1	23	3	11	8	6	10	12	4
33	1	—	5	3	19	3	6	—	9	2	7	—	6	1	15	3	12	4	6	2	11	3
34	2	—	7	1	12	1	5	2	10	3	3	3	—	1	8	9	5	2	12	6	3	4
35	—	—	4	5	9	3	2	2	4	4	5	3	2	1	6	7	6	8	1	8	2	7
36	—	—	4	3	5	3	3	3	3	5	1	11	—	2	7	7	3	7	4	9	1	9
37	1	2	—	7	2	2	—	1	—	5	2	4	—	—	2	11	1	2	2	9	1	18
38	—	—	1	5	2	3	—	6	1	6	2	3	—	4	—	11	1	2	—	10	2	2
39	—	2	1	4	3	2	—	2	2	9	—	3	—	1	1	12	—	10	—	10	2	6
40	—	1	1	3	1	7	—	4	—	8	—	2	—	—	—	10	—	6	—	6	—	10
41	—	—	—	1	—	3	—	2	—	9	—	3	—	2	—	8	—	7	—	6	—	8
42	—	—	—	—	—	2	—	2	—	10	—	5	—	—	—	6	—	8	—	11	—	8
43	—	3	—	1	—	3	—	—	—	4	—	2	—	—	—	9	—	5	—	4	—	5
44	—	2	—	3	—	1	—	2	—	9	—	2	—	—	—	7	—	2	—	8	—	1
45	—	1	—	1	—	3	—	—	—	3	—	1	—	—	—	3	—	1	—	4	—	1
46	—	1	—	1	—	3	—	1	—	3	—	1	—	—	—	3	—	3	—	3	—	3
47	—	1	—	1	—	2	—	—	—	6	—	1	—	—	—	2	—	2	—	2	—	2
48	—	—	—	2	—	4	—	—	—	4	—	—	—	—	—	3	—	—	—	3	—	—
49	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—
50+	—	1	—	—	—	6	—	—	—	8	—	5	—	4	—	10	—	2	—	8	—	3
Totals...	36	15	78	42	346	57	88	31	187	103	51	52	106	21	203	129	108	72	61	185	113	107

TABLE I.—LENGTH AND MATURITY—FEMALES—*continued.*

FLEMISH BIGHT (Nos. 26–35). GREAT WEST BAY (Nos. 36–39).

Sample No.	26		27		28		29		30		31		32		33		34		35		36		37		38		39	
Cm.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
9-14	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	64	—	—	—	—	—	—	—	—	—	29	—
15-19	10	2	1	—	2	—	—	—	55	—	—	—	—	—	19	3	548	1	22	—	6	—	—	—	—	—	30	—
20	6	1	1	1	5	—	1	—	25	1	—	—	—	—	17	2	152	3	31	2	2	—	—	—	1	—	3	—
21	7	3	2	1	—	—	1	—	24	1	—	—	—	—	18	3	151	2	53	2	3	—	—	—	2	—	6	—
22	2	1	1	1	2	1	—	1	26	—	—	—	—	—	20	7	162	6	78	5	1	—	—	—	2	1	8	—
23	14	2	11	4	3	1	1	—	21	2	—	—	—	—	36	8	105	5	98	11	2	—	—	—	2	2	1	—
24	28	1	11	5	1	—	—	—	25	3	—	—	1	—	20	8	103	5	64	9	2	—	3	—	4	2	3	—
25	29	4	11	—	2	—	—	1	26	4	—	—	—	—	10	4	58	5	48	7	3	1	3	—	6	4	6	—
26	27	1	25	9	3	—	—	—	23	4	—	—	—	—	5	4	48	9	42	8	2	1	—	—	6	2	5	—
27	10	2	23	6	1	—	—	1	7	1	—	—	1	—	5	3	33	12	22	4	3	—	1	1	1	2	2	—
28	10	2	29	13	—	—	—	—	5	3	—	—	—	—	—	5	28	4	5	2	4	—	2	—	1	3	4	—
29	8	2	27	5	5	—	—	—	3	—	—	—	—	2	1	—	10	8	2	2	4	—	4	—	1	4	5	2
30	6	1	30	6	—	—	1	—	2	1	1	—	—	—	1	2	5	3	2	2	1	2	6	1	3	2	3	—
31	4	—	12	9	1	—	—	—	—	1	1	1	—	2	1	—	1	2	2	1	4	—	4	—	4	3	2	1
32	2	1	14	6	1	—	2	—	1	2	—	2	1	—	—	—	1	1	—	—	2	—	2	2	2	3	3	2
33	1	2	5	12	1	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	2	2	1	1	1	—	—	—
34	1	1	3	11	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	3	2	3	3	1	1
35	—	1	4	11	—	2	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	1	—	1	—	2
36	1	1	2	9	—	—	1	—	—	—	1	3	—	1	—	1	—	—	—	—	—	—	—	1	—	1	—	2
37	—	2	—	12	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	1
38	—	4	—	5	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—
39	—	1	—	5	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
40	—	5	—	8	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	4
41	—	1	—	7	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1
42	—	2	—	7	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
43	—	3	—	6	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
44	—	1	—	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
45	—	2	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
46	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
47	—	1	—	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
48	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
49	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50+	—	9	—	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—
Totals ..	166	61	212	193	27	8	7	4	244	26	5	12	3	8	153	52	1,469	66	470	55	41	7	30	18	39	41	111	17

TABLE I*a*.—Length and Maturity.—Males.

Dogger Region (Nos. 1–12). Inner Dowsing Region (Nos. 13, 14).

Sample No.	1		2		3		5		6		7		8		9		10		11		12		13		14	
Cm.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—
19	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—	1	1	—	4	—	3	—
20	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	2	1	—[1]	2	—	—	8	—	8	—
21	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—	—[1]	1	—	—	13	—	11	—
22	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	1	—	—	—	—	—	—	15	—	12	1
23	—	—	—	—	—	—	—	—	8	—	4	—	2	—	—	2	1	1	—[1]	1	—	—	21	—	20	—
24	—	—	—	—	—	—	2	—	15	—	3	—	1	1	—	3	—	—	—	1	1	—	20	1	20	1
25	—	—	—	—	—	—	2	—	11	—	—	—	1	—	—	4	—	—	—	—	1	—	11	2	24	—
26	—	—	—	—	1	—	2	—	12	—	1	—	2	—	—	2	1[1]	—	—	1	—	—	12	2	14	2
27	—	—	—	—	2	—	3	—	12	—	4	—	3	—	2	6	—	—	—	—	1	2	12	1	6	1
28	1	—	—	—	1	—	2	—	3	—	6	—	—	—	2	7	1	—	—	—	2	1	5	1	9	3
29	2	—	1	—	4	—	2	—	6	—	4	1	1	—	1	4	1	—	—	1	1[1]	—	—	—	4	1
30	2[1]	—	—	—	1	1	5	2	3	—	3	—	1	—	2	3	—	1	—	1	1	—	4	1	2	—
31	2	—	—	—	2	—	3	2	2	—	2	1	—	—	—[1]	3	1	1	—[1]	1	3[1]	—	1	1	1	4
32	1	—	—	—	1	—	4[2]	3	1	2	2	1	4	1	3	11	—[3]	1	—	1	—	1	2	1	2	3
33	1	1	—	—	2	—	—	—	1	—	2[1]	3	—	3	1	8	1[1]	3	—[1]	—	—	—	2	1	1	—
34	1	—	—	—	2	—	2	3	—	1	1[1]	4	4	3	1	8	2	2	1	—	—[3]	—	—	—	1	2
35	1	1	—	—	1	—	—	2	—	—	1	7	2	—	2[1]	10	—[2]	1	—	1	—	1	—	—	—	—
36	—	1	—	—	—	—	1[1]	1	—	—	1[2]	5	—	2	—	19	—[1]	2	—	2	—	—	—	—	—	—
37	—	—	—	—	—	—	—	1	—	1	1	4	1	3	—	11	—	2	—	4	—	—	—	—	—	—
38	—	—	—	—	—	—	—	—	—	—	—	6	—	5	—	12	—	3	—	1	—	1	—	—	—	—
39	—	—	—	—	—	—	—	2	—	3	—	2	1	2	—	14	—	3	—	1	—	—	—	—	—	1
40+	—	2	—	2	—	—	—	—	—	1	—	4	1	5	—	36	—	3	—[1]	5	—	—	—	—	—	1
Totals..	11[1]	5	1	2	17	1	28[3]	16	76	8	41[4]	38	27	24	14[2]	168	17[3]	25	4[6]	25	11[5]	6	131	11	139	20

NOTE.—*Index figures* = maturity doubtful.

TABLE I*a*.—LENGTH AND MATURITY—MALES—*continued*.

LEMAN REGION.

Sample No.	15		16		17		18		19		21		22		23		24	
Cm.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
14	—	—	1	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—
15	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
16	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—
17	—	—	—	—	3	—	—	—	—	—	—	3	—	—	—	—	—	—
18	—	—	—	—	11	—	—	—	—	—	2	5	—	—	—	—	—	—
19	—	—	—	—	11	—	—	—	2	—	2	4	—	—	—	—	—	—
20	—	—	1	—	9	—	—	—	2	—	3^{1}	3	1	—	—	—	—	—
21	—	—	2	—	12	—	1	—	2	—	8	3	—	—	—	—	—	—
22	—	—	—	—	16	—	1	—	6	—	5^{1}	5	4	1	—	—	—	—
23	—	2	—	—	20	1	4^{1}	1	13	—	1	7	3^{1}	—	2	1	—	—
24	1	—	3	—	18	—	4	2	7	—	6	4	6^{2}	—	2	—	—	—
25	—	—	2	—	23^{2}	2	9	4	11	3	6^{2}	4	5^{1}	1	7	1	—	—
26	3	—	2	—	12	1	7^{1}	2	11	2	8	1	10	3	4	1	—	—
27	3	—	—	1	12^{1}	3	8	6	8	3	5^{1}	5	8	7	4	4	3	—
28	1	—	2^{1}	—	16	5	5	6	10	5	3	5	10^{1}	10	—	5	1	6
29	3	—	2^{9}	1	10^{1}	2	1	4	9	2	4	—	5	4	2	5	—	4
30	—	—	$—^{9}$	2	9	2	2	7	4	7	2^{2}	1	2^{2}	9	4	5	$—^{1}$	3
31	1	—	$—^{11}$	9	9^{2}	5	2	1	5	9	1^{4}	1	3	9	2	10	—	8
32	1^{1}	—	$—^{4}$	5	1	10	1	4	5	5	1	—	1	13	1	11	1	6
33	—	—	$—^{4}$	5	1	5	1	1	3	7	$—^{2}$	1	1^{1}	7	—	5	—	8
34	$—^{1}$	1	$—^{2}$	7	—	5	—	1	—	5	$—^{1}$	1	1^{2}	17	—	11	—	6
35	—	—	1^{1}	7	—	7	—	3	—	5	—	2	1	5	—	3	—	2
36	—	—	—	2	1	6	—	2	$—^{1}$	9	—	—	—	8	—	3	$—^{1}$	3
37	—	—	—	2	—	1	—	4	$—^{1}$	6	—	—	—	3	—	3	$—^{1}$	2
38	—	—	—	—	—	—	—	—	—	4	—	1	—	2	—	—	—	1
39	—	—	—	—	—	1	—	1	—	2	—	1	—	1	—	—	—	1
40+	—	1	—	—	—	—	—	3	$—^{1}$	2	—	—	—	1	—	1	—	1
Totals ...	13^{2}	4	16^{41}	41	194^{6}	56	46^{2}	52	98^{3}	76	66^{14}	59	61^{10}	101	28	69	5^{3}	51

TABLE I*a*.—LENGTH AND MATURITY—MALES—*continued*.

FLEMISH BIGHT (Nos. 26–35). GREAT WEST BAY (Nos. 36–39).

Sample No.	26		28		29		30		31		32		33		34		35		36		37		38		39	
Cm.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	—
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—
12	—	—	—	—	—	—	1	—	—	—	—	—	—	—	7	—	—	—	1	—	—	—	—	—	2	—
13	—	—	—	—	—	—	1	—	—	—	—	—	—	—	25	1	—	—	—	—	—	—	—	—	3	—
14	—	1	1	—	—	—	—	—	—	—	—	—	—	—	40	5	—	—	1	—	—	—	—	—	2	—
15	1	11	1	—	—	—	1	2	—	—	—	—	—	—	70	17	—	—	—	—	—	—	1	—	9	—
16	1^{1}	24	2	1	—	—	4^{2}	5	—	—	—	—	—	—	81	19	—	—	1	—	2	—	—	—	8	—
17	5	38	$-^{1}$	1	—	1	2^{1}	10	—	—	—	—	—	—	106	46	—	—	1	—	—	—	—	2	5	—
18	2	27	—	4	$-^{1}$	—	4^{1}	18	—	—	—	—	3	1	91	68	8	7	2	—	1	—	1	—	5	—
19	2^{1}	65	1^{1}	5	—	1	12^{3}	16	—	—	—	—	9	8	97	74	7^{1}	21	3	—	$-^{1}$	—	—	2	4	—
20	2	69	—	2	$-^{2}$	2	6^{3}	23	$-^{2}$	—	—	—	10	42	116	83	10	66	3^{1}	—	—	—	1	1	3	1
21	1	67	1	3	$-^{1}$	1	6^{2}	15	1^{3}	—	—	1	15	41	68	76	18^{1}	120	2	2	1	2	4	—	4	1
22	2^{1}	90	—	6	—	2	2^{1}	22	$-^{4}$	—	—	—	11	38	57	63	25^{1}	136	1	1	1^{2}	1	—	4	4	—
23	2	70	1^{1}	—	—	—	2^{2}	25	$-^{3}$	—	—	3	7	34	38	48	23	146	2	—	$-^{2}$	6	1	5	1	2
24	5	58	$-^{1}$	3	—	1	1^{1}	21	$-^{3}$	1	—	3	—	19	37	41	20^{1}	91	3	—	1	4	2	5	5	2
25	4	44	—	3	$-^{1}$	1	$-^{2}$	25	$-^{3}$	2	—	1	—	7	20	29	10	68	2^{1}	—	—	3	—	2	3^{1}	1
26	2	47	$-^{4}$	1	$-^{1}$	2	—	13	—	6	1	3	2	4	13	24	4	37	2^{1}	—	—	4	1	1	1	2
27	2	29	$-^{2}$	2	—	1	$-^{2}$	8	$-^{2}$	7	—	—	—	5	12	10	2^{1}	18	—	—	1	4	—	—	—	1
28	2	62	1^{1}	5	$-^{1}$	1	1	4	$-^{1}$	11	—	1	—	3	5	6	1	14	—	—	—	2	—	1	—	1
29	2	13	1^{1}	1	—	—	$-^{1}$	—	$-^{1}$	12	—	1	—	1	3	3	1	4	1	1	—	2	—	1	—	6
30	—	21	$-^{1}$	1	$-^{1}$	—	$-^{1}$	3	—	11	—	1	—	—	1	2	—	—	—	1	1	3	—	2	$-^{1}$	5
31	1	16	$-^{1}$	1	—	1	—	—	—	11	—	—	—	1	1	1	—	1	—	2	—	3	—	3	—	3
32	—	22	—	1	$-^{1}$	4	—	—	$-^{1}$	10	—	3	—	—	—	—	—	1	—	1	—	4	—	1	—	2
33	—	13	—	3	—	1	—	2	$-^{1}$	11	—	1	—	—	—	1	—	2	—	1	—	2	—	2	—	4
34	—	9	—	4	$-^{1}$	—	—	—	$-^{1}$	8	—	1	—	—	—	—	—	—	—	1	—	4	—	1	$-^{1}$	—
35	—	9	—	3	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—	—
36	—	12	—	3	—	1	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—
37	—	4	—	3	$-^{2}$	7	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
38	—	7	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39	—	3	—	—	$-^{1}$	2	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
40+	—	11	—	2	—	6	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Totals	36^{3}	842	9^{14}	58	$-^{13}$	41	43^{22}	213	1^{25}	101	1	20	57	204	888	618	129^{5}	732	25^{3}	11	8^{5}	49	11	37	82^{3}	31

TABLE II.—Age, Size, and Maturity—Females.

Dogger Region.

Length in cm.	Sample No. 1.										Sample No. 2.										Sample No. 3.									
	II.		III.		IV.		V.		VI.		III.		IV.		V.		VI,		VII.+		III.		IV.		V.					
	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.				
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
25	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—				
26	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—				
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
28	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—				
29	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—				
30	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—				
31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—				
32	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	3	—	—	—				
33	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—				
34	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	—	—	—				
35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—				
36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—				
37	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—				
38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
39	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—				
40	—	—	—	—	—	1	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—				
41	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—				
42	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1				
43	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
44	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—				
45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—				
46	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
47	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
48	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—				
49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
50+	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	12	—	—	—	—	—	—				
Totals ...	3	0	4	0	8	2	1	5	0	2	2	0	3	0	2	2	1	2	0	13	14	0	24	0	0	2				

Length in cm.	Sample No. 5.										Sample No. 6.													
	III.		IV.		V.		VI.		VII.+		II.		III.		IV.		V.		VI.		VII.+			
	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.		
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
23	—	—	—	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	—	—	—		
24	1	—	—	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	—	—	—	—		
25	1	—	—	—	—	—	—	—	—	—	2	—	7	—	—	—	—	—	—	—	—	—		
26	—	—	1	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	—	—	—	—		
27	1	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—		
28	—	—	4	—	—	—	—	—	—	—	—	—	6	—	3	—	1	—	—	—	—	—		
29	3	—	5	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—		
30	3	—	5	—	—	—	—	—	—	—	—	—	3	—	2	—	2	—	—	—	—	—		
31	1	—	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
32	—	—	12	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
33	—	—	6	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—		
34	—	—	3	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
35	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		
36	—	—	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
37	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
38	—	—	2	1	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—		
39	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		
40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—		
41	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—		
43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1		
45	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1		
46	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	2	—	1	—	—		
47	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		
48	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		
49	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1		
50+	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	1	—	4		
Totals ...	10	0	52	2	2	8	0	4	0	3	3	0	53	0	12	1	9	3	0	6	0	9		

TABLE II.—AGE, SIZE, AND MATURITY.—FEMALES—*continued.*

FLAMBOROUGH OFF GROUND.

Length in cm.	Sample No. 7.												Sample No. 8.												Sample No. 9.								Sample No. 10.											
	II.		III.		IV		V.		VI.		VII.+		II.		III.		IV.		V.		VI.		VII.+		III.		IV.		V.		VI.		II		III.		IV.		V.		VI.		VII.+	
	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
21	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
24	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
27	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
29	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
30	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
32	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
33	—	—	5	—	4	1	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
34	—	—	1	—	7	—	1	—	—	—	—	—	—	—	2	—	2	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—
35	—	—	2	—	4	1	—	1	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—
36	—	—	1	—	10	—	1	1	—	—	—	—	—	—	—	—	3	1	2	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	—	3	1	1	—	—	—	—	—
37	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	1	—	3	2	—	1	—	—	—	—	1	—	—	2	—	—	—	—	—	13	—	—	1	—	—	—	—	—
38	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	6	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	4	—	—	1	—	—	—	—	—
39	—	—	—	—	2	1	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—
40	—	—	—	—	2	4	1	3	1	—	—	—	—	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—	1	—	1	—	—	—	—	1	3	—	1	1	1	—	—	—
41	—	—	—	—	2	1	2	2	1	—	—	—	—	—	—	—	1	—	4	4	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—
42	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	—	—	—	—	—
43	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	1	—	—	—	—
44	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	1	—	—
45	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—
46	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—
47	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
48	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
49	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
50+	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Totals ...	1	1	18	0	52	11	5	11	3	3	1	12	1	0	7	0	19	2	12	12	2	10	0	34	7	0	5	1	3	0	4	1	6	0	9	1	39	14	7	10	2	7	0	4

TABLE II.—AGE, SIZE, AND MATURITY.—FEMALES—*continued.*

LEMAN REGION.

Length in Cm	Sample No. 15.												Sample No. 16.											
	I.		II.		III.		IV.		V.		VII.+		II.		III.		IV.		V.		VI.		VII.+	
	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
10–14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–19	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
20	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
23	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
24	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
25	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26	—	—	1	—	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
27	—	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	—	—	—	—	6	—	1	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—
29	—	—	—	—	3	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—
30	—	—	—	—	2	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
31	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
32	—	—	—	—	1	—	1	—	—	—	—	—	—	—	3	—	4	—	—	—	—	—	—	—
33	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—
34	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	1	—	—	—
36	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—	—	—
37	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	2	—	1	1	1	—	—	—	—
38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	3	—	1	—	—	—	—
39	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
40	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
43	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
45	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1
46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
47	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
49	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
50+	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Totals	1	—	2	—	26	—	7	—	0	3	0	5	12	—	16	1	16	11	1	5	1	5	—	5

Length in Cm	Sample No. 17.														Sample No. 21.											
	I.		II.		III.		IV.		V.		VI.		VII.+		I.		II.		III.		IV.		V.		VII.+	
	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
10–14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
15–19	5	—	2	—	—	—	—	—	—	—	—	—	—	—	10	—	4	—	2	—	—	—	—	—	—	—
20	3	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	4	—	1	—	—	—	—	—	—	—
21	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	3	—	—	—	—	—	—	—
22	1	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—
23	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	3	1	1	—	—	—	—	—
24	—	—	8	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	2	—	—	—	—	—	—	—
25	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—	7	—	1	—	—	—	—	—
26	—	—	4	—	1	—	—	—	—	—	—	—	—	—	—	—	5	—	2	1	2	—	—	—	—	—
27	—	—	4	—	2	—	—	—	—	—	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
28	—	—	1	—	4	—	2	—	—	—	—	—	—	—	—	—	5	—	3	—	—	—	—	—	—	—
29	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—
30	2	—	5	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
31	1	—	3	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
32	—	—	3	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—
33	—	—	—	—	9	2	2	—	—	—	—	—	—	—	—	—	—	—	2	—	3	1	1	—	—	—
34	—	—	2	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
35	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—
36	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
37	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—
39	—	—	—	—	1	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
40	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
41	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
47	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
48	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50+	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
Totals	10	—	33	—	25	—	38	5	6	4	—	3	—	8	16	—	42	—	36	4	13	5	1	8	0	4

TABLE II.—AGE, SIZE, AND MATURITY.—FEMALES—*continued*.

FLEMISH BIGHT.

Length in Cm.	Sample No. 26.									Sample No. 28.							Sample No. 31.							Sample No. 32.							Sample No. 35.							
	I.	II.		III.		IV.		V.	VI.	VII.+	I.	II.	III.		IV.		V.	VII.+	III.		IV.	V.	VII.+	III.		IV.	V.	VII.+	I.	II.		III.		IV.				
	Im.	Im.	M.	Im.	M.	Im.	M.	M.	M.	M.	Im.	Im.	Im.	M.	Im.	M.	M.	M.	Im.	M.	M.	M.	M.	Im.	M.	M.	M.	M.	Im.	Im.	M.	Im.	M.	Im.	M.			
15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
16	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
17	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
18	3	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—			
19	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	5	—	—	—	—	—			
20	2	4	—	—	1	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	1	2	—	—	—			
21	1	4	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	11	—	1	1	—	—			
22	—	1	—	1	1	—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	17	—	8	1	—	—			
23	—	5	—	9	2	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	1	17	—	1	—			
24	—	6	—	22	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5	—	13	3	—	—			
25	—	7	—	22	4	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	10	—	—	—			
26	—	4	—	23	1	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8	4	—	—			
27	—	2	1	8	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	6	3	—	—			
28	—	2	—	7	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—			
29	—	—	—	6	—	2	2	—	—	—	—	1	4	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1			
30	—	—	—	6	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—			
31	—	—	—	2	—	2	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—			
32	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
33	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
34	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
35	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—			
36	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—			
37	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
38	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
39	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
40	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
41	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			
42	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—			
43	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
44	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
45	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
46	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
47	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
48	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
50+	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Totals ...	13	35	3	111	16	7	7	9	11	15	1	19	8	1	1	3	1	3	4	1	9	1	1	4	3	2	1	1	4	68	2	66	13	2	1			

TABLE II.—AGE, SIZE, AND MATURITY.—FEMALES—(*continued*),

GREAT WEST BAY.

Length in Cm.	Sample No. 36.					Sample No. 37.									Sample No. 38.												Sample No. 39.										
	I.	II.		III.		I.	II.		III.		IV.	V.	VI.	X.	I.	II.		III.		IV.		V.	VI.	VII.			O.	I.	II.		III.		IV.		V.		
	Im.	Im.	M.	Im.	M.	Im.	Im.	M.	Im.	M.	M.	M.	M.	M	Im.	Im.	M.	Im.	M.	Im.	M.	M.	M.	M.			Im.	Im.	Im.	M.	Im.	M.	Im.	M.	M.		
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			5	—	—	—	—	—	—	—	—		
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			7	—	—	—	—	—	—	—	—		
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			8	—	—	—	—	—	—	—	—		
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1	—	—	—	—	—	—	—	—		
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	2	—	—	—	—	—	—	—		
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	6	—	—	—	—	—	—	—		
15	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	11	—	—	—	—	—	—	—		
16	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	10	—	—	—	—	—	—	—		
17	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	3	—	—	—	—	—	—	—		
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	3	—	—	—	—	—	—	—		
19	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	3	—	—	—	—	—	—	—		
20	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			—	3	—	—	—	—	—	—	—		
21	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—			—	5	1	—	—	—	—	—	—		
22	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—			—	8	—	—	—	—	—	—	—		
23	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—			—	1	—	—	—	—	—	—	—		
24	—	2	—	—	—	1	2	—	—	—	—	—	—	—	1	2	—	1	2	—	—	—	—			—	2	1	—	—	—	—	—	—		
25	—	3	1	—	—	1	2	—	—	—	—	—	—	—	1	4	3	1	1	—	—	—	—			—	5	1	—	—	—	—	—	—		
26	—	2	1	—	—	—	—	—	—	—	—	—	—	—	2	2	—	2	2	—	—	—	—			—	2	3	—	—	—	—	—	—		
27	—	3	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—			—	—	2	—	—	—	—	—	—		
28	—	3	—	1	—	1	—	—	1	—	—	—	—	—	—	1	1	—	1	—	1	—	—			—	1	3	—	—	—	—	—	—		
29	—	3	—	1	—	—	4	—	—	—	—	—	—	—	1	—	1	—	3	—	—	—	—			—	—	4	2	1	—	—	—	—		
30	—	1	—	—	2	—	3	—	3	1	—	—	—	—	—	—	—	3	2	—	—	—	—			—	—	3	—	—	—	—	—	—		
31	—	1	—	3	—	—	1	—	3	—	—	—	—	—	—	2	1	1	2	1	—	—	—			—	—	1	1	1	—	—	—	—		
32	—	1	—	1	—	—	2	—	—	—	2	—	—	—	—	1	—	—	2	1	1	—	—			—	—	—	—	2	2	1	—	—		
33	—	1	—	1	2	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—		
34	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—	1	2	1	1	1	—	—			—	—	1	—	—	1	—	—	—		
35	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—			—	—	—	1	—	—	—	1	—		
36	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—			—	—	—	—	—	2	—	—	—		
37	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	1	—	—	—		
38	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—			—	—	—	—	—	—	—	—	—		
39	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—		
40	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1			—	—	—	—	—	1	—	1	2		
41	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	1		
42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—		
43	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	1		
44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—		
45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—		
46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—		
47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—		
48	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—		
49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—		
50+	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—		
Totals ...	8	26	2	7	5	4	16	1	10	3	10	1	1	2	7	18	9	11	21	3	5	1	4	1		21	65	20	4	4	7	1	2	4		

TABLE II*a*.—AGE, SIZE, AND MATURITY—MALES.

GREAT WEST BAY.

Length in Cm.	Sample No. 36.						Sample No. 37.						Sample No. 38.								Sample No. 39.									
	I.		II.		III.	IV.	I.		II.		III.	IV.	I.		II.		III.		IV.		O.	I.		II.		III.	IV.			
	Im.	M.	Im.	M.	M.	M.	Im.	M.	Im.	M.	M.	M.	Im.	M.	Im.	M.	Im.	M.	M.		Im.	Im.	M.	Im.	M.	M.	M.			
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		4	—	—	—	—	—	—			
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		12	—	—	—	—	—	—			
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		7	—	—	—	—	—	—			
12	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2	—	—	—	—	—	—			
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	3	—	—	—	—	—			
14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	2	—	—	—	—	—			
15	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		—	9	—	—	—	—	—			
16	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		—	8	—	—	—	—	—			
17	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—		—	5	—	—	—	—	—			
18	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—		—	5	—	—	—	—	—			
19	2	—	1	—	—	—	—	—	—[1]	—	—	—	—	1	—	1	—	—	—		—	4	—	—	—	—	—			
20	1[1]	—	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—		—	3	1	—	—	—	—			
21	1	1	1	1	—	—	—	1	1	1	—	—	2	—	2	—	—	—	—		—	4	—	—	1	—	—			
22	1	—	—	—	1	—	1	1	—[2]	—	—	—	—	—	—	3	—	1	—		—	4	—	—	—	—	—			
23	1	—	1	—	—	—	—	3	—[2]	2	1	—	—	2	—	1	1	2	—		—	1	2	—	—	—	—			
24	—	—	3	—	—	—	1	1	—	2	1	—	—	—	2	3	—	2	—		—	4	—	1	2	—	—			
25	—	—	2[1]	—	—	—	—	2	—	—	1	—	—	—	—	2	—	—	—		—	2	1	1[1]	—	—	—			
26	—	—	2[1]	—	—	—	—	—	—	4	—	—	—	—	1	1	—	—	—		—	1	1	—	1	—	—			
27	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	—	—	—		—	—	—	—	—	1	—			
28	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		—	—	1	—	—	—	—			
29	—	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	1	—		—	—	—	—	5	—	1			
30	—	—	—	—	1	—	—	—	1	2	—	1	—	—	—	2	—	—	—		—	—	—	—[1]	1	4	—			
31	—	—	—	1	1	—	—	—	—	—	1	2	—	—	—	—	—	2	1		—	—	—	—	1	2	—			
32	—	—	—	—	1	—	—	—	—	1	2	1	—	—	—	—	—	1	—		—	—	—	—	—	2	—			
33	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	2	—		—	—	—	—	2	2	—			
34	—	—	—	—	—	1	—	—	—	—	3	1	—	—	—	1	—	—	—		—	—	—	—[1]	—	—	—			
35	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	1		—	—	—	—	—	—	—			
36	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1		—	—	—	—	—	—	—			
37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1		—	—	—	—	—	—	—			
Totals.	12[1]	1	13[2]	2	6	2	6	9	2[5]	19	14	7	4	4	6	16	1	13	4		25	55	6	2[3]	13	11	1			

DOGGER REGION.

Length in Cm.	Sample No. 1.								Sample No. 2.				Sample No. 3.						Sample No. 5.						Sample No. 6.							
	II.		III.		IV.		V.		III.		VII.+		III.		IV.		V.		III.		IV.		V.		III.		IV.		V.		VI.	
	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	13	—	1	—	—	—	—	—
25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	11	—	—	—	—	—	—	—
26	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	10	—	2	—	—	—	—	—
27	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—	—	9	—	4	—	—	—	—	—
28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	2	—	1	—	—	—	—	—
29	1	—	—	—	1	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—	2	—	—	—	4	—	3	—	—	—	—	—
30	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	5	1	—	—	1	—	2	—	—	—	—	—
31	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	4	1	—	1	—	—	2	—	—	—	—	—
32	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3[1]	3	—[1]	—	—	1	1	1	—	—	—	—
33	—	—	—	1	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	2	1	1	—	1	—	—	—	—	—	—
35	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
36	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1[1]	—	—	1	—	—	—	—	—	—	—	—
37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	1
40+	—	—	—	—	—	—	—	3	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Totals ..	1	0	0	1	7	2	1	3	1	1	0	1	7	1	6	0	1	0	7	0	21[2]	9	1[1]	6	59	3	17	1	0	2	0	2

NOTE.—*Index figures* = Maturity doubtful.

TABLE II*a*.—AGE, SIZE, AND MATURITY—MALES—*continued*.

FLAMBOROUGH OFF GROUND.

Length in Cm.	Sample No. 7.												Sample No. 8.												Sample No. 9.														Sample No. 10.											
	II.	III.		IV.		V.		VI.		VII.+			III.	IV.		V.		VI.		VII.+					I.	II.	III.		IV.		V.		VI.		VII.+				I.	II.		III.		IV.		V.		VI.	
	Im.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.		Im.	Im.	M.	Im.	M.	Im.	M.	M.					M.	M.	Im.	M.	Im.	M.	Im.	M.	M.	M.				Im.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
13	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—				1	—	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—	—
15	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—				—	—	—	1	—	—	—	—	—	—	—
16	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—				—	2	—	—	—	—	—	—	—	—	—
17	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—	—
18	1	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					1	—	—	—	—	—	—	—	—	—				—	—	—	1	—	—	—	—	—	—	—
19	3	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—				—	1	—	—	—	—	—	—	—	—	—
20	—	—	—	—	—	—	—	—	—	—	—		2	—	—	—	—	—	—	—					2	—	—	—	—	—	—	—	—	—				—	1	1	1	—	—	—	—	—	—	—
21	—	—	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—				—	2	—	—	—	—	—	—	—	—	—
22	2	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					—	1	—	—	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—	—
23	1	3	—	—	—	—	—	—	—	—	—		2	1	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—				—	—	—	1	—	—	1	—	—	—	—
24	—	3	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					—	1	—	1	—	—	—	—	—	—				—	—	—	—	—	—	—	—	—	—	—
25	—	—	—	1	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—					—	1	—	—	—	1	—	—	—	—				—	—	—	—	—	—	—	—	—	—	—
26	—	1	—	—	—	—	—	—	—	—	—		2	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—				—	1	—	1	—	—	—	—	—	—	—
27	—	1	—	2	—	—	—	—	—	—	—		1	2	—	—	—	—	—	—					—	—	1	2	—	3	—	1	—	—				—	—	—	—	—	—	—	—	—	—	—
28	1	3	—	2	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—					—	—	1	2	—	—	—	—	—	—				—	—	—	—	—	—	—	—	1	—	—
29	—	4	—	1	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—					—	—	1	2	—	—	—	—	—	—				—	—	—	1	—	—	—	—	—	—	—
30	—	—	—	2	—	1	—	—	—	—	—		—	1	—	—	—	—	—	—					—	—	1	—	—	2	—	—	—	—				—	—	—	—	—	—	—	—	—	1	—
31	—	—	—	—	—	—	1	1	—	1	—		—	—	—	—	—	—	—	—					—	—	—	—	—	2	—	—	—	—				—	—	—	—	—	1	—	—	—	—	—
32	—	—	—	1	1	1	—	—	—	—	—		—	3	—	1	1	—	—	—					—	—	—	2	3	2	1	2	—	—				—	—	—	—[2]	—	—	1	—[1]	—	—	—
33	—	1	2	—[1]	1	1	—	—	—	—	—		—	—	2	—	1	—	—	—					—	—	—	—	—	4	—	1	1	—				—	—	—	—	3	1[1]	—	—	—	—	—
34	—	1	—	—	3	—	—	—	—	—	1		1	1	3	2	—	—	—	—					—	—	—	—	—	1	3	—	1	1	—				—	—	1	1	1	—	—	2	—	—	—
35	—	—	—	—	4	2	2	—	1	—	—		—	2	—	—	—	—	—	—					—	—	—	2	—	3	—	2	1	—				—	—	—	—[1]	—	—[1]	1	—	—	—	—
36	—	—	—	—	2	1[2]	2	—	1	—	—		—	—	1	—	—	—	1	—					—	—	—	—	—	4	—	6	1	1				—	—	—	—	—	—[1]	1	—	1	—	—
37	—	—	—	1	—	—	2	—	2	—	—		—	—	—	1	3	—	—	—					—	—	—	—	—	—	—	5	—	—				—	—	—	—	—	—	2	—	—	—	—
38	—	—	—	—	2	—	3	—	1	—	—		—	—	—	—	4	—	1	—					—	—	—	—	—	3	—	5	—	—				—	—	—	—	—	—	3	—	—	—	—
39	—	—	—	—	1	—	—	—	1	—	—		—	—	—	1	2	—	—	—					—	—	—	—	—	2	—	1	3	2				—	—	—	—	—	—	2	—	—	—	—
40+	—	—	—	—	—	—	1	—	3	—	—		—	—	—	—	2	1	2	1					—	—	—	—	—	3	—	11	2	3				—	—	—	—	—	—	2	—	—	—	1
Totals...	8	17	2	10[1]	14	6[2]	11	1	9	1	1		10	10	6	6	13	1	4	1					3	3	4	11	4	32	1	35	9	6				1	6[1]	3	6[3]	4	2[3]	13	2[1]	2	1	1

TABLE II*a*.—AGE, SIZE, AND MATURITY.—MALES—*continued*.


LEMAN REGION.

Length in Cm.	Sample No. 15.							Sample No. 16.							Sample No. 17.												Sample No. 21.											
	II.		III.		IV		V.	II.	III.		IV.		V.	VI.	I.	II.		III.		IV.		V.	VI.	I.		II.		III.		IV.		V.		VI.			
	Im.	M.	Im.	M.	Im.	M.	M.	Im.	Im.	M.	Im.	M.	M.	M.	Im.	Im.	M.	Im.	M.	Im.	M.	M.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	M.
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	2	2	1	2	—	—	—	—	—	—	—	—	—
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	1	2	—	1	—	—	—	—	—	—	—
20	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	2^{1}	3	—	—	1	—	—	—	—	—	—
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	7	2	1	—	—	—	—	—	—	—	—
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	4^{1}	5	1	—	—	—	—	—	—	—	—
23	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	7	—	1	—	—	—	—	—	—	—	—	3	1	4	—	—	—	—	—	—	—
24	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	4	—	4	—	1	—	—	—	—	—	3	3	2	1	1	—	—	—	—	—	—
25	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4	1	2^{1}	—	—	—	—	—	—	—	3^{1}	2	3^{1}	2	—	—	—	—	—	—	—
26	—	—	2	—	—	—	—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	1	5	—	1	—	—	—	—	—	—
27	—	—	3	—	—	—	—	—	—^{1}	—	—	—	—	—	—	3^{1}	—	1	—	—	—	—	—	—	—	2^{1}	1	2	2	1	1	—	1	—	—	—
28	—	—	1	—	—	—	—	—	—^{1}	—	2	—	—	—	—	1	—	4	1	2	—	—	—	—	—	—	1	3	—	—	2	—	—	—	—	—	—
29	1	—	2	—	—	—	—	—	—^{2}	—	—^{2}	1	—	—	—	2	—	3	—	—^{1}	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—
30	—	—	—	—	—	—	—	—	—^{1}	1	—^{3}	1	—	—	—	1	—	1	1	2	—	—	—	—	—	—	—	2	—	—^{1}	1	—	—	—	—	—	—
31	—	—	1	—	—	—	—	—	—^{2}	1	—^{4}	4	1	—	—	—	—	5	—	1^{2}	2	—	—	—	—	—	—	—^{3}	1	—^{2}	—	—	—	—	—	—
32	—	—	—^{1}	—	1	—	—	—	—^{1}	—	—^{1}	2	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
33	—	—	—	—	—	—	—	—	—^{1}	—	—	—	1	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—^{1}	—	—	—	—^{1}	—	—	1
34	—	—	—	—	—^{1}	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	3	1	—	—	—	—	—	—^{1}	—	—	1	—	—	—	—	—
35	—	—	—	—	—	—	—	—	—	1	—	2	2	—	—	—	—	—	1	—	1	3	1	—	—	—	—	—	—	—	1	—	1	—	—	—
36	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
37	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
40+	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Totals .	1	1	10^{1}	1	1^{1}	1	1	1	6^{9}	4	2^{10}	12	6	2	8	30^{1}	1	21^{1}	3	7^{3}	11	7	1	10	6	26^{4}	27	24^{6}	11	5^{3}	7	—^{1}	3	1		

TABLE IIa.—AGE, SIZE, AND MATURITY.—MALES—*continued.*

FLEMISH BIGHT.

Length in Cm.	Sample No. 26.														Sample No. 28.												Sample No. 31.												Sample No. 32.				Sample No. 35.							
	I.		II.		III.		IV.		V.		VI.		VII.+		I.		II.		III.		IV.		V.		VI.	VII.+	I.		II.		III.		IV.		V.		VII.+		II.		III.		IV.	V.	I.		II.		III.		IV.
	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	M.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.	M.	M.	Im.	M.	M.		Im.	M.	M.	M.	Im.	M.	Im.	M.	Im.	M.	Im.	M.
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	1	10	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16	1[1]	19	—	4	—	1	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	5	21	—	14	—	—	—	—	—	—	—	—	—	—	—[1]	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	1	9	1	16	—	2	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—
19	—	14	2[1]	39	—	12	—	—	—	—	—	—	—	—	1	1	1[1]	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—
20	—	7	1	41	1	21	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—[1]	—	—[1]	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	9	1	8	—	—
21	—	2	1	33	—	37	—	2	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—[2]	—	—	—	—[1]	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	5	10	—	13	—	—
22	—	1	1[1]	43	1	46	—	—	—	—	—	—	—	—	—	—	—	3	—	2	—	1	—	—	—	—	—[1]	—	—[2]	—	—[1]	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	14	3	19	—	—
23	—	1	—	18	2	47	—	3	—	1	—	—	—	—	—	1[1]	—	—	—	—	—	—	—	—	—	—	—	—	—[3]	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	10	2	34	—	1
24	—	—	2	8	3	49	—	1	—	—	—	—	—	—	—	—[1]	1	—	2	—	—	—	—	—	—	—	—	—[2]	1	—[1]	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	2	1	21	—	1
25	—	—	2	5	2	33	—	6	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—[3]	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	2	22	—	3
26	—	—	—	2	2	37	—	8	—	—	—	—	—	—	—	—	—[2]	1	—[2]	—	—	—	—	—	—	—	—	2	—	4	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	8	4	3
27	—	—	—	2	2	19	—	7	—	1	—	—	—	—	—	1	—[1]	—	—[1]	1	—	—	—	—	—	—	—[1]	2	—[1]	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	7	—	4
28	—	—	—	—	2	34	—	23	—	2	—	3	—	—	—	—	1[2]	1	—[1]	2	—	—	—	—	—	—	—	—	—	7	—[1]	4	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	5	—	8
29	—	—	—	1	2	7	—	3	—	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	3	—[1]	8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1
30	—	—	—	—	—	7	—	8	—	6	—	—	—	—	—	—	—	—	—	1	—[1]	—	—	—	—	—	—	—	—	4	—	6	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
31	—	—	—	1	1	6	—	6	—	2	—	1	—	—	—	—	—	—	—[1]	1	—	—	—	—	—	—	—	—	—	5	—	6	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
32	—	—	—	—	—	6	—	7	—	7	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—[1]	7	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
33	—	—	—	—	—	1	—	5	—	4	—	2	—	1	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	2	—[1]	7	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
34	—	—	—	—	—	—	—	2	—	4	—	2	—	1	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—[1]	4	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
35	—	—	—	—	—	—	—	1	—	4	—	4	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36	—	—	—	—	—	—	—	5	—	3	—	3	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
37	—	—	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38	—	—	—	—	—	—	—	1	—	2	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40+	—	—	—	—	—	—	—	1	—	3	—	2	—	5	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Totals ...	8[1]	88	10[2]	228	18	358	—	91	—	42	—	23	—	12	3[1]	3	5[3]	16	1[5]	16	1[5]	16	—[1]	2	2	1	—[4]	—	—[9]	6	—[7]	33	—[5]	49	12	1	5	1	10	3	1	4	4	17	51	9	138	5	16



Weller & Graham, Ltd Litho. London. 2204.1.03.

REPORT

ON THE

LOWESTOFT SAILING TRAWLER RECORDS, 1903–1906.

BY

ROSA M. LEE, M.A.,

Statistical Assistant on the Staff.

WITH FIGURES 1–4; TABLES I.–X.; APPENDIX I. AND ONE CHART.

CONTENTS.

I.—INTRODUCTION :— Page.

The Records and their treatment 91

The grounds trawled and division into areas 91

Tabulation of the Records 92

Treatment of the tabulated Records 92

Distribution of the fishing over the areas investigated 93

II.—ACCOUNT OF SEPARATE SPECIES :—

A.—PLAICE :—

Unreliability of fishermen's estimates with special reference to size distinctions ... 94

Reduction of data to a uniform standard 95

Measure of bias 96

Yearly variations 97

Distribution and seasonal variations 99

Spawning 102

General conclusions 104

B.—SOLES :—

Introduction 105

Yearly variations 105

Distribution and seasonal variations 106

Spawning 108

General conclusions 109

III.—APPENDIX :—

Forms on which the records were collected... 110

REPORT

ON THE

LOWESTOFT SAILING TRAWLER RECORDS, 1903–1906.

BY

ROSA M. LEE, M.A.,

Statistical Assistant on the Staff.

I.—INTRODUCTION.

The Records and their Treatment.

This report is intended to furnish, as far as the material allows, a survey of the trawling grounds of the Southern North Sea, including only those parts that are fished by the Lowestoft smacksmen. With the exception of the records of four voyages made by four other skippers, all the material has been recorded by three skippers who fish regularly from Lowestoft. They were supplied with record books, in which they filled up all the particulars of each haul they made. Copies of the forms used in these books are given in the Appendix.

These have been regularly kept since the time they were commenced in April, 1903, and as the particulars of each haul are given in great detail, it is hoped that this will somewhat compensate for the disadvantages that arise from the fact that the regular records are those of only three men.

I take this opportunity at the outset, of acknowledging my indebtedness to my colleagues at the Lowestoft Laboratory, especially to Dr. Garstang, for his most valuable help at the commencement of my work, and to Dr. Allen and Mr. Borley for the many suggestions and criticisms they have made during the preparation of this paper.

The first problem to be dealt with in using this mass of statistical data was the finding of a method of reducing the material in such a way as to give the most reliable results. The object in view is to represent as simply and as accurately as possible, the fluctuations in abundance of some of the principal food fishes in the particular areas covered by the statistics. This first part of the report contains the analysis of the records of the two species, economically most important, plaice and soles.

The sources of error which are inevitably present in any such group of records must be sought for, and their influence eliminated as far as possible. The great amount of detail that is given makes it possible to do this to some extent. There is naturally a bias towards over or under estimation of the amounts by the fishermen, and it is possible to determine for each man in what direction this "personal equation" or "bias" lies, so that even though it may not be feasible to apply an accurate correction, yet we can attain some idea of the amount of this bias and of the reliability of the figures. However, remembering that the resulting figures will only be used for purposes of comparison and not as absolute measures, these biased errors by an important statistical principle, become relatively unimportant in the ratio of two estimates. It will be found that, though errors are present due to several sources, they are not enough to obscure the fluctuations in the figures produced by the seasonal influences.

The Grounds Trawled and Division into Areas.

The fishermen whose records are here examined, fish regularly in the Southern part of the North Sea, south of the line of latitude 53° 30′ and north of 51° 30′, and well within a radius of 80 miles from Lowestoft.

This area contains fishing grounds of very diverse characters, and for purposes of comparison of one part with another, has been sub-divided into nine smaller areas, the sub-division being based as far as possible on the natural distinctions of depths and the

nature of the bottom. Within each area the sea bottom is of very fairly uniform character in all cases except those of A, E and H.

These areas are :—

(i.) Three northern areas named A, B and C where comparatively little fishing is done except in the summer. These include the Cromer Grounds, the Leman Banks and the Brown Bank.

(ii.) The shallow ground, D, between the Norfolk and Suffolk Coast and the Deep Water, *i.e.* the Yarmouth and Lowestoft Flats.

(iii.) The deep water opposite Yarmouth and Lowestoft which is divided into two main portions, E the northern part, including Smith's Knoll and Knoll Deep, and the southern portion H, in which are Middle Deep and Gabbard Deep. In these areas the depths are 21 fathoms and over.

(iv.) Area F, on the east of the Deep Water, including Winterton Shoal, the lower part of the Brown Ridges, and a part of the Broad fourteens. Here the depth varies from 14 to 21 fathoms.

(v.) Area J, containing the Brown Ridges, Lowestoft Shoal and the edge of the Deep Water. The average depth is about 19 fathoms. Our statistics show that this locality is much frequented and well fished over.

(vi.) Lastly area M, embracing the Hinder, and Schouwen Grounds, and east of the Brown Ridges. The depth varies considerably in the different parts of this area.

The appended *Chart* shows the arrangement of these areas in the southern part of the North Sea.

Tabulation of Records.

In dealing with the records, each haul was allotted to its particular area as given by the data supplied by the fishermen. These positions are only approximate, as owing to the fact that the vessels are smacks, it is not easy for the men to give their exact distance from Lowestoft nor their true bearings to a point. When any discrepancies were found between the name of the fishing ground, bearings, distance, and depth furnished by the records, the depth was considered the most reliable datum and the position of the vessel was judged from that.

Any accident to the fishing gear, such as a rent net, or loss of trawl is noted by the fishermen in the record of the haul. All such hauls have been omitted from the statistics as not being comparable with other hauls made under ordinary conditions.

In tabulating the returns, each man's records were first dealt with alone. The catches of all hauls made in a month, with the number of hours fishing in each, were entered upon a sheet and classified according to areas. The total catches were then made up for each area month by month throughout the four years. Finally the total catches of the several vessels were amalgamated and reduced to a series of averages extending month by month over the whole period. In this series there were some gaps owing to the scarcity of fishing or total lack of it in certain areas, and it was necessary, in order to smooth the results and to arrive at some measure of the seasonal fluctuations, to put together the catches of each month from all the years and take their average, thus obtaining a general representative average for each monthly period.

Treatment of the Tabulated Records.

The simplest average to calculate is that obtained by dividing the total amount of fish in each month by the number of hauls, giving an average amount *per haul*. This would certainly be the best method were it true that the duration of all hauls was approximately the same. But an examination of the figures shows that this is not the case and that great differences exist, the length of a haul being anything from three hours to 12 hours or even more. Moreover, one of the fishermen in particular was found to make hauls of a duration considerably exceeding the others. If we assume that the longer the duration of a haul, the greater is the amount of fish caught, which is true, other circumstances being the same, then it is evident that the inclusion with or exclusion of this man's catches from the others, would materially alter the average. Their reasons for long hauls of 9, 10 or 12 hours' duration do not seem to be due to any generally accepted principle of action, but to a variety of motives, of which perhaps that of saving the time of hauling is the chief. Shorter hauls were made over muddy, and muddy and sandy bottoms than on sandy grounds.

It was at first thought that the duration of the hauls was protracted when there was little or no wind in order that the smacks might trawl over as much ground as would be covered in a shorter haul with an ordinary wind, and since in such a haul the catch per hour is naturally less than that which would be obtained were the vessel moving faster with a fresh wind, it was considered that the average per haul would give a better result than the catch per uniform time. This theory was tested by an examination of the figures, which did not at all bear out the idea that the duration of the haul was correlated to the force of the wind. Indeed it was found that long hauls went as often with strong winds as with no wind, and short hauls as often with no wind as with strong winds.

The correlation co-efficient between the two in the records for one year, was calculated and was found to be —·01. This shows definitely that there is no correlation, and it is clear that the duration of the hauls depends on causes which together far exceed in importance the strength of the wind ; and one comes to the conclusion that it will not do to allow that all lengthy hauls are but efforts on the fishermen's part to make up in time what they have lost in distance trawled through lack of wind.

From these considerations it is evident that the only figures which will be comparable are those averages that are based on a uniform time of fishing. The most usual duration of a haul is six hours (corresponding to the duration of a tide), and this has been selected as the unit so that all averages are calculated per six hours' fishing.

The following table (Table I.) gives the total number of hauls and of hours fishing made by each man in each year, and brings out the difference in the average duration of their hauls.

TABLE I.—Showing for each of three fishermen, the total number of hauls and hours fishing, and the average duration of a haul.

——	Skipper.	1903. April–Dec.	1904.	1905.	1906.
Number of hauls	i	310	376	423	465
	ii	253	385	378	388
	iii	330	485	479	522
	All.	**893**	**1,246**	**1,280**	**1,375**
Number of hours fishing ...	i	1778½	2,350	2,585	2,892½
	ii	2234¼	3,217½	2,972¾	2,835¼
	iii	1965	3,138	2,778¾	2,997½
	All.	**5977¾**	**8,705½**	**8,336½**	**8,725¼**
Average duration of haul in hours.	i	5·74	6·25	6·11	6·22
	ii	8·83	8·36	7·87	7·31
	iii	5·95	6·47	5·80	5·74
	All.	**6·69**	**6·99**	**6·51**	**6·35**

N.B.—This table does not include the hauls in which the net was rent nor the few hauls recorded by the other fishermen in 1903 and 1904.

DISTRIBUTION OF THE FISHING OVER THE AREAS INVESTIGATED.

Table II. has been drawn up to show how the fishing has been distributed in the various parts of our region. It gives the total number of hours fishing in each area and the percentage that this forms of the whole amount of fishing in each year. We find that a very small proportion of the whole fishing occurs in A, B, C and D, and that E, F, H, J and M share between them and nearly equally the greater part of the rest.

There is no very great change in the distribution of the fishing from year to year, and for this reason it was thought justifiable to combine the totals from all areas and form yearly averages for all species, which would be fairly comparable and not unduly biased by unequal distribution in well-stocked or ill-stocked areas. The amount of fishing in A, B, C and D is so small that the variations in these will not much affect a general average, while the variations in the other and more important areas and their effects will be discussed with respect to the yearly averages of the several species.

TABLE II.—Showing the total yearly amounts of fishing in each area in hours, and the percentages of the total number of hours fishing occurring in each area in each year.

Area.		1903.	1904.	1905.	1906.	1903–6.
A	Hours	55	66	125¼	79	325¼
	Percentage	0·9	0·7	1·5	0·9	1·0
B	Hours	414½	507½	256½	85	1,263½
	Percentage	6·7	5·4	3·1	1·0	3·9
C	Hours	146½	166	35	15	362½
	Percentage	2·4	1·8	0·4	0·2	1·1
D	Hours	154	37	268½	274	733½
	Percentage	2·5	0·4	3·2	3·1	2·2
E	Hours	1,708	1,711	1,579	1,403½	6,401½
	Percentage	27·7	18·2	18·9	16·1	19·6
F	Hours	1,532¾	1,788½	1,359½	1,070½	5,751¼
	Percentage	24·8	19·0	16·3	12·3	17·6
H	Hours	1,042½	1,714¾	1,470¼	1,622¼	5,849¾
	Percentage	16·9	18·3	17·6	18·6	17·9
J	Hours	834¼	1,882¾	1,749	2,045½	6,511½
	Percentage	13·5	20·0	21·0	23·4	20·0
M	Hours	285¾	1,520	1,493½	2,130½	5,429¾
	Percentage	4·6	16·2	17·9	24·4	16·6
	Total	6,173¼	9,393½	8,336½	8,725¼	32,628½

II.—ACCOUNT OF SEPARATE SPECIES.

A.—PLAICE.

Unreliability of Fishermen's Estimates with regard to Size Distinctions.

In the Record forms the amounts of large, medium and small size plaice are given separately, and in tabulating, these distinctions were first kept. But it soon became evident that these distinctions introduced a source of error and that one man's estimates were not comparable with another's. In some cases the plaice would be divided into only two groups, large and small, while another man would record his plaice taken at the same time from the same area as medium and small. Moreover they were not consistent in this, and would occasionally change their method of classification. The result was that instead of the large, medium and small fish forming approximately the same proportion of the total catch, for each of the three men, as one would expect them to do when they fish in the same areas under the same conditions, and the average of a large number of hauls is taken, a great difference was found in their various estimates.

The following table illustrates this point. It represents the average catch in cwts. per six hours' fishing in the area F, during the three summer months of 1904. The average weights of the different size groups are very different, but the weights of the whole catch are very nearly equal in the three men :—

TABLE III.—Showing the average catch in cwts. obtained per six hours' fishing by three Skippers in area F, during July to September, 1904 :—

	Skipper.		
	i.	ii.	iii.
Large	·27	—	·17
Medium	·59	·65	·82
Small	·09	·52	·11
Total weight ...	·95	1·17	1·10

The estimated average lengths of large, medium and small plaice are $17\frac{3}{4}$ inches, 13 inches and $9\frac{3}{4}$ inches respectively. When questioned on this matter two of the men said that they reckoned a fish of 12 or 13 inches in length to be of *medium* size, but the other takes as *large plaice* those of 12 inches and over, while *medium* are about nine inches, and *small* eight inches and under on the average.

Seeing that so much diversity of opinion on this matter of size exists, and that in each haul the proportion which the large, medium and small fish form of the total catch, must of necessity be but rough estimates, it becomes evident that in these cases the size distinctions are unreliable and that better results will be obtained by grouping all sizes together.

The totals and averages given in the tables represent only the actual amounts of plaice landed. In many cases a great number of small plaice unfit for market were caught in the trawl and afterwards thrown overboard. The amounts of these were sometimes given, but the information supplied about the unmarketable fish was too uncertain and indefinite for any numerical measure of the proportion they formed of the catch to be obtained. In what follows, marketable plaice alone are discussed.

Reduction of Data to a Uniform Standard.

The amounts of plaice are given in one of the three following ways :—(i) Number of boxes or trunks, (ii) Number of baskets, and (iii) Number of fish.

The measuring of the fish in trunks was carried out only in 1903 and the early part of 1904, when the Record Books were of a slightly different form. It was given up in April 1904 owing to the confusion caused by the fishermen using this term in different senses.

The 'baskets' were adopted as the unit in 1904. The numbers of the fish are only given when they are too few to be measured by a basket. To obtain an average it is necessary to reduce these measurements to one and the same unit. Enquiries were made at the fishmarket, and from information supplied by the salesmen, the following were taken as the average equivalents of the different measures :—

2 Baskets = 1 Market Trunk or Box.
1 Trunk of Plaice weighs 1 cwt.

The average numbers of large, medium and small plaice which go to fill a trunk were also found, but as all sizes were being put together, the simplest method of reduction was to give the total estimated weight in cwts., taking 1 basket = ·5 cwt.

When the numbers of the fish were given they were reduced to weight by the following approximate scale, which has been calculated from the curve showing the weight of plaice according to size obtained from tables prepared by the Board of Agriculture and Fisheries* :—

Size of Plaice.	Length.	Weight.
Large	$17\frac{3}{4}$ inches.	·02 cwts. = 35 ozs.
Medium	13 „	·007 „ = $12\frac{1}{2}$ „
Small	$9\frac{3}{4}$ „	·003 „ = 5 „

The proportion of fish recorded in numbers is very small, so that the error introduced by using the weights on the fishermen's somewhat unreliable classification will not be serious.

The records for 1903 had to be treated differently from the other years owing to the different interpretations of the 'trunk' unit employed by the fishermen.

* Report of the Select Committee of the House of Lords on the Sea Fisheries Bill, London, 1904, p. 80.

One skipper (No. ii) informed us that he measured his fish in baskets and estimated the equivalent number of market trunks to put down in his records, so that in converting his amounts we have taken 1 *trunk* = 1 cwt. But the other fishermen stated that they had recorded their catches in 'level' trunks, so that six trunks or boxes in their records are equivalent to four market trunks. Adopting this explanation, the weight of one of these trunks was taken as 2/3 = ·67 cwt.

That these corrections are in the right direction will be seen in Table 5, where in 1903 the average for the year in the case of fisherman (No. ii) is less than those of the other two, so that there has been clearly no over-estimation in taking his 'trunks' to be heavier than those of the others.

On the other hand it is improbable that the records of the other two fishermen have been under-estimated, not only because their own estimate of the relation between 'market' and 'level' trunks has been adopted, but also because, if one neglects their explanations and treats their 'trunks' as market trunks, the resultant average catches for 1903 become raised to amounts which are extraordinarily higher than those for the other years, a fact which points at once to the existence of some biased error.

Measure of Bias.

Since April 1904 there has been included in each Record Book a page for the summary of the voyage. On this the skipper records the total quantity of fish landed as it is packed ready for market. This is a fairly accurate measure and affords a valuable test of the accuracy of the estimates made for each individual haul. By adding up the total number of baskets of plaice caught in all the hauls of a voyage, and making an estimate for the baskets equivalent to the number of fish caught when these are given, we can compare these totals with the summaries by taking two baskets = 1 trunk.

This has been done for each skipper and the results are somewhat interesting. There are a few instances where these totals of individual records are twice or one and half times the amounts given in the summary of the voyages, thus showing a great over-estimation. Many of the totals slightly exceed the summary totals by one or two boxes on totals of from 12 to 20 boxes in the voyage, while others are just as much in defect. The following are a few instances taken at random and they will illustrate the nature of the correspondence between the two :—

Number of boxes given in the Summary of each voyage.		Total number of boxes estimated from the Separate Records.
16	...	17
23	...	$25\frac{1}{4}$
20	...	$25\frac{1}{4}$
$20\frac{1}{2}$	...	$23\frac{1}{4}$
8	...	$7\frac{3}{4}$
$6\frac{1}{2}$	...	$5\frac{1}{4}$
$10\frac{1}{2}$	...	11
4	...	3
11	...	$15\frac{1}{2}$
13	...	$19\frac{1}{2}$

In order to see whether in the long run the tendency is to over- or under-estimate, the average ratios of the totals to the summaries have been calculated for each year and for each fisherman. They are given by the following table with their probable errors :—

TABLE IV.—Showing the relation between the Totals and Summaries for each Skipper, throughout the period.

Skipper.	1904.	1905.	1906.	Average ratio.
(i)	1·17±·01	1·04±·01	1·01±·02	1·07
(ii)	0·92±·01	0·87±·01	0·88±·01	0·89
(iii)	1·24±·03	1·18±·04	1·07±·02	1·16
All	1·11±·01	1·03±·01	0·99±·01	1·04

From this table we gather that Skipper (i) has a tendency to over-estimate his amounts to the extent of about 7 per cent. on the average per voyage. Skipper (ii) under-estimates by a little over 10 per cent. on the average, while Skipper (iii) has by far the largest bias, as much as 24 per cent. in 1904, and as 16 per cent. when the three years are taken together. The probable errors given in the table show that this man has a greater variation in his ratios than the others. Taking the average of the ratios of the three men we see that there is a slight over-estimation in the long run, the totals of the individual records exceeding the amounts given in the summaries by about 4 per cent.

It has been impossible to apply corrections for this bias in the monthly averages for each area, owing to the fact that the hauls in one voyage may be distributed over several areas and their error may diverge to a considerable extent from the average ratio given in the table. But in the long run when we have averages based on a considerable number of hours fishing, these tendencies to excess or defect will nearly balance one another. The apparent irregularity in some of the monthly averages can be accounted for to some extent by the presence of these biased errors especially in cases where there is little fishing, and where one man's returns preponderate over the others.

Yearly Variations in the Amount of Plaice.

Before dealing with the monthly averages for each separate area we can treat the fishing grounds as one whole area representing the Southern part of the North Sea and find how the amounts fluctuate from year to year by working out the average per six hours fishing for each year. In such averages as these, based on a whole year's fishing over approximately the same ground, which too is a comparatively small region and does not show a very large range of difference between its several parts, we do not expect to find much difference in the average figures of the three fishermen unless they are influenced by biased errors.

The following Table shows in cwts. year by year, for each fisherman, the total catch of plaice, the average per haul, and the average per six hours fishing. It will be noticed that the latter averages are far more uniform than the former :—

TABLE V.—Showing in each year the total weight of Plaice in cwts., the average weight per haul and the average weight per 6 hours fishing taken by each skipper.

——	Skipper.	April-Dec., 1903.	1904.	1905.	1906.
Total weight of Plaice in cwts.	i	342·6	432·07	440·01	460·28
	ii	401·85	559·30	509·09	456·41
	iii	432·50	659·14	437·05	413·24
	All	**1176·91**	**1650·51**	**1386·15**	**1329·93**
Average weight of Plaice per haul	i	1·10	1·15	1·04	0·99
	ii	1·59	1·45	1·35	1·18
	iii	1·31	1·36	0·91	0·79
	All	**1·32**	**1·32**	**1·08**	**0·97**
Average weight of Plaice per 6 hours fishing	i	1·16	1·10	1·02	0·95
	ii	1·08	1·04	1·03	0·97
	iii	1·32	1·26	0·94	0·83
	All	**1·18**	**1·14**	**1·00**	**0·91**

This is a very instructive table. The averages per haul show the great excess in the catches of fisherman ii. over those of the others, owing to the lengthy duration of his hauls. This difference is corrected in the six-hourly averages, but we notice here that fisherman ii's. averages in 1903 and 1904 are below those of i. and iii. Probably this is due to the fact that he underestimates his amounts as a rule, while the others have the opposite tendency.

One of the most striking features of the table is the continued decline evidenced in the figures throughout the four years, and this is shown, not only by the averages of all

the fishing but by each man separately. The following diagram shows this decline graphically.




FIG. 1.—Curves showing the annual average catch of plaice in cwts. per 6 hours fishing by each of the three skippers and by all together.

We notice that the values for 1903 on this curve are different from those in the table which do not show any marked excess over the figures for 1904. This difference is due to the fact that 1·31 cwts. is the value estimated for the whole of 1903, whereas the value in the table, 1·18, is the average of the records from April, 1903, when they were started, to December. The average for the first three months of the year is higher than for the remaining months, and the omission of these in our yearly average considerably lowers the resulting figure. A correction was obtained as follows :—Taking the years 1904, 1905 and 1906 together, the average for the first three months is 1·31 cwts., for the last nine months it is 0·92 cwts., and for the year it is 1·02. Multiplying 1·18, the average for the nine months of 1903 by the factor $\frac{1{\cdot}02}{0{\cdot}92}$ we obtain 1·31 cwts. as the probable average for the whole of 1903. The figures 1·29, 1·20 and 1·46 the corrected averages for the individual fishermen were obtained in a similar way.

In order to test this decline still further, the 'probable difference' between the averages for any two years, that is, the amount of difference which is expected to come by chance, has been determined. This has been done by the formula $r = r_1 \sqrt{\frac{1}{N_1} + \frac{1}{N_2}}$, where r_1 is the probable error of the whole group and N_1 and N_2 the numbers which enter into the averages to be compared. These probable differences are :—

Between 1903 and 1904	... ...	·024 cwts.
„ 1904 and 1905	... ...	·022 „
„ 1905 and 1906	... ...	·021 „

These differences are as likely to occur as not ; a difference of greater than 2r. would arise once in 6 times and of 4r. once only in 160 times. Taking the estimated figures for 1903 the differences are ·17, ·14 and ·09 respectively, all of which are real differences and very significant. Even if these averages were reduced by the measure of bias given in Table IV. on page 96, when they would become the following :—1904, 1·03 ; 1905, 0·97 ; 1906, 0·92, the differences are still significant although their magnitude is less. With reference to the table on page 94, Table II., we see that J and M have a slightly increasing amount of fishing from 1903–1906. These will later be shown to be the best stocked areas. On the other hand, E and F, which have a smaller stock of plaice, become less and less fished throughout the period. The effect therefore of this

difference of distribution of the fishing is to have *raised* the true values in the later years, so that the decline in the later years cannot be shown to be due to the fact that more of the fishing has taken place in naturally less populated areas.

We have thus established the fact that there has been a marked and steady decline in the average amount of fish taken during the period. Unfortunately these statistics do not enable us to determine what is the cause of this apparent decline—whether it arises from a real decrease in the stock of plaice in the sea—or from some some other causes. Nor, if the former is the case, can we tell whether the decline is a permanent one and will continue, or whether in the later years of this period we have simply evidenced one or two slack seasons after a period of great abundance. Further observations over a considerable number of years will be necessary to establish these points. In the meantime these figures may be valuable in corroborating or otherwise the evidence gathered from similar statistics.

Distribution and Seasonal Variations.

The following table (Table VI.) gives for each of the nine areas the average catch of plaice per six hours fishing month by month throughout the period 1903–1906. To show the seasonal fluctuations, the averages of the catches of all the Januaries, all the Februaries, &c., have been calculated and shown in thick type. As the reliability of an average is proportional to the number of hours fishing on which it is based, it was thought best to use weighted averages. The method of procedure was as follows:—The total catches of all the Januaries were added together, and the sum divided by the number of six-hours periods in the total number of hours fishing in all the Januaries, and so for the other months. This method gives a 'weighted' average, most weight being placed on the catch of that year in which there is most fishing in this month. These figures are plotted out as continuous curves and give a graphic representation of the seasonal variations (Fig. 2).*

The table shows that the records are in many places incomplete, and for this reason it is not possible to represent the seasonal variations by plotting out the monthly averages for each year separately. In studying the figures and in making deductions from them, it will be necessary to bear this fact in mind and not to put too much reliance on them if, as is several times the case, the general average is not fairly representative of at least three years' fishing, or is perhaps based on the total catch of a very few hauls. The probable error of any average varies inversely as the square root of the number of 6 hours hauls in that average, so that the greater the number of hauls the greater is the reliability of the average. The probable error of any one haul of 6 hours' duration is approximately ·5 cwt. These probable errors of the averages have been calculated in several cases, and the general averages which, for any of the reasons mentioned above, are found to be obviously unreliable are put in square brackets in the table.

In comparing one month with another we must be careful to note whether an increase in the general average is also shown in the averages for all the years separately or whether it is mainly due to an excessively high average in any one particular year. In area H. the average for August is 0·73, a large increase on 0·49 cwts. in July. This is due to the high average 1·39 in 1903. The averages for 1904, 1905, and 1906 do not show any significant increase on those of July for the same years. We conclude therefore that the apparent increase in August is misleading.

Looking now at the diagrams (Fig. 2) we see several general facts brought out very clearly. There is no fishing during the winter on the Northern areas A, B, C, apparently because at this time the fish are more plentiful further south. A small amount is caught in spring and this increases rapidly, maintaining a fairly high level throughout the summer and early autumn when the quantity suddenly falls. From the diagrams it is evident that the greatest average weight of plaice comes from area M, the Hinder and Schouwen grounds. This is probably due to the large number of small plaice which form a great portion of the catch. The next in total amount seems to be J, the Brown Ridges, the area immediately north of M. The next northerly area F, has a little less.

Of the deep areas, H the most southerly has the greater amount of fish, especially from December to February. On E, about Smith's Knoll, few fish are caught, but these are mostly large and medium plaice, and for this reason the catches from this area are more valuble in proportion to their bulk than are those from some of the more southerly areas.

* Broken lines are used in the diagrams to join two alternate months' averages, when there is no record in the intermediate month. Thin lines are used to join up averages of months, which are considered unreliable.

TABLE VI.—Showing for each area the monthly average catch of Plaice in cwts by an index

Area.	Year.	January.	February.	March.	April.	May.	June.
A	1903	—	—	—	—	—	$0\cdot25^{17}$
	1904	—	—	—	—	—	—
	1905	—	—	$0\cdot08^{25\frac{1}{2}}$	$0\cdot26^{44}$	—	$0\cdot10^{55\frac{1}{2}}$
	1906	—	—	—	$0\cdot03^{16}$	$0\cdot03^{63}$	—
	1903–6	—	—	$[0\cdot08]^{25\frac{1}{2}}$	$[0\cdot20]^{60}$	$[0\cdot03]^{63}$	$[0\cdot13]^{72\frac{1}{2}}$
B	1903	—	—	—	$0\cdot78^{36\frac{1}{2}}$	$0\cdot98^{135}$	$1\cdot02^{138}$
	1904	—	—	—	—	—	$0\cdot94^{234\frac{1}{2}}$
	1905	—	—	$0\cdot09^{4}$	—	—	$0\cdot46^{98}$
	1906	—	—	—	—	—	—
	1903–6	—	—	$[0\cdot09]^{4}$	$[0\cdot78]^{36\frac{1}{2}}$	$[0\cdot98]^{135}$	$[0\cdot86]^{470\frac{1}{2}}$
C	1903	—	—	—	—	$0\cdot34^{7}$	$1\cdot51^{25\frac{1}{2}}$
	1904	—	—	—	—	—	$1\cdot25^{42}$
	1905	—	—	—	—	—	$0\cdot67^{18}$
	1906	—	—	—	—	—	—
	1903–6	—	—	—	—	$[0\cdot34]^{7}$	$[1\cdot21]^{85\frac{1}{2}}$
D	1903	—	—	—	—	$0\cdot20^{46}$	$0\cdot37^{6}$
	1904	—	—	—	—	—	$0\cdot11^{12}$
	1905	—	—	$0\cdot27^{12\frac{1}{2}}$	—	$+^{57\frac{1}{2}}$	$0\cdot05^{3\frac{1}{2}}$
	1906	$0\cdot24^{30}$	—	—	$0\cdot02^{12}$	$0\cdot01^{5\frac{1}{2}}$	—
	1903–6	$[0\cdot24]^{30}$	—	$[0\cdot27]^{12\frac{1}{2}}$	$[0\cdot02]^{12}$	$[0\cdot09]^{109}$	$[0\cdot17]^{21\frac{1}{2}}$
E	1903	—	—	—	—	$0\cdot25^{46}$	$0\cdot90^{183\frac{1}{2}}$
	1904	$2\cdot09^{6}$	$0\cdot80^{65}$	—	—	—	$0\cdot85^{245\frac{1}{2}}$
	1905	$0\cdot73^{30}$	$0\cdot63^{44}$	$1\cdot09^{22}$	$0\cdot35^{29}$	$0\cdot51^{31\frac{1}{2}}$	$0\cdot40^{182}$
	1906	—	$0\cdot54^{23}$	$0\cdot08^{22}$	$0\cdot08^{5\frac{1}{2}}$	$0\cdot24^{18}$	$0\cdot40^{6}$
	1903–6	$[0\cdot95]^{35}$	$0\cdot68^{132}$	$0\cdot58^{44}$	$0\cdot31^{34\frac{1}{2}}$	$0\cdot33^{95\frac{1}{2}}$	$0\cdot73^{616\frac{1}{2}}$
F	1903	—	—	—	$1\cdot59^{96}$	$1\cdot95^{166\frac{1}{2}}$	$1\cdot45^{240\frac{1}{2}}$
	1904	$1\cdot33^{96}$	$0\cdot77^{77}$	$1\cdot43^{10\frac{1}{2}}$	—	$0\cdot95^{69}$	$0\cdot91^{293\frac{1}{2}}$
	1905	—	$0\cdot75^{12}$	$0\cdot78^{78\frac{1}{2}}$	$1\cdot06^{34\frac{1}{2}}$	$0\cdot46^{63}$	$0\cdot73^{305}$
	1906	—	$0\cdot55^{22}$	$0\cdot51^{50}$	$0\cdot65^{175\frac{1}{2}}$	$1\cdot04^{129}$	$0\cdot55^{89}$
	1903–6	$[1\cdot33]^{96}$	$0\cdot72^{111}$	$0\cdot74^{139}$	$0\cdot99^{306}$	$1\cdot29^{427\frac{1}{2}}$	$0\cdot96^{928\frac{1}{2}}$
H	1903	—	—	—	$0\cdot87^{20\frac{1}{2}}$	$0\cdot79^{50\frac{1}{2}}$	$1\cdot15^{70}$
	1904	$1\cdot24^{579}$	$1\cdot41^{256\frac{1}{2}}$	$1\cdot17^{6}$	—	$0\cdot17^{5}$	$0\cdot35^{119}$
	1905	$1\cdot45^{421\frac{1}{2}}$	$1\cdot55^{444\frac{1}{2}}$	—	$1\cdot00^{6}$	$1\cdot70^{23\frac{1}{2}}$	$0\cdot81^{12}$
	1906	$1\cdot19^{316}$	$0\cdot96^{399}$	$0\cdot37^{42}$	—	$0\cdot17^{10}$	$0\cdot26^{19\frac{1}{2}}$
	1903–6	$1\cdot30^{1316\frac{1}{2}}$	$1\cdot30^{1099\frac{1}{2}}$	$[0\cdot47]^{48}$	$0\cdot90^{26\frac{1}{2}}$	$0\cdot93^{89}$	$0\cdot62^{220\frac{1}{2}}$
J	1903	—	—	—	$1\cdot66^{162\frac{1}{2}}$	$1\cdot61^{216\frac{1}{2}}$	$1\cdot49^{76\frac{1}{2}}$
	1904	$1\cdot08^{247\frac{1}{2}}$	$1\cdot42^{279}$	$1\cdot84^{93\frac{1}{2}}$	$1\cdot70^{393}$	$1\cdot02^{293\frac{1}{2}}$	$1\cdot04^{49}$
	1905	$1\cdot57^{60}$	$1\cdot30^{118\frac{1}{2}}$	$1\cdot34^{55}$	$1\cdot79^{231\frac{1}{2}}$	$1\cdot33^{381\frac{1}{2}}$	$1\cdot15^{91}$
	1906	$1\cdot37^{18}$	$1\cdot04^{97\frac{1}{2}}$	$1\cdot00^{138}$	$1\cdot08^{327}$	$0\cdot90^{307}$	$0\cdot66^{335}$
	1903–6	$1\cdot19^{325\frac{1}{2}}$	$1\cdot32^{495}$	$1\cdot34^{286\frac{1}{2}}$	$1\cdot52^{1114}$	$1\cdot19^{1198\frac{1}{2}}$	$0\cdot89^{551\frac{1}{2}}$
M	1903	—	—	—	$1\cdot13^{42\frac{1}{2}}$	$2\cdot53^{19}$	$1\cdot42^{29\frac{1}{2}}$
	1904	$1\cdot57^{196\frac{1}{2}}$	$1\cdot20^{164\frac{1}{2}}$	$1\cdot71^{166}$	$1\cdot67^{236\frac{1}{2}}$	$1\cdot43^{455\frac{1}{2}}$	$0\cdot78^{40\frac{1}{2}}$
	1905	$1\cdot69^{209\frac{1}{2}}$	$1\cdot06^{31}$	$1\cdot71^{222}$	$1\cdot44^{318}$	$1\cdot13^{198\frac{1}{2}}$	$0\cdot98^{51}$
	1906	$1\cdot37^{383\frac{1}{2}}$	$1\cdot28^{231}$	$1\cdot54^{589}$	$1\cdot33^{248\frac{1}{2}}$	$1\cdot06^{197}$	$0\cdot99^{133}$
	1903–6	$1\cdot52^{849\frac{1}{2}}$	$1\cdot23^{426\frac{1}{2}}$	$1\cdot61^{977}$	$1\cdot46^{845\frac{1}{2}}$	$1\cdot30^{870}$	$1\cdot00^{254}$

per six hours fishing. The number of hours fishing in each average is represented number.

July.	August.	September.	October.	November.	December.	Area.
—	$0\cdot93^{38}$	—	—	—	—	A.
—	$0\cdot56^{6}$	$0\cdot43^{60}$	—	—	—	
—	—	—	—	—	—	
—	—	—	—	—	—	
—	[0·88]^{44}	[0·43]^{60}	—	—	—	
$1\cdot73^{28\frac{1}{2}}$	$1\cdot07^{60}$	$1\cdot82^{11}$	$0\cdot55^{5\frac{1}{2}}$	—	—	B.
$0\cdot75^{7}$	—	$1\cdot05^{156}$	$0\cdot67^{63\frac{1}{2}}$	$0\cdot59^{46\frac{1}{2}}$	—	
—	$0\cdot77^{52\frac{1}{2}}$	$1\cdot31^{45}$	$0\cdot83^{23}$	$0\cdot60^{34}$	—	
$0\cdot46^{68}$	—	—	$0\cdot19^{5}$	$0\cdot62^{12}$	—	
$0\cdot83^{103\frac{1}{2}}$	$0\cdot93^{112\frac{1}{2}}$	$1\cdot15^{212}$	$0\cdot68^{97}$	$0\cdot60^{92\frac{1}{2}}$	—	
$0\cdot87^{18\frac{1}{2}}$	$1\cdot46^{29\frac{1}{2}}$	$1\cdot37^{10\frac{1}{2}}$	$0\cdot47^{55}$	—	—	C.
—	—	—	$2\cdot22^{23}$	$1\cdot30^{101}$	—	
—	—	—	$1\cdot09^{11}$	$1\cdot37^{6}$	—	
—	—	$0\cdot64^{15}$	—	—	—	
[0·87]$^{18\frac{1}{2}}$	[1·46]$^{29\frac{1}{2}}$	[0·94]$^{25\frac{1}{2}}$	$1\cdot00^{89}$	$1\cdot30^{107}$	—	
$0\cdot51^{19\frac{1}{2}}$	—	—	$0\cdot31^{38\frac{1}{4}}$	$0\cdot31^{44}$	—	D.
—	—^{5}	$0\cdot03^{6}$	—	—^{11}	$0\cdot48^{3}$	
$0\cdot09^{160\frac{1}{2}}$	—	$0\cdot05^{11\frac{1}{2}}$	—	$0\cdot10^{23}$	—	
$0\cdot12^{35}$	$0\cdot39^{9}$	$0\cdot02^{3}$	$0\cdot08^{86}$	$0\cdot14^{93\frac{1}{2}}$	—	
$0\cdot13^{215\frac{1}{2}}$	[0·25]^{14}	[0·04]$^{20\frac{1}{2}}$	$0\cdot15^{124\frac{1}{4}}$	$0\cdot17^{171\frac{1}{2}}$	[0·48]^{3}	
$0\cdot70^{407}$	$0\cdot92^{451\frac{1}{2}}$	$1\cdot00^{436\frac{1}{2}}$	$1\cdot42^{116\frac{1}{2}}$	$1\cdot17^{61}$	$1\cdot33^{6}$	E.
$0\cdot49^{619\frac{1}{2}}$	$0\cdot82^{454\frac{1}{2}}$	$0\cdot91^{275\frac{1}{2}}$	$1\cdot42^{26\frac{1}{2}}$	—	$0\cdot58^{18\frac{1}{2}}$	
$0\cdot33^{399}$	$0\cdot52^{511\frac{1}{4}}$	$0\cdot59^{242\frac{1}{4}}$	$0\cdot50^{6}$	$0\cdot36^{10}$	$0\cdot41^{72}$	
$0\cdot33^{466\frac{1}{2}}$	$0\cdot56^{467}$	$0\cdot49^{312\frac{1}{2}}$	$0\cdot63^{30}$	$0\cdot48^{53}$	—	
$0\cdot46^{1892}$	$0\cdot70^{1884\frac{1}{2}}$	$0\cdot78^{1266\frac{3}{4}}$	$1\cdot26^{179}$	$0\cdot81^{124}$	[0·50]$^{90\frac{1}{2}}$	
$1\cdot12^{194\frac{3}{4}}$	$1\cdot15^{165\frac{1}{4}}$	$1\cdot41^{226\frac{1}{4}}$	$1\cdot33^{245\frac{1}{2}}$	$1\cdot80^{191\frac{3}{4}}$	$3\cdot36^{6}$	F
$0\cdot82^{156}$	$1\cdot11^{276}$	$1\cdot34^{230}$	$1\cdot33^{280}$	$1\cdot30^{271}$	$1\cdot06^{29\frac{1}{2}}$	
$0\cdot48^{109\frac{1}{2}}$	$0\cdot71^{249\frac{1}{2}}$	$0\cdot90^{159}$	$1\cdot13^{166\frac{1}{2}}$	$1\cdot19^{150}$	$0\cdot71^{32}$	
$0\cdot73^{71}$	$0\cdot91^{83}$	$1\cdot04^{182}$	$1\cdot31^{195\frac{1}{2}}$	$1\cdot62^{67\frac{1}{2}}$	$1\cdot00^{6}$	
$0\cdot85^{531\frac{1}{2}}$	$0\cdot97^{773\frac{3}{4}}$	$1\cdot20^{797\frac{1}{4}}$	$1\cdot29^{887\frac{1}{2}}$	$1\cdot45^{680\frac{1}{4}}$	$1\cdot09^{73\frac{1}{2}}$	
$0\cdot49^{26}$	$1\cdot39^{24\frac{1}{2}}$	$1\cdot02^{31}$	$1\cdot20^{139\frac{1}{2}}$	$0\cdot93^{206\frac{1}{4}}$	$1\cdot06^{474}$	H.
$0\cdot22^{87}$	$0\cdot25^{6}$	$0\cdot38^{33}$	$0\cdot12^{4\frac{1}{2}}$	$0\cdot62^{66}$	$0\cdot92^{552\frac{3}{4}}$	
$0\cdot90^{10}$	$1\cdot00^{6}$	$0\cdot09^{4}$	$0\cdot68^{12}$	$0\cdot52^{309\frac{1}{2}}$	$0\cdot82^{221\frac{1}{4}}$	
$0\cdot72^{81\frac{1}{2}}$	$0\cdot46^{55}$	$0\cdot11^{33}$	$0\cdot43^{96\frac{1}{2}}$	$0\cdot55^{245}$	$1\cdot04^{324\frac{3}{4}}$	
$0\cdot49^{204\frac{1}{2}}$	[0·73]$^{91\frac{1}{2}}$	$0\cdot48^{101}$	$0\cdot86^{252\frac{1}{2}}$	$0\cdot64^{826\frac{3}{4}}$	$0\cdot97^{1573}$	
$1\cdot33^{6}$	—	$1\cdot20^{36}$	$1\cdot18^{102\frac{1}{2}}$	$1\cdot42^{215}$	$2\cdot31^{19}$	J.
—	—	$1\cdot36^{44}$	$1\cdot17^{162\frac{1}{4}}$	$1\cdot34^{268\frac{1}{2}}$	$0\cdot87^{52}$	
$0\cdot77^{123}$	—	$1\cdot25^{185}$	$1\cdot72^{276\frac{1}{2}}$	$1\cdot15^{185}$	$0\cdot47^{42}$	
—	$0\cdot97^{172\frac{1}{2}}$	$0\cdot57^{59}$	$1\cdot30^{357\frac{1}{2}}$	$1\cdot00^{202}$	$0\cdot89^{32}$	
$0\cdot80^{129}$	$0\cdot97^{172\frac{1}{2}}$	$1\cdot14^{324}$	$1\cdot39^{899}$	$1\cdot24^{870\frac{1}{2}}$	$0\cdot95^{145}$	
—	$1\cdot77^{24}$	—	—	$2\cdot10^{107}$	$1\cdot13^{63\frac{3}{4}}$	M.
—	—	$1\cdot42^{18}$	$1\cdot71^{28}$	$1\cdot91^{141\frac{1}{2}}$	$1\cdot02^{73}$	
$0\cdot40^{24\frac{1}{2}}$	—	$1\cdot07^{14}$	$1\cdot60^{128\frac{1}{2}}$	$1\cdot64^{79}$	$0\cdot80^{157\frac{1}{2}}$	
—	—	—	$1\cdot36^{75}$	$1\cdot20^{84\frac{1}{2}}$	$1\cdot29^{189}$	
[0·40]$^{24\frac{1}{2}}$	[1·77]^{24}	[1·27]^{32}	$1\cdot53^{231\frac{1}{2}}$	$1\cdot76^{412}$	$1\cdot07^{483\frac{1}{4}}$	

The western area D, the Flats outside Lowestoft and Yarmouth, produces very little plaice, and is frequented by the fishermen mainly for soles. The fluctuations in this area are very irregular. In fact there is not enough fishing done here to give fair representative averages which make the months comparable with one another, and the only fact of importance shown by this curve is that of the scarcity of plaice.

Turning to the Knoll Deep area E, we find a well defined maximum in October which is significantly higher than September and November. The figures for December and January are incomplete and we cannot say that there is another maximum in January. There is probably a gradual fall from October continuing through the winter to a minimum in the spring months when the curve commences to rise again. This October maximum coming as it does a month or two later than the maximum period in the Northern areas is probably to be accounted for by a southward migration of fish from the Leman Banks and the adjacent grounds. There is evidence of a minor maximum in June as the fall of ·27 cwts. to July is significant, being more than 5 times the probable difference ·05.

The second of the Deep Water areas H, exhibits somewhat similar features, but the phenomena shown on the curve for area E take place at a later season in area H. The maximum period of abundance is apparently in January or February after which there is a falling off to a minimum in the summer and then a gradual rise.

The great fluctuations shown on the curve giving cusps in March, September and October are almost wholly due to the absence of sufficient records. The value 0·47 for March is evidently erroneous. Each of the September averages represents the catch of very few hauls, which fact probably accounts for the small value for that month.

There is not enough evidence to establish a maximum in October as the high value for that month is mainly due to the value 1·20 for the year 1903 which contributes the greatest share of the hauls in the general average. Two of the years show a decline from October to November and two a rise.


In the fishing grounds to the east of the Deep Water there is a great amount of fishing, as a considerable quantity of plaice can always be found ; so that the records for F and J, the northern and middle areas, are almost complete and give continuous curves showing two periods of maximum amount and two of minimum, in spring and autumn respectively. It is interesting to compare these two with respect to the seasonal changes. The amounts for the first three months are higher in J than in F, and the spring maximum arrives a month earlier in this, the more southerly area. There is not so large a fall in the summer months in F as in J, but the fall from the autumn maximum to the winter minimum is much greater. It is ·73 cwts. in F and ·44 in J. In F the autumn maximum is greater than the spring maximum (the difference ·16 is more than twice the probable difference ·068). In J the reverse is the case. In F the January average is based on only one year's catch and is clearly unrepresentative. The fall from November is probably continuous till February or March. In J October and November are months of maximum, as the October averages are twice greater than the November ones, and twice less than these. The explanation of these differences between F and J probably lies in the fact that J lies nearer to the southern spawning grounds and is itself somewhat more of a spawning area than F (*see* Table VII.).

The curve for area M exhibits many irregularities. The main features shown by this curve are that the averages for the winter months are very high and that there is apparently a great scarcity of fish in this region in the months July, August and September. This latter fact is borne out more by the downward trend of the curve from March onwards and by the almost total absence of fishing in these three months than by the averages themselves, which are rendered quite invalid owing to the lack of a sufficient number of records. There is an increase in the amounts till November and then the curve fluctuates considerably. This may be due to the fact that this area covers a large extent of ground of which the northern portion has different characteristics from the southern, while the fishing was not distributed evenly over the two parts.

The Spawning of Plaice.

The information given by the fishermen in the small table of "Spawning Fish" at the foot of the Record forms has been tabulated with regard to plaice and reduced to the totals and percentages given in the annexed table. The fishermen are required to state whether the spawning fish are few, many or none, and whether large or medium sized. The lack of consistency in their methods of doing this, and the numerous occasions on which the sizes were undistinguished or mixed, made it impossible to tabulate all this

FIG 2. DIAGRAMS SHOWING FOR EACH AREA THE AVERAGE MONTHLY CATCH OF PLAICE IN CWTS. PER 6 HRS. FISHING.



Lee. Lowestoft Trawler Records. To face p. 102.

2204

Weller & Graham, Ltd. Litho. London.

detail, so we were obliged to give merely the total number of hauls in which spawning plaice were recorded. It may be mentioned, however, that in by far the largest proportion of the hauls the spawning plaice were entered as 'Few,' simply, and sometimes as 'Few, Large and Medium.' Out of a total number of 907 records 58 had "Many spawning plaice." Of these 4 were entered in November, 7 in December, 24 in January, and 23 in February.

The records cover three seasons of maturation and spawning, *i.e.* the months September to March in the years 1903–4, 1904–5, 1905–6. They all showed the same phenomenon, *i.e.*, a gradual increase in the number of spawning records till January, followed by a sharp fall, while the relative proportion of spawning records to hauls in each area was approximatelv the same year by year. Thus all the records could be combined into one table, which shows the sum of all the spawning records in the three Octobers, Novembers, &c., from which we obtain a fair representation of the actual fluctuations.

TABLE VII.—Showing for the three spawning seasons 1903–6 the monthly total number of hauls in each area in which spawning plaice are recorded, and the percentage which these constitute of the total number of hauls in each area.

Areas.		B.	C.	E.	F.	H.	J.	M.	All areas.
September	No. ...	—	1	4	2	1	2	—	10
	Percentage	—	[50]	2½	2	9	4½	—	3
Octoer	No. ...	1	9	1	33	2	27	2	75
	Percentage	6	[61]	4	29	8	30	8	24
November	No. ...	—	5	2	44	29	52	24	156*
	Percentage	—	28	17	43	30	47	44	38
December	No. ...	—	—	4	8	125	11	32	180†
	Percentage	—	—	25	71	60	58	65	59
January	No. ...	—	—	5	4	159	32	100	300‡
	Percentage	—	—	83	25	72½	59	71	66
February	No. ...	—	—	7	3	106	31	31	178
	Percentage	—	—	32	16	58	38	44	47
March	No. ...	—	—	—	3	—	1	4	8
	Percentage	—	—	—	13	—	2	2½	3

* Including 13 hauls in November in which plaice are recorded "with large roes."
† Including 26 hauls in December in which plaice are recorded "with large roes."
‡ Including 1 haul in January in which plaice are recorded "with large roes."

There are one or two sources of error, which need to be mentioned and borne in mind when studying the table. The first is that one of the men records a considerably fewer number of hauls than the others, and there is reason to believe that on occasions he omits to record the spawning fish. The September and March records are made by one man alone, the former in 1903, and too much reliance cannot be placed on them, as we have a tendency to error in another direction, which is caused by an ambiguity in the use of the term "spawning fish" and the consequent inclusion among the records of plaice that are not actually spawning, but whose roes are ripe, and which are more or less ready to spawn. This distinction between 'maturing' and 'spawning' fish was probably not always in the fishermen's minds, and although they have in certain cases explicitly noted the fact that their entries referred to ripening rather than to actually spawning fish, it is probable that these do not exhaust the list. The cases mentioned were of 13 hauls in November, 26 in December, with one in January, in which "plaice with large roes" were recorded. If these are omitted the percentages for all areas in the months November and December become lowered to 35 per cent. and 51 per cent. respectively. Spent fish appear to have been ignored altogether. It would be safer therefore to regard the table as a summary of observations concerning maturation than concerning spawning in the strict sense of the term.

The percentage values given in the table are calculated from the total number of six hour periods of fishing in each area. These give the proportion of hauls in which spawning plaice are found and therefore describe the relative abundance of these fish in the different areas. The high values given for area C should be neglected in comparison

with the other areas, as very few hauls were made here and they cannot be taken as representative. No instances of spawning plaice were found in D or A, and only one in the other Northern area B.

It will be seen from the table that the greatest number of spawning plaice comes from area H. 56 per cent. of the total number of hauls in this area during the spawning season yielded spawning plaice ; Area M comes next with a percentage of 38. Both these are Southern areas and thus we have confirmed the knowledge of the habits of spawning plaice which has been obtained from other sources,* viz., that they tend to congregate during the winter in the southern part of the Deep Water. The intermediate areas show spawning plaice in fair numbers and up to November these seem to exceed the amounts taken from H. After this the numbers of hauls in H and M are considerably above the others, which is probably due to the fact that the plaice have migrated further southwards.

Taking both the absolute number of spawning records (one record for each haul) and their percentage values as compared with the total amount of fishing, as a rough measure of the frequency of spawning fish, we see that in each of the chief spawning areas, F, H, J and M, and in all areas together the numbers increase gradually till January and then fall away rapidly till they practically cease at the end of February. January is apparently the height of the spawning season, and this is further confirmed by the fact that it is in this month that the hauls recording "many spawning fish" are found. These occur only in areas H and M which are the chief spawning grounds in this region.

General Conclusions.

A. Distribution.—The region investigated by these statistics is essentially a fishing ground for plaice. This being so, we have a rough guide to the movements of the plaice, by the amount of fishing that takes place in the different areas—the men going to fish where they know they can get the best stock.

It is found that plaice are very scarce on the shallow grounds off the English coasts—that they increase as we move eastwards, and that they are most numerous on the grounds nearest the continental coasts, the quantities caught decreasing as we proceed northwards and away from the coast.

We have found the following seasonal variations in the abundance of plaice in the different parts of this region :—

A, B and C.—In the northern areas the maximum abundance is found in summer and the minimum in winter, when the catches of plaice are so small that fishing becomes unprofitable.

H and M.—In the southern areas the maximum abundance occurs in winter and the minimum in summer.

F and J.—In the intermediate grounds between these two groups, on the other hand, there are two well defined maxima, occurring in the spring and autumn, with a fair stock of fish on these grounds throughout the year.

B. Migrations.—The observed changes in the seasonal abundance admit of easy explanation in view of the seasonal migrations, which have elsewhere been shown by the marking experiments to take place in this area.† The spring and autumn maxima on the intermediate grounds are probably caused by the stocks of fish migrating across them to the north and south respectively at these seasons.

The summer maximum in the north is probably caused by the spring immigration, reinforced throughout the summer by direct migrations from the Dutch coast, and the winter minimum by the autumn exodus : the winter maximum on the southern grounds is probably due to the southward migration of plaice for the purposes of spawning.

C. Spawning.—Spawning plaice are found in large numbers during the early part of the year. January especially is the month in which their occurrence is most frequent, while plaice found to be maturing are frequently recorded during the winter months. As H and M, the most southerly parts of this region, are the most important spawning grounds, there is some evidence that the increased catches made here in winter are largely due to the presence of spawning fish.

---

* Garstang. Trawling Investigations. *International Investigations, Mar. Biol. Assoc., Report I.*, 1905. *Cd.* 2670.

† *See* Garstang. Report on Experiments with Marked Fish, 1902–3. *International Investigations, Mar. Biol. Assoc., Report I.*, 1905. *Cd.* 2670.

B.—Soles.

Introduction.

The records of the number of soles caught have been tabulated in exactly the same way as the plaice records; that is to say, we have the average catch of soles, month by month, for the same period and for the same areas as in the case of plaice.

The way in which the catch of soles has been recorded, has been uniform throughout the period. The sizes are distinguished as large, medium and slips, and the numbers of *pairs* of soles of each kind are given. In the tables, however, all the averages are calculated as numbers of fish and not in pairs. The size distinctions are retained and the total number of fish at all sizes given, as well as those of the separate size groups. By "large" soles the fishermen mean those about 12 inches and over; "medium" those from 8 or 9 inches to 12 inches, while "slips" or small soles are 8 inches or less in length. We find that the total number of soles caught is very small compared with that of plaice—yet they suffice to show the quantitative distribution of these fish as well as some of the seasonal changes.

Yearly Variations.

The first table (Table VIII) and the corresponding diagram (Fig. 3.) show the changes in the average catch per 6 hours' fishing for each year, when all the catches from the various areas are put together. The table gives, also, the total number caught by each fisherman and by all three together. As in the case of plaice, the records for 1903 being incomplete, figures for the whole year (January to December) have been estimated, and it is these estimated values that are plotted in the diagram. They are 10·5 large, 4·5 medium, 7·9 small and 22·9 all sizes. The best year for soles was 1903, in which year all sizes were considerably more numerous than in the other years, which do not fluctuate much. There is a small rise from 1904–5, followed by a slightly greater fall to 1906.

Table VIII.—Showing the total number of soles caught in each of the years 1903–6 and the yearly average catch per 6 hours' fishing taken by each skipper.

—	Skipper.	Total number of Soles.				Average number of Soles per 6 hours' fishing.			
		Large.	Medium.	Small.	All Sizes.	Large.	Medium.	Small.	All Sizes.
1903—April–December .	i	3533	1220	1914	6667	11·9	4·1	6·5	22·5
	ii	2778	1169	2622	6569	7·5	3·1	7·0	17·6
	iii	5318	2434	3518	11270	16·2	7·4	10·7	34·4
	All	**11629**	**4823**	**8034**	**24486**	**11·7**	**4·8**	**8·1**	**24·6**
1904	i	4131	1288	2502	7921	10·5	3·3	6·4	20·2
	ii	3225	1490	2103	6818	6·0	2·8	3·9	12·7
	iii	3859	2147	3784	9790	7·4	4·1	7·2	18·7
	All	**11215**	**4925**	**8389**	**24529**	**7·7**	**3·4**	**5·8**	**16·9**
1905	i	3912	994	1852	6758	9·1	2·3	4·3	15·7
	ii	3461	1421	1733	6615	7·0	2·9	3·5	13·4
	iii	4117	2330	3988	10435	8·9	5.0	8·6	22·5
	All	**11490**	**4745**	**7573**	**23808**	**8·3**	**3·4**	**5·5**	**17·2**
1906	i	4131	1084	2058	7273	8·6	2·2	4·3	15·1
	ii	3397	1144	1755	6296	7·2	2·4	3·7	13·3
	iii	3700	2398	3312	9410	7·4	4·8	6·6	18·9
	All	**11228**	**4626**	**7125**	**22979**	**7·7**	**3·2**	**4·9**	**15·8**

The numbers of large soles fluctuate the most—the greater part of the large fall in 1904 being due to a decrease in the number of large fish while the rise in 1905 is in large soles alone. The numbers of medium soles are practically stationary after 1904, and in the average for small soles or "slips," there is a continuous but very slight fall. When we compare one fisherman's averages with another's, we have no evidence of any real change in the stock of fish in this period except between the years 1903 and 1904, when there is apparently a decline.

It should be remembered, however (cf. Table II.), that in this year 1904, the areas D and A, which are known to be far the most productive, have the least representative number of hours' fishing, while the eastern areas J and M are more represented in the last

three years, and these are known to be poorly populated areas. On the other hand, F also is ill-populated and the fishing there decreases from 1903–1906, so that it is probable the distribution of fishing will not affect the averages very much—if at all, they would be made slightly more equal by the fishing being distributed equally in the different years.




FIG. 3.—CURVES showing the annual average number of soles taken per 6 hours' fishing.

The diagram also shows the proportion of the catch formed by the large, medium and small groups. Large fish are the most abundant and medium-sized fish the least, while the number of small soles comes nearly half-way between the other groups. In almost all the areas we find that the large soles considerably exceed in numbers the small and medium-sized fish. They form from 45 per cent. to 49 per cent. of the total number caught.

Distribution and Seasonal Variations.

Table IX. and the diagrams illustrating the monthly abundance of soles in the several areas (Fig. 4)* need to be studied in the same way as the Plaice tables, care being taken to notice which averages are reliable and which, owing to a scarcity of the number of hauls, are not. As before, the curves represent the monthly averages formed by adding together the total catch of the four years in each month, and dividing by the corresponding number of hauls of 6 hours' duration.


One of the most striking features of the diagrams is the fact that the curves for the different size groups move in nearly parallel directions, *i.e.*, their fluctuations are of the same nature and occur at the same time. The large, medium and small groups have their maxima and mimima at coincident periods, and rise and fall together between these.

The exceptions to this rule can easily be accounted for, since it will generally be found that these averages are the ones considered unreliable for the reasons mentioned above It is therefore evident that the main causes producing the migrations of soles affect al. sizes. The thick lines in the diagrams represent the average number of soles of all sizes and give a good idea of their general movement.

Comparing their numerical distribution in the various areas, we see that soles are by far the most abundant in area D, the Lowestoft Flats. They are also numerous on the grounds to the north of this (Cromer Knoll, area A), but the absence of fishing here in the autumn and winter months, on account of the scarcity of other species of fish (mainly plaice) leaves us without information as to the abundance of soles during these months. By contrast with these western grounds, the easterly areas C, F, J and M, all show a great scarcity of fish, the total of all sizes seldom exceeding 15 or 20 per haul. It is to be noticed too, in these areas that as we move further southwards the fish get scarcer. The

* On the curve representing catches of all sizes, broken lines are used to join two alternate month's averages, when there is no record in the intermediate month, and thin lines are used to join up the averages of months, which are considered unreliable.

FIG 4. DIAGRAMS SHOWING FOR EACH AERA THE AVERAGE MONTHLY CATCH OF SOLES, IN NUMBERS OF FISH PER 6 HOURS FISHING LARGE, MEDIUM AND SMALL-SIZED FISH BEING DISTINGUISHED.



Lee. Lowestoft Trawler Records. To face p. 106

2204.

Weller & Graham, Ltd Litho. London.

average of the 12 monthly averages for the areas F, J and M, are respectively 14·4, 13·2 and 12·2. In the case of plaice we found precisely the opposite condition. Indeed, it seems evident from a mere glance at the two sets of diagrams that where plaice are most abundant, the soles are least abundant (as in M), and *vice versa*, an abundance of soles, (as in D and A) is accompanied by a scarcity of plaice. The two deep water areas, H and E, exhibit the same phenomenon. E, the more northerly, has an average for the year of 25·3, and H of 19·8 soles per 6 hours' fishing. Of these 11·7 in area E, and 9·0 in area H, are large soles, both being about 45 per cent. of the total number. Compared with the other areas regularly fished by these men, these areas seem more productive of soles of a good marketable size.

In the northern areas, A, B, and C, the records are too few to give any certain information regarding periods of maximum and minimum abundance. The quantities of soles decrease considerably as we move eastwards, the average numbers caught in C being very small. There are indications of an increase in May and June in area A, and in October in B and C, the former increase being mostly due to a considerable influx of "slips."

The curve illustrating the abundance of soles in area D is of a very fluctuating character owing to the absence of a sufficient number of records. Neglecting the cusp in April, which is the average of only two hauls, we see that there is apparently an increase in the number of fish in the spring culminating in a high maximum in May and June. There is a big drop in the summer months, and then the curve rises again till October. The minimum periods are presumably in the summer and winter seasons.

Taking the average of the 12 months, we find that out of every 59 soles caught 25 are large and 22 small, so that the number of small soles is practically equal to that of the large soles in this area, whereas in the other cases, they are considerably exceeded by the large fish. In this respect we may compare area A, where the same preponderance of slips occurs, clearly indicating proximity of nursery grounds, which have been found by trawling experiments and distribution of eggs, to be on the English Coast.*

Illustrating the fluctuations of the catch in area E, we have a fairly smooth, continuous curve showing a scarcity in the total numbers caught in March, April and May, at the period when the numbers in the adjacent area D are rapidly increasing—after this, except for the slight fall from September to October, there is a *slow* and *steady* rise to a high maximum in November and December. The curve then falls sharply from this winter maximum to the spring minimum in April.

For the adjacent area H we have a curve with two apparently very sharp cusps in May and October; an examination of the table shows that the great excess of these months over the ones before and after them is due to the unusually high averages in the year 1903. Without these there is some slight evidence of a maximum in May, but an October maximum is not established. The November averages are all high, and this month is just as likely to be the maximum as October. December is significantly less than November, and so also is the fall to January a significant one. The minima appear to be in March or April and in August. We notice that in this ground as in the other deep water area E, the autumn averages are considerably higher than those of the rest of the year, while the spring values are very low. This great rise in these two curves in the autumn and the corresponding depression in spring shows that the tendency of soles of all sizes, but more especially of large soles, is to move into deep water as the cold weather comes on, and to leave it in early spring. Trawling investigations, later than those described by Garstang in his first Report, show that the larger soles congregate for spawning purposes in special localities in shallow water, especially in May. This probably accounts for the diminution observed in these deep water areas in the spring.

The fluctuations in area H are very similar to those in the adjacent area M, only in this latter area, which is shallower and more easterly, the quantities are very much smaller. There is the same fall from the autumn maximum to the spring minimum, both of which, however, occur a month earlier, *i.e.* if we are justified in assuming that September is the month of greatest abundance in this area, a fact which seems probable, but is not certain. It is noticeable that the maxima in M, H and E, occur in succession, being found later as we get further north. Similarly when we compare F and J with M, we have the same order. The spring and summer averages in M are low, and if we neglect the August average of only 4 hauls, there appears to be an increase after the spring till the autumn maximum, with no definite evidence of a second maximum period. The increase from March to April is sudden, and corresponds to the approach of the spawning season.

* Garstang. Trawling Investigations. *International Investigations, Mar, Biol. Assoc., Report I.* [1905]. *Cd.* 2670.

December appears to be the month of greatest abundance in both the eastern areas F and J, although in the latter each of the months September, October and November, have fairly high and nearly equal averages, so that the increase in the number of soles begins earlier and extends over a longer period in this area than in F. There is greater difference between the greatest and least averages in F than in J, in which area we notice that there is very little fluctuation in amount. Throughout the greater part of the year these areas seem to maintain a low but very regular stock of soles, which is augmented for a short time only in winter.

The Spawning of Soles.

In the case of soles the information supplied by the fishermen of occurrences of spawning individuals was far less regular and complete than that for plaice, so that we are not able to glean much information from the table appended (Table X.). In fact,

TABLE X.—Showing the monthly total number of hauls in each area in which soles are recorded by skipper (ii.) as spawning, and the percentage which these constitute of the total number of his hauls in each area.

Areas.		A.	B.	D.	E.	F.	H.	J.	M.	All areas.
January ...	No. ...	—	—	—	—	—	6	4	15	25
	Percentage	—	—	—	—	—	17	40	26	24
February	No. ...	—	—	—	0	2	7	3	15	27
	Percentage	—	—	—	0	100	18	11½	34	26
March ...	No. ...	5	0	2	1	2	—	6	17	33
	Percentage	83	0	67	25	33	—	46	39	43
April ...	No. ...	3	—	—	0	2	1	30	26	62
	Percentage	100	—	—	0	13	50	53	48	49
May ...	No. ...	—	—	—	0	3	1	24	17	45
	Percentage	—	—	—	0	43	25	41	33	36
June ...	No. ...	—	—	—	2	4	0	2	1	9
	Percentage	—	—	—	12½	11	0	7	6	9
July ...	No. ...	—	1	4	4	2	0	0	0	11
	Percentage	—	100	36	5	8	0	0	0	8½
August ...	No. ...	—	0	—	4	1	1	0	0	6
	Percentage	—	0	—	4½	2	20	0	0	4
September	No. ...	—	—	0	1	0	0	0	—	1
	Percentage	—	—	0	3	0	0	0	—	1
November	No. ...	—	—	0	0	3	0	3	3	9
	Percentage	—	—	0	0	11	0	9	12½	8
December	No. ...	—	—	—	1	3	12	5	9	30
	Percentage	—	—	—	33	37½	27	55½	16	25

there was only one fisherman who recorded the occurrences of spawning soles throughout the whole period. The others only mentioned them in 15 hauls altogether, and these were made in the first two years. For purpose of tabulation it was therefore necessary to take this fisherman's records alone, and to calculate the percentage number of occurrences on his total number of hauls in each area in each month. The totals are the combined totals in each month from all the years. In comparing the months, we must remember that only three years are represented in the January to March totals and four in the rest, so that the former are too low in comparison. The material is too scanty to permit any accurate interpolation to be made to correct this, but the percentage values will give a better indication of the comparative abundance. We can draw no definite conclusions as to the geographical distribution of spawning soles. They are found occurring in all areas and perhaps less often in the deep water than in the other areas. The table shows that of the areas F, J and M, in which spawning soles are constantly found, J has the greater share. It is unfortunate, for this inquiry, that this man has not had more fishing in areas A and D, for there are some indications in the table that these contain a large number of spawning soles. In April they were present in all three hauls he made in area A, and in March in five out of six hauls. In D, two out of three hauls contained spawning soles,

TABLE IX.—SHOWING for each area the Monthly Average Number of Soles caught per six hours' fishing; large (L.), medium (M.), and small fish (S.) being distinguished. The monthly total number of hours' fishing in each area is given as an index number.

Area.	Year.	January.				February.				March.				April.				May.				June.				July.				August.				September.				October.				November.				December.				Area.
		L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	L.	M.	S.	All Sizes.	
A	1903	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	16·2	8·5	9·2	$33·9^{17}$	...	...	...	...	15·2	7·3	9·8	$32·2^{38}$	...	...	....	...	...	...	...	...	...	...	...	...	...	...	...	...	A
	1904	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	14·0	8·0	12·0	$34·0^{6}$	21·8	6·4	14·2	$42·4^{60}$	...	...	...	...	...	...	...	...	...	...	...	...	
	1905	...	...	...	...	...	...	...	...	24·2	14·5	14·9	$53·6^{26}$	17·2	8·5	9·8	$35·5^{44}$	...	...	...	...	25·1	18·2	41·1	$84·3^{55}$	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	1906	..	...	...	...	...	...	...	...	...	...	...	...	11·3	5·2	17·3	$33·8^{16}$	20·1	11·2	16·8	$48·1^{63}$	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	1903–6	...	...	...	...	...	...	...	...	24·2	14·5	14·9	$[53·6]^{26}$	15·6	7·6	11·8	$[35·0]^{60}$	20·1	11·2	16·8	$[48·1]^{63}$	23·0	15·9	33·6	$[72·5]^{72}$	...	...	...	...	15·0	7·4	10·0	$[32·5]^{44}$	21·8	6·4	14·2	$[42·4]^{60}$	...	...	...	...	...	...	...	...	...	...	...	...	
B	1903	...	...	...	...	...	...	...	...	...	...	...	...	5·6	—	2·6	$8·2^{36}$	6·8	3·5	3·4	$13·7^{135}$	7·4	3·2	2·5	$13·1^{138}$	8·4	2·5	2·5	$13·5^{78}$	6·6	2·6	5·0	$14·2^{99}$	16·4	7·6	7·6	$31·6^{11}$	4·4	—	2·2	$6·5^{5}$	...	...	...	...	...	...	...	...	B
	1904	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4·9	3·2	4·9	$13·0^{234}$	3·4	5·1	3·4	$12·0^{7}$	...	...	...	...	9·6	4·2	6·2	$20·0^{156}$	11·6	6·0	4·7	$22·4^{63}$	6·2	1·9	4·1	$12·3^{46}$	...	...	...	...	
	1905	...	...	...	...	...	...	...	...	3·0	6·0	9·0	$18·0^{4}$	...	...	...	...	...	...	...	...	4·1	1·8	2·8	$8·7^{98}$	...	...	...	...	7·5	2·1	2·5	$12·1^{52}$	9·3	4·5	2·3	$16·1^{45}$	28·7	7·8	7·8	$44·3^{23}$	6·4	1·4	3·2	$10·9^{24}$	...	...	...	...	
	1906	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6·9	1·6	2·6	$11·1^{68}$	...	...	...	...	...	...	...	...	7·2	2·4	4·8	$14·4^{5}$	13·0	2·0	4·0	$19·0^{12}$	...	...	...	...	
	1903–6	...	...	...	...	...	...	...	...	3·0	6·0	9·0	$[18·0]^{4}$	5·6	—	2·6	$[8·2]^{36}$	6·8	3·5	3·4	$13·7^{135}$	5·4	2·9	3·8	$12·2^{479}$	7·0	2·1	2·7	$11·7^{103}$	7·0	2·3	3·8	$13·2^{112}$	9·9	4·5	5·4	$19·8^{312}$	15·0	5·9	5·3	$26·3^{97}$	7·1	1·8	3·8	$12·6^{22}$	...	...	...	...	
C	1903	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3·4	5·1	3·4	$12·0^{7}$	3·3	1·4	3·3	$7·9^{26}$	3·9	1·9	1·5	$7·1^{18}$	6·9	2·8	2·0	$11·7^{30}$	4·6	2·3	2·3	$9·1^{10}$	9·8	4·4	6·3	$20·5^{55}$	...	...	...	...	...	...	...	...	C
	1904	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4·0	0·3	1·1	$5·4^{42}$	...	...	...	...	...	...	...	...	...	...	...	...	7·3	3·1	4·7	$15·1^{23}$	8·4	3·8	5·2	$17·5^{101}$	...	...	...	...	
	1905	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2·7	1·3	0·7	$4·7^{18}$	...	...	...	...	...	...	...	...	...	...	...	...	3·3	1·1	2·2	$6·5^{11}$	2·0	—	—	$2·0^{6}$	...	...	...	...	
	1906	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1·2	—	0·8	$2·0^{15}$	...	...	...	...	...	...	...	...	...	...	...	...	
	1903–6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3·4	5·1	3·4	$[12·0]^{7}$	3·5	0·8	1·7	$6·0^{86}$	3·9	1·9	1·3	$[7·1]^{18}$	6·9	2·8	2·0	$[11·7]^{30}$	2·6	0·9	1·4	$[4·9]^{25}$	8·4	3·6	5·4	$17·4^{80}$	8·1	3·6	4·9	$16·6^{107}$	...	...	...	...	
D	1903	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	36·0	28·7	55·6	$120·5^{46}$	36·0	20·0	32·0	$88·0^{6}$	15·8	9·1	14·0	$38·9^{20}$	...	...	...	...	...	...	...	...	33·2	9·1	20·1	$62·3^{38}$	35·7	7·9	15·5	$59·2^{44}$	...	...	...	...	D
	1904	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	26·0	8·0	11·0	$45·0^{12}$	...	...	...	...	24·0	7·2	24·0	$55·2^{5}$	16·0	20·0	60·0	$96·0^{6}$	...	...	...	...	17·5	8·7	15·3	$41·5^{31}$	28·0	8·0	24·0	$60·0^{3}$	
	1905	...	...	...	...	...	...	...	...	20·2	14·4	28·8	$63·4^{12}$	...	...	...	...	27·5	8·8	27·1	$63·4^{37}$	34·3	51·4	102·9	$188·6^{3}$	17·2	5·8	13·9	$36·9^{160}$	...	...	...	...	36·5	12·5	21·9	$71·0^{11}$	...	...	...	...	17·2	5·2	8·9	$31·3^{32}$	...	...	...	...	
	1906	48·0	14·4	9·2	$71·6^{30}$	...	...	...	...	...	...	...	...	4·0	1·5	5·0	$10·5^{12}$	10·9	4·4	10·9	$26·2^{5}$	...	...	...	...	19·2	6·2	11·0	$36·4^{35}$	18·7	10·7	14·7	$44·0^{9}$	12·0	—	8·0	$20·0^{3}$	26·5	16·7	36·3	$79·5^{86}$	20·9	6·8	14·1	$41·8^{93}$	...	...	...	...	
	1903–6	48·0	14·4	9·2	$[71·6]^{30}$	...	...	...	..	20·2	14·4	28·8	$[63·4]^{12}$	4·0	1·5	5·0	$[10·5]^{12}$	30·3	17·0	38·4	$85·7^{109}$	30·1	18·4	31·8	$[80·4]^{21}$	17·4	6·2	13·5	$37·0^{215}$	20·6	9·4	18·0	$[48·0]^{14}$	26·9	12·9	31·0	$[70·8]^{20}$	28·6	14·4	31·3	$74·2^{124}$	24·0	7·0	13·9	$44·9^{171}$	28·0	8·0	24·0	$[60·0]^{3}$	
E	1903	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3·7	3·0	3·7	$10·3^{46}$	6·9	4·9	4·3	$16·2^{183}$	16·0	7·3	8·3	$31·6^{107}$	13·0	6·6	11·6	$31·3^{152}$	18·4	6·6	9·4	$34·4^{136}$	18·9	8·4	7·6	$34·9^{116}$	24·0	8·7	15·7	$48·4^{61}$	24·0	6·0	10·0	$40·0^{6}$	E
	1904	12·0	6·0	4·0	$22·0^{6}$	9·0	4·2	6·5	$19·8^{65}$	...	...	...	...	...	...	...	...	...	...	...	...	11·0	3·5	6·6	$21·1^{245}$	9·9	3·2	6·0	$19·0^{219}$	7·2	3·0	6·3	$16·4^{154}$	10·0	4·6	7·6	$22·3^{75}$	6·9	3·2	5·9	$15·8^{26}$	...	...	...	...	15·6	9·1	14·9	$39·6^{18}$	
	1905	13·2	8·4	17·2	$38·8^{30}$	6·5	2·2	3·3	$12·0^{44}$	8·2	2·2	3·3	$13·6^{22}$	2·5	1·2	6·2	$9·9^{29}$	3·4	4·0	3·4	$10·9^{21}$	10·5	3·7	4·4	$18·5^{152}$	8·9	3·7	7·0	$19·6^{209}$	15·5	5·8	8·0	$29·3^{211}$	20·3	7·8	14·8	$42·9^{242}$	10·0	4·0	2·0	$16·0^{6}$	18·0	6·0	8·4	$32·4^{19}$	15·8	8·3	20·8	$45·0^{72}$	
	1906	..	...	...	...	3·7	1·0	7·8	$12·5^{23}$	7·1	2·7	4·9	$14·7^{22}$	6·5	—	6·5	$13·1^{5}$	7·3	5·3	11·3	$24·0^{13}$	8·0	2·0	4·0	$14·0^{6}$	16·7	5·6	6·9	$29·2^{466}$	9·7	3·7	4·5	$17·9^{467}$	11·9	5·4	8·2	$25·3^{312}$	6·8	3·2	4·8	$14·8^{30}$	26·3	4·3	10·0	$40·6^{53}$	...	...	...	...	
	1903–6	13·0	8·0	15·0	$[36·0]^{36}$	7·3	3·0	5·6	$15·9^{132}$	7·6	2·5	4·1	$14·2^{44}$	3·1	1·0	6·3	$10·4^{24}$	4·3	3·8	5·0	$13·1^{95}$	9·6	3·9	5·2	$18·8^{617}$	12·7	4·7	6·9	$24·4^{1892}$	11·5	4·8	7·6	$23·8^{1854}$	15·3	6·1	9·8	$31·2^{1267}$	14·7	6·6	6·7	$28·1^{179}$	24·5	6·6	12·7	$43·7^{124}$	16·3	8·3	19·0	$[43·6]^{36}$	
F	1903	...	...	...	...	...	...	...	...	...	...	...	...	4·2	0·9	3·0	$8·1^{26}$	4·3	2·0	2·0	$8·4^{166}$	5·1	2·3	1·9	$9·3^{241}$	5·3	2·9	2·1	$10·3^{195}$	4·6	2·5	2·0	$9·2^{165}$	9·1	3·0	4·9	$17·0^{226}$	11·9	5·5	9·8	$27·2^{245}$	18·0	6·2	11·5	$35·7^{192}$	26·0	8·0	12·0	$46·0^{6}$	F
	1904	11·9	5·2	10·5	$27·6^{96}$	4·5	2·0	6·5	$13·1^{77}$	11·4	3·5	6·9	$21·7^{19}$	...	...	...	...	6·1	2·1	1·9	$10·1^{69}$	4·2	1·8	3·1	$9·1^{293}$	3·9	1·3	2·4	$7·6^{156}$	2·8	1·6	2·2	$6·7^{276}$	7·4	3·2	3·8	$14·4^{230}$	5·8	3·1	3·8	$12·7^{230}$	7·8	3·3	3·9	$14·9^{271}$	11·6	7·9	7·7	$27·3^{29}$	
	1905	...	...	...	...	2·0	3·0	4·0	$9·0^{12}$	4·3	1·7	3·1	$9·0^{78}$	3·8	2·1	1·7	$7·7^{34}$	3·1	2·2	1·0	$6·3^{63}$	3·7	1·5	1·5	$6·7^{305}$	4·1	1·3	1·2	$6·6^{109}$	6·2	2·0	2·2	$10·5^{249}$	8·5	3·1	2·1	$13·7^{159}$	9·4	2·8	2·9	$15·1^{166}$	7·0	2·9	3·4	$13·2^{150}$	21·4	8·6	7·5	$37·5^{32}$	
	1906	...	...	...	...	6·5	1·6	2·7	$10·9^{22}$	2·5	2·0	0·5	$5·0^{59}$	4·6	1·6	1·8	$8·1^{175}$	6·4	1·5	1·7	$9·6^{129}$	3·0	1·1	1·2	$5·3^{89}$	5·1	1·2	2·0	$8·3^{71}$	5·2	1·4	1·4	$8·0^{93}$	5·0	1·9	2·3	$9·2^{152}$	3·6	2·5	2·5	$8·6^{195}$	10·0	4·4	8·2	$22·6^{67}$	4·0	2·0	6·0	$12·0^{6}$	
	1903–6	11·9	5·2	10·5	$[27·6]^{96}$	4·6	2·1	5·5	$12·2^{111}$	4·2	1·9	2·4	$8·5^{139}$	4·4	1·4	2·2	$8·0^{306}$	5·1	1·9	1·7	$8·6^{497}$	4·1	1·8	2·1	$8·0^{923}$	4·6	1·9	2·0	$8·5^{531}$	4·6	1·9	2·1	$8·6^{774}$	7·5	2·8	3·4	$13·8^{797}$	7·7	3·6	5·0	$16·2^{887}$	10·7	4·1	6·3	$21·2^{680}$	16·4	7·8	7·8	$32·0^{73}$	
H	1903	...	...	...	...	...	...	...	...	...	...	...	...	2·9	0·6	1·2	$4·6^{21}$	12·4	12·2	18·4	$43·0^{56}$	8·2	2·9	3·1	$14·2^{70}$	3·2	1·4	3·2	$7·8^{26}$	9·3	2·4	2·9	$14·6^{74}$	8·9	3·5	3·5	$15·9^{31}$	41·0	14·5	18·0	$73·5^{139}$	18·9	7·9	20·7	$47·5^{206}$	10·0	5·1	19·3	$34·3^{474}$	H
	1904	5·5	3·6	10·8	$19·9^{579}$	6·1	3·7	7·3	$17·2^{256}$	4·0	8·0	8·0	$20·0^{6}$	...	...	...	...	1·2	—	—	$1·2^{5}$	1·7	12·3	4·0	$18·1^{119}$	—	12·3	7·1	$19·3^{57}$	6·0	2·0	4·0	$12·0^{6}$	8·4	3·6	3·6	$15·6^{33}$	2·7	—	5·3	$8·0^{4}$	18·7	8·9	15·8	$43·5^{66}$	14·4	6·7	14·6	$35·8^{553}$	
	1905	5·8	3·4	6·3	$15·5^{421}$	3·1	2·3	3·6	$9·0^{444}$	...	...	...	...	2·0	2·0	4·0	$8·0^{6}$	12·8	5·1	3·6	$21·4^{23}$	10·0	4·0	4·0	$18·0^{12}$	4·8	—	1·2	$6·0^{10}$	12·0	2·0	4·0	$18·0^{6}$	21·0	3·0	6·0	$30·0^{4}$	12·0	3·0	10·0	$25·0^{12}$	11·4	6·1	12·9	$30·4^{309}$	6·5	3·8	8·9	$19·2^{221}$	
	1906	5·1	2·4	4·4	$11·9^{316}$	5·5	3·9	7·2	$16·7^{399}$	3·3	2·0	5·1	$10·4^{42}$	...	...	...	...	8·4	1·2	2·4	$12·0^{19}$	8·6	1·8	3·4	$13·8^{19}$	12·8	2·5	4·6	$19·9^{31}$	6·1	1·5	0·9	$8·5^{55}$	8·0	8·7	7·3	$24·0^{33}$	17·9	6·2	8·6	$32·7^{96}$	13·4	4·5	13·8	$31·7^{245}$	5·5	4·0	7·1	$16·6^{325}$	
	1903–6	5·5	3·3	7·8	$16·6^{1316}$	4·7	3·2	5·8	$13·7^{1100}$	3·4	2·7	5·5	$[11·6]^{48}$	2·7	0·9	1·8	$5·4^{97}$	10·0	7·0	9·6	$26·6^{89}$	4·8	7·9	3·7	$16·5^{279}$	5·8	6·4	5·3	$17·4^{704}$	7·3	1·8	1·8	$[11·0]^{91}$	8·9	5·2	4·9	$19·0^{101}$	30·1	10·5	13·8	$54·4^{232}$	14·4	6·3	15·4	$36·1^{827}$	10·1	5·3	13·7	$29·1^{1573}$	
J	1903	...	...	...	...	...	...	...	...	...	...	...	...	4·2	1·1	0·8	$6·2^{162}$	6·9	1·8	1·6	$10·3^{216}$	5·5	1·4	2·2	$9·1^{77}$	8·0	2·0	6·0	$16·0^{6}$	...	...	..	...	5·3	2·0	2·7	$10·0^{36}$	8·1	4·6	10·5	$23·2^{102}$	8·9	3·1	6·2	$18·3^{215}$	12·0	5·1	13·3	$30·4^{19}$	J
	1904	3·7	1·7	4·7	$10·1^{248}$	5·0	2·6	3·5	$11·2^{279}$	5·5	2·4	2·4	$10·4^{24}$	5·5	2·7	3·0	$11·3^{393}$	7·8	2·8	3·4	$14·0^{293}$	4·7	1·7	1·7	$8·1^{49}$	...	...	...	...	...	...	...	...	19·1	12·3	9·3	$40·6^{44}$	6·2	3·0	3·7	$12·9^{162}$	6·7	2·7	3·2	$12·6^{268}$	11·8	4·2	7·6	$23·5^{52}$	
	1905	3·2	1·4	2·4	$7·0^{60}$	3·5	1·4	2·9	$7·7^{118}$	3·1	1·5	1·1	$5·7^{55}$	4·8	2·1	1·6	$8·5^{231}$	5·7	2·2	2·0	$9·9^{281}$	6·5	2·2	2·0	$10·7^{91}$	7·8	1·9	2·1	$11·8^{123}$	...	...	...	...	11·7	3·8	2·7	$18·1^{183}$	8·2	4·1	5·4	$17·7^{276}$	10·2	2·7	5·3	$18·3^{185}$	11·7	2·6	4·3	$18·6^{42}$	
	1906	4·0	1·3	3·3	$8·7^{18}$	3·0	1·0	1·8	$5·8^{97}$	3·0	1·4	1·0	$5·4^{138}$	5·6	2·3	2·3	$10·2^{327}$	4·1	2·2	2·1	$8·4^{307}$	5·5	2·8	2·2	$10·5^{333}$	...	...	...	...	9·3	1·8	3·1	$14·2^{112}$	11·0	1·8	3·5	$16·3^{59}$	7·8	3·4	6·0	$17·2^{357}$	8·4	4·5	6·4	$19·3^{202}$	9·0	3·4	6·0	$18·4^{32}$	
	1903–6	3·6	1·6	4·2	$9·5^{326}$	4·3	2·0	3·0	$9·3^{495}$	3·8	1·8	1·5	$7·1^{287}$	5·2	2·2	2·2	$9·7^{1114}$	6·0	2·3	2·3	$10·6^{1198}$	5·6	2·4	2·1	$10·1^{553}$	7·8	1·9	2·3	$12·0^{129}$	9·3	1·8	3·1	$14·2^{172}$	11·8	4·4	3·7	$19·9^{324}$	7·7	3·7	5·9	$17·2^{909}$	8·4	3·2	5·1	$16·7^{870}$	11·2	3·6	7·0	$21·8^{145}$	
M	1903	...	...	...	...	...	...	...	...	...	...	...	...	6·5	2·3	0·6	$9·4^{42}$	11·4	5·7	1·9	$19·0^{19}$	6·5	2·0	0·8	$9·4^{29}$	...	...	...	...	6·5	6·5	1·5	$14·5^{24}$	...	...	...	...	...	...	...	...	10·9	3·9	5·6	$20·4^{107}$	3·2	0·2	3·6	$7·0^{64}$	M
	1904	2·4	1·2	4·5	$8·1^{196}$	5·0	1·9	2·0	$9·0^{164}$	3·6	1·7	2·0	$7·3^{166}$	7·7	3·7	3·0	$14·5^{236}$	7·2	2·9	2·5	$12·7^{455}$	7·1	2·7	3·6	$13·3^{49}$	...	...	...	...	...	...	...	...	28·0	5·3	9·3	$42·7^{18}$	10·7	2·6	3·9	$17·1^{28}$	9·0	2·5	3·3	$14·8^{141}$	4·1	2·3	3·1	$9·5^{73}$	
	1905	3·7	1·4	2·0	$7·1^{269}$	1·0	0·8	1·2	$2·9^{31}$	2·7	1·4	1·7	$5·8^{222}$	6·8	1·8	2·0	$10·6^{318}$	4·7	1·7	1·7	$8·1^{198}$	5·2	3·1	1·9	$10·1^{51}$	2·0	1·0	0·5	$3·4^{24}$	...	...	...	...	6·0	0·9	3·4	$10·3^{14}$	8·9	2·9	4·7	$16·4^{128}$	5·9	1·8	4·9	$12·6^{79}$	4·0	1·6	3·5	$9·1^{157}$	
	1906	3·4	1·8	2·9	$8·1^{283}$	2·3	1·2	1·6	$5·1^{231}$	2·6	1·3	1·3	$5·2^{289}$	4·6	1·4	1·7	$7·8^{248}$	8·9	2·1	1·8	$12·8^{197}$	7·8	2·0	1·6	$11·4^{133}$	...	...	...	...	...	...	...	...	...	...	...	...	9·9	4·8	8·6	$23·4^{75}$	6·1	3·0	5·4	$14·5^{84}$	6·9	3·0	6·4	$16·3^{189}$	
	1903–6	3·2	1·5	3·0	$7·8^{849}$	3·2	1·5	1·7	$6·4^{426}$	2·8	1·4	1·5	$5·7^{977}$	6·4	2·3	2·2	$10·9^{545}$	7·1	2·5	2·2	$11·8^{670}$	7·0	2·3	1·9	$11·2^{254}$	2·0	1·0	0·5	$[3·4]^{24}$	6·5	6·5	1·5	$[14·5]^{24}$	18·4	3·4	6·7	$[28·5]^{32}$	9·4	3·5	5·9	$18·8^{231}$	8·3	2·8	4·6	$15·8^{412}$	5·1	2·1	4·6	$11·7^{483}$	

N.B.—In this table all fractions of an hour in the index numbers have been omitted, the unit figure being raised by 1 when the fraction was ¾. The total number of hours in the last line of each group is the correct total and not the total of the figures printed.

but we have no information as to the proportion in April, as this particular fisherman was not fishing here during this month; but one of the other skippers, by whom was made a record of one voyage in the northern part of this area in May, 1903, records a considerable number of spawning soles. The evidence therefore suggests the conclusion that these two shallow areas are amongst the best spawning grounds for soles in this region. The percentage values given in the last column affords a rough means of comparing the abundance in each month. April has considerably higher values than the months preceding and following it, and as the values fall away on each side of this month it may be taken as the height of the spawning season in this region.

The skipper whose records these are, informs us that "spawning" meant "with roe in" and not necessarily in the condition of actually spawning, and in 1906 several instances occur in the months preceding April, in which they are recorded as such, and we may take it that he means "maturing" in most cases. Owing to this, the numbers of really spawning soles recorded from November to March are considerably augmented, and we may gather that they are not nearly so frequently found in the winter months as one would be led to believe from a first glance at the table.

The quantities of soles found spawning are generally entered in the records as "few," sometimes the numbers are given. In such cases there are from 1–5 spawning soles in each haul. In April the numbers rise considerably to as many as from 10–14 in each haul, which further confirms the fact that they are most frequent in this month.

General Conclusions.

A. Distribution.—The number of soles caught in the Flemish Bight is not very great. They show the following seasonal and geographical distribution. They are far more numerous on the English than on the continental side, and increase in numbers from east to west. The maximum catch is over 80 (per six hours' fishing) on the western side, and only 30 on the eastern side of the deep water. Moreover, they also become numerically greater as we move northwards.

As a rule large soles predominate in the catches; over the whole area they form nearly one half of the total number caught. Slips, however, form a large proportion of the catch in A and D, the two grounds nearest the English coast, where the sole nursery grounds are to be found. Their maximum abundance is found in spring in these two coastal grounds. In all other areas their period of maximum abundance is found in autumn and winter, and their minimum abundance in spring.*

B. Migrations.—The evidence on this point is by no means conclusive, and we can only offer suggestions. These, gathered as they are from figures which, in several instances are unsatisfactory, yet are put forward as an attempt to offer some hypothetical explanation of the movements of soles, to be corroborated or laid aside by the evidence of further statistics.

There is probably a movement northwards through this region from September and throughout the colder months, for we have seen that in area M the soles are most abundant in September, in H and J in October, while in E and F November and December seem to be the best months. Perhaps, too, there is a movement between the deep water and the shallow flats off the English coast, the numbers in the latter area being augmented in early spring by a migration from the deeper water. In the cold months the eastern and middle areas all show an increase which would point to an augmentation in the stock from some grounds lying outside the regions investigated, perhaps from the shallower coastal waters where they have been residing during the earlier part of the year for the purpose of spawning.

It should be noticed too that these increases, though participated in by all three sizes of soles, yet are much more marked among the large soles, showing that a larger proportion of these migrate and cause the greater part of the increase in any ground. The exceptions to this rule are those areas A and D, which, being in close proximity to the English nursery grounds, are more affected by the immigration of slips.

C. Spawning.—As far as one can conclude from the scanty figures at our disposal, spawning fish are found frequently in March, April, and May, with a few occurrences in the months preceding. The shallower grounds, perhaps especially those on the English coast, have a larger frequency of spawning fish than the deeper water.

In conclusion, it is evident that there is room for far more investigation into the habits and movements of this species, and especially into the causes of their movements, which knowledge is necessary to fully explain the phenomena shown by these records.

* Garstang. Trawling Investigations.—Area V. Flemish Bight.—*International Investigations. Mar. Biol. Assoc. Report I.* 1905, *Cd.* 2760.

APPENDIX.

FORMS ON WHICH THE RECORDS WERE COLLECTED.

A.—Forms used by Skippers in recording single hauls up to April 1904.

MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM, SURVEY OF TRAWLING GROUNDS.

Date Vessel of

Name of Ground

Position or bearings

Depth Nature of bottom

Hour when shot How long towed Hours.

Fish.	Number of	Fish.	Number of.
Plaice ... { Large ... ... / Medium ... / Small	Fish. / Trunks. / Do.	Cod ... { Large ... ... / Medium ... / Codling ...	Fish. / Trunks. / Do.
Flounders ... ... / Dabs ... ... / Lemons	Trunks. / Do.	Gurnard ... ... / Latchets (Tubs) ... ... / Ling	Trunks.
Turbot ... { Large ... ... / Small	Fish. / Do.	Haddock { Large ... ... / Small	Trunks. / Do.
Brill	Fish.	Whiting	Trunks.
Soles ... { Large ... ... / Medium ... / Slips	Pairs. / Do. / Do.	Skate ... ... / Roker	

REFUSE AND SUNDRIES.

Kind.	Quantity.	Kind.	Quantity.
Dog Fish .. .. / Star Fish		Squid ... ... / Whelks	

SPAWNING FISH.

Plaice / Cod	Turbot / Whiting	Sole / Haddock

Signed Master. Date

B.—Forms used by Skippers in recording single hauls, since April, 1904.

MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM, SURVEY OF TRAWLING GROUNDS.

Date Vessel of

Name of Ground

Position when trawl shot

Depth Soil

Hour when shot How long towed Hours.

Course

Wind Sea

Fish.	Number of.	Fish.	Number of.
Plaice ... Large	Baskets.	Cod ... Large	Score.
Medium ...	Do.	Medium ...	Do.
Small	Do.	Codling ...	Baskets.
Witches	Baskets.	Gurnard	Baskets.
Dabs	Do.	Latchets (Tubs)	Do.
Lemons	Do.	Ling	Score.
Turbot ... Large	Fish.	Haddock Large	Baskets.
Small	Do.	Small	Do.
Brill	Fish.	Whiting	Baskets.
Soles ... Large	Pairs.	Skate	Score.
Medium ...	Do.	Roker	Do.
Slips	Do.	Dog Fish ... ... (*State which kind*)	Do.

NOTE.—In cases when the fish are less than a basket-full state whether $\frac{1}{4}$, $\frac{1}{2}$, or $\frac{3}{4}$ basket. If less than $\frac{1}{4}$ basket (or Score), state the actual number, *and cross out the word "basket" (or "score").*

SPAWNING FISH.

State whether few, many or none, and whether large or medium-sized.

Plaice	Turbot	Sole
Cod	Whiting	Haddock

Signed Master. Date

C.—Forms used by Skippers in recording result of whole voyage.

MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM, SURVEY OF TRAWLING GROUNDS.

SUMMARY OF VOYAGE.

Port of Departure Date

„ Arrival Date

Number of hauls omitted (if any)

General result of voyage (Good, Moderate, or Bad).

TOTAL FISH LANDED.

(State number of boxes, scores, &c., in each case.)

Fish.	Quantity.	Fish.	Quantity.
Plaice ... { Large ... ... Medium ... Small		Cod ... { Large ... ... Medium ... Codling ..	
Witches ... ... Dabs ... ... Lemons		Gurnard ... ... Latchets (Tubs) ... ... Ling	
Turbot ... { Large ... ... Small		Haddock { Large ... ... Small	
Brill		Whiting	
Soles ... { Large ... ... Medium ... Slips		Skate ... ... Roker	

Date Vessel Signed Master.

South Part of North Sea

Scale 1 : 1,200,000

LOWESTOFT TRAWLING SMACKS.

CHART OF FISHING GROUNDS.

Declination at 53° 20′ N. 3° 20′ E. (1895)

Contour Lines

10	metre line
20	,, ,,
40	,, ,,
50	,, ,,

Equivalent Depths

1	metre =	0·5	fathom
10	metres =	5·4	fathoms
20	,, =	10·9	,,
40	,, =	21·8	,,
50	,, =	32·8	,,
1	fathom =	1·8	metres
5	fathoms =	9·1	,,
10	,, =	18·2	,,
20	,, =	38·6	,,
30	,, =	55·0	,,

Lights

Houses ▲ Vessels ⚓

The position of the light is indicated by the black spot.

Weller & Graham, Ltd Litho. London. 2204. 1. 08.

TRAWLING INVESTIGATIONS, 1904-5.

I.—PARTICULARS OF TRAWLING STATIONS OF S.S. *HUXLEY*.

II.—DETAILED MEASUREMENTS OF PLAICE CAUGHT AT EACH HAUL OF THE COMMERCIAL TRAWLS. S.S. *HUXLEY*.

III.—SUMMARIES OF HAULS MADE BY S.S. *HUXLEY*, DISTINGUISHING THE SIZES OF FISH IN 10 CM. GROUPS.

With Charts 1–4 at the End.

I.—PARTICULARS OF TRAWLING

Explanations of Abbreviations

gvl. or grv. = gravel.
m. = mud.
ooze = fine mud of little tenacity.
ross = sand-tubes of **Sabellaria spinulosa,** aggregated in rough masses.
s. = sand.
sh. = shells.
br. = brown.

Came fast.—The trawl was stopped by some part of it encountering an obstacle (*e.g.*, wrecks, ross-banks, boulders).
Foul haul.—A haul in which normal fishing was prevented by accident to some part of the trawl or warps

Voyage.	Station	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XXV	1	1904. Jan.	2	O 146	Lower Scruff ..	54° 53½′ N., 4° 48½′ E.	N.E. ½ E. 2 miles N. by E. ½ E. 10 miles.	55° 5½′ N., 4° 53½′ E.	21½	22	21½	f.l.s.	..	f.l.s.
„	2	„	„	O 147	„ „ ..	55° 5½′ N., 4° 53½′ E.	N.N.W. ¾ mile N.E. ½ E. 12 miles.	55° 15½′ N., 5° 6′ E.	21½	22½	24½	f.l.s.	..	f.g.s.
„	3	„	5	O 148	South East of Tail End of Dogger.	55° 31½′ N., 4° 45′ E.	S.S.E. 15 miles	55° 19½′ N., 4° 59′ E.	17	19–21	23	spk.s.	..	f.sharp.s.
„	4	„	„	O 149	East of Tail End of Dogger.	55° 18′ N., 5° 12′ E.	N.W. 3 miles E.S.E. 14 miles.	55° 17′ N., 5° 33¾′ E.	23	..	24	f.s.	..	s. & o.
„	5	„	„	O 150	West of Horn Reef Outer.	55° 17′ N., 5° 33¾′ E.	E. by N. 15 miles	55° 24′ N., 5° 59′ E.	24	..	26	s. & o.	..	s. & o.
„	6	„	6	O 151	West part of Horn Reef Outer.	55° 24½′ N., 6° 6½′ E.	E. by N. ⅜ N. 15 miles	55° 31′ N., 6° 30′ E.	26	23	21	s. & o.	s. & o.	s. & o.
„	7	„	„	O 152	Horn Reef Outer ..	55° 31′ N., 6° 30′ E.	S. 2 miles N. 6¾ miles. S.S.E. 4 miles.	55° 32¼ N., 6° 33′ E.	21	22	22	s. & o.	..	s. & o.
„	8	„	„	O 153	„ „ „ ..	55° 32¼′ N., 6° 33′ E.	E.S.E. 1 mile N. by E. 5 miles. S. 5 miles. N. by W. 3¾ miles.	55° 35½′ N., 6° 34½′ E.	22	22	22	s. & o.	..	s. & o.
„	9	„	6-7	O 154	„ „ „ ..	55° 35½′ N., 6° 34½′ E.	S. ½ W. 2½ miles N. by E. 7 miles. S. ½ W. 3 miles.	55° 37′ N., 6° 35′ E.	22	22	22	s. & o.	..	s. & o.
„	10	„	7	O 155	„ „ „ ..	55° 37′ N., 6° 35′ E.	S. 2 miles N. ½ E. 7 miles. S. 5 miles.	55° 38′ N., 6° 37½′ E.	22	22	20	s. & o.	..	f.s. & o.
„	11	„	8	O 156	Borkum Outer ..	54° 21′ N., 5° 59′ E.	S.E. by S. ½ S. 9½ miles	54° 14′ N., 6° 9⅓′ E.	22	22	20½	f.d.s.	..	f.s. & o.
„	12	„	„	O 157	„ „ ..	54° 14′ N., 6° 9½′ E.	N.E. by E. ¾ E. 3¼ miles W. by N. 10 miles.	54° 16′ N., 5° 53′ E.	20½	21	22	f.s. & o.	..	f s. & m.
„	13	„	„	O 158	„ „ ..	54° 16′ N., 5° 53′ E.	.. ..	54° 16′ N., 5° 53′ E.	22	..	22	s m.	..	s.m.
„	14	„	9	B 100	„ „ ..	54° 17′ N., 6° 14′ E.	W. ⅞ N. 14 miles	54° 16½′ N., 5° 49′ E.	21	21	21	f.s. & o.	..	f.s. & m.
XXVI	2	„	19	B 101	North East of Blakeney Overfall.	53° 4⅛′ N., 1° 3¾′ E.	N.W. by N. ¼ N. 5 miles N.E. by N. ¼ N. 1½ miles.	53° 9′ N., 0° 58′ E.	10	..	10	c.s. & sh.	..	c.s.
„	3	„	20	B 102	Lynn Deep	52° 57¼′ N., 0° 17½′ E.	N.E. by E. 1½ miles	52° 59′ N., 0° 20′ E.	12	..	10	c.s.	..	c.s. & m.
XXVII	1	Feb.	26	B (c) 103	Teignmouth Bay ..	50° 29¼′ N., 3° 29¼′ W.	E. by S. 1½ miles W.N.W. 1½ miles. E. 1½ miles.	50° 30½′ N., 3° 29¼′ W.	6	8	10	s. & m.	s. & m.	s.
„	2	„	„	B 104	Off the Ledge ..	50° 29¼′ N., 3° 21′ W.	E. by N. 2 miles	50° 30½′ N., 3° 18½′ W.	14	14	14	s. & sh.	..	s & sh.
„	3	„	27	B 105	Inside Eastern Scruff	50° 31′ N., 2° 58′ W.	N.E. ¾ N. 5 miles E. 4 miles.	50° 36′ N., 2° 47⅝′ W.	22	19	17	blk. spk.s.	..	f.s.

STATIONS OF S.S. "*Huxley*."

AND PHRASES.

O. = Otter Trawl.
B. = Beam Trawl.
O. (c.) = Otter Trawl covered with fine meshed netting.
B. (c.) = Beam Trawl covered with fine meshed netting.

c. = coarse (Bottom Deposits.)
d. = dark.
f. = fine.
g. = grey.
l. = light.
r. = ross.
spk. = speckled.

c. = common (Bottom Fauna).
fc. = fairly common
vc. = very common

Had a pull out, or *Pulled out*.—The trawl came fast temporarily, but resumed its course.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks. Trawlers Working, &c. Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
8 a.m.	1 p.m.	5	Nil	Moderate	S.E. 4	Overcast	Net slightly torn	Not recorded; no Naturalists on board ..	C. W. Dance. Passed several "fleeting" steamers and S.S. Hornsea, cutter, of Hull. Spoke the S.S. Ely, of Hull.
2 p.m.	7 p.m.	5	Nil	Rough	S.E. by S. 6.	Cloudy	—	" " " ..	Several steam trawlers passed us.
12.15 a.m.	7 a.m.	6¾	Nil	Moderate	S. by E. 4.	Overcast	Net very badly torn.	" " " ..	Spoke S.S. Topaz, of Hull.
Noon	6 p.m.	6	Nil	Moderate	S.E.	Overcast	—	" " " ..	4 steam trawlers with us.
6.30 p.m.	Midnight	5½	Nil	Moderate	E. by S. 3.	Overcast	Net slightly torn	" " " ..	2 steam trawlers with us.
1 a.m.	7 a.m.	6	Ni	Smooth	E. by S. 3.	Overcast	—	" " " ..	1 steam trawler with us; several steamers passed south westwards.
7.30 a.m.	1 p.m.	5½	Ni	Moderate	S.E. 3	Overcast	—	" " " ..	3 steam trawlers with us.
1.30 p.m.	7.30 p.m.	6	Nil	Smooth	S. 2	Overcast	—	" " " ..	2 steam trawlers with us.
(6th) 8 p.m.	(7th) 1.30 a.m.	5½	Nil	Smooth	S.W. 3	Overcast and cloudy.	—	" " " ..	2 steam trawlers with us.
2 a.m.	7.30 a.m.	5½	Nil	Rough	S.W. by S. 5.	Overcast, dull.	—	" " " ..	2 steam trawlers with us.
11.45 a.m.	3.45 p.m.	4	1 hour ebb; 3 hours flood.	Moderate	S.W. by S. 3.	Overcast and thick fog.	—	" " " ..	SS. Garnet of Yarmouth, S.S. Agami of Grimsby with us.
p.m.	9 p.m.	5	2 hours flood; 3 hours ebb.	Smooth	S. 2	Dull, overcast, rainy.	—	" " " ..	4 steam trawlers with us.
9.30 p.m.	..	..	Third hour ebb.	..	..	..	Net "all to pieces"	" " " ..	Came fast immediately; hove up again.
7 a.m.	11.45 a.m.	4¾	Last 4½ hours flood.	Smooth	Variable 2.	Cloudy	—	" " " ..	S.S. Majestic and S.S. Gardenia of Grimsby and several other steam trawlers with us.
3 p.m.	5 p.m.	2	From 3 to 5 hours ebb.	Smooth	S.E. by E. 2.	Cloudy, hazy.	—	*Flustra foliacea* .. .. *Sabellaria spinulosa.* *Hyas araneus.* *Cottus sp.*	J. O. Borley, G. T. Atkinson.
9 a.m	9.30 a.m.	½	From 1½ to 2 hours ebb.	Smooth	S.S.W. 2.	Fine, hazy	Net very badly torn.	Practically nothing caught	9.30 a.m. came fast to wreck, hauled, broke brass socket of port brake of winch.
9.15 a.m.	12.15 p.m.	3	First 3 hours flood.	Moderate	S.E. by S. 4-6.	Dull, rainy	Small hole in square and in small-meshed net over cod-end.	**Hydrallmania falcata** v.c., **Sertularia abietina** v.c., **Actinoloba dianthus** v.c. *Buccinum undatum* spawn v.c. *Asterias rubens* f.c. *Solea lutea* f.c.	W. Wallace, D. J. Matthews. Cod end covered above with small-meshed net.
1.45 p.m.	2.45 p.m.	1	Third to fourth hours flood.	Rough	S.E. 6	Dull, rainy	Trawl very badly torn.	**Hydrallmania falcata** v.c., **Sertularia abietina** v.c., *Actinoloba dianthus* c. *Lepralia foliacea* c. *Buccinum undatum* and spawn f.c. *Asterias rubens* f.c., *Echinus esculentus* f.c.	Had a pull out hauled.
11.30 a.m.	3.30 p.m.	4	1 hour before low water at Dover, and 3 hours before high water at Dover.	Smooth	Calm	Overcast	Net parted when hoisting on board; lost cod end.	Nothing reached the deck, but **Asterias rubens** appeared very common.	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XXVII	4	Feb.	27	O 159	Inside Eastern Scruff	50° 36′ N., 2° 47⅝′ W.	S.W. ⅜ S. 2⅜ miles S.W. by W. ¾ W. 4½ miles.	50° 30¼° N., 2° 53¼′ W.	17	20	23	f.s.	..	spk.s.
,,	6	Mar.	1	B 106	North Hinder ..	51° 46′ N., 2° 43⅜′ E.	S. by E. ¾ E. 2¼ miles	51° 44¼′ N., 2° 45′ E.	21	..	20	f.s.	..	f.s.
XXVIII	2	,,	10	B (c) 107	Lynn Deep	52° 59¾′ N., 0° 21′ E.	W.S.W. 2½ miles	52° 58¼′ N., 0° 19′ E.	16	..	12	m. & ross.	..	m. & ross.
,,	4	,,	,,	B 108	,, ,, ...	52° 57¾′ N., 0° 18½′ E.	S.W. by W. ½ W. 2 miles	52° 56⅝′ N., 0° 16¼′ E.	12	..	10	s.	..	m.
,,	5	,,	11	O 160	East part of South West Patch of Dogger.	54° 26⅛′ N., 2° 25¼′ E.	N.E. ⅞ N. 6½ miles E. 6½ miles.	54° 33¼′ N., 2° 40′ E.	9	10	13	f.s.	f.s.	f.s.
,,	7	,,	,,	O 161	Dogger, East of South West Patch.	54° 32½′ N., 2° 40½′ E.	E.S.E. 5½ miles N.E. 6 miles. S.W. by S. 5½ miles.	54° 32¼′ N., 2° 53′ E.	14	16	17	f.s. & sh.	f.s.	f.s.
,,	9	,,	11-12	O 162	,, ,,	54° 32¼′ N., 2° 53′ E.	S.W. 5 miles E.S.E. 5 miles. N. 5 miles.	54° 32′ N., 2° 55¼′ E.	17	16	16½	f.s.	f.s.	f.s.
,,	10	,,	12	O 163	,, ,,	54° 32′ N., 2° 55¼′ E.	N.W. by W. 6 miles	54° 33′ N., 2° 44½′ E.	16½	..	12½	f.s.	..	f.s.
,,	11	,,	,,	O 164	Eastern Shoal of Dogger Bank.	54° 33′ N., 2° 44¼′ E.	N.W. ⅞ W. 9¾ miles	54° 39′ N., 2° 20′ E.	13	11	10½	f.s.	f.s.	f.s.
,,	12	,,	,,	O 165	West of Eastern Shoal of Dogger Bank.	54° 39′ N., 2° 20′ E.	N.W. by N. ¾ N. 5¼ miles	54° 42½′ N., 2° 14½′ E.	10½	..	10½	f.l.s.	..	f.l.s.
,,	14	,,	,,	O 166	North West of Eastern Shoal of Dogger Bank.	54° 42½′ N., 2° 14½′ E.	E.N.E. 10 miles N. by E. 6 miles.	54° 55⅞′ N., 2° 29¾′ E.	10½	12	13½	f.l.s.	f.s.	f s.
,,	15	,,	14	B 109	Leman Ground ..	53° 19′ N., 2° 42¾′ E.	W. ⅝ N. 9¾ miles	53° 17⅜′ N., 2° 26¾′ E.	16	16	14½	f.d.s.	f.d.s.	f.s.
,,	17	,,	,,	B 110	,, ,, ..	53° 17¾′ N., 2° 26′ E.	N.E. ⅝ E. 13½ miles	53° 28¾′ N., 2° 40′ E.	14½	15	16	f.s.	f.d.s.	f.d.s.
,,	18	,,	,,	B 111	,, ,, ..	53° 28¾′ N., 2° 40′ E.	S.E. by S. ½ S. 11¾ miles	53° 20¼′ N., 2° 53¾′ E.	16	..	16	f.d.s.	..	f.d.s.
,,	19	,,	15	B 112	East of Leman ..	53° 20⅜′ N., 3° 2′ E.	S. by E. ⅞ E. 8 miles	53° 14⅛′ N., 3° 10′ E.	16	..	16	f.d.s.	..	f.d.s.
,,	21	,,	,,	B 113	Broad Fourteens ..	52° 45¼′ N., 3° 48½′ E.	S.E. ⅝ S. 15½ miles	52° 36′ N., 4° 8¾′ E.	16	..	12½	f.g.s.	..	f.g.s.
,,	23	,,	15-16	B 114	West of Ymuiden ..	52° 35¾′ N., 4° 8¾′ E.	S. by W. ⅞ W. 9¼ miles. E. ¼ N. 8½ miles.	52° 29′ N., 4° 20½′ E.	12½	11	10	f.g.s.	f.g.s.	f.g.s.
,,	24	,,	16	B 115	Off Ymuiden	52° 29′ N., 4° 20½′ E.	E. ⅛ S. 4 miles. S. by W. ¾ W. 2½ miles N.W. ⅛ W. 2⅜ miles.	52° 29′ N., 4° 22¾′ E.	10	9½	8½	f.s.	f.s.	f.s.
,,	26		,,	B 116	,, ,, ...	52° 28¾′ N., 4° 22¾′ E.	N.E. ⅜ N. 7½ miles	52° 35½′ N., 4° 28′ E.	8½	..	9	f.s.	..	f.s.
	27	,,	,,	B 117	Broad Fourteens ..	52° 35¾′ N., 4° 3½′ E	N. ⅜ E. 5⅜ miles	52° 41½′ N., 4° 1¾′ E.	14	..	14	f.s.	..	f.s.
XXIX	1	,,	22	O 167	Off Ymuiden	52° 30′ N., 4° 17′ E.	S.E. by E. ¼ E. 3½ miles	52° 29′ N., 4° 22½′ E.	10½	..	9½	f.g.s.	..	f.g.s.
	2		,	O 168	Off Egmond	52° 29′ N., 4° 22½′ E.	N.E. by N. ⅜ N. 6⅞ miles	52° 36′ N., 4° 25′ E.	9½	..	9	f.g.s.	..	f.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
5 p.m.	7.30 p.m.	2½	2½ hours before high water, to high water at Dover.	Smooth	W. 1-2	Overcast	—	*Actinoloba dianthus* f.c. *Aphrodite aculeata.* **Pecten opercularis** v.c, *Maia squinado* f.c, **Asterias rubens** v.c.	
9.15 p.m.	11.15 p.m.	2	From 4 to 6 hours flood.	Rough	E.N.E. 6.	Overcast	Net very badly torn.	Nothing taken	
7.15. a.m.	8.15 a.m.	1	First hours flood.	Rough	N.E. by N. 5.	Cloudy, with showers.	Small meshed net over cod-end torn to pieces.	*Hydrallmania falcata* f.c., *Sertularia abietina* f.c., *Antennularia antennina.* *Flustra foliacea* f.c. *Sabellaria spinulosa* f.c. *Modiola modiolus* f.c. *Hyas araneus* c. *Asterias rubens.* *Cottus scorpius.*	W. Wallace, R. A. Todd, G. T. Atkinson.
8.45. a.m	9.45 a.m.	1	Third hours flood.	Moderate	N.E. by N. 5.	Cloudy, fine.	—	As last station.	
7.30 a.m.	1.30 p.m.	6	Nil	Moderate	N.N.E. 3-4.	Cloudy	Belly slightly torn.	**Obelia longissima** v.c. *Halecium halecinum.* *Alcyonidium gelatinosum* c. *Buccinum undatum* spawn c. *Eupagurus bernhardus.* *Asterias rubens* f.c., *Echinocardium cordatum.*	
2.45 p.m.	9.45 p.m.	7	Nil	Smooth	N. 1-2	Light Clouds.	—	**Obelia longissima** v. abundant .. .. *Asterias rubens* c.	1 steam trawler with us.
(11th) 11 p.m.	(12th) 5.15 a.m.	6¼	Nil	Smooth	W. 1-2	Cloudy	—	**Obelia longissima** v.c. .. .. .. *Alcyonidium gelatinosum* c. *Buccinum undatum* spawn c.	1 steam trawler with us.
6 a.m.	8.30 a.m.	2½	Nil	Smooth	W.S.W. 2	Overcast	Net slightly torn.	**Alcyonidium gelatinosum** v.c. .. *Buccinum undatum* spawn f.c. *Asterias rubens* c.	2 steam trawlers with us.
9.20 a.m.	3 p.m.	5¾	Nil	Moderate	S.W. 4	Overcast	Trawl slightly torn.	**Obelia longissima** v. abundant, *Coppinia arcta.* **Alcyonidium gelatinosum** v.c. *Buccinum undatum* and spawn c., *Natica catena* spawn c., *Lacuna crassior* and spawn. *Asterias rubens* c.	
3.35p.m.	5.35 p.m.	2	Nil	Moderate	S.W. 4	Overcast	—	*Alcyonidium gelatinosum* c. .. .. .. *Buccinum undatum* spawn.	1 steam trawler with us.
6 p.m.	Midnight	6	Nil	Rough	S.S.W. 7	Overcast	Net badly torn.	*Obelia longissima*, dead f.c.. .. .. .. **Alcyonidium gelatinosum,** v. abundant, drifted. *Fusus antiquus, Buccinum undatum* and spawn.	2 steam trawlers with us.
7 a.m.	Noon	5	Last hours flood ; 4 hours ebb.	Smooth	S.W. 4	Overcast, dull, hazy.	—	*Asterias rubens* f.c., *Echinocardium* sp. *Solea lutea* c.	
1 p.m.	6 p.m.	5	3 hours ebb ; 2 hours flood.	Smooth	Variable 4-1.	Dull, thick, rainy.	—	*Actinoloba dianthus* on oyster shell. *Asterias rubens.* *Solea lutea* c.	
6.30 p.m.	10.30 p.m.	4	3 hours flood ; 1 hours ebb.	Rough	N.N.E. 7	Dull, heavy rain.	—	*Eupagurus bernhardus.* *Asterias rubens.*	
6.45 a.m.	9 a.m.	2¼	Last 2 hours flood.	Moderate	N.N.E. 4	Fine, cloudy.	—	*Asterias rubens* f.c., *Ophiura ciliaris.*	2 Dutch sailing trawlers with us.
3 p.m.	9 p.m.	6	3 hours ebb ; 3 hours flood.	Moderate	N.N.E. 1	Fine, cloudy.	—	*Eupagurus bernhardus*	"Moorlog" present. Several Dutch fishing craft about us.
(15th) 9.30 p.m.	(16th) 4.30 a m.	7	2 hours flood ; 5 hours ebb.	Moderate swell.	Calm	Fine, light clouds.	—	*Eupagurus bernhardus.* *Asterias rubens* f.c.	
5 a.m	10.45 a.m.	5¾	Last hours ebb ; 5 hours flood.	Smooth	Variable. 1	Fine, cloudy, hazy.	—	*Portunus holsatus.* *Asterias rubens, Echinocardium cordatum.* *Cottus scorpius* c.	
11 a.m.	2 p.m.	3	3 hours ebb.	Smooth	Variable. 1	Fine, hazy	—	*Crangon vulgaris, Eupagurus bernhardus.* *Echinocardium cordatum.* *Cottus scorpius* f.c.	
4 p.m.	6.15 p.m.	2¼	2 last hours ebb.	Smooth	E. 3	Fine, hazy	—	*Eupagurus bernhardus*	"Moorlog" present.
6 a.m.	7.30 a.m.	1½	4½ hours ebb.	Smooth	NN.W. 2	Fine, hazy	—	Not recorded	R. A. Todd, G. T. Atkinson, C. W. Dance.
8 a.m.	10 a.m.	2	2 last hours ebb.	Smooth	W.N.W. 2	Fine, hazy	—	Not recorded.	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shoot-ing.	Towing.	Haul-ing.	Shoot-ing.	Towing.	Haul-ing.
XXIX	3	Mar.	22	O 169	Off Egmond	52° 36′ N., 4° 25′ E.	S.W. ⅛ W. 6⅜ miles	52° 30½′ N., 4° 19⅜′ E.	9	..	9	f.s.	..	f.s.
,,	4	,,	,,	O 170	West of Ymuiden ..	52° 30½′ N., 4° 19⅜′ E.	W. by S. ⅝ S. 5½ miles	52° 27½′ N., 4° 11¾′ E.	9	..	11	f.s.	..	f.s.
,,	5	,,	,,	O 171	,, ,, ..	52° 27½′ N., 4° 11¾′ E.	W. by N. ¼ N. 4⅛ miles	52° 27⅛′ N., 4° 5¼′ E.	11	..	11½	f.s.	..	f.s.
,,	7	,,	24	O 172	North East of South West Patch of Dogger.	54° 33′ N., 2° 37′ E.	W. 5 miles N.E. 7½ miles.	54° 38¼′ N., 2° 35½′ E.	11	9	11	f.s. & sh.	f.s.	f.s. & sh.
,,	8	,,	,,	O 173	Eastern Shoal of Dogger Bank.	54° 38¼′ N., 2° 35½′ E.	E. ¼ S. 7¼ miles S.S.E. 6¼ miles.	54° 35′ N. 2° 53½′ E.	11	..	14½	f.s. & sh.	..	f.s.
,,	9	,,	,,	O 174	South West of East Shoal of Dogger.	54° 35′ N., 2° 53½′ E.	S.E. by S. 4 miles S.W. 3½ miles.	54° 29⅜′ N., 2° 55½′ E.	14½	..	15	f.s.	..	f.s.
,,	10	,,	26	O 175	Lower Scruff ..	55° 13½′ N., 4° 31′ E.	S.S.W. 5 miles N.N.W. 7½ miles.	55° 14′ N., 4° 21¼′ E.	24	..	24	f.s.	..	f.s.
,,	12	,,	26-27	O 176	West part of Horn Reef Outer.	55° 31½ N., 6° 9½′ E.	S. by E. 6¼ miles N. by E. 2½ miles. S.E. by S. 6 miles.	55° 24½′ N., 6° 26′ E.	24	23	22	f.s.	f.s.	f.s.
,,	13	,,	27	O 177	Horn Reef Outer ..	55° 24½′ N., 6° 26′ E.	N. by E. 7½ miles N.E. 6 miles. S.W. 3⅜ miles.	55° 33¼′ N., 6° 28′ E.	22	23	23	f.s.	f.s.	f.s.
,,	14	,,	,,	O 178	,, ,, ..	55° 33¼′ N., 6° 28′ E.	N.E. by E. ½ E. 6½ miles S. 12½ miles.	55° 26′ N., 6° 40′ E.	23	22	22	f.s.	f.s.	f.s. & ooze.
,,	15	,,	,,	O 179	,, ,, ..	55° 26′ N., 6° 40′ E.	N. ½ W. 15 miles S. by W. 3⅜ miles.	55° 36¼′ N., 6° 31½′ E.	22	23	23	f.s. & ooze.	f.s.	f.s.
,,	16	,,	28	O 180	,, ,, ..	55° 36½′ N., 6° 31½′ E.	S. 2 miles N. by E. ⅜ E. 5 miles. S. ½ W. 10 miles.	55° 30½′ N., 6° 35′ E.	23	23	22	f.s.	f.s.	f.s.
,,	17	,,	,,	O 181	,, ,, ..	55° 30½′ N., 6° 35′ E.	N. ⅜ E. 11½ miles N.E. 1¼ miles. N. by E. ½ E. 5 miles.	55° 48′ N., 6° 34′ E.	22	22	22½	f.s.	f.s. & ooze.	f.s. & ooze.
,,	18	,,	,,	O 182	North West of Horn Reef.	55° 48′ N., 6° 34′ E.	S. by E. 5 miles N. by E. 5 miles. S. by W. 5 miles.	55° 43½′ N., 6° 37½′ E.	22½	22	21	f.s. & ooze.	f.s. & ooze.	f.s. & ooze.
,,	19	,,	29-30	O 183	Dogger Bank, East of South West Patch.	54° 39′ N., 2° 40′ E.	S.S.W. 12½ miles	54° 27¼′ N., 2° 35′ E.	10½	10	11	f.s.	f.s.	f.s.
,,	20	,,	30	O 184	Dogger Bank, East of South West Patch.	54° 27¼′ N., 2° 35′ E.	S. by W. 2½ miles S.E. by E. 1½ miles. N.E. by N. 2½ miles. S. by W. 5 miles. N.E. by N. 2½ miles.	54° 24′ N., 2° 41½′ E.	11	12	14	f.s.	f.s.	f.s.
,,	21	,,	,,	O 185	Dogger Bank, South East of South West Patch.	54° 24′ N., 2° 41½′ E.	N. by W. 6¼ miles S.W. by W. ½ W. 1¼ miles. S.W. ½ S. 5 miles.	54° 25′ N., 2° 31½′ E.	14	10	10	f.s.	f.s.	f.s.
XXX	1	Apr.	8	B 118	Inside Protector Overfall.	53° 21′ N., 0° 23½′ E.	N. by E. 2 miles S.S.W. ½ mile.	53° 22⅜′ N., 0° 23½′ E.	8½	..	7½	spk.s.	..	c.s.
,,		,,	9	B 119	Off Trusthorpe ..	53° 19⅜′ N., 0° 24½′ E.	N. ¼ W. 2½ miles S. 2½ miles.	53° 20′ N., 0° 24′ E.	7½	..	7½	f.s.	..	c.s.
,,	4	,,	,,	B 120	Off Mablethorpe ..	53° 19½′ N., 0° 24′ E.	N. by W. 3 miles	53° 22⅝′ N., 0° 21½′ E.	7½	..	8	grv.	..	d.s.
,,	6	,,	,,	B 121	,, ,, ..	53° 21¾′ N., 0° 21½′ E.	S. 3 miles N. 3½ miles. S. 1¼ miles.	53° 22¼′ N., 0° 23⅞′ E.	8	8	8½	d.s. & sh.	..	d.s. & sh.
,,	10	,,	11	B 122	Bridlington Bay ..	54° 0½′ N., 0° 8′ W.	S.S.W. 3 miles	53° 57′ N., 0° 8′ W.	5½	..	7½	f.g.s.	..	grv.
,,	11	,,	,,	B 123	,, ,, ..	54° 1¼′ N., 0° 9′ W.	S. by W. ¼ W 2⅜ miles	53° 58¼′ N., 0° 9¼′ W.	5½	..	7½	d.s.	..	d.s. & grv.
,,	16	,,	12	B 124	,, ,, ..	54° 2′ N., 0° 10¼ W.	S.S.W. 1¼ miles N. by E. 1¼ miles.	54° 1¾′ N., 0° 10¾′ W.	5	5½	5	f.g.s.	..	f.g.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
10.15 a.m.	12.15 p.m.	2	2 hours flood.	Smooth	W.S.W. 4	Overcast, hazy	—	Not recorded.	
12 30 p.m.	2.30 p.m.	2	From 2½ hours flood to 4½ hours flood.	Smooth	W.S.W. 4	Overcast, hazy.	—	Not recorded.	
2.45 p.m.	4.30 p m.	1¾	Last 1½ hours flood.	Moderate	W.S.W. 5	Overcast, dull.	—	Not recorded.	
4 a.m.	9 a.m.	5	Nil	Moderate	N.E. 4	Fine	Had turn in fore quarter.	*Obelia longissima* c., *Sertularia abietina* .. .. *Buccinum undatum* spawn c., *Natica catena* spawn c. *Cyclopterus lumpus.*	6 steam trawlers working with us.
9.30 a.m.	2.30 p.m.	5	Nil	Moderate	N.E. by E. 5.	Cloudy	—	**Alcyonidium gelatinosum** v.c. ..	4 steam trawlers working with us.
3 p.m.	6 p.m.	3	Nil	Rough	E. by S.	Heavy clouds and showers.	—	*Obelia longissima* dead c. .. .. **Alcyonidium gelatinosum** v.c. *Buccinum undatum* spawn c.	2 steam trawlers with us.
4 a.m.	9 a.m.	5	Nil	Moderate	E. by S. 4	Overcast	—	*Alcyonium digitatum* c. *Buccinum undatum.* *Ascidiella virginea* c.	
(26th) 7 a.m.	(27th) 1 a.m.	6	Nil	Moderate	E. 5	Cloudy	—	*Actinoloba dianthus*, *Alcyonium digitatum* .. *Eupagurus bernhardus.* *Fusus antiquus.*	With Red Cross fleet.
1.30 a.m.	7.30 a.m.	6	Nil	Moderate	E. 5	Cloudy	—	*Alcyonium digitatum* on *Fusus* c., *Actinoloba dianthus.* *Fusus antiquus*, *Ostrea edulis.* *Eupagurus bernhardus* c *Asterias rubens.*	With Red Cross fleet.
8 a.m.	3.30 p.m	7½	Nil	Moderate	E. by N. 3	Fine, cloudy.	—	*Actinoloba dianthus*, large on oyster shell .. *Ostrea edulis*, *Fusus antiquus.* *Eupagurus bernhardus.* *Asterias rubens.*	2 steam trawlers with us.
4 p.m.	11.30 p.m.	7½	Nil	Moderate swell.	E.S.E. 3	Fine, cloudy.	—	**Alcyonium digitatum** v.c. .. .. *Fusus antiquus* f.c. *Eupagurus bernhardus.* *Asterias rubens*, small, c.	With Red Cross fleet.
12.5 a.m.	7 a.m.	6½	Nil	Moderate	S.E. 4	Fine, cloudy.	—	*Alcyonium digitatum* c., *Gemellaria loricata* c.. *Fusus antiquus* c. *Eupagurus bernhardus.* *Asterias rubens*, small, c.	4 steam trawlers with us.
7.30 a.m.	3 p.m	7½	Nil	Moderate	S.E. 3	Cloudy, hazy.	—	*Alcyonium digitatum* c. .. .. *Dendronotus arborescens* c., *Buccinum undatum* *Fusus antiquus*, *Ostrea edulis.* *Asterias rubens.*	With Red Cross fleet.
3.15 p.m.	9.45 p.m.	6½	Nil	Rough	S. 6	Cloudy	—	Not recorded	With Red Cross fleet.
(29th) 9 p.m.	(30th) 3 a.m.	6	6 hours ebb.	Moderate	W. 4	Cloudy, hazy.	—	Not recorded	2 steam trawlers with us.
3.45 a.m.	9.30 a.m.	5¾	6 hours flood.	Moderate	W. 4	Cloudy.	—	*Obelia longissima* c., *Sertularia rosacea* f.c. .. **Alcyonidium gelatinosum** v.c. *Buccinum undatum*, *Lacuna crassior.* *Galathea intermedia* c., *Cancer pagurus.* *Asterias rubens*, large, c.	3 steam trawlers with us.
9.45 a.m.	2.30 p.m.	4¾	4½ hours ebb.	Moderate	W. 4	Cloudy.	—	Not recorded	4 steam trawlers with us.
4.30 p.m.	5.30 p.m.	1	Fourth hour ebb.	Smooth	W. 3	Overcast, very hazy.	Square torn ..	**Flustra foliacea,** masses .. .. .. *Buccinum undatum* spawn. *Asterias rubens.*	J. O. Borley, J. Potter, G. T. Atkinson. 1 steam trawler with us.
6.45 a.m.	8.45 a.m.	2	2 last hours ebb.	Moderate	N.W. by W. 7.	Heavy clouds.	—	*Hydrallmania falcata* c. .. .. **Flustra foliacea**, masses. *Buccinum undatum* spawn.	1 steam trawler (Fittonia G. Y.) with us.
9.10 a.m.	11.10 a.m.	1	Third to fourth hour flood.	Moderate	N.W. by W. 7.	Cloudy, hazy.	—	**Sertularia abietina** abundant .. .. *Flustra foliacea* c. *Buccinum undatum* spawn. *Solaster papposus.*	1 steam trawler with us.
11.45 a.m.	3.45 p.m.	4	Last 1½ hours flood; first 2½ hours ebb.	Moderate	W.N.W. 6-9.	Heavy squalls.	—	**Hydrallmania falcata** and **sertularia abietina** f.c. *Flustra foliacea* c. *Buccinum undatum* spawn. *Solaster papposus.*	2 steam trawlers with us.
9.30 a.m.	10.45 a.m.	1¼	2 first hours flood.	Smooth	N.W. by N. 5.	Fine, cloudy.	Fore wing badly torn.	*Portunus holsatus.*	
12.30 p.m.	1.45 p.m.	1¼	3½ to 4½ hours flood.	Swell from north-eastwards.	N.W. by N. 4.	Fine. cloudy.	Ground rope parted, and net badly torn.	*Ascidiella virginea* c.	
6.45 a.m.	7.45 a.m.	1	Second to third hour ebb.	Smooth	S.E. 2	Overcast.	—	*Flustra foliacea* c.	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XXX	19	Apr.	14	O 186	North of Terschelling, L.V.	53° 43¼′ N., 4° 26½′ E.	W.S.W. 3½ miles N.E. by E. ¾ E 8⅛ miles.	53° 47½′ N., 4° 58½′ E.	21	20	20	m.	m.	m.
,,	24	,,	,,	O 187	,, ,,	53° 46′ N., 4° 52¼′ E.	S.W. 11¼ miles	53° 39¼′ N., 4° 38′ E.	20	..	19	m.	..	s. & m.
,,	31	,,	15	B 125	Texel Ground ..	53° 0′ N., 4° 18½′ E.	W. by S. ⅞ S. 7⅞ miles	52° 55½′ N., 4° 7½′ E.	15	..	14	f.s.	..	f.s.
,,	39	,,	,,	B 126	North East part of Brown Ridges.	52° 53¾′ N., 3° 45′ E.	N.N.E. 6⅛ miles	52° 59½′ N., 3° 46′ E.	15	..	15	f.s.	..	f.s.
XXXI	1	May	11	B 127	Off Norderney ..	53° 50′ N., 7° 7′ E.	E. by N. 3½ miles W. by N. ½ N. 3 miles.	53° 51⅝′ N., 7° 7′ E.	11	12	12	f.s.	..	f.s.
,,	2	,,	12	B 128	North of Norderney	54° 0¾′ N., 7° 7¼′ E.	E. by S. ¼ S. 9¾ miles	54° 0½′ N., 7° 24′ E.	15½	..	17	f d.s.	..	f.d.s.
,,	3	,,	,,	B 129	South West of Heligoland.	54° 0⅞′ N., 7° 39½′ E.	S.E. ¾ E. 4¾ miles	53° 58⅝′ N., 7° 46¼′ E.	19	..	18½	s. & ooze.	..	s. & ooze.
,,	4	,,	,,	B 130	Off Weser L.V. ..	53° 58⅝′ N., 7° 46¼′ E.	S. by E. ¼ E. 2⅞ miles S.W. ¼ S. 2⅝ miles.	53° 54¼′ N., 7° 46′ E.	18½	..	11	s. & ooze.	..	f.d.s.
,,	6	,,	,,	B 131	Between Heligoland and Amrum.	54° 29′ N., 7° 50⅝′ E.	N.E. ¾ N. 3⅝ miles	54° 31¾′ N., 7° 53′ E.	11	..	10	f.s. & ooze.	..	f.s.
,,	7	,,	13	O 188	Sylt Inner	54° 53¼′ N., 8° 7′ E.	N.E. ½ E. 4½ miles	54° 56¾′ N., 8° 11′ E.	7	7	7	f.s.	..	f.s.
,,	9	,,	,,	B 132	South West of Fanö	55° 15½′ N., 8° 14½′ E.	N. by E. ⅜ E. 5¼ miles	55° 20½′ N., 8° 15½′ E.	7½	..	7½	f.s. & ooze.	..	f.s. & ooze.
,,	10	,,	,,	B 133	South East of Vyl L.V.	55° 19¾′ N., 7° 54′ E.	N.W. 3 miles N.N.E. 1 mile.	55° 22½′ N., 7° 49¾′ E.	11	..	11	f.s	..	f.s.
,,	12	,,	17	B 134	Norman's Deep ..	55° 34′ N., 7° 49½′ E.	N.W. 4 miles	55° 36½′ N., 7° 42′ E.	11½	..	7	f.d.s.	..	f.d.s.
,,	14	,,	,,	B 135	Horn Reef Outer ..	55° 35′ N., 6° 42½′ E.	W. by N. ½ N. 3¼ miles	55° 35½′ N., 6° 37′ E.	19	..	21	f.l.s.	..	f.l.s.
,,	16	,,	18	B 136	West part of Horn Reef Outer.	55° 33′ N., 6° 5¼′ E.	W. by S. 2¾ miles N.E. ¾ E. 2¼ miles.	55° 33½′ N., 6° 4′ E.	26½	..	27	f.s. & ooze.	..	f.s. & m.
,,	18	,,	,,	B 137	,, ,,	55° 33½′ N., 6° 4′ E.	E. by S. 5½ miles	55° 33½′ N., 6° 14½′ E.	27	..	26	f.s. & m.	..	f.s. & m.
,,	19	,,	21-22	B 138	Sylt Inner	55° 2¼′ N., 8° 6′ E.	S.S.W. 4 miles N.N.E. 2 miles.	54° 59½′ N., 8° 5′ E.	7½	..	7½	f.s.	..	f.s.
,,	20	,,	23	B 139	Sylt Outer	54° 52′ N., 7° 46½′ E.	N.W. ¾ W. 4 miles	54° 53′ N., 7° 40′ E.	10	10½	11½	f.s.	f.s.	f.s.
,,	22	,,	24	B 140	Norman's Deep ..	55° 32¼′ N., 7° 52′ E.	N.W. by N. 3 miles	55° 34¼′ N., 7° 48¼′ E.	12	15	13	f.s. & m.	f.s. & m.	f.s. & m.
,,	23	,,	,,	B 141	,, ,, ..	55° 35⅜′ N., 7° 47′ E.	N.N.W. 3 miles	55° 38′ N., 7° 43¾′ E.	9	..	6½	f.s. & m.	..	f.d.s.
,,	25	,,	25	B 142	Dogger Bank, Northern slope of Swashway.	55° 29′ N., 4° 23′ E.	S.W. 2 miles W. by S. ½ S. 12 miles.	55° 23′ N., 4° 5½′ E.	16½	18	21	f.l.gr.s.	f.s.	f.g.s.
,,	30	,,	26	B 143	Dogger Bank. East of South West Patch.	54° 37½′ N., 2° 39½′ E.	S. ⅞ W. 11 miles	54° 26½′ N., 2° 41½′ E.	12	11	12	f.g.s.	f.g.s.	f.d.s.
,,	42	,,	,,	B 144	Dogger Bank, South of South West Patch.	54° 19½′ N., 2° 22¼′ E.	S.W. ⅞ S. 8 miles	54° 11¾′ N., 2° 16½′ E.	19½	..	21½	f.s.	..	f.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
4.15 a.m.	9.15 a.m.	5	6 hours flood.	Smooth	S. 4	Fine, hazy.	—	*Actinoloba dianthus*. .. .. **Asterias rubens** v.c., *Astropecten irregularis* c., *Echinocardium cordatum* c. *Ophiura ciliaris* c.	1 steam trawler with us.
11.20 a.m.	4.20 p.m.	5	Last hour flood; 4 hours ebb.	Smooth	S.E. 4	Cloudy	—	*Buccinum undatum* spawn.. .. .. .. **Asterias rubens** v.c., *Astropecten irregularis* c.	2 steam trawlers with us.
7 a.m.	10 a.m.	3	First 3 hours flood.	Smooth	S. 3	Fine, very hazy.	—	**Hydractinia echinatum** v.c. .. .. *Natica monilifera* spawn, *Buccinum undatum* spawn. *Eupagurus bernhardus* c. *Astropecten irregularis* f.c.	5 steam trawlers and several Dutch fishing craft with us.
5.15 p.m.	8.15 p.m.	3	2 last hours ebb: 1 hour flood.	Moderately rough.	W. 5	Hazy, overcast, foggy.	—	*Alcyonium digitatum*, *Obelia* (dead). *Paratylus swammerdami* c.	
8.15 p.m.	11.15 p.m.	3	1½ hours flood: 1½ hours ebb.	Very rough	N.N.W. 4-6.	Cloudy, showery.	—	Very little taken	W. Garstang, J. O. Borley, G. T. Atkinson.
4.15 a.m.	7.15 a.m.	3	3 hours flood.	Rough	N.N.W. 5	Cloudy	—	*Buccinum undatum* spawn .. .. .. *Cancer pagurus*. *Astropecten irregularis*, *Ophiura albida*.	"Moorlog" present.
9 a.m.	Noon	3	First 3 hours ebb.	Moderate	N.N.W. 4	Fine, cloudy.	—	**Actionoloba dianthus** filling cod-end, mostly on *Cyprina islandica*; some on *Ostrea edulis*.	Several German sailing trawlers southward of us.
12.15 p.m.	3.15 p.m.	3	Last 3 hours ebb.	Moderate	N.N.W. 3	Fine, cloudy.	—	*Actinoloba dianthus* c. .. .. *Cyanea lamarcki*. *Buccinum undatum* spawn.	"Moorlog" present. Several German sailing trawlers about us.
8.20 p.m.	10.20 p.m.	2	1 hour flood: 1 hour ebb.	Smooth	S. 2	Overcast	—	*Cancer pagurus*. Very little else.	
7 a.m.	9 a.m.	2	Third and fourth hours flood.	Moderate	S. 5	Overcast, dull.	—	*Buccinum undatum* spawn.. .. .. .. **Asterias rubens** v.c.	Passed two steam trawling fleets. Several Danish fishing craft about us.
Noon	2 p.m.	2	Second and third hours ebb.	Moderate	S. by W. 4	Overcast. dull, rain.	—	*Buccinum undatum* spawn c. .. .. .. *Portunus holsatus*, *Hyas araneus*, *Cancer pagurus*. *Asterias rubens* f.c.	
4.30 p.m.	6.30 p.m.	2	1 hour ebb; 1 hour flood.	Moderate	S. 4	Dull, thick	—	**Buccinum undatum spawn** abundant *Eupagurus bernhardus* c., *Cancer pagurus*. *Asterias rubens* c.	One steam trawler with us.
7.20 a.m.	9.20 p.m.	2	Last hour ebb; first hour flood.	Moderate	S.S.W. 5	Overcast, cloudy.	—	**Buccinum undatum spawn** v.c. .. *Asterias rubens* f.c.	"Moorlog" present.
5 p.m.	7 p.m.	2	Fourth and fifth hours ebb.	Rough	W. by N. 4	Overcast, hazy.	—	*Alcyonium digitatum*, *Cyanea lamarcki*. *Buccinum undatum* and spawn, *Fusus antiquus*. *Astropecten irregularis*, *Echinocardium cordatum*.	
6 a.m.	8 a.m.	2	Two last hours ebb.	Moderate	W. by S. 5	Fine, cloudy, hazy.	—	*Actinoloba dianthus*, *Alcyonium digitatum*. *Fusus antiquus* f.c. *Eupagurus bernhardus*.	
8.45 a.m.	10.45 a.m.	2	First 2 hours flood.	Moderate	W.S.W. 4-6.	Fine, hazy	—	*Fusus antiquus* f.c. *Eupagurus bernhardus* f.c.	
(21st) 10.30 p.m.	(22nd) 1.30 a.m.	3	Last hour ebb; 2 hours flood.	Moderate	E.S.E. 5	Cloudy	—	Not recorded	With Gamecock and Great Northern fleets.
Midnight	2 a.m.	2	Two first hours flood.	Moderate	S.E. 5	Dull, rainy.	—	Not recorded.	
12.15 p.m.	1.15 p.m.	1	Last hours ebb.	Moderate	S.E. by S. 5.	Overcast, cloudy.	—	*Buccinum undatum*, and spawn f.c. .. .. *Hyas aranews* **Asterias rubens** v. abundant.	Several Danish fishing boats and two steam trawlers about us.
1.50 p.m.	2.50 p.m.	1	Slack	Moderate	S.E. by S. 5.	Overcast, cloudy.	—	*Buccinum undatum* f.c. .. .. *Asterias rubens* c.	Several Danish fishing boats and two steam trawlers with us.
6.50 a.m.	12.50 p.m.	6	Nil	Moderate	S. 3	Overcast, dull, thick rain.	—	*Obelia longissima*, dead, c. **Alcyonidium gelatinosum** v. abundant, **Flustra securifrons** v.c. *Paratylus swammerdami* c., *Melita obtusata* f.c.	
1.15 p.m.	7.15 a.m.	6	All flood	Smooth	E. by S. 1-2.	Fine, hazy	.....	*Obelia longissima* c. .. .. **Alcyonidium gelatinosum** v. abundant. *Cancer pagurus*.	One steam trawler with us.
5.5 p.m.	8.5 p.m.	3	From 2 to 5 hours flood.	Smooth	S. 3	Cloudy	Had a piece of wreck in trawl. Net torn badly.	**Actinoloba dianthus** v.c., **Alcyonium digitatum** v.c., *Obelia longissima* f.c. **Buccinum undatum** v.c.	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XXXI	43	May	27	B 145	Flamborough Off ..	54° 4′ N., 1° 5½′ E.	W. by S. 6 miles	54° 1½′ N., 0° 56½′ E.	31½	..	26	f.d.s.	..	f.d.s.
„	46	„	„	B 146	Bridlington Bay ..	54° 3½′ N., 0° 8¾′ W.	S.S.W. 3 miles	54° 0½′ N., 0° 9¾′ W.	4¾	..	5½	f.s.	..	f.s.
„	47	„	„	B(c)147	„ „ ..	54° 3½′ N., 0° 9′ W.	S. by W. ½ W. 2½ miles	54° 0¾′ N., 0° 9½′ W.	6	..	7	f.s.	..	f.s.
XXXII	3	June	1	B 148	N.N.W. of Schouwen L.V.	51° 59½′ N., 3° 22′ E.	S.E. ½ E. 1⅝ miles W. ⅝ N. 3⅝ miles.	51° 58¼′ N., 3° 18⅝′ E.	17	..	17	f.s.	..	f.s.
„	14	„	2	B 149	Sunk	51° 50′ N., 1° 31⅛ E.	S. ¾ W. 2 miles	51° 48′ N., 1° 32′ E.	9	..	10	c.s. & gvl.	..	c.s.
„	20	„	3	B 150	Off Southwold ..	52° 16½′ N., 1° 45′ E.	E. by N. ⅛ N. 5⅝ miles	52° 19¼′ N., 1° 54′ E.	10½	..	15	gvl.	..	gvl.
XXXIII	25	„	10	B 151	Lynn Deep	53° 0⅛′ N., 0° 22′ E.	S.W. by W. ⅞ W. 3¼ miles	52° 58′ N., 0° 18′ E.	17	..	12	d.s. & gvl.	..	c.s. & m.
„	44	„	17	B 152	Off Mablethorpe ..	53° 22½′ N., 0° 23½′ E.	S. by E. ¼ E. 4½ miles	53° 19⅜′ N., 0° 26½′ E.	10	9	8	c.s.	c.s.	c.s.
„	51	„	18	B 153	Lynn Deep	52° 56′ N., 0° 14½′ E.	N.E. by E. ⅜ E. 2 miles	52° 57′ N., 0° 17½′ E.	7	..	8	m.	..	m.
„	53	„	„	B 154	North of Blakeney Overfall.	53° 6⅜′ N., 0° 52′ E.	S.E. ½ E. 5 miles	53° 4¼′ N., 0° 59½′ E.	9½	..	9½	c.s. & sh.	..	c.s. & sh.
XXXIV	1	,	28	O 189	Leman Ground ..	53° 18¼′ N., 2° 45½′ E.	N.E. ⅜ E. 9½ miles W. by N. 2½ miles.	53° 25⅜′ N., 2° 50′ E.	16	16	16	f.d.s.	f.d.s.	f.d.s.
„	2	„	„	O 190	East edge of Leman Ground.	53° 25⅜′ N., 2° 50′ E.	N.E. ⅝ N. 5 miles S.E. ⅝ E. 5⅞ miles.	53° 28′ N., 3° 1½′ E.	16	16	16	f.d.s.	f.d.s.	f.d.s.
„	3	July	2	O 191	Flamborough Off ..	54° 2⅛′ N., 0° 45⅝′ E.	E. by N. ⅞ N. 7⅛ miles	54° 7′ N., 0° 56′ E.	26	..	25	s.m.	..	s.m.
„	4	„	2-3	O 192	„ ..	54° 7′ N., 0° 56′ E.	W. 5 miles E. 10 miles.	54° 7½′ N., 1° 9′ E.	25	25	27	s.m.	..	f.s. & m.
„	5	„	3	O 193	„ ..	54° 7½′ N., 1° 9′ E.	E. ⅜ N. 3⅝ miles W. ⅛ S. 5 miles. E. by S. 4⅜ miles.	54° 7¼′ N., 1° 14′ E.	27	27	27	f.s. & m.	..	f.s. & m.
„	6	„	„	O 194	„ ..	54° 7¼′ N., 1° 14′ E.	W. by S. ⅛ S. 5⅞ miles E. ⅛ N. 9⅝ miles.	54° 7¼′ N., 1° 20½′ E.	27	27	28	f.s. & m.	..	s. & m.
„	7	„	„	O 195	„ ..	54° 7¼′ N., 1° 20½′ E.	W. 10⅜ miles E. by S. ⅜ S. 3 miles.	54° 4¼′ N., 1° 8′ E.	28	..	25	s.m.	..	f.d.s.
„	8	„	3-4	O 196	. ..	54° 4¼′ N., 1° 8′ E.	E. by S. 5½ miles W. by N. ¼ N. 6½ miles. E.S.E. 3 miles.	54° 3¾′ N., 1° 9′ E.	25	25	25	f.d.s.	..	f.d.s.
„	9	„	4	O 197	. ..	54° 3¾′ N., 1° 9′ E.	N.E. by E. 4⅛ miles S.W. by W. ⅛ W. 10½ miles S. ½ E. 2 miles.	53° 57′ N., 1° 3½′ E.	25	..	22½	f.d.s.	..	f.d.s.
„	10	„	„	O 198	. ..	53° 57′ N., 1° 3½′ E.	by N. ⅝ N. 8½ miles W. ⅜ N. 4¾ miles.	54° 1¼′ N., 1° 7¼′ E.	22½	23	23	f.d.s.	f.d.s	f.d.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
3.15 a.m.	6.15 a.m.	3	From 3 to 6 hours flood.	Smooth	Variable 1-2.	Overcast, thick.	—	*Actinoloba dianthus* c., *Alcyonium digitatum*, *Obelia longissima*. *Alcyonidium gelatinosum* c., *Flustra securifrons*, *Cancer pagurus*. *Ophiothrix fragilis* f.c. *Ammodytes* sp.	
11.50 a.m.	12.50 p.m.	1	2 hours flood.	Smooth	N.N.E. 4	Dull, thick rain.	—	Very little taken.	
1.50 p.m.	2.50 p.m.	1	Fifth hour flood.	Moderate	N.N.E. 5	Dull, thick rain.	—	*Loligo media* .. .. *Trachinus vipera* f.c., *Callionymus lyra*.	Trawl completely covered with small-meshed nets. (Experiment No. 1.) Small mesh over cod end torn away.
7.30 a.m.	10.30 a.m.	3	3 hours flood.	Smooth	S.S.E. 3	Cloudy, fine, hazy.	Net very badly torn. (No fish recorded.)	Not recorded	W. Wallace, R. A. Todd. Several Belgian sailing trawlers about us.
6.15 a.m.	7.30 a.m.	1½	Sixth hour ebb.	Moderate	N.W. by N. 5.	Overcast, rainy.	—	**Sabellaria spinulosa** v.c. *Echinus miliaris* f.c., *Asterias rubens*, *Solaster papposus*.	
4 a.m.	6 a.m.	2	3 to 5 hours ebb.	Moderate	N.N.E. 5	Overcast	Net torn	*Alcyonidium gelatinosum*, little .. .. .. *Echinus miliaris* f.c., *Asterias rubens*.	Several sailing trawlers with us.
1.15 p.m.	2.45 p.m.	1½	From 4 to 5½ hours flood.	Smooth	E. by N. 5	Cloudy, overcast.	Small hole in batings.	*Alcyonium digitatum*, *Halecium halecinum*, *Hydrallmania falcata*, *Sertularia abietina*. *Flustra foliacea*. *Sabellaria spinulosa*. *Eupagurus bernhardus*. *Asterias rubens*.	W. Wallace, R. A. Todd, G. T. Atkinson.
7 a.m.	10 a.m.	3	Second to fifth hour flood.	Moderate	S.W. by W. 5.	Fine, cloudy, hazy.	—	*Sertularia abietina* f.c. .. .. *Flustra foliacea* c. *Cancer pagurus*. *Asterias rubens*.	Two steam trawlers with us.
4.45 a.m.	6.15 a.m.	1½	Last of ebb, and first of flood.	Smooth	W.N.W. 4-6.	Heavy Clouds, tempest.	Lost contents of bag, the cod line having been insecurely tied.	Not recorded.	
11.40 a.m.	1.40 p.m.	2	Two last hours flood.	Moderate	W. 4-6	Cloudy, hazy, tempest.	Belly and cod end chafed to pieces.	*Modiola modiolus*, *Pecten opercularis*. *Buccinum undatum*.	
4 a.m.	9 a.m.	5	Two last hours ebb; three first hours flood.	Moderately rough.	N.W. by N. 5.	Cloudy, fine.	—	Not recorded; no Naturalists on board ..	J. Potter, C. E. Earl.
9.30 a.m.	3 p.m.	5½	3 hours flood; 2½ hours ebb.	Heavy swell	N.N.W. 4	Cloudy, fine.	Parted aft wire when hauling.	" " " ..	Some fish lost. 4 steam trawlers with us.
4 p.m.	8 p.m.	4	4 hours flood.	Smooth	S.W. 4	Cloudy, tempest.	—	" " " ..	Several steam trawlers with us.
(2nd) 8.30 p.m.	(3rd) 2.30 a.m.	6	Last 2 hours flood; first 4 hours ebb.	Smooth	S.W. by W. 3.	Cloudy, tempest, and fine.	—	" " " ..	Several steam trawlers with us.
2.45 a.m.	8.30 a.m.	5¾	Last 2 hours ebb; 4 hours flood.	Moderately smooth.	S W. by W 4.	Tempest, fine.	—	" " " ..	Several steam trawlers with us.
8.45 a.m.	2.15 p.m.	5½	Last 2 hours flood; 3 hours ebb.	Moderately smooth.	W. 5	Cloudy, fine, tempest.	—	" " ..	Several steam trawlers with us.
2.30 p.m.	8 p.m.	5½	Last 2½ hours ebb; 3 hours flood.	Smooth	Variable, 1 to 3.	Cloudy, fine, empesty.	—	" " " ..	Several steam trawlers with us.
(3rd) 8.20 p.m.	(4th) 2.30 a.m.	6⅛	Last 3 hours flood: first 3 hours ebb.	Moderate	W. by N. 5.	Cloudy, tempesty.	—	" " " ..	Several steam trawlers with us.
2.50 a.m.	8.30 a.m.	5⅔	Last 3 hours ebb; 2½ hours flood.	Moderate	W. by N. 5.	Cloudy, tempesty, fine.	—	" " " ..	Several steam trawlers with us.
9 a.m.	2.30 p.m.	5½	Last 3 hours flood: 2½ hours ebb.	Moderately smooth.	Variable, 5 to 1.	Cloudy, fine.	—	" " " ..	Several steam trawlers with us.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XXXIV	11	July	4	O 199	Flamborough Off ..	54° 1⅛′ N., 1° 7¼′ E.	N.W. by N. ⅜ N. 8⅝ miles E.N.E. 1⅜ miles.	54° 8′ N., 0° 59½′ E.	23	25	27	f.d.s.	f.d.s.	f.d.s.
,,	12	,,	4-5	O 200	,, ..	54° 8′ N., 0° 59½′ E.	E. by S. ¼ S. 9½ miles N.W. ⅜ W. 4½ miles.	54° 10′ N., 1° 9′ E.	27	28	28	f.d.s.	f.s. & m.	f.d.s.
,,	13	,,	5	O 201	,, ..	54° 10′ N., 1° 9′ E.	N. by E. ½ E. 4⅜ miles S.W. ½ S. 4⅛ miles. N.E. by N. ¾ N. 2⅝ miles.	54° 12¼′ N., 1° 6¼′ E.	28	..	29	f.s. & m.	..	f.d.s.
,,	14	,,	,,	O 202	,, ..	54° 12¼′ N., 1° 6¼′ E.	N.E. by N. 1½ miles E. ⅝ S. 1¼ miles.	54° 13¾′ N., 1° 9′ E.	29	..	30	f.d.s.	..	f.d.s. & sh.
,,	15	,,	,,	O 203	,, ..	54° 17½′ N., 1° 16¾′ E.	E. by N. ½ N. 2½ miles W. 5½ miles. E. by S. ⅝ S. 1½ miles.	54° 17′ N., 1° 13½′ E.	30	..	30	d.s. & sh.	..	d.s. & sh.
,,	16	,,	5-6	O 204	,, ..	54° 17′ N., 1° 13½′ E.	E. by S. ¼ S. 1⅜ miles S.W. by S. ¼ S. 9½ miles.	54° 7½′ N., 1° 12¼′ E.	30	..	25	d.s. & sh.	..	f.d.s.
,,	17	,,	6	O 205	,, ..	54° 7½′ N., 1° 12¼′ E.	E.N.E. 5⅜ miles. W. by N. ⅛ N. 6 miles. E. ⅛ S. 3½ miles.	54° 10⅜′ N., 1° 12⅜′ E.	25	..	28	f.d.s	..	f.d.s
,,	18	,,	,,	O 206	,, ..	54° 10⅜′ N., 1° 12⅜′ E.	W. by S. ⅝ S. 7½ miles E. ¼ S. 9⅝ miles.	54° 8⅜′ N., 1° 19′ E.	28	25	27	f.d.s.	f.d.s.	d.s. & sh.
,,	19	,,	,,	O 207	,, ..	54° 8¾′ N., 1° 19′ E.	W. by N. ⅛ N. 11 miles	54° 7⅝′ N., 1° 0½′ E.	27	..	27	d.s. & sh.	..	f.d.s.
,,	20	,,	6-7	O 208	,, ..	54° 7⅝′ N., 1° 0½′ E.	E. by S. ⅜ S. 2⅞ miles W. by S. ¼ S. 7½ miles. E. by N. 5 miles.	54° 6′ N., 1° 1½′ E.	27	27	27	f.d.s.	..	f.s. & m.
,,	21	,,	7	O 209	,, ..	54° 6′ N., 1° 1½′ E.	W. by N. ⅝ N. 10 miles E. by N. ⅜ N. 4⅜ miles.	54° 8½′ N., 0° 50⅝′ E.	27	..	25	f.s. & m.	..	f.g.d. spk.s.
,,	22	,,	,,	O 210	,, ..	54° 8½′ N., 0° 50⅝′ E.	S.W. by S. ¼ S. 9½ miles S.E. ⅛ E. 2 miles. N.E. ¼ N. 5¼ miles.	54° 3½′ N., 0° 54′ E.	25	25	25	f.g.d. spk.s.	..	f.g.s. & sh.
,,	23	,,	,,	O 211	,, ..	54° 4′ N., 0° 53′ E.	E. ½ N. 4¼ miles W. by N. ⅜ N. 3¾ miles. E.N.E. 2⅜ miles.	54° 7′ N., 0° 56½′ E.	25	..	28	f.d.s.	..	f.d.s.
,,	24	,,	7-8	O 212	,, ..	54° 7′ N., 0° 56½′ E.	W. 10 miles E. by S. ⅛ S. 4 miles.	54° 4½′ N., 0° 48½′ E.	28	..	28½	f.d.s.	..	f.s. & m.
XXXV	1	,,	20	B(c)155	,, ..	54° 3′ N., 0° 58′ E.	N.N.E. 1½ miles	54° 4¼′ N., 0° 58¾′ E.	25	..	25	f.d.s.	..	f.d.s.
,,	3	,,	,,	O 213	,, ..	54° 4¼′ N., 0° 58¾′ E.	N.E. ½ N. 6½ miles S.W. by S. ¼ S. 6⅛ miles.	54° 4⅜′ N., 1° 0¾′ E.	25	27	25	f.g.s	f.g.s. & m.	f.s. & m.
,,	4	,,	,,	O 214	,, ..	54° 4⅜′ N., 1° 0¾′ E.	N.E. ⅞ E. 3⅜ miles N.W. by N. ⅛ N. 3½ miles. E. by N. ½ N. 4⅜ miles. W. by N. ½ N. 3¾ miles.	54° 11½′ N., 1° 0⅜′ E.	25	29	30	f.s. & m.	f.d.s.	f.d.s.
,,	5	,,	20-21	O 215	,, ..	54° 11½′ N., 1° 0⅜′ E.	N.W. by W. ⅜ W. 3⅜ miles E. by S. ½ S. 6½ miles. W. 5⅛ miles. E. ⅝ N. 4⅛ miles.	54° 12½′ N., 1° 3⅜′ E.	30	..	35	f.d.s. & m.	..	f.d.s.
	6	,,	21	B(c)156	,, ..	54° 12½′ N., 1° 3⅜′ E.	N.W. ⅝ W. 1 mile	54° 12½′ N., 1° 2½′ E.	35	..	33	f.d.s.	..	f.d.s.

Duration of Haul.			Tide.	Sea	Weather		Damage to Net, &c.	Bottom Fauna.	General Remarks. Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
3 p.m.	8.30 p.m.	5½	Last 3½ hours ebb; first 1½ hours flood.	Smooth	Variable 3 to 1.	Dull, tempest.	Small hole in bosom.	Not recorded; no Naturalists on board ..	Several steam trawlers with us.
(4th) 9 p.m.	(5th) 2.45 a.m.	5¾	Last 4 hours flood; first 2 hours ebb.	Smooth	S.W. by W. 3.	Dull, rainy.	—	" " " ..	Several steam trawlers with us.
3.15 a.m.	8.30 a.m.	5¼	Last 3 hours ebb; first 3 hours flood.	Moderately smooth.	S.W. by W. 3 to 4.	Dull, rain.	—	" " " ..	Several steam trawlers with us.
9 a.m.	10 a.m.	1	Fourth hour flood.	Smooth	S.W. by W. 3.	Dull, overcast, hazy.	Came fast to wreck, parted ground rope and head line, had net very badly torn.	" " " ..	Several steam trawlers with us.
6.30 p.m.	10 p.m.	3½	Last hour ebb; 3½ hours flood.	Smooth	S.W. by W. 1 to 2.	Fine, cloudy.	—	" " " ..	Several steam trawlers with us.
(5th) 10.30 p.m.	(6th) 3 a.m.	4½	Last 2½ hours flood; first 2½ hours ebb.	Smooth	S.W. by W. 2.	Cloudy, fine, hazy.	—	" " " ..	Several steam trawlers with us.
3.30 a.m.	9 a.m.	5½	Last 4 hours ebb; first 1½ hours flood.	Smooth	S.W. by W. 1 to 3.	Fine, cloudy, hazy.	—	" " ..	Several steam trawlers with us.
9.30 a.m.	2.50 p.m.	5⅓	Last 4½ hours flood; first hour ebb.	Smooth	S.W. by W. 4.	Fine, hazy.	—	" " " ..	Several steam trawlers with us.
3.20 p.m.	8.15 p.m.	4¹¹/₁₂	Last 5 hours ebb.	Smooth	W.S.W. 2.	Fine, hazy.	—	" " " ..	Several steam trawlers with us.
(6th) 8.45 p.m.	(7th) 2.30 a.m.	5¾	Last 5 hours flood.	Smooth	N.W. by W. 2.	Fine, hazy.	—	" " " ..	3 steam trawlers with us.
3 a.m.	8.30 a.m.	5½	Last 5½ hours ebb.	Smooth	Variable 1.	Fine, hazy.	—	" " " ..	3 steam trawlers with us.
9 a.m.	2.30 p.m.	5½	5½ hours flood.	Smooth	Variable 1 to 3.	Fine, cloudy, hazy.	Belly badly torn..	" " " ..	3 steam trawlers with us.
5 p.m.	9.30 p.m.	4½	Last 5½ hours ebb.	Smooth	S. 3	Fine, hazy.	—	" " " ..	2 steam trawlers with us.
(7th) 9.50 p.m.	(8th) 3.30 a.m.	5⅔	6 hours flood.	Smooth	W. by N. 3.	Fine, hazy.	—	" " "	
3.50 a.m.	4.50 a.m.	1	Third hour ebb.	Smooth	E.N.E. 2.	Fine, cloudy.	—	**Callionymus lyra** abundant; **Trachinus vipera** abundant: *Solea lutea* f.c. Invertebrates not recorded.	G. T. Atkinson, C. W. Dance. Trawl covered with small meshed nets (Expt. No. 2). Several steam trawlers about us.
6.15 a.m.	11.15 a.m.	5	Last 2 hours ebb; first 3 hours flood.	Moderate swell.	S.E. 3	Cloudy, tempest.	—	Not recorded	Several steam trawlers about us.
11.50 a.m.	6.20 p.m.	6½	Last 2 hours flood; 5 hours ebb.	Moderate swell.	E. 2	Cloudy, fine.	—	"	Several steam trawlers about us.
(20th) 6.50 p.m.	(21st) 2 a.m.	7⅙	Last 2 hours ebb; 5 hours flood.	Moderate swell.	Variable 1 to 2.	Cloudy, fine.	—	"	Several steam trawlers about us.
a.m.	4 a.m.	1	First hour ebb.	Smooth	Variable 1.	Fine, cloudy.	—	"	Small mesh nets round ordinary trawl. (Expt. No. 3). Several steam trawlers about us.

Voyage.	Station.	Month.	Day	Net and No. of Haul.	Name of Ground.	Position			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XXXV	7	July	21	O 216	Botney Gut	53° 51¾′ N., 3° 1½′ E.	N. by E. ⅜ E. 2⅜ miles S. 3 miles. N. ½ W. 5 miles. S. 2 miles. N.W. by W. ½ W. 1¼ miles.	53° 54½′ N., 2° 59′ E.	31	31	32	m.	m.	m.
,,	9	,,	,,	B 157	Between Coal Pit and Broken Bank.	53° 27¼′ N., 1° 54½′ E.	S.E. by S. ½ S. 7½ miles E. ¾ S. 2½ miles. N.W. ½ N. 1⅝ miles.	53° 23⅜′ N., 2° 5½′ E.	13	14	14	s. & grv.	c.s.	f.g.s.
,,	11	,,	22	B 158	Between Swarte Bank and Broken Bank.	53° 25′ N., 2° 2′ E.	S.E. by S. ½ S. 13½ miles	53° 16′ N., 2° 18⅞′ E.	14	14	15	f.g.s.	..	f.g.s.
,,	12	,,	,,	O 217	East of South part of Swarte Bank.	53° 16⅛′ N., 2° 21½′ E.	E. by S. 2 miles N.E. ½ N. 6⅛ miles. W. by N. ⅜ N. 5⅜ miles. N. by E. ⅝ E. 2½ miles.	53° 24⅜′ N., 2° 19⅜′ E.	15	12	14	f.g.s.	f.g.s.	f.g.s.
	13	,,	22–23	O 218	Leman Ground ..	53° 24⅜′ N., 2° 19⅜′ E.	W. by N. ½ N. 3½ miles E.N.E. 5 miles. S.W. by W. 4½ miles. E. by S. ¾ S. 3 miles.	53° 24½′ N., 2° 26¾′ E.	14	14	14	f.g.s.	f.g.s.	f.g.s.
,,	14	,,	23	O 219	,, ..	53° 25′ N., 2° 23¾′ E.	W. ½ N. 4½ miles E. ⅝ N. 4⅜ miles. E. by N. 3½ miles.	53° 27½′ N., 2° 28½′ E.	13	11	19	f.g.s	f.g.s.	f.g.s.
,,	15	,,	,,	O 220	,, ..	53° 28½′ N., 2° 28½′ E.	S.E. ⅞ E. 14⅜ miles	53° 23⅜′ N., 2° 51⅜′ E.	16	..	16	f.g.s.	..	f.g.s.
,,	16	,,	23–24	O 221	,, ..	53° 28⅜′ N., 2° 51¾′ E.	S.E. by E. ⅜ E. 3 miles S.W. ½ W. 4⅜ miles. N. by E. ⅞ E. 7¼ miles.	53° 26½′ N., 2° 54′ E.	16	16	16½	f.g.s.	..	f.g.s.
,,	17	,,	24	O 222	,, ..	53° 26½′ N., 2° 54′ E.	S.W. by S. ½ S. 8⅜ miles N.E. ¾ N. 5⅜ miles. E.S.E. 2 miles.	53° 22′ N., 2° 56′ E.	16½	16	16	f.g.s.	f.g.s.	f.g.s.
,,	18	,,	,,	O 223	,, ..	53° 22′ N., 2° 56′ E.	W. ¾ S. 7⅜ miles N.E. ½ N. 6½ miles. S.E. ½ S. 4½ miles.	53° 23⅜′ N., 2° 58′ E.	16	16	16½	f.d.s.	f.d.s.	f.d.s.
,,	19	,,	24–25	O 224	,, ..	53° 23⅜′ N., 2° 58′ E.	W. 2⅜ miles N.E. by E. ⅜ E. 3½ miles. W. ⅜ N. 3⅜ miles. N.E. by E. ¾ E. 3½ miles.	53° 25½′ N., 2° 55⅜′ E.	16½	16	16½	f.d.s.	f.d.s.	f.d.s.
..	20	,,	25	O 225	,, ..	53° 25½′ N., 2° 55⅜′ E.	S.S.E. 7½ miles	53° 20¼′ N., 3° 3⅜′ E.	16½	16	16	f.d.s.	..	f.d.s.
,,	21	,,	,,	O 226	South-east part of Leman Ground.	53° 20¼′ N., 3° 3⅜′ E.	S.W. ⅝ S. 4½ miles N.N.W. 2½ miles. E. ¼ S. 5½ miles.	53° 19¼′ N., 3° 5½′ E.	16	16	16	f.d.s.	..	f.d.s.
,,	22	,,	,,	O 227	,, ,,	53° 19′ N., 3° 1⅞′ E.	S.E. ½ S. 2 miles S.E. 3⅜ miles. S. ½ mile.	53° 16′ N., 3° 9′ E.	16	..	15	f.d.s.	..	f.d.s.
..	23	,,	26	O 228	North part of Brown Bank.	53° 15½′ N., 3° 38½′ E.	W.S.W. 10½ miles	53° 9′ N., 3° 24′ E.	14	..	15	f.d.s.	..	f.d.s.
,,	25	,,	,,	O 229	,, ,,	53° 9′ N., 3° 24′ E.	E. ⅝ N. 2¼ miles W. ¼ N. 7⅜ miles. E.N.E. 3 miles.	53° 10⅜′ N., 3° 19¾′ E.	15	..	14	f.d.s.	..	f.d.s.
,,	26	,,	26–27	O 230	Brown Bank	53° 10⅜′ N., 3° 19¾′ E.	S.E. by E. ⅝ E. 3¾ miles N.E. ⅝ E. 6½ miles. N.W. ½ N. 3 miles.	53° 15¾′ N., 3° 28½′ E.	14	..	14	f.d.s.	..	f.d.s.
,,	27	,,	27	B 159	North part of Brown Bank.	53° 15¾′ N., 3° 28½′ E.	N.W. ¼ W. 2⅝ miles E. by N. ½ N. 8½ miles. W. by S. ½ S. 4 miles.	53° 19¼′ N., 3° 31′ E.	14	..	14	f.d.s.	..	f.d.s.
,,	28	,,	,,	B 160	,, ,,	53° 19¼′ N., 3° 31′ E.	S.E. by S. 6½ miles E. ½ S. 2 miles. N.W. by W. ⅝ W. 4⅝ miles.	53° 17′ N., 3° 34′ E.	14	..	14	f.d.s.	..	f.d.s.
,,	29	,,	,,	B 161	Brown Bank	53° 17′ N., 3° 34′ E.	S.W. ⅜ W. 12¾ miles	53° 6½′ N., 3° 22′ E.	14	..	14½	f.d.s.	..	f.g.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
2.30 p.m.	8 p.m.	5½	Last hour flood; first 4½ hours ebb.	Moderate swell.	E. 1	Fine, cloudy.	—	**Nephrops norvegicus** very abundant (c.a. 1300). *Lumpenus lampetriformis.*	1 steam trawler with us.
4.30 a.m.	10 a.m.	5½	Last 2 hours flood; first 3½ hours ebb.	Smooth	S.E. 4	Fine, hazy.	Belly torn ..	*Callionymus lyra* .. .. Invertebrates not recorded.	5 steam trawlers outside Swarte Bank. 2 Lowestoft trawling smacks with us.
12.15 p.m.	4.30 p.m.	4¼	First 4 hours flood.	Smooth	S.E. 4	Fine, hazy, foggy.	—	Not recorded	2 Lowestoft trawling smacks with us.
5.30 p.m.	11 p.m.	5½	Last hour flood; 4½ hours ebb.	Smooth	S.E. 1	Fine	—	„	4 steam trawlers with us.
(22nd) 11.30 p.m.	(23rd) 5 a.m.	5½	Last 1½ hours ebb; first 4 hours flood.	Smooth	S.E. 1	Fine, cloudy.	Belly and fore wing torn.	„	4 steam trawlers about us.
8 a.m.	1.30 p.m.	5½	5½ hours ebb.	Smooth	S. 3	Fine, cloudy, hazy.	Belly split ..	„	2 steam trawlers, S.S. Restless and S.S. Grimsby, of Grimsby, with us.
3.40 p.m.	8 p.m.	4½	Last 4 hours flood.	Smooth	S. 2	Cloudy, tempest.	—	„	7 steam trawlers about us.
(23rd) 8.30 p.m.	(24th) 2.30 a.m.	6	Whole ebb.	Smooth	Variable 1.	Cloudy, tempest.	—	„	5 steam trawlers and 1 Yarmouth trawling smack with us.
3.45 a.m.	10.30 a.m.	6¾	Last 4½ hours flood; first 2½ hours ebb.	Smooth	Variable 2.	Fine, cloudy, hazy.	—	„	5 steam trawlers and 1 Yarmouth trawling smack with us.
11 a.m	7 p.m.	8	4½ hours ebb; 3½ hours flood.	Smooth	Variable 1.	Fine, hazy.	—	„	6 steam trawlers and 1 Yarmouth trawling smack with us.
(24th) 7.40 p.m.	(26th) 2.30 a.m.	6⅝	Last hour flood; 6 hours ebb.	Smooth	S.E. 3	Cloudy, tempest.	Turn in aft wing	„	5 steam trawlers with us.
3.30 a.m.	9 a.m.	5½	5½ hours flood.	Moderately smooth.	E.S.E. 4	Fine, cloudy, hazy.	Aft wing torn ..	„	5 steam trawlers with us.
10.15 a.m	3.45 p.m.	5½	Last 4 hours ebb; first hour flood.	Moderately rough.	E.N.E. 6	Overcast, cloudy.	Belly and fore-wing torn	„	3 steam trawlers with us.
5 p.m.	6.40 p.m.	1⅔	First of flood.	Very rough	E.N.E. 7	Overcast, cloudy.	Parted headline and net very badly torn.	„	3 steam trawlers with us.
8.30 a.m.	Noon	3½	Last hour flood; first 3 hours ebb.	Moderate swell.	S.W. 4	Cloudy, fine.	—	„	3 steam trawlers and several Dutch craft with us.
12.30 p.m.	5.30 p.m.	5	Last 3½ hours ebb; first 1½ hours flood.	Moderate swell.	S. 2	Fine, cloudy, tempest.	—	„	3 steam trawlers and several Dutch craft about us.
(26th) 8 p.m.	(27th) 2 a.m.	6	Last hour flood; first 5 hours ebb.	Moderate swell.	Variable 1.	Cloudy, tempest.	—	„	2 steam trawlers and several Dutch craft with us.
3 a.m.	9 a.m.	6	Last hour ebb; first 5 hours flood.	Moderately smooth.	Variable 1.	Cloudy, tempesty.	—	„	2 steam trawlers and several Dutch craft about us.
9.45 a.m.	3.30 p.m.	5¾	First 5½ hours ebb.	Smooth	N. 2	Fine, cloudy.	—	„	2 steam trawlers and several Dutch craft with us.
4 p.m.	10 p.m.	6	All flood	Smooth	Variable 1.	Fine, cloudy, hazy.	—	„	2 steam trawlers with us.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shoot-ing.	Towing.	Haul-ing.	Shoot-ing	Towing	Haul-ing.
XXXVI	1	Aug.	3	B (c) 162	Off Ymuiden ..	52° 28¼′ N., 4° 28′ E.	N. 2 miles	52° 30′ N., 4° 27¼′ E	8½	..	9	f.g.s.	..	f.g.s.
,,	2	,,	,,	O 231	Off Egmond	52° 31⅜′ N., 4° 27′ E.	N.W. by W. 3⅜ miles E. ¼ N. 4¼ miles. N. ½ E. 1⅞ miles.	52° 35⅜′ N., 4° 27′ E.	9	..	9	f.g.s.	..	f.g.s.
,,	3	,,	,,	B (c) 163	East part of Brown Bank.	53° 2¾′ N., 3° 45⅝′ E.	E. by N. 2 miles	53° 3⅝′ N., 3° 49′ E.	15	..	15	f.g.s.	..	f.d.g.s.
,,	4	,,	,,	O 232	,, ,,	53° 3⅜′ N., 3° 49′ E.	N.W. by N. ½ N. 3⅜ miles E.S.E. 3½ miles. N.W. ¼ W. 3½ miles. S.E. by S. 3⅜ miles. N.E. 2 miles.	53° 6½′ N., 3° 52′ E.	15	15	14½	f.d.g.s.	..	f.d.g.s.
,,	50	,,	9	B 164	East of South end of Well Bank.	53° 4′ N., 2° 21½′ E.	N.E. 5 miles	53° 8′ N., 2° 25′ E.	18	20	15	f.d.g.s.	..	f.d.g.s.
,,	51	,,	,,	B 165	,, ,,	53° 8′ N., 2° 25′ E.	E.N.E. 4 miles	53° 10⅝′ N., 2° 30⅝′ E.	15	..	18	f.d.g.s.	..	d.s., m., & gvl.
,,	52	,,	,,	B 166	Off Smith's Knoll Light-vessel.	52° 53⅝′ N., 2° 16′ E.	E. by S. ⅛ S. 6 miles S. ⅜ E. 3½ miles.	52° 49½′ N., 2° 28½′ E.	24	..	21	m. & s.	..	d.s.
,,	53	,,	9–10	B 167	Knoll Deep	52° 49½′ N., 2° 28½′ E.	S. by W. ½ W. 4⅜ miles N. ⅜ E. 6 miles. W. by S. ¼ S. 2¼ miles.	52° 51′ N., 2° 24¼′ E.	21	..	23	d.s.	..	m. & s.
XXXVII	1	,,	16	B 168	Edge of Lowestoft Deeps.	52° 17½′ N., 2° 11⅜′ E.	N.E. ½ N. 1⅜ miles	52° 19′ N., 2° 12¾′ E.	21	..	19	c.s. & sh.	..	c.s. & sh.
,,	2	,,	,,	B 169	Lowestoft Deeps ..	52° 21′ N., 2° 14¼′ E.	N.E. ½ N. 7 miles	52° 27¼′ N., 2° 19¼′ E.	23	..	25	c.s. & sh.	..	c.s. & sh.
,,	3	,,	,,	B 170	East of Lowestoft ..	52° 27¼ N., 2° 19¼′ E.	E. ¾ N. 5¾ miles	52° 29½′ N., 2° 27¾′ E.	25	..	26	c.s. & sh.	..	c.s. & sh.
,,	5	,,	17	B 171	Off Smith's Knoll ..	52° 55¼′ N., 2° 15′ E.	E. by N. ¼ N. 7⅜ miles	52° 58¼′ N., 2° 24′ E.	25	..	19	c.s.	..	g.s.
,,	7	,,	,,	B 172	South-east of Well Bank.	52° 58¼′ N., 2° 24′ E.	E. ⅜ N. 4½ miles	53° 0⅜′ N., 2° 30¼′ E.	19	..	20	g.s.	..	g.s.
,,	9	,,	20	B 173	E.N.E. of Outer Gabbard.	52° 11¼′ N., 2° 33′ E.	E. ⅛ S. 4 miles	52° 12⅜′ N., 2° 39′ E.	23	..	24	g.br.s.	..	g.br.s.
,,	11	,,	,,	B 174	Middle Ground ..	52° 20′ N., 3° 6′ E.	E. ⅜ N. 3½ miles	52° 21¼′ N., 3° 10¼′ E.	20	..	13	g.s.	..	d.g.s.
,,	13	,,	,,	B 175	Winterton Shoal ..	52° 36′ N., 3° 2¾′ E.	N. ¼ E. 2⅜ miles N.E. ¼ E. 1⅜ miles. S.W. by W. ¼ W. 3 miles.	52° 38′ N., 2° 59¾′ E.	19	..	20	g.br.s.	..	g.br.s.
,,	15	,,	21	B 176	Brown Bank	53° 1¼′ N., 2° 55′ E.	E. by S. ¾ S. 5¼ miles	53° 1′ N., 3° 4′ E.	17	..	13	g.br.s.	..	g.br.s.
,,	17	,,	,,	B 177	,, ...	53° 3′ N., 3° 29¼′ E.	E. by S. ¼ S. 5½ miles S.E. by E. ½ E. 8⅜ miles.	53° 1¼′ N., 3° 52¼ E.	15	16	13	f.g.br.s.	..	f.g.s.
,,	19	,,	,,	B 178	North-west of Haaks Light-vessel.	53° 1¼′ N., 3° 52¼′ E.	S.E. by S. ⅜ S. 3½ miles	52° 58⅜′ N., 3° 57¼′ E.	13	16	13	f.g.s.	f.g.s.	f.g.s.
,,	22	,,	21–22	B 179	Broad Fourteens, North part.	52° 58⅝′ N., 3° 57¼′ E.	S. ⅝ W. 13¼ miles	52° 45⅜′ N., 3° 59½′ E.	13	..	14	f.g.s.	..	f.g.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c. Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
4 a.m.	5 a.m.	1	Last ½ hour flood; first ½ hour ebb.	Smooth	S.E. 3	Fine, hazy.	—	*Cyanea lamarcki* .. .. *Portunus holsatus.*	R. A. Todd and A. J. Arrowsmith. Small mesh nets round ordinary trawl. (Expt. No. 4.) Several Dutch craft about us.
6 a.m.	10 a.m.	4	Last 4 hours ebb.	Smooth	E.S.E. 2	Fine, hazy.	—	*Cyanea lamarcki* c. .. .. *Portunus holsatus* c.	Several Dutch craft about us.
4.15 p.m.	5.15 p.m.	1	Last ½ hour flood; first ½ hour ebb.	Smooth	E.S.E. 2	Fine, hazy.	—	*Loligo media* .. .. *Portunus holsatus* f.c. *Asterias rubens* f.c. **Solea lutea** f.c., *Arnoglossus* sp., f.c., *Trachinus vipera* c., *Callionymus lyra.*	Small mesh nets round ordinary trawl (Expt. No. 5.) 2 steam trawlers and several Dutch craft about us.
6 p.m.	Midnight	6	Last 4 hours ebb; first 2 hours flood.	Smooth	S.E. 2	Fine, hazy.	—	*Asterias rubens* c. .. .. *Solea lutea.*	2 steam trawlers with us.
7.40 a.m.	9.40 a.m.	2	2 hours ebb.	Smooth	N.W. 3	Fine, cloudy.	Ground rope parted, and net torn.	Not recorded	Fish not measured.
10.50 a.m.	12.50 p.m.	2	Fourth and fifth hours ebb.	Smooth	N.W. 4	Fine, cloudy, hazy.	—	"	"Absolutely nothing caught." R.A.T.
3.40 p.m.	7.30 p.m.	3⅝	Last 4 hours flood.	Moderately smooth.	W. 1	Fine, cloudy.	—	*Loligo forbesi* c. .. .. *Eupagurus bernhardus*, f.c.	"Moorlog" present. Several trawling smacks around us.
(9th) 8 p.m.	(10th) 1.30 a.m.	5½	First 5½ hours ebb.	Moderately smooth.	S.W. by W. 1-2.	Fine, cloudy.	—	*Loligo forbesi* f.c. .. .. *Cancer pagurus.*	Several trawling smacks with us.
2.45 p.m.	3.30 p.m.	¾	First hour ebb.	Moderately smooth.	E. 3	Overcast	Had a heavy "pull out," hauled, net slightly damaged.	*Alcyonium digitatum* .. .. *Portunus holsatus.* *Asterias rubens*, *Solaster papposus*, *Spatangus purpureus.*	G. T. Atkinson, O. W. Mackrill. 2 French trawling smacks with us.
4.15 p.m.	7.15 p.m.	3	From 2nd to 5th hours ebb.	Moderately smooth.	E. by S. 3.	Cloudy, overcast.	—	Very little taken.	
7.40 p.m.	11.40 p.m.	4	Last 2 hours ebb; first 2 hours flood.	Moderately smooth.	S. 1-4	Overcast	Trawl very badly torn, lost part of belly.	Not recorded	No fish. Several trawling smacks about us.
12.45 p.m.	3.45 p.m.	3	Last 3 hours flood.	Moderate	S.E. 5	Dull, thick, rainy.	—	Very little taken	Several trawling smacks about us.
5 p.m.	7 p.m.	2	Third and fourth hours flood.	Moderate	S.W. 5	Heavy clouds.	—	" "	2 steam trawlers about us.
4 a.m.	7 a.m.	3	Last 2 hours flood; first hour ebb.	Moderately smooth.	N. 3	Overcast, cloudy.	Trawl very badly torn; lost belly.	Nothing taken	No fish. Several Dutch fishing craft about us.
11.30 a.m.	1.30 p.m.	2	First 2 hours flood.	Moderately smooth.	N. 2	Cloudy, fine.	—	Very little taken.	
4.30 p.m.	8.30 p.m.	4	Last hour flood; 3 hours ebb.	Northerly swell.	Variable l.	Fine, cloudy.	—	*Portunus holsatus*	2 steam trawlers with us.
4 a.m.	7 a.m.	3	Last 3 hours flood.	Northerly swell.	N. 2	Fine, cloudy.	—	Very little taken	Passed several steam trawlers.
9.30 a.m.	4.30 p.m.	7	Last 4 hours ebb; first 3 hours flood.	Northerly swell.	Variable 2.	Fine, cloudy.	—	Not recorded	Several steam trawlers about us.
4.45 p.m.	6.45 p.m.	2	Fourth and fifth hours flood.	Northerly swell.	N.E. 2	Fine, cloudy.	—	"	
(21st) 7 p.m.	(22nd) 3 a.m.	8	2 hours flood; 6 hours ebb.	Northerly swell.	E.S.E. 3	Fine, cloudy.	—	"	2 steam trawlers and several Dutch fishing craft about us.

Voyages.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XXXVII	23	Aug.	22	B 180	Broad Fourteens, middle part.	52° 45⅝′ N., 3° 59½′ E.	S.W. by S. ⅞ S. 17 miles	52° 29′ N., 3° 55¼′ E.	14	..	13½	f.g.s.	..	f.g.s.
„	25	„	„	B 181	Broad Fourteens, South part.	52° 30½′ N., 3° 54⅜′ E.	E.S.E. 3½ miles	52° 30′ N., 4° 1′ E.	14	..	13	f.g.s.	..	f.g.s.
„	26	„	„	B 182	„ „	52° 30′ N., 4° 1′ E.	N.W. by W. ⅝ W. 3⅝ miles	52° 30⅝′ N., 3° 55¼′ E.	13	..	14	f.g.s.	..	f.g.s.
XXXVIII	1	„	28	B 183	Dogger Bank, South East of South West Patch.	54° 15½′ N., 2° 44½′ E.	N.W. 10½ miles	54° 21′ N., 2° 29½′ E.	21	16	16½	f.d.g.s.	f.d.g.s.	f.d.g.s.
„	2	„	„	B 184	Dogger Bank, East of South West Patch.	54° 28′ N., 2° 45′ E.	N.E. ½ E. 8¾ miles	54° 34¾′ N., 2° 54½′ E.	12½	12½	13½	f.d.g.s. & sh.	f.d.g.s. & sh.	f.d.g.s. & sh.
„	3	„	„	B 185	Dogger Bank, North East of Eastern Shoal.	54° 46½′ N., 2° 58′ E.	N.E. by E. ⅜ E. 9 miles E. ¾ N. 4⅝ miles.	54° 54¼′ N., 3° 18′ E.	10½	17	17	f.g.s. & sh.	f.g.s. & sh.	f.g.s. & sh.
„	4	„	28-29	B 186	Dogger Bank, middle of South East slope.	54° 54¼′ N., 3° 18′ E.	N.E. ⅜ E. 10½ miles	55° 2½′ N., 3° 28¾′ E.	17	18	19½	f.g.s. & sh.	..	f.g.s.
„	5	„	29	B 187	„ „	55° 2½′ N., 3° 28¾′ E.	N.E. by E. ¼ E. 10¼ miles	55° 9½′ N., 3° 40¾′ E.	19½	20	19	f.g.s.	..	f.g.s.
„	6	„	„	B (c) 188	Swashway of Dogger	55° 21⅜′ N., 4° 11¼′ E.	N.N.E. ¼ E. 3 miles	55° 24′ N., 4° 12½′ E.	21	..	19	f.g.s.	..	f.g.s.
„	7	„	„	B 189	South part of Tail End of Dogger.	52° 24′ N., 4° 12½′ E.	N.E. ¼ E. 4½ miles E. by N. ⅞ N. 6 miles.	55° 31′ N., 4° 25½′ E.	19	17	16½	f.g.s. & sh.	..	f.g.s. & sh.
„	8	„	29-30	B 190	On Tail End of Dogger Bank.	55° 31′ N., 4° 25½′ E.	N. 10 miles	55° 40½′ N., 4° 21½′ E.	16½	17	18	f.g.s. & sh.	..	f.g.s.
„	10	„	30	B 191	Dogger Bank, West of Swashway.	55° 28′ N., 3° 53′ E.	W. by S. ½ S. 6 miles	55° 24¼′ N., 3° 44′ E.	16	..	16	f.g.s. & sh.	..	f.g.s. & sh.
„	12	„	„	B 192	Dogger Bank, North West of Swashway.	55° 27′ N., 3° 42′ E.	N. by E. ⅛ E. 8 miles	55° 35½′ N., 3° 41′ E.	16	17	19	f.g.s. & sh.	..	f.g.s. & sh.
„	14	„	„	B 193	North part of Dogger Bank.	55° 25½′ N., 3° 30′ E.	W.S.W. 4 miles	55° 23½′ N.. 3° 24′ E.	17	..	17	f.g.s. & sh.	..	f.g.s. & sh.
„	15	„	31	B 194	Below North edge of Dogger Bank.	55° 30½′ N., 2° 28½′ E.	E. by S. 10 miles	55° 30½′ N., 2° 46½′ E.	25	24	23	f.g.s. & sh.	..	f.g.s. & sh.
„	18	„	„	B 195	Middle part (E.) of the Dogger Bank.	55° 1½′ N., 2° 43½′ E.	W. by S. ½ S. 4 miles	54° 58¾′ N., 2° 36½′ E.	15	..	13	f.g.s. & sh.	..	f.g.s. & sh.
„	20	„	„	B 196	Middle part (N.W.) of Dogger Bank.	55° 1⅜′ N., 2° 19½′ E.	N. 4 miles W. ¾ S. 4 miles.	55° 3½′ N., 2° 11½′ E.	13	16	16½	f.g.s. & sh.	..	f.g.s. & sh.
„	22	Sept.	1	B 197	Middle part (W.) of Dogger Bank.	54° 50½′ N., 2° 17½′ E.	W. ⅜ S. 7¼ miles.	54° 47½′ N., 2° 6½′ E.	12	..	14½	f.g.s. & sh.	..	f.g.s. & sh.
„	24	„	„	B 198	„ „	54° 44½ N., 1° 58½′ E.	N.W. by N. 3½ miles W. ¾ S. 3½ miles.	54° 45¼′ N., 1° 48′ E.	13½	14	13	f.g.s. & sh.	..	f.g.s. & sh.

Duration of Haul.			Tide.	Sea.	Weather.		Damages to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
3.30 a.m.	10.30 a.m.	7	Last 5 hours ebb; first 2 hours flood.	Moderate	S.E. 5	Cloudy, tempest.	—		
12.15 p.m.	2.15 p.m.	2	Last 2 hours ebb.	Moderately rough.	E. 6	Fine, cloudy.	—	Very little taken	Large piece of "Moorlog" in trawl.
2.30 p.m.	4.30 p.m.	2	First 2 hours ebb.	Moderately rough.	E. 6	Cloudy, tempest.	—	Not recorded.	
4.30 a.m.	9.30 a.m.	5	Last hour ebb; first 4 hours flood.	Smooth	W. 2	Fine, cloudy.	—	**Halichondria panicea** v.c. .. .. *Obelia longissima* f.c. *Pecten opercularis* f.c., *Fusus antiquus.* *Galathea intermedia* c. **Asterias rubens** v. abundant. **Ophiothrix fragilis** v.c.	J. O. Borley, G. T. Atkinson.
Noon	4 p.m.	4	First 4 hours ebb.	Smooth	S.W. 2	Fine, cloudy.	—	**Sponge** v. abundant. **Obelia longissima, dead** v. abundant. *Portunus holsatus* c. *Ophiothrix fragilis* c., *Asterias rubens* f.c.	
6 p.m.	11 p.m.	5	Last 5 hours flood.	Smooth	S.S.W. 2.	Fine	—	**Halichondria panicea** v. abundant. **Obelia longissima**, dead v. abundant. *Fusus antiquus* f.c. *Paratylus swammerdami* c. *Ophiothrix fragilis* c.	
(28th) 11.30 p.m.	(29th) 4.30 a.m.	5	Last 5 hours ebb.	Smooth	S.W. 4	Cloudy, rainy.	—	**Halichondria panicea,** abuudant, **Alcyonidium gelatinosum,** v. abundant. *Fusus antiquus* c. *Portunus holsatus* f.c. **Ophiothrix fragilis** v.c.	
5 a.m.	10 a.m.	5	Last hour ebb; first 4 hours flood.	Smooth	S.W. by W. 4.	Fine, cloudy, hazy.	—	**Halichondria panicea** v.c. .. .. *Alcyonium digitatum* f.c. **Alcyonidium gelatinosum** v. abundant. *Fusus antiquus, Pecten opercularis.* *Eupagurus bernhardus.*	2 steam trawlers with us.
2.30 p.m.	4.30 p.m.	2	Nil	Smooth	S.W. by W. 2.	Fine, hazy	—	**Alcyonium digitatum** v.c. .. .. **Alcyonidium gelatinosum** v. abundant. *Fusus antiquus* c.	Small mesh nets round ordinary trawl (Expt. No. 6). Cod end supported by an oval iron hoop at hinder end.
6 p.m.	11 p.m.	5	Nil	Smooth	S.S.W. 2.	Fine, hazy	—	*Alcyonidium gelatinosum.* *Fusus antiquus* f.c. *Schistomysis ornata* c. *Asterias rubens* c.	
(29th) 11.15 p.m.	(30th) 4.15 a.m.	5	Nil	Smooth	S. 2	Fine, hazy	—	**Alcyonidium gelatinosum** v. abundant. *Fusus antiquus, Loligo forbesi.* *Eupagurus bernhardus* f.c.	Several Norwegian mackerel smacks about us.
7.30 a.m.	10.30 a.m.	3	Nil	Smooth	S.S.E. 3.	Fine	—	*Obelia longissima* c. **Alcyonidium gelatinosum** v. abundant, *Flustra securifrons* c. *Doris pilosa* f.c., *Fusus antiquus, Loligo forbesi.* *Caprella linearis* c., *Paratylus swammerdami* f.c. **Asterias rubens** v.c.	
Noon	4 p.m.	4	Nil	Smooth	S.E. by S. 4.	Fine, cloudy.	—	**Alcyonidium gelatinosum** v. abundant, *Flustra securifrons* c. *Fusus antiquus* f.c. *Caprella linearis* c. *Asterias rubens* c.	
7.15 p.m.	9.15 p.m.	2	Nil	Moderately smooth.	S.E. by E. 4.	Fine, cloudy.	—	**Alcyonidium gelatinosum** v. abundant. *Fusus antiquus, Loligo forbesi.*	
4.15 a.m.	9.15 a.m.	5	Nil	Moderately smooth.	S.E. 4	Fine, hazy	—	**Alcyonidium gelatinosum** v. abundant. *Pecten opercularis, Fusus antiquus.*	Net cut to let out "curly weed" (a. gelatinosum), some fish escaped.
3.30 p.m	5.30 p.m.	2	Third and fourth hours ebb.	Smooth	S.W. 1	Dull, rain.	—	*Eupagurus bernhardus* f.c. **Asterias rubens,** abundant.	
7.30 p.m.	11.30 p.m.	4	First 4 hours flood.	Smooth	Variable 1.	Overcast	—	**Alcyonidium gelatinosum,** abundant. *Pecten opercularis* f.c. *Portunus holsatus* f.c., *Cancer pagurus.* **Asterias rubens** v.c.	
4.30 a.m.	7.30 a.m.	3	Last 2 hours ebb; first hour flood.	Northerly swell.	Variable 2.	Dull, thick, rain.	—	*Obelia geniculata* c. **Alcyonidium gelatinosum** v.c. *Fusus antiquus, Pecten opercularis.* *Echinus sp.* c.	
9.30 a.m.	1.30 p.m.	4	Last 3 hours flood; first hour ebb.	Moderately rough.	N.N.E. 5.	Overcast, cloudy, rain.	—	**Alcyonidium gelatinosum** v. abundant. **Galathea intermedia** v.c.	Net out to let out weed.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XXXVIII	25	Sept.	1	B 199	West part of South West Patch of Dogger.	54° 32¾′ N., 1° 46′ E.	S. by W. 6½ miles	54° 26½′ N., 1° 46½′ E.	10	9	17	f.g.s. & sh.	..	f.g.s. & sh.
,,	26	,,	2	B 200	North part of Leman Ground.	53° 46′ N., 2° 34′ E.	S. by E. ⅛ E. 8 miles	53° 39′ N., 2° 39½′ E.	19	..	19	f.d.g.s.	..	f.d.g.s.
,,	28	,,	,,	B 201	Leman Ground ..	53° 36′ N., 2° 39¼′ E.	S.E. by S. 9 miles	53° 31′ N., 2° 50½′ E.	18	17	17	f.d.g.s.	..	f.d.g.s.
,,	29	,,	2-3	B 202	East part of Leman Ground.	53° 29′ N., 2° 51¼′ E.	S.E. 11⅓ miles	53° 22′ N., 3° 10½′ E.	17	16	15	f.d.s. & oz.	..	f.d.g.s.
,,	30	,,	3	B (c) 203	Brown Bank, North West part.	53° 19¼′ N., 3° 14′ E.	S.E. ½ E. 2½ miles	53° 18′ N., 3° 19′ E.	14	..	14	f.d.g.s.	..	f.d.g.s.
XXXIX	1	,,	15	B 204	Outer Sylt	54° 52½′ N., 7° 21′ E.	N.W. 2 miles	54° 53½′ N., 7° 18′ E.	12½	..	14	l.s.	..	l.s.
,,	3	,,	,,	B 205	West of Horn Reef..	55° 12¼′ N., 7° 17⅝′ E.	N.N.W. 3 miles	55° 14¾′ N., 7° 15′ E.	12	..	14	f.g.s.	..	f.d.g.s.
,,	5	,,	16	B 206	White Bank	54° 55¾′ N., 6° 13½′ E.	W. by S. ¼ S. 3⅜ miles	54° 54½′ N., 6° 9′ E.	22	..	22	s. & m.	..	s. & m.
,,	7	,,	,,	O 233	Horn Reef Outer ..	55° 28′ N., 6° 34′ E.	N. 1½ miles W ⅜ S. 7⅜ miles.	55° 25¾′ N., 6° 20½′ E.	21	..	24½	s. & oz.	..	s. & oz.
,,	8	,,	,,	O 234	West part of Horn Reef Outer.	55° 25¾′ N., 6° 20¼′ E.	W. by N. ¼ N. 10 miles	55° 26¾′ N., 6° 3¼′ E.	24½	..	25	s. & oz.	..	s. & m.
,,	9	,,	,,	O 235	West of Horn Reef Outer.	55° 26⅜′ N., 6° ¾′ E.	W. ½ N. 7½ miles N. by E. ½ E. 2½ miles.	55° 29′ N., 5° 50½′ E.	25	..	26	s. & m.	..	s. & m.
,,	10	,,	17	O 236	,, ,,	55° 29′ N., 5° 50½′ E.	E.S.E. 10¼ miles	55° 27⅓′ N., 6° 9′ E.	26	..	26	s. & m.	..	s. & m.
,,	11	,,	,,	O 237	West part of Horn Reef Outer.	55° 27⅓′ N., 6° 9′ E.	E. by S. ½ S. 2½ miles W. ⅜ N. 8½ miles.	55° 27′ N., 5° 58¾′ E.	26	..	26	s. & m.	..	s. & m.
,,	12	,,	,,	O 238	West of Horn Reef Outer.	55° 28′ N., 5° 57¾′ E.	S.W. by W. ⅞ W. 9¼ miles	55° 23′ N., 5° 45′ E.	26	..	25½	s. & m.	..	f.g.s. & oz.
,,	13	,,	,,	O 239	,, ,,	55° 23′ N., 5° 45′ E.	E. by N. 9½ miles	55° 26¼′ N., 6° 0′ E.	25½	..	26½	f.g.s. & oz.	..	s. & m.
,,	14	,,	,,	O 240	,, ,,	55° 26½′ N., 6° 0′ E.	W. by S. ⅛ S. 5 miles E. by N. 6¼ miles.	55° 27¼′ N., 6° 3¼′ E.	25½	..	26½	f.g.s.	..	s. & m.
,,	15	,,	18	O 241	West part of Horn Reef Outer.	55° 27¼′ N., 6° 3¼′ E.	N.W. ½ W. 2⅜ miles S.S.W. 3 miles. N.E. by E. ⅜ E. 5 miles.	55° 28⅜′ N., 6° 6½′ E.	26½	..	26½	s. & m.	..	s. & m.
,,	16	,,	,,	O 242	West of Horn Reef Outer.	55° 28⅜′ N., 6° 6½′ E.	N.W. by N. 7½ miles N.N.E. 2⅜ miles.	55° 36¾′ N., 5° 58′ E.	26½	..	26½	s.m.	..	s.m.
,,	17	,,	,,	O 243	,, ,,	55° 39½′ N., 5° 57′ E.	S.S.W. 7⅛ miles E. by N. 3¾ miles.	55° 33′ N., 6° 0′ E.	27	..	26½	s.m.	..	s.m.
,,	18	,,	,,	O 244	,, ,,	55° 33′ N., 6° 0′ E.	S.W. ⅜ W. 9 miles	55° 26½′ N., 5° 50½′ E.	26½	..	25	s.m.	..	f.g.s. & oz.
,,	19	,,	19	O 245	West part of Horn Reef Outer.	55° 18¾′ N., 6° 14½′ E.	N.E. ¼ E. 8½ miles	55° 26′ N., 6° 23′ E.	22	..	26	f.g.s. & oz.	..	s. & oz.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
3.30 p.m.	5.30 p.m.	2	Last 2 hours ebb.	Rough	N. by W. 6.	Dull, rain	Lost cod end, full of curly weed.	Nothing taken.	
11.30 a.m.	3.30 p.m.	4	Last 3 hours flood; first hour ebb.	Moderate swell.	N.W. 3	Fine, cloudy.	—	*Pecten opercularis* c. .. .. *Cancer pagurus.* *Asterias rubens*, small, c., *Ophiura albida* f.c., *Ophiura ciliaris.*	1 steam trawler with us.
5 p.m.	10 p.m.	5	Last 3 hours ebb; first 2 hours flood.	Smooth	W. 3	Fine, small clouds.	—	*Actinoloba dianthus* c., *Alcyonium digitatum* f.c. *Eupagurus bernhardus* f.c., *Cancer pagurus.* **Asterias rubens** v.c.	" "
(2nd) 11.30 p.m.	(3rd) 4.30 a.m.	5	Last 4 hours flood; first hour ebb.	Moderately smooth.	S.S.W. 4.	Overcast	—	*Alcyonium digitatum* c., *Actinoloba dianthus* f.c. *Fusus antiquus.* *Portunus holsatus* f.c. **Asterias rubens** v.c., *Astropecten irregularis.*	
6 a.m.	7.30 a.m.	1½	Fourth and fifth hours ebb.	Moderate	S.S.W. 5.	Dull, rain	—	*Alcyonium digitatum*, large .. .. .. *Fusus antiquus.* **Portunus holsatus** v.c. *Asterias rubens* c. *Trachinus vipera* c. *Solea lutea.*, *Arnoglossus* sp., *Callionymus lyra.*	Small mesh nets round ordinary trawl (Expt. No. 7); cod-end supported by an oval iron hoop at hinder end.
1.45 p.m.	2.45 p.m.	1	Fifth hours flood.	Moderate	E.S.E. 5	Cloudy	—	Not recorded; no Naturalists on board ..	C. W. Dance.
6.15 p.m.	7.45 p.m.	1½	Fourth and fifth hours ebb.	Moderate	E.S.E. 4	Cloudy	—	" " "	
4.45 a.m.	6.15 a.m.	1½	Second and third hours ebb.	Smooth	S.E. by E. 3.	Fine, cloudy.	—	" " "	
11 a.m.	3 p.m.	4	Last 4 hours flood.	Smooth	E.S.E. 3	Fine, small clouds.	—	" " "	
3.30 p.m.	7.30 p.m.	4	First 4 hours ebb.	Smooth	S.E. by E. 3.	Fine, small clouds.	—	**Nephrops norvegicus** v. abundant (ca. 1,000). *Cyclopterus lumpus.*	
8 p.m.	Midnight	4	Last 2 hours ebb; first 2 hours flood.	Moderately smooth.	S.E. 4	—	—	Not recorded; no Naturalists on board ..	Sighted one steam trawling fleet.
12.30 a.m.	4.30 a.m.	4	Last 4 hours flood.	Moderately smooth.	S.E. 4	Fine, small clouds.	—	" " " ..	Hauled with Great Northern fleet.
5 a.m.	9 a.m.	4	From second to fifth hours ebb.	Moderately smooth.	S.E. by S. 4.	Fine, small clouds.	Net slightly torn	" " " ..	With Great Northern fleet.
10 a.m.	2 p.m.	4	First 4 hours flood.	Moderately smooth.	S.S.E. 4	Fine, light clouds.	—	" " " ..	" "
2.40 p.m.	6.40 p.m.	4	Last 2 hours flood; first 2 hours ebb.	Moderately smooth.	S.E. 3	Fine, light clouds.	—	" " " ..	" "
7 p.m.	11.30 p.m.	4½	Last 3 hours ebb; first 1½ hours flood.	Moderate	S.S.E. 3	Fine, cloudy.	Belly torn ..	" " " ..	" "
12.30 a.m.	5 a.m.	4½	Last 4½ hours flood.	Moderate	S.S.E. 4	Fine, cloudy.	Belly torn ..	" " " ..	" "
6 a.m.	10 a.m.	4	Second to fifth hours ebb.	Moderate	S.S.E. 4	Fine, cloudy.	Belly torn ..	" " " ..	" "
11.30 a.m.	4 p.m.	4½	Last ½ hour ebb; first 4 hours flood.	Moderate	S.S.E. 5	Fine, cloudy.	Belly torn ..	" " " ..	" "
4.45 p.m.	9 p.m.	4¼	First 4 hours ebb.	Rough	S.S.E. 6	Fine, cloudy.	Net torn badly when hauling.	" " " ..	" "
8 a.m.	11.30 a.m.	3½	From 2 to 4½ hours ebb.	Moderate	S.E. 3	Fine, light clouds.	Belly torn ..	" " " ..	" "

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shoot-ing.	Towing.	Haul-ing.	Shoot-ing.	Towing.	Haul-ing.
XXXIX	20	Sept.	19	O 246	West part of Horn Reef Outer.	55° 26′ N., 6° 23′ E.	W. by N. 12 miles	55° 25′ N., 6° 2½′ E.	26	..	23	s. & oz.	..	s. & oz.
,,	21	,,	,,	B 207	,, ,,	55° 25′ N., 5° 55′ E.	E. by S. 10 miles	55° 25′ N., 6° 11½′ E.	23	..	26	f.g.s.	..	s. & m.
,,	22	,,	19-20	B 208	,, ,,	55° 25′ N., 6° 11½′ E.	W. by N. ⅝ N. 11¾ miles	55° 26¼′ N., 5° 50¾′ E.	26	..	25	s.m.	..	s. & oz.
,,	23	,,	20	B 209	South East of Tail End of Dogger Bank.	55° 26¼′ N., 5° 30¾′ E.	S.W. by W. ¾ W. 9 miles	55° 20½′ N., 5° 38½′ E.	25	..	23	s. & oz.	..	s. & oz.
,,	24	,,	,,	B 210	,, ,,	55° 20½′ N., 5° 38½′ E.	W. 11¼ miles	55° 19′ N., 5° 19½′ E.	23	..	23	s. & oz.	..	f.d.s. & oz.
,,	25	,,	,,	B 211	,, ,,	55° 19′ N., 5° 19½′ E.	W.S.W. 9 miles	55° 13½′ N., 5° 6½′ E.	23	..	23	f.d.s. & oz.	..	f.d.s. & oz.
,,	26	,,	,,	B 212	,, ,,	55° 13½′ N., 5° 6½′ E.	S.S.W. 4½ miles N. by W. 4½ miles.	55° 13′ N., 5° 2¼′ E.	23	..	25	f.d.s. & oz.	..	f.s. & oz.
XL	1	,,	27	B 213	Extreme South of Leman Ground.	53° 6½′ N., 2° 51¼′ E.	S.W. 5¼ miles	53° 2′ N., 2° 47′ E.	17	..	15	f.d.g.s.	..	f.d.g.s.
,,	2	,,	27-28	B 214	,, ,,	53° 2′ N., 2° 47′ E.	N.E. by N. 9 miles	53° 11′ N., 2° 50½′ E.	15	..	16	f.d.g.s.	..	f.d.g.s.
,,	4	,,	28	B 215	South East part of Leman Ground.	53° 10½′ N., 2° 54⅝′ E.	E. ⅛ S. 4¼ miles	53° 11½′ N., 3° 1½′ E.	17	..	17	f.d.s.	..	f.d.s.
,,	5	,,	,,	B 216	,, ,,	53° 11½′ N., 3° 1½′ E	W. by N. ⅛ N. 3½ miles	53° 11¼′ N., 2° 56¼′ E.	17	..	17	f.d.s.	..	f.d.s.
,,	8	,,	,,	B 217	South East of Swarte Bank.	53° 10½′ N., 2° 55′ E.	N W. by N. ⅛ N. 6 miles	53° 16½′ N., 2° 46′ E.	17	..	16	f.d.s.	..	f.d.s.
,,	10	,,	,,	B 218	East of Swarte Bank	53° 17¼′ N., 2° 43¾′ E.	N.W. by N. ⅛ N. 6⅜ miles	53° 21½′ N., 2° 35¾′ E.	16	..	16	f.d.s.	..	f.d.s.
,,	11	,,	,,	B 219	,, ,,	53° 21½′ N., 2° 35¾′ E.	N. by W. ⅜ W. 5¼ miles	53° 26′ N., 2° 31⅜′ E.	16	..	15	f.d.s.	..	f.d.s.
,,	13	,,	29	B 220	Leman Ground ..	53° 26′ N., 2° 31⅜′ E.	N. ¾ W. 5½ miles S. by E. ¾ E. 8 miles.	53° 25¼′ N., 2° 34¾′ E.	15	12	15	f.d.s.	f.spk.s.	f.d.s.
,,	14	,,	,,	B 221	,, ,, ..	53° 25¼′ N., 2° 34¾′ E.	S.E. 5 miles N. ¼ E. 7¾ miles.	53° 29⅜′ N., 2° 39′ E.	15	17	14	f.d.s.	f.d.s.	f.d.s.
,,	17	,,	30	B 222	Lynn Deep	52° 59½′ N., 0° 22⅜′ E.	N.E. by N. 1¼ miles S.W. ¼ S. 1¼ miles.	52° 59⅝′ N., 0° 22½′ E.	15	19	15	d.c.s. & ross.	..	d.c.s. & ross.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
Noon.	4.15 p.m.	4¼	Last hour ebb; first 3 hours flood.	Moderately smooth.	S.E. by S. 3.	Fine, light clouds.	Belly torn ..	Not recorded; no Naturalist on board ..	With Great Northern fleet.
4.45 p.m.	10 p.m.	5¼	Last 2 hours flood; first 3 hours ebb.	Moderately smooth.	S. 3	Fine, light clouds.	—	" " " ..	With Great Northern fleet.
(19th) 10.30 p.m.	(20th) 3.30 a.m.	5	Last 3 hours ebb; first 2 hours flood.	Moderately smooth.	S. 3	Fine, light clouds.	—	" " " ..	Fish not measured.
4.15 a.m.	8.45 a.m.	4½	Last 4 hours flood; first ½ hour ebb.	Moderately smooth.	S. 3	Fine, light clouds.	—	" " " ..	
9.15 a.m.	2 p.m.	4¾	Last 5 hours ebb.	Moderately smooth.	S. 3	Fine, light clouds.	—	" " " ..	1 steam trawler with us.
2.30 p.m.	6.30 p.m.	4	First 4 hours flood.	Moderately smooth.	S.E.	Fine, cloudy.	—	" " " ..	Saw Red Cross fleet's rocket S.W. of us
7 p.m.	11 p.m.	4	Last hour flood; first 3 hours ebb.	Moderately rough.	S.E. by E. 4.	Fine, cloudy	—	" " " ..	With Red Cross fleet.
7.45 p.m.	9.30 p.m.	1¾	Second and third hours flood.	Smooth.	E.S.E. 3	Fine, hazy.	—	*Obelia geniculata* c. .. .. *Eupagurus bernhardus* f.c., *Portunus holsatus*. *Asterias rubens*, *Astropecten irregularis*, *Ophiura ciliaris*. *Trachinus vipera* f.c.	W. Wallace, R. A Todd. Several drifters about us.
(27th) 10 p.m.	(28th) 2.30 a.m.	4½	Last 3 hours flood; first 2 hours ebb.	Smooth.	E.S.E. 3	Fine, hazy.	—	*Alcyonidium gelatinosum* .. .. *Loligo forbesi*. *Eupagurus bernhardus* f.c., *Portunus holsatus* f.c., *Cancer pagurus*. *Asterias rubens*, *Astropecten irregularis*.	Several drifters about us.
5.30 a.m.	7.30 a.m.	2	Last hour ebb; first hour flood.	Smooth.	E.S.E. 3	Fine, hazy.	—	*Obelia geniculata* c. .. .. *Sabellaria spinulosa*. *Henricia sanguinolenta* f.c., *Ophiura ciliata*, *Asterias rubens*, *Astropecten irregularis*.	1 trawling smack and 1 steam drifter about us.
8 a.m.	10 a.m.	2	Second and third hours flood.	Smooth.	E.S.E. 4	Fine, light clouds.	—	*Eupagurus bernhardus* .. .. .. *Astropecten irregularis* c., *Ophiura ciliaris* f.c., *Asterias rubens*.	1 trawling smack with us
11 a.m.	1 p.m.	2	2 last hours flood.	Smooth.	E. by S. 4	Fine, light clouds.	—	*Actinoloba dianthus* on *Buccinum*. *Loligo forbesi*. *Eupagurus bernhardus*, *Portunus holsatus*. *Asterias rubens* c., *Astropecten irregularis* f.c. *Ophiura ciliaris* f.c.	
2 p.m.	4 p.m.	2	Second and third hours ebb.	Smooth.	E. 4	Fine, cloudy, hazy.	—	*Actinoloba dianthus*, *Alcyonium digitatum*. *Buccinum undatum* and spawn, *Fusus antiquus* and spawn. *Eupagurus bernhardus* c. *Asterias rubens* f.c., *Astropecten irregularis*. *Solea lutea*.	
4.15 p.m.	6.15 p.m.	2	2 last hours ebb.	Smooth.	N.E. by E. 4.	Fine, cloudy, hazy.	—	*Alcyonium digitatum*. *Fusus antiquus*, *Loligo forbesi*. *Eupagurus bernhardus*. *Astropecten irregularis*, *Ophiura ciliaris*.	
5.45 a.m.	10.45 a.m.	5	Last hour ebb; first 4 hours flood.	Moderately smooth.	N.E. by E. 4.	Fine, light clouds, hazy.	—	*Buccinum undatum*, *Loligo forbesi* .. .. *Asterias rubens*, *Astropecten irregularis*, *Echinus miliaris*.	1 steam trawler with us
11.15 a.m.	4.15 p.m.	5	Last hour flood; first 4 hours ebb.	Moderately rough.	N.E. 4	Fine, cloudy.	—	*Actinoloba dianthus*, f.c. on *Buccinum* and *Fusus*. *Alcyonium digitatum*. *Buccinum undatum*, *Fusus antiquus* and spawn. *Eupagurus bernhardus* f.c. *Astropecten irregularis* f.c., *Asterias rubens*.	
1.30 p.m.	3 p.m.	1½	Last of ebb.	Smooth.	S.W. by S. 5.	Dull, thick rain.	Ground rope parted, net badly torn.	*Hydrallmania falcata* f.c., *Sertularia abietina* f.c. *Flustra foliacea* f.c. *Buccinum undatum*, *Dendronotus arborescens*. *Cancer pagurus*, *Eupagurus bernhardus*, *Stenorhynchus phalangium*. *Asterias rubens*, *Ophiothrix fragilis*.	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shoot-ing.	Towing.	Haul-ing.	Shoot-ing.	Towing	Haul-ing.
XL	34	Oct.	3	B 223	Lynn Deep	52° 56¾′ N., 0° 16½′ E.	E.N.E. 2½ miles	52° 58⅜′ N., 0° 19⅜′ E.	13	..	13	c.s. & m.	..	c.s. & m.
,,	41	,,	4	B 224	Off Sutton	53° 14½′ N., 0° 21½′ E.	N.E. ¾ N. 4½ miles	53° 19′ N., 0° 25⅛′ E.	5	..	9	s. & gvl.	..	s. & gvl.
,,	42	,,	5	B 225	Off Mablethorpe ..	53° 19′ N., 0° 18′ E.	S.E. 2 miles	53° 18′ N., 0° 21½′ E.	5	..	7	s.m.	..	s.m.
,,	44	,,	,,	B 226	,, ,, ..	53° 21¾′ N., 0° 19½′ E.	N.E. ¾ N. 3 miles W. by N. 1 mile. S.E. ½ mile.	53° 24½′ N., 0° 21′ E.	7	..	8	s.gvl.	..	s.gvl.
,,	45	,,	,,	B 227	Off Inner Dowsing Light-vessel.	53° 19¾′ N., 0° 35½′ E.	E. by N. ⅜ N. 4½ miles	53° 22¾′ N., 0° 40½′ E.	11½	..	14	c.s.	..	s.c. & m.
,,	47	,,	,,	B 228	South end of Little Silver Pit.	53° 22⅜′ N., 0° 42′ E.	W.S.W. 1½ miles N. by E. ⅜ E. 2¾ miles.	53° 24¼′ N., 0° 41′ E.	18	..	40	c.s. & m.	..	m.
XLI	1	,,	15	B 229	Flamborough Head Ground.	54° 7′ N., 0° 11½′ E.	E. by N. ½ N. 3 miles	54° 9′ N., 0° 15½′ E.	27	..	28	c.s. & gvl.	..	c.s. & gvl.
,,	5	,,	16	B 230	Flamborough Off ..	54° 9⅜′ N., 0° 29′ E.	S.E. ½ E. 5½ miles	54° 7′ N., 0° 37½′ E.	30	..	30	f.g.s. & sh.	..	f.g.s.& sh.
,,	6	,,	,,	B 231	,, ,, ..	54° 8¾′ N., 0° 38′ E.	E. by S. ¾ S. 3⅛ miles N. by E. ¾ E. 1½ miles.	54° 9¾′ N., 0° 43½′ E.	30	..	29	f.g.s. & sh.	..	g.spk.s. & sh.
,,	7	,,	,,	B 232	,, ,, ..	54° 9¾′ N., 0° 43½′ E.	S.S.W. 2⅜ miles E. ⅝ N. 1½ miles.	54° 7½′ N., 0° 45½′ E.	29	..	28	g.spk.s. & sh.	..	g.br.s.
,,	11	,,	18	B 233	,, ,, ..	54° 4⅜′ N., 0° 41′ E.	E. by S. ¾ S. 5 miles	54° 3⅜′ N., 0° 50′ E.	30	..	25	g.spk.s.	..	g.spk.s.
,,	12	,,	,,	B 234	,, ,, ..	54° 9¼′ N., 0° 50½′ E.	E. by N. 5 miles	54° 11½′N., 0° 58½′ E.	25	..	27	g.s. & sh.	..	g.spk.s.
,,	13	,,	,,	B 235	,, ,, ..	54° 11½′ N., 0° 58½′ E.	S. ⅜ E. 4½ miles	54° 7¾′ N., 1° 1′ E.	27	..	25½	g.spk.s.	..	d.g.s.
,,	14	,,	,,	B 236	,, ,, ..	54° 7¾′ N., 1° 1′ E.	S.W. ⅝ S. 3 miles E. by N. 1¼ miles.	54° 6′ N., 1° 1¼′ E.	25½	..	26	d.g.s.	..	d.g.s.
,,	15	,,	,,	B 237	,, ,, ..	54° 6′ N., 1° 1¼′ E.	S. ¾ W. 3¼ miles N.W. by W. 1 mile.	54° 3′ N., 1° 0′ E.	26	..	23	d.g.s.	..	d.g.s.
,,	16	,,	19	B 238	,, ,, ..	54° 2¾′ N., 1° 3′ E.	E. by S. ½ S. 2 miles W. ¼ S. 2½ miles.	54° 2′ N., 1° 2½′ E.	26	..	26	g.s. & m.	..	g.s. & m.
,,	17	,,	,,	B 239	,, ,, ..	54° 2′ N., 1° 2½′ E.	W. ¾ S. 4 miles N.E. ½ N. 1 mile.	54° 1⅜′ N., 0° 57½′ E.	26	..	26½	g.s. & m.	..	g.s. & m.
,,	18	,,	,,	O 247	Dogger Bank, South East of South West Patch.	54° 18¼′ N., 2° 30½′ E.	N. ½ E. 5 miles S. by W. 4⅝ miles.	54° 18¾′ N., 2° 30′ E.	17	16	17	g.s. & sh.	g.s. & sh.	g.s. & sh.
,,	19	,,	20	O 248	,, ,,	54° 18¾′ N., 2° 30′ E.	W. by N. 2⅝ miles S.E. by S. ⅝ S. 3⅝ miles. N. by W. ⅜ W. 5 miles.	54° 20′ N., 2° 25′ E.	17	17	18	g.s. & sh.	g.s. & sh.	s. & gvl.

Duration of Haul.			Tide.	Sea	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
1.15 p.m.	2.5 p.m.	⅚	Third hour ebb.	Smooth	E.N.E. 2.	Fine, light clouds.	Came fast to wreck; lost trawl.	*Sertularia abietina* f.c., *Hydrallmania falcata*. **Vesicularia spinosa** v.c., *Flustra foliacea*. *Thelepus cincinnatus*. *Asterias rubens*.	
1.30 p.m.	3.20 p.m.	1⅚	Second and third hours ebb.	Moderately smooth.	S.W. by S. 5.	Overcast, hazy.	Had a pull out, hove up, net badly torn.	*Hydrallmania falcata* f.c. **Vesicularia spinosa** v.c., *Gemellaria loricata* c. *Flustra foliacea* f.c. *Sabellaria spinulosa* c. *Eupagurus bernhardus*. *Asterias rubens*.	
6.45 a.m.	7.45 a.m.	1	Last hour ebb.	Smooth	W. by S. 4.	Cloudy, hazy.	—	Very little taken.	
9.15 a.m.	11.15 a.m.	2	Third and fourth hours flood.	Smooth	W. by S. 4.	Fine, cloudy, hazy.	—	*Flustra foliacea* f.c. *Buccinum undatum*, *Loligo forbesi*. *Eupagurus bernhardus*. *Ophiothrix fragilis*.	
1.30 p.m.	3.30 p.m.	2	Fourth and fifth hours flood.	Moderately smooth.	S.W. by W. 6.	Dull, hazy	—	**Sabellaria spinulosa** v.c. *Pecten opercularis*. *Eupagurus bernhardus*, *Homarus vulgaris*, *Hyas coarctatus*. *Asterias rubens*, *Henricia sanguinolenta*, *Ophiothrix fragilis*, *Solaster papposus*.	
4 p.m.	6 p.m.	2	Last hour flood; first hour ebb.	Rough	S.W. by W. 6.	Cloudy, rain.	Belly badly torn	*Pecten opercularis*	2 steam trawlers about us.
4.45 p.m.	6 p.m.	1¼	First hour flood.	Smooth	S. 3	Fine, cloudy.	Belly badly chafed.	**Pecten opercularis**, abundant . ..	G. T. Atkinson, O. D. Atkinson. Several drifters about.
8.15 a.m.	10.15 a.m.	2	Last 2 hours flood.	Moderately smooth.	S.S.W. 5.	Hazy, overcast.	Broke fore roller. Net slightly torn.	Quantities not recorded.	
11.15 a.m.	1.15 p.m.	2	First 2 hours ebb	Moderately rough.	S.S.W. 5.	Hazy, overcast.	—	" "	2 steam trawlers with us.
1.40 p.m.	3.40 p.m.	2	Fourth and fifth hours ebb.	Moderately rough.	S.W. by S. 6.	Dull, thick rain.	—	*Cancer pagurus*	1 steam trawler with us.
8 a.m.	10 a.m.	2	Second and third hours flood.	Moderately smooth.	N.N.E. 2.	Overcast, cloudy.	—	Not recorded	No fish. 1 steam trawler with us.
11 a.m.	1 p.m.	2	Last 2 hours flood.	Moderately smooth.	W. 2	Cloudy, fine, hazy.	—	Very little taken.	
1.30 p.m.	3.30 p.m.	2	First 2 hours flood.	Smooth	Variable 1-2.	Overcast, hazy.	Belly torn ..	Quantities not recorded.	
4.15 p.m.	6.15 p.m.	2	Fourth and fifth hours ebb.	Smooth	Variable 1-2.	Overcast, hazy.	—	*Cancer pagurus*.	
6.45 p.m.	8.45 p.m.	2	Last hour ebb; first hour flood.	Smooth	Variable 1-2.	Overcast, hazy.	—	*Cancer pagurus*	Several drifters about us.
6.45 a.m.	8.45 a.m.	2	Last hour ebb; first hour flood.	Smooth	W.S.W. 3	Overcast, hazy.	—	Quantities not recorded	Several drifters about us.
9.15 a.m.	11.15 a.m.	2	Second and third hour flood.	Smooth	W. 2	Overcast, hazy.	—	" "	
7 15 p.m.	Midnight.	4¾	Last 2 hours ebb; first 3 hours flood.	Smooth	Variable 1-2.	Fine, cloudy, hazy.	—	**Obelia longissima**, abundant .. .. **Portunus holsatus**, v. abundant.	4 steam trawlers about us.
1.15 a.m.	6 a.m.	4¾	Last 2 hours flood; first 3 hours ebb.	Smooth	Variable 1-2.	Overcast, hazy.	—	*Obelia longissima* f.c. .. .. *Pecten opercularis* c. *Ascidiella virginea*, covered with herring spawn.	2 steam trawlers with us.

Voyage.	Station.	Month	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XLI	20	Oct.	20	O 249	Dogger Bank, South of South West Patch.	54° 20′ N., 2° 25′ E.	S.W. by S. ½ S 3½ miles N. ½ W. 3⅜ miles. S.W. ⅜ S. 2⅝ miles. N. ½ W. 3½ miles.	54° 21′ N. 2° 17¾′ E.	18	..	17	s. & gvl.	..	g.s.
„	21	„	„	O 250	„ „	54° 21½′ N., 2° 17¾′ E.	S. ½ W. 4⅜ miles N. by E. ⅛ E. 6¼ miles.	54° 22½′ N. 2° 18′ E.	17	..	17	g.s.	..	g.spk.s.
„	22	„	„	O 251	„ „	54° 22½′ N., 2° 18′ E.	S. by E. ⅜ E. 9½ miles N. ⅞ W. 2¾ miles.	54° 17½′ N. 2° 26′ E.	17	18	17	g.spk.s.	sh. & g. spk.s.	g.spk.s.
„	23	„	21	O 252	Dogger, Edge of Clay Deep.	54° 56¼′ N., 3° 40¼′ E.	N. by W. 7 miles S.E. ⅜ S. 2½ miles.	55° 1½′ N. 3° 38′ E.	22	20	22	f.g.s.	..	f.g.s.
„	24	„	„	O 253	„ „	55° 1½′ N., 3° 38′ E.	N. 2½ miles S.E. 8 miles.	55° 0′ N. 3° 48½′ E.	22	19	23	f.g.s.	f.g.s.	f.g.s.
„	25	„	„	O 254	„ „	55° 0′ N., 3° 48½′ E.	N. ½ E. 5 miles	55° 5½′ N. 3° 47′ E.	23	..	23	f.g.s.	..	f.g.s.
„	26	„	22	O 255	Borkum Outer ..	54° 9¾′ N., 5° 47½′ E.	W.S.W. 7⅜ miles	54° 5½′ N. 5° 36½′ E.	20	19	20	f.g.s. & oz.	f.g.s. & oz.	f.g.s. & oz.
„	27	„	„	O 256	„ „ ..	54° 6½′ N., 5° 35′ E.	E. ¼ N. 10½ miles	54° 9⅜′ N 5° 53′ E.	20	20	20	f.g.s. & m.	f.g.s. & m.	f.g.s. & oz.
„	28	„	„	O 257	„ „ ..	54° 9⅜′ N., 5° 53′ E.	E. ⅜ N. 9¾ miles	54° 12¾′ N. 6° 12⅜′ E.	20	20	20	f.g.s. & oz.	f.g.s. & m.	f.g.s. & m.
„	29	„	23	O 258	North of Borkum Flat.	54° 12⅜′ N., 6° 12⅜′ E.	S. 3 miles. N.E. by N. ⅜ N. 8 miles.	54° 17¾′ N., 6° 16¼′ E.	20	20	21	f.g.s. & m.	f.g.s. & oz.	f.g.s. & oz.
„	30	„	„	O 259	„ „	54° 17¾′ N., 6° 16½′ E.	N.E. 2⅜ miles S. ⅛ W. 2⅛ miles. N.E. by N. 3½ miles. W. by S. ¾ S. 4 miles.	54° 19′ N., 6° 16′ E.	21	21	21	f.g.s. & oz.	f.g.s. & m.	f.g.s. & m.
„	31	„	„	O 260	„ „	54° 19′ N., 6° 16′ E.	N. by W. ½ W. 2½ miles S.W. by S. ⅞ S. 2⅝ miles. N. by W. ½ W. 2½ miles. S.S.W. 1½ miles. N. ½ E. 3⅜ miles.	54° 22¾′ N., 6° 10′ E.	21	21	21½	f.g.s. & m.	f.g.s. & m.	f.g.s. & m.
„	32	„	„	O 261	„ „	54° 22¾′ N., 6° 10′ E.	S. 8 miles N. by W. ¾ W. 3¼ miles.	54° 17¾′ N., 6° 11′ E.	21½	21	22	f.g.s. & m.	f.g.s. & m.	f.g.s. & m.
„	33	„	23–24	O 262	Borkum Outer ..	54° 17¾′ N., 6° 11′ E.	W. by S. ¾ S. 16 miles.	54° 8¾′ N., 5° 48′ E.	22	21	21	f.g.s. & m.	f.g.s. & m.	f.g.s. & oz.
XLII	1	„	28	B 240	Brighton	50° 43′ N., 0° 2½′ W.	S. by E. 3½ miles N. by W. ¾ W. 1 mile.	50° 40½′ N., 0° 1′ W.	12	..	15½	c.s.	..	c.s. & m.
„	2	„	„	B 241	Brighton Outer ..	50° 38¾′ N., 0° 0½′ W.	W.S.W. 4 miles	50° 36′ N., 0° 4¾′ W.	24	..	30	s. & m.	..	s. & m.
„	3	Nov.	11	B (c) 242	Teignmouth Bay ..	50° 32⅛′ N., 3° 28¼′ W.	W. by S. ¼ S. 1 mile S.W. by S. ½ S. 2 miles. S. ¼ E. ⅝ miles.	50° 29¾′ N., 3° 29¼ W.	7	4	7	s. & m.	..	s. & m.
„	4	„	„	B 243	„ „	50° 32¼′ N., 3° 28¼′ W.	S.W. ½ W. 2¼ miles S. ½ W. 2⅝ miles.	50° 28½′ N., 3° 28⅛′ W.	7	7–4½	7	s. & m.	..	s. & m
XLIII	1	„	17	B 244	South of Eastern Deep Water.	52° 13¾′ N., 3° 19¼′ E.	N. ⅛ E. 5⅜ miles	52° 18¾ N., 3° 17⅛′ E.	15½	16½	18	f.d.s.	..	f.d.s.
„	5	„	„	B 245	Edge of Eastern Deep Water.	52° 16½′ N., 3° 4⅛′ E.	E. 5 miles	52° 18′ N., 3° 11¾′ E.	18	..	18½	f.s., clay & sh.	..	f.spk.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
6.30 a.m.	11.30 a.m.	5	Last hour flood; first 4 hours ebb.	Moderately smooth.	S. 3	Overcast, hazy.	—	Quantities not recorded	1 steam trawler with us.
Noon.	4.30 p.m.	4½	Last hour ebb: 3½ hours flood.	Moderately smooth.	S. 4	Overcast, hazy.	—	" "	
5 p.m.	10 p.m.	5	Last 2 hours flood; first 3 hours ebb.	Moderately smooth.	S. 4	Overcast, hazy.	—	" "	Several drifters about us.
6.15 a.m.	10.15 a.m.	4	Nil	Moderately rough.	S. 4	Overcast, hazy.	Turn in aft wing and net slightly torn.	" "	Several steam trawlers about us.
11.30 a.m.	4.30 p.m.	5	Nil	Rough	S.S.E. 5	Overcast, hazy.	—	*Loligo* sp., c.	1 steam trawler with us.
5 p.m.	7.15 p.m.	2¼	Nil	Rough	S. 7	Overcast, hazy.	Had a 'pull-out,' hauled, and found net all right.	Quantities not recorded.	
10 a.m.	1 p.m.	3	First 3 hours ebb.	Moderately smooth.	S.W. 4	Overcast, thick rain.	—	" "	11.30 a.m., spoke S.S. "Zennor," bound for Grimsby.
2 p.m.	6 p.m.	4	Last 1½ hours ebb; first 2½ hours flood.	Smooth	S.S.W. 2	Overcast, hazy.	—	" "	4 German sailing trawlers and 2 steam trawlers.
6.30 p.m.	11.30 p.m.	5	Last 3 hours flood; first 2 hours ebb.	Smooth	S. 2.	Overcast, dull, hazy.	—	" "	
12.15 a.m.	5.15 a.m.	5	Last 4 hours ebb; first hour flood.	Smooth	S.W. 2	Overcast, hazy.	—	Quantities not recorded.	
5.45 a.m.	10.45 a.m.	5	Last 4 hours flood; first hour ebb.	Smooth	S.S.W. 2.	Overcast, hazy.	—	" "	2 steam trawlers about us.
11.15 a.m.	4.15 p.m.	5	Last 5 hours ebb.	Smooth	S.S.W. 2.	Overcast, hazy.	—	" "	
4.45 p.m.	9.45 p.m.	5	First 5 hours flood.	Smooth	Variable, 1-2.	Overcast, hazy.	—	" "	
(23rd) 10.15 p.m.	(24th) 4.15 a.m.	6	All ebb.	Smooth	Variable, 1-2.	Dull, thick rain.	—	" "	
7.10 a.m.	9.10 a.m.	2	Last hour ebb; first hour flood.	Moderately smooth.	S.S.E. 3.	Fine, cloudy, hazy.	—	*Callionymus lyra*. Invertebrates not recorded.	G. T. Atkinson, D. J. Matthews. Several trawling smacks about us.
10 a.m.	12 a.m.	2	Fourth and fifth hours flood.	Moderately smooth.	S.E. 5.	Fine, cloudy.	—	Not recorded.	
11.45 a.m.	1.30 p.m.	1¾	Last ½ hour flood; first hour ebb.	Smooth	W. by N. 5.	Overcast	Small mesh net badly torn.	**Callionymus lyra** abundant, *Arnoglossus* sp. f.c., *Solea lutea* f.c. *Gobius* sp. Invertebrates not recorded.	Small mesh nets round ordinary trawl (Expt. No. 8); cod-end supported by hoop.
2.15 p.m.	4.30 p.m.	2¼	Fourth and fifth hours ebb.	Smooth	W. 4.	Overcast	—	*Arnoglossus* sp., *Callionymus lyra* v.c. .. .. Invertebrates not recorded.	A number of small fishing boats about.
7 a.m.	9 a.m.	2	First 2 hours ebb.	Smooth	S.S.E. 2.	Cloudy, hazy.	—	*Buccinum undatum* spawn .. .. .. **Asterias rubens** v.c	J. O. Borley, G. P. Bidder. Coming through drifters all night till shooting.
3 p.m.	5 p.m.	2	Third and fourth hours flood.	Smooth	S.W. 3	Cloudy, fine, hazy.	—	*Buccinum undatum*. *Asterias rubens* c.	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XLIII	7	Nov.	18	B 246	Off Gabbard Light-vessel.	52° 0⅝′ N., 2° 11½ E.	E.N.E. 7½ miles	52° 5′ N., 2° 20¼ E.	23	..	26	sharp s.	..	f.s. & sh.
XLIV	1	„	26	B 247	Off Sandettie Light-vessel.	51° 14¼′ N., 1° 51⅝′ E.	W. by S. ½ S. 2 miles	51° 13⅜′ N., 1° 49′ E.	19	..	20½	gvl.	..	gvl.
„	3	„	„	B 248	North West of Sandettie Light-vessel.	51° 15′ N., 1° 49⅝′ E.	N.W. ⅜ N. 1⅛ miles	51° 16′ N., 1° 47¾′ E.	21	..	21	c.s.	..	c.s.
„	5	„	26	B 249	N.N.W. of Sandettie Light-vessel.	51° 16½′ N., 1° 48′ E.	N.E. ¼ E. 3¼ miles	51° 19½′ N., 1° 50¾′ E.	21	..	21	c.s.	..	gvl. sh.
„	12	Dec.	1	B 250	Lowestoft Deep Water.	52° 25⅛′ N., 2° 9½′ E.	S. by W. ⅞ W. 2½ miles W.S.W. 3⅜ miles. S. by W. ¾ W. 5⅝.	52° 15⅝′ N., 2° 3⅜′ E.	21	20	20	br.s. & sh.	d.s.	s.m. & sh.
„	14	„	2	B 251	Edge of Deep Water	52° 16′ N., 2° 2⅝′ E.	N. by E. ¼ E. 10 miles	52° 26′ N., 2° 2½′ E.	19	..	19½	s.m. & gvl.	..	s. & gvl.
„	15	„	„	B 252	Off Lowestoft ..	52° 26′ N., 2° 2½′ E.	S.S.W. 1¼ miles	52° 24¾′ N., 2° 2¼′ E.	19½	..	20	s. & gvl.	..	s. & gvl.
XLV	1	„	8	O 263	North of Terschelling Light-vessel.	53° 42½′ N., 4° 41′ N.	N.E. by E. ⅜ E. 6⅜ miles S. by E. ⅛ E. 4 miles.	53° 43¾′ N., 4° 52′ E.	20	..	19	s. & m.	..	s. & m.
..	2	„	„	O 264	„ „ „	53° 43′ N., 4° 53⅝′ E.	N.W. ⅛ N. 3⅝ miles	53° 45′ N., 4° 48½′ E.	19	..	20	s. & m.	..	s. & m.
„	3	„	9	O 265	„ „ „	53° 51½′ N., 4° 50′ E.	S. by E. ⅜ E. 1 mile	53° 50½′ N., 4° 51¼′ E.	21	..	21	m.	..	m.
„	4	„	„	B 253	„ „ „	53° 49½′ N., 4° 51½′ E.	S.S.W. 7 miles N.E. ½ E. 6⅛ miles.	53° 47′ N., 4° 56¼′ E.	21	20	19	m.	s. & m.	c.s.
..	5	„	„	B 254	„ „ „	53° 47′ N., 4° 56¼′ E.	W. 11 miles.	53° 44⅜′ N., 4° 38′ E.	19	19	20½	c.s	..	m.
„	6	„	9–10	B 255	„ „ „	53° 44⅜′ N., 4° 38′ E.	S.E. by S. 6¼ miles S. by E. ⅝ E. 6 miles.	53° 36′ N., 4° 52½′ E.	20½	19	13	m.	f.s.	f.s. & sh.
„	7	„	10	B 256	„ „ „	53° 27⅜′ N., 4° 52½′ E.	N. by W. ⅝ W. 3⅝ miles. S.E. ½ S. 4⅜ miles. N.E. 3⅜ miles.	53° 31⅜′ N., 4° 58⅝′ E.	14½	13	13	d.s.	..	d.g.s.
„	8	„	„	B 257	„ „ „	53° 31⅜′ N., 4° 58⅝′ E.	N. by W. ⅜ W. 4⅛ miles S.W. ⅜ W. 5½ miles. N.N.E. 3½ miles.	53° 34⅝′ N., 4° 50′ E.	13	..	13	d.g.s.	..	f.l.s.
„	9	„	10–11	B 258	„ „ „	53° 34⅝′ N., 4° 50′ E.	S.E. ½ S. 3¾ miles N. by E. ⅝ E. 5⅜ miles. S. ½ E. 5½ miles.	53° 33′ N., 4° 58½′ E.	13	..	12	f.l.s.	..	f.g.s.
„	10	„	11	B 259	„ „ „	53° 33′ N., 4° 58½′ E.	N. ¼ W. 4 miles S.W. ⅜ W. 5 miles. N. ⅝ E. 4 miles.	53° 36′ N., 4° 53′ E.	12	..	13½	f.g.s.	..	f.d.s.
„	11	„	11	B 260	Terschelling Ground.	53° 36′ N., 4° 53′ E.	N.E. by E. ½ E. 5½ miles S. by W. ¼ W. 3 miles. N.E. ⅛ N. 6⅝ miles.	53° 43′ N., 5° 5′ E.	13½	15	16½	f.d.s.	f.d.s.	s. & m.
„	12	„	„	B 261	„ „	53° 43′ N., 5° 5′ E.	S.E. ⅛ E. 2⅝ miles S.W. by W. ⅛ W. 4¾ miles. W. by S. ⅜ S. 5¾ miles.	53° 35¼′ N., 4° 55⅝′ E.	16½	..	13	s. & m.	..	f.d.s.
„	13	„	11–12	B 262	North of Terschelling Light-vessel.	53° 35¼′ N., 4° 55⅝′ E.	S.W. by S. 3⅜ miles N. ⅜ E. 4½ miles. S.E. ½ S. 2⅝ miles.	53° 34½′ N., 4° 56′ E.	13	13	13	f.d.s.	..	f.g.s.
„	14	„	13	B 263	Terschelling Ground.	53° 28′ N., 5° 10⅜′ E.	N.E. by E. ¼ E. 5⅝ miles N. by E. ⅜ E. 7½ miles.	53° 39½′ N., 5° 16½′ E.	12½	14	15	f.d.s.	..	s. & m.
„	15	„	„	B 264	„ „	53° 39½′ N., 5° 16½′ E.	W. by N. 14½ miles	53° 39⅜′ N., 4° 51¼′ E.	16	..	16	f.d.s.	..	s. & m.

Duration of Haul,			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
6.30 a.m.	9.45 a.m.	3¼	Last 2 hours flood; first 2 hours ebb.	Smooth	W. by N. 3.	Overcast, cloudy. very hazy.	Belly "all to pieces."	*Ophelia limacina* c.	Several Dutch drifters about us.
7.45 a.m.	8.45 a.m.	1	Last ½ hour ebb: first ½ hour flood.	Moderately smooth.	Variable, 2.	Dull, overcast.	—	*Chondractinia digitata* .. .. *Flustra foliacea* c., *Diastopora patina* f.c. *Loligo forbesi.*	W. Wallace, J. O. Borley.
Noon	1 p.m.	1	Last ½ hour flood; first ½ hour ebb.	Moderately rough.	N.N.E. 2.	Cloudy, showery.	—	*Flustra foliacea* c. .. .. *Sepia officinalis.* *Asterias rubens.*	Several trawling smacks about us.
1.45 p.m.	3.15 p.m.	1½	First 2 hours ebb.	Rough	N.N.E. 6.	Overcast, cloudy.	Lost trawl ..	Nothing taken.	
11.45 a.m.	4.15 p.m.	4½	First hour ebb; 4 hours flood.	Moderately smooth.	S.W. to W. 4.	Cloudy	—	*Asterias rubens, Echinus miliaris*	Several drifters about us, and sailing trawlers "lying to."
9 a.m.	1 p.m.	4	Second to sixth hours ebb.	Moderately smooth.	S.W. by W. 4.	Dull, hazy	—	*Hydrallmania falcata* f.c., *Actinoloba dianthus* *Sabellaria spinulosa.* *Buccinum* spawn f.c. *Eupagurus bernhardus* f.c. *Asterias rubens.*	Several trawling smacks and drifters under weigh.
1.30 p.m.	2 p.m.	½	First ½ hour flood.	Moderately smooth.	S.W. by W. 4.	Dull, hazy	2 p.m., came fast, probably to a wreck, hauled, lost trawl beam and after head.	Nothing taken.	
7.30 a.m.	11.30 a.m.	4	Last 4 hours flood.	Moderately rough.	N. by E. 4-7.	Cloudy, squally.	—	Not recorded; no Naturalists on board ..	No Naturalist on board; Captain in charge: measurements and records of fish by the Chief Steward, H.J. Howes. 2 Dutch steam trawlers with us.
2 p.m.	4.30 p.m.	2½	Second to fourth hours ebb.	Rough	N. by E. 4-7.	Cloudy, snow squalls.	—	" " " ..	Shot at noon, got gear foul; hove up, tore net, mended and shot again. 3 steam trawlers with us.
Midnight.	12.30 a.m.	½	Last ½ hour flood.	Rough	N.W. by N. 3-6.	Cloudy, snow showers.	12.30 a.m., came fast, probably to a wreck; hove up, lost trawl and after otter board.	" " "	
8 a.m.	1 p.m.	5	Last 5 hours flood.	Rough	S. 5	Heavy clouds.	—	" " ..	7.30 a.m. shot, came fast probably to a mud bank, hove up and shot again at 8 a.m.
1.30 p.m.	6.30 p.m.	5	Last 5 hours ebb.	Rough	S. 5	Dull, cloudy.	—	" " "	
(9th) 7 p.m.	(10th) 12.30 a.m	5½	Last 5½ hours flood	Rough	S.S.E. 7.	Overcast, hazy.	Net torn	" " " ..	2 steam trawlers about us.
8 a.m.	1.30 p.m.	5½	Last 5½ hours flood.	Moderately smooth.	S. by W. 3.	Dull. thick rain.	—	" " " ..	4 steam trawlers about us.
2 p.m.	7.30 p.m.	5½	Last 5½ hours ebb.	Moderately smooth.	S. by W. 4.	Dull, thick rain.	—	" " " ..	2 steam trawlers about us.
8 p.m.	1.30 a.m.	5½	Last 5½ hours flood.	Moderately smooth.	N. by W.	Cloudy, dull, rain.	—	" " " ..	Several steam trawlers about us.
2 a.m.	7.30 a.m.	5½	Last 5½ hours ebb.	Moderately rough.	N. by W. 5.	Cloudy	—	" " " ..	Several steam trawlers about us.
8 a.m.	2 p.m.	6	All flood	Moderately rough.	N. by W. 4	Cloudy	—	" " " ..	Several steam trawlers about us.
2.30 p.m.	8.30 p.m.	6	All ebb	Moderately rough.	Variable 3-6.	Cloudy	—	" " " ..	Several steam trawlers about.
(11th) 9 p.m.	(12th) 2.30 a.m.	5½	Last 5½ hours flood.	Rough	S. 4-8	Cloudy	—	" " " ..	Several steam trawlers about us.
8 a.m.	2 p.m.	6	All flood	Moderately smooth.	S. by E. 3	Cloudy, hazy.	—	" " "	
2.30 p.m.	8.30 p.m.	6	All flood	Moderately smooth.	S. by E. 3	Cloudy, hazy.	—	" " " ..	Several steam trawlers about us.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XLV	16	Dec.	13-14	B 265	North of Terschelling Light-vessel.	53° 39¾′ N., 4° 51¼′ E.	S. ⅞ W. 6⅝ miles N.W. by N. 4¼ miles.	53° 35⅝′ N., 4° 46¾′ E.	16	..	13	m.	..	f.s.& sh.
„	17	„	14	B 266	„ „ „	53° 35⅝′ N., 4° 46¾′ E.	S.E. 4½ miles N. ½ E. 7¾ miles.	53° 41′ N., 4° 50⅞′ E.	13	..	17½	f.s.& sh.	..	s. & m.
„	18	„	„	B 267	„ „ „	53° 41′ N., 4° 50⅞′ E.	S.W. by S. ½ S. 3½ miles S. by E. ¼ E. 5¾ miles.	53° 32¾′ N., 4° 54⅝′ E.	17½	15	12	s. & m.	s. & m.	f.g.s.
XLVI	1	„	17	B 268	Lowestoft Deep Water.	52° 15⅝′ N., 2° 23⅜′ E.	S.E. ⅜ E. 7 miles S. by W. ½ W. 1 mile.	52° 12¼′ N., 2° 33¼′ E.	25	..	24	f.s.	..	f.s.
„	2	„	17-18	B 269	Lowestoft Deep Water, East part.	52° 21′ N., 2° 49⅝′ E.	N. ¼ E. 7 miles N.E. by E. ⅛ E. 8 miles.	52° 33⅝′ N., 2° 56⅝′ E.	21	..	20	f.g.s.	..	f.g.s.
„	3	„	18	B 270	„ „ „	52° 33⅝′ N., 2° 56⅜′ E.	S. ⅛ E. 7½ miles N.W. ⅝ N. 4¾ miles.	52° 29¾′ N., 2° 55¾′ E.	20	20	20	f.s.	f.s.	f.g.s.
„	4	„	„	B 271	„ „ „	52° 28¾′ N., 2° 51′ E.	N.W. by W. ½ W. 3⅝ miles S.E. by E. ⅛ E. 3⅜ miles. S.W. ¼ S. 3 miles.	52° 26½′ N., 2° 49′ E.	21	23	22	f.s.& sh.	f.s. &sh.	f.s. & sh.
„	5	„	„	B 272	„ „ „	52° 26½′ N., 2° 49 E.	N.E. by N. ⅜ N. 6¼ miles S. by E. ⅛ E. 4 miles. N. by E. ⅛ E. 4¾ miles.	52° 34′ N., 2° 53½′ E.	22	22	21	f.s. & sh.	..	f.s.
„	6	„	19	B 273	East part of Lowestoft Deep Water.	52° 34′ N., 2° 53½′ E.	N. 1 mile S.E. by S. ⅛ S. 7⅜ miles. N.W. ⅝ N. 4½ miles. S. ¾ E. 2⅜ miles.	52° 30½′ N., 2° 58½′ E.	21	22	19	f.s.	..	f.g.s.
„	7	„	„	B 274	„ „ ..	52° 30½′ N., 2° 58½′ E.	N.W. ½ N. 6½ miles E. by S. ⅜ S. 4½ miles. N.W. by N. ½ N. 6½ miles.	52° 38′ N., 2° 49½′ E.	19	22	21	f.g.s	..	f.g.s.
„	8	„	„	B 275	„ „ ..	52° 38′ N., 2° 49½′ E.	S.E. ½ E. 5 miles N.W. by W. ⅝ W. 5 miles. S.E. ⅞ S. 5½ miles. N.W. by N. 4 miles.	52° 36′ N., 2° 50½′ E.	21	22	23	f.g.s.	f.g.s.	f.d.s.
XLVII	1	1905 Jan.	9	B 276	Bridlington Bay ..	54° 2¾′ N., 0° 9¼′ W.	S. by W. ⅞ W. 1⅝ miles	54° 1⅛′ N., 0° 9¾′ W.	6	..	6½	f.s.	..	f.s.
„	2	„	13	B 277	Flamborough Head Ground.	54° 13¼′ N., 0° 31½′ E.	S.W. by W. ½ W. 3¾ miles	54° 10⅝′ N., 0° 26¾′ E.	31	..	31	f.d.s.	..	f.d.s.
„	3	„	13-14	O 266	„ „ ..	54° 11¾′ N., 0° 26′ E.	E. 4½ miles W. by N. ⅛ N. 4⅛ miles.	54° 13′ N., 0° 25¼′ E.	31	..	31	f.d.s.	..	f.d.s.
„	4	„	14	O 267	„ „ ..	54° 13′ N., 0° 25½′ E.	E. by N. 4½ miles W. 4½ miles.	54° 14′ N., 0° 25¼′E.	31	..	31	f.d.s.	..	f.d.s.
„	5	„	20	O 268	Flamborough Off ..	53° 59⅞′ N., 0° 34′ E.	E. 4½ miles S.W. by W. ¼ W. 5 miles.	53° 57½′ N., 0° 35½′ E.	26	..	25½	f.s.	..	f.s.
„	7	„	21	O 269	Eastern Edge of Flamborough Off.	53° 50′ N., 1° 11⅝′ E.	N. E. ¾ N. 6⅝ miles N.W. ⅜ W. 4½ miles.	54° 6′ N., 1° 8′ E.	23	27	27	f.s.	f.s.	f.s.
„	12	„	22	O 270	Dogger Bank, East of South West Patch.	54° 20′ N., 2° 38′ E.	N.E. ¾ N. 14 miles	54° 33′ N., 2° 45¾′ E.	15	..	17	f.s.	..	f.s.
„	15	„	„	O 271	Dogger Bank, Eastern Shoal.	54° 33′ N., 2° 45¼′ E.	N. by W. ⅛ W. 8 miles	54° 39¾′ N., 2° 38¾′ E.	17	16	11½	f.s.	f.s.	f.s.
„	18	„	22-23	O 272	North of Dogger Bank Eastern Shoal.	54° 39½′ N., 2° 38¼′ E.	N.E. ½ E. 6 miles N.W. ¾ N. 7 miles.	54° 48½′ N., 2° 34′ E.	11½	11½	12	f.s.	..	f.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks. Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
(13th) 9.30 p.m.	(14th) 2.30 a.m.	5	First 5 hours ebb.	Smooth	S.S.E. 2	Dull, thick fog.	—	Not recorded ; no Naturalists on board ..	Several steam trawlers about us.
3 a.m.	8.30 a.m.	5½	Last 5½ hours flood.	Moderately rough.	S. by E. 2-5	Dull, foggy.	—	" " " ..	Several steam trawlers about us.
9 a.m.	2 p.m.	5	5 hours ebb.	Rough	S.S.W. 6	Dull, hazy.	—	" " "	
Noon	4.15 p.m.	4¼	Last ¼ hour ebb ; first 3¾ flood.	Rough	S.W. 7	Dull, cloudy.	Belly "torn to pieces."	" " " ..	No Naturalists on board ; Captain in charge ; measurements and records of fish by the chief steward, H. J. Howes. Several sailing trawlers about us.
(17th) 9.30 p.m.	(18th) 2.15 a.m.	4¾	Last 4½ hours ebb.	Rough	S.W. 6	Cloudy.	—	" " " ..	Several sailing trawlers about us.
2.45 a.m.	7.30 a.m.	4¾	Last 4¾ hours flood.	Rough	S.W. 7	Cloudy, hazy.	—	" " " ..	Several sailing trawlers about us.
1 p.m.	6 p.m.	5	Last hour ebb ; 4½ hours flood.	Moderately rough.	N.W. 5	Cloudy.	—	" " " ..	Several sailing trawlers about us.
(18th) 6.30 p.m.	(19th) 1 a.m.	6½	Last 1½ hours flood ; 5 hours ebb.	Smooth.	N.W. by N. 2	Fine, cloudy.	—	" " " ..	Several sailing trawlers about us.
1.30 a.m.	7.30 a.m.	6	All flood	Smooth.	N.W. by N. 1.	Fine, hazy.	—	" " " ..	Several sailing trawlers about us
8.15 a.m	3 p.m.	6¾	All ebb.	Smooth	N. 2	Fine, cloudy, hazy.	—	" " " ..	Several sailing trawlers about us.
3.30 p.m.	11 p.m.	7½	All flood ; 1½ hours ebb.	Moderately smooth.	Calm	Fine, cloudy.	—	" " " ..	Two "drift bottles" in trawl. Several sailing trawlers about us.
3.30 p.m.	4 p.m.	½	Second hour flood.	Moderately smooth.	W. by S. 7.	Cloudy	—	*Hydrallmania falcata* f.c. .. .. *Flustra foliacea* f.c.	W. Wallace, R. A. Todd, G. T. Atkinson.
6.45 p.m.	8.45 p.m.	2	First 2 hours flood.	N.N.E. swell.	Variable	Cloudy, hazy.	Came fast, probably to a wreck, hauled, net badly torn, and beam broken.	*Actinoloba dianthus*, many on wreckage. *Alcyonidium gelatinosum* f.c. *Pecten opercularis*. *Porcellana longicornis* f.c. **Pycnogonum littorale** v.c. on *Actinoloba*. *Eupagurus bernhardus*, *Portunus holsatus*. *Ophiothrix fragilis* f.c. *Cyclopterus lumpus*.	
(13th) 11 p.m.	(14th) 4 a.m.	5	Last hour flood ; first 4 hours ebb.	Moderately rough.	S. 4	Fine, hazy	—	*Alcyonium digitatum*. *Alcyonidium gelatinosum*. *Fusus antiquus*, *Buccinum undatum*, *Pecten opercularis*. *Eupagurus bernhardus* f.c., *Portunus holsatus* f.c. *Asterias rubens*.	
5 a.m.	10 a.m.	5	Last hour ebb ; first 4 hours flood.	Rough	S. 6	Fine, cloudy, hazy.	—	*Actinoloba dianthus*. *Pecten opercularis* c. *Asterias rubens*.	
11.45 a.m.	3.45 p.m.	4	First 4 hours flood.	Moderately rough.	S. E. by E. 5.	Overcast	—	*Alcyonium digitatum* f.c., *Actinoloba dianthus* *Pecten opercularis* c., *Fusus antiquus*. *Eupagurus bernhardus* c., *Portunus holsatus*. *Asterias rubens* c.	Several steam trawlers about us.
9.15 a.m.	1.15 p.m.	4	Last 4 hours ebb.	Moderately rough.	S. E. by E. 5.	Fine, cloudy.	Belly and fore wing badly torn,	*Alcyonium digitatum*. *Pecten opercularis*. *Eupagurus bernhardus*.	
8 a.m.	1 p.m.	5	Last 5 hours ebb.	Moderately rough.	E. 4	Overcast	—	**Sponge** v. abundant. *Obelia longissima* c., surf-rolled. *Eupagurus bernhardus* c. *Asterias rubens* c.	
2 p.m.	7 p.m.	5	Last 5 hours flood.	Moderately smooth.	E. 2	Overcast	—	*Obelia longissima* c., surf-rolled .. .. .. *Pholas crispata* f.c. *Eupagurus bernhardus*, f.c., *Paratylus swammerdami* f.c. *Asterias rubens* c. *Ascidiella virginea* f.c.	"Moorlog" present.
(22nd) 8 p.m.	(23rd) 1 a.m.	5	Last 5 hours ebb.	Moderately smooth.	S. 2	Overcast	—	*Obelia geniculata* c., *Obelia longissima* f.c. **Alcyonidium gelatinosum** v.c. *Eupagurus bernhardus* f.c.	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XLVII	19	Jan.	23	O 273	North of Dogger Bank Eastern Shoal.	54° 48½′ N., 2° 34′ E.	N.E. by N. ½ N. 11 miles	54° 59′ N., 2° 39′ E.	12	11	14	f.s.	f.s.	f.s. & sh.
,,	22	,,	,,	O 274	,, ,,	54° 59′ N., 2° 38½′ E.	S. ½ E. 12 miles	54° 48¼′ N., 2° 46′ E.	14	11	10	f.s. & sh.	f.s. & sh.	f.s. & sh.
,,	25	,,	,,	O 275	Clay Deep, Edge of Dogger.	54° 52′ N., 3° 20½′ E.	E. by S. ½ S. 5½ miles	54° 51½′ N., 3° 30½′ E.	20	..	22	..	..	f.s. & oz.
,,	26	,,	25	O 276	East of Leman Ground.	53° 29¼′ N., 3° 1′ E.	E. by N. 2½ miles W. by S. 6½ miles.	53° 27½′ N., 2° 54⅝′ E.	19	20	17½	f.s. & m.	..	f.s. & m.
,,	29	,,	,,	O 277	Leman Ground ..	53° 27½′ N., 2° 55½′ E.	W. 4½ miles	53° 27′ N., 2° 48′ E.	17½	..	17	f.s. & m.	..	f.g.s.
XLVIII	2	Fe	14	B 278	South East of Smith's Knoll Light-vessel.	52° 46′ N., 2° 13⅞′ E.	N.E. by E. ¼ E. 7½ miles	52° 51⅜′ N., 2° 22½′ E.	22	..	24	s. & m.	..	s. & ross.
,,	5	,,	14-15	B 279	Extreme South of Leman Ground.	52° 57⅞′ N., 2° 33¾′ E.	N.E. ⅞ N. 6½ miles	53° 4⅜′ N., 2° 38′ E.	20½	..	18	s.	..	f.s.
,,	8	,,	15	B 280	Leman Ground ..	53° 13′ N., 2° 44¼ E.	N.E. by N. ½ N. 6⅝ miles	53° 19⅜′ N., 2° 56⅜′ E.	18	..	16½	f.s.	..	f.s.
,,	10	,,	,,	B 281	East part of Leman Ground.	53° 29½′ N., 2° 53′ E.	N.E. ⅛ N. 7½ miles	53° 35⅝′ N., 2° 59′ E.	16½	..	17	f.s.	..	f.d.s.
,,	12	,,	,,	B 282	Botney Ground ..	53° 39⅜′ N., 3° 5′ E.	S.E. by S. ⅞ S. 15⅝ miles	53° 27′ N., 3° 21½′ E.	18½	..	16½	f.d.s.	..	f.d.s.
,,	14	,,	16	B 283	South West part of New Zealand.	53° 20¼′ N., 3° 34½′ E.	S.E. by S. ½ S. 12¼ miles	53° 11⅜′ N., 3° 48½′ E.	15	..	14	f.s.	..	f.d.s.
,,	16	,,	,,	B 284	North West part of Texel Ground.	53° 7′ N., 3° 57⅞′ E.	S.E. ½ E. 6¼ miles	53° 4¼′ N., 4° 7¼′ E.	15½	17	15	f.s.	f.s.	f.s.
,,	18	,,	,,	B 285	Texel Ground ..	53° 1½′ N., 4° 12⅝′ E.	S.W. 3½ miles N.E. ⅝ N. 5 miles.	53° 3′ N., 4° 13⅛′ E.	16	..	16½	f.g s.	—	f.g.s.
,,	20	,,	17	B 286	Brown Ridges ..	52° 54½′ N., 3° 55⅝′ E.	W. by S. ½ S. 14⅝ miles	52° 46⅝′ N., 3° 34′ E.	14	17	14	f.g.s.	f.g.s.	f.br.s.
,,	22	,,	,,	B 287	Western Edge of Lowestoft Deep Water.	52° 29′ N., 2° 11′ E.	S.W. ¼ W. 9½ miles	52° 21′ N., 2° 3′ E.	23	..	20	f.g.s. & pebbles	—	f.d.s.
XLIX	1	,,	28	B 288	Knoll Deep	52° 34½′ N., 2° 16′ E.	S.E. ⅝ S. 1 mile	52° 34′ N., 2° 17⅛′ E.	22	..	22	sharp s.	—	ross.
,,	3	Mar.	1	B 289	Winterton Shoal ..	52° 39½′ N., 2° 50⅜′ E.	S.E. by E. ½ E. 6 miles N.E. by E. ⅜ E. 5 miles	52° 41¼ N., 3° 6¼′ E.	19½	..	16	blk. spk.s.	—	bk.spk. s.
,,	5	Mar	1-2	B 290	Leman Ground ..	53° 8½′ N., 2° 30¾′ E.	N. by E. ½ E. 12⅜ miles	53° 21¼′ N., 2° 31′ E.	17	16	15	f.d.s.	f.g.s.	f.g.s.
,,	6	,,	2	B 291	,, ,, ..	53° 24¾′ N., 2° 20′ E.	N.E. by E. ½ E. 4 miles S.W. by S. 1⅜ miles.	53° 26½′ N., 2° 24⅝′ E.	12	..	13	f.blk. spk.s	..	f.d.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
2 a.m.	7 a.m.	5	Last 5 hours flood.	Moderately smooth.	S. 4	Overcast	—	*Obelia longissima* f.c. **Alcyonidium gelatinosum** abundant. *Lacuna crassior* and spawn c. *Galathea intermedia* c., *Eupagurus bernhardus* f.c. *Asterias rubens* c. *Ascidiella virginea.*	
8 a.m.	1 p.m.	5	Last 5 hours ebb.	Moderately smooth.	S.W. 5	Overcast	—	*Obelia longissima* c., *O. geniculata* f.c. **Alcyonidium gelatinosum** v.c. *Eupagurus bernhardus* c., *Galathea intermedia* f.c *Asterias rubens* c. *Ascidiella virginea* c.	
5 p.m.	7.45 p.m.	2¾	First 3 hours flood.	Rough	S.W. 6	Overcast	—	*Eupagurus bernhardus.* *Asterias rubens.*	
4 a.m.	9 a.m.	5	Last 3 hours ebb; first 2 hours flood.	Rough.	W.N.W. 6.	Cloudy	—	*Fusus antiquus, Ostrea edulis.* *Asterias rubens* c., *Astropecten irregularis, Ophiothrix fragilis.*	
9.50 a.m.	Noon	2⅛	Second to fourth hours flood.	Very rough.	W.N.W. 8.	Cloudy	—	*Actinoloba dianthus.* *Asterias rubens* c.	
5.45 p m.	8.45 p.m.	3	First 3 hours ebb.	Moderately smooth.	N.W. 2	Overcast, hazy.	—	*Sabellaria spinulosa* c. .. .. *Buccinum undatum* spawn. *Eupagurus bernhardus* c. *Asterias rubens.*	J. O. Borley, J. Potter, A. J. Arrowsmith.
(14th) 10.40 p.m.	(15th) 1.40 a.m.	3	Last 1½ hours ebb; first 1½ hours flood.	Moderately smooth.	N.W. 3	Dull, overcast.	—	*Buccinum undatum* spawn. *Eupagurus bernhardus* c., *Cancer pagurus.*	
3.55 a.m.	7.55 a.m.	4	Last 2 hours flood; first 2 hours ebb.	Moderately smooth.	W. by N. 3.	Overcast, hazy.	—	Very little taken.	
9.40 a.m.	1.40 p.m.	4	Last 3 hours ebb; first hour flood.	Moderately smooth.	W. by S. 4.	Cloudy, hazy.	—	*Hydrallmania falcata.* *Echinus miliaris* f.c., *Asterias rubens.*	
2.45 p:m.	8.45 pm.	6	All flood	Moderately smooth.	W. by S. 4.	Cloudy, rainy.	—	*Actinoloba dianthus* f.c. *Eupagurus bernhardus, Portunus holsatus.* *Asterias rubens* f.c , *Echinus miliaris* f.c.	
4 a.m.	9 a.m.	5	Last 4 hours flood; first hour ebb.	Smooth.	S.W. by W. 2.	Cloudy, hazy.	—	*Actinoloba dianthus. Alcyonium digitatum* .. *Buccinum undatum* spawn. *Portunus holsatus* c., *Eupagurus bernhardus.*	1 steam trawler with us.
10.45 a.m.	2.15 p.m.	3½	Last of flood.	Moderately smooth.	S.W. by W. 3.	Thick fog	2.15 p.m. Came fast to wreck, broke both trawl heads, and net partly torn.	*Eupagurus bernhardus, Hyas araneus,* .. .. *Asterias rubens* f.c., *Astropecten irregularis.*	1 steam trawler with us.
3 45 p.m.	7.45 p.m.	4	Last 4 hours ebb.	Moderately rough.	S.W. 4	Cloudy, rainy.	Ground rope parted and belly split.	*Cancer pagurus. Eupagurus bernhardus.* *Asterias rubens.*	
4 a.m.	9 a.m.	5	Last 5 hours flood.	Moderately rough.	W. by S. 4.	Fine, cloudy.	—	*Eupagurus bernhardus. Portunus holsatus* .. *Asterias rubens* c.	Several Dutch fishing craft about us.
5.10 p.m.	9.10 p.m.	4	Last 4 hours flood.	Smooth.	W. by N. 2.	Fine, hazy.	—	*Chondractinia digitata.* *Sabellaria spinulosa* f.c. *Buccinum undatum* f.c. *Asterias rubens* f.c.	
5.30 p.m.	6.15 p.m.	¾	From fifth to sixth hour flood.	Moderately rough.	W.S.W. 6.	Dull, rainy.	Came fast to ross bank, net very badly torn.	Very little taken	R. A. Todd, G. T. Atkinson.
9.30 a.m.	1.30 p.m.	4	From 2½ hours ebb to ½ hours flood.	Moderately rough.	W.S.W. 5.	Cloudy, showery.	—	*Eupagurus bernhardus* c. .. .. *Asterias rubens, Spatangus purpureus.*	Several sailing trawlers about us.
(1st) 8.30 p.m.	(2nd) 1.30 a.m.	5	From ½ hour to 5½ hours ebb.	Moderately smooth.	E.N.E. 4	Cloudy.	—	*Hydrallmania falcata* f.c. *Buccinum undatum* spawn. *Eupagurus bernhardus* c., *Portunus holsatus.* *Asterias rubens* f.c.	
11.30 a.m.	2.30 p.m.	3	From 3 to 6 hours ebb.	Moderately rough.	N.E. 6	Cloudy.	—	*Hydrallmania falcata* f.c., *Hydractinia echinata.* *Eupagurus bernhardus, Portunus holsatus.* *Asterias rubens* f.c.	1 steam trawler, the "Aries" of Grimsby, with us.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
XLIX	10	Mar.	2-3	B 292	Markham's Hole ..	53° 45¼′ N., 2° 32½′ E.	E. 2⅛ miles N.W. by W. ⅛ W. 7 miles.	53° 47½′ N., 2° 26′ E.	20	33	19	f.s.	s. & m.	sharp s.
,,	24	,,	3	O 278	Off Grounds	54° 2⅜′ N., 1° 15¾′ E.	N.W. by N. ⅜ N. 12⅝ miles	54° 13′ N., 1° 1⅝′ E.	24	29	33	f.d.s.	..	f.d.s.
,,	25	,,	4	O 279	The Hills..	54° 17¾′ N., 1° 8¾′ E.	E. ⅛ N. 3¼ miles S. ⅜ E. 3⅜ miles. N.W. ¼ N. 2 miles.	54° 16⅜′ N., 1° 12⅝′ E.	26	30	24	f.d.s.	f.d.s.	f.d.s.
,,	26	,,	,,	O 280	,, ..	54° 16⅜′ N., 1° 12¾′ E.	E.N.E. 2½ miles W. by N. 5 miles. N.E. ½ N. 2½ miles.	54° 20⅛′ N., 1° 8¼′ E.	24	27	15	f.g.s.	f.d.s.	f.s.
L	1	,,	8	B 293	Hartlepool	54° 41′ N., 0° 45¼′ W.	N.N.W. 4½ miles	54° 44¾′ N., 0° 50′ W.	27	..	29	c.s. & gvl.	..	m.
,,	8	,,	10	B 294	North of Hartlepool	54° 45½′ N., 1° 14¼′ W.	S. by E. ⅜ E. 1⅝ miles	54° 43¾′ N., 1° 12½′ W.	10	6½	5	c.s.	f.s.	c.s.
,,	9	,,	17	O 281	Hartlepool Ground..	54° 40½′ N., 1° 4½′ W.	E. by N. 5 miles	54° 43′ N., 0° 56¾′ W.	14	20	25	f.d.s.	f.d.s.	f.d.s.
,,	12	,,	,,	O 282	,, ,, ..	54° 43′ N., 0° 54¼′ W.	E.N.E. 1¼ miles W. by S. 2⅛ miles. N.N.W. ¾ mile.	54° 42¾′ N., 0° 58′ W.	27	..	27	f.d.s. & m.	..	f.d.s. & m.
,,	13	,,	,,	O 283	Whitby Ground ..	54° 41¾′ N., 0° 23¾′ W.	E. ⅜ N. 4⅜ miles	54° 43¾′ N., 0° 16½′ W.	34	..	34	f.d.s.	..	f.d.s.
,,	16	,,	17-18	O 284	,, ,, ..	54° 44′ N., 0° 18′ W.	W. by S. ⅛ S. 2⅜ miles E. by S. ⅜ S. 6 miles. W. by S. ¼ S. 4½ miles.	54° 40′ N., 0° 18½′ W.	34	..	35	f.d.s.	..	f.d.s.
,,	17	,,	18	O 285	,, ,, ..	54° 40′ N., 0° 18½′ W.	E. 5 miles W. by N. ⅛ N. 6 miles. N.E. 2 miles.	54° 41½′ N., 0° 17′ W.	35	..	35	f.d.s.	..	f.d.s.
,,	24	,,	,,	O 286	West of Brucey's Garden.	54° 55⅜′ N., 0° 19½ W.	E. ⅜ N. 5¾ miles	54° 58′ N. 0° 28½′ E.	42	..	43	f.d.s.	..	f.d.s.
,,	25	,,	,,	O 287	,, ,, ..	54° 58½′ N., 0° 29¾′ E.	E. by N. 7⅜ miles S.W. by W. ⅜ W. 3 miles. E. by S. 3¼ miles.	55° 0′ N., 0° 42′ E.	43	..	37	f.d.s.	..	f.d.s.
,,	28	,,	19	O 288	Brucey's Garden ..	55° 0′ N., 0° 42′ E.	S.E. by E. ½ E. 4⅜ miles	54° 58⅜′ N., 0° 50′ E.	37	..	33	f.s.	..	f.s.
,,	31	,,	,,	O 289	Dogger Bank, North of South West Patch.	54° 35¼′ N., 1° 46′ E.	E. by S. ¼ S. 4¼ miles E.N.E. 8 miles.	54° 41′ N., 2° 4½′ E.	11½	..	13	f.g.s.	..	f.g.s.
LI	2	,,	31	B 295	Brielle Ground ..	52° 5¼′ N., 3° 47¾′ E.	N.W. by W. ⅜ W. 4½ miles	52° 6⅜′ N., 3° 41′ E.	13	..	11	f.s.	..	f.s. & sh.
,,	3	,,	,,	B 296	,, ,, ..	52° 6⅜′ N., 3° 41′ E.	N. 3¼ miles E. by N. 1¼ miles.	52° 10⅜′ N., 3° 41½′ E.	11	..	13	f.s. & sh.	..	f.br.s.
,,	4	,,	,,	B 297	,, ,, ..	52° 14′ N., 3° 46½′ E.	E.N.E. 5 miles	52° 17⅜′ N., 3° 53¼′ E.	14½	..	13	f.s.	..	f.g.br. s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
(2nd) 9.30 p.m.	(3rd) 1.30 a.m.	4	From ½ to 4½ hours ebb.	Moderately rough.	N.N.E. 3	Cloudy.	—	*Alcyonium digitatum* c., *Hydrallmania falcata* c., *Tubularia indivisa* c., *Actinoloba dianthus* f.c. **Buccinum undatum** spawn, v.c., *Cyprina islandica*, *Fusus antiquus*. *Eupagurus bernhardus* c., *Portunus holsatus* c., *Cancer pagurus*, *Hyas coarctatus*. *Asterias rubens* c., *Spatangus purpureus* f.c. *Callionymus lyra*, *Cyclopterus lumpus*.	2 steam trawlers about us.
7 p.m.	Midnight.	5	From first to sixth hours ebb.	Smooth	Variable 1-2.	Fine, cloudy.	Ground rope parted, and net very badly torn.	*Alcyonium digitatum* c. .. .. *Eupagurus bernhardus*.	Had a trawl beam and trawl head in our trawl.
9.45 a.m.	1.45 p.m.	4	Last 2 hours ebb; first 2 hours flood.	Moderately rough.	S.W. by W. 6.	Overcast, dull.	—	*Actinoloba dianthus*, *Alcyonium digitatum* .. *Buccinum undatum*, *Fusus antiquus*. *Eupagurus bernhardus* f.c. *Asterias rubens* c.	4 steam trawlers about us.
2.15 p.m.	6.15 p.m.	4	From second to sixth hours flood.	Moderately rough.	S.W. by S. 4.	Cloudy.	—	*Actinoloba dianthus*, *Alcyonium digitatum*. *Buccinum undatum*, *Fusus antiquus*. *Eupagurus bernhardus* f.c. *Asterias rubens*, *Ophiothrix fragilis*.	
7 p.m.	9 p.m.	2	First 2 hours ebb.	Moderately smooth.	W.S.W. 6	Cloudy, hazy.	Ground rope parted, and net very badly torn.	Very little taken	W. Wallace, R. A. Todd, G. T. Atkinson.
6.45 a.m.	7.35 a.m.	⅘	From 5½ hours to 6 hours flood.	Smooth	W. by S. 7	Cloudy.	Came fast probably to a wreck; broke beam, lost aft trawl head, ground rope, &c.; net very badly torn.	" "	
8 a.m.	10 a.m.	2	First 2 hours flood.	Moderately smooth.	W.S.W. 4	Cloudy, hazy.	Net slightly torn.	*Actinoloba dianthus* c., *Alcyonium digitatum*.	
Noon	2 p.m.	2	From fourth to sixth hour flood.	Moderately smooth.	W.S.W. 3	Fine, cloudy, hazy.	—	*Alcyonium digitatum*, *Antennularia antennina*. *Asterias rubens*.	
6.45 p.m.	8.45 p.m.	2	From fourth to sixth hour ebb.	Moderately smooth.	S.S.W. 3	Fine, hazy, cloudy.	—	*Alcyonium digitatum*. *Cellepora pumicosa* c. *Buccinum undatum*. *Asterias rubens*, *Luidia sarsi*.	
10 p.m.	3 a.m.	5	First 5 hours flood.	Smooth	S. 3	Hazy, cloudy.	—	*Alcyonium digitatum* f.c., *Actinoloba dianthus*. *Buccinum undatum*, *Fusus antiquus*, *Pecten opercularis*. *Asterias rubens* c., *Ophiura ciliaris* c., *Luidia sarsi*.	
4 a.m.	9 a.m.	5	Last hour flood; first 4 hours ebb.	Smooth	S. 3	Fine, hazy.	—	*Sertularia abietina* c. .. .. *Alcyonidium gelatinosum* f.c., *Flustra securifrons* f.c. *Sabella pavonina*. *Dendronotus arborescens*, *Pecten opercularis*. *Asterias rubens* c., *Ophiothrix fragilis* c., *Ophiura ciliaris* c.	2 steam trawlers about us.
3.50 p.m.	6.20 p.m.	2½	First 2½ hours ebb.	Smooth	W.S.W. 3	Fine, hazy, cloudy.	Had a "pull-out" at a wreck, hauled, found net all right.	*Halecium halecinum* f.c. .. .. *Cellepora pumicosa* c *Buccinum undatum*. *Asterias rubens*. *Brissopsis lyrifera*.	
7 p.m.	Midnight	5	Last 3 hours ebb; first 2 hours flood.	Smooth	W. by S. 3.	Fine, cloudy.	—	*Actinoloba dianthus* c., *Alcyonium digitatum* .. *Buccinum undatum* spawn f.c., *Pecten opercularis* f.c., *Fusus antiquus*, *Tritonia hombergi*. *Eupagurus bernhardus*. *Asterias rubens* f.c., *Ophiura ciliaris* f.c., *Spatangus purpureus* f.c., *Astropecten irregularis*.	2 steam trawlers with us.
2.45 a.m.	4.10 a.m.	1⅚	Last 1½ hours flood.	Smooth	W.S.W. 4.	Fine, cloudy, hazy.	Gear foul, hauled, net slightly torn.	Not recorded.	
10.10 a.m.	3.10 p.m.	5	Last 1½ hours ebb; first 3½ hours flood.	Smooth	W. by S. 3.	Fine, cloudy.	Broke starboard piston of winch, hauled gear with tackle.	*Eupagurus bernhardus* f.c. **Asterias rubens** v.c., *Echinocardium cordatum*.	
4.10 a.m.	6.10 a.m.	2	Second to fourth hours ebb.	Moderately smooth.	N.W. 4.	Fine, cloudy, hazy.	—	Very little taken	J. O. Borley, J. Potter G. T. Atkinson. 1 sailing trawler with us.
6.30 a.m.	8.30 a.m.	2	Fourth to sixth hours ebb.	Moderately smooth.	N.W. by N. 5.	Fine, cloudy, hazy.	—	" "	
9.30 a.m.	11.30 a.m.	2	1½ to 3½ hours flood.	Moderately rough.	W. 5	Fine, cloudy, hazy.	—	" "	Several Dutch fishing craft about.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
LI	5	Mar.	31	B 298	Brielle Ground ..	52° 17¼′ N., 3° 54½′ E.	E. by N. 5 miles	52° 19¼′ N., 4° 2′ E.	13	..	13	f.g.br. s.	..	f.s.
LII	22	Apr.	8	B(c.) 299	Lowestoft Flats ..	52° 24½′ N., 1° 57′ E.	E.S.E. 3 miles	52° 23⅝′ N., 2° 2⅜′ E.	17	..	19½	c.s.	..	s. & ross
LIII	1	„	18	O 290	Off Scheveningen ..	52° 11¼′ N., 4° 11⅜′ E.	N.W. by W. ¼ W. 2½ miles	52° 11⅓′ N., 4° 7½′ E.	10	..	11	d.s.	..	d.s.
„	2	„	„	O 291	„ „ ..	52° 11⅞′ N., 4° 7½′ E.	N.W. by W. ¼ W. 2½ miles	52° 12½′ N., 4° 3½′ E.	11	..	12	d.s.	..	d.br.s.
„	3	„	„	O 292	North West of Scheveningen	52° 12½′ N., 4° 3½′ E.	N.W. by W. ½ W. 5 miles	52° 13½′ N., 3° 55½′ E.	12	..	12	f.br.s.	..	f.br.s.
„	5	„	19	O 293	„ „ ..	52° 16⅜′ N., 4° 7¾′ E.	W. by N. ½ N. 4 miles	52° 16½′ N., 4° 1′ E.	10½	..	12	g.br.s.	..	g.br.s.
„	6	„	„	O 294	„ „ ..	52° 16′ N., 4° 0½′ E.	W. ½ N. 3¾ miles	52° 16½′ N., 3° 54¾′ E.	12	..	12½	g.br.s.	..	g.br.s.
„	7	„	„	O 295	Northern Edge of Brielle Ground.	52° 16′ N., 3° 54′ E.	N.W. by W. ½ W. 4 miles	52° 17½′ N., 3° 48½′ E.	12½	..	13	g.br.s.	..	g.br.s.
„	8	„	„	O 296	„ „ ..	52° 17½′ N., 3° 48½′ E.	N. ¼ W. 4 miles	52° 21′ N., 3° 46⅝′ E.	13	..	14	g.br.s.	..	g.br.s.
LIV	1	„	28	O 297	West of Middle Ground.	52° 16½′ N., 2° 33½′ E.	E.N.E. 4½ miles	52° 18⅜′ N., 2° 39′ E.	23	..	23	g.s. & sh.	..	g.s.
„	2	„	„	O 298	Middle Ground ..	52° 18½′ N., 2° 39′ E.	E. by N. ½ N. 3½ miles	52° 20½′ N., 2° 44′ E.	23	..	24	g.s.	..	g.br.s.
„	3	„	„	O 299	„ „ ..	52° 18½′ N., 2° 44⅜′ E.	N.E. 3¾ miles	52° 21⅜′ N., 2° 48′ E.	21	..	20	g.br.s. & sh.	..	g.br.s. & sh.
LV	1	May	9	O 300	North part of Leman Ground.	53° 37¼′ N., 2° 9′ E.	S.E. ⅛ S. 12½ miles	53° 30¾′ N., 2° 27¼′ E.	14	..	15½	c.s.	..	d.s.
„	2	„	10	O 301	Leman Ground ..	53° 28¾′ N., 2° 34¾′ E.	S.E. by E. ⅜ E. 10¼ miles	53° 25⅜′ N., 2° 52′ E.	15½	..	16	f.d.s.	..	f.d.s.
„	3	„	„	O 302	Eastern Edge of Leman Ground,	53° 25⅝′ N., 2° 57′ E.	S.E. ¾ S. 10½ miles	53° 18⅜′ N., 3° 12′ E.	16	..	13½	f.d.s.	..	f.d.s.
„	4	„	„	O 303	North of Brown Bank.	53° 18⅜′ N., 3° 12′ E.	S.E. ⅝ E. 9½ miles	53° 14½′ N., 3° 27′ E.	13½	..	15	f.d.s.	..	f.d.s.
„	5	„	„	O 304	N.E. of Brown Bank.	53° 14½′ N., 3° 27′ E.	S.E. by E. ¼ E. 12¼ miles	53° 11¼′ N., 3° 46¼′ E.	15	..	13½	f.d.s.	..	f.d.s.
„	6	„	11	O 305	East of Brown Bank.	53° 11¼′ N., 3° 46¼′ E	S.E. by S. ½ S. 12 miles	53° 1′ N., 4° 1⅜′ E.	13½	..	14½	f.d.s.	..	f.g.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks. Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
Noon	2 p.m.	2	Fourth to sixth hours flood.	Moderately rough.	W. by S. 5.	Fine, cloudy, hazy.	—	Very little taken	Several Dutch fishing craft and 1 steam trawler about us.
6 a.m.	7.30 a.m.	1½	From fifth hour ebb to ½ hour flood.	Moderately rough.	N.N.W. 5.	Heavy clouds and snow showers.	—	*Flustra foliacea* c. .. .. **Sabellaria spinulosa** v.c. *Pandalus annulicornis, Crangon allmani. Echinus miliaris* c.	J. O. Borley and J. Potter. Small mesh net round ordinary trawl.
1.25 p.m.	2.25 p.m.	1	From 3½ to 4½ hours flood.	Moderately rough.	E.N.E. 5.	Cloudy	—	*Aurelia aurita* c. .. .. *Asterias rubens.*	R. A. Todd, J. Potter.
2.50 p.m.	3.50 p.m.	1	From fifth to sixth hour flood.	Moderately rough.	E.N.E. 5.	Cloudy, overcast.	—	*Aurelia aurita* f.c. .. .. Very little else.	Several Dutch fishing craft about.
4.15 p.m.	6.15 p.m.	2	Second 2 hours ebb.	Moderately rough.	E.N.E. 5.	Overcast	—	Very little taken	Several Dutch fishing craft about.
6.15 a.m.	7.45 a.m.	1½	From 1 hour to 2½ hours ebb.	Moderately rough.	E. by N. 5.	Cloudy, overcast.	—	„ „	Several Dutch fishing craft about.
8.15 a.m.	9.45 a.m.	1½	From third to 4½ hours ebb.	Moderately rough.	E. 5	Cloudy, overcast.	—	„ „	Several Dutch fishing craft about.
10.15 a.m.	11.45 a.m.	1½	From fifth hour ebb to ½ hour flood.	Moderately rough.	E. 5	Cloudy, overcast.	—	„ „	Several Dutch fishing craft and 1 steam trawler with us.
12.10 p.m	1.45 p.m.	1⅞	From 1 hour to 1½ hours flood.	Moderately rough.	E. 5	Cloudy, overcast.	—	*Eupagurus bernhardus* .. .. *Asterias rubens.*	Several Dutch fishing craft, one steam trawler, and 3 English fishing smacks with us.
4 a.m.	6 a.m.	2	Third to fifth hour flood.	Rough	S.W. 6	Cloudy, overcast.	—	*Eupagurus bernhardus* c. .. .. *Spatangus purpureus.*	W. Wallace, G. T. Atkinson. Several drifters about us.
6.30 a.m.	8 a.m.	1½	From 5½ hours flood to first hour ebb.	Rough	S.W. 7	Overcast, cloudy.	—	*Eupagurus bernhardus. Spatangus purpureus.*	
Noon.	1.30 p.m.	1½	From fifth hour ebb to ½ hour flood.	Rough	S.W. 7	Overcast, cloudy.	—	*Eupagurus bernhardus* c. *Echinocardium cordatum, Spatangus purpureus.*	
8 p.m.	Mid-night.	4	First 4 hours flood.	Moderately smooth.	S.W. by W. 3.	Cloudy, overcast.	Ground rope parted and belly "all to pieces."	Nothing taken	W. Wallace, G. T. Atkinson.
6 a.m.	10 a.m.	4	From fourth hour ebb to second hour flood.	Smooth	W. by S. 3.	Cloudy, fine.	—	*Aphrodite aculeata.* **Echinocardium cordatum** v. abundant, **Asterias rubens** v.c., *Astropecten irregularis* c.	
10.30 a.m.	2.30 p.m.	4	Last 4 hours flood.	Moderately smooth.	W.S.W. 4.	Fine, cloudy, hazy.	—	*Aphrodite aculeata.* **Echinocardium cordatum** v. abundant, **Asterias rubens** v.c., *Astropecten irregularis* c.	
3 p.m.	7 p.m.	4	From slack water to fourth hour ebb.	Moderately smooth.	S.W. 3	Fine, cloudy, hazy.	—	*Asterias rubens* c., *Astropecten irregularis* c., *Echinocardium cordatum* c.	
7.30 p.m.	Mid-night.	4½	From 2½ hours ebb to second hour flood.	Smooth	.. ..	Fine, cloudy, hazy.	—	*Corystes cassivelaunus.* **Astropecten irregularis** v.c., *Asterias rubens* f.c.	
12.30 a.m.	5 a.m.	4½	From second hour ebb to ½ hour flood.	Smooth	W.N.W. 4.	Fine, hazy.	—	Not recorded.	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
LV	7	May	11	O 306	Texel Ground ..	53° 1′ N., 4° 1⅜′ E.	S.E. by S. ¼ S. 10 miles	52° 53¾′ N., 4° 14′ E.	14½	..	16	f.g.s.	..	f.g.s.
„	8	„	„	O 307	„ „ ..	52° 53⅜′ N., 4° 14′ E.	S. by W. 4½ miles E. ⅝ N. 5½ miles.	52° 51½′ N., 4° 24¼′ E.	16	13	12	f.g.s.	f.g.s.	f.g.s.
„	9	„	„	O 308	„ „ ..	52° 51½′ N., 4° 24¼′ E.	N. 5 miles S. by E. 1 mile. N.E. 1 mile.	52° 56⅜′ N., 4° 23⅜′ E.	12	..	13½	f.g.s.	..	f.g.s.
„	10	„	„	O 309	„ „ ..	52° 56⅜′ N., 4° 23⅜′ E.	S. 8¼ miles	52° 48⅜′ N., 4° 27¼′ E.	13½	..	11	f.g.s.	..	f.g.s.
„	11	„	12	B (c) 300	South West of Kykduin Light-house.	52° 48⅝′ N., 4° 35¼′ E.	S.W. ⅝ S. 3¼ miles	52° 45¾′ N., 4° 33⅝′ E.	7	..	9	f.d.s.	..	f.d.s. & m.
„	12	„	15	B (c) 301	„ „ „	52° 49¼′ N., 4° 36¼′ E.	S.W. ½ S. 4 miles	52° 46′ N. 4° 33′ E.	7	..	10	f.d.s.	..	f.d.s.
„	13	„	16	O 310	Brown Ridges ..	52° 44⅜′ N., 3° 37′ E.	W. by N. ¼ N. 12¼ miles	52° 44¼′ N., 3° 17¾′ E.	15	..	16	f.g.s.	..	f.g.br. s.
„	14	„	„	O 311	West part of Brown Ridges.	52° 44¼′ N., 3° 17¾′ E.	S.W. by W. ⅜ W. 3½ miles N. by E. 5½ miles. S.W. by S. ¾ S. 3½ miles.	52° 44½′ N., 3° 12½′ E.	16	..	16	f.g.br. s.	..	f.g.s.
LVI	9	„	24	B 302	Bridlington Bay ..	54° 3⅝′ N., 0° 8½′ W.	S.W. by S. ⅛ S. 1⅜ miles	54° 2′ N., 0° 9½′ W.	5	..	6	f.d.s.	..	f.d.s.
„	10	„	„	B 303	„ „ ..	54° 2′ N., 0° 9½′ W.	S. ¾ E. ⅞ mile N.E. by N. ½ N. ⅜ mile.	54° 2⅛′ N., 0° 8¾′ W.	6	..	6	f.d.s.	..	f.d.s.
„	11	„	„	B 304	„ „ ..	54° 2⅛′ N., 0° 8¾′ W.	S.S.W. ⅞ miles N.N.W. ⅝ miles. S. by E. ½ E. ¼ mile.	54° 1′ N., 0° 9⅛′ W.	6	..	6½	f.d.s.	..	f.d.s.
„	13	„	25	B 305	North East of Brown Ridges.	52° 53′ N., 3° 49′ E.	E. by S. ½ S. 3¼ miles	52° 52¾′ N., 3° 54½′ E.	15	..	14	f.d.s.	..	f.d.s.
„	14	„	„	B 306	Texel Ground ..	52° 54′ N., 4° 16½′ E.	E. ⅝ S. 1⅝ miles	52° 54½′ N., 4° 19⅜′ E.	15	..	13	f.d.s.	..	f.d.s.
„	15	„	„	B 307	„ „ ..	52° 54½′ N., 4° 19⅜′ E.	E. by S. 1 mile N.N.E. 1 mile.	52° 55¼′ N., 4° 21′ E.	13	..	13	f.d.s.	..	f.d.s.
„	16	„	„	B 308	„ „ ..	52° 55¼′ N., 4° 21′ E.	N.W. by N. ⅝ N. 2 miles	52° 56¾′ N., 4° 18¾′ E.	13	..	13½	f.d.s.	..	f.d.s.
„	17	„	„	B 309	„ „ ..	52° 56¾′ N., 4° 18¾′ E.	E. by N. 1 mile W. by N. 1 mile.	52° 57⅜′ N., 4° 19′ E.	13½	..	13½	f.d.s.	..	f.d.s.
„	18	„	„	B 310	„ „ ..	52° 57⅜′ N., 4° 19′ E.	W. by S. ½ S. 2½ miles	52° 56′ N., 4° 15½′ E.	13½	..	14	f.d.s.	..	f.g.s.
„	19	„	„	B 311	„ „ ..	52° 56′ N., 4° 15½′ E.	N.W. ⅜ N. 2½ miles	52° 57¾′ N., 4° 12⅜′ E.	14	..	17	f.g.s.	..	f.g.s.
„	20	„	„	B 312	..	52° 57¾′ N., 4° 12⅜′ E.	N.E. by N. ½ N. 4 miles	53° 1¾′ N., 4° 13⅜′ E.	17	..	17	f.g.s.	..	f.g.s.
„	28	„	26	B (c) 313	Dogger Bank, North part of South West Patch.	54° 37′ N., 1° 47′ E.	E. ¼ N. 1¾ miles	54° 37⅝′ N., 1° 49½′ E.	11½	..	12	f.g.s. & sh.	..	f.g.s. & sh.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks. Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
5.30 a.m.	10 a.m.	4½	From sixth hour ebb to 4½ hours flood.	Smooth	W. 4	Fine, cloudy, hazy.	—	*Cancer pagurus* .. .. **Asterias rubens** v.c., *Astropecten irregularis.*	Several Dutch fishing craft about.
10.30 a.m.	3 p.m.	4½	From last hour flood to 3½ hours ebb.	Smooth	W. 4	Fine, cloudy, hazy.	—	Not recorded	Several Dutch fishing craft about.
3.30 p.m.	7.30 p.m.	4	Last 3 hours ebb; first hour flood.	Smooth	N.W. by W. 3.	Fine, cloudy, hazy.	—	„	Several Dutch fishing craft about.
8 p.m.	Midnight.	4	From 1½ hours to 5½ hours flood.	Smooth	N.W. 2	Dull, hazy, rainy.	—	*Cyclopterus lumpus* .. .. Invertebrates not recorded.	Several Dutch fishing craft about.
5.30 a.m.	7 a.m.	1½	Last ½ hour ebb; first hour flood.	Moderately smooth.	N. 4	Fine, cloudy.	—	*Trachinus vipera, Cottus scorpius* .. .. Invertebrates not recorded.	Small mesh net round ordinary trawl
3.20 p.m.	5.20 p.m.	2	From slack water to second hour ebb.	Moderately smooth.	N.N.E. 6.	Fine, cloudy.	—	*Pholas crispata* c. "in moorlog" .. .. .. *Cottus scorpius, Trachinus vipera.*	"Moorlog" present. Small mesh net round ordinary trawl.
4.40 a.m.	9 a.m.	4⅓	From second hour to sixth hour flood.	Moderately rough.	N.E. by E. 6.	Cloudy, fine.	—	*Eupagurus bernhardus.* *Asterias rubens* f.c., *Astropecten irregularis* f.c.	Several sailing trawlers about us.
9.30 a.m.	2.30 p.m.	5	From first to sixth hour ebb.	Rough	N.E. 7	Cloudy, fine.	—	*Asterias rubens* c., *Astropecten irregularis* c., *Spatangus purpureus.*	Several sailing trawlers about us.
6.45 a.m.	7.45 a.m.	1	From second to third hour flood.	Smooth	W. 4	Cloudy, showery.	—	*Hydrallmania falcata* *Sertularia operculata* f.c. *Flustra foliacea* f.c.	W. Garstang, R. A. Todd, A. J. Arrowsmith.
8.15 a.m.	9.15 a.m.	1	From third to fourth hour flood.	Smooth	W. 4	Cloudy, showery.	—	*Cancer pagurus.*	
9.35 a.m.	10.35 a.m.	1	Five hours flood to ½ hour ebb.	Smooth	N. by E. 3.	Cloudy, showery.	—	Very little taken.	
6.30 a.m.	7.45 a.m.	1¼	From first to 2¼ hours flood.	Moderately smooth.	Variable 2.	Fine, hazy.	—	*Astropecten irregularis* c. .. .. *Asterias rubens.*	Several Dutch craft about us, and one steam trawler.
10.10 a.m.	11.10 a.m.	1	Last hour flood.	Moderately smooth.	S.W. 2	Fine, hazy.	—	*Asterias rubens.*	
11.35 a.m.	12.35 p.m.	1	First hour ebb.	Moderately smooth.	W. 2	Fine, hazy.	—	*Astropecten irregularis* f.c., *Asterias rubens* ..	2 steam trawlers about us.
1 p.m.	2 p.m.	1	Second hour ebb.	Moderately smooth.	S.W. 2	Fine, hazy.	—	*Asterias rubens* f.c., *Ophiura ciliaris* f.c., *Astropecten irregularis.*	3 Dutch steam trawlers about us.
2.25 p.m.	3.25 p.m.	1	From 2½ hours to 3½ hours ebb.	Moderately smooth.	S.W. 2	Fine, hazy.	—	Not recorded	1 steam trawler with us.
4 p.m.	5 p.m.	1	Fourth to fifth hour ebb.	Smooth	S.W. 2	Fine, hazy.	—	*Asterias rubens* c., *Astropecten irregularis* c., *Ophiura ciliaris.*	2 steam trawlers with us.
5.20 p.m.	6.20 p.m.	1	Last hour ebb.	Smooth	S.W. 2	Fine, hazy.	—	*Astropecten irregularis* f.c., *Asterias rubens*, *Ophiura ciliaris.*	1 steam trawler with us.
6.45 p.m.	8.15 p.m.	1½	First 1½ hour flood.	Smooth	S.W. 2	Fine, hazy.	—	*Astropecten irregularis* c., *Asterias rubens* f.c. ..	1 steam trawler with us.
7.20 p.m.	8.20 p.m.	1	First hour flood.	Moderately smooth.	S.S.W. 5	Cloudy, hazy.	—	*Sertularia abietina* c.. *Pecten opercularis.* *Asterias rubens* c. *Trachinus vipera.*	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
LVI	30	May	29	B 314	Off Saltfleet	53° 24¾′ N., 0° 18′ E.	S. ⅝ E. 2 miles	53° 22¾′ N., 0° 19′ E.	7	..	7	c.d.s.	..	d.s. gvl.
„	31	„	„	B 315	Off Mablethorpe ..	53° 22¾′ N., 0° 19′ E.	S.S.E. 1 mile N.E. ⅞ N. 1 mile.	53° 23¼′ N., 0° 21½′ E.	7	..	6	s. & gvl.	..	s. & gvl.
„	32	„	„	B 316	„ „ ..	53° 23¼′ N., 0° 21½′ E.	E.N.E. 1 mile S. ⅝ E. 1 mile.	53° 22¾′ N., 0° 24′ E.	6	..	7	s. & gvl.	..	s. & gvl.
„	33	„	30	B 317	Flamborough Off ..	53° 57½′ N., 0° 39¾′ E.	E. ¾ N. 2½ miles	53° 58½′ N., 0° 44′ E.	25	..	26	c.d.s.	..	f.d.s.
„	34	„	„	B 318	„ „ ..	53° 58½′ N., 0° 44′ E.	N. ¼ E. 7½ miles E. by S. ½ S. 2 miles.	54° 5¾′ N., 0° 44½′ E.	26	..	27	f.d.s.	..	f.d.s.
„	35	„	„	O 312	„ „ ..	54° 5¾′ N., 0° 44½′ E.	N.W. by N. ¾ N. 2½ miles S. by W. ¾ W. 5 miles. N.E. by E. 2½ miles.	54° 3⅝′ N., 0° 42⅝′ E.	27	..	27	f.d.s.	..	f.d.s.
„	36	„	„	B (c) 319	„ „ ..	54° 2′ N., 0° 42½′ E.	W. by S. 2¼ miles	54° 1′ N., 0° 38¾′ E.	27	..	26	f.d.s.	..	g.s. & sh.
„	38	„	„	O 313	South of The Hills ..	54° 9½′ N., 0° 55½′ E.	E.N.E. 5 miles	54° 12½′ N., 1° 2′ E.	27	..	29	f.g.s.	..	f.g.s.
„	40	„	31	O 314	Dogger Bank, North of South West Patch.	54° 43½′ N., 2° 9½′ E.	E. by S. ½ S. 10 miles	54° 43′ N., 2° 29½′ E.	14½	..	10½	f.g.s. & sh	..	f.g.s. & sh.
„	42	„	„	B (c) 320	Dogger Bank, North Edge of Eastern Shoal.	54° 43′ N., 2° 29½′ E.	W.S.W. 1 mile E.S.E. 1 mile.	54° 42′ N., 2° 29½′ E.	10½	..	10½	f.g.s. & sh.	..	f.g.s. & sh.
„	43	„	„	O 315	Dogger Bank, Eastern Shoal.	54° 38′ N., 2° 34¼′ E.	E. ½ S. 10 miles	54° 39¾′ N., 2° 52′ E.	11	..	16	f.g.s. & sh.	..	f.d.g.s.
„	45	„	„	O 316	Dogger Bank, Hospital Ground.	54° 34′ N., 2° 56′ E.	S. ⅛ E. 7½ miles	54° 26⅝′ N., 2° 59′ E.	18½	..	19½	f.d.g.s.	..	f.d.g.s.
„	47	June	1	O 317	North of Cleaver Bank.	54° 21⅛′ N., 3° 23′ E.	E. ⅛ S. 6⅝ miles	54° 22¾′ N., 3° 35′ E.	25	..	23	s. & m.	..	f.d.s.
„	53	„	„	B 321	Between Cleaver Bank and New Zealand.	53° 50′ N., 3° 29¼′ E.	E by S. ¼ S. 5 miles	53° 49¾′ N., 3° 37¾′ E.	21	..	19	f.g.s.	..	f.g.s.
„	56	„	2	B 322	Brown Bank	53° 10¾′ N., 3° 21⅝′ E.	S.W. by W. ½ W. 1½ miles N. ⅛ W. 3 miles.	53° 12½′ N., 3° 18¾′ E.	15	..	13½	f.g.s.	..	f.g.s.
„	57	„	„	B 323	„ „	53° 12½′ N., 3° 18¾′ E.	S. ⅜ W. 2⅝ miles E. by N. ¾ N. 3 miles.	53° 12⅜′ N., 3° 23¼′ E.	13½	..	17½	f.g.s.	..	f.g.s.
LVII	21	„	16	B 324	Lynn Deep	52° 56¾′ N., 0° 17½′ E.	N.E. ⅞ E. 3 miles	52° 59⅛′ N., 0° 20½′ E.	9	12–14	16	s.m.	s.m.	c.s.m.
„	22	„	„	B 325	Off Mablethorpe ..	53° 19⅜′ N., 0° 24′ E.	N.N.W. 3½ miles S.E. by S. ½ S. 1¾ miles S. ⅓ mile.	53° 21′ N., 0° 23¼′ E.	7½	8-9	7¼	spk.s.	s.m.	spk.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
4.40 p.m.	5.40 p.m.	1	Second to third hour ebb.	Smooth	W. by S. 3	Fine, cloudy.	—	*Hydrallmania falcata* f.c., *Sertularia abietina* f.c. *Flustra foliacea* f.c. *Cancer pagurus, Eupagurus bernhardus, Solaster papposus* c., *Asterias rubens*.	3 steam trawlers about us.
6.10 p.m.	7.10 p.m.	1	3½ hours to 4½ hours ebb.	Smooth	W. by S. 3	Fine, cloudy, hazy.	—	*Sertularia abietina* c., *Hydrallmania falcata* f.c. **Flustra foliacea** abundant. *Cancer pagurus, Eupagurus bernhardus, Pandalus montagui.*	
7.30 p.m.	8.30 p.m.	1	Fifth to sixth hour ebb.	Smooth	Variable 2	Fine, cloudy.	—	*Sertularia abietina* f.c. .. .. *Flustra foliacea* c. *Cancer pagurus, Eupagurus bernhardus. Echinus miliaris, Solaster papposus.*	3 steam trawlers about us.
3.30 a.m.	4.30 a.m.		Last hour flood.	Smooth	N.N.W. 2	Fine, cloudy.	—	*Hyas coarctatus* .. .. *Asterias rubens, Ophiothrix fragilis.*	2 steam trawlers about us.
5 a.m.	9 a.m.	4	First to fifth hour ebb.	Smooth	N.W. 2	Fine, cloudy.	—	*Actinoloba dianthus* f.c., *Alcyonium digitatum* .. *Pycnogonum littorale* f.c., *Hyas coarctatus. Asterias rubens* c., *Ophiothrix fragilis* c., *Echinocardium cordatum, Callionymus lyra.*	2 steam trawlers about us.
9.45 a.m.	1.45 p.m.	4	Last hour ebb; first 3 hours flood.	Smooth	Variable	Overcast	Had a round turn in middle of net when hauled.	*Alcyonium digitatum* .. .. *Asterias rubens* f.c.	4 steam trawlers about us.
2.30 p.m.	3.30 p.m.	1	From fourth to fifth hour flood.	Smooth	E.S.E. 2	Overcast	—	*Alcyonium digitatum* .. .. *Alcyonidium gelatinosum, Pycnogonum littorale, Ophiothrix fragilis. Ammodytes tobianus.*	Small mesh net round ordinary trawl. 4 steam trawlers about us.
7 p.m.	9 p.m.	2	From third to fifth hour ebb.	Smooth	S.E. 2	Overcast	—	*Actinoloba dianthus* c., *Alcyonium digitatum* f.c. *Alcyonidium gelatinosum* f.c. *Buccinum undatum* spawn c., *Fusus antiquus* f.c.. *Anomia* sp., *Pecten opercularis. Eupagurus bernhardus* c., *Cancer pagurus. Asterias rubens* c., *Ophiothrix fragilis* f.c. *Callionymus lyra.*	
4.45 a.m.	8.45 a.m.	4	Nil	Smooth	N.N.E. 3	Overcast, cloudy.	—	*Obelia longissima* f.c. **Alcyonidium gelatinosum** v.c. **Buccinum undatum spawn** v.c., *Fusus antiquus* c. *Eupagurus bernhardus* c. *Asterias rubens* c., *Ophiothrix fragilis.*	
9.25 a.m.	10.25 a.m.	1	Nil	Smooth	N.N.E. 4	Overcast, cloudy, rain.	—	**Alcyonidium gelatinosum** v.abundant. *Trachinus vipera.*	Small mesh net round ordinary trawl.
Noon	4 p.m.	4	Nil	Smooth	N.	Overcast, dull, rain.	—	*Obelia longissima* f.c. **Alcyonidium gelatinosum** v.c. **Natica catena spawn** v.c. **Paratylus swammerdami** v.c., *Galathea intermedia* c., *Porcellana longicornis* c. **Asterias rubens** v.c., *Ophiothrix fragilis* c. *Ascidiella sp.* f.c.	
5.50 p.m.	8.50 p.m.	3	Nil	Moderately smooth.	N.N.E. 4	Overcast, dull, rain.	—	**Halichondria panicea** v. abundant. *Obelia longissima* f.c. *Eupagurus bernhardus* c., *Porcellana longicornis* c., *Corystes cassivelaunus. Asterias rubens* c., *Astropecten irregularis* c., *Ophiothrix fragilis* c.	
6 a.m.	9 a.m.	3	Nil	Smooth	W. by S. 4	Cloudy, overcast.	—	*Alcyonium digitatum* f.c. *Flustra securifrons* f.c. *Aphrodite aculeata* c., *Pomatoceros triqueter* f.c. *Pecten opercularis* f.c., *Tritonia plebeia. Eupagurus bernhardus* f.c. **Ophiothrix fragilis** v.c., *Asterias rubens* c., *Astropecten irregularis* f.c., *Echinocardium cordatum* f.c. *Ascidiella virginea* c., *Ciona intestinalis* f.c.	
5.25 p.m.	7.25 p.m.	2	First to third hour flood.	Smooth	S.W. 4	Cloudy, overcast.	—	*Alcyonium digitatum. Corystes cassivelaunus* c. *Astropecten irregularis* c., *Asterias rubens. Cyclopterus lumpus.*	
2.30 a.m.	4.30 a.m.	2	From third to fifth hour ebb.	Smooth	S.W. 2	Overcast, dull, rain.	—	Very little taken.	
5 a.m.	7 a.m.	2	First 2 hours flood.	Moderately smooth.	W. by S. 6	Overcast, dull, rain.	—	*Asterias rubens* f.c., *Astropecten irregularis* ..	Several sailing trawlers, and 3 steam trawlers about us.
4.10 a.m.	5.40 a.m.	1½	From fifth hour flood to ½ hour ebb.	Smooth	E.N.E. 4	Cloudy, overcast.	—	*Hydrallmania falcata* c., *Sertularia abietina* c. *Flustra foliacea* c. *Buccinum undatum* spawn f.c. *Cancer pagurus, Eupagurus bernhardus, Homarus vulgaris, Hyas araneus. Asterias rubens* f.c *Solaster papposus.*	W. Wallace, J. O. Borley.
8.50 a.m.	11.50 a.m.	3	From third hour ebb to slack water.	Smooth	E.N.E. 3	Fine, cloudy, hazy.	—	*Hydrallmania falcata* f.c., *Sertularia abietina* f.c. *Flustra foliacea* v. abundant. **Buccinum undatum spawn** v.c., *Ostrea edulis. Cancer pagurus, Eupagurus bernhardus, Hyas araneus. Solaster papposus.*	

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling	Shooting.	Towing	Hauling.
LVII	29	June	16	B 326	North of Blakeney Overfalls.	53° 6½′ N., 0° 57′ E.	S.S.E. 2⅛ miles	53° 4½′ N., 0° 59¼′ E.	11	..	12	s. & sh.	..	s. & sh.
LVIII	1	„	19	B 327	Off Lowestoft ..	52° 20⅝′ N., 1° 59′ E.	N.E. ¾ E. 3¾ miles	52° 23½′ N., 2° 2⅝′ E.	17	..	19	s.grv. st.	..	s.grv. st.
„	3	„	20	B 328	Between Knoll Deep and Middle Ground.	52° 25½′ N., 2° 30¾′ E.	E. ¼ S. 10 miles	52° 27¾′ N., 2° 46⅜′ E.	24½	..	26	f.spk.s.	..	f.spk.s.
„	4	„	„	B 329	North of Middle Ground.	52° 27⅜′ N., 2° 46⅜′ E.	S.E. by E. ⅜ E. 5⅜ miles	52° 27′ N., 2° 56′ E.	26	..	23½	f.spk.s.	..	f.g.s.
„	6	„	„	B 330	„ „	52° 27′ N., 2° 56′ E.	E. by N. ½ N. 9¾ miles	52° 32′ N., 3° 9′ E.	23½	..	20	f.g.s.	..	f.g.s. & sh.
„	8	„	„	B 331	Between Winterton Shoal and Brown Ridges.	52° 33¼′ N., 3° 9½′ E.	N.E. 7 miles	52° 39′ N., 3° 15′ E.	20	..	19	f.g.s. & sh.	..	f.g.s. & sh.
„	10	„	21	B 332	North part of Brown Ridges.	52° 42½′ N., 3° 17½′ E.	N.E. ⅝ E. 7½ miles	52° 48′ N., 3° 24½′ E.	16½	15, 21 19	16	f.d.s.	..	f.g.s.
„	12	„	„	B 333	„ „	52° 50¼′ N., 3° 27½′ E.	S.W. ⅝ S. 7½ miles	52° 43⅜′ N., 3° 22½′ E.	16	15, 18	20	f.g.s.	..	f.g.s. & sh.
„	14	„	21	B 334	Brown Ridges ..	52° 43½′ N., 3° 22½′ E.	S. by W. 7¾ miles	52° 35½′ N., 3° 22⅜′ E.	20	17	18	f.g.s. & sh.	..	f.g.s. & sh.
„	16	„	„	B 335	„ „ ..	52° 36′ N., 3° 23′ E.	S.E. ½ S. 4⅜ miles N. by E. 3½ miles. S.S.E. 1⅜ miles. N.E. by N. ⅜ N. 2⅜ miles.	52° 38′ N., 3° 31⅓′ E.	18	15-14½	16	f.g.s & sh.	..	f.g.s.
„	18	„	21-22	B 336	North part of Brown Ridges.	52° 38′ N., 3° 31⅓′ E.	N. ¾ E. 13 miles	52° 51′ N., 3° 29⅜′ E.	16	15–17	16	f.g.s.	..	f.g.s.
„	20	„	22	B 337	„ „	52° 51½′ N., 3° 30′ E.	S.E. ⅝ S. 5½ miles S. by W. ½ W. 4⅞ miles.	52° 43⅜′ N., 3° 37½′ E.	16	15-14½	18½	f.g.s.	..	f.g.s.
„	22	„	„	B 338	Eastern Edge of Brown Ridge.	52° 43⅜′ N., 3° 37¼′ E.	S.E. by S. ½ S. 2 miles N. ½ W. 7 miles.	52° 48½′ N., 3° 35¾′ E.	18½	17	16	f.g.s.	..	f.g.s.
„	24	„	„	B 339	North of Brown Ridges.	52° 48½′ N., 3° 35¾′ E.	W.N.W. 7½ miles N.W. ½ N. 2⅞ miles. S.W. by W. ¾ W. 2 miles.	52° 50′ N., 3° 17½′ E.	16	15–17	17	f.g.s.	..	f.g.s.
„	26	„	22-23	B 340	Winterton Twenties	52° 49⅝′ N., 3° 17½′ E.	W. by N. ¼ N. 12 miles	52° 49⅝′ N., 2° 56¾′ E.	17	19½	20	f.g.s.	..	f.g.s.
„	28	„	23	B 341	„ „	52° 49½′ N., 2° 56½′ E.	N.W. by W. ⅜ W. 15⅝ miles	52° 53¾′ N., 2° 31½′ E.	20	19-22	20½	f.g.s.	..	f.g.s.
„	30	„	„	B 342	Between Winterton Twenties and Knoll Deep.	52° 53¼′ N., 2° 32′ E.	S.W. by W. ¾ W. 7½ miles S.E. by S. 4½ miles. S.W. ¾ W. 2⅞ miles.	52° 43⅜′ N., 2° 25⅛′ E.	20⅛	„	27	f.g.s.	..	c.s. & ross
„	32	„	„	B 343	„ „	52° 42⅜′ N., 2° 25½′ E.	S.E. ⅜ S. 10⅜ miles	52° 35¾′ N., 2° 39′ E.	27	„	25	c.s. & ross.	..	c.s. & ross.
LIX	1	„	27	O 318	Dogger Bank, North of South West Patch.	54° 32½′ N., 2° 17′ E.	N. by E. ⅜ E. 12⅛ miles	54° 44′ N., 2° 19′ E.	9	11-15	12	f.g.br.s.	..	fs. & sh.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun. Rain, &c.			
4.30 p.m.	5.30 p.m.	1	1½ hours flood.	Moderately smooth.	E.N.E. 4	Overcast. hazy.	—	*Alcyonium digitatum* f.c. *Sabellaria spinulosa.* **Buccinum undatum** spawn v.c. *Cancer pagurus, Eupagurus bernhardus.* *Echinus miliaris* f.c.	
1.10 p.m.	2.45 p.m.	1 7/12	Last flood to 1 hour ebb.	Moderately smooth.	S.S.W. 5	Fine, cloudy, hazy.	Trawl "all to pieces."	*Hydrallmania falcata* f.c. .. .. *Alcyonidium gelatinosum* f.c. *Eupagurus bernhardus* f.c.	R. A. Todd, J. Potter. Surrounded by drifters.
5.40 a.m.	9 a.m.	3½	3 hours ebb; ½ hour flood.	Moderately smooth.	S.W. 5	Fine, very hazy.	—	*Hydractinia echinata* c. *Eupagurus bernhardus* c. *Asterias rubens* f.c.	
9.30 a.m.	Noon	2½	From first to fourth hour flood.	Moderately smooth.	S.W. 5	Fine, very hazy.	Noon, came fast, hauled, found net all right.	Very little taken.	
12.50 p.m	4.20 p.m.	3½	3½ hours ebb.	Moderately smooth.	S.W. 5	Dull, overcast, rain.	Fore wing and belly badly torn.	Not recorded.	
6 p.m.	9 p.m.	3	Last 2 hours ebb; and first hour flood.	Moderately rough.	S.W. by S. 5	Overcast, dull, rainy.	—	*Eupagurus bernhardus* f.c. *Astropecten irregularis* f.c., *Asterias rubens.*	
3.15 a.m.	6.15 a.m.	3	First 3 hours ebb.	Moderately rough.	S.W. 5	Cloudy	—	*Hydractinia echinata* .. .. *Corystes cassivelaunus, Eupagurus bernhardus.* *Astropecten irregularis.* *Callionymus lyra.*	3 sailing trawlers about us
6.45 a.m.	11.15 a.m.	4½	Fourth hour ebb; 3 hours flood.	Moderately rough.	S.W. 6	Cloudy	—	*Hydractinia echinata* f.c. .. .. *Natica catena* spawn f.c. *Eupagurus bernhardus* f.c., *Corystes cassivelaunus.* **Astropecten irregularis** abundant, *Asterias rubens* c., *Ophiura ciliaris.* *Arnoglossus* sp., *Callionymus lyra.*	2 sailing trawlers about us.
11.50 a.m	4.45 p.m.	4 11/12	Last 2 hours flood; first 3 hours ebb.	Moderately rough.	S.W. 5	Cloudy	—	*Astropecten irregularis* c., *Asterias rubens* f.c.	
5.10 p.m.	10.15 p.m.	5 1/12	3 hours ebb: 2 hours flood.	Moderately rough.	S.W. 5	Cloudy	—	*Eupagurus bernhardus* c. .. .. **Astropecten irregularis** abundant, *Asterias rubens* c., *Ophiura ciliaris.*	3 sailing trawlers about us.
(21st) 10.50 p.m	(22nd) 4 a.m.	5⅓	Last 3 hours flood; first 2 hours ebb.	Moderately smooth.	N.W. 3	Cloudy, fine.	—	*Eupagurus bernhardus* f.c., *Portunus holsatus* f.c. **Asterias rubens** v.c. **Astropecten irregularis** v.c., *Ophiura ciliaris.*	
4.50 a.m.	10 a.m.	5½	Last 3 hours ebb; first 2 hours flood.	Smooth	N.W. 4	Fine, cloudy, hazy.	—	*Hydractinia echinata* c. *Eupagurus bernhardus* c. *Asterias rubens* c., *Astropecten irregularis* c.	
10.30 a.m	3.30 p.m.	5	From second hour flood to 1 hours ebb.	Moderately smooth.	N. 4	Fine, cloudy, hazy.	—	*Eupagurus bernhardus* f.c. **Asterias rubens** v.c., **Astropecten irregularis** v.c.	
4 p.m.	9 p.m.	5	From first to sixth hour ebb.	Moderately smooth.	N. 3	Fine, cloudy.	—	*Eupagurus bernhardus* c., *Portunus holsatus* f.c. *Corystes cassivelaunus.* *Asterias rubens* c., *Astropecten irregularis* c. *Ophiura ciliaris* f.c. *Callionymus lyra.*	
(22nd) 9.30 p.m.	(23rd) 2.30 a.m.	5	From ½ hour to 5½ hours flood.	Moderately smooth.	N. 3	Fine, cloudy.	—	*Hydractinia echinata* f.c. *Corystes cassivelaunus* f.c., *Eupagurus bernhardus* f.c. *Asterias rubens* f.c., *Astropecten irregularis* f.c., *Callionymus lyra, Trachinus vipera.*	
3 a.m.	9 a.m.	6	From 5½ hours flood to 5½ hours ebb.	Moderately smooth.	N. 4	Fine, cloudy.	—	*Hydractinia echinata* c. .. .. *Montacuta substriata* f.c. *Eupagurus bernhardus* c., *Cancer pagurus.* *Spatangus purpureus* c., *Asterias rubens* c., *Astropecten irregularis.*	Several sailing trawlers about us.
9.30 a.m.	2.30 p.m.	5	First 5 hours flood.	Moderately smooth.	N.E. 5	Cloudy, tempest.	—	*Hydractinia echinata* f.c. .. .. *Sabellaria spinulosa* f.c. *Eupagurus bernhardus* f.c.	Several sailing trawlers about.
3 p.m.	8 p.m.	5	Last hour flood; 4 hours ebb.	Moderately smooth.	N.N.E. 4.	Cloudy, tempest.	—	*Sabellaria spinulosa* f.c. .. .. *Montacuta substriata* f.c. *Eupagurus bernhardus* f.c. *Asterias rubens, Astropecten irregularis, Spatangus purpureus.*	Several sailing trawlers and drifters about us.
8.15 a.m.	1.15 p.m.	5	Nil	Moderately rough.	N.W. by N. 4-7.	Dull, thick rain.	—	*Alcyonidium gelatinosum* f.c. .. .. .. **Pecten operculatis** v.c., *Buccinum undatum, Fusus antiquus.* **Asterias rubens** v.c.	W. Wallace, G. T. Atkinson.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
LIX	4	June	27	O 319	Dogger Bank, North of South West Patch.	54° 44¾′ N., 2° 18½′ E.	N.E. ½ E. 12⅜ miles.	54° 55′ N., 2° 31′ E.	12	12½	13	f.s. & sh.	..	f.s. & sh.
,,	6	,,	27–28	O 320	Dogger Bank, Middle	54° 54⅜′ N., 2° 30⅞′ E.	N. by E. ⅝ E. 13⅛ miles	55° 7¾′ N., 2° 33′ E.	13	15	16½	f.s. & sh.	..	f.s. & sh.
,,	8	,,	28	O 321	,, ,, ,, ..	55° 7½′ N., 2° 33½′ E.	N.W. by W. 5 miles N.E. ¼ E. 5 miles. N.N.W. ¼ W. 2 miles. S.E. 1 mile.	55° 12⅝′ N., 2° 32¼′ E.	16½	17	17½	f.s. & sh.	..	f.g.s.
,,	10	,,	28–29	O 322	Dogger Bank, Middle	55° 8¾′ N., 2° 33½′ E.	S. by W. ¾ W. 9½ miles N. by E. ¼ E. 6¼ miles.	55° 5⅜′ N., 2° 33¾′ E.	17½	15	15	f.g.s.	..	f.g.s. & sh.
,,	11	,,	29	O 323	,, ,, ,,	55° 5⅜′ N., 2° 33¾′ E.	S. by W. ¾ W. 2½ miles N.E. by N. ¾ N. 2½ miles.	55° 5¼′ N., 2° 35′ E.	15	..	15	f.g.s. & sh.	..	f.g.s. & sh.
	12	,,	,,	B(c.)344	,, ,, ,,	55° 5¼′ N., 2° 35′ E.	S. 2¼ miles	55° 3′ N., 2° 35′ E.	15	..	14	f.g.s. & sh.	..	f.g.s. & sh.
,,	14	,,	,,	O 324	Dogger Bank, N.W. Slope.	55° 16⅜′ N., 2° 31½′ E.	N. by E. 2 miles S.S.W. 3 miles.	55° 15¼′ N., 2° 29′ E.	19½	..	20	f.g.s. & sh.	..	f.g.s. & sh.
,,	17	,,	30	O 325	North of the Dogger Bank.	55° 50⅛ 2° 46⅜′ E.	N.E. by N. 5 miles	55° 55½′ N., 2° 49′ E.	44	..	44	s. & m.	..	s. & m.
,,	21	,,	,,	O 326	,, ,, ,,	56° 21½′ N., 3° 11¾′ E.	N.E. ⅝ N. 4⅜ miles	56° 25½′ N., 3° 15′ E.	40	..	38½	f.s. & m.	..	f.s. & m.
,,	24	July	1	O 327	North-West of Dogger Bank.	56° 12⅜′ N., 1° 39′ E.	S.W. 5 miles	56° 8¼′ N., 1° 34½′ E.	53	..	48	f.s. & m.	..	f.s. & m.
,,	28	,,	,,	O 328	North-West of Brucey's Garden.	55° 9′ N., 0° 44′ E.	S.W. by W. 5 miles	55° 5⅜′ N., 0° 38⅝′ E.	39	..	44	f.g.s. & sh.	..	f.s. & m.
,,	29	,,	7	B 345	Bridlington Bay ..	54° 1′ N., 0° 9¼′ W.	E. by N. ⅝ N. 1⅝ miles W.S.W. 2⅝ miles. N.N.E. 1⅝ miles.	54° 1′ N., 0° 10½′ W.	4¾	3½	5	f.d.s.	..	f.d.s.
,,	30	,,	,,	O 329	Flamborough Head Ground.	54° 14⅛′ N., 0° 24⅝′ E.	E.N.E. 11½ miles	54° 21½′ N., 0° 40′ E.	29½	..	36	f.s.	—	f.d.s.
,,	32	,,	8	O 330	The Hills	54° 20½′ N., 0° 39′ E.	E. by S. ¾ S. 10½ miles	54° 19¾′ N., 0° 57⅝′ E.	31½	27	22	f.d.s.	..	f.g.s.
,,	35	,,	9	O 331	Dogger North Ground.	54° 30¾′ N., 1° 15¾′ E.	N.N.E. 2½ miles W. ¼ S. 5 miles. N. by E. 5 miles.	54° 36¾′ N., 1° 7′ E.	27	16, 21	27	f.d.g.s.	..	f.d.g.s.
,,	38	,,	,,	O 332	North part of Dogger North Ground.	54° 45½′ N., 1° 8′ E.	N.N.E. 5 miles	54° 50¼′ N., 1° 9′ E.	27	..	25½	f.d.g.s.	..	f.d.g.s.
,,	39	,,	10	O 333	Brucey's Garden ..	54° 56¼′ N., 1° 6′ E.	E. by S. 1½ miles N.N.W. 1¼ miles. N.W. ¼ W. 2½ miles.	54° 58¾′ N., 1° 2½′ E.	30	..	32	f.d.g.s.	..	f.s.m.
,,	40	,,	10	O 334	East of Brucey's Garden.	54° 58¾′ N., 1° 2½′ E.	E. by S. 2½ miles N.N.W. 2½ miles.	55° 1¼′ N., 1° 4¼′ E.	32	..	32	f.s.m.	..	f.s.m.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
3.25 p.m.	8.25 p.m.	5	Nil	Moderately smooth.	N.W. 4	Dull, foggy, rain.	—	*Alcyonidium gelatinosum* f.c. *Fusus antiquus* and spawn. *Eupagurus bernhardus* c., *Portunus holsatus* f.c. *Asterias rubens* f.c.	
9.30 p.m.	3 a.m.	5½	Nil	Smooth	N.W. by N. 3.	Dull, thick, foggy.	—	*Alcyonidium gelatinosum* c. *Pecten opercularis* f.c. *Buccinum undatum* and spawn c., *Fusus antiquus* and spawn c. *Eupagurus bernhardus* c.	
3.50 a.m.	8.50 a.m.	5	Nil	Smooth	N.W. by N. 3.	Dull, overcast.	—	**Alcyonidium gelatinosum** v. abundant. *Sabella pavonina.* **Pecten opercularis** v.c. *Buccinum undatum* spawn c., *Fusus antiquus* and spawn c. *Asterias rubens* f.c.	
(28th) 8.15 p.m.	(29th) .m.	6¼	Nil	Smooth	Calm	Dull, thick, foggy.	—	Not recorded.	
3 a.m.	5 a.m.	2	Nil	Smooth	Calm	Dull, thick fog.	—	Not recorded.	
5.45 a.m.	6.45 a.m.	1	Nil	Smooth	Calm	Dull, thick, foggy.	—	*Trachinus vipera.* Invertebrates not recorded	With small mesh net.
12.10 p.m.	2.10 p.m.	2	Nil	Smooth	Variable 1-2.	Dull, thick, hazy.	—	**Alcyonidium gelatinosum** v. abundant. *Pecten opercularis* c., *Fusus antiquus* f.c., *F. gracilis* f.c.	
2.30 a.m.	4.30 a.m.	2	Nil	Smooth	N.E. 3.	Dull, thick, hazy, rain.	—	*Actinoloba dianthus.* *Buccinum undatum*, *Fusus antiquus.* *Lithodes maia* c. **Spatangus purpureus**, abundant, *Echinocardium* s.p.	
2.30 p.m.	4.30 p.m.	2	Nil	Smooth	N.E. 3.	Cloudy, overcast.	—	*Hydrallmania falcata* f.c. **Flustra securifrons** v.c. *Thelepus cincinnatus* c., *Filograna implexa.* *Buccinum undatum* *Eupagurus bernhardus* f.c., *Hyas coarctatus.* *Spatangus purpureus* c., *Asterias rubens* f.c.	
3.30 a.m.	5.30 a.m.	2	Nil	Moderately smooth.	E.N.E. 4.	Cloudy, overcast.	—	*Flustra securifrons* c. *Pecten opercularis* c., *Buccinum undatum*, *Fusus antiquus.* **Spatangus purpureus** v.c., *Asterias rubens* f.c.	
2.30 p.m.	4.30 p.m.	2	Nil	Moderately rough.	E.N.E. 6.	Dull, overcast.	—	*Actinoloba dianthus*, *Thuiaria thuia* *Pomatoceros triqueter* c. *Pecten opercularis* c., *Buccinum undatum*, *Fusus antiquus*, *Modiola modiolus.* *Lithodes maia* c. **Spatangus purpureus** v.c., *Asterias rubens* f.c.	
1 p.m.	3 p.m.	2	From fourth to sixth hour ebb.	Smooth	N.E. 4.	Fine, cloudy, hazy.	—	Very little taken.	
3.45 a.m.	8.45 a.m.	5	Fifth hour ebb to fourth flood.	Smooth	N.W. 2.	Fine, hazy.	—	*Alcyonium digitatum* c., *Tubularia indivisa* .. **Alcyonidium gelatinosum** abundant. *Sabella pavonina* c. *Pecten opercularis.* *Hyas coarctatus.* *Astropecten irregularis* c., *Asterias rubens* f.c.	1 steam trawler with us
11.30 a.m.	4.30 p.m.	5	From first to sixth hour ebb.	Smooth	E.S.E. 2.	Fine, hazy.	Belly badly	*Alcyonium digitatum* f.c., *Actinoloba dianthus* **Alcyonidium gelatinosum** v.c.	1 steam trawler with us.
2.45 a.m.	7.45 a.m.	5	Nil	Smooth	S.E. 1.	Fine, hazy.	—	**Alcyonium digitatum** v.c., *Actinoloba dianthus* c. *Aphrodite aculeata.* **Pecten opercularis** v.c. *Eupagurus bernhardus* c. *Callionymus lyra.*	2 steam trawlers about us.
11.30 a.m.	1.30 p.m.	2	Nil	Smoo h	S.E. by E. 3.	Fine, hazy.	—	*Halichondria panicea* c. .. .. **Alcyonium digitatum** v.c., *Octinoloba dianthus* c. *Pomatoceros triqueter* c. *Sabella pavonina* f.c., *Aphrodite aculeata.* *Pecten opercularis* f.c. *Echinocardium cordatum* f.c., *Ophiothrix fragilis* f.c.	8 steam trawlers about us.
10 a.m.	Noon	2	Nil	Smooth	S. 3.	Fine, hazy.	—	Not recorded.	Gear fouled when shooting, hauled and shot again. 3 steam trawlers with us.
1 p.m.	3 p.m.	2	From first to third hours ebb.	Smooth	S. 1	Fine, cloudy, hazy.	—	*Halichondria panicea* f.c. .. .. *Actinoloba dianthus* c., *Alcyonium digitatum* c. *Sabella pavonina.* *Buccinum undatum* c., *Fusus antiquus* c. *Eupagurus bernhardus* f.c. *Astropecten irregularis*, *Echinocardium cordatum*, *Ophiura albida.* *Ophiothrix fragilis.*	4 steam trawlers about us.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shoot-ing.	Towing.	Haul-ing.	Shoot-ing.	Towing.	Haul-ing.
LIX	43	July	10	O 335	North East of Brucey's Garden.	55° 2⅜′ N., 1° 4½′ E.	E. 2½ miles S.W. by W. ⅜ W. 5 miles. N.E. by E. ⅜ E. 3¾ miles.	55° 2⅜′ N., 1° 7¾′ E.	32	..	32	f.s.m.	..	f.s.m.
„	44	„	11	O 336	Dogger Bank, North of West part.	55° 28½′ N., 1° 27½′ E.	W. 5 miles	55° 27¼′ N., 1° 18¾′ E.	43	..	36	f.s.m.	..	f.s.m.
„	46	„	„	O 337	Dogger Bank, North West of West part.	55° 12¾′ N., 0° 30⅝′ E.	W.N.W. 5 miles	55° 13¾′ N., 0° 22′ E.	43	..	40	f.s.m.	..	f.s.m.
„	50	„	12	B (c.) 346	North East of Brucey's Garden.	55° 1′ N., 1° 7½′ E.	N.W. by N. ½ N. 2¼ miles	55° 2⅜′ N., 1° 4½′ E.	31	..	33	f.s.m.	..	f.s.m.
„	51	„	„	O 388	West of Brucey's Garden.	54° 58¼′ N., 0° 24⅜′ E.	W. ¾ N. 5 miles	54° 57⅝′ N., 0° 16′ E.	41	..	46	f.s.m.	..	f.s.m.
„	56	„	13	O 339	Hartlepool Ground..	54° 40¼′ N., 0° 54′ W.	N.N.W. 3½ miles S.E. by S. 1½ miles.	54° 42′ N., 0° 56′ W.	24½	..	23	c.s.	..	s.m.
LX	1	„	23	O 340	South of Horn Reef	55° 23′ N., 7° 59⅞′ E.	W. ⅝ N. 2⅝ miles	55° 22¾′ N., 7° 56′ E.	9	..	10	f.d.s. & sh.	..	f.d.s.
„	2	„	24	O 341	Horn Reef Outer ..	55° 40½′ N., 6° 39′ E.	N.E. by E. 1½ miles S.S.W. 1½ miles.	55° 40½′ N., 6° 39½′ E.	20½	..	20½	f.d.s. & sh.	..	f.d.s.
„	3	„	„	O 342	South of Horn Reef	55° 22¾′ N., 7° 54′ E.	E. by N. ¼ N. 1½ miles	55° 23¼′ N., 7° 56′ E.	10½	..	9	f.d.s. & sh.	..	f.d.s. & s.h.
LXI	36	Aug.	8	B 347	Leman Ground ..	53° 20⅝′ N., 2° 23¾′ E.	S. by E. 4¾ miles	53° 15⅞′ N., 2° 27¼′ E.	17	..	13	f.d.s.	..	f.s.
„	37	„	9	B 348	„ „ ..	50° 15⅞′ N., 2° 27¼′ E.	N. ⅜ W. 4⅜ miles	53° 20′ N., 2° 24¼′ E.	13	..	17	f.s.	..	f.d.s.
„	38	„	„	B 349	„ „ ..	53° 21½′ N., 2° 22¾′ E.	S.S.E. 4½ miles	53° 18¼′ N., 2° 27½′ E.	16	..	17	f.g.s.	..	f.g.s.
„	39	„	„	B 350	„ „ ..	53° 18¼ N., 2° 27½′ E.	N.N.W. 4½ miles	53° 21⅜′ N., 2° 23½′ E.	17	..	13	f.g.s.	.	f.g.s.
„	40	„	9	B 351	„ „ ..	53° 21⅜′ N., 2° 26¾′ E.	S.W. by W. 4½ miles	53° 18½′ N., 2° 21⅝′ E.	12	..	10	f.g.s.	..	f.g.s.
„	41	„	„	B 352	„ „ ..	53° 18½′ N., 2° 21⅝′ E.	N.E. by E. ⅝ E. 4⅜ miles	53° 21′ N., 2° 27¾′ E.	10	..	17	f.g.s.	..	f.g.s.
„	42	„	„	B 353	„ „ ..	53° 18½ N., 2° 27′ E.	N.N.W. 4½ miles	53° 21½′ N., 2° 22½′ E.	17½	..	14½	f.g.s.	..	f.g.s.
„	44	„	„	B 354	„ „ ..	53° 20¼′ N., 2° 24′ E.	S. by E. 4½ miles	53° 16′ N., 2° 27½′ E.	15	..	13	f.g.s.	..	f.g.s.
„	45	„	10	B 355	Brown Bank	53° 7⅜′ N., 3° 44′ E.	N.E. by N. ½ N. 5 miles	53° 12¼′ N., 3° 45½′ E.	15¼	..	13½	f.g.s.	..	f.g.s.
„	46	„	„	B 356	„ „	53° 12¼′ N., 3° 45¾′ E.	S.W. by S. ⅛ S. 4½ miles	53° 8⅝′ N., 3° 44′ E.	13½	..	15¼	f.g.s.	..	f.g.s.
„	47	„	„	B 357	„ „	53° 7⅝′ N., 3° 45′ E.	N.E. by N. ¾ N. 4½ miles	53° 11¾′ N., 3° 47¾′ E.	15¼	..	15	f.g.s.	..	f.g.s.
„	48	„	„	B 358	„ „	53° 9½′ N., 3° 48′ E.	N.W. ¾ W. 4 miles	53° 11′ N., 3° 41⅝′ E.	15	..	15	f.g.s.	..	f.g.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
6.15 p.m.	11 p.m.	4¾	Nil	Smooth	Variable, 2.	Fine, cloudy, hazy.	—	*Argentina* sp. .. .. Invertebrates not recorded.	4 steam trawlers with us.
7.45 a.m.	9.45 a.m.	2	Nil	Smooth	E. 1	Overcast, dull.	—	*Modiola modiolus.* **Spatangus purpureus** v.c., *Ophiura ciliaris* f.c.	
3.30 p.m.	5.30 p.m.	2	Nil	Smooth	Calm	Dull, thick fog.	Ground rope parted, and belly very badly torn.	*Spatangus purpureus* c., *Echinocardium cordatum*, f.c.	
5.45 a.m.	6.45 a.m.	1	Nil	Smooth	W.S.W. 3.	Dull, rainy.	—	*Actinoloba dianthus* c., *Alcyonium digitatum* f.c. *Sabella pavonina.* *Buccinum undatum, Fusus antiquus, Modiola modiolus, Pecten opercularis, Tritonia hombergi.* *Eupagurus bernhardus* c. *Astropecten irregularis* f.c., *Ophiothrix fragilis* f.c.	Small mesh net round ordinary trawl. 2 steam trawlers with us.
11.15 a.m.	1.15 p.m.	2	Nil	Smooth	Variable. 1.	Dull, overcast.	—	*Actinoloba dianthus* c. **Pecten opercularis** v.c., *Modiola modiolus* f.c. **Spatangus purpureus** v.c., *Asterias rubens* c., *Astropecten irregularis* c., *Echinocardium cordatum* c.	
4.30 a.m.	6.30 a.m.	2	Second to fourth hour ebb.	Smooth	N.W. 3	Dull, thick, foggy.	Large stone in trawl. Ground rope parted, not very badly torn.	**Alcyonium digitatum** v.c., *Sertularia abietina* f.c. *Flustra foliacea* f.c. **Saxicava rugosa** v.c., *Pecten pusio* c. **Echinus s.p.**, v.c., *Ophiothrix fragilis.*	
8.40 p.m.	9.40 p.m.	1	Fourth to fifth hour ebb.	Smooth	Calm	Dull, overcast, thick, hazy.	—	*Buccinum undatum* spawn .. .. .. *Asterias rubens* c.	W. Wallace, R. A. Todd.
8 a.m.	9 a.m.	1	Fourth to fifth hour ebb.	Moderately rough.	N. 6	Dull, cloudy.	—	*Echinocardium cordatum* c., *Ophiothrix fragilis.*	
4.30 p.m.	5 p.m.	½	Last hour flood.	Rough	W. 6	Dull, cloudy.	—	Not recorded.	
10 p.m.	Midnight	2	Last ½ hour ebb; first 1½ hours flood.	Smooth	S.E. 2	Fine, hazy.	—	*Corystes cassivelaunus, Portunus holsatus* .. *Astropecten irregularis, Ophiura ciliaris.* *Callionymus lyra.*	J. O. Borley, G. T. Atkinson. Towing 48 revolutions.
12.30 a.m.	2.30 a.m.	2	Second to fourth hour flood.	Smooth	S.E. by E. 3.	Fine, hazy.	—	*Callionymus lyra, Solea lutea.* Very little else taken.	Towing 52 revolutions.
5 a.m.	7 a.m.	2	First and second hours ebb.	Smooth	S.E. by S. 5.	Dull, overcast.	—	*Callionymus lyra, Solea lutea.* Very little else taken.	Towing 58 revolutions.
7.20 a.m.	9.20 a.m.	2	From 2½ to 4½ hours ebb.	Moderately smooth.	S.S.W. 5.	Dull, overcast.	—	*Arnoglossus* sp.	Towing 42 revolutions.
10 a.m.	Noon	2	Last 2 hours ebb.	Moderately smooth.	S.S.E. 6	Dull, overcast.	—	*Callionymus lyra.* Very little else taken ..	Towing 54 revolutions.
12.20 p.m.	2.20 p.m.	2	First 2 hours flood.	Moderately smooth.	S.S.W. 6	Dull, overcast.	—	„ „ „ ..	Towing 46 revolutions.
3.15 p.m.	5.15 p.m.	2	Last 2 hours flood.	Moderately smooth.	S.S.W. 5	Dull, overcast.	—	*Arnoglossus* sp.	Towing 54 revolutions.
6.10 p.m.	8.10 p.m.	2	Second and third hours ebb.	Moderately smooth.	S.S.W. 5	Dull, overcast, rain.	—	*Callionymus lyra*	Towing 58 revolutions.
7.50 a.m.	9.50 a.m.	2	Second and third hours flood.	Moderately smooth.	W. by S 5.	Cloudy, fine.	—	„	Towing 52 revolutions.
10.15 a.m.	12.15 p.m.	2	Fourth and fifth hours ebb.	Moderately smooth.	W. by S. 5.	Cloudy, fine.	Cod end insecurely fastened, some fish escaped.	*Chrysaora* sp., f.c. .. .. *Astropecten irregularis.*	Towing 62 to 64 revolutions.
1.30 p.m.	3.30 p.m.	2	First and third hours flood.	Moderately rough.	S.W. by W. 6.	Cloudy, fine.	—	Not recorded	Towing 58 revolutions.
4.15 p.m.	6.15 p.m.	2	3½ to fifth hours flood.	Moderately rough.	S.W. by W. 6.	Cloudy, tempest.	—	*Aequorea* sp., *Chrysaora* sp., f.c. .. .. .. **Alcyonidium gelatinosum,** young, v.c. *Sabellaria spinulosa* c. *Echinus miliaris* c.	Towing 54 revolutions.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
LXI	49	Aug.	12	B 359	Off Southwold ..	52° 16¾′ N., 1° 46½′ E.	N.E. ½ N. 4¼ miles	52° 20⅝′ N., 1° 49⅜′ E.	13	..	15	c.s.	..	c.s.
,,	50	,,	,,	B 360	,, ,, ..	52° 21⅝′ N., 1° 50′ E.	S.W. ½ S. 3 miles	52° 18⅞′ N., 1° 48′ E.	12	..	12	c.s.	..	c.s. gvl.
,,	51	,,	,,	B 361	,, ,, ..	52° 21½′ N., 1° 48¾′ E.	S.W. by S. ⅛ S. 4½ miles	52° 17¼′ N., 1° 46½′ E.	11	..	12	f.s.	..	c.s. & st.
,,	52	,,	,,	B 362	,, ,, ..	52° 16⅝′ N., 1° 46¼′ E.	N.E. ⅞ N. 1½ miles	52° 18¼′ N., 1° 47⅛′ E.	12	..	12	c.s. & st.	..	c.s. & st.
,,	54	,,	,,	B 363	North part of Winterton Shoal.	52° 48′ N., 2° 56¼′ E.	N. by E. ⅞ E. 4¾ miles	52° 52¾′ N., 2° 57¼′ E.	17	..	22	f.s.	..	f.s.
,,	55	,,	,,	B 364	,, ,, ..	52° 53½′ N., 2° 57½′ E.	S. by W. ¼ W. 3½ miles	52° 50′ N., 2° 57½′ E.	22	..	22	f.s.	..	f.s.
,,	56	,,	13	B 365	North part of Winterton Shoal.	52° 52′ N., 2° 57⅝′ E.	S. by W. ⅜ W. 3 miles	52° 49′ N., 2° 57⅛′ E.	22	..	22	f.s.	..	f.s.
,,	57	,,	,,	B 366	,, ,, ,,	52° 49′ N., 2° 57⅛′ E.	N.W. by N. 1 mile	52° 49¼′ N., 2° 56⅛′ E.	22	..	17	f.s.	..	f.s.
,,	59	,,	14	B 367	Off Smith's Knoll Light-vessel.	52° 52¼′ N., 2° 17′ E.	S. ½ W. 4⅝ miles	52° 48′ N., 2° 18′ E.	23	..	26	f.d.s.	..	s.blk.m.
,,	60	,,	,,	B 368	,, ,, ,,	52° 47½′ N., 2° 17′ E.	N. by W. 4 miles	52° 51½′ N., 2° 15½′ E.	26	..	26	f.s.m.	..	blk. spk.s.
,,	61	,,	,,	B 369	,, ,, ,,	52° 48′ N., 2° 16¾′ E.	N.N.W. 3½ miles	52° 51′ N., 2° 13½′ E.	26	..	21	s.m.	..	f.s.
,,	62	,,	,,	B 370	,, ,, ,,	52° 50⅜′ N., 2° 14¾′ E.	N.E. by E ½ E. 3⅜ miles	52° 52⅜′ N., 2° 17¾′ E.	25	..	23	f.s.	..	e.s.
LXII	19	,,	24	B 371	Off Sutton	53° 20½′ N., 0° 18¼′ E.	S. by E. ¼ E. 1⅜ miles	53° 18¾′ N., 0° 19⅝′ E.	6	6½	7	f.d.s.	f.d.s.	gvl.
,,	20	,,	,,	B 372	Off Mablethorpe ..	53° 20¾′ N., 0° 21⅜′ E.	S.E. ¼ S. 1½ miles N. by W. ½ W. 2⅝ miles.	53° 21⅝′ N., 0° 21¼′ E.	8½	9–7	7	gvl.	s.	s.gvl.
,,	33	,,	29	B 373	Off Horn Reef Light-Vessel.	55° 33′ N., 7° 21½′ E.	S.W. 5 miles.	55° 29¼′ N., 7° 16⅜′ E.	17	..	15	f.g.s. & sh.	..	f.g.s.
LXII	1	Sept.	5	O 343	Leman Ground ..	53° 20½′ N., 2° 26¼′ E.	S.E. by E. ¼ E. 8½ miles	53° 18′ N., 2° 38¾′ E.	17	..	15½	f.g.s.	..	f.g.s.
,,	3	,,	,,	O 344	,, ,,	53° 19½′ N., 2° 38½′ E.	W. by N. ⅝ N. 8 miles	53° 19½′ N., 2° 25′ E.	15½	..	17	f.g.s.	..	f.d.g.s.
,,	4	,,	,,	O 345	,, ,,	53° 18½′ N., 2° 40′ E.	S.E. 9½ miles	53° 13½′ N., 2° 54¾′ E.	17	..	16	f.d.g.s.	..	f.d.g.s.
,,	5	,,	6	O 346	Eastern Edge of Leman Ground.	53° 13½′ N., 2° 54½′ E.	S.E. ⅞ E. 8½ miles	53° 10½′ N., 3° 8⅞′ E.	16	..	15½	f.d.g.s.	..	f.d.g.s.
,,	7	,,	..	B(c.) 374	,, ,, ,,	53° 10½′ N., 3° 9′ E.	N.W. by W. ⅜ W. 3½ miles	53° 11′ N., 3° 3½′ E.	15½	..	16	f.d.g.s.	..	f.d.g.s.
,,	8	,,	6	B(c.) 375	Leman Ground ..	53° 11′ N., 3° 3½′ E.	N.W. ½ W. 4½ miles	53° 13′ N., 2° 57′ E.	16	..	16½	f.d.g.s.	..	f.d.g.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c., Naturalist in charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
9.25 a.m.	11.25 a.m.	2	First 2 hours ebb.	Moderately smooth.	N.W. 6	Cloudy, tempest.	—	*Aequorea* sp., *Chrysaora* sp., f.c. .. .. .. **Alcyonidium gelatinosum,** young, v.c. *Sabellaria spinulosa* c. *Echinus miliaris* c.	Towing 48 revolutions.
11.45 a.m.	1.45 a.m.	2	3½ to 5½ hours ebb.	Moderately smooth.	N.W. 5	Cloudy, tempest.	—	" " "	Towing 60 to 68 revolutions.
3.25 p.m.	5.25 p.m.	2	First and second hours flood.	Smooth	Variable 2.	Cloudy, fine.	—	" " "	Towing 38 revolutions.
5.45 p.m.	7.45 p.m.	2	Third to fifth hours flood.	Smooth	Variable 2.	Cloudy, fine.	—	" " "	Towing 54 revolutions.
10.45 a.m.	12.45 p.m.	2	Second and third hours ebb.	Smooth	Calm	Overcast, tempest.	—	Very little taken	Towing 44 revolutions.
1.15 p.m.	3.15 p.m.	2	Fourth and fifth hours ebb.	Smooth	Calm	Overcast, tempest.	—	*Callionymus lyra.* Very little else taken ..	Towing 54 revolutions. Several trawling smacks about us.
4.30 p.m.	6·30 p.m.	2	First and second hours flood.	Smooth	Calm	Overcast, tempest.	—	Very little taken	Towing 34 revolutions.
6.50 p.m.	8.50 p.m.	2	Third to fifth hours flood.	Smooth	Calm	Overcast, tempest.	—	" "	Towing 44 revolutions.
5.15 a.m.	7.15 a.m.	2	First 2 hours flood.	Smooth	Calm	Cloudy, fine, hazy.	—	" "	Towing 44 revolutions. Many Lowestoft sailing trawlers about us.
7.45 a.m.	9.45 a.m.	2	Third to fifth hours flood	Smooth	Calm	Fine, cloudy, hazy.	—	" "	Towing 66 revolutions. Many Lowestoft sailing trawlers about us.
11.35 a.m.	12.55 p.m.	1¼	First 2 hours ebb.	Smooth	E. 2	Fine, cloudy, hazy.	—	" "	Towing 34 revolutions.
1.30 p.m.	3 p.m.	1½	Third to 4½ hours ebb.	Smooth	E. 3	Fine, cloudy.	—	" "	Towing 44 to 54 revolutions. Many Lowestoft sailing trawlers about us.
9.30 a.m.	10.30 a.m.	1	Last hours flood.	Heavy swell	W.N.W. 6	Cloudy, fine, hazy.	Belly badly torn	*Chrysaora* sp., f.c., *Aurelia aurita* .. .. *Cancer pagurus* c., *Crangon vulgaris, Pandalus montagui, Portunus holsatus.*	R. A. Todd, G. T. Atkinson.
12.15 p.m.	2.30 p.m.	2¼	First to third hours ebb.	Heavy swell, Easterly.	Variable	Cloudy, fine, hazy.	—	*Flustra foliacea* f.c., *Gemellaria loricata* f.c., *Vesicularia spinosa* f.c. *Cancer pagurus* f.c.	
9.30 a.m.	11.30 a.m.	2	From 5½ hours flood to 1½ hours ebb.	Rough	N.E. 7	Rain, heavy clouds.	—	*Eupagurus bernhardus* f.c.	
3 a.m.	7 a.m.	4	First 4 hours ebb.	Moderately rough.	W. 6	Cloudy	—	*Portunus holsatus* f.c., *Eupagurus bernhardus. Asterias rubens, Astropecten irregularis.*	W. Wallace, J. O. Borley. Saw several sailing trawlers.
7.30 a.m.	11.30 a.m.	4	1½ hours ebb; 2½ hours flood.	Moderately rough.	W. by S. 5	Heavy clouds.	—	*Loligo forbesi* c.. *Aphrodite aculeata. Eupagurus bernhardus* c., *Corystes cassivelaunus, Portunus holsatus. Asterias rubens* v.c., *Astropecten irregularis, Echinocardium cordatum. Echinus miliaris, Ophiura ciliaris.*	
1.30 p.m.	5.30 p.m.	4	2 hours flood; 2 hours ebb.	Rough	S.W. 7	Heavy clouds.	—	Not recorded.	
4.30 a.m.	8.30 a.m.	4	1½ hours to 5 hours ebb.	Moderately smooth.	S.W. by S. 5.	Dull, cloudy.	—	*Eupagurus bernhardus* .. .. *Astropecten irregularis* c.	A few sailing trawlers about us.
9.30 a.m.	11.30 a.m.	2	First 2 hours flood.	Moderately smooth.	S.W. by S. 5.	Dull, cloudy.	Hole in cod end	*Arnoglossus* sp., *Callionymus lyra* .. .. Very little else taken.	Small mesh net over ordinary trawl. Five sailing trawlers about us.
12.15 p.m.	2.15 p.m.	2	Second to fourth hour flood.	Moderately smooth.	S.S.E. 6.	Dull, cloudy.	Hole in cod end	*Trachinus vipera, Solea lutea* .. .. .. Very little else taken	Small mesh covering round ordinary trawl.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
LXIII	9	Sept.	6	O 347	North part of Brown Bank.	53° 10⅜′ N., 3° 9¾′ E.	S.E. 9½ miles	53° 6′ N., 3° 23½′ E.	16½	..	15½	f.d.g.s.	..	f.s.
„	11	„	13	O 348	Texel Ground ..	52° 48⅜′ N., 4° 35⅝′ E.	N.W. by N. ¼ N. 5 miles	52° 52′ N., 4° 30′ E.	8	..	12	f.g.s.	..	f.g.s.
„	12	„	„	B(c.) 376	„ „ ..	52° 49′ N., 4° 36½′ E.	S.W. ⅝ S. 4¾ miles	52° 44⅝′ N., 4° 33⅜′ E.	7	..	10	c.s.	..	f.g. spk.s.
„	14	„	„	B(c.) 377	„ „ ..	52° 48½′ N., 4° 35⅞′ E.	N.N.W. 4¼ miles	52° 51⅝′ N., 4° 31⅜′ E.	7	..	12	f.l.g.s.	..	f.g.s.
„	16	„	„	O 349	„ „ ..	52° 51¾′ N., 4° 31⅜′ E.	N.W. by W. ¾ W. 8½ miles	52° 53⅜′ N., 4° 18′ E.	12	..	13	f.g.s.	..	f.g.s.
„	18	„	14	O 350	„ „ ..	52° 53½′ N., 4° 17½′ E.	N.W. ¾ W. 9 miles	52° 57′ N., 4° 4¼′ E.	14	..	14	f.g.s.	..	f.g.s.
„	20	„	„	O 351	East part of Brown Bank.	52° 57′ N., 4° 4¼′ E.	N.W. ¾ W. 14½ miles	53° 2⅜′ N., 3° 41½′ E.	14	..	14½	f.g.s.	..	f.g.s.
„	22	„	„	O 352	Brown Bank	53° 2⅜′ N., 3° 41½′ E.	N.W. ⅜ W. 11½ miles	53° 6⅜′ N., 3° 24′ E.	14½	..	16	f.g.s.	..	f.g.s.
LXIV	1	„	19	B 378	South part of Lowestoft Flats.	52° 21½′ N., 1° 57¾′ E.	E.N.E. 2 miles, S.S.W. 2 miles,	52° 20⅜′ N., 2° 1′ E.	14½	18	20	c.s.	..	c.br.s.
„	3	„	„	B 379	„ „ „	52° 21′ N., 1° 59′ E.	W. ⅜ S. 1⅝ miles, E.S.E. 1⅜ miles.	52° 20′ N., 1° 59⅜′ E.	19	..	16½	c.br.s.	..	c.s. & sh.
„	4	„	20	B 380	Western Deep Water	52° 3½′ N., 2° 17′ E.	E. by N. 9 miles	52° 6½′ N., 2° 32¼′ E.	30	27	22½	c.s. & sh.	c.s. & sh.	f.g.s.
„	6	„	21	B 381	Eastern Deep Water, East North East of Outer Gabbard Light-vessel.	52° 8½′ N., 2° 35¼′ E.	N.E. ⅜ E. 7⅓ miles, E. ½ S. 1⅓ miles.	52° 14¼′ N., 2° 45½′ E.	21	..	24	c.s.	..	f.g.s.
„	8	„	„	B 382	Eastern Deep Water	52° 13′ N., 2° 45¼′ E.	N.E. by N. ¾ N. 9¼ miles	52° 22′ N., 2° 48¼′ E.	24	..	25	f.g.s.	..	f.g.s.
„	10	„	„	B 383	Between Middle Ground and Winterton Shoal.	52° 21′ N., 2° 47½′ E.	N.E. by N. ½ N. 13½ miles	52° 35′ N., 2° 53¾′ E.	25	..	22	f.g.s.	..	f.g.s.
„	12	„	22	B 384	South part of Winterton Shoal.	52° 38′ N., 2° 58′ E.	N. by E. ⅞ E. 5 miles, N.E. by N. 2¼ miles, S.S.W. 2½ miles, S.W. 2½ miles.	52° 39¾′ N., 2° 57¾′ E.	21	..	19	f.g.s.	..	f.g.s.
„	14	„	26	B 385	Eastern Deep Water	52° 8¾′ N., 2° 30¼′ E.	N.E. by E. ¾ E. 6½ miles, N. by E. 5 miles.	52° 18′ N., 2° 38½′ E.	22½	..	23½	f.g.s.	..	f.g.s.
„	16	„	„	B 386	South of Winterton Shoal.	52° 17½′ N., 2° 38′ E.	E. by N. ½ N. 6⅝ miles, N. by E. ½ E. 5 miles.	52° 26′ N., 2° 47¾′ E.	23½	..	24	f.g.s.	..	f.g.s.
„	18	„	27	B 387	Between Middle Ground and Knoll Deep.	52° 26′ N., 2° 47¾′ E.	N. ⅛ W. 12⅝ miles	52° 38½′ N., 2° 42′ E.	24	..	24	f.g.s.	..	f.g.s. blk. clay.
„	20	„	„	B 388	North East part of Knoll Deep.	52° 38′ N., 2° 41¼′ E.	N.N.W. 11 miles	52° 47′ N., 2° 31¼′ E.	24	..	22½	f.g.s. blk. clay.	..	f.g.s.
„	22	„	„	B 389	Leman Ground ..	53° 16½′ N., 2° 23½′ E.	E. ¾ S. 5 miles	53° 17′ N., 2° 36¼′ E.	17	..	17	f.g.s.	..	f.g.s.
„	23	„	„	B 390	„ „ ..	53° 16′ N., 2° 42′ E.	S.E. by E. ⅝ E. 13 miles	53° 13⅜′ N., 3° 4′ E.	17	..	15	f.g.s.	..	f.g.s.
„	24	„	28	B 391	Eastern Edge of Leman Ground.	53° 13⅜′ N., 3° 4′ E.	N. 12 miles	53° 25⅝′ N., 2° 58½′ E.	15	..	17	f.g.s.	..	f.g.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c. Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
3.50 p.m.	7.50 p.m.	4	1 hour flood; 3 hours ebb.	Moderately rough.	S. 5	Cloudy, tempest.	—	*Trachinus vipera* f.c., *Solea lutea*. Very little else taken.	
5.15 a.m.	7.15 a.m.	2	Last 2 hours flood.	Moderately smooth.	S.W. 3	Cloudy, fine.	—	*Rhizostoma* sp., c.	
8.15 a.m.	10.15 a.m.	2	First 2 hours ebb.	Moderately smooth.	S.W. 5	Cloudy, fine.	—	*Rhizostoma* sp., c. .. .. *Portunus holsatus* c. **Asterias rubens,** v.c.	Small mesh covering round ordinary trawl.
12.30 p.m.	2.30 p.m.	2	1 hour ebb; 1 hour flood.	Moderately rough.	S.W. 5	Cloudy, fine.	—	*Rhizostoma* sp... .. .. *Hydractinia echinata*. *Loligo forbesi*, small. *Portunus holsatus* c. *Asterias rubens* f.c.	Small mesh covering round ordinary trawl.
3.55 p.m.	7.55 p.m.	4	2 hours flood; 2 hours ebb.	Moderately smooth.	S.W. by W. 4.	Cloudy, fine.	—	*Cancer pagurus*, *Eupagurus bernhardus*, *Portunus holsatus*. *Asterias rubens*, *Astropecten irregularis*, *Ophiura ciliaris*.	
6.15 a.m.	10.15 a.m.	4	First 4 hours ebb.	Smooth	N. 3	Cloudy, fine.	—	*Loligo forbesi* .. .. *Eupagurus bernhardus*. *Asterias rubens* c., *Astropecten irregularis* f.c., *Ophiura ciliaris*.	Several Dutch fishing craft about us.
10.15 a.m.	3.50 p.m.	5	First 5 hours ebb.	Moderately rough.	N. 5	Cloudy, fine.	—	*Hydractinia echinata* .. .. *Cancer pagurus*, *Eupagurus bernhardus*, *Portunus holsatus*. *Asterias rubens*, *Ophiura ciliaris*.	1 steam trawler and several Dutch fishing craft about us.
4.20 p.m.	8.50 p.m.	4½	2 hours ebb; 2½ hours flood.	Moderately smooth.	N. 3	Fine, cloudy.	—	*Portunus holsatus* f.c., *Eupagurus bernhardus*. *Asterias rubens*, *Astropecten irregularis*.	
12.45 p.m.	2.45 p.m.	2	1½ hours flood; ½ hour ebb.	Moderately smooth.	N.E. by N. 4.	Cloudy, fine, hazy.	Belly torn ..	*Hydrallmania falcata* f.c., *Plumularia* sp., f.c. *Sabellaria spinulosa* c. *Porcellana longicornis*. *Echinus miliaris*.	R. A. Todd, L. R. Crawshay, J. Potter.
3.45 p.m.	5.45 p.m.	2	Second to fourth hours ebb.	Moderately smooth.	N.E. by N. 5,	Overcast, cloudy.	—	*Hydrallmania falcata* f.c., *Sertularia abietina*. *Alcyonidium gelatinosum* c., *Gemellaria loricata* f.c., *Vesicularia spinosa* f.c. *Trachinus vipera*.	
7.20 a.m.	11.20 a.m.	4	Fifth hour ebb to third hour flood.	Moderately rough.	N. by E. 5.	Cloudy, fine.	Belly torn ..	*Hydractinia echinata*. *Loligo forbesi*. *Eupagurus bernhardus* c.	
8.45 a.m.	12.45 p.m.	4	First 4 hours flood.	Moderately rough.	N.E. 5	Dull, cloudy, rain.	—	*Eupagurus bernhardus*. *Asterias rubens* c., *Spatangus purpureus*.	
1.30 p.m.	5.30 p.m.	4	2 hours flood; 2 hours ebb.	Moderately rough.	N.E. 5	Cloudy.	—	*Hydractinia echinata* c., *Hydrallmania falcata* c. *Cancer pagurus*. *Asterias rubens* f.c., *Astropecten irregularis*.	
6 p.m.	11 p.m.	5	4 hours ebb; 1 hour flood.	Moderately rough.	E. 5	Cloudy	Ground rope parted; net badly torn.	Not recorded	Several fishing vessels lights about us.
8 a.m.	1 p.m.	5	2 hours ebb; 3 hours flood.	Rough	E. by S. 7.	Fine, cloudy.	—	*Buccinum undatum*, *Loligo forbesi*. *Eupagurus bernhardus* c. *Asterias rubens* f.c., *Astropecten irregularis*.	
1 p.m.	6 p.m	5	3 hours ebb; 2 hours flood.	Moderately smooth.	N. 2	Cloudy	Belly slightly torn.	*Hydractinia echinata*. *Loligo forbesi*. *Homarus vulgaris*. *Echinus* sp.	
6.30 p.m.	11.30 p.m.	5	3 hours flood; 2 hours ebb.	Moderately smooth.	N.N.E. 4	Cloudy	Aft wing torn ..	*Eupagurus bernhardus* f.c. *Asterias rubens*, *Spatangus purpureus*. *Arnoglossus* sp.	
12.30 a.m.	5.30 a.m.	5	3 hours ebb; 2 hours flood.	Moderately smooth.	N.N.E. 4	Cloudy	—	*Eupagurus bernhardus* c. .. .. *Asterias rubens* f.c., *Astropecten irregularis*, *Echinus* sp.	Several sailing trawlers about us.
6 a.m.	11 a.m.	5	4 hours flood; 1 hour ebb.	Moderately smooth.	N.E. 5	Cloudy, showery.	—	*Loligo forbesi* c., *Buccinum undatum* .. .. *Eupagurus bernhardus*, *Galathea intermedia*, *Porcellana longicornis*, *Portunus holsatus*. *Asterias rubens*, *Echinus* sp.	Several sailing trawlers about us.
4 p.m.	6 p.m.	2	First 2 hours flood.	Moderately smooth.	N.E. 4	Cloudy, overcast.	—	*Loligo forbesi* .. .. *Eupagurus bernhardus* f.c., *Portunus holsatus* f.c. *Astropecten irregularis* f.c., *Ophiura ciliaris* f.c., *Asterias rubens*.	A few sailing trawlers about us.
6.30 p.m.	Midnight	5½	2½ hours flood to 1½ hours ebb.	Smooth	E. 3	Fine, cloudy.	—	**Portunus holsatus** abundant, *Eupagurus bernhardus* c., *Corystes cassivelaunus*. *Asterias rubens* f.c., *Ophiura ciliaris* f.c., *Astropecten irregularis*, *Echinus* sp. *Trachinus vipera*.	A few sailing trawlers about us.
Midnight	5 a.m.	5	First to sixth hours ebb.	Smooth	E. 3	Fine, cloudy.	—	*Actinoloba dianthus*, *Alcyonium digitatum* .. *Fusus antiquus* and spawn c. *Portunus holsatus* f.c., *Eupagurus bernhardus*, *Porcellana longicornis*. *Asterias rubens*, *Echinus* sp.	Two sailing trawlers about us.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shooting.	Towing.	Hauling.	Shooting.	Towing.	Hauling.
LXIV	26	Sept.	28	B 392	Between Leman and Ower Banks.	53° 9¾′ N., 1° 55′ E.	N.N.W. 5 miles	53° 13⅝′ N., 1° 50′ E.	18	..	15½	s. ross.	..	s. & ross.
,,	28	,,	,,	B 393	,, ,, ..	53° 14′ N., 1° 49½′ E.	N.W. 4½ miles	53° 16⅛′ N., 1° 43⅛ E.	15½	..	17	s. ross.	..	s. ross.
,,	29	,,	29	B 94	Off Smith's Knoll Light-vessel.	52° 55¼′ N., 2° 18′ E.	S. ½ W. 12½ miles	52° 43′ N., 2° 21½′ E.	23	..	25½	c.s.	..	s. & ross.
,,	30	,,	,,	B 395	,, ,, ..	52° 44¼′ N., 2° 21½′ E.	N. ⅝ E. 13 miles	52° 57¼′ N., 2° 18¼′ E.	25½	..	19½	s. & ross.	..	s. ross.
,,	31	,,	,,	B 396	,, ,, ..	52° 56¼′ N., 2° 18′ E.	S. ½ W. 13 miles	52° 43⅜′ N., 2° 25⅜′ E.	22	..	27	s. ross.	..	s. ross.
LXV	1	Oct.	9	O 353	East of Farn Island	55° 37⅝′ N., 1° 18½′ W.	E. by S. ⅜ S. 10 miles	55° 37¼′ N., 1° 2′ W.	41	..	48	m.	..	m.
,,	3	,,	,,	O 354	,, ,, ,,	55° 34½′ N., 0° 50′ W.	S.E. by S. 10½ miles	55° 28¼′ N., 0° 36′ W.	50	..	40½	m.	..	m.
,,	4	,,	10	O 355	Brucey's Garden ..	55° 1½′ N., 0° 50½′ E.	S.E. by S. ⅛ S. 12¼ miles	54° 53′ N., 1° 6½′ E.	34	..	29	s.m.	..	s.m.
,,	5	,,	,,	O 356	Dogger Bank, East of North West Rough.	54° 53½′ N., 1° 40′ E.	N.E. ¾ N. 11½ miles	55° 4½′ N., 1° 46½′ E.	13	..	17½	f.g.s.	..	gvl.
,,	6	,,	,,	O 357	,, ,, ,,	55° 4½′ N., 1° 46½′ E.	N.E. by E. ¼ E. 10 miles	55° 11½′ N., 1° 58′ E.	17½	..	18	gvl.	..	c.s.
,,	7	,,	11	O 358	Dogger Bank, North West of Eastern Shoal.	54° 39½′ N., 2° 12½′ E.	S.E. by S. ½ S. 6¼ miles, N. by E. ½ E. 6¼ miles.	54° 42′ N., 2° 20¼′ E.	14	10½	13	f.g.s.	f.g.s.	f.g.s.
,,	8	,,	,,	O 359	DoggerBank,Eastern Shoal.	54° 41′ N., 2° 24½′ E.	E. ½ N. 4 miles, S. ½ E. 5 miles, S.W. 1 mile.	54° 39½′ N., 2° 35½′ E.	13	13	11½	f.g.s.	f.g.s. & sh.	f.g.s.
,,	9	,,	12	O 360	East part of Clay Deep.	55° 11¾′ N., 4° 26′ E.	N.W. by W. ½ W. 10 miles, E. 2¼ miles.	55° 14½′ N., 4° 13½′ E.	24	24	24	s.oz.	s.oz.	s.oz.
,,	10	,,	,,	O 361	Clay Deep, Edge of Dogger.	55° 14½′ N., 4° 13½′ E.	N.W. by W. ½ W. 6¼ miles, S. ½ W. 6¼ miles.	55° 10½′ N., 4° 5′ E.	24	20	23	f.g.s.	f.g.s. & sh.	f.g. blk.s.
LXVI	1	,,	19	B 397	Flamborough Off ..	54° 2′ N., 0° 27′ E.	E. ⅛ N. 9 miles	54° 5′ N., 0° 41¾′ E.	28	..	26	f.d.g.s.	..	f.d.g.s.
,,	2	,,	,,	O 362	,, ,,	54° 4′ N., 0° 40½′ E.	N. by E. 6 miles, E. by N. ¼ N. 4 miles.	54° 12¼′ N., 0° 45¼′ E.	26	..	30	f.d.g.s.	..	f.d.g.s.
,,	3	,,	,,	O 363	,, ,,	54° 11¼′ N., 0° 44⅜′ E.	N.W. ¾ N. 2½ miles, W. by S. 7¼ miles, E. by N. 4 miles.	54° 11⅜′ N., 0° 37′ E.	30	..	30	f.d.g.s.	..	f.d.g.s.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks. Trawlers Working, &c., Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
12.1 p.m.	2.10 p.m.	2	Second to fourth hours ebb.	Moderately smooth.	N.E. by E. 5.	Cloudy, showery.	—	*Tubularia indivisa* f.c., *Sertularia abietina* .. *Flustra foliacea.* *Sabellaria spinulosa* c. **Loligo forbesi** v.c. *Porcellana longicornis* f.c., *Eupagurus bernhardus.* *Asterias rubens* f.c.	Four sailing trawlers about us.
2.30 p.m.	4.30 p.m.	2	Last 2 hours ebb.	Moderately smooth.	N.E. 4	Cloudy, showery.	Trawl foul; no fish.	Nothing taken	Four sailing trawlers about us.
8 a.m.	1 p.m.	5	3 hours flood; 2 hours ebb.	North East swell.	S.E. to N.E. 3.	Fine, cloudy.	—	**Sabellaria spinulosa** v.c. .. .. .. *Buccinum undatum* f.c. *Eupagurus bernhardus* f.c., *Portunus holsatus.* *Asterias rubens.*	Several sailing trawlers about us.
1.30 p.m.	6.30 p.m.	5	3½ hours ebb; 1½ hours flood.	North East swell.	N.E. 4	Fine, cloudy.	—	**Sabellaria spinulosa** v.c. .. .. .. *Loligo forbesi.* *Sepia officinalis.* *Eupagurus bernhardus* f.c., *Cancer pagurus.* *Asterias rubens* f.c. *Trachinus vipera.*	Several sailing trawlers about us.
7 p.m.	11.30 p.m.	4½	From 1½ hours flood to ½ hour ebb.	Rough	N.E. 6	Cloudy.	—	*Hydractinia echinata* f.c. .. .. **Sabellaria spinulosa** v.c. *Buccinum undatum* c. *Eupagurus bernhardus* c., *Cancer pagurus.*	Several sailing trawlers about us.
3 a.m.	7 a.m.	4	½ hour to 4½ hours ebb.	Smooth	N.W. 3	Overcast	Ground rope parted, belly torn.	*Actinoloba dianthus* c. .. .. *Loligo forbesi.* *Eupagurus bernhardus* c., *Lithodes maia* c., *Nephrops norvegicus.* **Brissopsis lyrifera** abundant, *Hippasterias phrygiana* c., *Astropecten irregularis* f.c., *Echinus acutus.*	W. Garstang, W. Wallace, G. T. Atkinson.
10 a.m.	2 p.m.	4	First 4 hours flood.	Moderately smooth.	N.W. 3	Fine, cloudy.	—	*Actinoloba dianthus* f.c., *Chondractinia digitata* f.c. *Fusus antiquus* f.c., *Fusus gracilis* f.c., *Pecten opercularis* f.c., *Buccinum undatum.* *Lithodes maia* c., *Eupagurus bernhardus.* *Brissopsis lyrifera* c., *Spatangus purpureus* c., *Asterias rubens*, *Astropecten irregularis*, *Hippasterias phrygiana* c., *Solaster endeca.*	
2 a.m.	7 a.m.	5	First 5 hours ebb.	Moderately rough.	N. 5	Cloudy, showery.	Belly badly torn	Not recorded	Two steam trawlers and several Dutch drifters about us.
10.45 a.m.	3.45 p.m.	5	From first to sixth hours ebb.	Moderately smooth.	N.E. 4	.. ..	—	**Loligo forbesi** abundant .. .. .. *Echinus esculentus*, c., *Asterias rubens* f.c.	Several steam trawlers about us and several Dutch drifters N.W. of us.
4.20 p.m.	8.20 p.m.	4	First 4 hours ebb.	Moderately smooth.	N.E. 4	Cloudy, showery.	—	**Alcyonidium gelatinosum** v.c. .. **Pecten opercularis** abundant, **Loligo forbesi** v.c. *Asterias rubens* f.c.	One steam trawler with us.
4 a.m.	9 a.m.	5	First 5 hours flood.	Smooth	N.E. 4	Fine, cloudy, showery.	—	**Pecten opercularis** v.c., *Loligo forbesi* f.c. *Portunus holsatus* f.c., *Eupagurus bernhardus.* **Asterias rubens** v.c.	Several steam trawlers and Dutch drifters about us; close to O. 82, Ostend steam trawler "Albert" when hauling.
10.10 a.m.	2.10 p.m.	4	First to fifth hours ebb.	Moderately smooth.	N.E. 5	Cloudy, showery.	—	**Alcyonidium gelatinosum** v.c. .. *Loligo forbesi* c. *Asterias rubens* f.c.	Surrounded by Dutch drifters shooting their nets.
4 a.m.	9 a.m.	5	Nil.	Moderately smooth.	N. by E. 5	Fine, cloudy, showery.	—	*Halichondria panicea* f.c. .. .. **Alcyonium digitatum** v.c. *Aphrodite aculeata.* *Fusus antiquus* f.c., *Fusus gracilis* f.c., *Loligo forbesi* f.c. *Ophiothrix fragilis* c.	Several steam trawlers about.
9.40 a.m.	2.40 p.m.	5	Nil.	Moderately smooth.	N. 5	Overcast, cloudy.	—	*Obelia longissima* dead, surf-rolled .. .. **Alcyonidium gelatinosum** v.c. *Loligo forbesi* c.	One steam trawler with us.
7 a.m.	11 a.m.	4	2 hours flood; 2 hours ebb.	Moderately rough.	N.E. 6	Fine, cloudy, showery.	—	*Actinoloba dianthus* c., *Antennularia ramosa* c., *Hydrallmania falcata* c., *Sertularia abietina* c., *Tubularia indivisa* c., *Alcyonium digitatum.* *Gemellaria loricata* f.c. *Nereis pelagica* f.c. *Loligo forbesi* c., *Pecten opercularis* c., *Buccinum undatum* f.c. *Cancer pagurus* c., *Stenorhynchus longirostris* f.c., *Eupagurus bernhardus.* *Solaster papposus* c., *Asterias rubens*, *Ophiothrix fragilis.* *Botryllus* sp., c., *Callionymus lyra*, *Trachinus vipera.*	W. Garstang, W. Wallace, G. T. Atkinson.
Noon.	4 p.m.	4	Second to sixth hours ebb.	Moderately rough.	N.E. 5	Fine, cloudy, showery.	—	*Loligo forbesi* c., *Pecten opercularis.*	
4.40 a.m.	10 p.m.	5½	First 5 hours flood.	Moderately rough.	N.E. 4	Fine, cloudy, showery.	—	Very little taken	One steam trawler with us.

Voyage.	Station.	Month.	Day.	Net and No. of Haul.	Name of Ground.	Position.			Depth (fathoms).			Bottom.		
						Shot.	Course.	Hauled.	Shoot-ing.	Towing.	Haul-ing.	Shoot-ing.	Towing.	Haul-ing.
LXVI	4	Oct.	19-20	O 364	Flamborough Off ..	54° 10⅝′ N., 0° 36¾′ E.	S.S.W. ½ W. 5⅜ miles. E. ½ N. 4⅞ miles, S.W. by W. ⅞ W. 3⅞ miles.	54° 4½′ N., 0° 38′ E.	30	..	26	f.d.g.s.	..	f.g.s.
,,	5	,,	20	O 365	Western Edge of Flamborough Off.	54° 4½′ N., 0° 38′ E.	S.W. ¼ W. 7½ miles, E. by N. ⅝ N. 4⅓ miles, S.W. ⅞ W. 1¾ miles.	53° 59¼′ N., 0° 36′ E.	26	..	26	f.g.s.	..	f.g.s.
,,	6	,,	20	O 366	Flamborough Off ..	53° 59¼′ N., 0° 36′ E.	E. ⅛ N. 11½ miles	54° 3′ N., 0° 54¾′ E.	26	..	25	f.g.s.	..	f.d.g.s.
,,	7	,,	24	O 367	Markham's Hole ..	53° 43⅜′ N., 2° 40½′ E.	E. by N. 3⅛ miles, N. by E. 2⅛ miles, N.W. ⅞ W. 5⅝ miles.	53° 49′ N., 2° 34½′ E.	20	23, 23	33	spk. s.	..	s.m.
,,	8	,,	,,	O 368	Leman Ground ..	53° 33⅜′ N., 2° 30½′ E.	S.W. by S. ⅞ S. 10 miles	53° 23½′ N., 2° 28′ E.	17	15	12	gvl.	f.s.	f.s.
,,	9	,,	25	O 369	,, ,, ..	53° 24⅝′ N., 2° 23½′ E.	S.E. by S. 5⅜ miles, N. ⅞ W. 5⅜ miles, S.W. ⅞ W. 2 miles.	53° 24⅜′ N., 2° 24¼′ E.	10	14	12	f.g.s.	..	f.g.s.
,,	10	,,	,,	O 370	,, ,, ..	53° 24⅜′ N., 2° 24¼′ E.	S.E. by S. 3 miles, S.E. by S. ½ S. 12½ miles.	53° 13⅝′ N., 2° 42⅜′ E.	12	14, 15	18	f.g.s.	f.g.s.	f.g.s.
LXVII	4	,,	31	B (c.) 398	Margate Road ..	51° 24⅝′ N., 1° 23′ E.	E. by S. 3¼ miles	51° 25′ N., 1° 28′ E.	7	8	8	s.m. gvl.	..	s.m.
,,	5	,,	,,	B 399	,, ,, ..	51° 24⅜′ N., 1° 23¼′ E.	E. ¼ N. 3¼ miles	51° 25⅝′ N., 1° 28¼′ E.	8	8, 9	9½	s.m.	..	s.m.

Duration of Haul.			Tide.	Sea.	Weather.		Damage to Net, &c.	Bottom Fauna.	General Remarks, Trawlers Working, &c, Naturalist in Charge and Assistants.
Shot.	Hauled.	No. of Hours.			Wind and Force.	Sun, Rain, &c.			
10.30 p.m.	4 a.m.	5½	First 5 hours ebb.	Moderately rough.	N.E. 4	Fine, cloudy.	—	Not recorded	One steam trawler with us.
4.30 a.m.	9.30 a.m.	5	First 5 hours flood.	Moderately smooth.	N.N.E. 4	Fine, cloudy.	—	*Actinoloba dianthus* .. .. **Loligo forbesi** abundant, *Pecten opercularis* f.c. **Cancer pagurus** v.c., *Eupagurus bernhardus.* *Asterias rubens, Solaster papposus.*	One steam trawler. with us.
10 p.m.	2.45 p.m.	4¾	5½ hours flood to 4¼ hours ebb.	Rough	N. 6	Cloudy	—	*Actinoloba dianthus* .. .. *Buccinum undatum, Fusus antiquus, Loligo forbesi, Pecten opercularis.*	A large number of drifters about us.
6.30 a.m.	11.30 a.m.	5	1 hour flood to 4 hours ebb.	Moderately smooth.	N.E. by E. 4	Fine, cloudy, showery.	Belly torn; stone through cod end.	**Sertularia abietina** v.c. .. .. .. *Scrupocellaria reptans* f.c. *Loligo forbesi* c. **Ophiothrix fragilis** abundant, *Asterias rubens, Astropecten irregularis.*	Several Dutch drifters about us.
2.30 p.m.	6.30 p.m.	4	Second to sixth hour flood.	Moderately smooth.	N. 3	Fine, cloudy, showery.	—	*Actinoloba dianthus* c., *Sertularia abietina* f.c., surf-rolled. **Loligo forbesi** v.c. *Eupagurus bernhardus, Portunus holsatus.* *Asterias rubens* f.c.	Several drifters about us.
5 a.m.	10 a.m.	5	3 hours flood; 2 hours ebb.	Moderately smooth.	N.E. 3	Fine, cloudy.	—	*Hydrallmania falcata* c., *Sertularia abietina* c., surf-rolled, *Actinoloba dianthus.* *Loligo forbesi* c. **Paratylus swammerdami** v.c., *Hyas coarctatus.* *Asterias rubens* c., *Astropecten irregularis* c.	Several Dutch drifters about us.
10.30 a.m.	4.30 p.m.	6	3½ hours ebb and 2½ hours flood.	Moderately smooth.	N.E. 4	Fine, cloudy.	—	*Hydrallmania falcata* and *Sertularia abietina* f.c., surf-rolled, *Actinoloba dianthus* f.c. *Loligo forbesi* f.c. *Eupagurus bernhardus.* *Asterias rubens* c., *Astropecten irregularis* f.c.	
8.40 p.m.	10.10 p.m.	1½	Slack to 1½ hours flood.	Smooth	S.W. 7	Cloudy	—	*Hydrallmania falcata* c. .. .. *Rhizostoma* sp., several. *Buccinum undatum.* **Portunus depurator** v.c., *Pandalus montagui* c., *Hyas araneus* f.c., *Portunus puber* f.c., *Cancer pagurus, Eupagurus bernhardus, Homarus vulgaris.* *Echinus* sp., c., *Asterias rubens, Solaster papposus.* **Agonus cataphractus** v.c., *Callionymus lyra* c., *Gobius minutus* c.	Small mesh net round ordinary trawl. W. Wallace and D. J. Matthews.
2 p.m.	3.45 p.m.	1¾	Slack to 1¾ hours ebb.	Smooth	S.W. 7	Cloudy	Belly and wings very badly torn.	Not recorded.	

II.—DETAILED MEASUREMENTS OF PLAICE CAUGHT AT

Throughout this table the Average Sizes are given as calculated from the figures recorded in the
In hauls distinguished as O(c). or B(c). the ordinary

Net and No.	Date.	Duration (hrs.).	Centimetres.																											
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
	1904.																													
O 146§	Jan. 2	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	1	3	8	8	13	5	3	6	4	..	3	..
O 147	„ 2	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	5	7	5	8	3	9	1	5	2	1	2
O 148*	„ 5	6¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	3	..	..	..	..	..
O 149	„ 5	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2
O 150§	„ 5	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	2	..	1	1	..	..
O 151	„ 6	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	..	1	1	..	2
O 152	„ 6	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	2
O 153	„ 6	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 154	„ 6-7	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	..	1	..	..	..
O 155	„ 7	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	..	1	1	..	1
O 156	„ 8	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	..	1	3	..	3
O 157	„ 8	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	3	3
B 100	„ 9	4¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	1	1	..	..	..	..	1	1	1
B 101	„ 19	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..
B 103§	Feb. 26	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	3	..	1	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	.	1	1	1	1	1	..	1	..	..	..	..	1	..	1	..	..	..
O 159	„ 27	2½	..	..	..	..	..	..	1	..	1	..	2	2	1	5	3	3	1	3	3	3	2	1	2	1	1	1	2	..	1
			..	..	..	..	..	..	..	..	1	..	3	..	2	2	2	1	1	3	3	3	4	5	2	6	2	4	1	3	1
B 107	Mar. 10	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 108	„ 10	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 160§	„ 11	6	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	1	..	1	1	1	..	4	2	..	1	1	1	1	1
			..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	1	1	3	1	..	6	4	2	2	2	1	1	2
O 161	„ 11	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	4	1	1	1	2	2	..	1	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	6	2	..	3	1	1	4	2	2
O 162	„ 11-12	6¼	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	1	2	2	1	2	1	2	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	3	..	5	1	4	1	3	6	3	2	6
O 163§	„ 12	2½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	1	1	..	1	2	1
O 164§	„ 12	5⅔	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	2	1	2	1	1	1	1	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	1	6	2	2	..	5	..	2	1	..
O 165	„ 12	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	1	..	2	
O 166§	„ 12	6	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	1	2	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	3	3	4	3	..	..	2
B 109	„ 14	5	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	1	1	..	..	..	1	1	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..	..	1	1	1	..
B 110	„ 14	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	3	..	1	1	..	..	..	..	1
			..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	1	..	..	..	..
B 111	„ 14	4	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	2	..	2	1	..	..	1	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
B 112	„ 15	2¼	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	1	..	1	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..
B 113	„ 15	6	..	..	..	..	..	..	..	1	..	..	1	1	1	..	6	3	7	5	7	5	1	3	1	..	1	2	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	2	1	6	4	7	3	2	3	2	1	..	3	..	1
B 114	„ 15-16	7	..	..	..	..	..	4	9	7	5	8	7	7	8	6	4	6	7	5	8	2	1	..	..	..	..	..	..	..	..
			..	..	..	..	..	1	5	7	4	5	5	3	6	3	9	4	7	5	2	1	1	..	1	..	..	..	..	..	..
B 115	„ 16	5¾	..	..	..	..	1	3	11	27	27	34	21	13	12	7	7	3	1	..	2	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	7	15	29	30	36	31	32	17	18	9	8	7	4	..	2	2	..	..	..	..	..	..	..	1

§ Accident to net probably did not influence catch
‡ Sex not determined.

EACH HAUL OF THE COMMERCIAL TRAWLS (ss. *Huxley*).

table. A correction of +0·5 cm. should be applied in each case to obtain the true Average.
trawl net was covered by fine meshed netting.

Centimetres.																																	Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
1	1	..	1	1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	‡ 65	29·8
3	..	1	..	3	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 60	30·1
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	‡* 7	40·6
..	1	1	1	2	..	1	1	..	1	1	..	1	..	..	1	1	2	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	‡ 20	44·8
1	2	..	..	1	1	2	..	2	1	3	1	..	..	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 25	39·4
..	..	2	2	1	..	..	5	1	1	2	1	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	‡ 25	41·0
..	1	..	1	2	2	..	1	2	1	1	..	2	..	1	1	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	‡ 22	43·1
1	1	..	..	..	1	2	1	..	1	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 10	43·1
..	1	3	..	..	1	2	1	1	..	..	..	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 16	39·2
1	2	..	2	1	..	..	..	1	1	1	..	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	‡ 22	40·5
3	2	3	6	1	2	2	3	1	2	..	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 38	38·6
4	4	7	5	8	7	2	6	2	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 56	39·2
5	2	3	5	3	5	1	2	2	1	1	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 40	38·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	M. 1	43·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	24·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 41	26·8
..	..	2	..	1	..	..	..	..	1	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 55	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	18·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	
..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 17	32·0
1	1	..	..	..	..	2	..	1	..	..	2	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	F. 35	
1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 20	36·8
2	2	3	4	3	2	2	2	1	1	2	3	4	1	3	..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	F. 60	
2	1	1	2	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 24	35·8
5	..	4	5	..	4	4	1	2	1	2	3	2	1	4	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 76	
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	37 5
..	4	1	..	1	..	..	..	1	..	..	1	..	..	1	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 20	
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	34·7
..	3	1	..	..	2	1	5	..	..	..	..	1	1	..	1	..	..	1	1	1	..	1	..	..	..	..	..	..	..	..	..	..	F. 41	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	40·3
..	..	1	1	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	1	..	..	1	..	..	..	1	..	..	..	..	..	..	F. 13	
.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	M. 7	37·8
..	1	..	1	..	1	..	1	1	3	1	1	..	..	..	..	..	1	..	1	1	1	..	1	1	..	1	..	..	..	..	..	..	F. 35	
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 9	32·4
..	..	1	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	31·2
..	..	..	..	..	..	2	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	29·5
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	
..	..	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	32·8
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 3	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 45	25·3
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 38	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 94	18·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 69	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 169	16·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 248	

* Accident to net probably influenced catch. *See* Table III.

Net and No.	Date.	Duration (hrs.).	Centimetres.																													
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
	1904.																															
B 116	Mar. 16	3	..	..	..	..	..	4	3	26	24	27	16	13	9	5	3	3	1	..	..	..	1	..	..	..	..	..	..	..	..
			..	..	..	1	..	5	10	36	26	26	20	26	19	12	11	9	3	1	..	1	1	..	..	..	..	..	..	..	..
B 117	„ 16	2¼	..	..	..	..	..	..	..	1	..	..	..	4	..	..	..	3	2	4	5	2	3	3	3	3	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..	6	3	6	3	2	3	3	3	1	1	..	..	2
O 167††	„ 22	1½	..	..	..	..	..	..	..	..	1	5	5	5	4	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	7	9	5	7	4	2	3	4	..	..	1	..	..	..	..	..	..	..	..	..
O 168††	„ 22	2	..	..	..	..	..	..	..	..	..	8	2	3	4	..	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	4	5	8	1	1	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..
O 169††	„ 22	2	..	..	..	..	..	..	..	..	..	15	16	8	4	1	4	..	3	..	..	..	..	..	..	..	..	..	..	..	..
			..	.	..	..	..	..	..	..	..	16	14	13	14	7	2	2	..	..	1	1	..	..	..	..	..	..	..	..	..
O 170††	„ 22	2	.	..	..	1	..	..	..	..	..	6	14	10	6	6	1	..	2	..	1	..	..	..	1	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	4	10	14	8	4	4	5	7	1	..	..	1	1	1	..	..	1	..	..	..
O 171††	„ 22	1¾	..	..	..	..	..	..	..	..	..	..	2	4	2	1	3	2	1	1	2	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	2	5	12	5	7	5	2	2	2	..	..	..	..	..	..	..	..	..	..
O 172§	„ 24	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1	2	..	3	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	3	..	1	..	1	1	2	1	..
O 173	„ 24	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	2	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	2	..	..	2	..	..
O 174	„ 24	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	1	1	1	..	2	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	3	1	1	2
O 175	„ 26	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	3	3	3	1	..	2	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	4	2	..	3	2	..	..	..	..
O 176	„ 26–27	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..
O 177	„ 27	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	..	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1	..	..
O 178	„ 27	7½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	1	1	1	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..
O 179	„ 27	7½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	2	2	1	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	1	..	..	..
O 180	„ 28	6 11/12	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	1	1	1	1	2	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..	1	2	..	..	1	..
O 181	„ 28	7½	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	2	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
O 182	„ 28	6½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	1	..	..	..
O 183	„ 29–30	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3	2	2	3	..	2	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	4	2	1	3	1	7	2	2	..
O 184	„ 30	5¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	2	2	2	2	2	..	2	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	2	..	..	1	2	2	..	3	..	3
O 185	„ 30	4¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	..	1	1	2	2	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	2	2	2	1	1	..	1	1	3
B 119	April 9	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 120	„ 9	2	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B *122	„ 11	1¼	..	..	..	..	1	1	2	2	4	6	6	5	10	12	4	5	1	2	1	1	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	2	6	3	8	5	11	8	3	6	1	3	..	..	1	..	..	..	..	..	..	..	..
B 123§	„ 11	1¼	..	..	..	..	..	..	1	1	3	8	12	15	12	17	13	13	9	6	4	3	4	2	1	..	..	..	..	..	..
			..	..	..	..	..	1	..	2	6	5	3	8	9	17	11	10	6	6	6	2	4	2	..	..	1	..	..	..	..
B 124	„ 12	1	..	..	..	..	2	1	4	7	13	13	10	24	24	17	15	13	6	4	5	1	2	3	1	..	..	..	..	..	..
			..	..	..	..	..	1	1	10	11	9	12	13	13	10	11	7	12	4	2	2	1	..	1	..	..	..	..	..	..
O 186	„ 14	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 187	„ 14	5	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	1	..	..	..	..	..
B 125	„ 15	3	..	..	..	..	..	1	..	2	8	12	23	25	20	26	28	25	35	20	34	13	7	6	4	2	1	1	1	..	..
			..	..	..	..	..	..	..	3	2	3	10	4	18	13	24	18	22	18	23	21	7	4	3	3	2	2	1	1	..

†† Samples selected for transplantation ; probably not representative.
§ Accident to net probably did not influence catch.

Centimetres.																																		Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 135	16·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 207	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 33	25·8
..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 38	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 21	18·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 42	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 20	18·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 22	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 51	18·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 70	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 48	19·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 60	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 18	20·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 42	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 10	32·3
..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	F. 13	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	35·9
1	1	..	..	..	..	1	..	..	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 12	
..	1	1	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	M. 14	36·2
1	..	1	2	1	..	1	1	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	F. 21	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 15	29·1
1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 14	
..	2	1	1	1	1	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 12	38·3
..	1	..	..	..	..	..	..	..	1	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	
..	1	..	1	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 10	36·8
..	..	..	1	..	..	..	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 9	35·1
..	..	..	..	..	..	..	1	..	..	..	2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 10	33·1
..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
..	2	..	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 14	32·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	
..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	38·7
..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	F. 6	
..	1	1	..	2	..	1	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	M. 10	41·2
..	..	..	..	..	1	..	..	1	..	..	..	..	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	1	..	..	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 22	33·4
2	2	1	2	3	..	..	..	2	..	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 40	
1	..	2	1	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 23	34·1
2	1	..	1	2	1	1	1	2	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 27	
..	1	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	34·1
3	1	1	1	1	3	1	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 29	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	17·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 63*	18·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 57*	
..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 124	20·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 99	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 155	19·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 120	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	32·8
..	1	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	
..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	26·9
..	1	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 5	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 294	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..		..	.	..	..	..	..	..	..	..	..	..	..	..	..	F. 202	22·0

* Accident to net probably influenced catch. *See* Table III.

Net and No.	Date.	Duration (hrs.).	Centimetres.																												
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
	1904.																														
B 126	April 15	3	..	..	..	..	..	..	..	..	..	..	..	..	1	2	1	2	3	2	4	3	4	5	5	5	1	2	1	2	1
			..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	2	..	..	3	1	1	2	4	1	2	3	3	2
B 127	May 11	3	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	1	3	..	..	2	..	1	1	..	..	1	..	1	..
			..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	..	1	..	..	..	..	..	2	..	1	..	..
B 128	„ 12	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
B 129	„ 12	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..
B 130	„ 12	3	..	..	..	..	..	3	12	16	20	19	10	10	5	6	4	4	2	4	3	5	1	2	1	1	..	..	1	..	..
			..	..	..	..	..	..	..	10	12	5	7	7	2	4	5	..	2	..	..	1	1	..	2	2	..	1	..	1	..
B 131	„ 12	2	..	..	..	..	..	..	..	..	..	..	1	..	1	4	3	..	1	1	..	1	1	..	1	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	2	3	2	3	2	1	2	1	2	..	..	..
O 188	„ 13	2	..	..	..	1	1	1	12	9	7	10	21	25	21	15	8	5	5	..	2	1	..	1	..	..	..	..	..	..	..
			..	..	..	..	..	4	4	9	10	17	9	14	20	9	5	4	5	7	2	1	6	1	..	..	..	..	..	..	..
B 132	„ 13	2	..	..	1	6	19	27	28	25	19	35	49	67	51	34	12	6	5	7	5	2	3	4	..	..	..	..	..	..	..
			..	..	1	1	9	17	20	15	17	19	35	39	41	48	33	19	12	11	12	6	3	5	..	..	..	..	..	..	..
B 133	„ 13	2	..	..	..	..	..	..	..	..	..	..	..	2	5	5	4	6	3	3	4	1	3	7	7	9	3	5	4	2	..
			..	..	..	..	..	..	1	..	..	1	1	4	3	3	3	2	..	2	3	..	3	2	9	9	8	7	5	4	
B 134¶	„ 17	2	..	..	..	..	3	1	5	1	2	10	14	16	12	16	17	9	11	2	3	2	4	1	1	..	1	1	..	..
			..	..	..	..	..	2	1	1	2	2	9	5	7	13	9	6	7	5	..	3	3	2	4	7	..	3	..	..	
B 136	„ 18	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	1	..	..	..	..
B 137§§	„ 18	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	1	1
B 138§§	„ 21-22	3	..	..	..	..	..	12	18	18	15	28	36	36	42	32	33	24	8	19	20	17	17	21	9	3	..	4	1	..
			..	..	..	..	..	1	7	7	20	4	11	21	29	23	13	13	8	16	13	13	18	18	13	20	13	8	3	2	1
B 139§§	„ 23	2	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	1	..	1	1	..	3	1	4	8	11	5	2	3	5
			..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	1	1	2	1	1	1	4	6	14	11	14	6
B 140§§	„ 24	1	..	..	..	..	1	6	30	55	53	74	141	194	224	224	144	89	75	37	30	11	7	2	6	4	1	..	..	..	..
B 141§§	„ 24	1	..	..	..	..	..	..	..	2	3	3	10	20	32	34	24	27	8	6	4	2	1	3	1	4	2	..	1	..	1
B 142§§	„ 25	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..
B 143§§	„ 26	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	1
B 144§ §§	„ 26	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	1	..	
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	
B 145§§	„ 27	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	3
B 146§§	„ 27	1	..	..	..	..	..	..	..	..	..	2	4	5	1	5	5	4	3	5	1	..	1	..	..	..	..	..	1	..	..
			..	..	..	..	..	..	..	1	1	..	1	7	7	4	3	3	2	2	1	1	2	..	..	..	1	..	..	..	..
B (c.) 147§§	„ 27	1	..	..	..	..	..	..	..	1	..	3	4	8	4	5	3	4	2	2	1	1	1	..	..	..	..	..	..	..	..
			..	..	..	..	1	..	..	..	1	1	3	4	1	7	5	2	4	..	1	..	1	..	..	..	..	..	..	..	..
B 150§	June 3	2	..	..	..	..	..	..	..	..	1	1	..	..	..	..	3	..	..	..	..	1	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	1	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 152	„ 17	3	..	..	..	..	..	..	1	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	1	1	1	..	..	..	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..
B 153*	„ 18	1½	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 154*	„ 18	2	..	..	..	..	..	..	..	1	..	4	2	3	5	1	4	3	3	1	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	1	1	1	6	1	2	.	3	1	..	..	..	..	..	..	..	1	..	..	..	..	..
O 189	„ 28	5	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	1	1	..	1	1	6	2	9	4	2	2	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	2	4	3	1	4	3	2	4	2
O 190§	„ 28	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	7	..	5	1	4	3	1	2	4	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	1	3	2	2	5	2	1	4	5	1	2
O 191	July 2	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	3	..	..	..	..	..	1	..	1	5
O 192	„ 2-3	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3	1	..	2	2	7	12	14
O 193	„ 3	5¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	1	3	5	14
O 194	„ 3	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	12

¶ Only part of catch measured.
§§ Trawling with chain round the ground rope.
§ Accident to net probably did not influence catch.

Centimetres.																																	Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 44	28·6
2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 27	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	25·8
..	..	1	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	37·3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	F. 2	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	28·5
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 130	18·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 62	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 15	25·8
2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 24	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 145	19·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 127	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 405	18·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 363	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 73	27·3
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 72	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 132	21·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 91	
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	34·5
1	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	36·4
..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	F. 6	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 413	21·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 295	
..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 50	31·2
5	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 72	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡1408	19·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 188	20·8
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	36·1
2	..	2	1	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 11	
1	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	35·5
5	2	2	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 13	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	36·9
1	2	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	F. 9	
1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 2	40·1
3	3	2	3	..	1	..	..	1	1	1	2	2	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	F. 25	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 37	20·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 36	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 39	19·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 31	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	19·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	17·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1*	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 27	19·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 17	
..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 34	31·4
1	..	..	..	..	2	2	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	F. 36	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 28	31·6
..	2	3	..	..	2	1	..	..	..	..	1	1	..	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	F. 44	
3	3	1	1	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	‡ 25	35·2
7	15	17	9	8	2	3	2	1	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 111	36·5
10	13	7	5	4	1	..	..	1	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 69	36·6
6	9	10	7	3	1	2	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	‡ 60	38·1

* Accident to net probably influenced catch. *See* Table III.
‡ Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres. 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
O 195	1904. July 3	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	...	1	..	2	3	5	5
O 196	„ 3-4	6½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	2	3	5	10
O 197	„ 4	5⅔	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	3	12
O 198	„ 4	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	1	..	..	...	..	1	2	4	5	6
O 199§	„ 4	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	1	1	1	1	2	..	..	..	1	2	1	1
O 200	„ 4-5	5¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	1	2	4	7
O 201	„ 5	5¼	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	..	1
O 202§	„ 5	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
O 203	„ 5	3½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	1	1
O 204	„ 5-6	4½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	4	5
O 205	„ 6	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	2	..	3	3	7
O 206	„ 6	5⅓	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	2	2
O 207	„ 6	4 11/12	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	3	2	4
O 208	„ 6-7	5¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	1	2	1	2	2	2	..	2	3	6
O 209	„ 7	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	2	1	2	2	1	2	3	..	1	1	1	2
O 210*	„ 7	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	1	..	..	1	2	2	..	1	1	..	2	2
O 211	„ 7	4½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	..	..	1	1	..	3	..	1
O 212	„ 7-8	5⅔	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	..	..	1	..	..	1	..	..	2	1
B (c.) 155	„ 20	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	..	..	..	..	..	..	..	..	..	..	..	..	..
O 213	„ 20	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	.	...	2	..
O 214	„ 20	6½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	..	..	..	..	1	..	1	..	..	1	1	1
O 215	„ 20-21	7⅙	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	2	1	1	..	1
B (c.) 156	„ 21	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	...	..	1	..	..	..	..	..	..
O 216	„ 21	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	3	5	4	2	1	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	4	3	..	2	4	3
B 157§	„ 22	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	2	3	1	2	4	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	..	1	3	6	1	4
B 158	„ 22	4¼	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	..	..	..	..	2	4	2	4	5	3	5	2	3	2
			..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	2	..	3	3	1	3	3	3	6	4	6	5
O 217	„ 22	5½	..	..	..	..	..	..	..	..	1	1	..	1	1	3	1	..	1	3	3	3	4	5	6	4	11	11	5	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	1	2	5	7	2	1	7	7	5	4
O 218*	„ 22-23	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	..	3	2	2	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	2	2	2	3	1
O 219*	„ 23	5½	..	..	..	..	..	..	..	..	..	..	..	2	1	..	..	..	..	1	1	2	2	2	1	6	6	3	4	1	3
			..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..	..	3	4	2	1	4	5	5	5
O 220	„ 23	4⅘	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	2	1	5	1	6	5	9	7	3	5
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	1	3	7	..	4	4	...
O 221	„ 23-24	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	2	7	8	6	11	19	17	7	6	4	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	1	1	2	2	3	7	7	8	8	9	6	7	7
O 222	„ 24	6¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	4	4	16	16	23	24	26	27	27	13	7	5
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	3	2	6	17	18	13	25	17	19	18	15	11
O 223	„ 24	8	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	5	..	8	13	21	21	26	33	25	16	15	6	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	2	6	10	24	25	27	16	19	11	7	6
O 224§	„ 24-25	6⅔	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	...	..	5	6	10	15	34	17	17	13	11	5	5	1
			..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	5	5	9	22	18	17	14	12	8	3	2
O 225§	„ 25	5½	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	1	1	2	8	9	9	10	12	11	6	5	3	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	2	2	8	12	10	12	5	7	3	1	1
O 226*	„ 25	5½	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	3	8	6	11	5	10	..	7	2	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	2	4	7	4	14	5	4	3	3	2
O 227*	„ 25	1⅔	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	5	3	2	..	3	2	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	..	4	4	2	4	..	1	1	..

§ Accident to net probably did not influence catch.
‡ Sex not determined.

Centimetres.																																	Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
6	5	8	8	3	2	3	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 54	36·9
10	10	11	4	3	1	5	1	2	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	‡ 71	37·5
15	9	15	5	5	1	..	..	2	..	..	..	..	1	1	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 76	37·8
4	3	1	..	..	..	1	..	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 34	34·5
1	2	5	4	..	1	2	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 31	34·9
3	7	6	10	2	3	3	..	2	..	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 54	38·3
5	1	3	2	4	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 22	37·4
..	1	1	1	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 6	31·0
1	3	6	5	3	2	2	..	1	3	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 33	39·3
5	6	3	4	1	1	..	..	2	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	‡ 34	37·4
7	5	3	2	1	1	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 38	36·1
5	6	3	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 25	36·3
6	6	6	5	3	6	3	1	..	1	2	..	..	1	..	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 53	39·1
11	6	3	5	3	1	2	1	1	1	..	..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 62	35·8
1	2	3	3	2	..	1	..	..	..	..	2	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 38	33·3
6	3	1	2	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 31*	33·0
1	1	1	3	3	..	1	2	1	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 26	37·0
2	..	2	3	3	4	1	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 27	36·4
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 2	36·5
1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	37·8
1	3	3	..	3	..	1	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 18	
1	3	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	35·7
1	3	..	3	4	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 23	
4	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 10	38·3
..	4	2	4	2	2	1	2	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	F. 27	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	38·0
..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 3	
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 20	33·5
3	6	2	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 32	
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 17	34·2
2	..	2	..	3	..	..	..	2	..	1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 31	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 36	31·5
2	1	..	2	2	1	1	1	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 53	
2	3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 73	31·3
1	3	1	1	4	4	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 60	
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 12*	36·3
3	4	3	3	2	1	2	1	..	..	..	3	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	F. 38*	
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 37*	32·5
3	2	1	2	1	1	..	1	..	1	1	1	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	F. 48*	
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 50	32·2
..	..	1	1	..	..	1	..	3	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 30	
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 94	31·3
4	1	4	3	1	3	3	1	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 91	
3	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 202	31·1
8	10	7	4	1	1	4	3	2	1	2	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 210	
2	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 199	30·7
5	2	1	2	2	1	4	3	1	..	1	1	..	..	1	..	1	..	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	F. 185	
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 141	29·6
3	..	1	..	4	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 130	
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 80	29·9
6	..	1	..	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 77	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 56*	29·4
..	..	..	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 56*	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 19*	28·9
..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 25*	

* Accident to net probably influenced catch. *See* Table III.

Net and No.	Date.	Duration (hrs.).	Centimetres.																												
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
O 228	July 26	3½	..	..	..	..	..	..	..	..	1	..	..	..	1	5	16	27	42	37	40	14	9	6	2	1	..	2	1	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	4	9	20	40	55	36	23	14	4	5	..	..	1	..	1	1
O 229	„ 26	5	..	..	..	..	..	..	..	..	..	..	..	..	..	6	9	15	26	34	21	21	17	10	10	1	1	1	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	8	24	29	30	24	14	12	6	4	1	1	1	..	..
O 230	„ 26–27	6	..	..	..	..	..	..	..	..	..	..	..	..	1	6	11	33	33	50	25	19	6	5	2	3	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	3	2	1	11	24	35	58	48	29	8	14	3	2	..	3	..	..	..
B 159	„ 27	6	..	..	..	..	..	..	..	..	1	..	2	..	..	8	7	28	36	34	26	18	17	10	2	1	..	..	..	..	..
			..	..	..	..	..	..	1	..	..	..	..	2	3	3	9	11	22	43	30	28	11	8	6	6	..	1	..	1	1
B 160	„ 27	5¾	..	..	..	..	..	..	..	..	..	..	..	1	1	7	6	14	28	23	22	10	11	3	2	..	1	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	8	20	32	40	18	8	5	3	2	..	..	..	..	..
B 161	„ 27	6	..	..	..	..	..	..	..	..	..	..	..	..	..	3	9	23	27	42	28	15	7	5	1	9	..	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	18	26	34	43	23	9	6	2	3	1	..	1	..	..
B (c.) 162	Aug. 3	1	..	..	..	..	..	..	..	3	1	5	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	3	6	4	3	3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 231	„ 3	4	..	..	..	..	..	..	1	13	26	42	42	20	13	6	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	1	5	23	32	32	22	14	3	7	..	..	1	2	..	..	..	..	..	..	..	..	..	..
B (c.) 163	„ 3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	..	..	..	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	2	1	..	1	..	1	..	..	2	..	1	..
O 232	„ 3	6	..	..	..	..	..	..	..	..	..	..	..	..	..	7	15	30	32	53	52	32	16	3	3	4	1	1	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	1	3	6	27	33	51	55	35	30	11	8	7	2	2	3	1	..
			..	..	..	..	..	..	..	..	..	..	1	..	1	11	21	43	63	77	87	66	31	20	17	4	2	5	1	..	..
B 166	„ 9	3⅝	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	2	1	1	1	..	2	4	7	5	2	..	2
			..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	3	1	6	2	2	3	3	1	2
B 167	„ 9–10	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	1	6	6	9	12	5	6	3	3	2
			..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	3	3	5	10	7	21	13	9	6	6
B 168§	„ 16	¾	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..
B 169	„ 16	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	2	..	1	..	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	2	2	1	2	1	..	1	1	1	..	1	..	..
B 171	„ 17	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	2	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	2	2	1	2	1
B 172	„ 17	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	1	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	2	..	..	..	..	..	2
B 174	„ 20	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	1	..	..	..	..	..	..	..	..
B 175	„ 20	4	..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	11	11	18	8	17	7	11	3	4	4	..	..	..	
			..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	7	7	13	8	3	5	3	2	2	2	2	..	3	
B 176	„ 21	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	1	3	2	1	1	2	1	
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	..	..	..	2	1	2	1	1	1	1	..
B 177	„ 21	7	..	..	..	..	..	..	..	..	..	..	1	3	4	12	28	26	25	22	12	4	3	1	..	..	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	1	1	18	30	32	32	19	14	7	6	..	1	1	..	..	..	1	..	
			..	..	..	..	..	..	..	..	..	..	..	1	5	30	62	74	67	49	37	34	18	13	9	6	1	2	2	2	2
B 178	„ 21	2	.	..	..	..	..	..	..	..	..	..	..	5	20	45	51	22	17	8	8	6	2	5	2	1	..	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	5	16	21	47	32	23	8	4	3	2	2	2	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	1	..	7	2	..	1	..	1	..	..	..	..	..	..	..	..	..
B 179¶	„ 21–22	8	..	..	..	..	..	..	..	..	..	..	4	17	73	156	163	170	110	90	62	38	26	15	24	18	3	1	2	..	2
B 180	„ 22	7	..	..	..	..	..	..	..	..	..	..	1	2	13	33	40	34	32	23	11	13	4	4	2	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	7	24	22	23	25	22	7	5	7	2	3	3	..	..	..	1	1
B 181§	„ 22	2	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	2	..	2	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	1	..	2	..	1	..	..	..	..	..	..	..	..
B 182	„ 22	2	..	..	..	..	..	..	..	..	..	..	..	..	..	3	6	7	..	3	1	2	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	3	2	..	..	..	..	..	..	..	..	1	..	..
B 183	„ 28	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	1
B 185	„ 28	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	..	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	2	3	2

§ Accident to net probably did not influence catch.
¶ Only part of catch measured.

Centimetres.																																	Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 205	24·2
1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 215	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 173	25·0
1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 167	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 195	24·2
1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 244	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 191	24·6
1	..	1	..	..	..	..	..	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 191	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 129	24 5
1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 144	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 170	24·8
..	2	..	2	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 176	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 12	16·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 20	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 165	16·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 142	
..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	26·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 11	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 250	
1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 279	24·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 450	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 30	30·3
2	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 30	
1	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 60	31·5
5	5	4	2	..	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 103	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	22·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	25·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 15	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	33·8
3	3	2	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 21	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	32·6
..	1	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	25·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 5	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 102	26·3
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 65	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 18	29·8
2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 15	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 142	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 163	23·2
..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 416	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 193	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 166	21·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 12	
..	1	1	2	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 979	22·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 212	22·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 152	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	22·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	
..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 22	22·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
3	..	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 9	40·2
1	1	1	2	..	..	..	2	1	..	..	..	..	..	1	..	..	1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	F. 16	
2	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 12	35·7
..	..	1	2	..	..	..	1	..	..	..	1	..	..	.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 17	

‡ Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres.																													
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
B 186	1904. Aug. 28-29	5	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	4
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	4
B 187	„ 29	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B (c.) 188	„ 29	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 189	„ 29	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	2
B 190	„ 29-30	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 192	„ 30	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 196	„ 31	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 197	Sept. 1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
B 198	„ 1	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 200	„ 2	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	1	..	3	1	2	4	2	..	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	..	1	2	..	2	..	1	1	..	..	1	2
B 201	„ 2	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	4	2	4	3	7	4	4	4	4	2	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	4	6	4	3	2	4	1	2	1	1	3
B 202	„ 2-3	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	4	2	10	10	4	11	6	8	3	1	3	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	5	4	6	10	4	8	7	4	4	3	3	3	..
B (c.) 203	„ 3	1½	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	..	..	1	1	1	2	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	1	..	..	1	1	1	..	..	..	1	..	..
B 204	„ 15	1	..	..	..	..	..	..	..	..	..	12	46	160	190	166	85	42	29	23	16	4	1	2	2	1	..	1	..	..	..
B 205¶	„ 15	1½	..	..	..	..	..	..	..	..	2	7	35	85	72	56	67	91	42	45	23	18	9	6	2	4	4	1	..	..	..
B 206	„ 16	1½	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	2	2	4	1	2	..	..	..	..	..	..	..
O 233	„ 16	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	10	13	15	18	13	7	2	5	..	1	2	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	4	10	12	12	14	4	2	1	1	1	1	1	..
O 234	„ 16	4	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	2	6	11	19	20	24	14	9	5	4	1	..	..	1
			..	..	..	.	..	..	..	..	..	..	..	.	..	..	..	..	3	10	15	21	24	21	15	7	2	6	2	2	..
O 235	„ 16	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	11	16	21	7	14	15	12	10	4	5	6
O 236	„ 17	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	4	14	7	14	22	15	18	5	7	6	6	2
O 237§	„ 17	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	8	8	26	14	16	16	10	4	5	3	4	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	6	5	15	13	8	17	10	5	6	4	1	3
O 238	„ 17	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	4	5	9	4	3	7	3	3	3	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	5	8	8	2	5	3	4	1	2
O 239	„ 17	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	5	5	10	7	7	5	4	2	3	..	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	5	7	3	5	5	3	3	..	2
O 240	„ 17	4½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	8	12	13	14	8	12	6	9	11	6	11
O 241	„ 18	4½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	11	5	15	10	12	7	11	11	4	10	7
O 242§	„ 18	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	10	6	3	1	6	1	..	3	2	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	2	6	4	4	6	3	3	4	4	2
O 243§	„ 18	4½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	7	5	5	11	1	4	2	6	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	5	3	7	2	7	3	8	6	1	1
O 244§	„ 18	4¼	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	4	..	1	2	..	2	3	2	5
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	3	1	3	5	1	3	4	..
O 245§	„ 19	3½	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	3	3	1	4	2	..	1	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
O 246§	„ 19	4¼	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	5	5	2	..	2	3	..	2	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	3	1	3	1	1	..	..	2
B 207	„ 19	5¼	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	5	7	8	3	2	2	7	2	5	6
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	2	3	1	3	5	5	4	4	1	1
B 209	„ 20	4½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	6	3	..	..	1	2	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	3	2	..	..	..	1	1	1	..

§ Accident to net probably did not influence catch.
¶ Only part of catch measured.

Centimetres.																																	Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
3	..	5	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 16	38·0
2	2	1	1	2	..	3	3	1	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 26	
1	2	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	39·4
..	..	1	..	2	..	..	1	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	40·2
..	2	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
1	2	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	38·8
..	2	2	..	4	2	2	..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 20	
..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 2	42·3
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	F. 2	65·5
..	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	39·1
..	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 3	
..	1	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	44·7
..	..	..	..	..	..	..	.	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	F. 3	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	46·5
.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	
2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 21	31·2
1	..	1	1	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 18	
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 45	30·3
2	..	3	2	2	2	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F 50	
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 70	28·1
1	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 69	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 10	29·7
..	..	1	2	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 14	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 780	19·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 569	21·1
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 14	26·7
..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	M. 93	26·2
..	..	..	..	1	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 69	
1	1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 120	27·5
3	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 134	
4	4	6	..	1	3	..	1	..	..	1	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 150	30·5
4	1	..	2	5	..	..	1	..	2	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 139	30·1
4	..	1	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 127	29·2
1	1	2	..	..	..	1	1	1	1	1	1	1	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 108	
..	2	2	1	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 54	31·1
6	3	1	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 56	
2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 56	30·6
3	..	..	1	..	1	..	..	1	1	1	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 46	
6	7	3	4	2	1	1	1	1	2	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 146	31·5
6	3	1	3	..	3	1	2	..	..	1	..	..	..	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 131	31·4
1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 39	30·2
..	1	..	2	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	F. 47	
2	2	3	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	M. 61	31·3
4	2	1	..	1	3	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 60	
2	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 25	32·5
3	..	..	1	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 29	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 15	29·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 24	30·3
1	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 18	
2	1	3	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 59	31·3
1	..	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	.	.	..	..	..	..	..	..	..	F. 38	
3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 23	32·2
1	3	1	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 17	

‡ Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres.																												
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
B 210	1904. Sept. 20	4¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	1	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	1	1	1	3
B 211	„ 20	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	2	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
B 212	„ 20	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	3	6	7	7	11
B 213	„ 27	1¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	2	2	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	..	1
B 214	„ 27–28	4½	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	1	..	..	..	2	2	2	4	4	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	2	..	2	1	2	2	1
B 215	„ 28	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	1	..	1	1	..	3	1	4	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	2	2	1	..	..
B 216	„ 28	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	1
B 217	„ 28	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	2	2	4	6	4	2	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	1	2	..	..	1	1
B 218	„ 28	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	1	4	1	3	5	7	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	1	..	..	..	..	3	2	4	5	2	2	..	2	2
B 219¶¶	„ 28	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	..	..	4	2	3	2	2	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	1	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 220	„ 29	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	2	..	1	2	1	7	1	3	2	4
			..	..	..	1	..	..	..	..	..	..	..	1	..	1	..	3	2	1	..	1	..	5	3	..	..	4	2	..	4
B 221	„ 29	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	1	..	7	6	7	4	6	7	4
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	.	..	..	3	2	1	4	4	4	5	3	6	3
B 224§	Oct. 4	1⅝	..	..	..	..	..	..	1	..	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 225	„ 5	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
B 226	„ 5	2	..	..	..	..	..	..	1	1	2	5	2	1	1	..	1	..	1	1	..	..	..	..	1	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	3	..	1	1	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
B 227	„ 5	2	..	..	..	..	..	..	..	..	1	..	..	2	2	2	1	2	1	1	..	..	..	..	..	..	..	..	..	..	..
B 229†	„ 15	1¼	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 230§	„ 16	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1
B 231	„ 16	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
B 232	„ 16	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..
B 235§	„ 18	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1
B 236	„ 18	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	1
B 237	„ 18	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
B 238	„ 19	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	6	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	2	
B 239	„ 19	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	
O 247	„ 19	4¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	1	..	1	6	6
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1		1	1	1	2
O 248	„ 20	4¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	1	..	.	..	1	2	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1
O 249	„ 20	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..

¶¶ One fish not measured.
§ Accident to net probably did not influence catch.

Centimetres																																		Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68			
1	1	1	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 10	35·6
1	1	..	..	1	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 15	
3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 15	36·1
..	4	4	3	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 14	
6	3	4	2	1	1	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 56	34·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	31·1
.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 17	30·4
1	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 15	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 16	33·1
3	2	1	1	1	.	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	F. 17	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	36·3
1	..	..	2	2	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	F. 11	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 23	30·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 9	
1	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 27	31·8
2	1	1	3	..	..	1	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 37	
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 20	
2	3	..	..	1	..	..	..	..	..	1	3	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 17	34·9
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 1	
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 27	32·2
4	3	3	2	1	1	..	..	2	1	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 48	
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 47	32·5
2	2	1	3	3	..	..	1	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 51	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 5	15·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 1	—
..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 17	17·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 12	20·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	—
..	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	40·1
..	..	..	1	..	..	1	1	1	..	1	2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 2	
1	..	..	2	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	38·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 1	
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	39·8
..	..	..	1	1	..	..	..	..	..	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	
3	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	36·5
1	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	36·1
2	..	1	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	
..	2	..	2	1	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	F. 9	39·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 1	
2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 11	35·6
1	1	2	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 12	
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	
4	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	37·3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 1	
2	4	2	3	3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 32	38·3
4	2	1	1	6	4	..	3	3	1	..	1	..	2	..	1	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 40	
2	1	1	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	37·8
..	3	1	..	2	1	..	..	..	1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 13	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M 2	40 7
1	..	..	1	..	1	1	..	..	..	2	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	F . 10	

† Accident to net which may or may not have influenced catch.
‡ Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres.																												
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
O 250	1904. Oct. 20	4½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	1	..	..	1	2	1
O 251	„ 20	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	2	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1
O 252†	„ 21	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	2	..	..	..	..	4	
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	1	2	3	1	2	
O 253	„ 21	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	3	..	..	1	1	
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	1	1	1	..	
O 254	„ 21	2¼	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..
O 255	„ 22	3	..	..	..	..	..	..	..	..	..	..	..	1	..	2	8	4	9	12	14	2	2	4	2	3	1	1	1	1	..
			..	..	..	..	..	..	..	..	..	..	1	..	..	4	4	7	11	16	15	14	10	6	4	..	..	2	2	1	1
O 256	„ 22	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	11	6	11	9	4	6	4	1	1	1	..	1	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	9	10	8	12	11	11	8	3	5	1	..	..	3	1
O 257	„ 22	5	..	..	..	..	..	..	..	..	..	..	1	3	8	4	10	14	18	6	4	6	5	5	3	1	3	..	1	..	
			..	..	..	..	..	..	..	..	..	..	..	..	..	3	5	24	10	7	6	10	2	8	3	5	8	..	2	1	2
O 258	„ 23	5	..	..	..	..	..	..	..	..	..	..	..	1	1	5	12	9	15	16	8	4	3	2	3	4	2	1	2	3	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	11	7	12	14	13	4	5	10	5	5	2	..	1	1	1
O 259	„ 23	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	7	9	9	9	6	6	5	..	3	2	4	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	7	10	4	6	7	9	3	8	5	5	5	3	7
O 260	„ 23	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	4	1	3	..	3	3	3	1	3	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	4	2	2	3	3	4	2	3	..	4	2
O 261	„ 23	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	2	7	2	1	3	2	1	..	1	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	1	..	..	1	1	4	1	3	3	2	4	1	3
O 262	„ 23-24	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	12	13	9	5	4	4	3	3	1	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	9	10	12	5	5	1	2	1	3	..	3	1	..
B 240	„ 28	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
B 241	„ 28	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
B (c.) 242¶¶	Nov. 11	1¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	1	..	..	2	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	2	1	..	1	1	..	..
B 243	„ 11	2¼	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	1	1	..	5	3	1	2	2	..	2	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	2	..	3	4	1	..	3	3	2	3	2
B 244	„ 17	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	1	4	7	8	..	1	1	4	2	2	3	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	1	..	3	..	2	..	..	2	..
B 245	„ 17	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	1	3	4	1	1	1	2	..	3	2	2	.	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	1	..	..	3	..	3	3	..	..	.	..
B 247	„ 26	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	5	3	3	4	5	6	6	8	7	11	10	6	5	5
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	1	1
B 248	„ 26	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	2	1	..	1	4	4	11	12	8	5	6	6	6	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1
B 250	Dec. 1	4½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 251	„ 2	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..
			..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	1
O 263**	„ 8	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2	1	..	
O 264**	„ 8	2½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	
B 253**	„ 9	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	2	..	..	..	1	1	..	..	1	..
B 254**	„ 9	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
B 255§**	„ 9-10	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..
B 256**	„ 10	5½	..	..	..	..	..	..	2	6	4	7	8	7	5	7	..	2	4	5	5	8	12	9	10	9	5	5	2	3	2
B 257**	„ 10	5½	..	..	..	..	..	..	1	2	5	7	7	10	16	13	7	14	5	6	7	5	13	9	6	12	13	14	12	10	5
B 258**	„ 10-11	5½	..	..	..	..	..	..	..	..	..	2	1	1	2	3	5	4	3	2	4	3	8	9	7	15	9	18	19	13	10
B 259**	„ 11	5½	..	..	..	..	..	..	..	..	..	1	..	1	5	2	4	..	1	2	6	3	5	9	17	12	13	16	6	5	8
B 260**	„ 11	6	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	1	1	2	5	..	3	4	3	9	8	8	7	7	7
B 261**	„ 11	6	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	2	2	3	1	5	3	11	9	17	7	8	6	8	6

† Accident to net which may or may not have influenced catch.
¶¶ One fish not measured.
** Measurements made by chief steward.

Centimetres.																																	Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	37·3
..	1	..	..	..	..	1	1	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
1	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	38·7
1	1	..	..	2	1	1	1	..	1	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 14	
2	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	34·8
2	..	2	1	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 20	
..	..	2	..	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	38·6
1	2	3	1	1	1	..	..	1	..	..	2	..	1	..	..	1	.	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	F. 22	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M 1	29·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 67	24·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 98	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 59	25·4
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 87	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 92	25·0
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 98	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 91	25·0
1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 95	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 67	27·8
3	1	1	..	1	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 92	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 25	29·2
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 32	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 24	28·4
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 29	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 65	25·7
1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 59	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F.	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	30·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 9	
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 22	29·6
1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 26	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 37	28·0
..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 13	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 24	27·2
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 15	
..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 88	29·8
2	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
4	..	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 77	30·5
2	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	41·6
..	..	..	1	..	..	..	1	..	..	..	1	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 5	
..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	37·6
..	..	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
..	1	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	‡ 8	39·5
..	..	..	..	1	1	..	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 6	41·7
2	..	..	2	..	2	..	..	1	2	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 19	35·9
..	..	..	..	..	..	1	1	..	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 6	42·2
1	..	..	..	..	..	1	..	..	2	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 8	41·4
1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 130	24·4
7	1	4	3	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 217	26·2
5	6	3	8	2	..	2	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 167	31·0
1	5	5	3	..	..	..	..	3	1	1	1	..	2	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	‡ 140	31·1
1	3	..	..	2	..	1	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 77	31·3
3	4	5	1	1	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	‡ 111	31·1

§ Accident to net probably did not influence catch
‡ Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres.																												
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
B 262**	1904. Dec. 11-12	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	2	2	7	6	6	19	12	5	6	12	14	4
B 263**	„ 13	6	..	..	..	..	..	..	..	..	2	..	..	3	5	3	6	8	13	13	12	19	13	13	16	8	3	13	4	4	3
B 264**	„ 13	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	2	6	4	6	8	6	3	7	8	2
B 265**	„ 13-14	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	2	5	4	14	11	17	11	18	12	25	19
B 266**	„ 14	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	..	1	1	2	2	2	3	6	4	5	9	10	9	8
B 267**	„ 14	5	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	1	2	3	3	4	2	8	3	5	2	8
B 268* **	„ 17	4¼	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	3	..	1	2	1	2	..	2
B 269**	„ 17-18	4¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	..	4	3	3	2	2	3	4	2
B 270**	„ 18	4¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	1	2	5	6	6	4	2	3	2	12	5	4
B 271**	„ 18	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	5	2	5	2	1	2	6	3
B 272**	„ 18-19	6½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	3	..	4	4	3	1	5	5	4	1	7
B 273**	„ 19	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	4	1	6	10	12	10	6	4	4	5	5	2
B 274**	„ 19	6¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	7	9	3	3	3	3	6	2	5	5
B 275**	„ 19	7½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	4	4	7	6	5	1	8	5	5
B 276	1905. Jan. 9	½	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	2	1	1	2	..	..	..	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	..	1	..	1	..	1	..	2	..	1	..	..	..
B 277§	„ 13	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..	..	1	1	2	2	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..
O 266	„ 13-14	5	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	1	3	1	4	1	2	1	2	4	2	1	4
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	1	..
O 267	„ 14	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	2	1	1	..	2	1	3	5
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
O 268	„ 20	4	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	1	..	..	1	5	2	2	1	7	4	3	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	1	1	1	..	..	..	2	2
O 269*	„ 21	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	1	..	2	2	1	1	..
O 270	„ 22	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	2	2	1	1	2	..
O 271	„ 22	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	1	..	1	..	..	1	2
O 272	„ 22-23	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	..	2	..	1	1
O 273	„ 23	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	1	..
O 274	„ 23	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
O 275	„ 23	2¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	3	1
O 276	„ 25	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	3	3	1	3	..	1	2	..	2	..
			..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	2	3	4	5	7	3	4	1	2	1	2	..
O 277	„ 25	2½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	1	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
B 278	Feb. 14	3	..	..	..	..	..	..	..	..	..	..	1	1	..	1	1	3	2	2	1	2	5	1	4	1	..	1	..	1	..
			..	..	..	..	..	1	..	..	..	..	2	..	2	..	1	..	4	6	4	2	8	7	11	3	2	2	2	1	2
B 279	„ 14-15	3	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	..	1	1	1	..	..	1	..	..
B 280	„ 15	4	..	..	..	..	..	..	..	..	..	..	2	..	1	2	1	..	..	2	..	..	..	2	..	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	..	..	..	..	..	..
B 281	„ 15	4	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..	1	2	1	..	..	..	..	2	2	..	..	..
			..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	2	6	..	2	4	..	1	2	..	2	..	..
B 282	„ 15	6	..	..	..	..	..	..	..	..	1	1	1	3	1	4	1	5	4	4	2	1	1	1	..	1	1	1	..	2	..
			..	..	..	..	..	..	..	..	1	..	1	..	1	..	2	1	3	2	1	3	3	4	3	3	2	3	2	2	2
B 283	„ 16	5	..	..	..	..	..	..	1	..	..	1	3	2	2	4	2	4	4	1	2	6	1	1	2	..	1	..	..	1	..
			..	..	..	..	..	..	..	..	1	1	..	1	..	1	1	..	..	1	3	3	3	3	..	..	1	2	1	2	1
B 284†	„ 16	3½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	..	1	..	..	..	..	..	1	2	..	2	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	2	2	..	..	..	..	..

** Measurements made by chief steward.
* Accident to net probably influenced catch. *See* Table III.
§ Accident to net probably did not influence catch.

Centimetres.																																Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
5	6	4	..	3	..	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 120	31·5
4	..	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 168	26·9
5	..	..	..	1	2	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	‡ 67	32·2
14	3	1	6	5	1	1	2	1	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 177	32·9
3	5	4	6	3	1	3	1	..	1	3	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	1	..	1	..	‡ 100	34·6
6	1	3	1	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 58	32·2
4	..	1	..	..	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡* 21	34·0
..	..	3	3	..	..	1	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 36	33·4
10	4	6	4	..	1	..	2	..	1	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	‡ 87	33·3
1	2	3	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	‡ 38	32·9
5	3	1	4	1	2	2	..	1	2	1	..	1	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 68	34·2
2	4	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 80	29·8
3	1	2	..	2	1	2	..	1	1	3	..	3	..	3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 73	33·9
5	3	2	..	1	2	4	1	..	1	1	..	1	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 72	34·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 9	24·3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 9	
4	4	1	4	2	1	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 30	37·5
1	..	..	..	..	..	..	..	1	..	1	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
4	4	4	4	6	3	2	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 59	35·6
3	..	..	1	..	1	1	..	..	1	1	..	3	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 16	
10	2	4	5	4	6	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 53	38·1
2	2	..	2	2	2	1	3	2	..	1	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	F. 23	
1	1	3	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 40	32·0
1	2	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 15	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 2	32·2
1	..	1	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 14*	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	33·3
..	3	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 15	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	32·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 9	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	36·2
1	1	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	F. 12	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	33·6
..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 2	34·5
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	
..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	35·6
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 19	31·6
..	3	..	2	1	..	..	3	2	1	1	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 51	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	28·2
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 27	27·3
1	1	..	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 66	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	31·1
..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	29·8
..	1	..	..	..	..	2	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 12	28·1
..	..	1	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 25	
..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 37	27·4
..	3	..	..	..	..	..	..	..	1	1	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 47	
..	..	1	1	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 43	26·8
..	..	1	..	1	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	F. 30	
1	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	31·0
1	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 9	

† Accident to net which may or may not have influenced catch.
‡ Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres.																													
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
B 285†	1905. Feb. 16	4	..	..	..	..	..	..	..	1	..	1	..	..	3	..	1	3	3	3	2	2	2	1	1	..	4	..	1	..	1
			..	..	..	..	..	..	..	..	..	1	..	1	2	..	..	1	..	2	..	1	2	4	3	2	1	..	..	...	..
B 286	„ 17	5	..	..	..	..	..	..	..	1	4	2	6	7	12	9	7	6	4	10	7	10	3	6	6	2	4	2	3	1	1
			..	..	..	..	..	..	..	..	..	..	1	1	..	..	2	1	3	..	3	2	7	1	1	..	..	1	1	1	..
B 287	„ 17	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	1	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	..	1	1	..	..	..	..	..	1	..	..
B 288*	„ 28	¾	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 289	Mar. 1	4	..	..	..	..	..	1	..	1	..	1	5	4	2	5	6	6	6	5	6	4	8	3	..	2	..	1	1	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	3	1	..	2	1	4	1	3	2	3	3	1	..	1	..	..	1
B 290	„ 1-2	5	..	..	..	..	..	1	..	..	1	..	1	1	1	1	3	2	..	..	..	..	..	..	1	2	1	1	1	1	3
			..	..	..	..	..	..	..	..	1	..	..	1	..	..	1	..	1	1	..	..	1	3	..	..	1	..	..	..	..	..
B 291	„ 2	3	..	..	..	..	..	..	..	1	2	1	..	..	1	2	2	2	2	5	2	3	4	5	6	2	7	6	6	4	2
			..	..	..	..	..	..	1	..	..	2	1	1	1	2	..	4	4	..	2	5	4	4	6	6	4	9	1	7	6
B 292	„ 2-3	4	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	..	..	..	2	..	2	..	4	3	2	2	2	..	3
			..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	2	1	1	4	4	3	6	3	4	2	2
O 278§	„ 3	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 279	„ 4	4	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	2	1	1	1	..	2
O 280	„ 4	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	3	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	2	2	1	..	5	..	5	2	1
B 294§	„ 10	5	..	..	..	..	..	..	1	3	4	2	3	3	..	5	1	..	3	3	3	2	1	6	1	4	1	4	1	..	..
			..	..	..	..	..	..	1	3	4	6	2	1	5	1	..	1	..	3	2	3	4	3	2	1	1	..	..	1	2
O 281§	„ 17	2	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	2		..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	..	..	..	..	..	1	..
O 282	„ 17	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 283	„ 17	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..
O 284	„ 17-18	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	2	1	2	3	
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	2	..	..
O 285	„ 18	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
O 289§	„ 19	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	..	..	1	1	..	..	
B 295	„ 31	2	..	..	..	..	5	5	7	6	4	4	4	8	3	2	4	2	1	4	2	..	1	..	..	..	..	..	..	..	..
			..	..	..	1	1	..	3	2	8	11	4	8	2	4	3	2	2	..	1	1	..	1	..	..	..	..	..	..	..
B 296	„ 31	2	..	..	..	..	..	1	2	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	1	1	1	..	1	.	2	..	..	..	1	2	1	..	..	..	..	..	..	..	..	..
B 297	„ 31	2	..	..	..	..	2	5	15	8	14	10	25	27	19	24	19	18	4	7	3	2	1	..	1	1	..	..	..	..	..
			..	..	..	..	1	1	4	12	11	12	15	22	22	31	16	15	13	5	4	5	4	1	..	1	..	..	..	..	..
B 298	„ 31	2	..	..	..	..	2	7	14	20	17	18	33	29	19	19	16	8	6	5	5	5	1	..	1	..	..	..	..	..	..
			..	..	..	..	3	8	4	15	25	21	29	15	20	36	17	21	15	11	8	3	2	3	2	..	..	1	..	..	..
O 290	April 18	1	..	..	..	..	..	..	1	..	..	1	..	2	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	1	..	1	3	3	3	3	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
O 291	„ 18	1	..	..	..	..	1	..	1	1	1	4	3	5	5	3	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	1	1	2	..	4	3	2	3	8	5	5	3	2	1	..	..	..	..	..	..	..	..	..	..
O 292	„ 18	2	..	..	..	..	..	..	..	..	..	..	1	6	7	11	9	7	2	6	3	2	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	3	5	6	14	12	16	6	9	11	3	1	2	..	..	..	1	..	1	..
			..	..	..	..	1	3	12	32	33	40	31	33	11	5	3	4	1	..	..	..	..	..	..	..	..	..	..	..	..
O 293¶	„ 19	1½	..	..	..	..	..	..	..	..	..	..	5	6	7	11	7	3	4	6	5	..	1	1	1	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	3	6	8	6	11	7	5	1	4	1	2	..	..	..	..	..	..	..	..
O 294	„ 19	1½	..	..	..	..	..	..	..	..	..	..	1	4	6	6	6	..	6	1	4	1	1	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	1	3	3	9	4	5	3	2	..	3	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	3	11	17	16	12	2	1	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..
O 95	„ 19	1½	..	..	..	..	..	..	..	..	..	..	..	5	6	10	12	7	12	12	6	1	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	1	1	4	4	3	11	13	11	6	1	1	..	..	..	..	..	..	..	..

† Accident to net which may or may not have influenced catch.
* Accident to net probably influenced catch. *See* Table III.
§ Accident to net probably did not influence catch.

Centimetres.																																	Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 30	27·8
1	1	..	..	..	..	..	..	..	..	..	2	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 27	
2	..	1	2	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 120	24·6
..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 27	
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	31·5
..	..	..	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 1*	—
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 69	24·0
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 27	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 22	25·7
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 11	
1	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 68	29·5
4	6	..	2	1	..	1	1	..	..	..	..	..	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 88	
1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 26	33·2
4	1	2	3	3	2	3	3	..	..	3	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 62	
1	2	1	1	1	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	39·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	37·7
..	1	3	4	1	1	2	1	..	3	1	1	1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	F. 31	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	33·9
2	..	1	1	1	1	1	..	1	2	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 31	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 51	22·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 46	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	31·2
1	..	..	..	..	..	1	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	41·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	
1	1	1	..	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 9	35·4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	
1	1	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 19	34·5
..	2	2	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	41·0
1	..	..	1	..	..	..	1	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	F. 7	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	38·9
..	1	1	2	..	..	1	1	1	..	..	2	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 16	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 62	17·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 54	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	18·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 205	18·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 195	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 225	18 4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 259	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	17·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 17	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 28	16·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 40	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 54	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 90	18·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 209	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 58	21·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 54	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 36	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 33	18·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 64	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 71	22·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 56	

¶ Only part of catch measured
Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres.																												
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
	1905.		..	..	..	..	..	..	.	..	..	..	..	..	1	5	8	14	13	13	9	5	1	..	..	..	..	..	..	..	..
O 296	April 19	1 7/12	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	5	7	8	10	5	1	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	3	9	11	11	12	12	12	11	18	17	30	35	30	27	28	18	4	5	1	..	..	..	2
O 297	„ 28	2	..	..	..	..	.	..	..	..	..	..	..	..	3	..	1	1	2	2	3	3	2	..	..	3	3	..	1	2	2
			..	..	..	..	..	..	..	..	..	..	..	1	1	..	2	1	2	4	1	3	3	1	2	1	..	..	..	..	..
O 298	„ 28	1½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	..	1	1	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	1	..	1	..	..	..	1
O 299	„ 28	1½	..	..	..	..	..	..	..	..	..	..	..	3	5	8	8	8	3	4	12	9	8	6	2	4	4	2	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	1	..	3	2	2	5	5	3	5	2	5	3	..	2	..	1	..	1
O 301	May 10	4	..	..	..	..	..	..	1	1	2	3	..	2	2	3	4	4	5	3	3	4	4	..	3	2	..	2	2	..
			..	..	..	..	..	..	..	..	1	2	2	1	..	7	1	1	2	2	6	1	2	1	4	3	2	3	..	3
O 302	„ 10	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1	..	3	1	1	2
			..	..	..	..	..	..	..	..	..	1	..	..	..	1	1	..	..	..	1	..	..	2	..	..	1	1	1	..	..
O 303	„ 10	4	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	.	..	..	..	1	1	3	1	1	1	1	3	2	4
			..	..	..	..	.	..	..	..	..	1	..	..	..	..	1	..	..	1	..	..	1	2	2	2	2	6	..	1	..
O 304	„ 10	4½	..	..	..	..	..	..	1	1	3	7	4	7	5	8	1	1	2	4	5	3	12	13	5	15	13	15	10	4	4
			..	..	..	..	..	..	..	..	1	4	..	6	2	4	4	1	1	5	6	3	5	6	9	8	5	10	7	8	1
O 305	„ 11	4½	..	..	..	..	..	..	1	..	4	5	11	16	20	12	18	12	26	19	21	28	33	10	18	7	1	4	..	..	..
			..	..	..	..	..	..	1	1	3	2	4	7	8	5	4	7	13	11	27	32	21	20	17	15	9	7	4	1	1
O 306	„ 11	4½	..	..	..	..	..	1	1	2	9	12	12	10	7	9	21	24	25	34	34	14	14	8	4	1	1	..	..	..	..
			..	..	..	..	..	..	..	1	4	5	6	7	7	10	7	24	19	33	31	34	17	20	9	8	5	2	4	1	1
O 307¶	„ 11	4½	..	..	..	..	1	4	8	11	36	28	29	13	21	28	17	12	9	13	11	6	1	2	..	..	..	..	..	..	..
			..	..	..	..	..	2	3	12	12	16	26	14	16	14	12	14	11	12	10	9	4	2	1	1	..	..	..	..	..
O 308¶	„ 11	4	..	..	..	..	..	2	3	16	18	21	12	11	6	9	2	4	9	..	..	1	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	4	6	9	12	9	12	6	5	6	2	5	5	2	2	..	..	1	..	..	..	..	..	..
O 309¶	„ 11	4	..	..	..	..	3	9	12	27	18	11	9	10	2	4	3	3	1	2	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	3	4	19	13	6	10	6	5	2	4	4	6	2	..	1	1	..	..	..	..	..	..	..	..
B (c.) 300	„ 12	1½	..	2	3	..	6	8	3	10	12	10	8	5	5	1	2	2	1	1	..	..	..	..	1	..	..	..	..	..	..
			..	..	1	3	2	9	8	14	20	8	14	10	5	5	3	2	4	6	..	3	1	..	1	..	1	..	..	..	..
B (c.) 301	„ 15	2	..	3	1	6	6	6	21	19	37	38	39	31	20	17	15	8	4	2	7	4	..	..	..	..	..	..	..	..	..
			..	..	2	3	4	7	14	37	40	45	50	35	32	35	29	28	14	14	15	12	8	4	2	..	5	1	..	..	..
O 310	„ 16	4⅓	..	..	..	..	.	..	..	..	1	1	4	3	12	15	18	21	11	13	14	19	9	13	13	8	10	4	1	5	1
			..	..	..	..	..	..	..	..	..	1	1	4	2	1	2	2	4	6	9	5	8	12	13	9	11	8	5	2	1
O 311	„ 16	5	..	..	..	..	..	..	..	..	..	2	6	9	10	19	18	12	27	22	13	9	20	17	17	16	19	7	6	5	..
			..	..	..	..	..	..	..	..	1	2	1	5	2	4	5	6	8	7	6	9	12	3	7	5	8	10	4	1	1
B 302	„ 24	1	..	..	..	..	..	..	2	5	2	1	1	4	3	2	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	2	..	..	2	3	3	3	..	2	1	2	1	..	1	..	..	..	..	..	..	..	..	..
B 303	„ 24	1	..	..	..	..	1	..	1	2	2	1	1	3	3	2	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	1	1	3	1	1	1	..	1	3	2	..	..	1	..	..	..	..	..	..	..	..	..	..
B 304	„ 24	1	..	..	..	..	..	2	..	3	1	3	1	2	2	1	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	1	1	3	1	1	1	4	3	..	..	1	2	1	..	..	..	..	..	..	..	..	..	..	..
B 305	„ 25	1¼	..	..	..	..	..	..	..	..	..	.	..	1	..	2	..	2	2	2	6	..	3	2	1	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	7	5	3	2	3	..	1	..	..	..	..
B 306	„ 25	1	..	..	..	..	..	..	..	..	..	15	12	14	4	4	6	2	..	3	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	4	9	10	7	4	2	7	1	..	2	2	..	..	1	..	..	.	..	..	..
			..	..	..	..	..	1	..	3	6	15	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 307	„ 25	1	..	..	..	..	..	..	..	..	..	..	4	10	2	4	3	2	3	4	1	1	2	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	3	8	1	6	10	8	4	4	5	4	1	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	3	5	13	28	15	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 308	„ 25	1	..	..	..	..	..	..	..	..	..	..	4	2	3	3	4	1	3	..	1	..	..	1	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	2	..	2	3	4	1	2	..	4	1	2	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	5	4	6	7	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 309	„ 25	1	..	..	..	..	..	..	..	..	..	..	1	9	5	3	1	3	1	2	1	1	..	..	..	..	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	3	3	2	..	5	..	4	2	2	2	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	1	5	9	4	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

¶ Only part of catch measured.

Centimetres.																																		Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68			
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 69	22·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 38	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 296	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 28	26·1
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 23	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	28·6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 5	
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 88	24·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 40	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M 5	27·7
1	3	2	1	..	..	1	..	..	..	1	..	..	1	1	1	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 59	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 11	36·1
..	..	..	1	..	..	1	..	..	..	2	1	..	..	2	1	..	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	F. 20	
1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 22	34·9
..	2	1	..	1	2	..	1	1	1	3	..	2	..	2	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	F. 37	
4	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 149	27·6
4	1	2	2	..	2	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 109	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 266	24·5
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 222	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 243	23·4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 255	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 250	19·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 191	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 114	17·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 86	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 114	16·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 86	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 80	16·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 120	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 284	17·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 436	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 196	25·7
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 108	
1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 256	25·5
2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 110	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 22	18·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 20	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 20	18·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 15	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 18	17·4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 19	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 21	25·4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F 22	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 80	18·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 49	
..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 32	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 36	18·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 54	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 66	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 22	19·4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 21	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 25	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 28	19·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 23	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 20	

‡ Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres																													
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
	1905.		..	..	..	..	..	..	..	..	..	..	2	9	14	7	2	3	2	1	..	..	..	..	..	..	..	..	..	..	..
B 310	May 25	1	..	..	..	..	..	..	..	..	..	1	2	6	10	5	3	2	1	2	1	..	2	2	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 311	„ 25	1	..	..	..	..	..	..	..	..	..	..	3	..	2	1	..	1	2	..	1	2	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	1	4	1	1	1	..	..	..	..	..	..	..	..
B 312	„ 25	1½	..	..	..	..	..	..	..	..	..	..	1	3	1	3	10	3	12	7	10	7	4	3	1	1	..	..	..	..	..
			..	..	..	..	..	..	1	..	..	..	..	2	1	1	5	5	8	11	14	8	6	1	2	..	..	..	..	..	..
B (c.) 313	„ 26	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 314	„ 29	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 315	„ 29	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 317	„ 30	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
B 318	„ 30	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	1	1	..	..	1
			..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	1
O 312*	„ 30	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B (c.) 319	„ 30	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 313	„ 30	2	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	1	1	..	..	2	
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	..	1	..	1	2	4	1	1
O 314	„ 31	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	1	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..	..	..	..	..	2
B (c.) 320	„ 31	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..
O 315	„ 31	4	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	1	..	1	1	1
O 316	„ 31	3	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	1	..	..	2	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	2	..	..	3
O 317	June 1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	3	1	3	3	4	1	3	3	1	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	5	2	2	3	2	2
B 321	„ 1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	..	..	1	..	1	1	..	..	..	..	2	..
			..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	2	..	..	1	1	..	..	..	1	..	..	..	..	..
B 322	„ 2	2	..	..	..	..	..	..	..	..	1	..	2	2	1	..	..	3	1	..	1	..	3	..	1	2	2	4	1	2	1
			..	..	..	..	1	..	..	..	1	1	..	..	..	..	..	..	1	..	..	..	2	..	4	2	3	3	5	5	2
B 323	„ 2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	2	..	1	1	2	1	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	..	1
B 324	„ 16	1½	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 325	„ 16	3	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 326	„ 16	1	..	..	..	..	..	..	..	..	2	1	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
B 328	„ 20	3½	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	3	1	2	1	4	..	1	..	..	2	1	3	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	2	3	1	2	1	1	1	..	..	1	..	..
B 329§	„ 20	2½	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	2	4	1	1	1	4	1	2	..	1	1	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	1	1	2	..	..	1	1	..	..	..	..	..
B 331	„ 20	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	1	1	2	4	4	..	4	1	3	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	1	1	2	6	2	3	..	..	..	..
B 332	„ 21		..	..	..	..	..	..	..	..	1	..	..	..	1	..	2	1	2	4	1	1	6	6	6	2	3	1	..	1	..
			..	..	..	..	1	..	..	1	1	1	..	..	1	1	3	..	2	2	2	1	4	5	3	5	4	1	1	..	..
B 333	„ 21	4½	..	..	..	..	..	..	..	..	..	..	1	2	1	3	3	1	6	11	8	9	9	5	8	3	7	2	..	1	..
			..	..	..	..	..	..	..	1	1	..	1	..	3	2	..	1	..	2	4	5	5	2	8	5	2	3	1	1	..
B 334	„ 21	4 11/12	..	..	..	..	..	..	..	..	..	..	1	..	1	1	1	3	4	2	4	11	11	8	6	7	3	2	2	..	1
			..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	3	1	1	3	2	3	9	4	..	2	2	..	2
B 335	„ 21	5 1/12	..	..	..	..	..	..	..	..	..	..	1	..	..	3	1	1	1	4	12	11	8	13	5	5	3	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	2	2	2	3	4	8	8	2	2	2	..	..	..
B 336	„ 21-22	5⅙	..	..	..	..	..	..	..	..	..	..	..	..	1	1	8	10	9	16	16	27	26	17	20	4	5	6	..	1	..
			..	..	..	..	..	..	..	..	1	1	..	..	..	2	..	2	1	5	2	12	15	11	14	10	7	2	3	2	..
B 337	„ 22	5⅙	..	..	..	..	..	..	..	..	..	2	1	1	1	2	4	4	2	7	7	11	10	3	5	5	1	5	2	..	..
			..	..	..	..	..	..	..	..	2	1	..	..	2	..	2	..	1	2	5	2	8	9	7	3	1	..	2	1	..

* Accident to net probably influenced catch. See Table III.
§ Accident to net probably did not influence catch.

Centimetres.																																	Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 40	20·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 37	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 1	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 12	22·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 11	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 66	23·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 65	
..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 2	41·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	—
1	..	1	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 2	38·5
..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	
2	..	1	2	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	36·5
1	1	..	1	2	1	..	..	1	..	..	..	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 14	
..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5*	36·6
..	1	..	..	..	..	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4*	
..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	41·6
..	..	..	1	..	1	1	2	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
1	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 11	34·7
2	2	1	3	1	1	1	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 27	
..	1	..	..	1	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	31·6
1	1	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	
..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	39·0
5	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 10	34·5
..	..	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	35·3
..	..	..	1	..	3	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 13	
1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 32	31·0
..	2	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 25	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	26·5
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 28	30·1
1	1	..	..	1	1	1	1	2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 39	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 11	32·1
1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F 8	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 1	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 1	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 5	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 20	27·9
..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 16	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 21	26·3
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 12	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 24	28·5
..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 20	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 38	26·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 39	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 80	26·2
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 48	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 68	27·4
..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 37	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 69	26·8
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 39	
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 168	26·8
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 91	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 73	26·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	. 48	

‡ Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres.																												
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
B 338	1905. June 22	5	..	..	..	..	..	..	1	..	1	..	..	..	..	4	4	7	4	6	10	6	7	7	5	4	2	1	..	..	..
			..	..	..	..	..	..	..	..	1	..	..	1	..	1	1	2	2	4	4	4	3	6	2	5	2	1	4	..	1
B 339	„ 22	5	..	..	..	..	..	..	1	..	..	1	..	..	1	..	2	4	5	5	6	8	11	6	5	4	2	2	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	1	2	..	1	3	9	3	2	4	2	1	2	..
B 340	„ 22–23	5	..	..	..	..	..	..	..	..	..	..	1	..	1	4	8	8	4	6	6	10	4	11	4	7	4	1	2	..	..
			..	..	..	..	..	..	..	..	..	1	..	..	2	2	3	..	2	2	4	4	5	8	5	8	4	2	1	3	4
B 341	„ 23	6	..	..	..	..	..	1	..	..	..	..	..	1	..	2	1	1	1	1	3	4	..	6	3	4	3	3	..	2	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	3	..	2	3	1	4	4	2	1	1	2
B 342	„ 23	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	1
B 343	„ 23	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	2	..	3	1	1	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	1	1	..	3	2	3
O 318	„ 27	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..
O 319	„ 27	5	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	1	..	..	..	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	2	1	2
O 320	„ 27–28	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	1	..	3
O 321	„ 28	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 323	„ 29	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1
B(c.) 344	„ 29	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 324	„ 29	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 325	„ 30	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1
			..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 326	„ 30	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 327	July 1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 328	„ 1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 345	„ 7	2	..	..	..	..	..	3	8	16	21	34	21	26	16	12	9	7	1	4	..	2	..	..	..	..	..	..	..	..	..
O 329	„ 7	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	2	..	2	
O 330*	„ 8	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 331	„ 9	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	1
O 332	„ 9	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1
O 334	„ 10	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 335	„ 10	4¾	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
O 336	„ 11	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 337*	„ 11	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B(c.) 346	„ 12	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 338	„ 12	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 340¶	„ 23	1	..	..	..	..	..	..	..	..	..	..	1	9	11	7	8	4	2	5	1	1	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	3	8	19	20	19	7	3	6	2	..	..	..	..	..	..	..	..	..	..
			..	..	..	4	5	3	11	34	66	46	34	13	11	1	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..
O 341	„ 24	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

* Accident to net probably influenced catch. *See* Table III.
¶ Only part of catch measured.

Centimetres																																Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 69	25·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 44	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 63	26·8
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 35	
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 82	26·8
2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 63	
..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 36	28·6
3	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 28	
..	1	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	34·7
..	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 10	33·4
3	1	..	2	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 22	
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	37·4
..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	36·4
1	2	2	..	..	1	2	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	F. 19	
1	..	2	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	42·9
2	4	1	2	1	2	1	1	1	..	..	..	1	1	..	..	..	..	2	2	..	4	..	..	1	1	..	..	1	..	..	..	..	F. 35	
4	..	..	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 9	42·2
..	..	..	1	..	1	1	1	1	1	..	..	1	..	2	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 12	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	37·0
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	—
..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	F. 4	49·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 2	46·6
..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	F. 6	
1	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	47·5
1	1	..	1	..	..	..	..	..	..	2	1	..	..	1	1	..	..	..	..	3	..	..	..	..	1	..	..	..	..	..	..	..	F. 12	
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	45·8
..	..	..	..	..	2	2	1	..	2	1	2	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 14	
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	43·7
..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 180	17·2
1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	40·1
1	1	6	4	1	4	1	1	2	2	1	..	1	1	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 35	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M 1*	38·7
..	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 3*	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	40·1
..	2	..	1	2	1	..	1	1	..	..	..	..	1	1	..	1	..	..	..	..	..	..	..	..	1	..	..	.	..	..	..	..	F. 15	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M.	38·8
..	..	..	1	1	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	1	..	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	42·2
..	..	..	..	2	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
..	..	.	..	1	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	41·9
..	..	1	..	..	3	1	..	1	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 9	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	41·2
..	..	..	..	..	1	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2*	42·5
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	41·0
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	.	..	..	..	1	..	..	..	1	..	..	..	..	F. 3	58·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 49	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 87	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 233	
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 2	41·5

‡ Sex not determined.

Net and No.	Date.	Duration (hrs.).	Centimetres.																												
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
	1905.		..	..	..	..	..	..	..	..	..	1	2	5	5	3	1	3	1	2	..	..	..	..	..	..	..	..	.	..	..
O 342	July 24	½	..	..	..	..	..	..	..	..	..	2	4	5	16	7	3	5	5	2	2	1	..	..	..	..	..	..	..	..	..
			..	..	..	1	2	5	15	50	114	67	37	19	11	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 347	Aug. 8	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	.	3	..	4	2	1	2	..	4	2	1	3	1	1
			..	..	..	..	..	..	..	..	1	..	..	..	..	2	1	3	1	3	2	1	2	..	..	2	1	..	2	..	1
B 348	„ 9	2	..	..	..	..	..	..	..	1	..	1	..	3	..	..	3	3	..	2	2	2	1	2	..	1	2	1	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	1	3	..	1	1	1	1	3	1	1	1
B 349	„ 9	2	..	..	..	..	..	..	..	..	1	..	1	4	2	..	3	3	..	2	1	1	1	1	2	2	2	1	..	2	..
			..	..	..	..	..	..	..	..	2	..	..	1	5	5	1	2	1	2	..	1	1	..	..	..	1	1	..	..	1
B 350	„ 9	2	..	..	..	..	..	..	..	1	..	..	1	6	3	1	2	6	3	3	1	1	4	..	..	1	..	..	2	..	..
			..	..	..	..	..	..	..	..	1	..	1	1	2	1	1	4	1	1	..	..	3	2	1	3	..	3	1	..	..
B 351	„ 9	2	..	..	..	..	..	..	..	..	1	1	1	2	..	1	..	3	1	1	2	1	3	2	..	2	3	1	1	1	1
			..	..	..	..	..	..	..	..	2	1	..	..	..	1	3	1	..	..	..	1	2	1	1	1	1	2	1	2	..
B 352	„ 9	2	..	..	..	..	..	..	..	2	1	..	1	..	1	..	1	2	1	1	1	2	..	3	1	..	..	..	..	..	1
			..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1	..	..	1	1	..	..	1	1	..	..	..	..	..
B 353	„ 9	2	..	..	..	..	..	..	..	..	1	..	2	1	..	2	1	3	2	1	..	..	2	2	3	2	1	2	2	..	..
			..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	..	..	2	1	2	..	..	..	2	4	..	..	1	1
B 354	„ 9	2	..	..	..	..	..	..	..	2	1	..	1	1	..	2	2	3	3	2	1	2	2	1	1	2	1	1	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	..	..	..	1	..	..	1	1	1	..	..	2	..
B 355	„ 10	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	2	3	3	4	4	3	3	2	2	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	1	1	3	1	2	1	2	5	5	2	1	3	2	2	2	2	1
B 356†	„ 10	2	..	..	..	..	..	1	..	..	..	..	1	1	1	1	2	1	2	5	1	2	2	1	..	1	..	..	1	1	..
			..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	2	1	1	5	1	3	1	1	1	..	2	..	..
B 357	„ 10	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	2	1	..	1	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	2	2	1	..	2	..	..	1	..	..	1	..
B 358	„ 10	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	1	1	..	1	1	..	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	2	..	..	..	..	..	..	1	2	..	..	..
B 359	„ 12	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 361	„ 12	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 363	„ 13	2	..	..	..	..	..	..	..	..	..	1	..	1	..	1	1	1	3	1	5	1	1	2	1	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	1	..	..	1	2	1	1	5	1	..	3	3	..	..	..	..	..	1	..	..
B 364	„ 13	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	1	..	..	2	4	..	1	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	..	1	..	2	..	..	..	..
B 365	„ 13	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	4	2	6	..	1	2	1	2	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	3	5	1	2	..	2	1	..	..	..	..
B 366	„ 13	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	2	1	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
B 367	„ 14	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	3	..	..	..	..	..	2	..	1	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1	..	1	4	1	4	7	..	1	3	1	2
B 368	„ 14	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	1	..	2	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	3	..	1	..	..	..	1	..
B 369	„ 14	1⅓	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..
B 370	„ 14	1½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	1	..	..	..	..	1
B 371§	„ 24	1	..	..	..	..	..	..	..	1	..	1	1	..	1	3	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	1	1	..	2	2	1	..	3	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..
B 372	„ 24	2¼	..	..	..	..	..	1	1	2	2	..	3	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	1	..	..	1	2	2	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	.	..
B 373	„ 29	2	..	..	..	..	..	..	..	..	1	5	38	38	43	46	27	28	28	15	6	5	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	3	17	39	44	46	46	22	22	29	9	10	6	..	..	..	..	..	..	..	..
O 343	Sept. 5	4	..	..	..	..	..	..	..	..	1	..	..	1	..	..	1	1	1	..	4	5	3	3	2	4	6	1	2	1	2
			..	..	..	..	..	..	..	..	..	..	1	1	..	1	1	2	5	6	1	1	..	2	2	3	..	2	..	..	..
O 344	„ 5	4	..	..	..	..	..	..	1	..	1	..	4	..	..	1	4	1	2	1	5	1	3	1	1	1	1	3	..	2	2
			..	..	..	..	..	..	..	1	..	..	..	..	1	3	..	..	..	1	2	3	4	1	1	6	1	2	1	..	1

† Accident to net which may or may not have influenced catch. *See* Table III.
§ Accident to net probably did not influence catch.

Centimetres.																																Total Measured for each Sex.	Average Size (cm.).
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 23	16·3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 52	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 324	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 26	27·4
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 24	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 25	25·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 17	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 29	24·6
1	..	1	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 29	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 35	23·7
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 27	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 28	26·6
..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 23	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 18	23·4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 7	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 27	26·9
1	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 20	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 29	25·5
1	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 12	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 33	26·9
1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 38	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 24	25·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 20	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	26·7
..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 14	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8	27·4
1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	17·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 2	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	17·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 3	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 19	23·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 19	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 12	26·3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 24	26·6
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 16	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	24·1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 3	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 10	31·5
..	2	4	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	F. 36	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	28·5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	F. 7	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	F. 2	33·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	M. 8	17·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 13	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 13	16·6
..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 8	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 280	20·4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 293	
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 39	27·7
2	..	1	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 33	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 36	26·9
..	1	1	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 32	

Sex not determined.

Net and No.	Date.	Duration (hrs.)	Centimetres.																												
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
	1905.																														
O 345	Sept. 5	4	..	..	..	..	..	..	1	..	1	..	..	..	1	..	..	2	1	2	..	5	3	..	3	2	2	2	1	1	..
			..	..	..	..	..	1	1	1	..	..	..	..	..	..	1	..	1	..	1	2	3	..	4	2	1	..	..	1	..
O 346	„ 6	4	..	..	..	..	..	..	..	..	..	1	..	2	..	.	1	2	4	2	4	3	1	3	2	1	3	..	2	..	..
			..	..	..	..	..	..	1	2	1	1	1	..	..	1	..	..	3	1	4	3	2	2	1	2	1	1	3	..	..
B (c.) 374‡‡	„ 6	2	..	..	..	..	..	..	..	..	3	..	1	1	1	..	..	3	2	7	6	5	6	4	1	1	1	..	..	1	1
B (c.) 375‡‡	„ 6	2	..	..	..	..	..	..	..	1	2	2	1	..	..	..	..	..	3	..	1	2	3	1	1	1	1	..	..	..	..
O 347	„ 6	4	..	..	..	..	..	..	..	1	..	..	..	1	..	3	4	6	5	10	5	8	6	10	4	1	2	3	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	1	1	3	7	6	6	7	7	5	6	12	7	3	4	5	2	2	2
O 348	„ 13	2	..	..	..	..	..	..	1	10	16	16	12	13	8	8	1	3	2	2	1	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	1	..	..	4	14	18	12	13	11	6	2	3	3	4	3	1	1	1	1	2	..	..	..	..	..
B (c.) 376‡‡	„ 13	2	1	..	..	2	6	23	30	30	29	21	12	8	9	1	4	4	6	5	4	2	1	..	..	1	1	1	..	..	..
B (c.) 377‡‡	„ 13	2	..	..	..	1	2	34	47	44	38	26	18	18	10	5	6	..	2	2	1	..	..	1	..	..	..	..	..	..	..
			..	..	..	..	6	21	24	44	35	37	13	17	13	11	12	12	5	3	8	7	3	..	1	..	..	..	1	..	..
O 349	„ 13	4	..	..	..	..	..	..	..	..	..	3	13	25	32	35	12	7	4	1	5	2	1	..	1	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	2	9	19	23	18	14	9	3	4	2	1	..	..	..	1	..	1	..	..	..
O 350	„ 14	4	..	..	..	..	..	..	..	..	..	..	3	13	18	20	24	22	13	18	14	9	7	9	4	3	1	1	..	..	..
			..	..	..	..	..	.	..	..	..	..	1	5	22	20	24	25	21	19	11	13	11	4	7	9	1	2	1	2	..
O 351	„ 14	5	..	..	..	..	..	..	..	..	..	1	1	5	16	12	13	12	9	10	8	8	9	11	8	6	6	2	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	2	4	11	16	7	10	6	13	8	4	6	7	5	7	1	..	1	1
O 352	„ 14	4½	..	..	..	..	..	..	..	..	..	..	..	1	1	6	6	6	3	5	7	10	4	3	5	2	5	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	1	..	1	3	7	8	7	12	13	8	12	6	4	2	3	3	..	1	1
B 378§	„ 19	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 380†	„ 20	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
B 381	„ 21	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
B 382	„ 21	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	1	..	..	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	1	..	..	..	..	..	..	..	..	..	..
B 384	„ 22	5	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	4	2	3	1	2	2	4	1	1	1	1	..	..
			..	..	..	..	..	..	..	.	..	1	..	1	..	..	..	1	1	..	1	1	..	..	..	2	..	..	2	1	..
B 385†	„ 26	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
B 386*	„ 26	5	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	4	1	..	1	..	..	..	..	..	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	1	..	..		..	..	..	..	..	..
B 387	„ 27	5	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	9	5	5	7	6	10	8	6	1	3	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	5	5	5	8	2	3	4	4	3	2	1	1	..	1
B 388	„ 27	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	6	3	2	4	2	1	10	..	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	2	3	2	5	2	4	4	2	1	1	..
B 389	„ 27	2	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	..	..	..	..	..	..
B 390	„ 27	5½	..	1	..	..	..	..	..	1	1	1	..	.	..	1	..	1	..	..	2	3	2	1	5	5	5	3	4	..	2
			..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	1	..	1	..	2	4	1	4	6	..	2	5
B 391	„ 27 28	5	..	..	..	..	..	..	..	..	2	..	..	..	..	..	2	1	3	3	3	3	1	7	5	3	3	4	3	3	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	2	3	2	4	6	4	1	..	3	1	3	1
B 392	„ 28	2	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	2	2	..	4	1	2	3	4	3	3	1	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	4	4	5	5	4	2	5	3	1	3
B 394	„ 29	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	1	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	2	..	1	1
B 395	„ 29	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
B 396	„ 29	4½	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	1	..	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	3	..	1	1	..
O 354	Oct. 9	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
O 356	„ 10	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 357	„ 10	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
O 358	„ 11	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	1	1	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	4	2	..	1	..	2	..

‡‡ Contents of covering net combined with those of ordinary cod-ends.
§ *Accident to net probably did not influence catch.*
† Accident to net which may or may not have influenced catch.

Centimetres.																																	Total Measured for each Sex.	Average size (c.m.)
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68		
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 28	28·4
..	1	1	2	..	2	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 27	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 31	26·4
1	1	1	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 36	
1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 47	—
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 21	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 70	26·2
1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 89	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 93	17·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 100	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	‡ 201	15·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 255	16·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 273	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 141	19·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 106	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 179	22·9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 198	
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 139	24·4
..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 112	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 65	25·2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 92	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 2	23·0
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	24·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	23·3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 23	27·2
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 13	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 8*	23·8
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 3*	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 63	26·0
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 48	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 34	29·6
2	2	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 36	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 4	26·4
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 4	
2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 41	30·4
..	3	3	..	2	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 38	
2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 52	29·4
2	..	1	1	1	..	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 42	
2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 33	31·4
2	1	1	5	2	3	..	2	1	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 57	
..	1	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	37·4
..	1	..	..	3	..	..	1	..	..	..	1	2	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 16	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 1	39·2
1	1	..	..	1	1	1	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 10	
1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 6	34·8
1	..	4	..	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 14	
..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	F. 3	47·7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 3	36·8
..	..	..	..	..	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 3	
..	..	..	1	..	..	..	1	..	..	3	..	..	..	..	..	..	..	..	1	2	..	1	..	..	..	..	..	..	..	..	..	..	F. 9	49·4
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	34·4
..	1	..	..	..	1	1	2	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 20	

* Accident to net probably influenced catch. *See* Table III
‡ Sex not determined.

Net and No.	Date.	Duration (hrs.)	Centimetres.																													
			7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
	1905.																															
O 359	Oct. 11	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	1	..	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	1	..
O 360	„ 12	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	..	5	3	3	..	1	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	4	4	6	3	3	2
O 361	„ 12	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	1	2	1	2	2	2	6	..	4	1
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	..	3	8	4	3	6	3	1	2
B 397	„ 19	4	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	3	..	..	..	..	..	1	..	..	..	..	..	3
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	3	..
O 362	„ 19	4	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	1	..	2	1	..	1	2	..	..	1	1	2	2	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	2	1
O 363	„ 19	5½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..
O 364	„ 19-20	4½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	2	2	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	1	..	1	1	2
O 365	„ 20	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	2	3	1	1	1	2	1	..
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	2	3	..	1	3	2	4
O 366	„ 20	4¾	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	1	1	..	..	..	1	1	2	1	1	..	1	2
			..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	2	2	1	1
O 368	„ 24	4	..	..	..	..	..	..	..	..	..	..	1	2	2	2	3	4	8	9	8	1	5	8	6	5	10	3	3	4	6
			..	..	..	..	..	..	..	..	..	..	..	3	4	4	1	3	3	8	5	5	6	7	5	9	8	10	14	7	3
O 369	„ 25	5	..	..	..	..	..	..	..	..	..	..	2	9	9	7	9	12	13	9	19	12	11	13	7	6	6	8	3	1	1
			..	..	..	..	..	..	..	..	..	1	2	4	1	12	8	12	5	12	13	19	10	8	12	4	8	3	5	4	4
O 370	„ 2	6	..	..	..	..	..	..	..	..	..	..	..	..	2	2	1	6	4	7	5	10	8	7	6	6	6	2	8	1	3
			..	..	..	..	..	..	..	..	..	..	..	2	1	1	2	1	4	10	7	17	9	11	4	4	3	8	3	2	5
B (c.) 398	„ 3	1½	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Centimetres.																																			
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	Total Measured for each Sex.	Average size (c.m.).
1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 7	35·5
..	..	..	..	1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 6	
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 19	33·4
2	1	1	..	..	..	..	..	..	1	1	..	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 33	
1	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 28	32·8
2	2	3	2	..	1	..	..	1	1	..	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 48	
..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 11	35·8
..	1	1	..	..	1	..	..	..	1	2	1	1	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	F. 15	
1	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 19	34·4
1	3	1	3	3	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	F. 18	
..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 5	38·3
..	1	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F 7	
3	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 12	36·6
3	2	..	1	1	1	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	F. 18	
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 16	34·3
6	1	1	..	2	2	..	..	1	1	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 34	
3	..	3	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 22	35·1
3	1	1	1	5	3	1	1	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 28	
2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 93	29·4
5	3	2	5	3	2	..	..	..	3	..	2	2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 133	
5	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 163	26·0
1	..	1	..	1	..	..	..	1	..	2	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 155	
1	1	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	M. 90	29·4
2	1	2	..	4	1	2	3	..	..	1	1	1	..	..	..	..	2	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	F. 116	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	F. 1	—

III.—SUMMARIES OF HAULS MADE BY S.S. *HUXLEY*, DISTINGUISHING THE SIZES OF FISH IN 10 CM. GROUPS (ARRANGED CHRONOLOGICALLY).

(*a.*) List of Latin Synonyms for English Names of Fishes.

(Systematic names adopted from *Publications de circonstances du conséil permanent internationale pour l'exploration de la mer*, *No.* 12.)

I. FLAT FISH (PLEURONECTIDÆ).

English names.	Latin names.
Brill.	Rhombus lævis.
Dab.	Pleuronectes limanda.
Flounder.	Pleuronectes flesus.
Halibut.	Hippoglossus vulgaris.
Lemon Dab.	Pleuronectes microcephalus.
Long Rough Dab.	*Hippoglossoides platessoides.*
Megrim.	Zeugopterus megastoma.
Plaice.	Pleuronectes platessa.
Sand Sole.	Solea lascaris.
Scaldback.	Arnoglossus laterna.
Sole.	Solea vulgaris.
Solenette.	Solea lutea.
Thickback.	Solea variegata.
Turbot.	Rhombus maximus.
Witch.	Pleuronectes cynoglossus.

II. ROUND FISH (OTHER TELEOSTEI).

Angler.	Lophius piscatorius.
Cat fish.	Anarrhichas lupus.
Coal fish.	Gadus morrhua.
Cod.	Gadus virens.
Conger.	Conger vulgaris.
Four-bearded Rockling.	Motella cimbria.
Grey Gurnard.	Trigla gurnardus.
Haddock.	Gadus æglifinus.
Hake.	Merluccius vulgaris.
Herring.	Clupea harengus.
Horse Mackerel.	Caranx trachurus.
John Dory.	Zeus faber.

II. ROUND FISH (OTHER TELEOSTEI)—*continued.*

English names.	Latin names.
Latchet.	Trigla hirundo.
Ling.	Molva vulgaris.
Mackerel.	Scomber scomber.
Norway Pout.	Gadus esmarki.
Parrot Gurnard.	Trigla.
Pout or Pouting.	*Gadus luscus.*
Red Gurnard.	Trigla cuculus.
Red Mullet.	Mullus surmuletus.
Shad.	Clupea alosa.
Sprat.	Clupea sprattus.
Twaite Shad.	Clupea finta.
Weever (Greater).	Trachinus draco.
Whiting.	Gadus merlangus.

III. DOG FISH, SHARKS, SKATES, AND RAYS (ELASMOBRANCHII).

Angel.	Rhina squatina.
Blonde.	Raia blanda.
Homelyn Ray.	Raia maculata.
Lesser Spotted Dog.	Scyllium canicula.
Nursehound.	Scyllium catulus.
Porbeagle.	Lamna cornubica.
Skate (or Black Skate).	Raia batis.
Smooth Hound.	Mustelus vulgaris.
Spur Dog.	Acanthias vulgaris.
Starry Ray.	Raia radiata.
Sting Ray	Trygon pastinaca.
Thornback.	Raia clavata.
Tope.	Galeus vulgaris.
White Skate.	Raia alba.

NOTE.—Weights included within square brackets have been estimated by interpolation.

(*b.*) Tables.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXV 1	Lower Scruff ..	21½ f.l.s.	1904. Jan. 2nd	Plaice ..	..	..	42	19	3	..	1	..	..	..	..	65	25	65	25
O 146	54° 59½′ N., 4° 51′ E.	22	8 a.m.	Dab	..	1	7	..	..	..	..	..	..	..	..	8	..	8	..
	Net slightly torn.	21½ f.l.s.	9 hours	Sole	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	4	1	1	1	..	..	..	..	7	15	7	15
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	6	9	5	2	1	..	..	..	..	23	15	23	15
				Haddock ..	..	..	12	186	11	1	..	..	..	..	..	210	97	210	97
				Whiting ..	..	..	65	17	2	..	..	..	..	..	..	84	15	84	15
				Grey Gurnard	..	..	12	1	..	..	..	..	..	..	..	13	..	13	..
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Spur dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXV 2	Lower Scruff ..	21½ f.l.s.	Jan. 2nd	Plaice ..	..	..	31	24	5	..	..	..	..	..	..	60	23	60	23
O 147	55° 10½′ N., 4° 59¾′ E.	22½	2 p.m.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
		24½ f.g.s.	5 hours	Sole	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	1	1	2	..	1	..	..	..	..	5	13	5	13
				Brill	..	..	..	3	1	..	..	..	..	..	..	4	..	4	..
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	20	23
				Haddock ..	..	..	5	43	9	..	..	..	..	..	..	57	26	[297]	133
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Hake	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXV 3	S.E. of Tail end of Dogger Bank.	17 spk. s.	Jan. 5th	Plaice ..	..	..	1	4	..	..	2	..	..	..	..	7	..	7	..
O 148	55° 25½′ N., 4° 52′ E.	19–21	12.15 a.m.	Lemon Dab..	..	..	2	4	..	..	..	..	..	..	..	6	..	6	..
	Net very badly torn.	23 f.s. sharp	6 hrs., 45 mins.	Sole	..	..	7	..	..	..	..	..	..	..	..	7	..	7	..
				Turbot ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	5	1	..	..	..	..	..	..	6	..	6	..
				Cod	..	..	17	39	29	16	8	1	1	..	1	112	122	112	122
				Haddock ..	..	..	..	63	35	15	..	..	..	..	..	113	96	113	96
XXV 4	East of Tail end of Dogger Bank.	23 f.s.	Jan. 5th	Plaice ..	..	..	1	5	7	7	..	..	..	..	..	20	26	20	26
O 149	55° 18⅝′ N., 5° 17½′ E.	24 s. & oz.	noon	Lemon Dab..	..	..	2	6	1	..	..	..	..	..	..	9	..	9	..
			6 hrs.	Sole	..	..	8	6	..	..	..	..	..	..	..	14	..	14	..
				Turbot ..	..	..	..	7	3	1	1	..	..	..	..	12	22	12	22
				Brill.. ..	..	..	..	1	1	2	..	..	..	..	..	4	..	4	..
				Cod	..	..	..	..	..	4	2	4	2	2	..	14	60	104 Kg. (44 small)	
				Haddock ..	..	..	..	53	2	1	..	..	..	..	..	56	31	[780	396]
				Ling	..	..	..	..	..	..	..	1	1	2	1	5	34	5	34
				Thornback..	..	..	..	..	..	..	..	..	..	..	..	..	..	31	..
				Skate.. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
XXV 5	West of Horn Reef Outer.	24 s. & oz.	Jan. 5th	Plaice	..	..	4	7	11	3	..	..	..	..	..	25	28	25	28
O 150	55° 20½′ N., 5° 46⅝′ E.	26 s. & oz.	6.30 p.m.	Lemon Dab .	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
	Net slightly torn.		5½ hrs.	Sole	..	..	8	13	..	..	..	..	..	..	..	21	..	21	..
				Turbot ..	..	..	..	3	2	..	..	..	..	..	..	5	..	5	..
				Brill	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	1	..	2	4	3	..	10	73	..	104
				Haddock ..	..	..	2	48	4	1	..	..	..	..	..	55	31	[1100	620]
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	45
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	65	..
				Skate	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
XXV 6	West part of Horn Reef Outer.	26 s. & oz.	Jan. 6th	Plaice ..	..	..	3	8	11	2	1	..	..	..	..	25	27	25	27
O 151	55° 27¾′ N., 6° 18¼′ E.	23 s. & oz.	1 a.m.	Sole	..	..	11	10	1	..	..	..	..	..	..	22	..	22	..
		21 s. & oz.	6 hrs.	Brill	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	1	4	7	3	..	15	104	..	132
				Haddock ..	..	..	..	101	18	1	..	..	..	..	..	120	58	[600	290]
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	130	26
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	108	..
				Skate.. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
XXV 7	Horn Reef Outer ..	21 s. & oz.	Jan. 6th	Plaice ..	..	..	2	4	11	5	..	..	..	..	..	22	26	22	26
O 152	55° 32′ N., 6° 30¾′ E.	22	7.30 a.m.	Lemon Dab .	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
		22 s. & oz.	5½ hrs.	Sole	..	..	10	11	1	..	..	..	.	..	..	22	..	22	..
				Turbot ..	..	..	..	5	2	..	..	..	..	..	..	7	..	7	..
				Brill	..	..	..	3	1	..	..	..	..	..	..	4	..	4	..
				Cod	..	..	..	..	..	..	1	3	7	3	..	14	90	65	128
				Haddock ..	..	..	4	56	3	1	..	..	..	..	..	64	28	[389	178]
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	63	20
				Ling	..	..	..	..	..	..	..	..	..	..	1	1	8	1	8
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	80	..
				Skate.. ..	..	..	..	..	..	..	..	..	..	..	1	1	20	1	20
XXV 8	Horn Reef Outer ..	22 s. & oz.	Jan. 6th	Plaice ..	..	..	..	2	8	..	..	..	..	..	..	10	12	10	12
O 153	55° 34½′ N., 6° 34¾′ E.	22	1.30 p.m.	Sole	..	..	7	7	1	..	..	..	..	..	..	15	..	15	..
		22 s. & oz.	6 hrs.	Turbot ..	..	..	..	4	3	..	..	..	..	..	..	7	..	7	..
				Brill	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	6	9	6	9	8	7	1	46	210	..	249
				Haddock ..	..	..	1	47	6	2	..	..	..	..	..	56	30	[826]	444
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	80	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXV 9	Horn Reef Outer ..	22 s. & oz.	Jan. 6th & 7th	Plaice ..	..	..	3	5	6	2	..	..	..	..	..	16	..	16	..
O 154	55° 36⅜′ N., 6° 34¼′ E...	22	8 p.m. (6th)	Sole	..	..	11	8	1	1	..	..	..	..	..	21	..	21	..
		22 s. & oz.	5½ hrs.	Turbot ..	..	..	..	1	2	..	1	..	..	..	..	4	..	4	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	..	190
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	[1380	690]
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3 Baskets	
				Ling	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	70	..
				Skate	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
XXV 10	Horn Reef Outer ..	22 s. & oz.	Jan. 7th	Plaice ..	..	..	3	10	5	2	2	..	..	..	..	22	..	22	..
O 155	55° 38′ N., 6° 37½′ E...	22	2 a.m.	Sole	..	..	13	14	1	..	..	..	..	..	..	28	..	28	..
		20 f.s. & oz.	5½ hrs.	Turbot ..	..	..	..	7	2	..	..	..	..	..	..	9	..	9	..
				Brill	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets (small) + 4 large fish.	
				Haddock ..	..	..	3	56	2	..	1	..	..	..	..	62	30	[612	300]
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	130	..
				Skate	..	..	..	..	..	..	..	..	..	..	..	..	..	many small 3	..
XXV 11	Borkum Outer ..	22 f.d.s.	Jan. 8th	Plaice ..	..	..	3	21	13	1	..	..	..	..	..	38	26	38	26
O 156	54° 17½′ N., 6° 4¼′ E...	22	11.45 a.m	Sole	..	..	4	1	1	..	..	..	..	..	..	6	..	6	..
		20½ f.s. & oz.	4 hrs.	Turbot ..	..	..	1	3	1	..	1	..	..	..	..	6	..	6	..
				Brill	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	2	..	1	..	..	3	10	3	10
				Haddock ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
XXV 12	Borkum Outer ..	20½ f.s & oz.	Jan. 8th	Plaice ..	..	..	..	29	25	2	..	..	..	..	..	56	42	56	42
O 157	54° 15¾′ N., 6° 5½′ E...	21	4 p.m.	Sole	..	..	8	7	1	..	..	..	..	..	..	16	..	16	..
		22 f.s. & m.	5 hrs.	Turbot ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	7	38
				Haddock ..	..	..	..	2	7	8	4	..	..	..	..	21	38	21	38
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
XXV 14	Borkum Outer ..	21 f.s. & oz.	Jan. 9th	Plaice ..	..	..	5	18	16	1	..	..	..	..	..	40	30	40	30
B 100	54° 16½′ N., 6° 1⅓′ E.	21	7 a.m.	Dab	..	..	4	2	..	..	..	..	..	..	..	6	..	6	..
		21 f.s. & oz.	4⅓ hrs.	Lemon Dab ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	5	2	..	..	..	..	..	..	..	7	..	7	..
				Turbot ..	..	..	1	3	1	..	..	..	..	..	..	5	..	5	..
				Brill	..	..	..	1	1	1	..	..	..	..	..	3	..	3	..
				Haddock ..	..	..	..	..	2	..	1	..	..	..	..	3	7	3	7
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4 (Small)	
XXVI 2	North-East of Blakeney Overfall.	10 c.s. & s.h.	Jan. 19th	Plaice ..	..	..	..	1	..	1	..	..	..	..	..	2	..	2	..
B 101	53° 6½′ N., 1° 0⅞′ E.	10 c.s.	3 p.m.	Dab	..	48	28	1	..	..	..	..	..	..	..	77	7	77	7
			2 hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	7	..	..	..	..	..	..	..	..	..	7	..	7	..
				Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	4	5	8	4	4	3	..	..	..	..	28	51	28	51
XXVII 1	Teignmouth Bay ..	6 s. & m.	Feb 26th	Plaice ..	..	1	10	2	..	..	..	..	..	..	..	13	..	13	..
B 103	50° 29⅗′ N., 3° 28⅝′ E.	8	9.15 a.m.	Flounder ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
	Small hole in square and in small meshed net over cod end.	10 s.	3 hrs.	Sprat	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	1	24	18	2	1	1	..	..	..	..	..	47	..	47	..
				Buffoon ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Lesser Spotted Dog.	..	..	..	..	1	2	1	..	..	..	..	4	..	4	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.)	and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15⅜+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXVII 2	Off The Ledge ..	14	s. & sh.	Feb. 26th	John Dory ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 104	50° 29⅜′ N., 3° 19¾′ W.	14		1.45 p.m.	Thornback ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
	Had a "pull out," net very badly torn.	14	s. & sh.	1 hr.	Lesser Spotted Dog.	..	..	..	..	..	..	5	..	..	..	..	5	..	5	..
XXVII 4	Inside Eastern Scruff	17	f.s.	Feb. 27th	Plaice ..	..	13	52	27	2	2	..	..	..	..	..	96	23	96	23
O 159	50° 33¼′ N., 2° 50¼′ W.	20		5 p.m.	Dab	..	63	3	..	..	..	..	..	..	..	..	66	3	66	3
		23	spk.s.	2½ hrs.	Sole	..	..	3	8	1	..	..	..	..	..	..	12	5	12	5
					Turbot ..	..	..	..	..	..	..	1	..	..	..	..	1	5	1	5
					Flounder ..	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
					Whiting ..	..	26	1	..	..	..	..	..	..	..	..	27	..	27	..
					Pout	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
					Herring ..	..	1	1	..	..	..	..	.	..	..	..	2	..	2	..
					Conger ..	..	..	..	..	..	..	..	..	2	..	..	2	..	2	..
					Homelyn ..	13	16	1	..	3	..	..	..	..	..	..	33	} 73	33	} 73
					Thornback ..	3	10	4	3	2	8	4	..	..	..	..	34		34	
					Skate	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
					Blonde ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
					Lesser Spotted Dog.	..	..	..	..	..	..	..	..	..	..	..	..	..	128	..
					Angel ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
					Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
					Smoothhound	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXVIII 2	Lynn Deep	16	m.ross	Mar. 10th	Plaice ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 107	52° 59′ N., 0° 20′ E.	12	m.ross	7.15 a.m.	Flounder ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				1 hr.	Cod	..	11	6	..	..	..	1	..	..	..	..	18	..	18	..
					Whiting ..	..	6	..	..	..	..	..	..	..	..	..	6	..	6	..
					Pout	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
					Thornback ..	..	5	1	..	..	..	..	..	..	..	..	6	..	6	..
					Homelyn ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
					Skate ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
XXVIII 4	Lynn Deep	12	s.	Mar. 10th	Plaice ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
B 108	52° 57½′ N., 0° 17⅜′ E.	10	m.	8.45 a.m.	Dab	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				1 hr.	Sole	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
					Flounder ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
					Cod	..	8	..	..	..	..	..	..	..	..	..	8	..	8	..
					Whiting ..	..	5	..	..	1	..	..	..	..	..	..	6	..	6	..
					Thornback ..	..	3	3	..	..	..	..	..	..	..	..	6	..	6	..
					Homelyn ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
					Skate	..	5	..	..	..	..	..	..	..	..	..	5	..	5	..
XXVIII 5	Eastern part of S.W. Patch of Dogger Bank.	9	f.s.	Mar. 11th	Plaice ..	..	..	26	18	6	2	..	..	..	..	..	52	..	52	..
O 160	54° 32¼′ N., 2° 28′ E.	10	f.s.	7.30 a.m.	Dab	..	15	14	2	..	..	..	..	..	..	..	31	..	31	..
		13	f.s.	6 hrs.	Cod	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
	Belly slightly torn.				Whiting ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
					Ling	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
					Herring ..	..	3	1	..	..	..	..	..	..	..	..	4	..	4	..
XXVIII 7	Dogger Bank, East of S.W. Patch.	14	f.s. & sh.	Mar. 11th	Plaice ..	..	..	18	35	21	5	1	..	..	..	..	80	51	80	51
O 161	54° 33⅜′ N., 2° 49½′ E.	16	f.s.	2.45 p.m.	Dab	4	66	30	5	..	..	..	..	..	..	..	105	9	105	9
		17	f.s.	7 hrs.	Lemon Dab...	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
					Turbot ..	..	..	..	2	2	..	..	..	..	..	..	4	..	4	..
					Cod	..	..	..	..	..	2	3	1	1	..	..	7	24	7	24
					Haddock ..	..	..	..	58	4	..	..	..	..	..	..	62	27	[310	136]
					Whiting ..	..	8	23	4	..	..	..	..	..	..	..	35	5	35	5
XXVIII 9	Dogger Bank, East of S.W. Patch.	17	f.s.	Mar. 11th & 12th	Plaice ..	..	..	24	48	23	5	..	..	..	..	..	100	59	100	59
O 162	54° 29¾′ N., 2° 53¼′ E.	16	f.s.	11 p.m. (11th)	Dab	..	178	37	5	..	..	..	..	..	..	..	220	..	220	..
		16½	f.s.	6¼ hrs.	Lemon Dab...	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
					Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
					Cod	..	..	..	..	1	5	5	3	..	..	..	14	38	14	38

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXVIII 9	Dogger Bank, East of S.W. Patch—*cont.*	17 f.s.	Mar. 11th & 12th.	Haddock ..	..	..	..	95	20	..	1	..	..	..	..	116	55	[391]	[185]
O 162		16 f.s.	11 p.m. (11th).	Whiting ..	..	1	32	4	..	..	..	..	..	..	..	37	..	37	..
		16½ f.s.	6¼ hrs.	Grey Gurnard	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Mackerel ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
XXVIII 10	Dogger Bank. East of S.W Patch.	16½ f.s.	Mar. 12th	Plaice ..	..	..	4	13	3	4	..	..	..	..	..	24	..	24	..
O 163		16½ f.s.	6 a.m.	Dab	3	27	12	..	..	..	..	..	..	..	..	42	..	42	..
	54° 32½′ N., 2° 49¾′ E.		2½ hrs.	Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
	Net slightly torn.			Cod	..	..	..	..	..	1	1	..	..	..	..	2	..	2	..
				Haddock ..	..	..	1	19	1	..	..	..	..	..	..	21	..	21	..
				Whiting ..	..	2	3	..	..	..	..	..	..	..	..	5	..	5	..
				Mackerel ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
XXVIII 11	Eastern shoal of Dogger Bank.	13 f.s.	Mar. 12th	Plaice ..	..	..	21	17	11	5	..	..	..	..	..	54	31	54	31
O 164	54° 36′ N., 2° 32½′ E.	11 f.s.	9.20 a.m.	Dab	..	39	8	3	..	..	..	..	..	..	..	50	..	50	..
	Trawl slightly torn.	10½ f.s.	5 hrs. 40 mins.	Cod	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	..	6	..	..	..	..	..	..	..	6	..	6	..
				Whiting ..	..	..	1	3	..	..	..	..	..	..	..	4	..	4	..
				Sprat	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
XXVIII 12	West of Eastern shoal of Dogger Bank.	10½ f.l.s.	Mar. 12th	Plaice ..	..	..	2	7	1	3	1	..	..	..	..	14	..	14	..
O 165	54° 40¾′ N., 2° 17¼′ E.	10½ f.l.s.	3.35 p.m.	Dab	..	..	4	1	..	..	..	..	..	..	..	5	..	5	..
			2 hrs.	Cod	..	..	..	..	..	1	1	1	..	..	..	3	..	3	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXVIII 14	N.W. of Eastern shoal of Dogger Bank.	10½ f.l.s.	Mar. 12th	Plaice ..	..	..	9	18	8	5	2	..	..	..	..	42	..	42	..
O 166	54° 48¾′ N., 2° 24½′ E.	12 f.s.	6 p.m.	Dab	1	19	35	13	..	.	..	..	..	..	..	68	..	68	..
	Net badly torn.	13½ f.s.	6 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod . ..	..	..	..	..	..	5	6	2	..	..	1	14	48	14	48
				Haddock ..	..	..	..	50	7	..	..	..	.	..	..	57	..	[285]	..
				Whiting ..	..	..	14	2	..	..	..	..	..	..	..	16	..	16	..
XXVIII 15	Leman Ground ..	16 f.d.s.	Mar. 14th	Plaice ..	..	..	8	7	3	1	..	..	..	..	..	19	..	19	..
B 109	53° 18¼′ N., 2° 34¾′ E.	16 f.d.s.	7 a.m.	Dab	..	92	35	2	..	..	..	..	..	..	..	129	..	129	..
		14½ f.s.	5 hrs.	Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	5	4	..	..	..	..	..	..	..	9	..	9	..
				Sprat	2	.	..	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	3	1	5	4	..	2	..	..	..	..	..	15	..	15	..
				Skate	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXVIII 17	Leman Ground ..	14½ f.s.	Mar. 14th	Plaice ..	..	1	10	5	5	..	..	..	..	..	..	21	..	21	..
B 110	53° 23¼′ N., 2° 28′ E.	15 f.d.s.	1 p.m.	Dab	..	89	21	1	..	..	..	..	..	..	..	111	..	111	..
		16 f.d.s.	5 hrs.	Flounder ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	..	..	2	..	2	..	2	..
				Whiting ..	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
				Grey Gurnard.	..	1	6	1	..	..	..	..	..	..	..	8	..	8	..
				Sprat	2	..	..	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	1	..	1	..	..	..	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXVIII 18	Leman Ground ..	16 f.d.s.	Mar. 14th	Plaice ..	..	1	5	4	..	..	..	..	..	..	..	10	..	10	..
B 111	53° 24½′ N., 2° 46¾′ E.	16 f.d.s.	6.30 p.m.	Dab	..	193	15	1	..	..	..	..	..	..	..	209	..	209	..
			4 hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	1	..	..	2	3	..	3	..
				Whiting ..	..	..	22	6	..	..	..	..	..	..	..	28	..	28	..
				Grey Gurnard	..	..	9	..	..	..	..	..	..	..	..	9	..	9	..
				Thornback ..	1	1	2	7	..	..	..	..	..	..	..	11	..	11	..
				Skate ..	..	..	..	..	2	2	..	..	..	..	..	4	..	4	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXVIII 19	East of Leman Ground.	16 f.d.s.	Mar. 15th	Plaice ..	..	..	3	6	1	..	..	..	..	..	..	10	..	10	..
B 112	53° 17¼′ N., 3° 6′ E.	16 f.d.s.	6.45 a.m.	Dab	..	147	26	1	..	..	..	..	..	..	..	174	..	174	..
			2¼ hrs.	Flounder ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	2	3	..	..	..	..	5	..	5	..
XXVIII 21	Broad Fourteens ..	16 f.g.s.	Mar. 15th	Plaice ..	..	5	67	11	..	..	..	..	..	..	..	83	..	83	..
B 113	52° 40⅝′ N., 3° 58⅝′ E.	12½ f.g.s.	3 p.m.	Dab	..	48	8	..	..	..	..	..	..	..	..	56	..	56	..
			6 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Flounder ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
XXVIII 23	West of Ymuiden ..	12½ f.g.s.	Mar. 15th & 16th	Plaice ..	..	91	72	..	..	..	..	..	..	..	..	163	..	163	..
B 114	52° 30⅜′ N., 4° 12′ E.	11 f.g.s.	9.30 p.m. (15th)	Dab	..	279	159	3	..	..	..	..	..	..	..	441	..	[882]	..
		10 f.g.s.	7 hrs.	Flounder ..	..	1	4	1	..	..	..	..	..	..	..	6	..	6	..
XXVIII 24	Off Ymuiden.. ..	10 f.s.	Mar. 16th	Plaice ..	..	346	70	1	..	..	..	..	..	..	..	417	..	417	..
B 115	52° 23¼′ N., 4° 29¾′ E.	9½ f.s.	5 a.m.	Dab	..	303	163	1	..	..	..	..	..	..	..	467	..	[934]	..
		8½ f.s.	5¾ hrs.	Flounder ..	..	11	15	..	..	..	..	..	..	..	..	26	..	26	..
				Sprat ..	2	3	..	..	..	..	..	..	..	..	..	5	..	5	..
XXVIII 26	Off Ymuiden.. ..	8½ f.s.	Mar. 16th	Plaice ..	..	291	51	..	..	..	..	..	..	.	..	342	..	342	..
B 116	52° 32½′ N., 4° 24⅝′ E.	9 f.s.	11 a.m.	Dab	..	89	60	..	..	..	..	..	..	..	..	149	..	149	..
			3 hrs.	Flounder ..	..	6	7	..	..	..	..	..	..	..	..	13	..	13	..
XXVIII 27	Broad Fourteens ..	14 f.s.	Mar. 16th	Plaice ..	..	6	53	11	1	..	..	..	..	..	..	71	..	71	..
B 117	52° 38½′ N., 4° 2½′ E.	14 f.s.	4 p.m.	Dab	..	35	14	..	..	..	..	..	..	..	..	49	..	49	..
			2¼ hrs.	Flounder ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXIX 1	Off Ymuiden ..	10½ f.g.s.	Mar. 22nd	Plaice * ..	..	48	15	..	..	..	..	..	..	..	..	63	..	63	..
O 167	52° 29½′ N., 4° 19¾′ E.	9½ f.g.s.	6 a.m.	(No other fish recorded.)															
			1½ hrs.																
XXIX 2	Off Egmond	9½ f.g.s.	Mar. 22nd	Plaice * ..	..	35	7	..	..	..	..	..	..	..	..	42	..	42	..
O 168	52° 37½′ N., 4° 23¾′ E.	9 f.s.	8 a.m.	(No other fish recorded.)															
			2 hrs.																
XXIX 3	Off Egmond	9 f.s.	Mar. 22nd	Plaice * ..	..	100	21	..	..	..	..	..	..	..	..	121	..	121	..
O 169	52° 33¼′ N., 4° 22¼′ E.	9 f.s.	10.15 a.m.	Brill	..	..	..	1	..	..	..	..	.	..	..	1	..	1	..
			2 hrs.	(No other fish recorded.)															
XXIX 4	West of Ymuiden ..	9 f.s.	Mar. 22nd	Plaice * ..	..	73	34	1	..	..	..	..	..	..	..	108	..	108	..
O 170	52° 29′ N., 4° 15½′ E.	11 f.s.	12.30 p.m.	Dab	..	56	46	..	..	..	..	..	..	..	..	102	..	102	..
			2 hrs.	(No other fish recorded.)															
XXIX 5	West of Ymuiden .	11 f.s.	Mar. 22nd	Plaice * ..	..	25	35	..	..	..	..	..	..	..	..	60	..	60	..
O 171	52° 27⅓′ N., 4° 8½′ E.	11½ f.s.	2.45 p.m.	(No other fish recorded.)															
			1¾ hrs.																
XXIX 7	N.E. of S.W. Patch of Dogger Bank.	11 f.s. & sh.	Mar. 24th	Plaice ..	..	..	9	12	1	..	1	..	..	..	..	23	..	23	..
O 172	54° 34½′ N., 2° 33½′ E.	9 f.s.	4 a.m.	Dab	..	24	16	3	..	..	..	..	..	..	..	43	..	43	..
	Turn in fore quarter.	11 f.s. & sh.	5 hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod . ..	..	..	..	..	..	1	5	..	..	..	..	6	..	6	..
				Haddock ..	..	..	..	19	10	1	..	..	..	..	..	30	..	30	..
				Whiting ..	..	1	10	2	..	..	..	..	..	..	..	13	..	13	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..

* Samples of plaice collected for transplantation, probably not representative ; total catch not recorded.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXIX 8	Eastern Shoal of Dogger Bank.	11 f.s. & sh.	Mar. 24th	Plaice ..	..	..	2	12	5	..	..	..	..	..	..	19	..	19	..
O 173	54° 37¾′ N., 2° 45½′ E.	14½ f.s.	9.30 a.m.	Cod	..	..	..	..	1	9	7	..	..	..	..	17	..	17	..
			5 hrs.	Haddock ..	..	..	1	6	2	..	..	..	..	..	..	9	..	9	..
				Whiting ..	..	..	9	1	..	..	..	..	..	..	..	10	..	10	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sprat	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..
XXIX 9	S.W. of Eastern Shoal of Dogger Bank.	14½ f.s.	Mar. 24th	Plaice ..	..	..	5	22	6	2	..	..	..	..	..	35	..	35	..
O 174	54° 32¾′ N., 2° 55¼′ E.	15 f.s.	3 p.m.	Dab	..	6	9	3	..	..	..	..	..	..	..	18	..	18	..
			3 hrs.	Cod	..	..	1	..	3	5	1	1	..	..	..	11	..	11	..
				Haddock ..	..	..	1	54	5	..	..	..	..	..	..	60	..	60	..
				Whiting ..	..	..	12	1	..	..	..	..	..	..	..	13	..	13	..
				Starry Ray ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXIX 10	Lower Scruff	24 f.s.	Mar. 26th	Plaice ..	..	..	18	10	1	..	..	..	..	..	..	29	..	29	..
O 175	55° 11¼′ N., 4° 27⅓′ E.	24 f.s.	4 a.m.	Dab	..	74	21	..	..	..	..	..	..	..	..	95	..	95	..
			5 hrs.	Long Rough Dab.	..	1	4	..	..	..	..	..	..	..	..	5	..	5	..
				Cod	..	..	3	3	7	..	2	2	2	5	..	24	..	24	..
				Haddock ..	..	..	7	54	..	1	..	..	..	..	..	62	..	[186]	..
				Whiting ..	..	1	169	21	1	..	..	..	..	..	..	192	..	192	..
				Grey Gurnard	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Starry Ray ..	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
XXIX 12	West part of Horn Reef Outer.	24 f.s.	Mar. 26th & 27th	Plaice ..	..	..	3	8	7	1	..	..	..	..	..	19	..	19	..
O 176	55° 26¼′ N., 6° 17′ E.	23 f.s.	7 p.m. (26th)	Dab	..	..	..	..	..	..	..	..	..	..	..	1 small Basket			..
		22 f.s.		Sole	..	..	3	5	..	..	..	..	..	..	..	8	..	8	..
			6 hrs.	Turbot ..	..	..	..	4	3	1	..	..	..	..	..	8	..	8	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	1	1	2	..	6	2	..	12	..	12	..
				Haddock ..	..	..	2	78	3	..	..	..	..	..	..	83	..	83	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Grey Gurnard	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	..	1	4	..	..	..	..	..	6	..	6	..
XXIX 13	Horn Reef Outer ..	22 f.s.	Mar. 27th	Plaice ..	..	..	4	8	5	1	..	..	..	..	..	18	..	18	..
O 177	55° 31⅜′ N., 6° 27½′ E.	23 f.s.	1.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
		23 f.s.	6 hrs.	Sole	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	.	1	..
				Brill	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Flounder ..		..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	1	2	5	3	5	1	17	..	17	..
				Haddock ..	..	..	..	21	..	1	..	..	..	..	..	22	..	22	..
				Whiting ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Ling	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Thornback ..	..	..	..	1	3	1	..	..	..	..	..	5	..	5	..
				Starry Ray ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Skate	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
XXIX 14	Horn Reef Outer ..	23 f.s.	Mar. 27th	Plaice ..	..	..	6	3	5	1	..	..	..	..	..	15	..	15	..
O 178	55° 32½′ N., 6° 34¾′ E.	22 f.s.	8 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket (small)	
		22 f.s. & oz.	7½ hrs.	Sole	..	..	4	2	..	..	..	..	..	..	..	6	..	6	..
				Turbot ..	..	..	..	6	4	1	2	..	..	..	..	13	..	13	..
				Cod	..	..	..	1	1	..	1	..	..	..	1	4	..	4	..
				Haddock ..	..	..	10	69	1	..	..	..	..	..	..	80	..	[320]	..
				Thornback ..	..	..	..	..	..	2	..	..	..	..	..	2	..	2	..
				Starry Ray ..	..	..	..	1	..	..	..	..	..	.	..	1	..	1	..
				Skate	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40+	19¾+ / 50+	23⅝+ / 60+	27½+ / 70+	31½+ / 80+	35½+ / 90+	39½+ / 100+	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXIX 15	Horn Reef Outer ..	22 f.s. & oz.	Mar. 27th	Plaice ..	..	..	8	5	2	1	..	..	..	..	..	16	..	16	..
O 179	55° 34′ N., 6° 34⅛′ E.	23 f.s.	4 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket (small).	
		23 f.s.	7½ hrs.	Lemon Dab..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Sole	..	1	3	2	..	..	..	..	..	..	..	6	..	6	..
				Turbot ..	..	..	..	2	2	..	..	..	..	..	..	4	..	4	..
				Cod	..	..	1	1	..	1	4	3	4	4	..	18	..	18	..
				Haddock ..	..	..	9	60	1	..	..	..	..	..	..	70	..	[1050]	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket.	
				Coalfish ..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..
				Grey Gurnard	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Herring ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback..	..	..	..	..	2	1	1	..	..	..	..	4	..	4	..
				Skate.. ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XXIX 16	Horn Reef Outer ..	23 f.s.	Mar. 28th	Plaice ..	..	..	7	12	2	..	..	..	..	..	..	21	..	21	..
O 180	55° 35¼′ N., 6° 33′ E.	23 f.s.	12.5 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket (small).	
		22 f.s.	6 hrs. 55 mins.	Sole	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	1	1	..	4	5	4	1	..	16	..	16	..
				Haddock ..	..	..	1	53	7	1	..	..	..	..	..	62	..	[900]	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¾ Basket (small).	
				Catfish ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback.	..	..	..	3	1	..	..	..	..	..	..	4	..	4	..
				Skate.. ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Starry Ray..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
XXIX 17	Horn Reef Outer ..	22 f.s.	Mar. 28th	Plaice ..	..	..	3	5	2	3	..	..	..	..	..	13	..	13	..
O 181	55° 40¾′ N., 6° 33½′ E.	22 f.s. & oz.	7.30 a.m.	Dab.. ..		..	..	..	..	..	..	..	..	..	..	..	..	½ Basket.	
		22½ f.s. & oz.	7½ hrs.	Sole	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	3	4	..	..	..	..	..	..	7	..	7	..
				Cod	..	..	..	1	..	1	..	1	4	..	..	7	..	7	..
				Haddock ..	..	..	7	62	2	..	..	..	..	..	..	71	..	[375]	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Coalfish ..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Ling	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Thornback..	..	..	..	2	2	2	..	..	..	..	..	6	..	6	..
				Starry Ray..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XXIX 18	North West of Horn Reef.	22½ f.s. & oz.	Mar. 28th	Plaice ..	..	..	1	6	6	4	1	..	..	..	..	18	..	18	..
O 182	55° 45¾′ N., 6° 37′ E.	22 f.s. & oz.	3.15 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket	
		21 f.s. & oz.	6½ hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	3	2	1	..	..	..	..	..	..	6	..	6	.
				Turbot ..	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Cod	..	..	..	2	1	1	4	2	2	2	1	15	..	15	..
				Haddock ..	..	..	8	45	3	..	..	..	..	..	..	56	..	[350]	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Ling	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..
				Thornback..	..	..	..	3	5	1	..	..	..	..	..	9	..	9	..
				Starry Ray..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXIX 19	Dogger Bank, East of S.W. Patch.	10½ f.s.	Mar. 29th to 30th.	Plaice ..	..	..	18	32	11	1	..	..	..	..	..	62	..	62	..
O 183	54° 33⅛′ N., 2° 37½′ E.	10 f.s.	9 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
		11 f.s.	(29th) 6 hrs.	Lemon Dab..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Brill	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	1	..	9	10	2	..	..	..	22	..	22	..
				Haddock ..	..	..	1	75	29	2	1	..	..	..	..	108	..	[710]	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm, ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXIX 20	Dogger Bank, East of S.W. Patch.	11 f.s.	Mar. 30th	Plaice ..	..	..	12	27	10	1	..	..	..	..	..	50	..	50	..
O 184	54° 26½′ N., 2° 36⅛′ E.	12 f.s.	3.45 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
		14 f.s.	5¾ hrs.	Turbot ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	3	6	1	..	..	..	10	..	10	..
				Haddock ..	..	..	..	42	6	..	..	..	..	..	..	48	..	[150]	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Grey Gurnard	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XXIX 21	Dogger Bank, S.E. of S.W. Patch.	14 f.s.	Mar. 30th	Plaice ..	..	..	12	22	7	1	..	..	..	..	..	42	..	42	..
O 185	54° 26⅜′ N., 2° 36′ E.	10 f.s.	9.45 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket	
		10 f.s.	4¾ hrs.	Cod	..	..	..	..	2	..	..	..	1	..	..	3	..	3	..
				Haddock ..	..	..	..	11	3	..	..	..	..	..	..	14	..	14	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket	
				Coalfish ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Starry Ray ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXX 1	Inside Protector Overfalls.	8½ s.spk.	Apr. 8th	Dab	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 118	53° 21⅛′ N., 0° 23½′ E.	7½ c.s.	4.30 p.m.	Sole	..	..	7	1	..	..	..	..	..	..	..	8	..	8	..
	Square torn.		1 hr.	Brill	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Homelyn ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XXX 3	Off Trusthorpe ..	7½ f.s.	Apr. 8th	Plaice ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 119	53° 20¾′ N., 0° 23⅜′ E.	7½ c.s.	6.45 a.m.	Sole	..	..	11	4	..	..	..	..	..	..	..	15	..	15	..
			2 hrs.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	2	2	..	..	..	..	..	..	4	..	4	..
				Cod	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	5	3	4	..	..	..	..	..	..	..	12	..	12	..
				Homelyn ..	..	5	..	..	..	..	..	..	..	.	..	5	..	5	..
				Skate	..	3	..	1	..	..	..	..	..	..	..	4	..	4	..
XXX 4	Off Mablethorpe ..	7½ gvl.	Apr. 9th	Plaice ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
B 120	53° 21½′ N., 0° 22¾′ E.	8 d.s.	9.10 a.m.	Dab	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
			2 hrs.	Sole	..	..	36	2	..	..	..	..	..	..	..	38	4½	38	4½
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Pout	..	1	..	..	.	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	1	1	2	..	..	..	..	..	..	..	4	..	4	..
				Skate	..	1	5	..	1	..	..,	..	..	..	..	7	..	7	..
XXX 6	Off Mablethorpe ..	8 d.s. & sh.	Apr. 9th	Dab	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 121	53° 21½′ N., 0° 23⅛′ E.	8	11.45 a.m.	Lemon Dab	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
		8½ d.s. & sh.	4 hrs.	Sole	..	1	47	6	2	..	..	..	..	..	..	56	11	56	11
				Brill .. .	..	..	..	2	8	..	1	..	..	..	.	11	18	11	18
				Cod	..	2	1	..	..	..	1	..	..	..	..	4	..	4	..
				Pout	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	1	5	3	7	1	..	..	..	..	..	..	17	..	17	..
				Hemelyn ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Skate	..	4	2	..	2	..	..	..	..	..	..	8	..	8	..
XXX 10	Bridlington Bay ..	5½ f.g.s.	Apr. 11th	Plaice ..	..	72	48	..	..	..	..	..	..	..	..	120	..	120	..
B 122	53° 58⅜′ N., 0° 8′ W.	7½ gvl.	9.30 a.m.	Dab	..	16	11	2	..	..	..	..	..	..	..	29	..	29	..
	Fore wing badly torn.		1¼ hrs.	Sole	..	..	1	..	1	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	2	..	1	1	..	..	..	..	4	..	4	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXX 11	Bridlington Bay ..	5½ d.s.	Apr. 11th	Plaice ..	..	86	136	1	..	..	..	..	..	..	..	223	..	223	..
B 123	53° 59¾′ N., 0° 9⅛′ W.	7½ d.s.gvl.	12.30 p.m.	Dab	..	32	11	..	..	..	..	..	..	..	..	43	..	43	..
	Ground rope parted, net badly torn.		1¼ hrs.	Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXX 16	Bridlington Bay ..	5 f.g.s.	Apr. 12th	Plaice ..	..	158	117	..	..	..	..	..	..	..	..	275	..	275	..
B 124	54° 11¼′ N., 0° 10½′ W.	5½	6.45 a.m.	Dab	..	67	26	3	..	..	..	..	..	..	..	96	..	96	..
		5 f.g.s.	1 hr.	Sole	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Flounder ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	1	1	1	..	..	..	..	..	3	..	3	..
XXX 19	North of Terschelling Light Vessel.	21 m.	Apr. 14th	Plaice ..	..	..	1	4	..	..	..	..	..	..	..	5	..	5	..
O 186	53° 44′ N., 4° 49′ E.	20 m.	4.15 a.m.	Dab	..	347	44	1	..	..	..	..	..	..	..	392	18	392	18
		20 m.	5 hrs.	Sole	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	3	2	1	..	..	..	..	..	6	13	6	13
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Long Rough Dab.	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..
				Cod	..	..	1	2	..	..	1	..	2	..	..	6	16	6	16
				Haddock ..	..	..	3	50	7	..	..	..	..	..	..	60	28	[210]	[98]
				Whiting ..	..	16	409	82	1	2	..	..	..	..	..	510	[147¼]	510	[147¼]
				Herring ..	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Grey Gurnard	..	22	41	6	..	..	..	..	..	..	..	69	..	69	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	1	1	..	..	..	..	2	..	2	..
XXX 24	North of Terschelling Light Vessel.	20 m.	Apr. 14th	Plaice ..	..	1	5	2	..	..	..	..	..	..	..	8	..	8	..
O 187	53° 42½′ N., 4° 45½′ E.	19 s.m.	11.20 a.m.	Dab	..	239	32	..	..	..	..	..	..	..	..	271	15	271	15
			5 hrs.	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Long Rough Dab.	..	2	4	..	..	..	..	..	..	..	..	6	..	6	..
				Cod	..	..	..	1	..	3	..	1	..	..	..	5	15	5	15
				Haddock ..	..	..	3	203	18	2	6	..	..	..	..	232	131	232	131
				Whiting ..	..	17	609	100	2	..	..	..	..	..	..	728	114	728	114
				Grey Gurnard	..	19	40	2	..	..	..	..	..	..	..	61	8	61	8
				Shad	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
XXX 31	Texel Ground ..	15 f.s.	Apr. 15th	Plaice ..	..	131	351	14	..	..	..	..	..	..	..	496	62	496	62
B 125	52° 57¾′ N., 4° 13′ E.	14 f.s.	7 a.m.	Dab	..	70	19	..	..	..	..	..	..	..	..	89	5½	89	5½
			3 hrs.	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	19	..	..	..	..	..	..	..	..	19	..	19	..
				Grey Gurnard	..	45	67	..	..	..	..	..	..	..	..	112	..	112	..
XXX. 39	N.E. part of Brown Ridges.	15 f.s.	Apr. 15th	Plaice ..	..	1	40	29	1	..	..	..	..	..	..	71	22	71	22
B 126	52° 56⅝′ N., 3° 45½′ E.	15 f.s.	5.15 p.m.	Dab	..	140	19	1	..	..	..	..	..	..	..	160	..	160	..
			3 hrs.	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
XXXI 1	Off Norderney ..	11 f.s.	May 11th	Plaice ..	..	4	11	6	..	..	..	..	..	..	..	21	5	21	5
B 127	53° 51′ N., 7° 8¾′ E.	12 f.s.	8.15 p.m.	Dab	..	78	24	..	..	..	..	..	..	..	..	102	6	102	6
			3 hrs.	Sole	..	..	29	11	3	..	..	..	..	..	..	43	12	43	12
				Cod	..	..	..	..	..	..	..	..	..	1	..	1	10	1	10
				Grey Gurnard	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXXI 2	North of Norderney	15½ f.d.s.	May 12th	Plaice ..	..	..	2	..	..	..	1	..	..	..	..	3	..	3	..
B 128	54° 0⅝′ N., 7° 15⅝′ E.	17 f.d.s.	4.15 a.m.	Dab	1	93	26	..	..	..	..	..	..	..	..	120	6	[240]	12
			3 hrs.	Lemon Dab..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	7	1	1	..	..	..	..	..	9	12	9	12
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Haddock ..	..	..	..	29	..	..	..	..	..	..	..	29	13½	29	13½
				Whiting ..	..	..	4	1	..	..	..	..	..	..	..	5	..	5	..
				Grey Gurnard	..	55	56	..	..	..	..	..	..	..	..	111	..	111	..
				Latchet ..	..	..	..	4	1	..	..	..	..	..	..	5	..	5	..
				Thornback ..	..	..	1	..	..	1	..	..	..	..	..	2	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date. Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXI 3	S.W. of Heligoland ..	19 s. & oz.	May 12th	Plaice ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
B 129	53° 59¾′ N., 7° 42¾′ E.	18½ s. & oz.	9 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	Same size as last haul.		½ Basket.	14
			3 hrs.	Turbot	..	..	1	4	..	1	..	..	..	..	..	6	9	6	9
				Brill	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	1	..	..	..	..	2	1	..	..	4	15	4	15
				Haddock ..	..	..	..	16	4	..	..	..	..	..	..	20	12	20	12
				Whiting ..	..	..	11	..	..	..	..	..	..	..	..	11	..	11	..
				Grey Gurnard ..	..	1	1	..	..	..	..	..	..	..	..	2	..	¼ Basket.	6
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XXXI 4	Off Weser Light Vessel.	18½ s. & oz.	May 12th	Plaice	..	138	47	7	..	..	..	..	..	..	..	192	13	192	13
B 130	53° 55⅛′ N., 7° 46¾′ E.	11 f.d.s.	12.15 p.m.	Dab	..	31	9	..	..	..	..	..	..	..	..	40	3	[400]	30
			3 hrs.	Sole	..	..	4	2	..	..	..	..	..	..	..	6	..	6	..
				Turbot	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	..	..	1	..	1	6	1	6
				Grey Gurnard ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket.	6
XXXI 6	Between Heligoland and Amrum	11 f.s. & oz.	May 12th	Plaice	..	3	27	9	..	..	..	..	..	..	..	39	8	39	8
B 131	54° 30⅜′ N., 7° 51¼′ E.	10 f.s.	8.20 p.m.	Dab	..	34	8	..	..	..	..	..	..	..	..	42	..	42	..
			2 hrs.	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Halibut	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Thornback ..	..	1	1	2	..	..	..	..	..	..	..	4	..	4	..
XXXI 7	Sylt Inner	7 f.s.	May 13th	Plaice	..	154	118	..	..	..	..	..	..	..	..	272	22	272	22
O 188	54° 55′ N., 8° 9′ E.	7 f.s.	7 a.m.	Dab	..	30	6	..	..	..	..	..	..	..	..	36	..	36	..
			2 hrs.	Flounder	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting	..	4	..	..	..	..	..	..	..	..	..	4	..	4	..
				Grey Gurnard ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Sprat	12	..	..	..	..	..	..	..	..	..	..	12	..	12	..
XXXI 9	S.W. of Fanö	7½ f.s. & oz.	May 13th	Plaice	..	449	319	..	..	..	..	..	..	..	..	768	59	768	59
B 132	55° 18′ N., 8° 15′ E.	7½ f.s. & oz.	noon	Dab	1	52	58	2	..	..	..	..	..	..	..	113	10	113	10
			2 hrs.	Lemon Dab ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	1	..	1	..	..	..	..	..	..	..	2	..	2	..
				Flounder	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..
				Grey Gurnard ..	..	1	1	1	..	..	..	..	..	..	..	3	..	3	..
				Sprat	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog	..	..	..	..	..	..	1	..	2	4	..	7	21	7	21
XXXI 10	S.E. of Vyl Light Vessel.	11 f.s.	May 13th	Plaice	..	14	64	67	..	..	..	..	..	..	..	145	37	145	37
B 133	55° 20⅝′ N., 7° 50½′ E.	11 f.s.	4.30 p.m.	Dab	..	214	16	..	..	..	..	..	..	..	..	230	10	230	10
			2 hrs.	Lemon Dab ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	1	3	..	..	..	..	..	..	..	4	..	4	..
				Cod	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Haddock ..	..	..	..	9	..	..	..	..	..	..	..	9	..	9	..
				Grey Gurnard ..	..	8	40	..	..	..	..	..	..	..	..	48	..	48	..
XXXI 12	Norman's Deep ..	11½ f.d.s.	May 17th	Plaice	..	74	132	17	..	..	..	..	..	..	..	223	25	[2297]	257½
B 134	55° 35¼′ N., 7° 45¾′ E.	7 f.d.s.	7.20 a.m.	Dab	..	254	106	4	..	..	..	..	..	..	..	364	27	364	27
			2 hrs.	Lemon Dab ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXI 14	Horn Reef Outer ..	19 f.l.s.	May 17th	Dab	..	52	11	..	..	..	..	..	..	..	..	63	..	63	..
B 135	55° 35¼′ N., 6° 39¾′ E.	21 f.l.s.	5 p.m.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
			2 hrs.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	..	4	..	..	..	..	..	..	..	4	..	4	..
				Grey Gurnard	..	1	5	..	..	..	..	..	..	..	..	6	..	6	..
				Spur Dog ..	..	..	..	..	..	..	1	..	..	..	..	1	..	6 or 7	..
XXXI 16	Western part of Horn Reef Outer.	26½ f.s.oz.	May 18th	Plaice ..	..	..	4	4	2	1	..	..	..	..	..	11	6	11	6
B 136	55° 32¾′ N., 6° 3½′ E.	27 f.s.m.	6 a.m.	Dab	..	148	16	2	..	..	..	..	..	..	..	166	..	166	..
			2 hrs.	Turbot	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Long Rough Dab	..	11	9	..	..	..	..	..	..	..	..	20	..	20	..
				Cod	..	..	1	1	1	2	..	..	..	..	..	5	..	5	..
				Haddock ..	..	1	7	13	..	..	..	..	..	..	..	21	..	21	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	2	21	..	..	..	..	..	..	..	..	23	..	23	..
				Starry Ray..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
XXXI 18	Western part of Horn Reef Outer.	27 f.s.m.	May 18th	Plaice ..	..	..	2	5	1	..	1	..	..	..	..	9	..	9	..
B 137	55° 33½′ N., 6° 9¼′ E.	26 f.s.m.	8.45 a.m.	Dab	..	191	24	..	..	..	..	..	..	..	..	215	..	215	..
(With chain on ground rope.)			2 hrs.	Long Rough Dab	..	19	21	..	..	..	..	..	..	..	..	40	..	40	..
				Cod	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Haddock ..	..	..	5	13	..	1	..	..	..	..	..	19	..	19	..
				Grey Gurnard	..	7	50	..	..	..	..	..	..	..	..	57	..	57	..
				Ling	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..
				Catfish ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
XXXI 19	Sylt Inner	7½ f.s.	May 21st & 22nd	Plaice ..	..	263	381	64	..	..	..	..	..	..	..	708	126]	708	[126]
B 138	55° 1′ N., 8° 5½′ E.	7½ f.s.	10.30 p.m. (21st)	Dab	2	156	40	..	..	..	..	..	..	..	..	198	10½	198	10½
(With chain on ground rope.)			3 hrs.	Sole	..	..	1	7	4	..	..	..	..	..	..	12	[6¼]	12	[6¼]
				Turbot ..	..	..	..	1	.	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Latchet ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	..	..	..	1	1	..	..	..	..	2	..	2	..
XXXI 20	Sylt Outer	10 f.s.	May 23rd	Plaice ..	..	3	21	98	..	..	..	..	..	..	..	122	43	122	43
B 139	54° 52½′ N., 7° 43¼′ E.	10½ f.s.	midnight	Dab.. ..	1	165	14	..	..	..	..	..	..	..	..	180	9	180	9
(With chain on ground rope.)		11½ f.s.	2 hrs.	Sole	..	..	2	5	4	..	..	..	..	..	..	11	6½	11	6½
				Turbot ..	..	..	..	..	1	..	1	..	..	..	..	2	9	2	9
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	1	..	2	..	3	21	3	21
				Haddock ..	..	..	1	20	12	..	..	..	..	..	..	33	24	33	24
				Whiting ..	..	1	5	2	..	..	..	..	..	..	..	8	..	8	..
				Grey Gurnard	..	4	6	..	..	..	..	..	..	..	..	10	..	10	..
				Latchet ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
XXXI 22	Norman's Deep ..	12 f.s.m.	May 24th	Plaice ..	..	778	625	5	..	..	..	..	..	..	..	1408	[115]	1408	[115]
B 140	55° 33¼′ N., 7° 50½′ E.	15 f.s.m.	12.15 p.m.	Dab	..	38	50	1	..	..	..	..	..	..	..	89	9	89	9
(With chain on ground rope.)		13 f.s.m.	1 hr.	Lemon Dab..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	2	8	..	..	..	..	..	..	..	10	..	10	..
				Cod	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
XXXI 23	N. W. of Norman's Deep.	9 f.s.m.	May 24th	Plaice ..	..	70	110	8	..	..	..	..	..	..	..	188	..	188	.
B 141	55° 36⅝′ N., 7° 45⅝′ E.	6½ f.d.s.	1.50 p.m.	Dab	..	10	6	..	..	..	..	..	..	..	..	16	..	16	..
(With chain on ground rope.)			1 hr.	Sole	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXI 25	Dogger Bank, Northern Slope of Swashway.	16½ f.l.g.s.	May 25th	Plaice ..	..	..	2	10	4	..	..	..	..	..	..	16	10	16	10
B 142	55° 26½′ N., 4° 16½′ E.	18 f.s.	6.50 a.m.	Dab	1	28	10	3	..	..	..	..	..	..	..	42	4	42	4
(With chain on ground rope.)		21 f.g.s.	6 hrs.	Turbot ..	..	..	..	..	1	2	..	..	..	..	..	3	11	3	11
				Brill.. ..	..	..	..	..	..	..	1	..	..	..	..	1	5½	1	5½
				Cod	..	..	..	3	1	..	..	..	..	..	..	4	..	4	..
				Haddock ..	..	..	1	4	..	..	..	..	..	..	..	5	..	5	..
				Coalfish ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Grey Gurnard ..	2	..	..	..	..	..	..	..	..	..	..	2	..	2	..
XXXI 30	Dogger Bank, East of S. W. Patch.	12 f.g.s.	May 26th	Plaice ..	..	..	2	17	1	..	..	..	..	..	..	20	10	20	10
B 143	54° 32′ N., 2° 40½′ E.	11	1.15 a.m.	Dab	..	30	82	28	..	..	..	..	..	..	..	140	25	140	25
(With chain on ground rope.)		12 f.d.s.	6 hrs.	Lemon Dab..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	1	..	..	1	..	..	..	..	2	9	2	9
				Haddock ..	..	..	..	12	2	..	..	..	..	..	..	14	7	14	7
				Whiting ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard ..	6	3	..	..	..	..	..	..	..	..	..	9	..	9	..
XXXI 42	Dogger Bank, S. of S.W. Patch.	19½ f.s.	May 26th	Plaice	..	..	..	11	1	..	1	..	..	..	..	13	8	13	8
B 144	54° 15⅝′ N., 2° 19⅜′ E.	21½ f.s.	5.5 p.m.	Dab	1	11	24	5	1	..	..	..	..	..	..	42	..	42	..
(With chain on ground rope.)	Piece of wreck in trawl, net torn badly.		3 hrs.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	1	1	6	2	..	..	..	..	..	10	9	10	9
				Haddock ..	..	..	4	25	11	..	..	..	..	..	..	40	22½	40	22½
				Grey Gurnard ..	9	3	..	..	..	..	..	..	..	..	..	12	..	12	..
XXXI 43	Flamborough Off ..	31½ f.d.s.	May 27th	Plaice	..	..	..	17	9	1	..	..	..	..	..	27	20	27	20
B 145	54° 3¾′ N., 1° 1′ E.	26 f.d.s.	3.15 a.m.	Dab	..	45	2	..	..	..	..	..	..	..	..	47	..	47	..
(With chain on ground rope.)			3 hrs.	Lemon Dab...	..	..	2	8	2	..	..	..	..	..	..	12	6	12	6
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	2¼	1	2¼
				Cod	..	..	3	2	6	..	..	1	..	..	..	12	10½	12	10½
				Haddock ..	..	..	..	5	..	..	..	..	..	..	..	5	..	5	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard ..	2	13	1	..	..	..	..	..	..	..	..	16	..	16	..
				Starry Ray..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XXXI 43	Bridlington Bay ..	4⅜ f.s.	May 27th	Plaice	29	42	2	..	..	..	..	..	..	..	..	73	7½	73	7½
B 116	54° 2′ N., 0° 9¼′ W.	5½ f.s.	11.50 a.m.	Dab	12	20	..	..	..	..	..	..	..	..	..	32	..	32	..
(With chain on ground rope.)			1 hr.	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard ..	9	6	..	..	..	..	..	..	..	..	..	15	..	15	..
				Thornback ..	..	..	1	5	12	2	..	..	..	..	..	20	29	20	29
XXXI 47	Bridlington Bay ..	6 f.s.	May 27th	Plaice	31	39	..	..	..	..	..	..	..	..	..	70	..	70	..
B (c.) 147	54° 2′ N., 0° 9⅛′ W.	7 f.s.	1.50 p.m.	Dab	24	25	..	..	..	..	..	..	..	..	..	49	..	49	..
	Covered net experiment (No. 1) Contents of ordinary cod-end alone recorded here.		1 hr.	Sole	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	1	18	5	..	..	..	..	..	..	..	..	24	..	24	..
				Thornback..	..	1	1	8	8	..	..	..	..	..	..	18	..	18	..
XXXII 14	Sunk	9 c.s. gvl.	June 2nd	Sole	..	..	8	..	..	..	..	..	..	..	..	8	..	8	..
B 149	51° 49′ N., 1° 31¾′ E.	10 c.s.	6.15 a.m.	Cod	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
(With chain on ground rope.)			1¼ hrs.	Thornback ..	..	1	..	1	7	4	..	..	..	..	..	13	..	13	..
				Homelyn ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
XXXII 20	Off Southwold ..	10½ gvl.	June 3rd	Plaice	6	4	..	..	..	..	..	..	..	..	..	10	..	10	..
B 150	52° 17⅜′ N., 1° 49½′ E.	15 gvl.	4 a.m.	Dab	16	6	..	..	..	..	..	..	..	..	..	22	..	22	..
	Net torn.		2 hrs.	Lemon Dab..	..	..	1	..	..	..	.	..	..	..	..	1	..	1	..
				Sole	..	..	4	2	..	..	..	..	..	..	..	6	..	6	..
				Cod	..	1	1	..	..	..	..	1	..	..	..	3	..	3	..
				Whiting ..	..	..	10	5	..	..	..	..	..	..	..	15	..	15	..
				Thornback ..	.	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Homelyn ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15½+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No	Total Catch. Kg.
XXXIII 25	Lynn Deep	17 d.s. gvl.	June 10th	Sole	..	..	5	2	..	..	..	..	..	..	..	7	..	7	..
B 151	52° 59′ N., 0° 20′ E.	12 c.s.m.	1.15 p.m.	Thornback ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
	Small hole in batings.		1½ hrs.																
XXXIII 44	Off Mablethorpe ..	10 c.s.	June 17th	Plaice ..	..	8	2	..	..	..	..	..	..	..	..	10	..	10	..
B 152	53° 22′ N., 0° 24⅞′ E.	9 c.s.	7 a.m.	Dab	..	2	2	..	..	..	..	..	..	..	..	4	..	4	..
		8 c.s.	3 hrs.	Sole	..	1	32	2	..	..	..	..	..	..	..	35	..	35	..
				Brill	..	..	..	2	2	1	..	..	..	..	..	5	..	5	..
				Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	9	..	..	..	..	..	..	..	10	..	10	..
				Homelyn ..	..	1	1	3	1	..	..	..	..	..	..	6	..	6	..
XXXIII 51	Lynn Deep	7 m.	June 18th	Plaice ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 153	52° 56½′ N., 0° 16′ E.	8 m.	4.45 a.m.	Sole	..	1	4	1	..	..	..	..	..	..	..	6	..	6	..
	Lost nearly all fish, codline insecurely fastened.		1½ hrs.	Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Spur dog ..	..	..	..	..	..	..	..	2	..	..	..	2	..	2	..
XXXIII 53	North of Blakeney Overfalls.	9½ c.s.sh.	June 18th	Plaice ..	..	27	16	1	..	..	..	..	..	..	..	44	..	44	..
B 154	53° 6½′ N., 0° 55¾′ E.	9½ c.s.sh.	11.40 a.m.	Dab	..	69	4	..	..	..	..	..	..	..	..	73	..	73	..
	Belly and cod end chafed "to pieces."		2 hrs.	Lemon Dab ..	..	2	3	..	..	..	..	..	..	..	..	5	..	5	..
				Sole	..	..	10	2	..	..	..	..	..	..	..	12	..	12	..
				Cod	..	14	10	1	..	..	..	..	..	..	..	25	..	25	..
				Whiting ..	..	4	..	..	..	..	..	..	..	..	..	4	..	4	..
				Pout	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	..	..	..	2	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	1	..	2	4	1	..	..	..	8	..	8	..
				Tope	..	..	..	..	..	..	..	..	1	..	1	2	..	2	..
XXXIV 1	Leman Ground ..	16 f.d.s.	June 28th	Plaice ..	..	1	26	36	5	1	1	..	..	..	..	70	28	70 (small)	28
O 189	53° 23¼′ N., 2° 50⅝′ E.	16 f.d.s.	4 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	30
		16 f.d.s.	5 hrs.	Sole	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	2	4	1	..	..	..	..	..	7	10	7	10
				Cod	..	..	..	..	..	1	..	..	..	1	..	2	..	2	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2½ Baskets.	71
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	30	..
				Horse Mackerel	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..
				Skate	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Dogfish ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
XXXIV 2	Easternedge of Leman Ground.	16 f.d.s.	June 28th	Plaice ..	..	..	34	30	5	3	..	..	..	..	..	72	28	72	28
O 190	53° 27⅞′ N., 2° 54¾′ E.	16 f.d.s.	9.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket.	8
	Parted aft wire, some fish lost.	16 f.d.s.	5½ hrs.	Sole	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	2	2	..	..	..	..	..	..	4	6	4	6
				Whiting ..	..	6	259	12	..	..	..	..	..	..	..	277	40	277	40
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
XXXIV 3	Flamborough Off .	26 s.m.	July 2nd	Plaice ..	..	..	5	15	4	1	..	..	..	..	..	25	12	25	12
O 191	54° 4½′ N., 0° 50½′ E.	25 s.m.	4 p.m.	Dab	..	664	26	2	..	..	..	..	..	..	..	692	33	692	33
			4 hrs.	Lemon Dab ..	..	..	3	9	2	..	..	..	..	..	..	14	6	14	6
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	3	52	2	..	..	..	..	..	1	..	58	..	58	..
				Haddock ..	..	..	10	4	2	..	..	..	..	..	..	16	..	16	..
				Whiting ..	..	19	197	22	1	..	..	..	..	..	..	239	33	239	33
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket.	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..
				Greater Weever	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXIV 4	Flamborough Off ..	25 s.m.	July 2nd & 3rd.	Plaice ..	..	..	7	85	19	..	..	..	..	..	..	111	68	111	68
O 192	54° 7′ N., 0° 56′ E.	25	8.30 p.m. (2nd.)	Dab	..	283	2	..	..	..	..	..	..	..	..	285	9	[1140]	[36]
		27 f.s.m.	6 hrs.	Lemon Dab..	..	..	3	5	..	..	..	..	..	..	..	8	5	8	5
				Sole	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	15	172	8	2	2	3	5	7	4	2	220	179	220	179
				Haddock ..	..	1	47	26	1	..	..	..	..	..	..	75	20	75	20
				Whiting ..	..	17	197	10	..	..	..	..	..	..	..	224	30	[1232]	[165]
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
XXXIV 5	Flamborough Off ..	27 f.s. & m.	July 3rd	Plaice ..	..	..	1	60	8	..	..	..	..	..	..	69	40	69	40
O 193	54° 7⅞′ N., 1° 10⅜′ E.	27	2.45 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket (small)	
		27 f.s. & m.	5¾ hrs.	Lemon Dab..	..	2	8	16	4	..	..	..	..	..	..	30	16	30	16
				Sole	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	1	..	1	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Cod	..	8	55	14	23	6	21	26	27	18	2	200	569	200	569
				Haddock ..	..	2	96	58	5	..	..	..	..	..	..	161	45	161	45
				Whiting ..	..	5	59	2	..	..	..	..	..	..	..	66	10	66	10
				Ling	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Grey Gurnard	..	..	.	..	..	..	..	..	..	..	..	..	..	¼ Basket	
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Skate.. ..	..	..	..	..	..	..	..	.	..	..	..	..	..	2	..
XXXIV 6	Flamborough Off ..	27 f.s.m.	July 3rd	Plaice ..	..	..	..	49	9	2	..	..	..	..	..	60	38	60	38
O 194	54° 6¼′ N., 1° 13¾′ E.	27	8.45 a.m.	Dab	..	96	2	..	..	..	..	..	..	..	..	98	4	98	4
		28 s.m.	5½ hrs.	Lemon Dab..	..	..	3	19	1	..	..	..	..	..	..	23	11	23	11
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	1	1	..	..	..	..	..	2	6	2	6
				Cod	..	2	55	4	13	2	5	12	6	2	1	102	158	102	158
				Haddock ..	..	..	83	39	1	..	..	..	..	..	..	123	30	123	30
				Whiting ..	..	..	19	2	..	..	..	..	..	..	..	21	5	21	5
				Grey Gurnard	..	13	35	1	..	..	..	..	..	..	..	49	6	49	6
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
XXXIV 7	Flamborough Off ..	28 s.m.	July 3rd	Plaice ..	..	..	1	43	10	..	..	..	..	..	..	54	30	54	30
O 195	54° 5¼′ N., 1° 10½′ E.	25 f.d.s.	2.30 p.m.	Dab	..	126	6	1	..	..	..	..	..	..	..	133	5	133	5
			5½ hrs.	Lemon Dab..	..	..	2	18	..	..	..	..	..	..	..	20	12	20	12
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	4	98	13	9	3	4	8	4	3	2	148	159	148	159
				Haddock ..	..	..	113	62	2	..	1	..	..	..	..	178	47	178	47
				Whiting ..	..	3	179	18	..	..	..	..	..	..	..	200	31	200	31
				Coalfish ..	..	..	..	..	..	..	..	3	3	4	1	11	74	11	74
				Ling	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Grey Gurnard	..	22	59	..	..	..	..	..	..	..	..	81	9	81	9
				Horse Mackerel	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XXXV 8	Flamborough Off ..	25 f.d.s.	July 3rd & 4th	Plaice ..	..	..	1	56	12	1	1	..	..	..	..	71	45	71	45
O 196	54° 4½′ N., 1° 10′ E.	25	8.20 p.m. (3rd)	Dab	..	238	7	..	..	..	..	..	..	..	..	245	9	245	9
		25 f.d.s.	6 hrs. 10 mins.	Lemon Dab..	..	..	..	8	2	..	..	..	..	..	..	10	7	10	7
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	3	66	14	11	1	2	6	12	3	..	118	160	118	160
				Haddock ..	..	..	50	61	1	..	..	..	..	..	..	112	35	[224	70]
				Whiting ..	..	7	162	8	1	..	..	..	..	..	..	178	30	[623	105]
				Grey Gurnard	..	4	24	7	..	..	..	..	..	..	..	35	6	35	6
				Herring ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	(small)
				Skate.. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg
XXXIV 9	Flamborough Off ..	25 f.d.s.	July 4th	Plaice ..	..	..	..	63	9	4	..	..	..	..	..	76	50	76	50
O 197	54° 1⅛′ N., 1° 6⅜′ E.	22½ f.d.s.	2.50 a.m.	Dab	..	106	2	1	..	..	..	..	..	..	..	109	6	109	6
			5 hrs. 40 mins.	Lemon Dab..	..	..	1	30	..	..	..	..	..	..	..	31	18	31	18
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	30	15	22	5	6	4	5	1	1	89	127	89	127
				Haddock ..	..	..	33	34	2	..	..	..	..	..	..	69	20	69	20
				Whiting ..	..	..	157	22	..	..	..	..	..	..	..	179	30	179	30
				Grey Gurnard	..	15	50	6	..	..	..	..	..	..	..	71	10	71	10
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	(large)
XXXIV 10	Flamborough Off ..	22½ f.d.s.	July 4th	Plaice ..	..	..	4	26	3	1	..	..	..	..	..	34	15	34	15
O 198	54° 0′ N., 1° 8⅝′ E.	23 f.d.s.	9 a.m.	Dab	..	339	8	..	..	..	..	..	..	..	..	347	15	[1041	45]
		23 f.d.s.	5½ hrs.	Lemon Dab..	..	..	2	11	1	..	..	..	..	..	..	14	8	14	8
				Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	28	..	..	..	1	..	1	3	..	33	41	33	41
				Haddock ..	..	..	20	30	..	..	..	..	..	..	..	50	15	50	15
				Whiting ..	..	8	252	23	..	..	..	..	..	..	..	283	41	283	41
				Grey Gurnard	..	111	111	4	..	..	..	..	..	..	..	226	25	[452	50]
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
XXXIV 11	Flamborough Off ..	23 f.d.s.	July 4th	Plaice ..	..	..	8	17	6	..	..	..	..	..	..	31	16	31	16
O 199	54° 5⅜′ N., 1° 1⅜′ E.	25 f.d.s.	3 p.m.	Dab	..	134	6	..	..	..	..	..	..	..	..	140	6	140	6
	Small hole in bosom.	27 f.d.s.	5½ hrs.	Lemon Dab..	..	..	2	6	..	..	..	..	..	..	..	8	4	8	4
				Turbot ..	..	..	..	..	1	..	1	..	..	..	..	2	11	2	11
				Cod	..	4	93	7	..	1	3	4	5	3	..	120	105	120	105
				Haddock ..	..	..	87	38	1	..	..	..	..	..	..	126	31	[189	46½]
				Whiting ..	..	2	131	13	..	..	..	..	..	..	..	146	23	146	23
				Coalfish ..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..
				Grey Gurnard	..	95	136	2	..	..	..	..	..	..	..	233	23	233	23
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XXXIV 12	Flamborough Off ..	27 f.d.s.	July 4th & 5th	Plaice ..	..	..	..	40	14	..	..	..	..	..	..	54	35	54	35
O 200	54° 9′ N., 1° 8½′ E.	28	9 p.m. (4th)	Dab	..	143	3	..	..	..	..	..	..	..	..	146	6	146	6
		28 f.s. & m.	5¾ hrs.	Lemon Dab..	..	..	1	13	1	..	..	..	..	..	..	15	7	15	7
				Cod	..	1	49	7	11	2	4	3	4	12	1	94	186	94	186
				Haddock ..	..	1	69	70	5	..	..	..	..	..	..	145	45	145	45
				Whiting ..	..	4	251	38	2	..	..	..	..	..	..	295	53	295	53
				Grey Gurnard	..	6	47	12	..	..	..	..	..	..	..	65	12	65	12
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..		..
XXXIV 13	Flamborough Off ..	28 f.s.m.	July 5th	Plaice ..	..	..	..	15	7	..	..	..	..	..	..	22	13	22	13
O 201	54° 11½′ N., 1° 7¼′ E.	29 f.d.s.	3.15 a.m.	Dab	..	54	7	..	..	..	..	..	..	..	..	61	3	61	3
			5¼ hrs.	Lemon Dab..	..	..	1	8	..	..	..	..	..	..	..	9	5	9	5
				Cod	..	..	43	6	11	8	3	6	4	..	..	81	98	81	98
				Haddock ..	..	1	98	35	2	..	..	..	..	..	..	136	30	136	30
				Whiting ..	..	..	154	21	1	..	..	..	..	..	..	176	32	176	32
				Coalfish ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Ling	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Grey Gurnard	..	19	70	2	..	..	..	..	..	..	..	91	10	91	10
XXXIV 14	Flamborough Off ..	29 f.d.s.	July 5th	Plaice ..	..	..	..	4	2	..	..	..	..	..	..	6	..	6	..
O 202	54° 13⅓′ N., 1° 7½′ E.	33 f.d.s. & sh.	9 a.m.	Lemon Dab..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
	Came fast to wreck, parted ground rope and headline, net very badly torn.		1 hr.	Cod	..	..	9	1	1	..	6	2	..	..	..	19	32	19	32
				Haddock ..	..	..	13	3	2	..	..	..	..	..	..	18	..	18	..
				Whiting ..	..	4	21	3	..	..	..	..	..	..	..	28	..	28	..
				Ling	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
XXXIV 15	Flamborough Off ..	30 d.s. & sh.	July 5th	Plaice ..	..	..	..	20	12	1	..	..	..	..	..	33	23	33	23
O 203	54° 17⅝′ N 1° 15⅜′ E.	30 d.s. & sh.	6.30 p.m.	Dab	..	46	6	..	..	..	..	..	..	..	..	52	3	52	3
			3½ hrs.	Lemon Dab ...	..	..	2	19	..	..	..	..	..	..	..	21	10	21	10
				Brill	..	..	..	..	..	2	..	..	..	..	..	2	5	2	5
				Cod	..	..	18	6	9	3	3	1	1	..	..	41	35	41	35

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40+	19¾+ / 50+	23⅝+ / 60+	27½+ / 70+	31½+ / 80+	35½+ / 90+	39½+ / 100+	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXIV 15	Flamborough Off—*cont.*	30 d.s. & sh.	July 5th	Haddock ..	..	1	68	29	2	..	..	..	..	..	..	100	23	100	23
O 203	54° 17⅝′ N., 1° 15⅝′ E.	30 d.s. & sh.	6.30 p.m.	Whiting ..	..	4	68	20	..	..	..	..	..	..	..	92	15	92	15
			3½ hrs.	Grey Gurnard	..	12	40	1	..	..	..	..	..	..	..	53	5	53	5
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XXXIV 16	Flamborough Off ..	30 d.s. & sh.	July 5th & 6th.	Plaice ..	..	..	..	29	4	1	..	..	..	..	..	34	24	34	24
O 204	54° 13¾′ N., 1° 14′ E.	25 f.d.s.	10.30 p.m. (5th)	Dab	..	131	9	..	..	..	..	..	..	..	..	140	6	140	6
			4½ hrs.	Lemon Dab..	..	1	2	11	..	..	..	..	..	..	..	14	6	14	6
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	4	1	4
				Cod	..	..	41	2	8	2	5	3	5	2	..	68	89	68	89
				Haddock ..	..	5	90	48	3	..	..	..	..	..	..	146	41	146	41
				Whiting ..	..	11	155	18	1	..	..	..	..	..	..	185	32	185	32
				Pout	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	35	76	15	..	..	..	..	..	..	..	126	19	126	19
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
XXXIV 17	Flamborough Off ..	25 f.d.s.	July 6th	Plaice ..	..	..	1	32	5	..	..	..	..	..	..	38	22	38	22
O 205	54° 9½′ N., 1° 12⅝′ E.	28 f.d.s.	3.30 a.m.	Dab	..	138	4	..	..	..	..	..	..	..	..	142	6	142	6
			5½ hrs.	Lemon Dab..	..	..	1	5	..	..	..	..	..	..	..	6	4	6	4
				Turbot ..	..	..	..	..	..	..	1	..	..	..	..	1	10	1	10
				Cod	..	2	11	1	..	..	1	2	..	2	..	19	33	19	33
				Haddock ..	..	..	49	6	1	..	..	..	..	..	..	56	9	56	9
				Whiting ..	..	5	55	1	..	..	..	..	..	..	..	61	8	61	8
				Grey Gurnard	..	63	102	2	..	..	..	..	..	..	..	167	15	167	15
XXXIV 18	Flamborough Off ..	28 f.d.s.	July 6th	Plaice ..	..	..	..	22	3	..	..	..	..	..	..	25	13	25	13
O 206	54° 8⅝′ N., 1° 11½′ E.	25 f.d.s.	9.30 a.m.	Lemon Dab..	..	..	..	3	..	..	..	..	..	..	..	3	4	3	4
		27 ds. s.h.	5 hrs. 20 mins.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	1	13	..	..	..	1	2	..	..	..	17	10	17	10
				Haddock ..	..	..	16	2	..	..	..	..	..	..	..	18	3	18	3
				Whiting ..	..	2	91	4	..	..	..	..	..	..	..	97	14	97	14
				Grey Gurnard	..	93	217	4	..	..	..	..	..	..	..	314	30	314	30
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
XXXIV 19	Flamborough Off ..	27 d.s.s.h.	July 6th	Plaice ..	..	..	1	32	17	3	..	..	..	..	..	53	38	53	38
O 207	54° 8′ N., 1° 9¾′ E.	27 f.d.s.	3.20 p.m.	Dab	..	56	7	..	..	..	..	..	..	..	..	63	3	63	3
			4 hrs. 55 mins.	Lemon Dab..	..	..	2	10	..	..	..	..	..	..	..	12	6	12	6
				Sole	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	2	..	..	..	..	..	..	2	6	2	6
				Cod	..	..	27	2	3	..	..	..	..	..	..	32	7	32	7
				Haddock ..	..	..	25	6	..	..	..	..	..	..	..	31	5	31	5
				Whiting ..	..	..	20	2	..	..	..	..	..	..	..	22	4	22	4
				Grey Gurnard	..	67	157	2	..	..	..	..	..	..	..	226	20	226	20
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XXXIV 20	Flamborough Off ..	27 f.d.s.	July 6th & 7th.	Plaice ..	..	..	10	40	10	2	..	..	..	..	..	62	33	62	33
O 208	54° 6½′ N., 1° 0½′ E.	27	8.45 p.m. (6th)	Dab	..	104	14	4	..	..	..	..	..	..	..	122	8	122	8
		27 f.s.m.	5¾ hrs.	Lemon Dab..	..	..	..	10	..	..	..	..	..	..	..	10	6	10	6
				Sole	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	1	11	2	3	..	..	..	..	1	..	18	10	18	10
				Haddock ..	..	..	54	9	..	..	..	..	..	..	..	63	13	63	13
				Whiting ..	..	6	135	5	1	..	..	..	..	..	..	147	23	147	23
				Grey Gurnard	..	11	37	8	..	..	..	..	..	..	..	56	8	56	8
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXIV 21	Flamborough Off ..	27 f.s.m.	July 7th	Plaice ..	..	..	14	17	6	1	..	..	..	..	..	38	16	38	16
O 209	54° 6⅜′ N., 0° 49′ E.	25 f.d.g.s.	3 a.m.	Dab	..	141	17	1	..	..	..	..	..	..	..	159	8	159	8
			5½ hrs.	Lemon Dab..	..	..	1	14	..	..	..	..	..	..	..	15	6	15	6
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	32	6	1	..	1	1	1	2	..	44	36	44	36
				Haddock ..	..	..	47	16	1	..	..	..	..	..	..	64	16	64	16
				Whiting ..	..	7	147	8	1	..	..	..	..	..	..	163	23	163	23
				Grey Gurnard	..	56	154	1	..	..	..	..	..	..	..	211	22	[422	44]
				Horse Mackerel	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Herring ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXXIV 22	Flamborough Off ..	25 f.g.s. d.spks.	July 7th	Plaice ..	..	..	10	18	3	..	..	..	..	..	..	31	14	31	14
O 210	54° 2½′ N., 0° 50⅝′ E.	25	9 a.m.	Dab	..	44	14	1	1	..	..	..	..	..	..	60	4	60	4
	Belly badly torn.	25 f.g.s. sh.	5½ hrs.	Lemon Dab..	..	..	7	13	..	..	..	..	..	..	..	20	8	20	8
				Sole	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	..	..	1	..	..	..	..	1	7	1	7
				Cod	..	3	39	4	1	..	2	..	1	..	..	50	18	50	18
				Haddock ..	..	..	4	5	..	..	..	..	..	..	..	9	..	9	..
				Ling	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Grey Gurnard	..	43	85	3	..	..	..	..	..	..	..	131	13	[393	39]
				Skate.. ..	..	..	..	..	..	1	..	..	..	1	..		..	2	..
XXXIV 23	Flamborough Off ..	25 f.d.s.	July 7th	Plaice ..	..	..	4	12	10	..	..	..	..	..	..	26	17	26	17
O 211	54° 5½′ N., 0° 55½′ E.	28 f.d.s.	5 p.m.	Dab	..	91	6	1	..	..	..	..	..	..	..	98	5	98	5
			4½ hrs.	Lemon Dab..	..	..	4	17	2	..	..	..	..	..	..	23	15	23	15
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	49	4	7	3	4	4	5	1	1	78	90	78	90
				Haddock ..	..	..	95	187	9	..	..	..	..	..	..	291	111	291	111
				Whiting ..	..	10	138	10	..	..	..	..	..	..	..	158	30	[316	60]
				Ling	..	..	..	..	..	..	1	..	1	..	..	2	..	2	..
				Grey Gurnard	..	17	89	..	..	..	..	..	..	..	..	106	12	[212	24]
				Skate.. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXXIV 24	Flamborough Off ..	28 f.d.s.	July 7th & 8th	Plaice ..	..	..	5	11	11	..	..	..	..	..	..	27	16	27	16
O 212	54° 5¼′ N., 0° 48¼′ E.	28½ f.s.m.	9.50 p.m. (7th)	Dab	..	171	8	1	..	..	..	..	..	..	..	180	..	180	..
			5 hrs. 40 min.	Lemon Dab ..	..	..	2	8	..	..	..	..	..	..	..	10	..	10	..
				Sole	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	3	76	6	8	3	6	8	6	2	..	118	131	118	131
				Haddock ..	..	..	121	129	15	..	..	..	..	..	..	265	96	[353	128]
				Whiting ..	..	2	83	5	..	..	..	..	..	..	..	90	15	[270	45]
				Skate.. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XXXV 1	Flamborough Off ..	25 f.d s.	July 20th	Plaice ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
B (c.) 155	54° 3⅝′ N., 0° 58⅜′ E.	25 f.d.s.	3.50 a.m.	Dab	5	70	2	..	..	..	..	..	..	..	..	77	..	77	..
	Covered net experiment (No. 2).		1 hr.	Lemon Dab ...	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	12	1	..	..	..	..	..	..	..	13	..	13	..
				Whiting ..	..	4	16	1	..	..	..	..	..	..	..	21	..	21	..
				Grey Gurnard	..	23	14	..	..	..	..	..	..	..	..	37	..	37	..
XXXV 3	Flamborough Off ..	25 f.g.s.	July 20th	Plaice ..	..	..	1	13	7	..	..	..	..	..	..	21	12	21	12
O 213	54° 6⅛′ N., 1° 0⅜′ E.	27 f.g.s. m.	6.15 a.m.	Dab	3	112	13	..	..	..	..	..	..	..	..	128	..	128	..
		25 f.s. & m.	5 hrs.	Lemon Dab	..	1	2	4	1	..	..	..	..	..	..	8	..	8	..
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	2	34	3	..	..	..	..	1	..	..	40	12	40	12
				Haddock ..	..	..	58	4	1	..	..	..	..	..	..	63	10½	63	10½
				Whiting ..	..	..	184	16	..	..	..	..	..	..	..	200	28	200	28
				Grey Gurnard	..	136	137	..	..	..	..	..	..	..	..	273	23	[682]	58
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15⅝+ / 40 +	19⅝+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXV 4	Flamborough Off ..	25 f.s.m.	July 20th	Plaice ..	..	1	3	18	9	..	..	..	..	..	..	31	17½	31	17½
O 214	54° 8¾′ N., 1° 2⅝′ E.	29 f.d.s.	11.50 a.m.	Dab	..	62	16	..	..	..	..	..	..	..	..	78	..	78	..
		30 f.d.s.	6½ hrs.	Lemon Dab	..	..	3	23	2	..	..	..	..	..	..	28	15	28	15
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Long Rough Dab.	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
				Cod	..	..	51	3	3	1	..	..	1	..	..	59	20½	59	20½
				Haddock ..	.	..	143	31	2	1	..	..	..	..	..	177	[37¼]	177	[37¼]
				Whiting ..	..	1	135	17	1	..	..	..	..	..	..	154	25	154	25
				Grey Gurnard	..	72	176	2	..	..	..	..	..	..	..	250	24	[604]	58
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
XXXV 5	Flamborough Off ..	30 f.d.s.m.	July 20th & 21st	Plaice ..	..	..	1	25	10	1	..	..	..	..	..	37	26	37	26
O 215	54° 11¾′ N., 1° 0⅜′ E.	35 f.d.s.m.	6.50 p.m. (20th) 7 hrs. 10 min.	Dab	..	12	1	..	1	..	..	..	..	..	..	14	..	14	..
				Lemon Dab	..	..	..	11	..	..	..	..	..	..	..	11	6	11	6
				Sole	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	4½	1	4½
				Cod	..	..	56	23	8	2	3	4	2	..	..	98	77	98	77
				Haddock ..	..	1	87	159	15	..	..	..	..	..	..	262	[98¼]	262	[98¼]
				Whiting ..	..	1	152	23	..	..	..	..	..	..	..	176	33	[325]	61
				Hake	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	About 1 Basket.	
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
XXXV 6	Flamborough Off ..	35 f.d.s.	July 21st	Plaice ..	..	..	1	1	2	..	..	..	..	..	..	4	..	4	..
B (c.) 156	54° 12½′ N., 1° 2¾′ E.	33 f.d.s.	3 a.m.	Dab	9	24	1	..	..	..	..	..	..	..	..	34	..	34	..
	Covered net experiment (No. 3).		1 hr.	Lemon Dab	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Cod	8	4	10	1	..	..	..	1	..	..	..	24	..	24	..
				Haddock ..	..	..	14	4	..	..	..	..	..	..	..	18	..	18	..
				Whiting ..	..	41	53	4	..	..	..	..	..	..	..	98	..	98	..
				Pout	..	4	1	..	..	..	..	..	..	..	..	5	..	5	..
				Grey Gurnard	..	4	25	2	..	..	..	..	..	..	..	31	..	31	..
				Starry Ray..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
XXXV 7	Botney Gut	31 m.	July 21st	Plaice ..	..	..	3	48	1	..	..	..	..	..	..	52	23	52	23
O 216	53° 53⅜′ N., 3° 1⅜′ E.	31 m.	2.30 p.m.	Dab	2	84	13	..	..	..	..	..	..	..	..	99	..	99	..
		32 m.	5½ hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Long Rough Dab.	..	37	14	..	..	..	..	..	..	..	..	51	..	51	..
				Cod	..	..	8	4	4	9	8	12	6	2	..	53	146	53	146
				Haddock ..	..	..	3	20	12	..	..	..	..	..	..	35	22	35	22
				Whiting ..	..	1	481	84	2	..	..	..	..	..	..	568	103¾]	568	103¾]
				Grey Gurnard	..	89	152	..	..	..	..	..	..	..	..	241	20½	241	20½
				Mackerel ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Horse Mackerel.	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Skate	..	..	2	1	1	1	2	..	..	..	..	7	15	7	15
XXXV 9	Between Coal Pit and Broken Bank.	13 s.gvl.	July 22nd	Plaice ..	..	..	9	31	7	1	..	..	..	..	..	48	22½	48	22½
157	53° 23⅜′ N., 2° 3′ E.	14 c.s.	4.30 a.m.	Dab	..	103	55	2	..	..	..	..	..	..	..	160	13	169	13
	Belly torn.	14 f.g.s.	5½ hrs.	Lemon Dab .	..	2	2	5	..	..	..	..	..	..	..	9	2½	9	2½
				Brill	..	..	..	..	1	1	..	..	..	..	..	2	3½	2	3½
				Cod	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Ling	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	25	16	1	..	..	..	..	..	..	..	42	..	42	..
				Thornback ..	..	..	..	1	2	..	..	..	..	..	..	3	..	3	..
XXXV 11	Between Swarte Bank and Broken Bank.	14 f.g.s.	July 22nd	Plaice ..	..	3	26	53	5	2	..	..	..	..	..	89	34	89	34
B 158	53° 20½′ N., 2° 11¾′ E.	15 f.g.s.	12.15 p.m.	Dab	..	426	61	2	..	..	..	..	..	..	..	489	28	489	28
			4¼ hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
			..	Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Pout	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	14	6	..	..	..	..	..	..	..	..	20	..	20	..
				Thornback ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0/0+	4+ / 10+	8+ / 20+	12+ / 30+	15⅜+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXV 12	East of South part of Swarte Bank.	15 f.g.s.	July 22nd	Plaice ..	..	3	42	78	10	..	..	..	..	..	..	133	49	133	49
O 217	53° 20′ N., 2° 23′ E.	12 f.g.s.	5.30 p.m.	Dab	2	887	223	6	..	..	..	..	..	..	..	1118	76	1118	76
		14 f.g.s.	5½ hrs.	Lemon Dab	..	1	3	4	..	..	..	..	..	..	..	8	..	8	..
				Sole	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	4	2	..	..	..	..	..	..	..	6	..	6	..
				Whiting ..	..	..	39	9	..	..	..	..	..	..	..	48	..	48	..
				Grey Gurnard	..	28	71	2	..	..	..	..	..	..	..	101	..	101	..
				Latchet ..	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Red Mullet ..	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Greater Weever.	..	..	15	9	..	..	..	..	..	..	..	24	..	24	..
				Horse Mackerel.	.	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	3	2	..	..	..	..	..	..	5	..	5	..
				Spur Dog ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
XXXV 13	Leman Ground ..	14 f.g.s.	July 22nd & 23rd.	Plaice ..	..	..	5	34	10	1	..	..	..	..	..	50	28½	50	28½
O 218	53° 25′ N., 2° 19¾′ E.	14 f.g.s.	11.30 p.m. (22nd.)	Dab	..	189	98	18	..	..	..	..	..	..	..	305	31	305	31
	Belly and fore wing torn.	14 f.g.s.	5½ hrs.	Lemon Dab	..	1	15	8	..	..	..	..	..	..	..	24	8	24	8
	..			Sole	..	..	3	6	..	..	..	..	..	..	..	9	..	9	..
				Turbot ..	..	..	..	..	..	..	..	1	..	..	..	1	7½	1	7½
				Cod	..	1	16	2	..	..	..	..	..	..	..	19	..	19	..
				Whiting ..	..	..	25	13	..	..	..	..	..	..	..	38	..	38	..
				Grey Gurnard	..	5	20	..	..	..	..	..	..	..	..	25	..	25	..
				Red Mullet ..	..	5	13	..	..	..	..	..	..	..	..	18	..	18	..
				Thornback ..	..	..	..	1	2	..	..	..	..	..	..	3	..	3	..
XXXV 14	Leman Ground ..	13 f.g.s.	July 23rd	Plaice ..	..	4	18	55	7	1	..	..	..	..	..	85	35	85	35
O 219	53° 25′ N., 2° 23⅝′ E.	11 f.g.s.	8 a.m.	Dab	..	288	104	22	..	..	..	..	..	..	..	414	39	414	39
	Belly split.	19 f.g.s.	5½ hrs.	Lemon Dab	..	1	3	9	..	..	..	..	..	..	..	13	5	13	5
				Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	3	2	3
				Brill	..	..	..	..	1	..	2	..	..	..	..	3	8	3	8
				Cod	..	..	12	5	..	..	..	..	..	..	..	17	[4¼]	17	[4¼]
				Whiting ..	..	1	25	24	..	..	..	..	..	.	..	50	[11]	50	[11]
				Grey Gurnard	..	34	48	4	..	..	..	..	..	..	..	86	..	86	..
				Latchet ..	..	1	..	3	..	..	..	..	..	..	..	4	..	4	..
				Greater Weever.	..	..	3	4	..	..	..	..	..	..	..	7	..	7	..
				Thornback ..	..	..	1	2	1	2	..	..	..	..	..	6	13½	6	13½
				Homelyn .	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XXXV 15	Leman Ground ..	16 f.g.s.	Ju y 23rd	Plaice ..	..	..	17	57	6	..	..	..	..	..	..	80	32	80	32
O 220	53° 25⅞′ N., 2° 39¾′ .	16 f.g.s.	3.40 p.m.	Dab	1	713	19	..	..	..	..	..	..	..	..	733	34	[1229]	57
			4 hrs. 20 mins.	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	2	1	..	..	..	..	..	3	6	3	6
				Cod	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	17	62	2	..	..	..	..	..	..	..	81	8	81	8
				Grey Gurnard	..	60	59	..	..	..	..	..	..	..	..	119	10	119	10
				Latchet ..	..	..	..	1	1	1	..	..	..	..	..	3	..	3	..
				Horse Mackerel.	..	.	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sprat ..	11	5	..	..	..	..	..	..	..	..	..	16	..	16	..
				Thornback ..	..	..	1	3	2	..	..	..	..	..	..	6	..	6	..
XXXV 16	Leman Ground ..	16 f.g.s.	July 23rd & 24th.	Plaice ..	..	..	61	113	11	..	..	..	..	..	..	185	70	185	70
O 221	55° 23′ N., 2° 53¾′ E.	16 f.g.s.	8.30 p.m. (23rd	Dab	..	710	7	..	..	..	..	..	..	..	..	717	31	[3284]	142
		16½ f.g.s.	6 hrs.	Sole	..	..	15	3	..	..	..	..	..	..	..	18	..	18	..
				Turbot ..	..	..	..	3	..	..	1	..	..	..	..	4	11	4	11
				Whiting ..	..	12	23	..	..	..	..	..	..	..	..	35	..	35	..
				Grey Gurnard	..	128	77	2	..	..	..	..	..	..	..	207	16	207	16
				Latchet ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Salmon ..	..	..	..	..	..	..	1	..	..	..	..	1	3¼	1	3¼
				Red Mullet ..	..	2	3	..	..	..	..	..	..	..	..	5	..	5	..
				Greater Weaver.	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Horse Mackerel.	..	..	6	5	..	..	..	..	..	..	..	11	..	11	..
				Thornback ..	..	4	1	..	..	..	..	..	..	..	..	5	..	5	..

Voyage, Station and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXV 17	Leman Ground ..	16½ f.g.s.	July 24th	Plaice ..	..	..	150	246	15	1	..	..	..	..	..	412	150½	412	150½
O 222	53° 22′ N., 2° 53′ E.	16 f.g.s.	3.45 a.m.	Dab	1	324	5	..	..	..	..	..	..	..	..	330	17	[1650]	85
		16 f.g.s.	6¾ hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	2	1	..	..	..	..	..	3	8	3	8
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	6	..	..	..	..	..	..	..	..	6	..	6	..
				Grey Gurnard	..	102	72	..	..	..	..	..	..	..	..	174	15	174	15
				Latchet ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Red Mullet..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Mackerel ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Greater Weever.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Sprat ..	..	9	..	..	..	..	..	..	..	..	..	9	..	9	..
				Thornback ..	..	2	7	1	..	..	..	..	..	..	..	10	..	10	..
				Spur Dog ..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Nursehound	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
XXXV 18	Leman Ground ..	16 f.d.s.	July 24th	Plaice ..	..	..	166	199	14	5	..	..	..	..	..	384	137½	384	137½
O 223	53° 26½′ N., 2° 53′ E.	16	11 a.m.	Dab	..	271	9	..	..	..	..	..	..	..	..	280	14	[860]	43
		16½ f.d.s.	8 hrs.	Sole	..	..	8	3	..	..	..	..	..	..	..	11	..	11	..
				Turbot ..	..	..	..	4	2	..	..	..	..	..	..	6	6½	6	6½
				Cod	..	..	2	3	..	..	..	..	..	..	..	5	..	5	..
				Whiting ..	..	..	125	10	..	..	..	..	..	..	..	135	21	135	21
				Grey Gurnard	..	64	46	..	..	..	..	..	..	..	..	110	10	110	10
				Red Mullet ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	3	4	..	..	..	..	..	..	..	7	..	7	..
				Herring ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Sprat.. ..	..	4	..	..	..	..	..	..	..	..	..	4	..	4	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXXV 19	Leman Ground ..	16½ f.d.s.	July 24th & 25th.	Plaice ..	..	1	149	112	9	..	..	..	..	..	..	271	84½	271	84½
O 224	53° 24′ N., 2° 55⅓′ E.	16 f.d.s.	7.40 p.m. (24th.)	Dab	..	35	3	..	..	..	..	..	..	..	..	38	2	[722]	38
	Turn in aft wing.	16½ f.d.s.	6 hrs. 50 min.	Sole	..	..	6	5	1	..	..	..	..	..	..	12	..	12	..
				Turbot ..	..	..	..	4	1	..	..	..	..	..	..	5	..	5	..
				Whiting ..	..	3	171	3	..	..	..	..	..	..	..	177	22	177	22
				Grey Gurnard	..	30	33	..	..	..	..	..	..	..	..	63	..	63	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Red Mullet..	..	1	7	..	..	..	..	..	..	..	..	8	..	8	..
				Thornback ..	..	1	3	1	1	..	..	..	..	..	..	6	..	6	..
				Spur Dog ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
XXXV 20	Leman Ground ..	16½ f.d.s.	July 25th	Plaice ..	..	..	77	76	4	..	..	..	..	..	..	157	49	157	49
O 225	53° 22¾′ N., 2° 59½′ E.	16 f.d.s.	3.30 a.m.	Dab	..	242	9	..	..	..	..	..	..	..	..	251	12	[669]	32
	Aft wing torn.	16 f.d.s.	5½ hrs.	Sole	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Turbot ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	1	112	4	..	..	..	..	..	..	..	117	15	117	15
				Grey Gurnard	..	50	45	..	..	..	..	..	..	..	..	95	..	95	..
				Red Mullet..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
				Spur Dog ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
XXXV 21	S.E. part of Leman Ground.	16 f.d.s.	July 25th	Plaice ..	..	..	57	53	2	..	..	..	..	..	..	112	32	112	32
O 226	53° 18½′ N., 3° 2⅝′ E.	16 f.d.s.	10.15 a.m.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
	Belly and fore wing torn.	16 f.d.s.	5½ hrs.	Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15⅝+ / 40+	19⅝+ / 50+	23⅝+ / 60+	27½+ / 70+	31½+ / 80+	35½+ / 90+	39½+ / 100+	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXV 22	S.E. part of Leman Ground.	16 f.d.s.	July 25th	Plaice ..	..	..	28	14	2	..	..	..	..	..	..	44	16	44	16
O 227	53° 17′ N., 3° 6¼′ E.	15 f.d.s.	5 p.m.	Dab	..	36	8	..	..	..	..	..	..	..	..	44	..	44	..
	Parted headline, net torn badly.		1 hr. 40 mins.	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	10	97	2	..	..	..	..	..	..	..	109	..	109	..
				Grey Gurnard	..	4	31	1	..	..	..	..	..	..	..	36	..	36	..
				Red Mullet..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXXV 23	North part of Brown Bank.	14 f.d.s.	July 26th	Plaice ..	..	2	408	9	1	..	..	..	..	..	..	420	73	420	73
O 228	53° 12¼′ N., 3° 1⅛′ E.	15 f.d.s.	8.30 a.m.	Dab	..	232	34	..	..	..	..	..	..	..	..	266	16	[665	40]
			3½ hrs.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				John Dory ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	39	140	..	..	..	..	..	..	..	..	179	..	179	..
				Latchet ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Greater Weever	..	..	8	4	..	..	..	..	..	..	..	12	..	12	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
XXXV 25	North part of Brown Bank.	15 f.d.s.	July 26th	Plaice ..	..	..	327	12	1	..	..	..	..	..	..	340	64	340	64
O 229	53° 10′ N., 3° 21′ E.	14 f.d.s.	12.30 p.m.	Dab	..	228	23	1	..	..	..	..	..	..	..	252	16	[850]	54
			5 hrs.	Sole	..	..	1	..	1	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	75	132	1	..	..	..	..	..	..	..	208	..	208	..
				Latchet ..	..	1	1	4	2	..	..	..	..	..	..	8	..	8	..
				Greater Weever	..	..	5	6	..	..	..	..	..	..	..	11	..	11	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXXV 26	North part of Brown Bank.	14 f.d.s.	July 26th & 27th	Plaice ..	..	6	421	12	..	..	..	..	..	..	..	439	78	439	78
O 230	53° 12½′ N., 3° 26⅝′ E.	14 f.d.s.	8 p.m. (26th.)	Dab	..	174	38	..	..	..	..	..	..	..	..	212	16	[835]	63
			6 hrs.	Sole	..	..	23	4	..	..	..	..	..	..	..	27	6	27	6
				Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	32	47	1	..	..	..	..	..	..	..	80	..	130	..
				Latchet ..	..	..	..	1	2	1	..	..	..	..	..	4	..	4	..
				Greater Weever	..	..	34	4	..	..	..	..	..	..	..	38	..	38	..
				Red Mullet..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback..	..	..	8	1	..	..	..	..	..	..	..	9	..	9	..
				Spur dog ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXXV 27	North part of Brown Bank.	14 f.d.s.	July 27th	Plaice ..	..	9	357	13	3	..	..	..	..	..	..	382	71	382	71
B 159	53° 18⅜′ N., 3° 29⅔′ E.	14 f.d.s.	3 a.m.	Dab	..	159	14	..	..	..	..	..	..	..	..	173	10	[2491]	144
			6 hrs.	Sole	..	..	7	..	..	..	..	..	..	..	..	7	..	7	..
				Turbot ..	..	..	..	6	2	..	..	..	..	..	..	8	11	8	11
				John Dory ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Greater Weever	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Thornback ..	..	1	3	..	2	1	..	..	..	..	..	7	9½	7	9½
				Tope	..	..	1	..	3	1	..	..	..	..	..	5	..	5	..
XXXV 28	North part of Brown Bank.	14 f.d.s.	July 27th	Plaice ..	..	2	265	4	2	..	..	..	..	..	..	273	50	273	50
B 160	53° 16½′ N., 3° 38½′ E.	14 f.d.s.	9.45 a.m.	Dab	1	379	74	..	..	..	..	..	..	..	..	454	..	[908]	..
			5¾ hrs.	Sole	..	..	7	1	..	..	..	..	..	..	..	8	..	8	..
				Turbot ..	..	..	..	3	1	..	..	..	..	..	..	4	..	4	..
				Brill	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Grey Gurnard	..	34	1	..	..	..	..	..	..	..	..	35	..	35	..
				Latchet ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever	..	1	4	1	..	..	..	..	..	..	..	6	..	6	..
				Thornback ..	..	..	8	1	1	..	..	..	..	..	..	10	..	10	..
				Tope	..	..	1	..	1	..	..	..	..	..	..	2	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15⅝+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXV 29	Brown Bank	14 f.d.s.	July 27th	Plaice ..	..	..	325	19	2	..	..	..	..	..	..	346	66	346	66
B 161	53° 11¼′ N., 3° 28′ E.	14½ f.g.s.	4 p.m.	Dab	..	379	60	..	..	..	..	..	..	..	..	439	30	1054]	72
			6 hrs.	Sole	..	..	14	4	..	..	..	..	..	..	..	18	..	18	..
				Turbot ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Latchet ..	..	..	..	1	..	1	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
XXXVI 1	Off Ymuiden	8½ f.g.s.	Aug. 3rd	Plaice ..	..	32	..	..	..	..	..	..	..	..	..	32	..	32	..
B (c) 162	52° 29⅕′ N., 4° 27⅝′ E.	9 f.g.s.	4 a.m.	Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
	Covered net experiment (No. 4).		1 hr.	Greater Weever.	..	6	..	..	..	..	..	..	..	..	..	6	..	6	..
				Tope	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
XXXVI 2	Off Egmond	9 f.g.s.	Aug. 3rd	Plaice ..	..	286	21	..	..	..	..	..	..	..	..	307	18	307	18
O 231	52° 33⅜′ N., 4° 25¼′ E.	9 f.g.s.	6 a.m.	Dab	..	30	12	..	..	..	..	..	..	..	..	42	..	42	..
			4 hrs.	Grey Gurnard	..	1	3	..	..	..	..	..	..	..	..	4	..	4	..
				Latchet ..	..	..	1	2	..	1	..	..	..	..	..	4	..	4	..
				Greater Weever.	..	1	46	6	..	..	..	..	..	..	..	53	..	53	..
XXXVI 3	East part of Brown Bank.	15 f.g.s.	Aug. 3rd	Plaice ..	..	..	11	4	..	..	..	..	..	..	..	15	..	15	..
B (c) 163	53° 3⅛′ N., 3° 47⅜′ E.	15 f.d.g.s.	4.15 p.m.	Dab	..	74	4	..	..	..	..	..	..	..	..	78	..	78	..
	Covered net experiment (No. 5).		1 hr.	Greater Weever.	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
XXXVI 4	East part of Brown Bank.	15 f.d.g.s.	Aug. 3rd	Plaice ..	..	3	938	38	..	..	..	..	..	..	..	979	178	979	178
O 232	53° 5¾′ N., 3° 48¾′ E.	15	6 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	..	142
		14½ f.d.g.s.	6 hrs.	Sole	..	..	2	2	1	..	..	..	..	..	..	5	..	5	..
				Turbot ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	3	8	..	..	..	..	..	..	..	..	11	..	1 Basket.	..
				Latchet ..	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	31
				Horse Mackerel.	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
XXXVI 50	East of S. end of Well Bank.	18 f.d.g.s.	Aug. 9th	Plaice ..	..	..	..	..	Fish not measured.					..	..	..	..	5	..
B 164	53° 6′ N., 2° 23¼′ E.	20	7.40 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
	Ground rope parted, net torn.	15 f.d.g.s.	2 hrs.	Lemon Dab ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXXVI 51	East of S. part of Well Bank.	15 f.d.g.s.	Aug. 9th	..	..	..	..	..	No fish caught.					..	..	..	..	..	..
B 165	53° 9¼′ N., 2° 27¾′ E.	18 d.s.m.gvl.	10.50 a.m.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			2 hrs.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
XXXVI 52	Off Smith's Knoll Light Vessel.	24 m.s.	Aug. 9th	Plaice ..	..	2	19	39	..	..	..	..	..	..	..	60	..	60	..
B 166	52° 52⅜′ N., 2° 34′ E.	21 d.s.	3.40 p.m.	Dab	..	40	14	1	..	..	..	..	..	..	..	55	..	55	..
			3 hrs. 50 mins.	Lemon Dab ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	1	26	2	..	..	..	..	..	..	..	29	..	29	..
				Poor Cod (?) .	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Ling	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..
				Grey Gurnard	..	..	17	1	..	..	..	..	..	..	..	18	..	18	..
				Thornback ..	..	5	4	1	..	..	..	..	..	..	..	10	..	10	..
				Spur Dog ..	..	..	..	1	..	1	..	..	..	..	..	2	..	2	..
XXXVI 53	Knoll Deep ..	21 d.s.	Aug 9th & 10th	Plaice ..	..	1	46	112	4	..	..	..	..	..	..	163	..	163	..
B 167	52° 52¼′ N., 2° 27½′ E.	23 s.m.	8 p.m. (9th)	Dab	..	24	54	3	..	..	..	..	..	..	..	81	..	81	..
			5½ hrs.	Lemon Dab ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	5	6	1	..	..	..	..	..	..	12	..	12	..
				Cod	..	..	6	9	2	..	..	..	..	..	..	17	..	17	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15⅜+ / 40 +	19⅝+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXVI 53	Knoll Deep—*cont.* ..	21 | d.s.	Aug. 9th & 10th	Whiting ..	..	1	77	47	2	..	..	..	..	..	..	127	..	[381]	..
B 167	52° 52¼′ N., 2° 27⅛′ E.	23 | s.m.	8 p.m. (9th)	Pout	..	..	5	..	..	..	..	..	..	..	..	5	..	5	..
			5½ hrs.	Grey Gurnard	..	..	6	..	..	..	..	..	..	..	..	6	..	6	..
				Red Gurnard	..	..	15	5	..	..	..	..	..	..	..	20	..	20	..
				Red Mullet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	1	1	..	1	1	1	..	..	..	..	5	..	5	..
				Spur Dog ..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
XXXVII 1	Edge of Lowestoft Deeps.	21 | c.s. & sh.	Aug. 16th	Plaice ..	..	1	4	..	..	..	..	..	..	..	..	5	..	5	..
B 168	52° 18½′ N., 2° 11⅝ E.	19 | c.s. & sh.	2.45 p.m.	Dab	..	14	4	..	..	..	..	..	..	..	..	18	..	18	..
	Heavy pull out, net slightly damaged.		¾ hr.	Lemon Dab..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Sole	..	..	5	3	..	..	..	..	..	..	..	8	..	8	..
				Cod	..	..	..	..	..	1	1	1	..	..	..	3	..	3	..
				Pout	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
				Spur Dog ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
XXXVII 2	Lowestoft Deeps ..	23 | c. s & sh.	Aug. 16th	Plaice ..	..	2	16	4	..	..	..	..	..	..	..	22	4	22	4
B 169	52° 24⅛′ N., 2° 16¾′ E.	25 | c.s. & sh.	4.15 p.m.	Dab.. ..	..	14	9	..	..	..	..	..	..	..	..	23	..	23	..
			3 hrs.	Lemon Dab..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Sole	..	..	6	6	..	..	..	..	..	..	..	12	..	12	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	..	2	3	1	3	2	1	..	..	..	12	16	12	16
				Whiting ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Pout	..	31	11	..	..	..	..	..	..	..	..	42	..	42	..
				Ling	..	..	..	..	..	..	1	..	2	3	1	7	30	7	30
				Thornback ..	..	1	..	..	1	..	..	..	..	..	..	2	..	2	..
				Skate.. ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Ray sp. ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Tope	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
XXXVII 5	Off Smith's Knoll ..	25 | c.s.	Aug. 17th	Plaice ..	..	..	5	20	2	..	..	..	..	..	..	27	12	27	12
B 171	52° 56¾′ N., 2° 19½′ E.	19 | g.s.	12.45 p.m.	Dab.. ..	..	3	..	1	..	..	..	..	..	..	..	4	..	4	..
			3 hrs.	Lemon Dab..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	5	2	..	..	..	..	..	..	..	7	..	7	..
				Turbot ..	..	..	..	..	..	..	1	..	..	..	..	1	5½	1	5½
				Cod	..	..	1	1	1	..	1	6	..	..	..	10	..	10	..
				Whiting ..	..	..	82	31	2	..	..	..	..	..	..	115	..	115	..
				Pout	..	3	3	..	..	..	..	..	..	..	..	6	..	6	..
				Red Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	1	..	1	..	..	..	..	..	..	..	2	..	2	..
				Skate.. ..	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Spur Dog ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
XXXVII 7	S.E. of Well Bank ..	19 | g.s.	Aug. 17th	Plaice ..	..	..	6	9	1	..	..	..	..	..	..	16	..	16	..
B 172	52° 59¼′ N., 2° 27½′ E.	20 | g.s.	5 p.m.	Dab	..	8	1	..	..	..	..	..	..	..	..	9	..	9	..
			2 hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	21	5	..	..	..	..	..	..	..	26	..	26	..
				Horse Mackeral..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	4	1	..	..	..	..	..	..	..	..	5	..	5	..
XXXVII 11	Middle Ground ..	20 | g.s.	Aug. 20th	Plaice ..	..	..	8	..	..	..	..	..	..	..	..	8	..	8	..
B 174	52° 20¾′ N., 3° 8½′ E.	13 | d.g.s.	11.30 a.m.	Dab	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
			2 hrs.	Grey Gurnard	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
				Greater Weever	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXVII 13	Winterton Shoal ..	19 g.br.s.	Aug. 20th	Plaice ..	..	..	143	24	..	..	..	..	..	..	..	167	35½	167	35½
B 175	52° 38⅛′ N., 3° 1¾′ E.	20 g.br.s.	4.30 p.m.	Dab	..	30	33	..	..	..	..	..	..	..	..	63	..	63	..
			4 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	11	18	1	..	..	..	..	..	..	..	30	..	30	..
				Latchet ..	..	..	..	..	..	2	..	..	..	..	..	2	..	2	..
				Red Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
XXXVII 15	Brown Bank, West	17 f.g.s.	Aug. 21st	Plaice ..	..	..	16	17	..	..	..	..	..	..	..	33	10	33	10
B 176	53° 1½′ N., 2° 59½′ E.	13 f.g.s.	4 a.m.	Dab	..	36	8	..	..	..	..	..	..	..	..	44	..	44	..
			3 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Greater Weever.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	5	1	..	..	..	..	..	..	..	..	6	..	6	..
				Skate ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
XXXVII 17	Brown Bank, East ..	15 f.g.br.s.	Aug. 21st	Plaice ..	..	16	685	20	..	..	..	..	..	..	..	721	[104¾]	721	[104¾]
B 177	53° 2⅝′ N., 3° 41¼′ E.	16	9.30 a.m.	Dab	..	281	78	..	..	..	..	..	..	..	..	359	24	359	24
		13 f.g.s.	7 hrs.	Turbot ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	26	7	..	..	..	..	..	..	..	..	33	..	47	..
				Latchet ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	29	..	..	..	..	..	..	..	..	29	..	41	..
XXXVII 19	N.W. of Haaks Light-vessel.	13 f.g.s.	Aug. 21st	Plaice ..	..	47	321	3	..	..	..	..	..	..	..	371	[54]	371	[54]
B 178	53° 0′ N., 3° 54¾′ E.	16 f.g.s.	4.45 p.m.	Dab	..	39	35	..	..	..	..	..	..	..	..	74	..	74	..
		13 f.g.s.	2 hrs.	Turbot ..	..	..	..	2	2	..	1	..	..	..	..	5	..	5	..
				Tope ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXXVII 22	Broad Fourteens (North part).	13 f.g.s.	Aug. 21st & 22nd	Plaice ..	..	94	854	30	1	..	..	..	..	..	..	979	138	[2043]	288
B 179	52° 52½′ N., 3° 58⅜′ E.	14 f.g.s.	7 p.m. (21st)	Dab.. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3 Bas.	97
			8 hrs.	Sole.. ..	..	..	7	2	..	..	..	..	..	..	..	9	..	9	..
				Turbot ..	..	..	..	4	..	..	..	..	..	..	..	4	..	4	..
				Grey Gurnard and Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Latchet ..	..	..	..	6	1	1	..	..	..	..	..	8	8	8	8
				Thornback ..	..	..	..	3	2	3	..	..	..	..	..	8	18	8	18
				Spur dog ..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
XXXVII 23	Broad Fourteens (Middle).	14 f.g.s.	Aug. 22nd	Plaice ..	..	23	336	5	..	..	..	..	..	..	..	364	76	364	76
B 180	52° 37¼ N., 3° 57⅛′ E.	13½ f.g.s.	3.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
			7 hrs.	Sole.. ..	..	..	5	2	1	..	..	..	..	..	..	8	..	8	..
				Turbot ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				John Dory ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	2	..	..	..	..	2	..	2	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Greater Weever	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Thornback..	..	..	1	..	1	1	..	..	..	..	..	3	..	3	..
XXXVII 25	Broad Fourteens (South part).	14 f.g.s.	Aug. 22nd	Plaice ..	..	1	14	..	..	..	..	..	..	..	..	15	..	15	..
B 181	52° 30½′ N., 3° 57⅔′ E. Large piece of moor log in trawl.	13 f.g.s.	12.15 p.m.	Dab	..	3	7	..	..	..	..	..	..	..	..	10	..	10	..
			2 hrs.	Grey Gurnard	..	2	5	..	..	..	..	..	..	..	..	7	..	7	..
				Greater Weever	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback..	..	..	1	1	3	..	..	..	..	..	..	5	..	5	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXVII 26	Broad Fourteens, (South part.)	13 f.g.s.	Aug. 22nd	Plaice ..	..	..	31	1	..	..	..	..	..	..	..	32	..	32	..
B 182	52° 30¼′ N., 3° 56½′ E.	14 f.g.s.	2.30 p m.	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
			2 hrs.	Turbot ..	..	..	..	2	..	1	..	..	..	..	..	3	..	3	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Greater Weever	..	..	..	..	..	..	..	..	..	..	..	..	..	10 or 12	
				Thornback ..	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Tope	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
XXXVIII 1	Dogger Bank, S.E. of S.W. Patch.	21 f.d.g.s.	Aug. 28th	Plaice ..	..	..	..	17	4	3	1	..	..	..	..	25	22	25	22
B 183	54° 18¼′ N., 2° 37′ E.	16 f.d.g.s.	4.30 a.m.	Dab	..	162	27	2	..	..	..	..	..	..	..	191	12	[652]	41
		16½ f.d.g.s.	5 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	53	10	..	..	..	..	..	..	..	..	63	5	63	5
XXXVIII 2	Dogger Bank, East of S.W. Patch.	12½ f.d.g.s. & sh.	Aug. 28th	Dab	..	342	60	3	..	..	..	..	..	..	..	405	28	405	28
B 184	54° 31⅜′ N., 2° 49¾′ E.	12½	noon	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
		13½ f.d.g.s. & sh.	4 hrs.	Turbot ..	..	..	..	..	1	1	..	..	..	..	..	2	6	2	6
				Grey Gurnard	..	50	6	..	..	..	..	..	..	..	..	56	3½	56	3½
XXXVIII 3	Dogger Bank, N.E of Eastern Shoal.	10½ f.g.s. & sh.	Aug. 28th	Plaice ..	..	..	1	25	2	1	..	..	..	..	..	29	17	29	17
B 185	54° 50⅜′ N., 3°8′ E.	17	6 p.m.	Dab	..	74	43	10	..	..	..	..	..	..	..	127	15	[262]	31
		17 f.g.s. & sh.	5 hrs.	Sole	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	7	29	8	..	..	..	..	..	..	44	25	44	25
				Whiting ..	..	..	14	..	..	..	..	..	..	..	..	14	..	14	..
				Grey Gurnard	..	39	11	..	..	..	..	..	..	..	..	50	3½	50	3½
XXXVIII 4	Dogger Bank, middle of S.E. Slope.	17 f.g.s.sh.	Aug. 28th & 29th	Plaice ..	..	..	1	28	12	1	..	..	..	..	..	42	30	42	30
B 186	54° 58⅛′ N., 3° 23⅜′ E.	18	11.30 p.m. (28th)	Dab	..	123	48	8	1	..	..	..	..	..	..	180	16	[371]	33
		19½ f.g.s.	5 hrs.	Lemon Dab..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	8	41	5	..	..	..	..	..	..	54	28	54	28
				Whiting ..	..	8	16	2	..	..	..	..	..	..	..	26	3	26	3
				Grey Gurnard	..	14	20	..	..	..	..	..	..	..	..	34	4	34	4
XXXVIII 5	Dogger Bank, middle of S.E. Slope.	19½ f.g.s.	Aug. 29th	Plaice ..	..	..	1	6	8	..	..	..	..	..	..	15	12	15	12
B 187	55° 5⅛′ N., 3° 34¾′ E.	20	5 a.m.	Dab	5	144	29	19	..	..	..	..	..	..	..	197	19	197	19
		19 f.g.s.	5 hrs.	Lemon Dab..	..	..	3	4	..	..	..	..	..	..	..	7	4	7	4
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	2	2	1	1	..	..	.	..	..	6	4	6	4
				Grey Gurnard	..	4	17	1	..	..	..	..	..	..	..	22	3	22	3
				Angler ..	..	..	..	..	..	..	1	..	..	..	..	1	3	1	3
XXXVIII 6	Swashway of Dogger	21 f.g.s.	Aug. 29th	Plaice ..	..	..	..	3	2	..	..	..	..	..	..	5	..	5	..
B (c.) 188	55° 22½′ N., 4° 11⅓′ E.	19 f.g.s.	2.30 p.m.	Dab	33	90	7	..	..	..	..	..	..	..	..	130	..	130	..
	Covered net experiment (No. 6).		2 hrs.	Lemon Dab..	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
				Cod	2	..	..	..	2	..	..	..	..	..	..	4	..	4	..
				Haddock ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	3	4	16	3	..	..	..	..	..	..	..	26	..	26	..
				Grey Gurnard	..	2	15	..	..	..	..	..	..	..	..	17	..	17	..
				Herring ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
XXXVIII 7	South part of Tail end of Dogger Bank	19 f.g.s. & sh.	Aug. 29th	Plaice ..	..	..	..	16	11	1	..	..	..	..	..	28	22	28	22
B 189	55° 27½′ N., 4° 19′ E.	17	6 p.m.	Dab	..	15	29	37	..	..	..	..	..	..	..	81	25	81	25
		16½ f.g.s. & sh.	5 hrs.	Lemon Dab ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	7	3	1	1	..	..	..	..	12	20	12	20
				Haddock ..	..	..	54	122	18	1	..	..	..	..	..	195	88	195	88
				Whiting ..	..	..	8	4	..	..	..	..	..	..	..	12	..	12	..
				Grey Gurnard	..	..	21	..	..	..	..	..	..	..	..	21	..	21	..
XXXVIII 8	Tail end of Dogger Bank.	16½ f.g.s. sh.	Aug. 29th and 30th.	Plaice ..	..	..	..	..	3	..	..	..	..	..	..	3	..	3	..
B 190	55° 35¾′ N., 4° 23½′ E.	17	11.15 p.m.	Dab	..	25	60	5	..	..	..	..	..	..	..	90	13	90	13
		18 f.g.s. sh.	5 hrs.	Turbot ..	..	..	..	..	5	..	..	..	..	..	..	5	11½	5	11½
				Cod	..	..	..	..	3	..	..	..	..	..	..	3	4	3	4

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15½+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXVIII 8	Tail end of Dogger Bank—*cont.*	16½ f.g.s., sh.	Aug. 29th & 30th.	Haddock ..	..	..	13	56	5	..	..	..	..	..	..	74	34	74	34
B 190	55° 35⅝′ N., 4° 2½′ E.	17	11.15 p.m.	Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
		18 f. g.s., sh.	5 hrs.	Hake.. ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Grey Gurnard	..	1	13	..	..	..	..	..	..	..	..	14	..	14	..
				Thornback ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
XXXVIII 10	Dogger Bank, West of Swashway.	16 f.g.s. sh.	Aug. 30th	Dab	..	63	41	..	..	..	..	..	..	..	..	104	9	104	9
B 191	55° 25⅞′ N., 3° 48½′ E.	16 f.g s. sh.	7.30 a.m.	Turbot ..	..	..	..	..	1	1	..	..	..	..	..	2	7	2	7
			3 hrs.	Haddock ..	..	..	..	5	..	..	..	..	..	..	..	5	..	5	..
				Grey Gurnard	..	5	9	..	..	..	..	..	..	..	..	14	..	14	..
				Spur Dog ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
XXXVIII 12	Dogger Bank. N.W. of Swashway.	16 f.g.s. sh.	Aug. 30th	Plaice ..	..	..	..	..	..	..	2	..	..	..	..	2	8	2	8
B 192	55° 31¼′ N., 3° 41½′ E.	17	noon	Dab	..	51	58	10	..	..	..	..	..	..	..	119	17	119	17
		19 f.g.s. sh.	4 hrs.	Turbot ..	..	..	..	1	..	1	..	..	..	..	..	2	6	2	6
				Haddock ..	..	..	4	6	2	..	..	..	..	..	..	12	5	12	5
				Grey Gurnard	..	2	25	..	..	..	..	..	..	..	..	27	2	27	2
				Angler ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
XXXVIII 14	North part of Dogger Bank.	17 f.g.s. sh.	Aug. 30th	Dab	..	27	32	..	..	..	..	..	..	..	..	59	6	59	6
B 193	55° 24½′ N., 3° 27′ E.	17 f.g.s. sh.	7.15 p.m.	Turbot ..	..	..	..	..	2	2	1	..	..	..	..	5	16	5	16
			2 hrs.	Haddock ..	..	..	1	17	9	..	..	..	..	..	..	27	17	27	17
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	1	3	..	..	..	..	..	..	..	..	4	..	4	..
				Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
XXXVIII 15	Below North edge of Dogger Bank.	25 f.g.s. sh,	Aug. 31st	Dab	9	5	2	..	..	..	..	..	..	..	..	16	..	16	..
B 194	55° 30½′ N., 2° 37½′ E.	24	4.15 a.m.	Lemon Dab..	..	..	..	6	..	..	..	..	..	..	..	6	..	6	..
	Net cut to let out curly weed; some fish escaped, including Lemon Dabs, Starry Ray, Codling, Haddocks, and 2 Plaice.	23 f.g.s. sh.	5 hrs.	Cod	15	..	..	1	..	..	..	..	..	..	..	16	..	16	..
				Haddock ..	..	1	..	5	2	..	..	..	..	..	..	8	..	8	..
				Starry Ray..	..	..	2	3	..	..	..	..	..	..	..	5	..	5	..
XXXVIII 18	Middle part (E.) of Dogger Bank.	15 f.g.s. sh.	Aug. 31st	Dab	..	286	73	5	..	..	..	..	..	..	..	364	32	[432]	38
B 195	55° 0⅛′ N., 2° 40′ E.	13 f.g.s. sh.	3.30 p.m.	Turbot ..	..	..	..	..	..	..	1	..	..	..	..	1	5	1	5
			2 hrs.	Brill	..	..	..	..	2	..	..	..	..	..	..	2	3	2	3
				Cod	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	..	3	5	..	..	..	..	..	..	8	6	8	6
				Grey Gurnard	..	8	7	..	..	..	..	..	..	..	..	15	3	15	3
XXXVIII 20	Middle part (N.W.) of Dogger Bank.	13 f.g.s. sh.	Aug. 31st	Plaice ..	..	..	..	4	3	..	..	..	..	..	..	7	7	7	7
B 196	55° 2⅞′ N., 2° 15½′ E.	16	7.30 p.m.	Dab	..	75	112	19	..	..	..	..	..	..	..	206	33	206	33
		16½ f.g.s. sh.	4 hrs.	Brill	..	..	..	1	1	..	..	..	..	..	..	2	4	2	4
				Cod	..	..	..	..	1	..	1	..	..	..	..	2	..	2	..
				Haddock ..	..	..	24	82	38	..	..	..	..	..	..	144	79	144	79
				Whiting ..	..	..	14	..	..	..	..	..	..	..	..	14	3	14	3
				Grey Gurnard	..	2	32	..	..	..	..	..	..	..	..	34	4	34	4
XXXVIII 22	Middle part (W.) of Dogger Bank.	12 f.g.s. sh.	Sept. 1st	Plaice ..	..	..	..	2	1	..	1	..	..	..	..	4	6	4	6
B 197	54° 49′ N., 2° 12′ E.	14½ f.g.s. sh.	4.30 a.m.	Dab.. ..	..	125	89	8	..	..	..	..	..	..	..	222	24	222	24
			3 hrs.	Turbot ..	..	..	..	..	..	..	1	..	..	..	..	1	5	1	5
				Haddock ..	..	..	..	3	8	..	..	..	..	..	..	11	9	11	9
				Grey Gurnard	..	26	17	..	..	..	..	..	..	..	..	43	4	43	4
XXXVIII 24	Middle part (W.) of Dogger Bank.	13½ f.g.s. & sh.	Sept. 1st	Plaice ..	..	..	..	1	..	1	..	..	..	..	..	2	..	2	..
B 198	54° 44⅓′ N., 1° 53¼ E.	14	9.30 a.m.	Dab	1	20	6	3	..	..	..	..	..	..	..	30	..	30	..
	Net cut to let out weed.	13 f.g.s. & sh.	4 hrs.	Haddock ..	..	..	..	1	4	..	..	..	..	..	..	5	..	5	..
				Grey Gurnard	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..

Voyage, Station, and No of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXVIII 26	North part of Leman Ground.	19 f.d.g.s.	Sept. 2nd	Plaice ..	..	..	15	22	2	..	.	..	..	..	..	39	16	39	16
B 200	53° 42½′ N., 2° 36¾′ E.	19 f.d.g.s.	11.30 a.m.	Dab	4	494	2	..	..	..	..	..	..	..	..	500	17	[912]	31
			4 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting	..	..	6	1	..	..	..	..	..	..	..	7	..	7	..
				Grey Gurnard ..	69	..	..	..	..	..	..	..	..	..	..	69	3	69	3
				Thornback	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Spur Dog	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
XXXVIII 28	Leman Ground ..	18 f.d.g.s.	Sept. 2nd	Plaice	..	..	48	41	6	..	..	..	..	..	..	95	33	95	33
B 201	53° 33½′ N., 2° 45′ E.	17	5 p.m.	Dab	3	195	2	..	..	..	..	..	..	..	..	200	8	[1075]	43
		17 f.d.g.s	5 hrs.	Sole	..	..	4	7	..	..	..	..	..	..	..	11	3	11	3
				Turbot	..	..	..	1	..	..	..	..	..	..	..	1	1½	1	1½
				Whiting	48	92	..	..	..	..	..	..	..	..	..	140	13	140	13
				Grey Gurnard ..	106	8	..	..	..	..	..	..	..	..	..	114	6½	114	6½
				Greater Weever. ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	5	12	1	..	..	..	..	..	..	..	18	5	18	5
XXXVIII 29	East part of Leman Ground.	17 f.d.s. & oz.	Sept. 2nd & 3rd	Plaice	..	..	95	43	1	..	..	..	..	..	..	139	36	139	36
B 202	53° 25½′ N., 3° 0⅝′ E.	16	11.30 p.m. (2nd)	Dab	..	193	6	..	..	..	..	..	..	..	..	199	10	[1194	60]
		15 f.d.g.s.	5 hrs.	Sole	..	..	12	12	..	..	..	..	..	..	..	24	7	24	7
				Turbot	..	..	1	3	1	..	..	..	..	..	..	5	5	5	5
				Whiting	7	36	..	..	..	..	..	..	..	..	..	43	..	43	..
				Latchet	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	5	37	11	..	..	..	..	..	..	..	..	53	..	53	..
XXXVIII 30	N.W. part of Brown Bank.	14 f.d.g.s.	Sept. 3rd	Plaice	..	2	11	9	2	..	..	..	..	..	..	24	..	24	..
B (c.) 203	53° 18⅝′ N., 3° 16½′ E.	14 f d.g.s.	6 a.m.	Dab	..	187	13	..	..	..	..	..	..	..	..	200	..	[600]	..
	Covered net experiment (No. 7).		1½ hrs.	Turbot	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Whiting	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard ..	43	6	..	..	..	..	..	..	..	..	..	49	..	49	..
				Greater Weever. ..	..	7	1	..	..	..	..	..	..	..	..	8	..	8	..
				Thornback ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Spur Dog	..	..	..	5	1	..	..	..	..	..	..	6	..	6	..
XXXIX 1	Sylt Outer	12½ l.s.	Sept. 15th	Plaice	..	408	370	2	..	..	..	.	..	..	..	780	71	780	71
B 204	54° 53′ N., 7° 19½′ E.	14 ls.	1.45 p.m.	Dab	..	163	48	..	..	..	..	..	..	..	..	211	15	211	15
			1 hr.	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard ..	24	9	..	..	..	..	..	..	..	..	..	33	..	33	..
				Greater Weever. ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	1	3	..	..	..	..	..	..	4	..	4	..
XXXIX 3	S.W. of Horn Reef ..	12 f.g.s.	Sept. 15th	Plaice	..	201	359	9	..	..	..	..	..	..	..	569	65	[1505]	172
B 205	55° 13½′ N., 7° 16¼′ E.	14 f.d.g.s.	6.15 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	30
			1½ hrs.	Sole	..	..	..	4	2	..	..	..	..	..	..	6	..	6	..
				Grey Gurnard ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	28
				Thornback ..	..	..	..	2	4	1	..	..	..	..	..	7	..	7	..
XXXIX 5	White Bank	22 s. & m.	Sept. 16th	Plaice	..	..	13	..	1	..	..	..	..	..	..	14	..	14	.
B 206	54° 55½′ N., 6° 11¼′ E.	22 s. & m.	4.45 a.m.	Dab	..	183	16	..	..	..	..	..	..	..	..	199	..	199	..
			1½ hrs.	Turbot	..	..	..	1	2	..	..	..	..	..	..	3	..	3	..
				Whiting	2	..	..	..	..	..	..	..	..	..	..	2	..	2	..
				Ling	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Grey Gurnard ..	13	8	..	..	..	..	..	..	..	..	..	21	..	21	..
				Thornback ..	..	..	..	1	1	1	..	..	..	..	..	3	..	3	..
				Skate	..	..	..	..	..	..	1	1	..	..	..	2	..	2	..
				Spur Dog	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
XXXIX 7	Horn Reef Outer ..	21 s. & oz.	Sept. 16th	Plaice	..	..	145	14	3	..	..	..	..	..	..	162	35	162	35
O 233	55° 26⅝′ N., 6° 27¼′ E.	24½ s. & oz.	11 a.m.	Dab	..	271	24	..	..	..	..	..	..	..	..	295	15	295	15
			4 hrs.	Lemon Dab ..	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Sole	..	..	..	3	1	..	..	..	..	..	..	4	..	4	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXIX 7	Horn Reef Outer—*cont.*	21 s. & oz.	Sept. 16th	Turbot ..	..	..	..	..	3	..	1	..	..	..	..	4	6½	4	6½
O 233	55° 26⅛′ N., 6° 27¼′ E.	24½ s. & oz.	11 a.m.	Cod	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
			4 hrs.	Haddock ..	..	..	..	11	2	..	..	..	..	..	..	13	7	13	7
				Whiting ..	..	9	67	4	..	..	..	..	..	..	..	80	9	80	9
				Hake.. ..	..	..	..	..	..	..	..	2	2	..	..	4	13	4	13
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	.	½ Basket.	15
				Mackerel ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	..	..	..	..	2	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	..	..	..	..	1	1	..	..	2	..	2	..
				Tope	..	..	..	..	..	..	..	..	..	..	2	2	..	2	..
XXXIX 8	West part of Horn Reef Outer.	24½ s. & oz.	Sept. 16th	Plaice ..	..	..	214	38	1	1	..	..	..	..	..	254	63	254	63
O 234	55° 26′ N., 6° 11¾′ E.	25 s. & oz.	3.30 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	33
			4 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	1	1	1	..	..	1	..	..	..	4	..	4	..
				Haddock ..	..	..	..	33	6	..	..	..	..	..	..	39	19	39	19
				Whiting ..	..	8	295	26	..	..	..	..	..	..	..	329	55	329	55
				Hake.. ..	..	..	..	..	..	..	3	3	2	2	..	10	..	10	..
				Horse Mackerel	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Thornback..	..	..	..	..	1	..	1	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..
				Lumpsucker	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXXIX 9	West of Horn Reef Outer.	25 s.m.	Sept. 16th	Plaice ..	..	..	75	66	8	1	..	..	..	..	..	150	63	150	63
O 235	55° 26¾′ N., 5° 55′ E.	26 s.m.	8 p.m.	Witch ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
			hrs.	Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket.	17
				Haddock ..	..	..	2	66	22	5	..	..	..	..	..	95	66	[285]	198
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets.	60
				Hake.. ..	..	..	..	..	..	..	..	..	3	..	..	3	..	3	..
XXXIX 10	West of Horn Reef Outer.	26 s.m.	Sept. 17th	Plaice ..	..	..	78	51	9	1	..	..	..	..	..	139	49	139	49
O 236	55° 28′ N., 5° 59½′ E.	26 s.m.	12.30 a.m.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
			4 hrs.	Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Witch ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	6	15	15	8	7	1	2	..	..	54	69	54	69
				Haddock ..	..	..	..	32	14	1	..	..	..	..	..	47	33	[282]	198
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1½ Baskets.	48
				Hake.. ..	..	..	..	..	..	..	..	2	..	..	..	2	..	2	..
				Skate ..	..	..	..	1	1	1	..	..	..	..	..	3	..	3	..
XXXIX 11	West part of Horn Reef Outer.	26 s.m.	Sept. 17th	Plaice ..	..	..	159	65	9	2	..	..	..	..	..	235	74	235	74
O 237	55° 27′ N., 6° 7′ E.	26 s.m.	5 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	
	Net slightly torn.		4 hrs.	Haddock ..	..	..	..	25	8	..	..	..	..	..	..	33	19	33	19
				Whiting ..	..	..	113	37	..	..	..	..	..	..	..	150	29	[403]	78
				Hake.. ..	..	..	..	..	..	2	1	8	2	..	1	14	45	14	45
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket. (small)	
				Horse Mackerel	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Thornback ..	..	..	..	..	1	..	1	..	..	..	..	2	..	2	..
				Skate ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
XXXIX 12	West of Horn Reef Outer.	26 s.m.	Sept. 17th	Plaice ..	..	..	50	56	4	..	..	..	..	..	..	110	39	110	39
O 238	55° 25¼′ N., 5° 51⅜′ E.	25½ f.g.s. & oz.	10 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket.	
			4 hrs.	Long Rough Dab	..	3	36	1	..	..	..	..	..	..	..	40	5	40	5
				Witch ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	3	18	10	7	4	1	1	..	..	44	51	44	51
				Haddock ..	..	..	3	34	9	3	1	..	..	..	..	50	37	[95]	70
				Whiting ..	..	..	65	65	..	..	..	..	..	..	..	130	32	[508]	125
				Hake.. ..	..	..	..	..	..	..	..	..	3	..	1	4	20	4	20
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket. (small)	
				Horse Mackerel	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXIX 13	West of Horn Reef Outer.	25½ f.g.s. & oz.	Sept. 17th	Plaice ..	..	..	53	43	5	1	..	..	..	..	..	102	38	102	38
O 239	55° 24¾′ N., 6° 2½′ E.	26½ s.m.	2.40 p.m.	Lemon Dab ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
			4 hrs.	Cod	..	..	1	23	24	5	4	..	..	..	..	57	55	57	55
				Haddock ..	..	..	9	136	52	7	1	..	..	..	..	205	133	205	133
				Whiting ..	..	..	55	69	..	..	..	..	..	..	..	124	32	[759]	196
				Hake	..	..	..	..	..	..	1	1	..	1	..	3	..	3	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Mackerel ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Skate ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XXXIX 14	West of Horn Reef Outer.	25½ f.g.s.	Sept. 17th	Plaice ..	..	..	61	75	10	..	..	..	..	..	..	146	53	146	53
O 240	55° 26′ N., 5° 58½′ E.	26½ s.m.	7 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
	Belly torn.		4½ hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Witch	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets.	63
				Haddock ..	..	..	3	42	10	1	..	..	..	..	..	56	33	[490]	289
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4 Baskets.	120
				Hake	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Skate ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXXIX 15	West part of Horn Reef Outer.	26½ s.m.	Sept. 18th	Plaice ..	..	..	58	63	7	3	..	..	..	..	..	131	53	131	53
O 241	55° 27⅛′ N., 6° 1⅞′ E.	26½ s.m.	12.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
	Belly torn.		4¼ hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets.	68
				Haddock ..	..	..	3	29	15	1	..	..	..	..	..	48	30	[334]	209
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3 Baskets.	94
				Hake	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Skate	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
XXXIX 16	West of Horn Reef Outer.	26½ s.m.	Sept. 18th	Plaice	..	..	44	38	3	1	..	..	..	..	..	81	30	86	30
O 242	55° 33′ N., 6° 0½′ E.	26½ s.m.	6 a.m.	Turbot	..	..	..	1	..	..	..	..	..	..	..	1		1	..
	Belly torn.		4 hrs.	Cod	..	..	2	15	8	4	..	..	..	..	..	29	20	29	20
				Haddock ..	..	..	3	44	5	2	..	..	..	..	..	54	31	54	31
				Whiting ..	..	..	59	64	..	..	..	..	..	..	..	123	32	361]	94
				Hake	..	..	..	..	..	..	1	..	2	2	1	6	33	6	33
XXXIX 17	West of Horn Reef Outer.	27 s.m.	Sept. 18th	Plaice	..	..	45	67	9	..	..	..	..	..	..	121	50	121	50
O 243	55° 34¾′ N., 5° 56¾′ E.	26½ s.m.	11.30 a.m.	Dab	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
	Belly torn.		4½ hrs.	Lemon Dab	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Witch	..	..	..	1	5	..	..	..	..	..	..	6	..	6	..
				Cod	..	..	..	12	9	8	8	17	5	2	..	61	..	61	..
				Haddock ..	..	..	6	62	20	3	..	..	..	..	..	91	59	91	59
				Whiting ..	..	..	38	65	..	..	..	..	..	..	..	103	30	[316]	92
				Hake	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Ling	..	..	..	..	..	..	1	2	2	1	3	9	..	9	..
				Skate	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XXXIX 18	West of Horn Reef Outer.	26½ s.m.	Sept. 18th	Plaice	..	..	13	38	3	..	..	..	..	..	..	54	25	54	25
O 244	55° 29¾′ N., 5° 55¼′ E.	25 f.g.s. & oz.	4.45 p.m.	Dab	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
	Net torn badly when hauling,		4¼ hrs.	Witch	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	11	7	5	3	2	..	1	..	29	..	29	..
				Haddock ..	..	..	3	49	22	5	1	..	..	..	..	80	64	[147]	118
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket	
				Mackerel ..	..	..	..	6	2	..	..	..	..	..	..	8	..	8	..
XXXIX 19	West part of Horn Reef Outer.	22 f.g.s. & oz.	Sept. 19th	Plaice	..	..	14	4	..	1	..	..	..	..	..	19	8	19	8
O 245	55° 21½′ N., 6° 18½′ E.	26 s. & oz.	8 a.m.	Cod	..	..	..	2	5	..	..	..	..	..	..	7	6	7	6
	Belly torn.		3½ hrs.	Haddock ..	..	..	2	33	10	..	1	..	..	..	..	46	32	46	32
				Whiting ..	..	..	66	54	2	..	..	..	..	..	..	122	33	[196]	53
				Mackerel ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XXXIX 20	West part of Horn Reef Outer.	26 s. & oz.	Sept. 19th	Plaice ..	..	..	23	17	2	..	..	..	..	..	..	42	15	42	15
O 246	55° 25½′ N., 6° 12¾′ E.	23 s. & oz.	noon.	Cod	..	..	..	2	1	2	..	..	..	..	..	5	6	5	6
	Belly torn.		4¼ hrs.	Haddock ..	..	..	1	54	26	4	1	..	..	..	..	86	65	86	65
				Whiting ..	..	..	39	75	2	..	..	..	..	..	..	116	33	116	33
XXXIX 21	West part of Horn Reef Outer.	23 f.g.s.	Sept. 19th	Plaice ..	..	..	38	55	3	1	..	..	..	..	..	97	36	97	36
B 207	55° 25′ N., 6° 3¼′ E.	26 s.m.	4.45 p.m.	Cod	..	..	3	8	2	2	..	..	..	1	..	16	18	16	18
			5¼ hrs.	Haddock ..	..	..	..	48	9	..	1	..	..	..	..	58	35	58	35
				Whiting ..	..	..	2	6	..	..	..	..	..	..	..	8	..	8	..
XXXIX 22	West part of Horn Reef Outer.	26 s.m.	Sept. 19th & 20th.	Plaice ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1½ Baskets	50
B 208	55° 25⅝′ N., 6° 1½′ E.	25 s. oz.	10.30 p.m. (19th).	Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	..
	(Fish not measured).		5 hrs.	Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1½ Baskets.	46
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	..
XXXIX 23	S.E. of Tail end of Dogger Bank.	25 s. & oz.	Sept. 20th	Plaice ..	..	..	16	22	2	..	..	..	..	..	..	40	17	40	17
B 209	55° 23½′ N., 5° 44⅛′ E.	23 s. & oz.	4.15 a.m.	Cod	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
			4½ hrs.	Haddock ..	..	..	1	8	7	2	..	..	..	..	..	18	13	18	13
XXXIX 24	S.E. of Tail end of Dogger Bank.	23 s. & oz.	Sept. 20th	Plaice ..	..	..	3	15	7	..	..	..	..	..	..	25	16	25	16
B 210	55° 19¾′ N., 5° 29′ E.	23 f.d.s. & oz.	9.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
			4¾ hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	..	7	1	..	..	..	..	..	..	8	..	8	..
				Grey Gurnard ..	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
XXXIX 25	S.E. of Tail end of Dogger Bank.	23 f.d.s. & oz.	Sept. 20th	Plaice ..	..	..	..	27	2	..	..	..	..	..	..	29	18	29	18
B 211	55° 16¼′ N., 5° 13′ E.	23 f.d.s. &oz.	2.30 p.m.	Dab	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
			4 hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	1	..	1	..	..	..	..	..	2	..	2	..
				Haddock ..	..	..	..	4	2	..	..	..	..	..	..	6	..	6	..
XXXIX 26	S.E. of Tail end of Dogger Bank.	23 f.d.s. & oz.	Sept. 20th	Plaice ..	..	..	1	51	4	..	..	..	..	..	..	56	30	56	30
B 212	55° 11¾′ N., 5° 4¾′ E.	25 f.s. & oz.	7 p.m.	Cod	..	..	..	3	6	3	3	1	..	..	..	16	29	16	29
			4 hrs.	Haddock ..	..	..	2	82	25	..	..	..	..	..	..	109	65	[220]	131
XL 1	Extreme South of Leman Ground.	17 f.d.g.s.	Sept. 27th	Plaice ..	..	..	2	11	..	..	..	..	..	..	..	13	..	13	..
B 213	53° 4¼′ N., 2° 49⅛′ E.	15 f.d.g.s.	7.45 p.m.	Dab	..	62	1	..	..	..	..	..	..	..	..	63	..	63	..
			1¾ hrs.	Sole	..	..	2	2	1	..	..	..	..	..	..	5	..	5	..
				Brill	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Whiting.. ..	..	..	17	..	..	..	..	..	..	..	..	17	..	17	..
				Thornback ..	..	5	..	..	..	..	..	..	..	..	..	5	..	5	..
				Spur Dog ..	..	..	..	5	4	..	..	..	..	..	..	9	..	9	..
XL 2	Extreme South of Leman Ground.	15 f.d.g.s.	Sept. 27th & 28th.	Plaice ..	..	2	8	22	..	..	..	..	..	..	..	32	10	32	10 (gutted.)
B 214	53° 6½′ N., 2° 48⅛′ E.	16 f.d.g.s.	10 p.m (27th).	Dab	..	668	15	..	..	..	..	..	..	..	..	683	25	683	25
			4½ hrs.	Sole	..	..	3	7	..	..	..	..	..	..	..	10	..	10	..
				Whiting ..	..	3	122	9	..	..	..	..	..	..	..	134	18	134	18
				Grey Gurnard ..	..	3	2	..	..	..	..	..	..	..	..	5	..	5	..
				Latchet ..	..	..	2	..	2	1	..	..	..	..	..	5	..	5	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	36	(many small.)
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	80	..
XL 4	S.E. part of Leman Ground.	17 f.d.s.	Sept. 28th	Plaice ..	..	..	8	23	2	..	..	..	..	..	..	33	..	33	..
B 215	53° 11′ N., 2° 58′ E.	17 f.d.s.	5.30 a.m.	Dab	2	154	7	..	..	..	..	..	..	..	..	163	7½	163	7½
			2 hrs.	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	8	2	..	..	..	..	..	..	..	10	..	10	..
				Grey Gurnard ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XL 5	S.E. part of Leman Ground.	17 f.d s.	Sept. 28th	Plaice ..	..	..	1	11	4	..	..	..	..	..	..	16	..	16	..
B 216	53° 11⅜′ N., 2° 58⅞′ E.	17 f.d.s.	8 a.m.	Dab	..	165	8	..	..	..	..	..	..	..	..	173	..	173	..
..			2 hrs.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
..				Whiting ..	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
..				Grey Gurnard	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..
..				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
..				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XL 8	S.E. of Swarte Bank	17 f.d.s.	Sept. 28th	Plaice ..	..	..	9	23	..	..	..	..	..	..	..	32	..	32	..
B 217	53° 13½′ N., 2° 50½′ E.	16 f.d.s.	11 a.m.	Dab	1	93	5	..	..	..	..	..	..	..	..	99	..	99	..
..			2 hrs.	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
..				Turbot ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
..				Latchet ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
..				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	(small)
..				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XL 10	East of Swarte Bank	16 f.d.s.	Sept. 28th	Plaice ..	..	..	21	39	4	..	..	..	..	..	..	64	..	64	..
B 218	53° 19⅜′ N., 2° 39¾′ E.	16 f.d.s.	2 p.m.	Dab	..	168	9	..	..	..	..	..	..	..	..	177	..	177	..
..			2 hrs.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
..				Whiting ..	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
..				Grey Gurnard	..	5	3	..	..	..	..	..	..	..	..	8	..	8	..
..				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
..				Greater Weever.	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
..				Thornback ..	..	2	4	..	..	..	..	..	..	..	..	6	..	6	..
XL 11	East of Swarte Bank	16 f.d.s.	Sept. 28th	Plaice ..	..	..	3	29	5	1	..	..	..	..	..	38	..	39	..
B 219	53° 23¾′ N., 2° 33½′ E.	15 f.d.s.	4.15 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Bas	ket
..			2 hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
..				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	(small)
..				John Dory ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
..				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
XL 13	Leman Ground ..	15 f.d.s.	Sept. 29th	Plaice ..	..	2	23	42	8	..	..	..	..	..	..	75	35	75	35
B 220	53° 26¾′ N., 2° 31½′ E.	12 f.spk.s.	5.45 a.m.	Dab	..	523	72	..	..	..	..	..	..	..	..	595	37	595	37
..		15 f.d.s.	5 hrs.	Whiting ..	..	5	7	1	..	..	..	..	..	..	..	13	..	13	..
..				Grey Gurnard	..	9	5	..	..	..	..	..	..	..	..	14	..	14	..
..				Greater Weever.	..	..	5	..	..	..	..	..	..	..	..	5	..	5	..
XL 14	Leman Ground ..	15 f.d.s.	Sept. 29th	Plaice ..	..	..	22	69	7	..	..	..	..	..	..	98	40	98	40
B 221	53° 25¾′ N., 2° 39′ E.	17 f.d.s.	11.15 a.m.	Dab	..	562	50	1	..	..	..	..	..	..	..	613	32	613	32
..		14 f.d.s.	5 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
..				Turbot ..	..	..	..	1	1	..	1	..	..	..	..	3	..	3	..
..				Whiting ..	..	1	2	1	..	..	..	..	..	..	..	4	..	4	..
..				Grey Gurnard	..	3	7	..	..	..	..	..	..	..	..	10	..	10	..
..				Greater Weever.	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
..				Thornback ..	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
..				Spur Dog ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
..				Tope	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
XL 17	Lynn Deep	15 d.c.s. & ross.	Sept. 30th	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
B 222	52° 59¾′ N., 0° 23′ E.	19	1.30 p.m.																
..	Ground rope parted, net badly torn.	15 d.c.s. & ross.	1½ hrs.																
XL 41	Off Sutton	5 s.gvl.	Oct. 4th	Plaice ..	..	5	..	..	..	..	..	..	..	..	..	5	..	5	..
B 224	53° 16¾′ N., 0° 23 5/16′ E.	9 s.gvl.	1.30 p.m.	Dab	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
	Pull out, net badly torn.		1 hr., 50 mins.	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
..				Whiting ..	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
..				Grey Gurnard	..	..	9	9	..	..	..	..	..	..	..	18	..	18	..
..				Thornback ..	..	..	1	2	1	..	..	..	..	..	..	4	..	4	..
..				Spur Dog ..	..	..	..	..	..	1	19	8	2	..	..	30	..	140	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XL 42	Off Mablethorpe ..	5 s.m.	Oct. 5th	Plaice ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
B 225	53° 18½′ N., 0° 19¾′ E.	7 s.m.	6.45 a.m.	Flounder ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
			1 hr.	Whiting ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	2	3	..	..	..	..	..	..	..	5	..	5	..
				Thornback ..	..	..	7	..	..	..	..	..	..	..	..	7	..	7	..
				Skate	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	3	20	5	..	..	..	..	..	..	28	..	28	..
XL 44	Off Mablethorpe ..	7 s.gvl.	Oct. 5th	Plaice ..	..	19	6	..	..	..	..	..	..	..	..	25	..	25	..
B 226	53° 23½′ N., 0° 21′ E.	8 s.gvl.	9.15 a.m.	Dab	..	5	6	..	..	..	..	..	..	..	..	11	..	11	..
			2 hrs.	Sole	..	..	11	..	..	..	..	..	..	..	..	11	..	11	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	40	..	..	..	..	..	..	..	..	40	..	40	..
				Grey Gurnard	..	2	5	..	..	..	..	..	..	..	..	7	..	7	..
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Homelyn ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	5	10	2	..	..	17	..	919	..
XL 45	Off Inner Dowsing Light-vessel.	11½ c.s.	Oct. 5th	Plaice ..	..	5	7	..	..	..	..	..	..	..	..	12	..	12	..
B 227	53° 21¼′ N., 0° 38′ E.	14 c.s.m.	1.30 p.m.	Dab	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
			2 hrs.	Lemon Dab ..	..	7	7	..	..	..	..	..	..	..	..	14	..	14	..
				Sole	..	..	9	..	..	..	..	..	..	..	..	9	..	9	..
				Cod	..	..	6	..	..	..	..	..	..	..	..	6	..	6	..
				Grey Gurnard	..	..	4	2	..	..	..	..	..	..	..	6	..	6	..
				Homelyn ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XLI 1	Flamborough Head Ground.	27 c.s.gvl.	Oct. 15th	Plaice ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
B 229	54° 8′ N., 0° 13½′ E.	28 c.s.gvl.	4.45 p.m.	Dab	..	1	..	1	..	..	..	..	..	..	..	2	..	2	..
	Belly badly chafed.		1¼ hrs.	Sole	..	..	..	..	1	..	..	..	..	..	..	1	1	1	1
				Cod	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Pout	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
XLI 5	Flamborough Off ..	30 f.g.s., sh.	Oct. 16th	Plaice ..	..	..	2	4	8	1	..	..	..	..	..	15	..	15	..
B 230	54° 8⅝′ N., 0° 33½′ E.	30 f.g.s., sh.	8.15 a.m.	Dab	..	92	5	..	..	..	..	..	..	..	..	97	..	97	..
	Net slightly torn, broke fore roller.		2 hrs.	Lemon Dab ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	1	6	..	..	..	..	..	..	..	7	..	7	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Long Rough Dab.	..	..	3	..	..	.	..	..	..	..	..	3	..	3	..
				Cod	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Haddock ..	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	16	27	1	..	..	..	..	..	..	..	44	..	44	..
				Greater Weever.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Angler ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
XLI 6	Flamborough Off ..	30 f.g.s., sh.	Oct. 16th	Plaice ..	..	..	..	7	3	..	..	..	..	..	..	10	..	10	..
B 231	54° 8⅞′ N., 0° 41⅝′ E.	29 g.spk.s., sh.	11.15 a.m.	Dab	..	64	6	1	..	..	..	..	..	..	..	71	..	71	..
			2 hrs.	Lemon Dab ..	..	..	1	3	..	..	..	..	..	..	..	4	..	4	..
				Sole	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Cod	..	..	3	2	..	..	..	..	..	..	..	5	..	5	..
				Haddock ..	..	1	3	..	..	..	..	..	..	..	..	4	..	4	..
				Grey Gurnard	..	16	19	..	..	..	..	..	..	..	..	35	..	35	..
				Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
XLI 7	Flamborough Off ..	29 g.spk.s. & sh.	Oct. 16th	Plaice ..	..	..	..	6	3	1	..	..	..	..	..	10	..	10	..
B 23[illegible]	54° 8′ N., 0° 44′ E.	28 g.br.s.	1 40 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	Few.	..
			2 hrs.	Lemon Dab ..	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
				Sole	..	..	2	2	..	..	..	..	..	..	..	4	..	4	.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLI 7	Flamborough Off—*cont.*	29 g.spk.s. & sh.	Oct. 16th	Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	.	1	..
B 232	54° 8′ N., 0° 44′ E.	28 g.br.s.	1.40 p.m.	Cod	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
			2 hrs.	Haddock ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
XLI 11	Flamborough Off ..	30 g.spk.s.	Oct. 18th	—	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
B 233	54° 4′ N., 0° 45½′ E.	25 g.s. & sh.	8 a.m.	—	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
			2 hrs.																
XLI 12	Flamborough Off ..	25 g.s. & sh.	Oct. 18th.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
B 234	54° 10⅝′ N., 0° 54½′ E.	27 g.spk.s.	11 a.m.																
			2 hrs.																
XLI 13	Flamborough Off ..	27 g.spk.s.	Oct.18th	Plaice ..	..	..	..	12	2	..	..	..	..	..	..	14	..	14	..
B 235	54° 9⅞′ N., 0° 59¾′ E.	25½ d.g.s.	1.30 p.m.	Dab	..	115	2	..	..	..	..	..	..	..	..	117	..	117	..
	Belly torn.		2 hrs.	Lemon Dab..	..	..	1	3	..	..	..	..	..	..	..	4	..	4	..
				Cod	..	..	10	1	..	..	..	..	..	..	..	11	..	11	..
				Haddock ..	..	1	2	3	..	..	..	..	..	..	..	6	..	6	..
				Grey Gurnard	..	14	8	..	..	..	..	..	..	..	..	22	..	22	..
XLI 14	Flamborough Off ..	25½ d.g.s.	Oct. 18th.	Plaice ..	..	..	..	12	2	..	..	..	..	..	..	14	..	14	..
B 236	54° 6⅞′ N., 1° 1⅛′ E.	26 d.g.s.	4.15 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	461	..
			2 hrs.	Lemon Dab..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Long Rough Dab.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	12	4	..	..	..	..	..	..	..	16	..	16	..
				Whiting ..	..	1	4	..	..	..	..	..	..	..	..	5	..	5	..
				Greater Weever	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Skate.. ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
XLI 15	Flamborough Off ..	26 d.g.s.	Oct. 18th	Plaice ..	..	..	1	9	2	1	1	..	..	..	..	14	..	14	..
B 237	54° 4¼′ N., 1° 0⅝′ E.	23 d.g.s.	6.45 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
			2 hrs.	Lemon Dab..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	10	1	..	..	..	..	..	..	..	11	..	11	..
				Whiting ..	..	1	16	2	..	..	..	..	..	..	..	19	..	19	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Skate.. ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XLI 16	Flamborough Off ..	26 g.s.m.	Oct. 19th	Plaice ..	..	..	..	21	2	..	..	..	..	..	..	23	..	23	..
B 238	54° 2¼′ N., 1° 4′ E.	26 g.s.m.	6.45 a.m.	Dab	..	90	..	..	..	..	..	..	..	..	..	90	..	2⅛ Baskets.	84
			2 hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	.
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	26	4	..	..	..	..	..	..	..	..	30	..	30	..
XLI 17	Flamborough Off ..	26 g.s.m.	Oct. 19th	Plaice ..	..	..	..	9	1	1	..	..	..	..	..	11	..	11	..
B 239	54° 1¼′ N., 0° 58¾′ E.	26½ g.s.m.	9.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1⅛ Baskets.	44
			2 hrs.	Lemon Dab ..	..	..	2	3	..	..	..	..	..	..	..	5	..	5	..
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	5	2	..	..	..	..	..	..	..	7	..	7	..
				Whiting ..	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
XLI 18	Dogger Bank, S.E. of S.W. Patch.	17 g.s.sh.	Oct. 19th	Plaice ..	..	..	5	39	24	4	..	..	..	..	..	72	54	72	54
O 247	54° 20′ N., 2° 29¾′ E.	16 g.s.sh.	7.15 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1⅝ Baskets.	57
		17 g.s.sh.	4¾ hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	4	2	23	1	1	..	..	..	..	..	31	17	31	17
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	⅓ Basket.	15
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets.	61
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Herring ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLI 19	Dogger Bank, S.E. of S.W. Patch.	17 g,s.sh.	Oct. 20th	Plaice ..	..	..	1	17	7	1	..	..	..	..	..	26	20	26	20
O 248	54° 18¼′ N., 2° 27⅜′ E.	17 g.s.sh.	1.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1½ Baskets.	39
		18 s.gvl.	4¾ hrs.	Lemon Dab ..	..	..	1	5	..	..	..	..	..	..	..	6	..	6	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	4	109	33	22	5	1	..	..	..	174	158	174	158
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3⅔ Baskets.	121½
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	36
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Latchet ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Mackerel ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	..	20	..	..	..	..	..	..	..	..	20	..	[150]	28½
XLI 20	Dogger Bank, South of S.W. Patch.	18 s.gvl.	Oct. 0th	Plaice ..	..	..	1	5	4	2	..	..	..	..	..	12	12½	12	12½
O 249	54° 19⅝′ N., 2° 21½′ E.	17 g.s.	0 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	25½
			5 hrs.	Lemon Dab ..	..	..	3	14	..	..	..	..	..	..	..	17	..	17	..
				Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	1	137	24	30	7	1	..	..	..	200	170½	200	170½
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2¼ Baskets.	83
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	22½
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Herring ..	..	..	..	..	..	..	..	..	..	..	..	..	..	Basket.	36
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XLI 21	Dogger Bank, South of S.W. Patch.	17 g.s.	Oct. 20th	Plaice ..	..	..	..	12	4	..	..	..	..	..	..	16	..	16	..
O 250	54° 20′ N., 2° 18¼′ E.	17 g.spk.s.	noon.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	33 (gutted).
			4½ hrs.	Lemon Dab ..	..	..	3	9	..	..	..	..	..	..	..	12	7	12	7
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	4½	1	4½
				Brill	..	..	..	..	1	1	..	..	..	..	..	2	6	2	6
				Cod	..	..	5	59	2	..	..	..	..	..	..	66	27	66	27 (gutted).
				Haddock ..	..	..	40	32	7	..	..	..	..	..	..	79	27	79	27
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket.	14 (gutted).
				Mackerel ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Also about 4 Baskets of small Whiting, Dabs, and Grey Gurnard.															
XLI 22	Dogger Bank, South of S.W. Patch.	17 g.spk.s.	Oct. 20th	Plaice ..	..	..	..	12	9	1	..	..	..	..	..	22	27	22	27
O 251	54° 18¾′ N., 2° 24¼′ E.	18 g.spk.s., sh.	5 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20
		17 g.spk.s.	5 hrs.	Lemon Dab ..	..	..	1	1	..	..	.	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	..	2	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	5	131	17	6	..	..	..	..	..	159	98	159	98
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	⅔ Basket.	26
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	22
				Mackerel ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Also about 6 Baskets of small Whiting, Dabs, and Grey Gurnard.															
XLI 23	Dogger Edge of Clay Deep.	22 f.g.s.	Oct. 21st	Plaice ..	..	..	4	24	5	..	..	..	..	..	..	33	20	33	20
O 252	55° 0⅛′ N., 3° 37¾′ E.	20	6.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	about 1 basket	
	Turn in aft wing, net slightly torn	22 f.g.s.	4 hrs.	Cod	..	..	..	..	2	1	3	1	..	..	..	7	17		
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets.	62
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Mackerel ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XLI 24	Dogger Edge of Clay Deep.	22 f.g.s.	Oct. 21st	Plaice ..	..	..	3	19	10	2	1	..	..	..	..	35	30	25	30
O 53	55° 1⅛′ N., 3° 41⅛′ E.	19 f.g.s.	11.30 a.m.	Lemon Dab	..	..	3	..	..	..	..	..	..	..	.	3	..	3	..
		18 f.g.s.	5 hrs.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	1	6	2	2	2	..	..	..	13	22	13	22
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	[⅝ Basket.	27
				Whiting ..	..	..	2	35	2	..	..	..	..	..	..	39	17	39	17

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ 0+	4+ 10+	8+ 20+	12+ 30+	15¾+ 40 +	19¾+ 50 +	23⅝+ 60 +	27½+ 70 +	31½+ 80 +	35½+ 90 +	39½+ 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLI 24	Dogger Edge of Clay Deep—*cont.*	22 f.g.s.	Oct. 21st	Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
O 253	55° 1½′ N., 3° 41½′ E.	19 f.g.s.	11.30 a.m.	Mackerel ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
		18 f.g.s.	5 hrs.	Horse Mackerel.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Also about ½ Basket of small Dabs and Whiting.															
XLI 25	Dogger Edge of Clay Deep.	23 f.g.s.	Oct. 21st	Plaice ..	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
O 254	55° 2¾′ N., 3° 47¾′ E.	23 f.g.s.	5 p.m.	Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	3 (Medium).	
	Had a pull out, hauled, net all right.		2¼ hrs.	Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1½ Baskets.	
				Whiting ..	..	..	47	48	5	2	..	..	..	..	..	102	..	153]	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
XLI 26	Borkum Outer ..	20 f.g.s. & oz.	Oct. 22nd	Plaice ..	..	2	150	13	..	..	..	..	..	..	..	165	32	165	32
O 255	54° 7¾′ N., 5° 42′ E.	19	10 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	Few (small).	
		20 f.g.s., m.	3 hrs.	Sole	..	..	8	3	..	..	..	..	..	..	..	11	..	11	..
				Turbot ..	..	..	..	9	3	..	..	..	..	..	..	12	15	12	15
				Cod	..	..	1	..	..	..	..	1	1	..	..	3	..	3	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few (small).	
				Spur Dog ..	..	..	..	3	..	..	..	..	1	..	..	4	..	4	..
				Tope	..	..	..	..	1	..	1	..	..	..	..	2	..	2	..
XLI 27	Borkum Outer ..	20 f.g.s., m.	Oct. 22nd	Plaice ..	..	..	131	15	..	..	..	..	..	..	..	146	30	146	30
O 256	54° 7⅞′ N., 5° 44′ E.	20	2 p.m.	Sole	..	1	9	4	..	..	..	..	..	..	..	14	..	14	..
		20 f.g.s. & oz.	4 hrs.	Turbot ..	..	..	..	5	2	..	..	..	..	..	..	7	8	7	8
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Also about 1 Basket of small Dabs and Whiting.															
XLI 28	Borkum Outer ..	20 f.g.s., oz.	Oct. 22nd	Plaice ..	..	4	158	28	..	..	..	..	..	..	..	190	37	190	37
O 257	54° 11′ N., 6° 2¾′ E.	20 f.g.s., m.	6.30 p.m.	Sole	..	..	10	6	..	..	..	..	..	..	..	16	..	16	..
		20 f.g.s., m.	5 hrs.	Turbot ..	..	..	..	7	1	..	..	..	..	..	..	8	8½	8	8½
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Also about ¾ Basket of small Dabs and Whiting.															
XLI 29	North of Borkum Flat.	20 f.g.s., m.	Oct. 23rd	Plaice ..	..	2	159	25	..	..	..	..	..	..	..	186	35	186	35
O 258	54° 13¾′ N., 6° 14½′ E.	20 f.g.s., oz.	12.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
		21 f.g.s., oz.	5 hrs.	Sole	..	..	12	6	1	..	..	..	..	..	..	19	5	19	5 (gutted).
				Turbot ..	..	..	..	4	5	..	..	..	..	..	..	9	12	9	12 (gutted).
				Brill	..	..	2	4	1	..	..	..	..	..	..	7	4	7	4 (gutted).
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
XLI 30	North of Borkum Flat.	21 f.g.s., oz.	Oct. 23rd	Plaice ..	..	..	108	50	1	..	..	..	..	..	..	159	41	159	41
O 259	54° 19′ N., 6° 18½′ E.	21 f.g.s., m.	5.45 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	about 1 Basket.	(small)
		21 f.g.s., m.	5 hrs.	Sole	..	..	14	4	..	..	..	..	..	..	..	18	3½	18	3½
				Turbot ..	..	..	..	12	4	1	..	..	..	..	..	17	25	17	25
				Brill	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket.	15
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Latchet ..	..	..	1	1	1	..	..	..	..	..	..	3	..	3	..
				Shad	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	2	6	..	..	1	..	..	..	9	..	9	..
				Tope	..	..	..	2	3	2	..	..	..	..	..	7	..	7	..
XLI 31	North of Borkum Flat.	21 f.g.s., m.	Oct. 23rd	Plaice ..	..	..	28	29	..	..	..	..	..	..	..	57	17	57	17
O 260	54° 20¼′ N., 6° 12½′ E.	21 f.g.s., m.	11.15 a.m.	Sole	..	..	4	3	..	..	..	..	..	..	..	7	..	7	..
		21½ f.g.s., m.	hrs.	Turbot ..	..	..	..	10	4	..	..	..	..	..	..	14	20	14	20
				Latchet ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Mackerel ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Spur Dog ..	..	..	..	..	..	..	..	..	1	..	..	1	..	34	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	16	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ 0+	4+ 10+	8+ 20+	12+ 30+	15½+ 40 +	19¾+ 50 +	23⅝+ 60 +	27½+ 70 +	31½+ 80 +	35½+ 90 +	39½+ 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLI 32	North of Borkum Flat.	21½ f.g.s., m.	Oct. 23rd	Plaice ..	..	..	31	22	..	..	..	..	..	..	..	53	14	53	14
O 261	54° 18½′ N., 6° 11½′ E.	21 f.g.s., m.	4.45 p.m.	Sole	..	..	9	6	1	..	..	..	..	..	..	16	4	16	4
		22 f.g.s., m.	5 hrs.	Turbot ..	..	..	..	7	2	1	..	..	..	..	..	10	15½	10	15½
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Skate.. ..	..	..	..	..	..	..	..	1	..	..	..	1	10	1	10
				Spur Dog ..	..	..	..	..	..	..	..	1	..	..	..	1	..	10	..
				Tope	..	.	..	..	..	..	..	..	..	..	..	..	..	4	..
				About 1½ Baskets small Dabs and Whiting.															
XLI 33	Borkum. Outer ..	22 f.g.s., m.	Oct. 23rd & 24th.	Plaice ..	..	..	107	16	1	..	..	..	..	..	..	124	24	124	24
O 262	54° 13½′ N., 6° 29½′ E.	21 f.g.s., m.	10.15 p.m. (23rd.)	Sole	..	..	13	4	..	..	..	..	..	..	..	17	3	17	3
		21 f.g.s., oz.	6 hrs.	Turbot ..	..	..	..	12	7	..	..	..	..	..	..	19	21	19	21
				Brill	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Skate.. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (large)	
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3 (small)	
				Also 1 Basket of small Dabs, Whiting, and Grey Gurnard.															
XLII 1	Brighton	12 c.s.	Oct. 28th	Plaice ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
B 240	50° 41¾′ N., 0° 1¾′ W.	15½ c.s.m.	7.10 a.m.	Dab	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
			2 hrs.	Sole	..	..	1	..	..	..	.	..	..	..	..	1	..	1	..
				Brill	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Pout	1	4	..	..	..	..	..	..	..	..	..	5	..	5	..
				Grey Gurnard	..	..	7	..	..	..	..	..	..	..	..	7	..	7	..
				Red Gurnard	..	..	7	4	..	..	..	..	..	..	..	11	..	11	..
				Latchet ..	..	..	5	1	1	..	..	..	..	..	..	7	..	7	..
				Greater Weever.	..	..	6	..	..	..	..	..	..	..	..	6	..	6	..
				Thornback ..	..	2	6	..	1	..	..	..	..	..	..	9	..	9	..
				Skate.. ..	..	17	33	6	1	..	..	..	..	..	..	57	..	57	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Nursehound	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
XLII 2	Brighton Outer ..	24 m.	Oct. 28th	Plaice ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
B 241	50° 37⅝′ N., 0° 2⅝′ W.	30 s.m.	10 a.m.	Dab	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
			2 hrs.	Sole	..	..	2	3	2	..	..	..	..	..	..	7	..	7	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	..	4	1	..	..	..	..	..	..	5	..	5	..
				Pout	..	24	24	..	..	..	..	..	..	..	..	48	..	48	..
				Red Gurnard	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Horse Mackerel	..	..	..	1	..	..	..	..	..	..	..	1	..	1	.
				Thornback ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Skate ..	..	..	3	2	..	..	..	..	..	..	..	5	..	5	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
				Nursehound	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
XLII. 3	Teignmouth Bay ..	7 s.m.	Nov. 11th	Plaice ..	..	..	9	6	..	1	..	..	..	..	..	16	..	17	..
B (c.) 242	50° 30⅜′ N., 3° 28¾′ W.	4 s.m.	11.45 a.m.	Dab	..	39	27	..	..	..	..	..	..	..	..	66	..	66	..
	Covered net experiment, No. 8.	7 s.m.	1¾ hrs.	Brill	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	.
				Latchet ..	..	..	6	..	..	..	..	..	..	..	..	6	..	6	..
				Conger ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	4	15	4	..	..	..	..	..	..	..	23	..	23	..
				Skate.. ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15½+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLII 4	Teignmouth Bay ..	7 s.m.	Nov. 11th	Plaice ..	..	..	27	19	1	1	..	..	..	..	..	48	..	48	..
B 243	50° 30⅝′ N., 3° 28⅞′ W.	7-4½	2.15 p.m.	Dab	..	96	23	..	..	..	..	..	..	..	..	119	..	119	..
		7 s.m.	2¼ hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	1	(small)
				Whiting ..	..	3	3	..	..	..	..	..	..	..	..	6	..	6	..
				Grey Gurnard	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Latchet ..	..	..	16	..	..	..	..	..	..	..	..	16	..	16	..
				Sprat.. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Thornback ..	..	19	23	3	1	..	..	..	..	..	..	46	..	46	..
				Ray sp. ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Angel ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	30	..
				Nursehound	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XLIII 1	South of Eastern Deep Water.	15½ f.d.s.	Nov. 17th	Plaice ..	..	..	32	17	1	..	..	..	..	..	..	50	..	50	..
B 244	52° 16¼′ N., 3° 18⅛′ E.	16½	7 a.m	Dab	..	26	9	..	..	..	..	..	..	..	..	35	3	35	3
		18 f.d.s.	2 hrs.	Whiting ..	..	1	5	..	..	..	..	..	..	..	..	6	..	6	..
				Grey Gurnard	..	3	2	..	..	..	..	..	..	..	..	5	..	5	..
				Greater Weever.	..	5	48	3	..	..	..	..	..	..	..	56	7	56	7
				Herring ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XLIII 5	Eastern Deep Water	18 f.s., cl., sh.	Nov. 17th	Plaice ..	..	..	25	14	..	..	..	..	..	..	..	39	..	39	..
B 245	52° 17¼′ N., 3° 7′ E.	18½ f.spk.s.	3 p.m.	Dab	..	40	10	..	..	..	..	..	..	..	..	50	[4]	50	[4]
			2 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	3	18	5	..	..	..	..	..	..	..	26	5	26	5
				Grey Gurnard	..	7	6	..	..	..	..	..	..	..	..	13	2½	13	2½
				Greater Weever.	..	..	7	1	..	..	..	..	..	..	..	8	..	8	..
XLIV 1	Off Sandettie Light-vessel.	19 gvl.	Nov. 26th	Plaice ..	..	..	42	56	..	..	..	..	..	..	..	98	29	98	29
B 247	51° 13⅞′ N., 1° 50¼′ E.	20½ gvl.	7.45 a.m.	Dab	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
			1 hr.	Lemon Dab..	..	1	3	1	..	..	..	..	..	..	..	5	..	5	..
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	3	..	..	..	..	1	..	4	13½	4	13½
				Whiting ..	..	1	..	4	2	..	..	..	..	..	..	7	4	7	4
				Pout	..	82	52	4	..	..	..	..	..	..	..	138	17	138	17
				Grey Gurnard	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Latchet ..	..	1	2	..	..	1	..	..	..	..	..	4	..	4	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
				Horse Mackerel.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Lesser Spotted Dog.	..	..	..	..	..	1	..	..	..	..	..	1	..	2	..
XLIV 3	N.W. of Sandettie Light-vessel.	21 c.s.	Nov. 26th	Plaice ..	..	..	38	43	3	..	..	..	..	..	..	84	28¼	84	28¼
B 248	51° 15½′ N., 1° 48¾′ E.	21 c.s.	noon	Lemon Dab..	..	..	5	1	..	..	..	..	..	..	..	6	..	6	..
			1 hr.	Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	5	8	2	..	..	..	..	..	..	15	5½	15	5½
				Pout and Poor Cod.	..	105	57	2	..	..	..	..	..	..	..	164	21½	164	21½
				Thornback ..	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..
				Homelyn ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Angler ..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Lesser Spotted Dog.	..	..	..	..	..	1	1	..	..	..	..	2	..	2	..
XLIV 12	Lowestoft Deep Water.	21 br.spk.s.	Dec. 1st	Plaice ..	..	..	1	2	3	2	..	..	..	..	..	8	9	8	9
B 250	52° 21¼′ N., 2° 6⅞′ E.	20 d.s.	11.45 a.m.	Dab	..	4	5	..	..	..	..	..	..	..	..	9	..	9	..
		20 s.m., sh.	4½ hrs.	Lemon Dab	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Sole	..	..	23	3	1	..	..	..	..	..	..	27	6	27	6

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.)	Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLIV 12	Lowestoft Deep Water—*cont.*	21	br.spk.s.	Dec. 1st	Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	2	1	2
B 250	52° 21¼′ N., 2° 6⅞′ E.	20	d.s.	11.45 a.m.	Cod	..	5	..	6	4	7	3	2	..	..	..	27	43	27	43
		20	s.m.sh.	4½ hrs.	Whiting ..	..	34	112	21	2	1	..	..	..	..	..	170	42	170	42
					Pout	..	17	3	..	..	..	..	..	..	..	..	20	..	20	..
					Sprat	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
					Conger ..	..	..	..	..	..	..	1	..	1	..	..	2	..	2	..
					Thornback ..	2	9	27	14	2	..	..	..	..	..	..	54	..	54	..
					Skate ..	..	3	1	..	..	..	1	..	..	..	..	5	..	5	..
					Homelyn ..	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
					Spur Dog ..	..	..	..	6	3	..	1	1	..	1	..	12	..	12	..
					Lesser Spotted Dog.	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
XLIV. 14	Edge of Deep Water	19	s.m.gvl.	Dec. 2nd	Plaice ..	..	..	1	4	3	..	..	..	..	..	..	8	..	8	..
B 251	52° 21′ N., 2° 2 7/16′ E.	19½	s.gvl.	9 a.m.	Dab	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..
				4 hrs.	Lemon Dab	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
					Sole	..	..	9	4	1	..	..	..	..	..	..	14	..	14	..
					Cod	..	..	1	8	31	10	14	15	5	1	2	87	255	87	255
					Whiting ..	..	1	76	56	6	..	..	..	..	..	..	139	11	[543]	43
					Pout	..	4	9	..	..	..	..	..	..	..	..	13	..	13	..
					Thornback ..	..	3	18	9	..	..	..	..	..	..	..	30	..	30	..
					Skate	..	3	..	..	..	1	..	..	..	..	..	4	..	4	..
					Homelyn ..	..	..	3	..	2	..	..	..	..	..	..	5	..	5	..
					Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
					Lesser Spotted Dog.	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
XLV. 1	North of Terschelling Light-vessel.	20	s.m.	Dec. 8th	Plaice ..	..	..	1	4	2	..	1	..	..	..	..	8	..	8	..
* O 263	53° 44⅝′ N., 4° 47⅛′ E.	19	s.m.	7.30 a.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
				4 hrs.	Turbot ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
					Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket	
					Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets (large fish)	
					Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	Few (small)	
					Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XLV 2	North of Terschelling Light-vessel.	19	s.m.	Dec. 8th	Plaice ..	..	..	..	1	5	..	..	..	..	..	..	6	..	6	..
* O 264	53° 44′ N., 4° 51′ E.	20	s.m.	2 p.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				2½ hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
					Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (medium)	
					Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¾ Basket (large)	
XLV 4	North of Terschelling Light-vessel.	21	m.	Dec. 9th	Plaice ..	..	..	5	7	6	1	..	..	..	..	..	19	..	19	..
* B 253	53° 48¼′ N., 4° 53⅝′ E.	20	s.m.	8 a.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..
		19	c.s.	5 hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
					Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	5 (medium)	
					Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1½ Baskets (large).	
					Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
					Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
XLV 5	North of Terschelling Light-vessel.	19	c.s.	Dec. 9th	Plaice ..	..	..	1	..	5	..	..	..	..	..	..	6	..	6	..
* B 254	53° 45⅝′ N., 4° 47⅛′ E.	19		1.30 p.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	17	..
		20½	m.	5 hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
					Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	4 (medium)	
					Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1¼ Baskets (large).	
					Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4 (small)	
XLV 6	North of Terschelling Light-vessel.	20½	m.	Dec. 9th & 10th.	Plaice ..	..	..	..	3	5	..	..	..	..	..	..	8	..	8	..
* B 255	53° 40¼′ N., 4° 45¼′ E.	19	f.s.	7 p.m. (9th).	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	28	..
	Net torn.	13	f.s., sh.	5½ hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
					Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
					Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	5 (medium)	
					Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
					Skate	..	..	..	..	..	..	..	..	..	..	..	..	..	8 (small)	

* No Naturalists on board ; Captain in charge ; records of fish by Chief Steward.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLV 7	North of Terschelling Light-vessel.	14½ d.s.	Dec. 10th	Plaice ..	..	39	62	28	1	..	..	..	..	..	..	130	..	130	..
* B 256	53° 29½′ N., 4° 54′ E.	13	8 a.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
		13 d.g.s.	5½ hours.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	10 (medium)	
XLV 8	North of Terschelling Light-vessel.	13 d.g.s.	Dec. 10th	Plaice	..	48	85	81	3	..	..	..	..	..	..	217	..	217	..
* B 257	53° 33⅓′ N., 4° 53⅓′ E.	13 f.l.s.	2 p.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	16	..
			5½ hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	8 (small)	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
XLV 9	North of Terschelling Light-vessel.	13 f.l.s.	Dec. 10th & 11th.	Plaice	..	6	43	106	7	..	..	..	..	..	..	167	..	167	..
B 258	53° 34⅝′ N., 4° 54⅛′ E.	12 f.g.s.	8 p.m. (10th).	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	42	..
			5½ hrs.	Turbot	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	5 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4 (small)	
XLV 10	North of Terschelling Light-vessel.	12 f.g.s.	Dec. 11th	Plaice	..	7	49	74	8	2	..	..	..	..	..	140	..	140	..
* B 259	53° 34½′ N., 4° 55⅔′ E.	13½ f.d.s.	2 a.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	44	..
			5½ hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	6 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	4 (large)	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6 (small)	
XLV 11	Terschelling Ground	13½ f.d.s.	Dec. 11th	Plaice	..	2	20	50	4	1	..	..	..	..	..	77	..	77	..
* B 260	53° 39′ N., 4° 59⅔′ E.	15 f.d.s.	8 a.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	16	..
		16½ s.m.	6 hrs.	Turbot	..	..	..	..	..	..	..	..	..	..	..	..	..	13 (small)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	7 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	(large fish)
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3 (medium)	
XLV 12	Terschelling Ground	16½ s.m.	Dec. 11th	Plaice	..	..	41	65	4	..	1	..	..	..	..	111	..	111	..
* B 261	53° 39′ N., 5° 3′ E.	13 f.d.s.	2.30 p.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	53	..
			6 hrs.	Turbot	..	..	..	..	..	..	..	..	..	..	..	..	..	9 (small)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	9 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	4 (large)	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	9 (medium)	
XLV 13	North of Terschelling Light-vessel.	13 f.d.s.	Dec. 11th & 12th.	Plaice	..	..	46	68	6	..	..	..	..	..	..	120	..	120	..
* B 262	53° 34½′ N., 4° 54⅜′ E.	13	9 p.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	59	..
		13 f.g.s.	5½ hrs.	Turbot	..	..	..	..	..	..	..	..	..	..	..	..	..	5 (small)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	5 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XLV 14	Terschelling Ground	12½ f.d.s.	Dec. 13th	Plaice	..	10	116	41	1	..	..	..	..	..	..	168	..	168	..
* B 263	53° 33¼′ N., 5° 14⅜′ E.	14	8 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket, and 20 large fish.	
		15 s.m.	6 hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	12 (small)	
				Flounder ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	11 (small)	
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
XLV 15	Terschelling Ground	16 f.d.s.	Dec. 13th	Plaice	..	..	21	39	6	..	1	..	..	..	..	67	..	67	..
* B 264	53° 39⅜′ N., 5° 3⅞′ E.	16 s.m.	2.30 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
			6 hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	50	..
				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	3 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..

* No Naturalists on board; Captain in charge; records of fish by Chief Steward.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLV 16	North of Terschelling Light-vessel.	16 m.	Dec. 13th & 14th	Plaice ..	..	..	38	126	12	1	..	..	..	..	..	177	..	177	..
* B 265	53° 36⅞′ N., 4° 50′ E.	13 f.s.sh.	9.30 p.m. (13th) 5 hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	75	..
				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	5 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket.	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
XLV 17	North of Terschelling Light-vessel.	13 f.s.sh.	Dec. 14th	Plaice ..	..	..	21	63	12	2	2	..	..	..	..	100	..	100	..
* B 266	53° 36¾′ N., 4° 50¼′ E.	17½ s.m.	3 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	20 (small)	
			5½ hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	30	..
				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	16 (large)	
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	..
				Spur Dog .	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XLV 18	North of Terschelling Light-vessel.	17½ s.m.	Dec. 14th	Plaice ..	..	1	15	39	3	..	..	..	..	..	..	58	..	58	..
* B 267	53° 37′ N., 4° 51¾′ E.	15 s.m.	9 a.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
		12 f.g.s.	5 hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4 (small)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	3 (small)	
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
XLVI 1	Lowestoft Deep Water.	25 f.s.	Dec. 17th	Plaice ..	..	..	5	13	3	..	..	..	..	..	..	21	..	21	..
* B 268	52° 13¾′ N., 2° 30′ E.	24 f.s.	noon.	Lemon Dab ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
	Belly very badly torn.		4½ hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	3 (medium)	
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket	
				Pout	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
				Ling	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Conger ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
				Skate	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
XLVI 2	East part of Lowestoft Deep Water.	21 f.g.s.	Dec. 17th & 18th.	Plaice ..	..	..	10	22	4	..	..	..	..	..	..	36	..	36	..
* B 269	52° 24⅛′ N., 2° 51⅛′ E.	20 f.g.s.	9.30 p.m. (17th).	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
			4¾ hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (medium)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket	
				Pout	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
				Conger ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
XLVI 3	East part of Lowestoft Deep Water.	20 f.s.	Dec. 18th	Plaice ..	..	..	28	52	4	2	1	..	..	..	..	87	..	87	..
* B 270	52° 30′ N., 2° 57¾′ E.	20	2.45 a.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
		20 f.g.s.	4¾ hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket	
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
XLVI 4	East part of Lowestoft Deep Water.	21 f.s., sh.	Dec. 18th	Plaice ..	..	..	10	26	1	1	..	..	..	..	..	38	..	38	..
* B 271		23 f.s., sh.	1 p.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
	52° 33⅜′ N., 2° 49′ E.	22 f.s., sh.	5 hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (large)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..

* No Naturalists on board ; Captain in charge ; records of fish by Chief Steward.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLVI 4	East part of Lowestoft Deep Water—*cont.*	21 f.s., sh.	Dec. 18th	Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
*B 271	52° 33⅝′ N., 2° 49′ E.	23 f.s., sh.	1 p.m.	Pout	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
		22 f.s. sh.	5 hrs.	Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
XLVI 5	East part of Lowestoft Deep Water.	22 f.s., sh.	Dec. 18th & 19th	Plaice ..	..	..	19	36	11	2	..	..	..	..	..	68	..	68	..
*B 272	52° 30¼′ N., 2° 51⅝ E.	22	6.30 p.m. (18th)	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..
		21 f.s.	6½ hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket	
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
XLVI 6	East part of Lowestoft Deep Water.	21 f.s.	Dec. 19th	Plaice ..	..	..	46	32	2	..	..	..	..	..	..	80	..	80	..
*B 273	52° 32′ N., 2° 56⅞′ E.	22	1.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
		19 f.g.s.	6 hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket.	
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
XLVI 7	East part of Lowestoft Deep Water.	19 f.g.s.	Dec. 19th	Plaice ..	..	..	..	26	30	13	4	..	..	..	..	73	..	73	..
*B 274	52° 34⅓′ N., 2° 53½′ E.	22	8.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
		21 f.g.s.	6¾ hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (medium)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (medium)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
				Conger ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3 (small)	
XLVI 8	East part of Lowestoft Deep Water.	21 f.g.s.	Dec. 19th	Plaice ..	..	..	18	40	13	1	..	..	..	..	..	72	..	72	..
*B 275	52° 57′ N., 2° 50′ E.	22 f.g.s.	3.30 p.m.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
		23 f.d.s.	7½ hrs.	Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	2 (small)	
				Cod	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	¾ Basket	
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
				Conger ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (small)	
			1905.																
XLVII 1	Bridlington Bay ..	6 f.s.	Jan. 9th	Plaice ..	..	3	11	4	..	..	..	..	..	..	..	18	..	18	..
B 276	54° 2′ N., 0° 9⅝′ W.	6½ f.s.	3.30 p.m.	Dab	2	65	38	2	..	..	..	..	..	..	..	107	..	107	..
			½ hr.	Cod	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	1	1	..	..	..	..	..	..	..	..	..	2	..	2	..
XLVII 2	Flamborough Head Ground.	31 f.d.s.	Jan. 13th	Plaice ..	..	..	3	25	12	..	..	..	..	..	..	40	26½	40	26½
B 277	54° 11¾′ N., 0° 29⅛′ E.	31 f.d.s.	6.45 p.m.	Dab	..	27	4	1	..	..	..	..	..	..	..	32	..	32	..
	Came fast, probably to a wreck; net badly torn and beam broken.		2 hrs.	Lemon Dab..	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Long Rough Dab.	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Cod	..	..	4	9	..	..	..	..	..	..	..	13	..	13	..
				Haddock ..	..	8	3	..	..	..	..	..	..	..	..	11	..	11	..
				Whiting ..	..	3	21	6	..	..	..	..	..	..	..	30	..	30	..
				Pout	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
				Conger ..	..	..	..	..	..	..	..	..	1	..	1	2	..	2	..
				Angler ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Starry Ray..	..	4	3	1	..	..	..	..	..	..	..	8	..	8	..

* No Naturalists on board; Captain in charge; records of fish by Chief Steward.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLVII 3	Flamborough Head Ground.	31 f.d.s.	Jan. 13th & 14th.	Plaice ..	..	..	16	37	21	1	..	..	..	..	..	75	44	75	44
O 266	54° 12⅜′ N., 0° 29½′ E.	31 f.d.s.	11 p.m. (13th).	Dab	..	32	5	..	..	..	..	..	..	..	..	37	..	37	..
			5 hrs.	Lemon Dab	..	..	1	4	..	..	..	..	.	..	..	5	..	5	..
				Long Rough Dab.	..	4	5	..	..	..	..	..	..	..	..	9	..	9	..
				Sole	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	22	33	3	..	..	1	..	..	..	59	..	59	..
				Haddock ..	..	1	6	..	..	..	..	..	..	..	..	7	..	7	..
				Whiting ..	..	..	55	7	..	..	..	..	..	..	..	62	..	62	..
				Pout	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Angler ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Grey Gurnard	..	4	3	1	..	..	..	..	..	..	..	8	..	8	..
				Black Skate	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Starry Ray..	..	2	11	1	..	..	..	..	..	..	..	14	..	14	..
XLVII 4	Flamborough Head Ground.	31 f.d.s.	Jan. 14th	Plaice ..	..	..	6	41	28	..	1	..	..	..	..	76	47	76	
O 267	54° 13½′ N., 0° 29½′ E.	31 f.d.s.	5 a.m.	Only Plaice measured; other contents of Trawl not recorded, species same as in XLVII. 3.															
			5 hrs.																
XLVII 5	Flamborough Off ..	26 f.s.	Jan. 20th	Plaice ..	..	1	16	35	3	..	..	..	..	..	..	55	19½	55	
O 268	53° 59½′ N., 0° 36¾′ E.	25½ f.s.	11.45 a.m	Dab	..	266	12	1	..	..	..	..	..	..	..	279	..	279	..
			4 hrs.	Lemon Dab ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Long Rough Dab.	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
				Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	1	..	1	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				John Dory ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	9	12	2	1	..	1	..	1	..	26	..	26	..
				Whiting ..	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Pout	..	..	1	..	..	..	..	.	..	..	..	1	..	1	..
				Grey Gurnard	..	1	12	4	..	..	..	..	..	..	..	17	..	17	..
				Herring ..	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
				Greater Weever.	..	..	10	1	..	..	..	..	..	..	..	11	..	11	..
				Spur Dog ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
XLVII 7	Eastern edge of Flamborough Off.	23 f.s.	Jan. 21st	Plaice ..	..	..	5	9	2	..	..	..	..	..	..	16	..	16	..
O 269	54° 4′ N., 1° 11½′ E.	27 f.s.	9.15 a.m.	Dab	..	81	12	.	..	..	..	..	..	..	..	93	..	93	..
	Belly and fore wing badly torn.	27 f.s.	4 hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Long Rough Dab.	..	3	1	..	..	..	..	..	..	..	..	4	..	4	..
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	4	13	7	2	1	3	1	2	..	33	..	33	..
				Haddock ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	2	17	5	..	..	..	..	..	..	..	24	..	24	..
				Grey Gurnard	..	8	23	3	..	..	..	..	..	..	..	34	..	34	..
				Ling	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Cuckoo Ray..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XLVII 12	Dogger Bank, East of S.W. Patch.	15 f.s.	Jan. 22nd	Plaice ..	..	..	2	15	1	..	..	..	..	..	..	18	10	18	10
O 270	54° 26¼′ N., 2° 41⅜′ E.	17 f.s.	8 a.m.	Dab	..	124	52	7	..	..	..	..	..	..	..	183	16	183	16
			5 hrs.	Sole	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Cod	..	2	2	..	..	1	4	1	2	..	..	12	..	12	..
				Haddock ..	..	..	..	28	50	..	..	..	..	..	..	78	63	360	[291]
				Whiting ..	..	12	136	41	5	1	1	..	..	..	..	196	43	196	43
				Grey Gurnard	..	2	5	..	..	..	..	..	..	..	..	7	..	7	..
				Herring ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XLVII 15	Dogger Bank, Eastern Shoal.	17 f.s.	Jan. 22nd	Plaice ..	..	..	6	7	..	1	..	..	..	..	..	14	6½	14	6½
O 271	54° 36⅜′ N., 2° 42⅜′ E.	16 .	2 p.m.	Dab	..	23	25	19	..	..	..	..	..	..	..	67	14	67	14
		11½ f.s.	5 hrs.	Cod	..	..	2	2	..	4	2	3	1	1	..	15	..	15	..
				Haddock ..	..	1	..	27	52	1	1	..	..	..	..	82	71	82	71
				Whiting ..	..	..	52	28	1	..	1	..	..	..	..	82	20	82	20
				Conger ..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..
				Herring ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot. and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLVII 18	Dogger Bank, North of Eastern Shoal.	11½ f.s.	Jan. 22nd & 23rd	Plaice ..	..	..	2	11	1	1	1	..	..	..	..	16	11	16	11
O 272	54° 44⅜′ N., 2° 38⅞′ E.	11½	8 p.m. (22nd)	Dab	..	11	58	96	..	..	..	..	..	..	..	165	62	165	62
		12 f.s.	5 hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	1	6	4	1	..	..	12	..	12	..
				Haddock ..	..	..	..	12	34	1	1	..	..	..	..	48	47	48	47
				Whiting ..	..	..	18	9	..	..	..	..	..	..	..	27	..	27	..
XLVII 19	Dogger Bank, North of Eastern Shoal.	12 f.s.	Jan. 23rd	Plaice ..	..	..	4	4	2	..	..	..	..	..	..	10	..	10	..
O 273	54° 54¼′ N., 2° 36½′ E.	11 f.s.	2 a.m.	Dab	1	85	31	34	1	..	..	..	..	..	..	152	26	152	26
		14 f.s. & sh.	5 hrs.	Cod	..	5	2	..	3	2	2	..	1	..	..	15	20	15	20
				Haddock ..	..	1	..	13	34	3	1	..	..	..	..	52	49	52	49
				Whiting ..	..	7	25	8	..	..	..	..	..	..	..	40	8	40	8
XLVII 22	Dogger Bank, North of Eastern Shoal.	14 f.s. & sh.	Jan. 23rd	Plaice ..	..	..	1	2	1	..	..	..	..	..	..	4	..	4	..
O 274	54° 53⅞′ N., 2° 42¼′ E.	11 f.s. & sh.	8 a.m.	Dab	..	11	5	5	..	..	..	..	..	..	..	21	..	21	..
		10 f.s. & sh.	5 hrs.	Cod	..	..	2	2	..	..	..	1	..	1	..	6	..	6	..
				Haddock ..	..	..	..	..	10	..	..	..	..	..	..	10	..	10	..
				Whiting ..	..	..	15	5	..	..	.	..	..	..	..	20	..	20	..
				Herring ..	..	6	1	..	..	..	..	..	..	..	..	7	..	7	..
XLVII 25	Clay Deep, Edge of Dogger.	20 f.s.	Jan. 25th	Plaice ..	..	..	1	5	1	1	..	..	..	..	..	8	..	8	..
O 275	54° 51¾′ N., 3° 25′ E.	22 f.s. & oz.	5 p.m.	Dab	..	..	1	2	..	..	..	..	..	..	..	3	..	3	.
			2¾ hrs.	Cod	..	..	3	2	1	4	3	2	9	..	..	24	..	24	..
				Haddock ..	..	1	..	41	65	1	..	..	..	..	..	108	..	108	..
				Whiting ..	..	1	21	11	..	..	..	..	..	..	..	33	..	33	..
XLVII 26	East of Leman Ground.	19 f.s. & m.	Jan. 25th	Plaice ..	..	1	37	20	11	1	..	..	..	..	..	70	30	70	30
O 276	53° 19¼′ N., 3° 0¼′ E.	20	4 a.m.	Dab	..	253	26	5	..	..	..	..	..	..	..	284	..	284	..
		17½ f.s. & m.	5 hrs.	Sole	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	2	3	..	..	1	6	..	6	..
				Haddock ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	176	70	2	..	..	..	..	..	..	248	..	[341]	..
				Pout	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XLVII 29	Leman Ground ..	17½ f.s. & m.	Jan. 25th	Plaice ..	..	..	3	2	..	..	..	..	..	..	..	5	..	5	..
O 277	53° 27¼′ N., 2° 51¾′ E.	17 f.g.s.	9.50 a.m.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
			2⅙ hrs.	Cod	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Whiting ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Herring ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XLVIII 2	S.E. of Smith's Knoll light-vessel.	22 s. & m.	Feb. 14th	Plaice ..	..	7	65	17	4	..	..	..	..	..	..	93	30	93	30
B 278	52° 48 7/16′ N., 2° 18 3/16′ E.	24 s. & ross.	5.45 p.m.	Dab	..	16	5	..	..	.	..	..	..	..	..	21	..	21	..
			3 hrs.	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	..	7	..	..	..	7	38½	7	38½
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	2	1	1	..	..	..	..	..	5	8½	5	8½
				Black Skate	.	1	..	1	..	..	..	..	..	..	..	2	..	2	..
XLVIII 5	Extreme South of Leman Ground.	20½ s.	Feb. 14th 15th.	Plaice ..	..	1	6	4	1	1	..	..	..	..	..	13	6½	13	6½
B 279	53° 1⅛′ N., 2° 35⅔′ E.	18 f.s.	10.40 p.m. (14th.)	Dab	..	10	..	..	..	..	..	..	..	..	..	10	..	10	..
			3 hrs.	Whiting ..	..	3	..	1	..	..	..	..	..	..	..	4	..	4	..
				Thornback ..	1	3	13	6	1	1	1	..	..	..	..	26	26	26	26
				Skate	..	1	..	..	..	..	1	..	..	..	..	2	..	2	..
XLVIII 8	Leman Ground ..	18 f.s.	Feb. 15th	Plaice ..	..	2	11	4	4	..	..	..	.	..	..	21	10	21	10
B 280	53° 16¼′ N., 2° 50⅜′ E.	16½ f.s.	3.55 a.m.	Dab	..	56	10	1	..	..	.	..	..	..	..	67	5½	67	5½
			4 hrs.	Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	2	..	2	..	..	..	..	..	..	4	..	4	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLVIII 8	Leman Ground—*cont.*	18 f.s.	Feb. 15th	Thornback ..	1	1	8	6	1	2	1	..	..	..	..	20	20	20	20
B 280	53° 16¼′ N., 2° 50⅝′ E.	16½ f.s.	3.55 a.m.	Skate	..	..	..	1	..	..	..	..	..	..	..	1		1	
			4 hrs.	Spur Dog ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
XLVIII 10	East part of Leman Ground.	16½ f.s.	Feb. 15th	Plaice ..	..	2	21	11	3	..	..	..	..	..	..	37	9	37	9
B 281	53° 32¼′ N., 2° 56′ E.	17 f.d.s.	9.40 a.m.	Dab	..	208	16	..	..	..	..	..	..	..	..	224	..	224	..
			4 hrs.	Flounder ..	..	..	11	10	..	..	..	..	..	..	..	21	..	21	..
				Turbot ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	6	..	..	.	..	..	..	..	..	6	..	6	..
				Grey Gurnard ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Black Skate ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
XLVIII 12	Botney Ground ..	18½ f.d.s.	Feb. 15th	Plaice ..	..	10	45	23	5	1	..	..	..	..	..	84	22	84	22
B 282	53° 33¼′ N., 3° 13¼′ E.	16½ f.d.s.	2.45 p.m.	Dab	..	38	8	..	..	..	..	..	..	..	..	46	3	[383]	25
			6 hrs.	Flounder ..	..	..	17	20	..	..	..	..	..	..	..	37	12	37	12
				Sole	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	4½	1	4½
				Cod	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Whiting ..	..	2	56	7	1	..	..	..	..	..	..	66	11	66	11
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	1	1	..	..	..	2	..	2	..
XLVIII 14	S.W. part of New Zealand.	15 f.s.	Feb. 16th	Plaice ..	..	12	42	12	6	1	..	..	..	..	..	73	20½	73	20½
B 283	53° 15¾′ N., 3° 41⅜′ E.	14 f.d.s.	4 a.m.	Dab	..	201	15	..	..	..	..	..	..	..	..	216	12	[450]	25
			5 hrs.	Flounder ..	..	1	30	23	3	..	..	..	..	..	..	57	19	57	19
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Herring ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Sprat	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	2	..	9	2	1	..	..	..	..	..	..	14	8	14	8
				Homelyn ..	..	..	2	..	..	..	..	..	..	..	..	2	5½	2	5½
				Black Skate ..	1	..	..	..	..	..	1	..	..	..	..	2		2	
XLVIII 16	N.W. part of Texel Ground.	15½ f.s.	Feb. 16th	Plaice ..	..	..	9	9	4	..	..	..	..	..	..	22	10	22	10
B 284	53° 5⅝′ N., 4° 2½′ E.	17 f.s.	10.45 a.m.	Dab	..	16	21	1	..	..	..	..	..	..	..	38	5	38	5
	Came fast to wreck, broke both trawl heads; net torn.	15 f.s.	3½ hrs.	Flounder ..	..	..	2	5	..	..	..	..	..	..	..	7	..	7	..
				Sole	..	..	4	1	..	..	..	..	..	..	..	5	..	5	..
				Turbot ..	..	..	..	3	2	..	..	..	..	..	..	5	8½	5	8½
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	71	50	..	..	..	..	..	..	..	121	32½	[508]	136½
				Greater Weever.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XLVIII 18	Texel Ground ..	16 f.g.s.	Feb. 16th	Plaice ..	..	9	31	12	4	1	..	..	..	..	..	57	16	57	16
B 285	53° 0¾′ N., 4° 12½′ E.	16½ f.g.s.	3.45 p.m.	Dab	..	183	33	2	..	..	..	..	..	..	..	218	15	218	15
	Ground rope parted, and belly split.		4 hrs.	Flounder ..	..	..	12	7	..	..	..	..	..	..	..	19	..	19	..
				Sole	..	..	7	1	..	..	..	..	..	..	..	8	..	8	..
				Turbot ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	1	..	..	..	1	2	1	..	5	23	5	23
				Whiting ..	..	2	10	4	..	..	..	..	..	..	..	16	..	16	..
XLVIII 20	Brown Ridges ..	14 f.g.s.	Feb. 17th	Plaice ..	..	34	88	22	3	..	..	..	..	..	..	147	25	147	25
B 286	52° 50½′ N., 3° 44¾′ E.	17 f.g.s.	4 a.m.	Dab	..	134	42	..	..	..	..	..	..	..	..	176	15	176	15
		14 f.br.s.	5 hrs.	Flounder ..	..	..	7	6	1	..	..	..	..	..	..	14	5	14	5
				Sole	..	..	3	5	..	..	..	..	..	..	..	8	5	8	5
				Brill .. .	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	..	..	..	..	1	2	1	..	4	45	4	45
XLVIII 22	Western Edge of Lowestoft Deep Water.	23 f.g.s. & pebbles.	Feb. 17th.	Plaice ..	..	..	8	4	4	..	..	..	..	..	..	16	6	16	6
B 287	52° 25′ N., 2° 7′ E.	20 f.d.s.	5.10 p.m.	Sole	..	1	5	3	..	..	..	..	..	..	..	9	..	9	..
			4 hrs.	Cod	..	..	..	..	..	..	..	2	1	..	..	3	20	3	20
				Whiting ..	..	..	..	1	..	..	..	..	..	..	..	1	.	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.)	Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLVIII 22	Western Edge of Lowestoft Deep Water—*cont.*	23	f.g.s. & pebbles.	Feb. 17th	Ling	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
B 287	52° 25′ N., 2° 7′ E.	20	f.d.s.	5.10 p.m.	Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				4 hrs.	Thornback ..	..	1	4	1	..	1	..	..	..	..	..	7	8	7	8
					Homelyn ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
					Black Skate ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XLIX 1	Knoll Deep	22	sharp s.	Feb. 28th	Plaice ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 288	52° 34¼′ N., 2° 16½′ E.	22	ross	5.30 p.m.	Lemon Dab ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
	Came fast to a ross bank, net very badly torn.			¾ hr.	Cod	..	..	1	..	..	1	..	..	..	..	..	2	..	2	..
					Whiting ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
					Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
					Thornback ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
					Homelyn ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XLIX 2	Winterton Shoal ..	19½	blk.spk.s.	March 1st	Plaice ..	..	17	69	10	..	..	..	..	..	..	..	96	15	96	15
B 289	52° 40⅓′ N., 2° 58¾′ E.	16	blk.spk.s.	9.30 a.m.	Dab	..	422	101	..	..	..	..	..	..	..	..	523	31	523	31
				4 hrs.	Lemon Dab ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
					Flounder ..	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
					Cod	..	7	7	..	..	..	..	..	..	..	..	14	..	14	..
					Whiting ..	..	5	123	12	..	..	..	..	..	..	..	140	16½	140	16½
					Pout	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
					Grey Gurnard	..	..	9	..	..	..	..	..	..	..	..	9	..	9	..
					Greater Weever.	..	..	16	3	..	..	..	..	..	..	..	19	..	19	..
XLIX 5	Leman Ground ..	17	f.d.s.	March 1st & 2nd.	Plaice ..	..	7	14	12	..	..	..	..	..	..	..	33	6	33	6
B 290	53° 15′ N., 2° 30¼′ E.	16	f.g.s.	8.30 p.m. (1st).	Dab	..	35	8	..	..	..	..	..	..	..	..	43	..	43	..
		15	f.g.s.	5 hrs.	Brill	..	..	..	..	..	1	..	..	..	..	..	1	3	1	3
					Whiting ..	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
					Grey Gurnard	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
					Thornback .	1	..	8	7	2	2	..	..	..	..	..	20	19¼	20	19¼
					Black Skate ..	..	..	..	..	..	1	..	..	..	..	..	1	3¾	1	3¾
XLIX 6	Leman Ground ..	12	f.blk.spk.s.	Mar. 2nd	Plaice ..	..	11	64	74	6	1	..	..	..	..	..	156	46½	156	46½
B 291	53° 26½′ N., 2° 23¼′ E.	13	f.d.s.	11.30 a.m.	Dab	..	105	25	2	..	..	..	..	..	..	..	132	..	132	..
				3 hrs.	Flounder ..	..	..	5	3	..	..	..	..	..	..	..	8	..	8	..
					Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	1¾	1	..
					Cod	..	..	..	..	..	..	1	..	..	..	..	1	3¾	1	..
					Whiting ..	..	..	5	2	..	..	..	..	..	..	..	7	..	7	..
					Grey Gurnard	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
					Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XLIX 10	Markham's Hole ..	20	f.s.	Mar. 2nd & 3rd	Plaice ..	..	3	23	45	16	1	..	..	..	..	..	88	36	88	6
B 292	53° 46¼′ N., 2° 41½′ E.	33	s. & m.	9.30 p.m. (2nd)	Dab	..	57	16	1	..	..	..	..	..	..	..	74	5	74	5
		19	sharp s.	4 hrs.	Lemon Dab ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
					Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
					Sole	..	..	1	5	1	..	..	..	..	..	..	7	..	7	..
					Brill	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
					Cod	..	2	5	..	..	..	..	1	..	..	..	8	..	8	..
					Whiting ..	..	..	33	16	1	..	..	..	..	..	..	50	11½	50	11½
					Pout	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
					Grey Gurnard	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
					Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
					Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
XLIX 24	Flamborough Off ..	24	f.d.s.	Mar. 3rd	Plaice ..	..	..	..	5	3	..	..	..	..	..	..	8	..	8	..
O 278	54° 8½′ N., 1° 8¾′ E.	29		7 p.m.	Dab	..	96	9	1	..	..	..	..	..	..	..	106	..	106	..
	Ground rope parted, net very badly torn; had a trawl beam and head in our trawl.	23	f.d.s.	5 hrs.	Lemon Dab ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
					Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
					Cod	..	..	..	..	..	..	2	..	4	1	..	7	..	7	..
					Whiting ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
					Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
					Grey Gurnard	..	1	7	2	..	..	..	..	..	..	..	10	..	10	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
XLIX 25	The Hills	26 f.d.s.	Mar. 4th	Plaice ..	..	1	4	16	11	2	..	..	..	..	..	34	23	34	23
O 279	54° 17′ N., 1° 15′ E.	30 f.d.s.	9.45 a.m.	Dab	..	49	14	2	..	..	..	..	..	..	..	65	..	65	..
		24 f.d.s.	4 hrs.	Long Rough Dab.	..	4	..	..	..	..	..	..	..	..	..	4	..	4	..
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	..	1	3	1	..	..	..	..	..	5	..	5	..
				Whiting ..	..	1	..	1	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	1	5	3	..	..	..	..	..	..	..	9	..	9	..
				Herring ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Starry Ray ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
XLIX 26	The Hills	24 f.g.s.	Mar. 4th	Plaice ..	..	..	8	21	6	1	..	..	..	..	..	36	18	36	18
O 280	54° 17⅞′ N., 1° 10⅝′ E.	27 f.d.s.	2.15 p.m.	Dab	1	50	6	2	..	..	..	..	..	..	..	59	..	59	..
		15 f.s.	4 hrs.	Long Rough Dab.	..	3	1	..	..	..	..	..	..	..	..	4	..	4	..
				Turbot ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Cod	..	.	..	..	.	..	1	..	..	..	..	1	..	1	..
				Haddock ..	..	..	..	8	12	..	..	..	..	..	..	20	16½	20	16½
				Whiting ..	..	1	2	8	..	..	..	..	..	..	..	11	..	11	..
				Grey Gurnard	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
				Starry Ray ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
L 8	North of Hartlepool	10 c.s.	Mar. 10th	Plaice ..	..	38	44	15	..	..	..	..	..	..	..	97	..	97	..
B 294	54° 44⅝′ N., 1° 13⅜′ E.	6½ f.s.	6.45 a.m.	Dab	..	9	13	3	..	..	..	..	..	..	..	25	..	25	..
	Came fast, probably to a wreck; beam broken; lost aft trawl head, ground rope etc., net very badly torn.	5 c.s.	⅝ hr.	Flounder ..	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Cod	..	..	1	1	3	..	1	..	..	..	..	6	..	6	..
				Whiting ..	..	8	1	..	..	..	..	..	..	..	..	9	..	9	..
				Herring ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
L 9	Hartlepool Ground..	14 f.d.s.	Mar. 17th	Plaice ..	..	1	4	6	3	..	..	..	..	..	..	14	..	14	..
O 281	54° 41¾′ N., 1° 0⅝′ W.	20 f.d.s.	8 a.m.	Dab	..	20	17	2	..	..	..	..	.	..	..	39	6½	39	6½
	Net slightly torn.	25 f.d.s.	2 hrs.	Long Rough Dab.	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Flounder ..	..	..	3	3	..	..	..	..	..	..	..	6	..	6	..
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	2	4	12	5	9	11	1	..	..	..	44	61	44	61
				Haddock ..	..	23	9	6	..	..	..	..	..	..	..	38	..	38	..
				Whiting ..	..	11	3	..	..	..	..	..	..	..	..	14	..	14	..
				Grey Gurnard	..	..	24	14	..	..	..	..	..	..	..	38	11	38	11
				Cat fish ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Angler ..	..	1	..	1	..	..	..	..	..	..	..	2	..	2	..
				Sprat	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
L 12	Hartlepool Ground	27 f.d.s. & m.	Mar. 17th	Plaice ..	..	..	..	1	..	1	..	..	..	..	..	2	..	2	..
O 282	54° 42⅜′ N., 0° 55½′ W.	27 f.d.s. & m.	noon	Dab	..	5	1	..	..	..	..	..	..	..	..	6	..	6	..
			2 hrs.	Lemon Dab	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	..	2	..	..	..	2	..	2	..
				Haddock ..	..	11	..	..	..	..	..	..	..	..	..	11	..	11	..
				Whiting ..	..	3	4	1	..	..	..	..	..	..	..	8	..	8	..
				Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	15	14	..	..	..	..	..	..	..	29	..	29	..
				Ling	..	..	..	..	..	..	..	..	..	1	..	1	5	1	5
				Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Herring ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
L 13	Whitby Ground ..	34 f.d.s.	Mar. 17th	Plaice ..	..	..	1	7	3	..	..	..	..	..	..	11	..	11	..
O 283	54° 42¾′ N., 0° 20⅛ W.	34 f.d.s.	6.45 p.m.	Dab.. ..	..	142	15	2	..	..	..	..	..	..	..	159	..	159	..
			2 hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Long Rough Dab.	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..
				Cod	..	3	4	..	..	..	..	1	8	6	2	24	..	24	..
				Haddock ..	..	5	5	2	2	..	..	..	..	..	..	14	..	14	..
				Whiting ..	..	..	30	10	..	..	..	..	..	..	..	40	..	40	..
				Grey Gurnard	..	4	18	4	..	..	..	..	..	..	..	26	..	26	..
				Starry Ray ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15½+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
L 16	Whitby Ground ..	34 f.d.s.	Mar 17th and 18th.	Plaice ..	..	..	3	23	3	..	..	..	..	..	..	29	..	29	..
O 284	54° 42⅛′ N., 0° 17¼′ W.	35 f.d.s.	10 p.m. (17th.)	Dab	..	273	30	2	..	..	..	..	..	..	..	305	..	305	..
			5 hrs.	Lemon Dab..	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Flounder ..	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Long Rough Dab.	..	5	..	..	..	..	..	..	..	..	..	5	..	5	..
				Cod	..	..	1	..	1	..	..	2	8	12	5	29	..	29	..
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Whiting ..	..	..	..	..	..	..	.	..	..	..	..	..	..	Ca. 6	..
				Angler ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Cat Fish .	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Starry Ray ..	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..
L 17	Whitby Ground ..	35 f.d.s.	Mar. 18th	Plaice ..	..	..	..	7	4	1	..	..	..	..	..	12	..	12	..
O 285	54° 41⅛′ N., 0° 17′ W.	35 f.d.s.	4 .m.	Dab	..	236	10	1	..	..	..	..	..	..	..	247	..	247	..
			5 hrs.	Lemon Dab	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Long Rough Dab.	..	13	1	..	..	..	..	..	..	..	..	14	..	14	..
				Turbot ..	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	..	5	2	1	..	..	..	7	4	1	20	..	20	..
				Haddock ..	..	5	6	1	2	..	..	..	..	..	..	14	..	14	..
				Whiting ..	..	1	49	20	..	..	..	..	..	..	..	70	..	70	..
				Grey Gurnard ..	7	103	12	..	..	..	..	..	..	..	..	122	..	122	..
				Angler ..	..	..	..	..	..	3	..	..	..	..	..	3	..	3	..
				Starry Ray ..	..	2	3	..	..	..	..	..	..	..	..	5	..	5	..
L 24	West of Brucey's Garden.	42 f.d.s.	Mar. 18th	Dab	..	70	47	8	..	..	..	..	..	..	..	125	..	125	..
O 286	54° 57′ N., 0° 24′ E.	43 f.d.s.	3.50 p.m.	Lemon Dab	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
	Had a "pull out," hauled, found net all right.		2½ hrs.	Long Rough Dab.	..	18	7	..	..	..	..	..	..	..	..	25	..	25	..
				Cod	..	1	6	4	..	..	1	3	..	..	1	16	..	16	..
				Haddock ..	..	29	13	4	1	..	..	..	..	..	..	47	..	47	..
				Whiting ..	..	..	63	20	1	..	..	..	..	..	..	84	..	84	..
				Grey Gurnard ..	3	19	3	..	..	..	..	..	..	..	..	25	..	25	..
				Ling	..	..	..	..	..	..	..	1	..	..	1	2	..	2	..
				Herring ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Starry Ray ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
L 25	West of Brucey's Garden.	43 f.d.s.	Mar. 18th	Dab	..	264	88	14	1	..	..	..	..	..	..	367	30	[538]	44
O 287	55° 0¼′ N., 0° 37¾′ E.	37 f.d.s.	7 p.m.	Lemon Dab	..	..	1	14	1	..	..	..	..	..	..	16	10	16	0
			5 hrs.	Long Rough Dab.	..	54	39	..	..	..	..	..	..	..	..	93	..	93	..
				Cod	..	..	16	18	17	8	3	6	3	5	1	77	..	77	..
				Haddock ..	..	15	89	77	48	1	..	..	..	..	..	230	..	230	[109]
				Whiting ..	..	..	68	51	4	1	..	..	..	..	..	124	..	124	..
				Coal Fish ..	..	..	..	..	..	..	..	..	..	..	1	1	..		..
				Pout	..	1	9	..	..	..	..	..	..	..	..	10	..	10	..
				Grey Gurnard ..	7	59	15	..	..	..	..	..	..	..	..	81	..	81	..
				Ling	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Cat Fish ..	..	..	..	..	..	2	..	..	..	..	..	2	..	2	..
				Angler ..	..	..	..	..	..	2	1	1	..	..	..	4	..	4	..
				Herring ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Starry Ray ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
L 31	Dogger Bank, North of S.W. Patch.	11½ f.g.s.	Mar. 19th	Plaice ..	..	..	3	7	6	1	..	..	..	..	..	17	12	17	12
O 289	54° 37¼′ N., 1° 54⅝′ E.	13 f.g.s.	10.10 a.m.	Dab	..	17	11	1	..	..	..	..	..	..	..	29	..	29	..
	Piston of winch broken; gear hauled with tackle.		5 hrs.	Cod	..	1	..	1	..	1	1	..	..	..	..	4	..	4	..
				Haddock ..	..	..	..	..	1	3	..	..	..	..	..	4	..	4	..
				Whiting ..	..	..	11	2	..	..	..	..	..	..	..	13	..	13	..
				Grey Gurnard ..	1	8	3	..	..	..	..	..	..	..	..	12	..	12	..
LI 2	Brielle Ground ..	13 f.s.	Mar. 31st	Plaice ..	..	86	30	..	..	..	..	..	..	..	..	116	..	116	..
B 295	52° 5¾′ N., 3° 41⅜′ E.	11 f.s. & sh.	4.10 a.m.	Dab	..	88	31	..	..	..	..	..	..	..	..	119	..	119	..
			2 hrs.	Flounder ..	..	3	4	..	..	..	..	..	..	..	..	7	..	7	..
				Greater Weever.	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Thornback ..	1	..	3	1	..	..	..	..	..	..	..	5	..	5	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ 0	4+ 10+	8+ 20+	12+ 30+	15¾+ 40	19¾+ 50	23⅝+ 60	27½+ 70	31½+ 80	35½+ 90	39½+ 100	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LI 3	Brielle Ground ..	11 f.s. & sh.	Mar. 31st	Plaice ..	..	8	7	..	..	..	..	..	..	..	..	15	..	15	..
B 296	52° 8¾′ N., 3° 41¼′ E.	13 f.br.s.	6.30 a.m.	Dab	..	25	6	..	..	..	..	..	..	..	..	31	..	31	..
			2 hrs.	Flounder ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LI 4	Brielle Ground ..	14½ f.s.	Mar. 31st	Plaice ..	..	225	173	2	..	..	..	..	..	..	..	400	..	400	..
B 297	52° 15¾′ N., 3° 49⅜′ E.	13 f.g.br.s.	9.30 a.m.	Dab	..	36	20	..	..	..	..	..	..	..	..	56	..	56	..
			2 hrs.	Flounder ..	..	1	5	..	..	..	..	..	..	..	..	6	..	6	..
				Brill	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LI 5	Brielle Ground ..	13 f.g.br.s.	Mar. 31st	Plaice ..	..	299	184	1	..	..	..	..	..	..	..	484	..	484	..
B 298	52° 18¼′ N., 3° 58¼′ E.	13 f.s.	noon	Dab	..	49	24	..	..	..	..	..	..	..	..	73	..	73	..
			2 hrs.	Flounder ..	..	..	5	..	..	..	..	..	..	..	..	5	..	5	..
LII 22	Lowestoft Flats ..	17 c.s.	Apr. 8th	Dab	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B (c.) 299	52° 24′ N., 1° 59½′ E.	19½ s. & ross.	6 a.m.	Sole	..	..	1	3	..	..	..	..	..	..	..	4	..	4	..
	Covered net experiment No. 9.		1½ hrs.	Cod	..	..	..	..	4	..	1	..	..	..	..	5	..	5	..
				Whiting ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LIII 1	Off Scheveningen ..	10 d.s.	Apr. 18th	Plaice ..	..	20	3	..	..	..	..	..	..	..	..	23	..	23	..
O 290	52° 11½′ N., 4° 9½′ E.	11 d.s.	1.25 p.m.	Dab	..	96	60	..	..	..	..	..	..	..	..	156	..	156	..
			1 hr.	Flounder ..	..	3	2	..	..	..	..	..	..	..	..	5	..	5	..
				Whiting ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
LIII 2	Off Scheveningen ..	11 d.s.	Apr. 18th	Plaice ..	..	37	31	..	..	..	..	..	..	..	..	68	..	68	..
O 291	52° 12⅜′ N., 4° 5½′ E.	12 d.br.s.	2.50 p.m.	Dab	..	124	62	..	..	..	..	..	..	..	..	186	..	186	..
			1 hr.	Flounder ..	..	..	5	1	..	..	..	..	..	..	..	6	..	6	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Sprat	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LIII 3	N.W. of Scheveningen	12 f.br.s.	Apr. 18th	Plaice ..	..	224	127	2	..	..	..	..	..	..	..	353	..	353	..
O 292	52° 13′ N., 3° 59½′ E.	12 f.br.s.	4.15 p.m.	Dab	..	228	128	..	..	..	..	..	..	..	..	356	..	356	..
			2 hrs.	Flounder ..	..	1	4	1	..	..	..	..	..	..	..	6	..	6	..
				Brill	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Whiting ..	..	1	82	2	..	..	..	..	..	..	..	85	..	85	..
				Greater Weever.	..	..	6	1	..	..	..	..	..	..	..	7	..	7	..
LIII 5	N.W. of Scheveningen	10½ g.br.s.	Apr. 19th	Plaice ..	..	35	76	1	..	..	..	..	..	..	..	112	..	112+½ Basket	
O 293	52° 16¼′ N., 4° 4⅜′ E.	12 g.br.s.	6.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket	
			1½ hrs.	Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Several	..
LIII 6	N.W. of Scheveningen	12 g.br.s.	Apr. 19th	Plaice ..	..	80	53	..	..	..	..	..	..	..	..	133	..	133	..
O 294	52° 16¼′ N., 3° 57½′ E.	12½ g.br.s.	8.15 a.m.	Dab	..	24	5	..	..	..	..	..	..	..	..	29	..	29	..
			1½ hrs.	Whiting ..	..	1	72	9	..	..	..	..	..	..	..	82	..	82	..
				Mackerel ..	..	..	75	..	..	..	..	..	..	..	..	75	..	75	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LIII 7	Northern Edge of Brielle Ground.	12½ g.br.s.	Apr. 19th	Plaice ..	..	17	110	..	..	..	..	..	..	..	..	127	..	127	—
O 295	52° 16¾′ N., 3° 51¼′ E.	13 g.br.s.	10.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	¼ Basket	
			1½ hrs.	Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket	
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
LIII 8	Northern Edge of Brielle Ground.	13 g.br.s.	Apr. 19th	Plaice ..	..	71	324	8	..	..	..	..	..	..	..	403	..	403	..
O 296	52° 19¼′ N., 3° 47′ E.	14 g.br.s.	12.10 p.m.	Dab	..	95	31	..	..	..	..	..	..	..	..	126	..	126	..
			1⁷⁄₁₂ hrs.	Turbot	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	4	..	..	..	..	..	..	1	..	5	..	5	..
				Whiting ..	..	..	224	28	..	..	..	..	..	..	..	252	..	252	..
				Grey Gurnard	..	3	13	..	..	..	..	..	..	..	..	16	..	16	..
				Greater Weever.	..	..	36	3	1	..	..	..	..	..	..	40	..	40	

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15½+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LIV 1	West of Middle Ground.	23 g.s. & sh.	Apr. 28th	Plaice ..	..	5	33	13	..	..	..	..	..	..	..	51	..	51	..
O 297	52° 17½′ N., 2° 36½′ E.	23 g.s.	4 a.m.,	Dab ..	..	95	11	..	..	..	..	..	..	..	..	106	..	106	..
			2 hrs.	Lemon Dab..	..	1	3	..	..	..	..	..	..	..	..	4	..	4	..
				Turbot ..	..	..	..	1	1	1	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Cod	..	..	15	1	1	..	..	..	..	..	..	17	..	17	..
				Whiting ..	..	3	157	34	1	..	..	..	..	..	..	195	..	195	..
				Pout	..	..	8	1	..	..	..	..	..	..	..	9	..	9	..
				Grey Gurnard	..	1	10	4	..	..	..	..	..	..	..	15	..	15	..
				Latchet ..	..	..	..	2	3	..	..	..	..	..	..	5	..	5	.
				Red Gurnard	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	137	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Spotted Dog.	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
LIV 2	Middle Ground ..	23 g.s.	Apr. 28th	Plaice ..	..	1	5	5	..	..	..	..	..	..	..	11	..	11	..
O 298	52° 19½′ N., 2° 41½′ E.	24 g.br.s.	6.30 a.m.	Dab	..	31	5	..	..	..	..	..	..	..	..	36	..	36	..
			1½ hrs.	Cod	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
				Haddock ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	6	67	20	..	..	..	..	..	..	..	93	..	93	..
				Grey Gurnard	..	..	9	2	..	..	..	..	..	..	..	11	..	11	..
				Latchet ..	..	..	1	4	..	1	..	..	..	..	..	6	..	6	..
				Mackerel ..	..	..	20	..	..	..	..	..	..	..	..	20	..	20	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	89	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Spotted Dog	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LIV 3	Middle Ground ..	21 g.br.s. & sh.	Apr. 28th	Plaice ..	..	9	103	16	..	..	..	..	..	..	..	128	..	128	..
O 299	52° 20′ N., 2° 46¼′ E.	20 g.br.s. & sh.	Noon	Dab	..	47	20	..	..	..	..	..	..	..	..	67	..	67	..
			1½ hrs.	Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Cod	..	..	3	1	..	..	..	..	..	..	1	5	..	5	..
				Whiting ..	..	2	287	26	..	..	..	..	.	..	..	315	..	315	..
				Pout	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	9	2	..	..	..	..	..	..	..	11	..	11	..
				Latchet ..	..	1	5	12	5	1	..	..	..	..	..	24	..	24	..
				Mackerel ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	108	..
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LV 2	Leman Ground ..	15½ f.d.s.	May 10th	Plaice ..	..	15	55	31	3	5	..	..	..	..	..	109	..	109	..
O 301	53° 27′ N., 2° 42⅛′ E.	16 f.d.s.	6 a.m.	Dab	..	550	48	4	..	..	..	..	..	..	..	602	28	602	28
			4 hrs.	Lemon Dab	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	5	..	..	..	..	..	..	..	5	..	5	..
				Haddock ..	..	85	87	..	..	..	..	..	..	..	..	172	12	172	12
				Whiting ..	..	13	178	33	..	..	..	..	..	..	..	224	33	[468]	69
				Grey Gurnard.	..	..	..	..	..	..	..	..	..	..	..	..	..	1½ Baskets.	27
				Mackerel ..	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Sprat .. .	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LV 3	Eastern Edge of Leman Ground.	16 f.d.s.	May 10th	Plaice ..	..	1	7	13	4	6	..	..	..	..	..	31	19	31	19
O 302	53° 22′ N., 3° 4½′ E.	13½ f.d.s.	10.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets.	60
			4 hrs.	Sole	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	1	2	3	..	..	..	..	..	6	10	6	10
				Cod	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	154	164	..	..	..	..	..	..	..	..	318	2	318	26

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LV 3	Eastern Edge of Leman Ground—	16 f.d.s.	May 10th	Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1½ Baskets.	51
O 302	*cont.*	13¾ f.d.s.	10.30 a.m.	Grey Gurnard.	..	..	..	..	..	..	..	..	..	..	..	..	..	1 basket.	40 (small).
	53° 22′ N., 3° 4½′ E.		4 hrs.	Latchet ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Salmon Trout.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Conger ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
LV 4	North of Brown Bank	13½ f.d.s.	May 10th	Plaice ..	..	2	13	28	12	4	..	..	..	..	..	59	33	59	33
O 303	53° 16½′ N., 3° 19¼′ E.	15 f.d.s.	3 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	775	47½
			4 hrs.	Lemon Dab ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	..	4	1	..	..	..	..	..	5	..	5	..
				Brill	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Whiting ..	..	..	31	9	..	..	..	..	..	..	..	40	..	341	57
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	83	..
				Red Mullet ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Sprat ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LV 5	N.E. of Brown Bank	15 f.d.s.	May 10th	Plaice ..	..	41	98	115	4	..	..	..	..	..	..	258	67	258	67
O 304	53° 12⅛′ N., 3° 36⅜′ E.	13½ f.d.s.	7.30 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	686	51
			4½ hrs.	Sole	..	..	7	..	..	..	..	..	..	..	..	7	..	7	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	2	..	..	..	1	..	..	..	1	4	..	4	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	502	61
				Grey Gurnard and Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket	
				Latchet ..	..	1	..	2	..	1	..	..	..	..	..	4	..	4	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LV 6	East of Brown Bank	13½ f.d.s.	May 11th	Plaice ..	..	83	354	51	..	..	..	..	..	..	..	488	85	488	85
O 305	53° 6⅓′ N., 3° 54′ E.	14½ f.g.s.	12.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	388	22
			4½ hrs.	Sole	..	..	3	2	1	..	..	..	..	..	..	6	..	6	..
				Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	..	..	..	..	..	..	..	2	..	2	..	2	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	446	63
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	.	27½
				Latchet ..	..	..	5	19	4	2	..	..	..	..	..	30	20	30	20
				Conger ..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	31½
				Red Mullet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
LV 7	Texel Ground ..	14½ f.g.s.	May 11th	Plaice ..	..	84	391	23	..	..	..	..	..	..	..	498	73	498	73
O 306	52° 57⅜′ N., 4° 7⅞′ E.	16 f.g.s.	5.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	450	30
			4½ hrs.	Sole	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	82	14
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	218	..
				Latchet ..	..	..	32	14	3	4	..	..	..	..	..	53	23	62	23 + 9 small fish.
				Mackerel ..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date. Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ 0+	4+ 10+	8+ 20+	12+ 30+	15¾+ 40 +	19¾+ 50 +	23⅝+ 60 +	27½+ 70 +	31½+ 80 +	35½+ 90 +	39½+ 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LV 7	Texel Ground—*cont.*	14½ f.g.s.	May 11th	Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	35	..
O 306	52° 57⅜′ N., 4° 7⅞′ E.	16 f.g.s.	5.30 a.m.	Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	245	..
			4½ hrs.	Red Mullet..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LV 8	Texel Ground ..	16 f.g.s.	May 11th	Plaice ..	..	252	188	1	..	..	..	..	..	..	..	441	38	[2193]	189
O 307	52° 52½′ N., 4° 19½′ E.	13 f.g.s.	10.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	..	29
		12 f.g.s.	4½ hrs.	Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	12	5	..	..	..	..	..	..	..	17	..	17	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	216	30
				Latchet ..	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	(small)
				Mackerel ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
				Greater Weever.	..	..	.	..	..	..	..	..	..	..	..	..	..	396	53
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LV 9	Texel Ground ..	12 f.g.s.	May 11th	Plaice ..	..	147	53	..	..	..	..	..	..	..	..	200	14½	[2448]	177½
O 308	52° 54¾′ N., 4° 23′ E.	13½ f.g.s.	3.30 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	..	22
			4 hrs.	Sole	..	..	14	6	..	..	..	..	..	..	..	20	6	20	6
				Turbot ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	[216	30]
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	[396	53]
LV 10	Texel Ground ..	13½ f.g.s.	May 11th	Plaice ..	..	167	33	..	..	..	..	..	..	..	..	200	11	[3091]	170
O 309	52° 52′ N., 4° 25⅛′ E.	11 f.g.s.	8 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	¾ Basket.	24
			4 hrs.	Sole	..	..	25	15	..	..	..	..	..	..	..	40	10	40	10
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket.	31
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Red Mullet..	..	1	..	..	..	..	..	..	..	..	.	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket	
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 (large)	
LV 11	S.W. of Kykduin, L.H.	7 f.d.s.	May 12th	Plaice ..	6	160	33	1	..	..	..	..	..	..	..	200	11	[2327]	128
B (c.) 300	52° 47¼′ N., 4° 34½′ E.	9 f.d.s. & m.	5.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	..	34
	Covered net experiment (No. 10).		1½ hrs.	Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1 Basket	
				Greater Weever.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LV 12	S.W. of Kykduin, L.H.	7 f.d.s.	May 15th	Plaice ..	6	490	218	6	..	..	..	..	..	..	..	720	55½	720	55½
B (c.) 301	52° 47⅝′ N., 4° 34⅝′ E.	10 f.d.s.	3.20 p.m.	Dab	3	299	138	..	..	..	..	..	..	..	..	440	32	440	32
	Covered net experiment (No. 11).		2 hrs.	Lemon Dab	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Flounder ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	67	1	..	..	..	..	..	..	..	..	68	..	68	..
				Latchet ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	40	..
				Sprat.. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Thornback ..	1	..	2	..	..	..	..	..	..	..	..	3	..	3	..
LV 13	Brown Ridges ..	15 f.g.s.	May 16th	Plaice ..	..	29	208	67	..	..	..	..	..	..	..	304	62	304	62
O 310	52° 44⅛′ N., 3° 27⅜′ E.	16 f.g.br.s.	4.40 a.m.	Dab	..	292	51	..	..	..	..	..	..	..	..	343	19	343	19
			4⅓ hrs.	Turbot ..	..	..	..	1	2	1	..	..	..	..	..	4	11	4	11
				Cod	..	..	13	..	..	..	..	..	..	..	..	13	..	13	..
				Whiting ..	..	3	444	43	1	..	..	..	..	..	..	491	81	491	81
				Grey Gurnard	..	25	85	2	..	..	..	..	..	..	..	112	14	112	14

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15½+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LV 13	Brown Ridges—*cont.*	15 f.g.s.	May 16th	Latchet ..	..	..	11	7	2	1	..	..	..	..	..	21	..	21	..
O 310	52° 44½′ N., 3° 27⅜′ E.	16 f.g.br.s.	4.40 a.m.	Red Mullet..	..	..	5	..	..	..	..	..	..	..	..	5	..	5	..
			4¼ hrs.	Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	293	43
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LV 14	West part of Brown Ridges.	16 f.g.br.s.	May 16th	Plaice ..	..	38	241	87	..	..	..	..	..	..	..	366	..	366	..
O 311	52° 45½′ N., 3° 14½′ E.	16 f.g.s.	9.30 a.m.	Dab	..	328	59	..	..	..	..	..	..	..	..	387	..	387	..
			5 hrs.	Sole	..	..	6	..	..	..	..	..	..	..	..	6	..	6	..
				Turbot ..	..	..	..	..	2	2	1	..	..	..	..	5	..	5	..
				Brill	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Cod	..	..	8	..	..	..	..	..	..	..	..	8	..	8	..
				Whiting ..	..	..	116	6	..	..	..	..	..	..	..	122	..	122	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	131	..
				Latchet ..	..	..	7	7	1	..	..	..	..	..	..	15	..	15	..
				Red Mullet..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	74	..
				Thornback ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	.	..	..	..	..	..	..	..	..	..	..	54	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
LVI 9	Bridlington Bay ..	5 f.d.s.	May 24th	Plaice ..	..	31	11	..	..	..	..	..	..	..	..	42	..	42	..
B 302	54° 2¾′ N., 0° 9′ W.	6 f.d.s.	6.45 a.m.	Dab	..	15	15	..	..	..	..	..	..	..	..	30	..	30	..
			1 hr.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	5	1	..	..	..	..	..	..	..	..	6	..	6	..
				Angler ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
LVI 10	Bridlington Bay ..	6 f.d.s.	May 24th	Plaice ..	..	22	13	..	..	..	..	..	..	..	..	35	..	35	..
B 303	54° 1⅝′ N., 0° 9′ W.	6 f.d.s.	8.15 a.m.	Dab	..	17	15	1	..	..	..	..	..	..	..	33	..	33	..
			1 hr.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Skate.. ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LVI 11	Bridlington Bay ..	6 f.d.s.	May 24th	Plaice ..	..	29	8	..	..	..	..	..	..	..	..	37	..	37	..
B 304	54° 1½′ N., 0° 9′ W.	6½ f.d.s.	9.35 a.m.	Dab	..	20	16	..	..	..	..	..	..	..	..	36	..	36	..
			1 hr.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Sprat.. ..	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	2	1	..	..	..	..	..	..	4	..	4	..
LVI 13	N.E.of Brown Ridges	15 f.d.s.	May 25th	Plaice ..	..	1	41	1	..	..	..	..	..	..	..	43	..	43	..
B 305	52° 52⅝′ N., 3° 51¾′ E.	14 f.d.s.	6.30 a.m.	Dab	..	6	2	..	..	..	..	..	..	..	..	8	..	8	..
			1¼ hrs.	Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	4	5	..	..	..	..	..	..	..	..	9	..	9	..
				Greater Weever.	..	..	11	..	..	..	..	..	..	..	..	11	..	11	..
				Thornback ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
LVI 14	Texel Ground ..	15 f.d.s.	May 25th	Plaice ..	..	96	44	1	..	..	..	..	..	..	..	141	..	141	..
B 306	52° 54¼′ N, 4° 17¾′ E.	13 f.d.s.	10.10 a.m.	Dab	..	9	5	..	..	..	..	..	..	..	..	14	..	14	..
			1 hr.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	4	2	..	..	..	..	..	..	..	..	6	..	6	..
				Greater Weever.	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15⅝+ / 40 +	19⅝+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LVI 15	Texel Ground ..	13 | f.d.s.	May 25th	Plaice ..	..	94	62	..	..	..	..	..	..	..	..	156	..	156	..
B 307	52° 54⅝′ N., 4° 20¼′ E.	13 | f.d.s.	11.35 a.m.	Dab	1	30	8	..	..	..	..	..	..	..	..	39	..	39	..
			1 hr.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	1	1	1	..	..	..	..	..	..	3	..	3	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
LVI 16	Texel Ground ..	13 | f.d.s.	May 25th	Plaice ..	..	36	32	..	..	..	..	..	..	..	..	68	..	68	..
B 308	52° 56′ N., 4° 19⅜′ E.	13½ | f.d.s.	1 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	39	..
			1 hr.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	[5]	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	[18]	..
LVI 17	Texel Ground ..	13½ | f.d.s.	May 25th	Plaice ..	..	43	27	1	..	..	..	..	..	..	..	71	..	71	..
B 309	52° 57′ N., 4° 19½′ E.	13½ | f.d.s	2.25 p.m.	Dab	..	11	1	..	..	..	..	..	..	..	..	12	..	12	..
			1 hr.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Latchet ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
LVI 18	Texel Ground ..	13½ | f.d.s.	May 25th	Plaice ..	..	44	34	..	..	..	..	..	..	..	..	78	..	78	..
B 310	52° 56⅝′ N., 4° 17¼′ E.	14 | f.g.s.	4 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	ca. 12	..
			1 hr.	Sole	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
LVI 19	Texel Ground ..	14 | f.g.s.	May 25th	Plaice ..	..	7	16	..	..	..	..	..	..	..	..	23	..	23	..
B 311	52° 56⅞′ N , 4° 13⅞′ E.	17 | f.g.s.	5.20 p.m.	Dab	..	4	..	..	..	..	..	..	..	..	..	4	..	4	..
			1 hr.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LVI 20	Texel Ground ..	17 | f.g.s.	May 5th	Plaice ..	..	9	121	1	..	..	..	..	..	..	..	131	..	121	..
B 312	52° 59¾′ N., 4° 12⅜′ E.	17 | f.g.s.	6.45 p.m.	Dab	..	61	8	..	..	..	..	..	..	..	..	69	..	69	..
			1½ hr.	Sole	..	..	2	3	..	..	..	..	..	..	..	5	..	5	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	31	6	..	..	..	..	..	..	..	..	37	..	37	..
				Latchet ..	..	..	1	..	2	..	..	..	..	..	..	3	..	3	..
				Greater Weever.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LVI 28	Dogger Bank, North part of S.W. Patch.	11½ | f.g.s. & sh.	May 26th	Plaice ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
B (c.) 313	54° 37¼′ N., 1° 48¼ E.	12 | f.g.s. & sh.	7.20 p.m.	Dab	..	15	18	2	..	..	..	..	..	..	..	35	..	35	..
	Covered net experiment (No. 12).		1 hr.	Cod	..	..	3	3	2	..	..	..	..	..	..	8	..	8	..
				Haddock ..	..	1	10	4	4	1	..	..	..	..	..	20	..	20	..
				Whiting ..	..	6	11	2	..	..	..	..	..	..	..	19	..	19	..
				Grey Gurnard	..	10	19	..	..	..	..	..	..	..	..	29	..	29	..
LVI 30	Off Saltfleet	7 | c.d.s.	May 29th	Plaice ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 314	53° 20¾′ N., 0° 18½′ E.	7 | d.s. & gvl.	4 p.m.	Dab	..	1	3	..	..	..	..	..	..	..	..	4	..	4	..
			1 hr.	Flounder ..	..	..	2	11	..	..	..	..	..	..	..	13	..	13	..
				Sole	..	1	23	9	..	..	..	..	..	..	..	33	..	33	..
				Brill	..	..	..	..	3	1	..	..	..	..	..	4	..	4	..
				Cod	..	..	..	..	..	..	2	..	..	..	..	2	..	2	..
				Whiting ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Angler ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	1	..	1	5	..	..	..	..	..	..	..	7	..	7	..
				Black Skate ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Homelyn ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ 0	4+ 10+	8+ 20+	12+ 30+	15⅝+ 40 +	19¾+ 50 +	23⅝+ 60 +	27½+ 70 +	31½+ 80 +	35½+ 90 +	39½+ 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LVI 31	Off Mablethorpe ..	7 s. & gvl.	May 29th	Plaice ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 315	53° 22¾′ N., 0° 20¾′ E.	6 s. & gvl.	6.10 p.m.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
			1 hr.	Brill	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	4	6	..	..	..	..	..	..	..	10	..	10	..
				Homelyn ..	..	2	3	3	1	..	..	..	..	..	..	9	..	9	..
LVI 32	Off Mablethorpe ..	6 s. & gvl.	May 29th	Sole	..	..	3	6	..	..	..	..	..	..	..	9	..	9	..
B 316	53° 23¼′ N., 0° 22¾′ E.	7 s. & gvl.	7.30 p.m.	Pout	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
			1 hr.	Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Homelyn ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
LVI 33	Flamborough Off ..	25 c.d.s.	May 30th	Plaice ..	..	..	..	3	1	..	..	..	..	..	..	4	..	4	..
B 317	53° 58′ N., 0° 41⅛′ E.	26 f.d.s.	3.30 a.m.	Dab	1	20	..	..	..	..	..	..	..	..	..	21	..	21	..
			1 hr.	Lemon Dab...	..	..	..	5	..	..	..	..	..	..	..	5	..	5	..
				Cod	..	6	10	1	1	..	..	..	1	..	..	19	..	19	..
				Haddock ..	..	18	12	2	..	..	..	..	..	..	..	32	..	32	..
				Grey Gurnard	..	6	1	..	..	..	..	..	..	..	..	7	..	7	..
LVI 34	Flamborough Off ..	26 f.d.s.	May 30th	Plaice ..	..	1	4	12	9	1	..	..	..	..	..	27	..	27	..
B 318	54° 3¼′ N., 0° 43¼′ E.	27 f.d.s.	5 a.m.	Dab	..	276	11	..	..	..	..	..	..	..	..	287	..	287	..
			4 hrs.	Lemon Dab...	..	..	1	6	1	..	..	..	..	..	..	8	..	8	..
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	3	1	..	..	..	..	..	4	..	4	..
				Cod	..	..	4	4	1	2	..	1	..	..	..	12	..	12	..
				Haddock ..	..	19	5	..	..	..	..	..	..	..	..	24	..	24	..
				Whiting ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	23	3	..	..	..	..	..	..	..	..	26	..	26	..
LVI 35	Flamborough Off ..	27 f.d.s.	May 30th	Plaice ..	..	..	2	4	3	..	..	..	..	..	..	9	..	9	..
O 312	54° 5′ N., 0° 41⅛′ E.	27 f.d.s.	9.45 a.m.	Dab	..	11	..	..	..	..	..	..	..	..	..	11	..	11	..
	Round turn in middle of net when hauled.		4 hrs.	Turbot ..	..	..	..	..	..	..	..	1	..	..	..	1	13¾	1	13¾
				Cod	..	..	1	3	1	..	..	..	1	1	..	7	..	7	..
				Haddock ..	..	76	17	5	1	..	..	..	..	..	..	99	..	99	..
				Whiting ..	..	6	10	3	..	..	..	..	..	..	..	19	..	19	..
				Coal Fish ..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	.
				Grey Gurnard	..	..	7	1	..	..	..	..	..	..	..	8	..	8	..
				Ling	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
LVI 36	Flamborough Off ..	27 f.d.s.	May 30th	Plaice ..	..	..	..	4	4	1	..	..	..	..	..	9	..	9	..
B (c.) 3 9	54° 1½′ N., 0° 40⅝′ E.	26 g.s. & sh.	2.30 p.m.	Dab	..	23	4	..	..	..	..	..	..	..	..	27	..	27	..
	Covered net experiment, No. 13.		1 hr.	Lemon Dab...	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	3	1	2	1	..	..	..	..	..	7	..	7	..
				Haddock ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
LVI 38	South of The Hills ..	27 f.g.s.	May 30th	Plaice ..	..	1	4	27	6	..	..	..	..	..	..	38	21	38	21
O 313	54° 11′ N., 0° 58¾′ E.	29 f.g.s.	7 p.m.	Dab	..	298	9	..	..	..	..	..	..	..	..	307	12	[512]	20
			2 hrs.	Lemon Dab	..	..	..	7	2	..	..	..	..	..	..	9	6½	9	6½
				Long Rough Dab.	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
				Cod	..	5	40	11	7	..	1	1	3	1	1	70	65	70	65
				Haddock ..	..	83	52	2	..	..	..	..	..	..	..	137	12	[879]	77
				Whiting ..	..	6	122	8	..	..	..	..	..	..	..	136	23	[315]	53
				Coal Fish ..	..	..	..	..	..	..	..	..	..	2	..	2	19½	2	19½
				Grey Gurnard.	..	69	56	1	..	..	..	..	..	..	..	126	11	126	11
				Greater Weever.	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Starry Ray..	..	1	3	..	..	..	..	..	..	..	..	4	..	4	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LVI 40	Dogger Bank, North of S.W. Patch.	14½ f.g.s. & sh.	May 31st	Plaice ..	..	..	5	6	1	..	..	..	..	..	..	12	5½	12	5½
O 314	54° 43¼′ N., 2° 19½′ E.	10½ f.g.s. & sh.	4.45 a.m.	Dab	..	211	117	25	..	..	..	..	..	..	..	353	35	[1225]	121½
			4 hrs.	Turbot ..	..	..	..	..	2	1	1	..	..	..	..	4	17	4	17
				Cod	..	..	30	4	1	1	1	..	..	..	..	37	12	37	12
				Haddock ..	..	174	170	7	4	..	..	..	..	..	..	355	34	[449]	43
				Whiting ..	..	2	48	15	..	..	..	..	..	..	..	65	11	[236]	40
				Grey Gurnard.	..	111	123	5	..	..	..	..	..	..	..	239	20	239	20
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LVI 42	Dogger Bank, North Edge of Eastern Shoal.	10½ f.g.s. & sh.	May 31st	Plaice ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
B(c.) 320	54° 42½′ N., 2° 29½′ E.	10½ f.g.s. & sh.	9.25 a.m.	Dab	7	35	25	7	..	..	..	..	..	..	..	74	..	74	..
	Covered net experiment, No. 14.		1 hr.	Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	1	..	1	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard.	..	10	5	..	..	..	..	..	..	..	..	15	..	15	..
				Greater Weever.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
LVI 43	Dogger Bank, Eastern Shoal.	11 f.g.s. & sh.	May 31st	Plaice ..	..	..	2	13	2	..	..	..	..	..	..	17	9	17	9
O 315	54° 38⅞′ N., 2° 43′ E.	16 f.d.g.s.	noon.	Dab	..	21	40	7	..	..	..	..	..	..	..	68	13	[246	47
			4 hrs.	Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Haddock ..	..	40	60	9	15	..	..	..	..	..	..	124	28	[248]	56
				Whiting ..	..	1	114	42	1	..	..	..	..	..	..	158	29	158	29
				Grey Gurnard.	..	19	75	6	..	..	..	..	..	..	..	100	12	[183	22
				Mackerel ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LVI 45	Dogger Bank, Hospital.	18½ f.d.g.s.	May 31st	Plaice ..	..	..	3	11	4	1	..	..	..	..	..	19	..	19	..
O 316	54° 30¼′ N., 2° 57½′ E.	19½ f.d.g.s.	5.30 p.m.	Dab	..	156	44	7	..	..	..	..	..	..	..	207	..	207	..
			3 hrs.	LemonDab ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	..	2	..	..	..	..	..	2	..	2	..
				Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	118	97	39	47	1	..	..	..	..	..	302	..	302	..
				Whiting ..	..	2	69	42	2	..	..	..	..	..	..	115	..	115	..
				Grey Gurnard	..	20	58	..	..	..	..	..	..	..	..	78	..	78	..
				Starry Ray..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
LVI 47	North of Cleaver Bank	25 s. & m.	June 1st	Plaice ..	..	..	20	36	1	..	..	..	..	..	..	57	19½	57	19½
O 317	54° 22′ N., 3° 29′ E.	23 f.d.s.	6 a.m.	Dab	1	355	22	2	..	..	..	..	..	..	..	380	16½	380	16½
			3 hrs.	Turbot ..	..	..	..	..	6	..	..	..	..	..	..	6	13	6	13
				Cod	..	..	10	1	..	..	1	1	1	..	..	14	..	14	..
				Haddock ..	..	107	189	22	26	..	..	..	..	..	..	344	63½	523]	96½
				Whiting ..	..	3	92	36	1	..	..	..	..	..	..	132	36½	132	36½
				Grey Gurnard	..	99	87	3	..	..	..	..	..	..	..	189	17	189	17
				Spur Dog ..	..	..	..	..	..	1	..	1	..	..	..	2	..	2	..
LVI 53	Between CleaverBank and New Zealand.	21 f.g.s.	June 1st	Plaice ..	..	2	10	3	1	..	..	..	..	..	..	16	..	16	..
B 321	54° 49⅔′ N., 3° 33½′ E.	19 f.g.s.	5.25 p.m.	Dab	..	143	8	1	..	..	..	..	..	..	..	152	..	152	..
			2 hrs.	Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Haddock ..	..	24	12	..	..	..	..	.	..	..	..	36	..	36	..
				Whiting ..	..	3	..	2	..	..	..	..	..	..	..	5	..	5	..
				Grey Gurnard	..	47	7	1	..	..	..	..	..	..	..	55	..	55	..
				Red Mullet..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback .	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	1	1	1	..	..	..	..	3	..	3	..
LVI 56	Brown Bank.. ..	15 f.g.s.	June 2nd	Plaice ..	..	9	16	35	7	..	..	..	..	..	..	67	..	67	..
B 322	53° 11⅔′ N., 3° 19¼′ E.	13½ f.g.s.	2.30 a.m.	Dab	..	62	20	3	..	..	..	..	..	..	..	85	..	85	..
			2 hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	36	7	..	..	..	..	..	..	..	..	43	..	43	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LVI 56	Brown Bank—*cont.*	15 f.g.s.	June 2nd	Whiting ..	..	2	5	..	..	..	..	..	..	..	..	7	..	7	..
B 322	53° 11⅝′ N., 3° 19¼′ E.	13½ f.g.s.	2.30 a.m.	Grey Gurnard	..	35	4	..	..	..	..	..	..	..	..	39	..	39	..
			2 hrs.	Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LVI 57	Brown Bank	13½ f.g.s.	June 2nd	Plaice ..	..	..	4	14	1	..	..	..	..	..	..	19	..	19	..
B 323	53° 12⅜′ N., 3° 21′ E.	17½ f.g.s.	5 a.m.	Dab	..	1	1	..	..	..	..	..	..	..	..	2	⅛ Basket.	11	..
			2 hrs.	Turbot ..	..	..	..	..	1	..	..	1	..	..	..	2	..	2	..
				Haddock ..	..	1	1	..	..	..	..	..	..	..	..	2	..	9	..
				Whiting ..	..	4	2	..	..	..	..	..	..	..	..	6	..	6	..
				Grey Gurnard	..	1	..	1	..	..	..	..	..	..	..	2	..	69	(small)
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..
LVII 21	Lynn Deep	9 s.m.	June 16th	Plaice ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 324	52° 57⅛′ N., 0° 19′ E.	12	4.10 a.m.	Dab	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
		14 s.m.	1½ hrs.	Sole	..	..	13	6	..	..	..	..	..	..	..	19	3½	19	3½
		16 c.s. & m.		Brill	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Angler ..	..	..	1	..	..	..	1	..	..	..	..	2	..	2	..
				Thornback ..	..	1	4	..	..	2	..	..	..	..	..	7	9½	7	9½
				Black Skate	..	3	10	..	..	..	..	..	..	..	..	13	2½	13	2½
				Homelyn ..	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..
LVII 22	Off Mablethorpe ..	7½ spk. s.	June 16th	Plaice ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 325	53° 21¼′ N., 0° 22⅝′ E.	8	8.50 a.m.	Sole	..	..	7	6	1	..	..	..	..	..	..	14	4	14	4
		9 s.m.	3 hrs.	Brill	..	..	..	..		..	..	..	..	..	..	2	2½	2	2½
		7½ spk.s.		Cod	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Pout	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	3	..	..	..	..	..	..	..	4	..	4	..
				Black Skate	..	1	4	1	..	..	..	..	..	..	..	6	2	6	2
				Homelyn ..	..	..	..	3	2	..	..	..	..	..	..	5	6½	5	6½
LVII 29	North of Blakeney Overfall.	11 s. & sh.	June 16th	Plaice ..	..	4	1	..	..	..	..	..	..	..	..	5	..	5	..
B 326	53° 5⅓′ N., 0° 58½′ E.	12 s. & sh.	2.30 p.m.	Dab	..	10	2	..	..	..	..	..	..	..	..	12	..	12	..
			1 hr.	Lemon Dab..	..	9	3	..	..	..	..	..	..	..	..	12	..	12	..
				Sole	..	..	6	1	..	..	..	..	..	..	..	7	..	7	..
				Cod	..	3	10	1	..	..	..	..	..	..	..	14	2	14	2
				Pout	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Homelyn ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	2	2	..	..	..	..	4	..	4	..
LVIII 3	Between Knoll Deep and Middle Ground	24½ f.spk.s.	June 20th	Plaice ..	..	..	26	8	1	1	..	..	..	..	..	36	..	36	..
B 328	52° 27⅛′ N., 2° 38½′ E.	26 f.spk.s.	5.40 a.m.	Dab	..	33	9	..	..	..	..	..	..	..	..	42	..	42	..
			3¾ hrs.	Brill	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	..	7	1	..	..	..	..	..	..	..	8	..	8	..
				Haddock ..	..	18	29	..	..	..	..	..	..	..	..	47	..	47	..
				Whiting ..	..	3	38	11	..	..	..	..	..	..	..	52	..	52	..
				Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Poor Cod ..	..	6	..	..	..	..	..	..	..	..	..	6	..	6	..
				Grey Gurnard	..	2	12	2	..	..	..	..	..	..	..	16	..	16	..
				Latchet ..	..	..	1	..	1	..	..	..	..	..	..	2	..	2	..
				Red Gurnard	..	..	18	9	..	..	..	..	..	..	..	27	..	27	..
				Thornback ..	..	1	2	2	1	..	..	..	..	..	..	6	..	6	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	..
				Lesser Spotted Dog.	..	..	1	1	..	..	1	..	..	..	..	3	..	3	..
LVIII 4	North of Middle Ground.	26 f.spk.s.	June 20th	Plaice ..	..	1	25	6	1	..	..	..	..	..	..	33	..	33	..
B 329	52° 27⅜′ N., 2° 51½′ E.	23½ f.g.s.	9.30 a.m.	Dab	..	24	11	2	..	..	..	..	..	..	..	37	..	37	..
	Came fast, hauled, found net all right.		2½ hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
			..	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
			..	Cod	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Haddock ..	..	..	6	..	..	..	..	..	..	..	..	6	..	6	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LVIII 4	North of Middle Ground—*cont.*	26 f. spk. s.	June 20th	Whiting ..	..	6	21	..	..	..	..	..	..	..	..	27	..	27	..
B 329	52° 27⅜′ N., 2° 51½′ E.	23½ f.g.s.	9.30 a.m.	Pout	..	1	..	..	..	..	..	..	.	..	..	1	..	1	..
	Came fast, hauled, found net all right.		2½ hrs.	Grey Gurnard	..	3	5	..	..	..	..	..	..	..	..	8	..	8	..
				Red Gurnard	..	..	4	1	..	..	..	..	..	..	..	5	..	5	..
				Thornback ..	..	..	2	2	..	3	..	..	..	..	..	7	..	7	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LVIII 6	North of Middle Ground.	23½ f.g.s.	June 20th	Plaice ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
B 330	52° 29½′ N., 3° 2½′ E.	20 f.g.s. & sh.	12.50 p.m	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
	Fore wing and belly badly torn.		3½ hrs.	Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LVIII 8	Between Winterton Shoal and Brown Ridges.	20 f.g.s. & s.h.	June 20th	Plaice ..	..	..	28	15	1	..	..	..	..	..	..	44	..	44	..
B 331	52° 36½′ N., 3° 12⅜′ E.	19 f.g.s. & s.h.	6 p.m.	Dab	..	107	13	..	..	..	..	..	..	..	..	120	..	120	..
			3 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	1	..	..	..	.	..	..	1	..	1	..
				Cod	..	..	9	..	..	..	..	..	..	..	..	9	..	9	..
				Haddock ..	..	4	11	..	..	..	..	..	..	..	..	15	..	15	..
				Whiting ..	..	..	29	1	..	..	..	..	..	..	..	30	..	30	..
				Grey Gurnard	..	16	6	..	..	..	..	..	..	..	..	22	..	22	..
				Greater Weever.	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
LVIII 10	North part of Brown Ridges.	16½ f.d.s.	June 21st	Plaice ..	..	7	52	18	..	..	..	..	..	..	..	77	..	77	..
B 332	52° 45¼′ N., 3° 20⅜′ E.	15	3.15 a.m.	Dab	..	90	9	..	..	..	..	..	..	..	..	99	..	99	..
		21	3 hrs.	Lemon Dab	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
		19		Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
		16 f.g.s.		Cod	..	2	9	3	..	..	..	..	..	..	..	14	..	14	..
				Haddock ..	..	2	7	..	..	..	..	..	..	..	..	9	..	9	..
				Whiting ..	..	12	37	..	..	..	..	..	..	..	..	49	..	49	..
				Grey Gurnard	..	13	11	1	..	..	..	..	..	..	..	25	..	25	..
				Greater Weever.	..	..	12	4	..	..	..	..	..	..	..	16	..	16	..
				Conger ..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
LVIII 12	North part of Brown Ridges.	16 f.g.s.	June 21st	Plaice ..	..	10	92	26	..	..	..	..	..	..	..	128	..	128	..
B 333	52° 46¾′ N., 3° 24⅜′ E.	15	6.45 a.m.	Dab	1	238	6	..	..	..	..	..	..	..	..	245	..	245	..
		18	4½ hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
		20 f.g.s. & sh.		Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Haddock ..	..	3	6	..	..	..	..	..	..	..	..	9	..	9	..
				Whiting ..	..	3	6	1	..	..	..	..	..	..	..	10	..	10	..
				Grey Gurnard	..	23	13	..	..	..	..	..	..	..	..	36	..	36	..
				John Dory ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Red Guruard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Thornback ..	..	7	..	..	1	..	..	..	..	..	..	8	..	8	..
LVIII 14	Brown Ridges ..	20 f.g.s. & sh.	June 21st	Plaice ..	..	3	75	26	1	..	..	..	..	..	..	105	..	105	..
B 334	52° 39½′ N., 3° 22⅜′ E.	17	11.50 a.m.	Dab	..	49	7	..	..	..	..	..	..	..	..	56	..	56	..
		18 f.g.s. & sh.	4½ hrs.	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Brill	..	..	1	2	1	..	..	..	..	..	..	4	..	4	..
				Haddock ..	..	1	12	..	..	..	..	..	..	..	..	13	..	13	..
				Whiting ..	..	..	8	..	..	..	..	..	..	..	..	8	..	8	..
				Grey Gurnard	..	3	10	1	..	..	..	..	..	..	..	14	..	14	..
				Red Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	1	24	24	1	..	1	..	..	51	..	790	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15½+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LVIII 16	Brown Ridge ..	18 f.g.s. & sh.	June 21st	Plaice ..	..	3	89	15	1	..	..	..	..	..	..	108	..	108	..
B 335	52° 36′ N., 3° 29′ E.	15	5.10 p.m.	Dab	..	144	19	1	..	..	..	..	..	..	..	164	..	164	..
		14½	5½ hrs.	Sole	..	..	1	4	..	..	..	..	..	..	..	5	..	5	..
		16 f.g.s.		Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	5	..	..	..	..	..	..	..	..	5	..	5	..
				Grey Gurnard	..	19	12	2	..	..	..	..	..	..	..	33	..	33	..
				Horse Mackerel.	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	29	..
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	21	..
LVIII 18	North part of Brown Ridges.	16 f.g.s.	June 21st & 22nd.	Plaice ..	..	3	214	41	1	..	..	..	..	..	..	259	..	259	..
B 336	52° 44½′ N., 3° 30¾′ E.	15	10.50 p.m. (21st.)	Dab	..	390	64	..	..	..	..	..	..	..	..	454	..	454	..
		17	5⅛ hrs.	Sole	..	..	..	4	..	..	..	..	..	..	..	4	..	4	..
		16 f.g.s.		Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Cod	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Haddock ..	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
				Whiting ..	..	14	13	..	..	..	..	..	..	..	..	27	..	27	..
				Grey Gurnard	..	39	18	..	..	..	..	..	..	..	..	57	..	57	..
				Latchet ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
				Horse Mackerel.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	98	..
LVIII 20	North part of Brown Ridges.	16 f.g.s.	June 22nd	Plaice ..	..	10	91	20	..	..	..	..	..	..	..	121	..	121	..
B 337	52° 46⅜′ N., 3° 33⅝′ E.	15	4.50 a.m.	Dab	..	236	22	..	..	..	..	..	..	..	..	258	..	258	..
"		14½	5½ hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
"		18½ f.g.s.		Turbot ..	..	..	..	..	1	.	..	..	..	..	..	1	..	1	..
"				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
"				Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
"				Haddock ..	..	8	5	..	..	..	..	..	..	..	..	13	..	13	..
"				Whiting ..	..	2	8	..	..	..	..	..	..	..	..	10	..	10	..
"				Grey Gurnard	..	44	9	..	..	..	..	..	..	..	..	53	..	53	..
"				Latchet ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
"				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	37	..
"				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LVIII 22	Eastern Edge of Brown Ridges.	18½ f.g.s.	June 22nd	Plaice ..	..	4	89	20	..	..	..	..	..	..	..	113	..	113	..
B 338	52° 45⅝′ N., 3° 36½′ E.	17	10.30 a.m.	Dab	..	175	18	..	..	..	..	..	..	..	..	193	..	193	..
"		16 f.g.s.	5 hrs.	Turbot ..	..	..	1	2	1	..	..	..	..	..	..	4	..	4	..
				Brill	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	25	12	..	..	..	..	..	..	..	..	37	..	37	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	27	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LVIII 24	North of Brown Ridges.	16 f.g.s.	June 22nd	Plaice ..	..	3	74	21	..	..	..	..	..	..	..	98	..	98	..
B 339	52° 49¼′ N 3° 26⅜′ E.	15	4 p.m.	Dab	..	151	10	..	..	..	..	..	..	..	..	161	..	161	..
		17	hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
		17 f.g.s.		Turbot ..	..	..	..	..	1	2	..	..	..	..	..	3	..	3	..
				Cod	..	3	2	..	..	..	..	..	..	..	..	5	..	5	.
				Haddock ..	..	6	7	..	..	..	..	..	..	..	..	13	..	13	..
				Whiting ..	..	19	15	..	..	..	..	..	..	..	..	34	..	34	..
				Grey Gurnard	..	16	14	..	..	..	..	..	..	..	..	30	..	30	..
				John Dory ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Red Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever	..	..	..	..	..	..	..	..	..	..	..	..	..	17	..
				Horse Mackerel.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Angler ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	..	..	..	..	1	..	1	..	2	..	2	..
				Tope	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date. Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LVIII. 26	Winterton Twenties	7 f.g.s.	June 22nd & 23rd.	Plaice ..	..	5	100	40	..	..	..	..	..	..	..	145	..	145	..
B 340	52° 49⅝′ N., 3° 7′ E.	19½	9.30 p.m. (22nd.)	Dab.. ..	..	426	60	1	..	..	..	..	..	..	..	487	..	487	..
		20 f.g.s.	5 hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	3	..	..	..	..	..	..	3	..	3	..
				Cod	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Haddock ..	..	..	5	..	..	..	..	..	..	..	..	5	..	5	..
				Whiting ..	..	21	82	3	..	..	..	..	..	..	..	106	..	106	..
				Grey Gurnard	..	15	21	1	..	..	..	..	..	..	..	37	..	37	..
				Latchet ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
				John Dory ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	2	..	..	1	..	..	..	..	4	..	4	..
				Spur Dog ..	..	..	..	..	..	..	..	..	1	..	..	1	..	2	..
LVIII 28	Winterton Twenties	20 f.g.s.	June 23rd	Plaice ..	..	2	32	29	1	..	..	..	..	..	..	64	..	64	..
B 341	52° 51⅝′ N., 2° 44′ E.	19	3 a.m.	Dab.. ..	2	128	12	..	..	..	..	..	..	..	..	142	..	142	..
		22	6 hrs.	Flounder ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
		20½ f.g.s.		Sole	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	2	28	2	..	..	..	..	1	..	..	33	..	33	..
				Haddock ..	..	28	75	..	..	..	..	..	..	..	..	103	..	103	..
				Whiting ..	..	41	140	18	..	..	..	..	..	..	..	199	..	199	..
				Grey Gurnard	..	8	33	2	..	..	..	..	..	..	..	43	..	43	..
				Latchet ..	..	..	1	1	..	1	..	..	..	..	..	3	..	3	..
				John Dory ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Red Gurnard	..	..	7	..	..	..	..	..	..	..	..	7	..	7	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Thornback ..	1	1	4	6	2	1	..	..	..	..	..	15	..	15	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
LVIII 30	Between Winterton Twenties & Knoll Deep.	20½ f.g.s.	June 23rd	Plaice ..	..	..	1	7	1	..	..	..	..	..	..	9	..	9	..
B 342	52° 47¾′ N., 2° 27′ E.	27 c.s. & ross	9.30 p.m.	Dab	..	60	5	1	..	..	..	..	..	..	..	66	..	66	..
			5 hrs.	Cod	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Haddock ..	..	4	15	..	..	..	..	..	..	..	..	19	..	19	..
				Whiting ..	..	29	81	12	1	..	..	..	..	..	..	123	..	123	..
				Poor Cod ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	..	28	2	..	..	..	..	..	..	..	30	..	30	..
				Red Gurnard	..	..	9	..	..	..	..	..	..	..	..	9	..	9	..
				John Dory ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Thornback ..	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Black Skate	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LVIII 32	Between Winterton Twenties & Knoll Deep.	27 c.s. & ross	June 23rd	Plaice ..	..	..	7	23	2	..	..	..	..	..	..	32	..	32	..
B 343	52° 39½′ N., 2° 32⅛′ E.	25 c.s. & ross	3 p.m.	Dab	..	37	3	3	..	..	..	..	..	..	..	43	..	43	..
			5 hrs.	Lemon Dab	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	1	..	..	4	..	1	1	1	..	8	..	8	..
				Haddock ..	..	7	27	..	..	..	..	..	..	..	..	34	..	34	..
				Whiting ..	.	1	20	10	..	..	..	..	..	..	..	31	..	31	..
				Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	18	3	..	..	..	..	..	..	..	21	..	21	..
				Red Gurnard	..	..	34	16	..	..	..	..	..	..	..	50	..	50	..
				Ling	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Thornback ..	..	..	9	7	5	1	..	..	..	..	..	22	..	22	..
				Black Skate	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Spotted Dog	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LIX 1	Dogger Bank, North of S.W. Patch.	9 g.br.s.	June 27th	Plaice ..	..	..	1	1	3	..	..	..	..	..	..	5	..	5	..
O 318	54° 38¼′ N., 2° 18′ E.	11	8.15 a.m.	Dab	..	165	116	28	..	..	..	..	..	..	..	309	39	[784]	99
		15	5 hrs.	Lemon Dab ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
		12 f.s. & sh.		Cod	..	..	93	50	2	1	..	..	..	..	..	146	..	146	..
				Haddock ..	..	29	229	13	7	..	..	..	..	..	..	278	42	[410]	67
				Whiting ..	..	..	8	25	2	..	..	..	..	..	..	35	[6¾]	1017	[197½]
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	166	20
				Thornback ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
LIX 4	Dogger Bank, North of S.W. Patch.	12 f.s. & sh.	June 27th	Plaice ..	..	..	2	18	5	1	..	..	..	..	..	26	19	26	19
O 319	54° 49½′ N., 2° 24¾′ E.	12½	3.25 p.m.	Dab	..	257	111	6	..	..	..	..	..	..	..	374	32	[3833]	328
		13 f.s. & sh.	5 hrs.	Turbot ..	..	..	..	..	..	2	..	..	..	..	..	2	..	2	..
				Cod	..	..	2	..	..	1	..	..	..	..	..	3	..	3	..
				Haddock ..	..	26	62	3	9	1	..	..	..	..	..	101	..	[380]	..
				Whiting ..	..	..	48	8	..	..	..	..	..	..	..	56	1 0	[280]	50
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	62	..
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	(large)
LIX 6	Dogger Bank, Middle	12 f.s. & sh.	June 27th & 28th	Plaice ..	..	..	..	22	10	8	3	..	..	..	..	43	50	43	50
O 320	54° 49¾′ N., 2° 24¾′ E.	12½	9.30 p.m.	Dab	..	18	54	9	1	..	..	..	..	..	..	82	15	[568]	104
		13 f.s. & sh.	5½ hrs.	Lemon Dab...	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	2	1	..	..	..	..	..	3	..	3	..
				Cod	..	..	66	16	11	8	2	8	7	7	5	130	..	130	..
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	82*	..	831	244½
				Whiting ..	..	..	24	10	..	..	..	..	.	..	..	34	9	[170]	45
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	291	..
				Ling	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	(large)
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
LIX 8	Dogger Bank, Middle	16½ f.s. & sh.	June 28th	Plaice ..	..	..	1	6	9	5	..	..	..	..	..	21	24	21	24
O 321	55° 10⅜′ N., 2° 30⅜′ E.	17	3.50 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25
		17½ f.g.s.	5 hrs.	Lemon Dab...	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Cod	..	..	..	..	1	4	1	..	..	.	..	6	..	6+†	34 Kgs.†
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	91
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	100	..
				Ling	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Starry Ray..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LIX 10	Dogger Bank, Middle	17½ f.g.s.	June 28th & 29th.	Plaice ..	..	..	..	..	..	..	..	..	..	..	..	..	..	32	..
O 322	55° 4⅜′ N., 2° 33′ E.	15	8.15 p.m. (28th)	Dab . ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2¾	Baskets
		15 f.g.s. & sh.	6½ hrs.	Lemon Dab..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Turbot ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	(large)
				Cod	..	..	..	..	..	..	..	1	..	..	..	1	..	25	..
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	7½	Baskets
				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	Baskets
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	50	..
				Mackerel ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LIX 11	Dogger Bank, Middle	15 f.g.s. & sh.	June 29th	Plaice ..	..	..	..	4	1	..	..	..	..	..	..	5	5	5	5
O 323	55° 4½′ N., 2° 34′ E.	15 f.g.s. & sh.	3 a.m.	Dab	1	247	64	14	..	..	..	..	..	..	..	326	25	326	25
			2 hrs.	Cod ..	..	1	17	3	..	..	..	..	..	..	..	21	..	21	..
				Haddock ..	..	31	109	15	20	..	..	..	..	..	..	175	[44]	175	[44]
				Whiting ..	..	..	89	29	..	..	..	..	..	..	..	118	23	118	23
				Grey Gurnard	..	17	40	3	..	..	..	..	..	..	..	59	..	59	.

* Sizes selected.

† Catch consisted of 6 fish measured and 34 kilograms unmeasured.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LIX 12	Dogger Bank, Middle	15 f.g.s. & sh.	June 29th	Plaice ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
MOMb B (c.) 344	55° 4′ N., 2° 35′ E.	14 f.g.s. & sh.	5.45 a.m.	Dab	8	97	9	6	..	..	..	..	..	..	..	120	..	120	..
	Covered net experiment, No. 15.		1 hr.	Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	..	1	..	1	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	4	2	..	..	..	..	..	..	..	..	6	..	6	..
LIX 14	Dogger Bank, N.W. Slope.	19½ f.g.s. & sh.	June 29th	Plaice ..	..	..	..	1	1	1	1	..	..	..	..	4	6	4	6
O 324	55° 16½′ N., 2° 30½′E.	20 f.g.s. & sh.	12.10 p.m.	Dab	2	23	1	..	..	..	..	..	..	..	..	26	..	26	..
			2 hrs.	Cod	..	..	2	..	1	..	..	..	..	..	..	3	..	3	..
				Haddock ..	..	15	43	11	3	..	..	..	..	..	..	72	17	72	17
				Grey Gurnard	..	8	12	1	..	..	..	..	..	..	..	21	..	21	..
				Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Starry Ray..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
LIX 17	North of the Dogger Bank.	44 s. & m.	June 30th	Plaice ..	..	..	..	2	2	3	1	..	..	..	..	8	13	8	13
O 325	55° 53′ N., 2° 47⅝′ E.	44 s. & m.	2.30 a.m.	Dab	..	233	24	..	..	..	..	..	..	..	..	257	..	257	..
			2 hrs.	Long Rough Dab.	..	121	51	..	..	..	..	..	..	..	..	172	..	172	..
				Cod	..	..	14	3	6	2	2	..	1	..	..	28	..	28	..
				Haddock ..	..	99	314	152	1	..	..	..	..	..	..	566	108	566	108
				Whiting ..	..	1	45	15	1	..	..	..	..	..	..	62	9	62	9
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	30	..
				Whitch ..	..	..	..	2	14	2	..	..	..	..	..	18	15	18	15
				Starry Ray..	2	3	26	2	..	..	..	..	..	..	..	33	16	33	16
				Black Skate..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
LIX 21	North of the Dogger Bank.	40 f.s. & m.	June 30th	Plaice ..	..	..	..	4	3	5	1	..	..	..	..	13	21	13	21
O 326	56° 23½′ N. 3° 12⅜′ E.	38½ f.s. & m.	2.30 p.m.	Dab	..	138	5	..	..	..	..	..	..	..	..	143	..	143	..
			2 hrs.	Long Rough Dab.	..	50	26	..	..	..	..	..	..	..	..	76	..	76	..
				Cod	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Haddock ..	..	40	101	71	4	..	..	..	..	..	..	216	51	216	51
				Whiting ..	..	1	6	2	..	..	..	..	..	..	..	9	..	9	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Whitch ..	..	..	..	1	2	..	..	..	..	..	..	3	..	3	..
				Cat fish ..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..
				Starry Ray ..	..	4	20	3	..	..	..	..	..	..	..	27	..	27	..
LIX 24	N.W. of Dogger Bank	53 f.s. & m.	July 1st	Plaice ..	..	..	..	..	11	4	..	..	..	..	..	15	19	15	19
O 327	56° 10¼′ N. 1° 36¾′ E.	48 f.s. & m.	3.30 a.m.	Dab	..	63	2	..	..	..	..	..	..	..	..	65	..	65	..
			2 hrs.	Lemon Dab..	..	1	1	5	1	..	..	..	..	..	..	8	..	8	..
				Long Rough Dab.	..	48	20	..	..	..	..	..	..	..	..	68	..	68	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	10	10	3	1	..	..	..	..	..	24	..	24	..
				Haddock ..	..	7	120	91	5	..	..	..	..	..	..	223	69	523	148
				Whiting ..	..	..	22	4	..	..	..	..	..	..	..	26	..	26	..
				Coal fish ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	11	..
				Ling	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Starry Ray..	..	1	11	..	..	..	..	..	..	..	..	12	..	12	..
LIX 28	N.W. of Brucey's Garden.	39 f.g.s. & sh.	July 1st	Plaice ..	..	..	..	..	3	..	..	..	..	..	..	3	..	3	..
O 328	55° 7′ N., 0° 41′ E.	44 f.s. & m.	2.30 p.m.	Dab	..	163	10	..	..	..	..	..	..	..	..	173	..	173	..
			2 hrs.	Lemon Dab	..	..	1	3	..	..	..	..	..	..	..	4	..	4	..
				Long Rough Dab.	..	61	31	..	..	..	..	..	..	..	..	92	..	92	..
				Halibut ..	..	..	..	..	..	..	..	..	2	..	..	2	16	2	16
				Whitch ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	30	30	4	6	2	2	..	..	..	74	46	74	46
				Haddock ..	..	39	135	94	3	..	..	..	..	..	..	271	66	[402]	98
				Whiting ..	..	..	14	3	1	..	..	..	..	..	..	18	..	18	..
				Coal fish ..	..	..	..	..	..	..	..	1	1	..	..	2	..	2	..
				Pout	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LIX 28	N.W. of Brucey's Garden—*cont.*	39 f.g.s. & sh.	July 1st	Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
O 328	55° 7′ N., 0° 41′ E.	44 f.s. & m.	2.30 p.m.	Ling	..	..	..	..	..	..	..	..	1	1	1	3	..	3	..
			2 hrs.	Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Cat fish ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Starry Ray..	..	10	10	..	..	..	..	..	..	..	..	20	7	20	7
LIX 29	Bridlington Bay ..	4¾ f.d.s.	July 7th	Plaice ..	..	145	35	..	..	..	..	..	..	..	..	180	..	180	..
B 345	54° 07′ N., 0° 9⅜′ W.	3½	1 p.m.	Dab	1	186	75	..	..	..	..	..	..	..	..	262	20	262	20
		5 f.d.s.	2 hrs.	Sole	..	..	7	6	..	..	..	..	..	..	..	13	..	13	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	1	38	3	2	..	..	..	..	..	..	..	44	..	44	..
				Latchet ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Angler ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
LIX 30	Flamborough Head Ground.	29½ f.s.	July 7th	Plaice ..	..	..	1	19	15	3	..	..	..	..	..	38	..	38	..
O 329	54° 17¾′ N., 0° 32¼′ E.	36 f.d.s.	3.45 a.m.	Dab	..	105	3	..	..	..	..	..	..	..	..	108	..	108	..
			5 hrs.	Lemon Dab...	..	..	..	7	1	..	..	..	..	..	..	8	..	8	..
				Long Rough Dab	..	3	5	..	..	..	..	..	..	..	..	8	..	8	..
				Cod	..	2	21	15	12	3	..	..	..	..	..	53	..	53	..
				Haddock ..	..	47	257	44	1	1	..	..	..	..	..	350	58	350	58
				Whiting ..	..	1	76	13	..	..	..	..	..	..	..	90	14	90	14
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	77	..
				Red Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Angler ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Ling	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Starry Ray..	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LIX 32	The Hills	31½ f.d.s.	July 8th	Plaice ..	..	..	..	2	2	..	..	..	..	..	..	4	..	4	..
O 330	54° 20⅛′ N., 0° 47⅜′ E.	27	11.30 a.m.	Dab	..	80	1	..	..	..	..	..	..	..	..	81	..	81	..
	Belly badly torn.	22 f.g.s.	5 hrs.	Lemon Dab...	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Cod	..	3	21	6	10	3	1	..		..	..	45	..	45	..
				Haddock ..	..	173	279	18	..	..	..	..	..	..	..	470	54	470	54
				Whiting ..	..	3	41	2	1	..	..	..	..	..	..	47	..	47	..
				Poor Cod ..	..	6	5	..	..	..	..	..	..	..	..	11	..	11	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	117	..
				Ling	..	..	..	..	..	2	..	..	..	..	..	2	..	2	..
LIX 35	Dogger North Ground.	27 f.d.g.s.	July 9th.	Plaice ..	..	..	1	9	6	2	1	..	..	..	..	19	18	19	18
O 331	55° 33½′ N., 1° 11⅝′ E.	16	2.45 a.m.	Dab	2	333	33	1	..	..	..	..	..	..	..	369	17	1436	69
		21	5 hrs.	Lemon Dab..	..	..	2	6	..	..	..	..	..	..	..	8	5	8	5
		27 f.d.g.s.		Long Rough Dab.	..	2	5	..	..	..	..	..	..	..	..	7	..	7	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	102	29	7	1	..	..	..	..	..	139	..	139	..
				Haddock ..	..	29	221	8	..	..	..	..	..	..	..	258	33	1736	213
				Whiting ..	..	..	127	28	..	..	..	..	..	..	..	155	29	348	66
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	510	41
				Starry Ray..	..	3	8	..	..	..	..	..	..	..	..	11	..	11	..
LIX 38	North part of Dogger North Ground.	27 f.d.g.s.	July 9th	Plaice ..	..	..	..	5	3	1	..	..	..	..	..	9	7	9	7
O 332	54° 47⅜′ N., 1° 8½′ E.	25½ f.d.g.s.	11.30 a.m.	Dab	2	416	13	1	..	..	..	..	..	..	..	432	20	432	20
			2 hrs.	Long Rough Dab.	..	28	11	..	..	..	..	..	..	..	..	39	..	39	..
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	4½	1	4½
				Cod	..	..	4	1	2	1	..	..	..	..	..	8	..	8	..
				Haddock ..	..	62	80	5	1	1	..	..	..	..	..	149	19	149	19
				Whiting ..	..	..	4	3	..	..	..	..	..	..	..	7	..	7	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	180	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No	Total Catch. Kg.
LIX 40	East of Brucey's Garden.	32 f.s.m.	July 10th	Plaice ..	..	..	..	2	6	..	..	..	..	..	..	8	9	8	9
O 334	55° 0½′ N., 1° 4⅝′ E.	32 f.s.m.	1 p.m.	Dab	1	519	27	2	1	..	..	..	..	..	..	550	24	550	24
			2 hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	.	..	1	..	1	..
				Long Rough Dab.	..	55	12	..	..	..	..	..	..	..	..	67	..	67	..
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Cod	..	2	14	6	3	..	..	..	..	1	..	26	..	26	..
				Haddock ..	..	152	97	30	4	..	..	..	..	..	..	283	..	283	..
				Whiting ..	..	1	33	1	..	..	..	..	..	..	..	35	5½	35	5½
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	78	..
				Cat Fish ..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
				Starry Ray..	..	8	20	..	..	..	..	..	..	..	..	28	..	28	..
LIX 43	N.E. of Brucey's Garden.	32 f.s.m.	July 10th	Plaice ..	..	..	..	2	11	..	..	..	..	..	..	13	13	13	23
O 335	55° 2⅜′ N., 1° 5½′ E.	32 f.s.m	6.15 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	2 Baskets	
			4¾ hrs.	Lemon Dab	..	..	1	6	3	..	..	..	..	..	..	10	9	10	9
				Long Rough Dab.	..	..	..	..	..	..	..	..	..	..	..	..	..	?	..
				Cod	..	..	7	9	11	6	1	..	..	..	1	35	..	35	..
				Haddock ..	..	..	.	..	1	..	..	..	..	..	..	1	..	780 large fish 12 Baskets small.	
				Whiting ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1 Basket	
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	Few	..
				Starry Ray..	..	..	25	2	..	..	..	..	..	..	..	27	..	27	..
LIX 44	Dogger Bank, North of West part.	43 f.s.m.	July 11th	Plaice ..	..	..	..	1	4	..	..	..	..	..	..	5	6	5	6
O 336	55° 27⅜′ N., 1° 23½′ E.	36 f.s.m.	7.45 a.m.	Dab	..	209	..	..	..	..	..	..	..	..	..	209	..	209	..
			2 hrs.	Lemon Dab	..	..	..	9	1	..	..	..	..	..	..	10	8	10	8
				Long Rough Dab.	..	60	23	..	..	..	..	..	..	..	..	83	..	83	..
				Cod	..	..	1	3	3	1	..	..	..	..	..	8	..	8	..
				Haddock ..	..	67	95	26	1	..	..	..	..	..	..	189	30	189	30
				Whiting ..	..	3	21	1	..	..	..	..	..	..	..	25	..	25	..
				Angler ..	..	..	..	..	..	1	..	1	..	..	..	2	..	2	..
				Starry Ray..	5	8	13	6	..	..	..	..	..	..	..	32	..	32	..
LIX 46	Dogger Bank, N.W. of West part.	43 f.s.m.	July 11th	Plaice ..	..	..	..	..	2	..	.	..	..	..	..	2	..	2	..
O 337	55° 13¼′ N., 0° 26 E.	40 f.s.m.	3.30 p.m.	Dab	..	20	..	..	..	..	..	..	..	..	..	20	..	20	..
	Ground rope parted and belly very badly torn.		2 hrs.	Long Rough Dab.	..	5	..	..	..	..	..	..	..	..	..	5	..	5	..
				Cod	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	11	2	3	..	..	..	..	..	..	..	16	..	16	..
				Whiting ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Coal fish ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Grey Gurnard	..	2	3	..	..	..	..	..	..	..	..	5	..	5	..
				Cat fish ..	.	..	..	..	..	1	..	..	..	.	..	1	..	1	..
				Ling	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Starry Ray..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LIX 50	N.E. of Brucey's Garden.	31 f.s.m.	July 12th	Plaice ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
B (c) 346	55° 1¾′ N., 1° 6′ E.	33 f.s.m.	5.45 a.m.	Dab	..	142	4	..	..	..	..	..	..	..	..	146	..	146	..
	Covered net Experiment. (No. 16.)		1 hr.	Long Rough Dab.	..	25	7	..	..	..	..	..	..	..	..	32	..	32	..
				Cod	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Haddock ..	..	16	27	9	..	..	..	..	..	..	..	52	10	52	10
				Whiting ..	..	3	6	1	..	..	..	..	..	..	..	10	..	10	.
				Norway Pout	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	2	11	1	..	..	..	..	..	..	..	14	..	14	..
				Starry Ray ..	..	6	10	..	..	..	..	..	..	..	..	16	..	16	..
LIX 51	West of Brucey's Garden.	41 f.s.m.	July 12th	Plaice ..	..	..	..	..	..	1	2	..	..	..	..	3	9½	3	9½
O 338	54° 57⅞′ N., 0° 20⅜′ E.	46 f.s.m.	11.15 a.m.	Dab	..	27	3	1	..	..	..	..	..	..	..	31	..	31	..
			2 hrs.	Lemon Dab..	..	..	..	11	4	..	..	..	..	..	..	15	12	15	12
				Long Rough Dab.	..	36	19	..	..	..	..	..	..	..	..	55	..	55	..
				Cod	..	3	25	21	6	6	3	..	..	..	..	64	33	64	33
				Haddock ..	..	87	182	43	6	..	..	..	..	..	..	318	57	318	57
				Whiting ..	..	3	8	2	..	..	..	..	..	..	..	13	..	13	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15⅜+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LIX 51	West of Brucey's Garden—*cont.*	41 f.s.m.	July 12th	Grey Gurnard	..	..	5	..	..	..	..	..	..	..	..	5	..	5	..
O 338	54° 57⅞′ N., 0° 20⅞′ E.	46 f.s.m.	11.15 a.m.	Cat Fish ..	..	..	..	..	..	..	1	..	3	1	..	5	33	5	33
			2 hrs.	Angler ..	..	..	..	..	..	2	1	..	..	1	..	4	..	4	..
				Ling	..	..	..	..	..	..	..	3	..	..	2	5	21	5	21
				Starry Ray ..	..	1	16	..	..	..	..	..	..	..	..	17	..	17	..
LIX 56	Hartlepool Ground...	24½ c.s.	July 13th	Lemon Dab..	..	3	7	4	..	..	..	..	..	..	..	14	..	14	..
O 339	54° 40⅜′ N., 0° 55′ W.	23 s.m.	4.30 a.m.	Long Rough Dab.	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
	Ground rope parted, net very badly torn; large stone in trawl.		2 hrs.	Cod	..	5	7	6	2	..	..	..	..	..	..	20	..	20	..
				Haddock ..	..	73	38	2	..	1	..	..	..	..	..	114	12	114	12
				Whiting ..	..	4	37	6	..	..	..	..	..	..	..	47	8	47	8
				Poor Cod ..	..	2	6	..	..	..	..	..	..	..	..	8	..	8	..
				Grey Gurnard	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Ling	..	..	..	..	..	..	1	..	1	..	..	2	..	2	..
				Cat Fish ..	..	1	..	..	..	..	2	..	..	..	..	3	..	3	..
				Angler	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Herring ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
LX 1	South of Horn Reef	9 f.d.s. & sh.	July 23rd	Plaice ..	..	278	91	..	..	..	..	..	..	..	..	369*	..	[1184]*	..
O 340	55° 22⅞′ N., 7° 57⅞′ E.	10 f.d.s.	8.40 p.m.	Dab	8	70	9	..	..	..	..	..	..	..	..	87	..	87	..
			1 hr.	Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	29	9	..	..	..	..	..	..	..	..	38	..	38	..
				Latchet ..	..	..	2	1	1	..	..	..	..	..	..	4	..	4	..
				Horse Mackerel.	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	1	..	3	1	..	..	..	..	..	5	..	5	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LX 2	Horn Reef Outer ..	20½ f.d.s. & sh.	July 24th	Plaice ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
O 341	55° 40⅞′ N., 6° 39⅞′ E.	20½ f.d.s.	8 a.m.	Dab	..	11	2	..	..	..	..	..	..	..	..	13	..	13	..
			1 hr.	Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Haddock ..	..	7	66	2	..	..	..	..	..	..	..	75	..	75	..
				Whiting ..	..	..	55	12	..	..	..	..	..	..	..	67	..	67	..
				Grey Gurnard	..	4	7	..	..	..	..	..	..	..	..	11	..	11	..
				Latchet ..	..	1	..	1	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..
LX 3	South of Horn Reef	10½ f.d.s. & sh.	July 24th	Plaice ..	..	361	38	..	..	..	..	..	..	..	..	399	..	399	..
O 342	55° 23′ N., 7° 55′ E.	9 f.d.s. & sh.	4.30 p.m.	Dab	..	14	7	..	..	..	..	..	..	..	..	21	..	21	..
			½ hr.	Grey Gurnard	..	15	8	..	..	..	..	..	..	..	..	23	..	23	..
				Latchet ..	..	..	1	1	1	1	..	..	..	..	..	4	..	4	..
				Thornback ..	..	..	..	3	1	1	..	..	..	..	..	5	..	5	..
				Spur Dog .	..	..	..	..	..	..	..	..	2	..	..	2	..	2	..
				Tope	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..
LXI 36	Leman Ground ..	17 f.d.s.	Aug. 3rd	Plaice ..	..	2	27	21	..	..	..	..	..	..	..	50	14	50	14
B 347	53° 18⅛′ N., 2°25½′ E.	13 f.s.	9-10 p.m.	Dab	..	174	28	..	..	..	..	..	..	..	..	202	..	202	..
	Towing 48 revolutions		hrs.	Sole	..	..	2	5	1	..	..	..	..	..	..	8	..	8	..
				Cod	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	4	17	..	..	..	..	..	..	..	..	21	..	21	..
				Grey Gurnard	..	36	12	..	..	..	..	..	..	..	..	48	..	48	..
				Latchet ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Trout.. ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Thornback ..	..	..	4	1	..	..	1	..	..	..	..	6	..	6	..
LXI 37	Leman Ground ..	13 f.s.	Aug. 9th	Plaice ..	..	5	24	13	..	..	..	..	..	..	..	42	10	42	10
B 348	53° 18′ N., 2° 25⅞′ E.	17 f.d.s.	12.30 a.m.	Dab	..	368	18	..	..	..	..	..	..	..	..	386	16	386	16
	Towing 52 revolutions		2 hrs.	Sole	..	..	..	4	..	..	..	..	..	..	..	4	..	4	..
				Whiting ..	..	2	13	..	..	..	..	..	..	..	..	15	..	15	..
				Grey Gurnard	..	19	17	..	..	..	..	..	..	..	..	36	..	36	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..

* Large Plaice marked, and sample of remainder measured.

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration	Ins. .. / Cm ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100+	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXI 38	Leman Ground ..	16 f.g.s.	Aug. 9th	Plaice ..	..	16	27	12	3	..	..	..	..	..	..	58	14	58	14
B 349	53° 20⅞′ N., 2° 25½′ E.	17 f.g.s.	5 a.m.	Dab	1	356	13	..	..	..	..	..	..	..	..	370	15	370	15
	Towing 58 revolutions.		2 hrs.	Haddock ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	32	11	..	..	..	..	..	..	..	..	43	..	43	..
				Greater Weever.	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
LXI 39	Leman Ground ..	17 f.g.s.	Aug. 9th	Plaice ..	..	16	35	11	..	..	..	..	..	..	..	62	11½	62	11½
B 350	53° 20′ N., 2° 25½′ E.	13 f.g.s.	7.20 a.m.	Dab	4	424	22	..	..	..	..	..	..	..	..	450	18½	450	18½
	Towing 42 revolutions.		2 hrs.	Grey Gurnard	..	31	12	..	..	..	..	..	..	..	..	43	..	43	..
				Latchet ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	5	1	..	..	..	..	..	..	..	6	..	6	..
				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
LXI 40	Leman Ground ..	12 f.g.s.	Aug. 9th	Plaice ..	..	8	24	18	..	1	..	..	..	..	..	51	14½	51	14½
B 351	53° 20′ N., 2° 24⅛′ E.	10 f.g.s.	10 a.m.	Dab	1	282	27	..	..	..	..	..	..	..	..	310	16	310	16
	Towing 54 revolutions.		2 hrs.	Whiting ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	26	3	..	..	..	..	..	..	..	..	29	..	29	..
				Greater Weever.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LXI 41	Leman Ground ..	10 f.g.s.	Aug. 9th	Plaice ..	..	6	17	2	..	..	..	..	..	..	..	25	5½	25	5½
B 352	53° 19¾ N., 2° 24⅝′ E.	17 f.g.s.	12.20 p.m.	Dab	..	285	15	..	..	..	..	..	..	..	..	300	15	300	15
	Towing 46 revolutions.		2 hrs.	Grey Gurnard	..	32	6	..	..	..	..	..	..	..	..	38	..	38	..
				Greater Weever.	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
LXI 42	Leman Ground ..	17½ f.g.s.	Aug. 9th	Plaice ..	..	7	21	19	..	..	..	..	..	..	..	47	13	47	13
B 353	53° 20′ N., 2° 24⅜′ E.	14½ f.g.s.	3.15 p.m.	Dab	..	342	14	..	..	..	..	..	..	..	..	356	..	356	..
	Towing 54 revolutions.		2 hrs.	Whiting ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	58	4	..	..	..	..	..	..	..	..	62	..	62	..
				Greater Weever.	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
LXI 44	Leman Ground ..	15 f.g.s.	Aug. 9th	Plaice ..	..	6	23	11	1	..	..	..	..	..	..	41	11	41	11
B 354	53° 18½′ N., 2° 25¾′ E.	13 f.g.s.	6.10 p.m.	Dab	..	272	16	..	..	..	..	..	..	..	..	288	14½	288	14½
	Towing 58 revolutions.		2 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	40	10	..	..	..	..	..	..	..	..	50	..	50	..
				Greater Weever.	..	..	5	2	..	..	..	..	..	..	..	7	..	7	..
				Thornback ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
LXI 45	Brown Bank	15½ f.g.s.	Aug. 10th	Plaice ..	..	1	51	18	1	..	..	..	..	..	..	71	17½	71	17½
B 355	53° 9¾′ N., 3° 44¾′ E.	13½ f.g.s.	7.50 a.m.	Dab.. ..	..	72	13	..	..	..	..	..	..	..	..	85	6½	85	6½
	Towing 52 revolutions		2 hrs.	Sole.. ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	91	4	..	..	..	..	..	..	..	..	95	..	95	..
				Greater Weever.	..	..	6	..	..	..	..	..	..	..	..	6	..	6	..
LXI 46	Brown Bank.. ..	13½ f.g.s.	Aug. 10th	Plaice ..	..	5	32	7	..	..	..	..	..	..	..	44	9	44	9
B 356	53° 10⅜′ N., 3° 44⅞′ E.	15¼ f.g.s.	10.15 a.m.	Dab	..	50	1	..	..	..	..	..	..	..	..	51	..	51	..
	Towing 62-64 revolutions.		2 hrs.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
	Cod end insecurely fastened, some fish escaped.			Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	25	1	..	..	..	..	..	..	..	..	26	..	26	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Black Skate..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LXI 47	Brown Bank.. ..	15¼ f.g.s.	Aug. 10th	Plaice ..	..	..	17	4	..	..	..	..	..	..	..	21	6	21	6
B 357	53° 9⅝′ N., 3° 46⅜′ E.	15 f.g.s.	1.30 p.m.	Dab	..	16	4	..	..	..	..	..	..	..	..	20	..	20	..
	Towing 58 revolutions		2 hrs.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	17	6	..	..	..	..	..	..	..	..	23	..	23	..
				Greater Weever.	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXI 48	Brown Bank.. ..	15 f.g.s.	Aug. 10th	Plaice ..	..	..	10	5	1	..	..	..	..	..	..	16	5½	16	5½
B 358	53° 10¼′ N., 3° 44¾′ E.	15 f.g.s.	4.15 p.m.	Dab	..	26	..	..	..	..	..	..	..	..	..	26	..	26	..
	Towing 54 revolutions		2 hrs.	Grey Gurnard	..	36	3	..	..	..	..	..	..	..	..	39	..	39	..
				Greater Weever.	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
LXI 49	Off Southwold ..	13 c.s.	Aug. 12th	Plaice ..	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
B 359	52° 18¾′ N., 1° 48′ E.	15 c.s.	9.15 a.m.	Dab	..	5	..	..	..	..	..	..	..	..	..	5	..	5	..
	Towing 48 revolutions		2 hrs.	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback..	..	2	1	2	3	..	..	..	..	..	..	8	7½	8	7½
				Homelyn ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	5	2	..	..	..	..	..	..	..	7	..	8	..
LXI 50	Off Southwold ..	12 c.s.	Aug. 12th	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
B 360	52° 20¼′ N. 1° 49′ E.	12 c.s. gvl.	11.45 a.m.	Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
	Towing 60-68 revolutions.		2 hrs.	Horse Mackerel.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	1	..	1	1	..	..	..	..	..	..	3	..	3	..
				Black Skate	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
LXI 51	Off Southwold ..	11 f.s.	Aug. 12th	Plaice .	..	3	1	..	..	..	..	..	..	..	..	4	..	4	..
B 361	52° 19⅜′ N., 1° 47⅝′ E.	12 c.s. & sh.	3.25 p.m.	Dab	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..
	Towing 38 revolutions.		2 hrs.	Lemon Dab..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	4	1	..	..	..	..	..	..	..	..	5	..	5	..
				Cod	..	1	2	..	1	1	..	..	..	..	..	5	..	5	..
				Whiting ..	..	6	1	..	..	..	..	..	..	..	..	7	..	7	..
				Pout	1	2	1	..	..	..	..	..	..	..	..	4	..	4	..
				Thornback ..	..	5	7	6	3	..	..	..	..	..	..	21	13	21	13
				Homelyn ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Tope	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
LXI 52	Off Southwold ..	12 c.s. & st.	Aug. 12th	Dab	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
B 362	52° 17½′ N., 1° 46⅜′ E.	12 c.s. & st.	5.45 p.m.	Sole	..	1	2	1	..	..	..	..	..	..	..	4	..	4	..
	Towing 54 revolutions.		2 hrs.	Whiting ..	..	3	1	..	..	..	..	..	..	..	..	4	..	4	..
				Pout	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback .	..	2	5	2	1	..	..	..	..	..	..	10	8	10	8
				Homelyn ..	..	..	..	..	1	..	..	..	..	..	..	1		1	
LXI 54	North part of Winterton Shoal.	17 f.s.	Aug. 13th	Plaice ..	..	4	33	1	..	..	..	..	..	..	..	38	6½	38	6½
B 363	52° 50⅜′ N., 2° 56¾′ E.	22 f.s.	10.45 a.m.	Dab	..	73	2	..	..	..	..	..	..	..	..	75	4	75	4
	Towing 44 revolutions.		2 hrs.	Grey Gurnard	..	21	11	..	..	..	..	..	..	..	..	32	..	32	..
				Greater Weever.	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Thornback ..	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
LXI 55	North part of Winterton Shoal.	22 f.s.	Aug. 13th	Plaice ..	..	..	15	3	..	..	..	..	..	..	..	18	4	18	4
B 364	52° 51¾′ N., 2° 57½′ E.	22 f.s.	1.15 p.m.	Dab	..	40	7	..	..	..	..	..	..	..	..	47	3	47	3
	Towing 54 revolutions.		2hrs.	Turbot ..	..	..	..	..	..	..	..	1	..	..	..	1	10	1	10
				Whiting ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	4	2	..	..	..	..	..	..	..	..	6	..	6	..
				Greater Weever.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	3	5	1	1	..	..	..	..	..	..	10	7	10	7
LXI 56	North part of Winterton Shoal.	22 f.s.	Aug. 13th	Plaice ..	..	..	32	8	..	..	..	..	..	..	..	40	9	40	9
B 365	52° 40½′ N., 2° 57⅝′ E.	22 f.s.	4.30 p.m.	Dab	..	138	15	..	..	..	..	..	..	..	..	153	..	153	..
	Towing 34 revolutions.		2 hrs.	Sole	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	2	3	..	..	..	..	..	..	..	..	5	..	5	..
				Grey Gurnard	..	6	2	..	..	..	..	..	..	..	..	8	..	8	..
				Latchet ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	1	5	4	1	..	..	..	..	..	..	11	7	11	7

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXI 57	North part of Winterton Shoal.	22 f.s.	Aug. 13th	Plaice ..	..	..	9	..	..	..	..	..	..	..	..	9	..	9	..
B 366	52° 49⅛′ N., 2° 56⅝′ E.	17 f.s.	6.50 p.m.	Dab	..	30	..	..	..	..	..	..	..	..	..	30	..	30	..
	Towing 44 revolutions.		2 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..
				Thornback ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
LXI 59	Off Smith's Knoll Light-vessel.	23 f.d.s.	Aug. 14th	Plaice ..	.	1	17	25	2	1	..	..	..	..	..	46	20	46	20
B 367	52° 50½′ N., 2° 17¼′ E.	26 s. blk. m.	5.15 a.m.	Dab	..	22	4	..	..	..	..	..	..	..	..	26	..	26	..
	Towing 44 revolutions.		2 hrs.	Sole	..	..	1	3	..	..	..	..	..	..	..	4	..	4	..
				Cod	..	1	8	3	..	2	1	..	..	..	..	15	..	15	..
				Whiting ..	..	10	50	9	..	..	..	..	..	..	..	69	11	69	11
				Poor Cod ..	..	8	5	..	..	..	..	..	..	..	..	13	..	13	..
				Thornback ..	..	1	..	1	..	..	..	..	..	..	..	2	..	2	..
				Black Skate..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
LXI 60	Off Smith's Knoll Light-vessel.	26 f.s.m.	Aug. 14th	Plaice ..	..	..	9	5	..	..	..	..	..	..	..	14	..	14	..
B 368	52° 49½′ N., 2° 16¼′ E.	26 blk. spk. s.	7.45 a.m.	Dab	..	17	1	..	..	..	..	..	..	..	..	18	..	18	..
	Towing 66 revolutions.		2 hrs.	Sole	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
				Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	5	1	5
				Cod	..	..	1	1	..	..	1	..	..	..	..	3	..	3	..
				Whiting ..	..	29	271	18	..	..	..	..	..	..	..	318	42	318	42
				Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Poor Cod ..	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..
				Spur Dog ..	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
LXI 61	Off Smith's Knoll Light-vessel.	26 s.m.	Aug. 14th	Plaice ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
B 369	52° 49½′ N., 2° 15⅓′ E.	21 f.s.	11.35 a.m.	Dab	..	4	3	..	..	..	..	..	..	..	..	7	..	7	..
	Towing 34 revolutions.		1½ hrs.	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	.	..	..	4	..	..	..	..	..	..	4	..	4	..
LXI 62	Off Smith's Knoll Light-vessel.	25 f.s.	Aug. 14th	Plaice ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
B 370	52° 51½′ N., 2° 16¼′ E.	23 c.s.	1.30 p.m.	Dab	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
	Towing 44-54 revolutions.		1½ hrs.	Lemon Dab..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	5	4	..	..	..	..	..	..	..	9	..	9	..
				Cod	..	..	..	1	..	2	1	1	..	..	..	5	13	5	13
				Whiting ..	..	9	78	6	..	..	..	..	..	..	..	93	14	93	14
				Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Poor Cod ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
LXII 19	Off Sutton	6 f.d.s.	Aug. 24th	Plaice ..	..	14	7	..	..	..	..	..	..	..	..	21	..	21	..
B 371	53° 19½′ N., 0° 19′ E.	6½ f.d.s.	9.30 a.m.	Dab	1	2	..	..	..	..	..	..	..	..	..	3	..	3	..
	Belly badly torn.	7 gvl.	1 hr.	Sole	..	1	23	4	..	..	..	..	..	..	..	28	..	28	..
				Whiting ..	1	3	..	..	..	..	..	..	..	..	..	4	..	4	..
				Latchet ..	..	..	2	1	..	..	..	..	..	..	..	3	..	3	..
				Thornback ..	..	10	8	5	1	..	..	..	..	..	..	24	..	24	..
				Black Skate ..	..	..	5	..	..	..	..	..	..	..	..	5	..	5	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
LXII 20	Off Mablethorpe ..	8½ gvl.	Aug. 24th	Plaice ..	..	18	3	..	..	..	..	..	..	..	..	21	..	21	..
B 372	53° 20½′ N., 0° 22′ E.	9 s.	12.15 p.m.	Dab	..	17	1	..	..	..	..	..	..	..	..	18	..	18	..
		7	2¼ hrs.	Sole	..	3	21	..	..	..	..	..	..	..	..	24	..	24	..
		7 s. gvl.		Brill	..	..	..	4	3	..	..	..	..	..	..	7	..	7	..
				Cod	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	7	8	..	..	..	..	..	..	..	..	15	..	15	..
				Grey Gurnard	1	1	10	1	..	..	..	..	..	..	..	13	..	13	..
				Latchet ..	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Thornback ..	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
				Homelyn ..	..	4	2	..	..	..	..	..	..	..	..	6	..	6	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39 + / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXII 33	Off Horn Reef Light-vessel.	17 f.g.s. & sh.	Aug. 29th	Plaice ..	..	228	345	..	..	..	..	..	..	..	..	573	..	573	..
B 373	55° 31′ N., 7° 19⅓′ E.	15 f.g.s.	9.30 a.m.	Dab	1	449	47	..	..	..	..	..	..	..	..	497	..	497	..
			2 hrs.	Cod	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Haddock ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	13	11	..	..	..	..	..	..	..	..	24	..	24	..
				Thornback ..	..	..	..	4	8	1	..	..	..	..	..	13	..	13	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..		2	..
LXIII 1	Leman Ground ..	17 f.g.s.	Sept. 5th	Plaice ..	..	4	41	25	2	..	..	..	..	..	..	72	..	72	..
O 343	53° 19¼′ N., 2° 32½′ E.	15½ f.g.s.	3 a.m.	Dab	..	365	19	..	..	..	..	..	..	..	..	384	..	384	..
			4 hrs.	Lemon Dab...	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Cod	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	12	215	5	..	..	..	..	..	..	..	232	..	232	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	42	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	(small)
LXIII 3	Leman Ground ..	15½ f.g.s.	Sept. 5th	Plaice ..	..	8	35	23	2	..	..	..	..	..	..	68	..	68	..
O 344	53° 19½′ N., 2° 31¾′ E.	17 f.g.s.	7.30 a.m.	Dab	1	408	14	1	..	..	..	..	..	..	..	424	..	424	..
			4 hrs.	Sole	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	3	150	10	..	..	..	..	..	..	..	163	..	163	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	40	..
				Latchet ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	22	..
				Mackerel ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Red Mullet..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LXIII 4	Leman Ground ..	17 f.d.g.s.'	Sept. 5th	Plaice ..	..	6	28	17	3	1	..	..	..	..	..	55	..	55	..
O 345	53° 16′ N., 2° 47⅜′ E.	16 f.d.g.s.	1.30 p.m.	Dab	..	221	21	1	..	..	..	..	..	..	..	243	..	243	..
			4 hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	2	3	..	..	..	..	..	..	..	5	..	5	..
				Brill	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Whiting ..	..	4	97	7	..	..	..	..	..	..	..	108	..	108	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Latchet ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
				Thornback ..	..	9	1	1	..	1	..	..	..	..	..	12	..	12	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	(small)
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	2	(large)
LXIII 5	Eastern edge of Leman Ground.	16 f.d.g.s.	Sept. 6th	Plaice ..	..	9	39	17	2	..	..	..	..	..	..	67	..	67	..
O 346	53° 12′ N., 3° 1⅚′ E.	15½ f.d.g.s.	4.30 a.m.	Dab	2	472	11	..	..	..	..	..	..	..	..	485	20	485	20
			4 hrs.	Sole	..	..	1	4	..	..	..	..	..	..	..	5	..	5	..
				Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	22	52	1	..	..	..	..	..	..	..	75	7½	75	7½
				Grey Gurnard	..	6	3	..	..	..	..	..	..	..	..	9	..	9	..
				Latchet ..	..	..	..	..	1	2	..	..	..	..	..	3	..	3	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Horse Mackerel.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	1	2	1	..	..	..	..	..	..	..	4	..	4	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	24	(small)
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	(small)

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins... / Cm...	0+ 0+	4+ 10+	8+ 20+	12+ 30+	15⅝+ 40 +	19¾+ 50 +	23⅝+ 60 +	27½+ 70+	31½+ 80+	35½+ 90 +	39½+ 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXIII 9	North part of Brown Bank.	16½ f.d.g.s.	Sept. 6th	Plaice ..	..	4	127	26	2	..	..	..	..	..	..	159	..	159	..
O 347	53° 8¾′ N., 3° 16⅝′ E.	15½ f.s.	3.50 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1½ Basket	
..			4 hrs.	Sole	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
..				Brill	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LXIII 11	Texel Ground ..	8 f.g.s.	Sept. 13th	Plaice ..	..	149	42	2	..	..	..	..	..	..	..	193	16	193	16
O 348	52° 50½′ N., 4° 32¾′ E.	12 f.g.s.	5.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	180	13½
..			2 hrs.	Flounder ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
..				Cod	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
..				Whiting ..	..	1	10	1	..	..	..	..	..	..	..	12	..	12	..
..				Grey Gurnard	..	17	5	..	..	..	..	..	..	..	..	22	..	22	..
..				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
..				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	275	47
..				John Dory ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
..				Mackerel ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
LXIII 16	Texel Ground ..	12 f.g.s.	Sept. 13th	Plaice ..	..	126	119	2	..	..	..	..	..	..	..	247	22	247	22
O 349	52° 52½′ N., 4° 24⅝′ E.	13 f.g.s.	3.55 p.m.	(No other fish recorded.)															
..			4 hrs.																
LXIII 18	Texel Ground ..	14 f.g.s.	Sept. 14th	Plaice ..	..	62	295	20	..	..	..	..	..	..	..	377	53	377	53
O 350	52° 55¼′ N., 4° 10⅝′ E.	14 f.g.s.	6.15 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	1¾ Baskets.	54
..			4 hrs.	Turbot ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
..				Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10
..				Latchet ..	..	..	2	5	7	1	..	..	..	..	..	15	12	15	12
..				John Dory ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
..				Red Mullet (striped.)	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
..				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	219	37
..				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
LXIII 20	East part of Brown Bank.	14 f.g.s.	Sept. 14th	Plaice ..	..	29	188	33	1	..	..	..	..	..	..	251	42	251	43
O 351	52° 59⅛′ N., 3° 52⅞′ E.	14½ f.g.s.	10.50 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	¾ Basket.	23
..	..		5 hrs.	Latchet ..	..	..	..	..	..	..	..	..	..	..	..	..	..	19	..
..				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket.	..
..				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
..				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LXIII 22	Brown Bank	14½ f.g.s.	Sept. 14th	Plaice ..	..	4	135	18	..	..	..	..	..	..	..	157	28	157	28
O 352	53° 4⅝′ N., 3° 32¾′ E.	16 f.g.s.	4.20 p.m.	(No other fish recorded.)															
..	..		4½ hrs.																
LXIV 1	South part of Lowestoft Flats.	14½ c.s.	Sept. 19th	Plaice ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
B 378	52° 21½′ N., 2° 0½′ E.	18	12.45 p.m.	Dab	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
..	Belly torn.	20 c.br.s.	2 hrs.	Sole	..	..	5	2	..	..	..	..	..	..	..	7	..	7	..
..				Cod	..	..	1	..	..	1	..	..	..	..	..	2	..	2	..
..				Whiting ..	..	22	27	2	..	..	..	..	..	..	..	51	..	51	..
..				Pout.. ..	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
..				Conger ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
..				Thornback ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
..				Homelyn ..	..	5	..	..	..	..	..	..	..	..	..	5	..	5	..
LXIV 3	South part of Lowestoft Flats.	19 c.br.s.	Sept. 19th	Sole	..	..	6	..	..	..	..	..	..	..	..	6	..	6	..
B 379	52° 20⅜′ N., 1° 58⅜′ E.	16½ c.s. & sh.	3.45 p.m.	Cod	..	..	..	..	..	..	2	..	..	..	..	2	..	2	..
..			2 hrs.	Whiting ..	..	11	12	1	..	..	..	..	..	..	..	24	..	24	..
..				Pout	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
..				Conger ..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..
..				Thornback ..	..	2	1	..	..	..	1	..	..	..	..	4	..	4	..
..				Homelyn ..	..	3	..	..	..	..	..	..	..	..	..	3	..	3	..
..				Tope	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40+	19¾+ / 50+	23⅝+ / 60+	27½+ / 70+	31½+ / 80+	35½+ / 90+	39½+ / 100+	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXIV 4	Western Deep Water	30 c.s. & sh.	Sept. 20th	Plaice ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
B 380	52° 5′ N., 2° 24⅝′ E.	27	7.20 a.m.	Dab	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
	Belly torn.	22½ f.g.s.	4 hrs.	Turbot ..	..	..	..	..	1	..	1	..	..	..	..	2	..	2	..
				Brill	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	1	24	..	..	..	..	..	..	..	..	25	..	25	..
				Latchet ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Red Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..
				Thornback ..	..	..	3	4	2	1	..	..	..	..	..	10	..	10	..
				Homelyn ..	..	..	1	1	1	..	..	..	..	..	..	3	..	3	..
				Spur Dog ..	..	..	..	..	2	4	1	..	..	..	..	7	..	7	..
				Tope	..	..	..	..	..	..	..	1	2	1	..	4	..	4	..
				Spotted Dog..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
LXIV 6	Eastern Deep Water	21 c.s.	Sept. 21st	Plaice ..	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
B 381	52° 10¾′ N., 2° 40½′ E.	24 f.g.s.	8.45 a.m.	Brill	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
			4 hrs.	Cod	..	..	..	3	1	2	..	..	..	..	..	6	..	6	..
				Whiting ..	..	..	3	5	..	..	..	..	..	..	..	8	..	8	..
				Pout	..	22	124	6	..	..	..	..	..	..	..	152	..	152	..
				Poor Cod ..	..	4	1	..	..	..	..	..	..	..	..	5	..	5	..
				Grey Gurnard	..	15	52	..	..	..	..	..	..	..	..	67	..	67	..
				Latchet ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Horse Mackerel.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Red Gurnard	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	..	..	3	..	..	..	..	..	..	3	..	3	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..
LXIV 8	Eastern Deep Water	24 f.g.s.	Sept. 21st	Plaice ..	..	..	9	..	..	..	..	..	..	..	..	9	..	9	..
B 382	52° 17½′ N., 2° 46¾′ E.	25 f.g.s.	1.30 p.m.	Sole	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
			4 hrs.	Turbot ..	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Grey Gurnard	..	4	23	..	..	..	..	..	..	..	..	27	..	27	..
				Latchet ..	..	..	1	3	..	1	..	..	..	..	..	5	..	5	..
				Red Gurnard	..	1	3	..	..	..	..	..	..	..	..	4	..	4	..
				Horse Mackerel	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Thornback ..	..	..	1	4	..	..	..	..	..	..	..	5	..	5	..
				Homelyn ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LXIV 10	Between Middle Ground and Winterton Shoal.	25 f.g.s.	Sept. 21st	Sole	..	..	3	2	..	..	..	..	..	..	..	5	..	5	..
B 383	52° 28′ N., 2° 50⅝′ E.	22 f.g.s.	6 p.m.	Cod	..	..	1	4	1	..	..	..	..	..	..	6	..	6	..
	Ground rope parted, net badly torn.		5 hrs.	Pout	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Grey Gurnard	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
LXIV 12	South part of Winterton Shoal.	21 f.g.s.	Sept. 22nd	Plaice ..	..	3	22	10	1	..	..	..	..	..	..	36	..	36	..
B 384	52° 41¾′ N., 2° 58¾′ E.	19 f.g.s.	8 a.m.	Dab	..	18	1	..	..	..	..	..	..	..	..	19	..	19	..
			5 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	1	..	..	1	1	..	..	..	3	..	3	..
				Brill	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Whiting ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Poor Cod ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	39	18	..	..	..	..	..	..	..	..	57	..	57	..
				Latchet ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	½ Basket	
				Thornback ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXIV 14	Eastern Deep Water	22½ f.g.s.	Sept. 26th	Plaice ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
B 385	52° 13¼′ N., 2° 35¾′ E.	23½ f.g.s	1 p.m.	Sole	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
	Belly slightly torn.		5 hrs.	Turbot ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Cod	..	..	1	2	..	..	..	..	..	..	..	3	..	3	..
				Whiting ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Poor Cod ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Pout	..	..	20	1	..	..	..	..	..	..	..	21	..	21	..
				Grey Gurnard	..	2	3	..	..	..	..	..	..	..	..	5	..	5	..
				Ling	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Red Gurnard	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..
				Thornback ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Tope ..	..	..	..	..	..	..	1	1	..	..	..	2	..	2	..
				Lesser Spotted Dog.	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
LXIV 16	South of Winterton Shoal.	23½ f.g.s.	Sept. 28th	Plaice ..	..	..	11	..	..	..	..	..	..	..	..	11	..	11	..
B 386	52° 31⅝′ N., 2° 44½′ E.	24 f.g.s.	6.30 p.m.	Dab	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
	Aft wing torn.		5 hrs.	Lemon Dab..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Sole	..	..	8	10	..	..	..	..	..	..	..	18	..	18	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	1	4	..	2	1	..	..	..	..	8	..	8	..
				Whiting ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Pout	..	1	9	2	..	..	..	..	..	..	..	12	..	12	..
				Poor Cod ..	..	11	..	..	..	..	..	..	..	..	..	11	..	11	..
				Grey Gurnard	..	9	3	..	..	..	..	..	..	..	..	12	..	12	..
				Latchet ..	..	..	..	..	3	..	..	..	..	..	..	3	..	3	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Red Gurnard	..	2	1	..	..	..	..	..	..	..	..	3	..	3	..
				Thornback ..	..	..	8	6	1	2	..	..	..	..	..	17	..	17	..
LXIV 18	Between Middle Ground and Knoll Deep.	24 g.s.	Sept. 27th	Plaice ..	..	1	96	14	..	..	..	..	..	..	..	111	23	111	23
B 387	52° 32¼′ N., 2° 44⅞′ E.	24 f.g.s. & blk. clay.	12.30 a.m.	Dab	..	10	5	..	..	..	..	..	..	..	..	15	..	15	..
			5 hrs.	Sole	..	..	8	4	1	..	..	..	..	..	..	13	..	13	..
				Turbot ..	..	..	..	..	2	..	1	..	..	..	..	3	..	3	..
				Cod	..	..	3	5	2	..	..	..	..	..	..	10	..	10	..
				Whiting ..	..	1	43	7	..	..	..	..	..	..	..	51	..	51	..
				Poor Cod ..	..	17	2	..	..	..	..	..	..	..	..	19	..	19	..
				Pout	..	2	6	..	..	..	..	..	..	..	..	8	..	8	..
				Grey Gurnard	..	63	29	..	..	..	..	..	..	..	..	92	..	92	..
				Latchet ..	..	..	..	7	4	1	..	..	..	..	..	12	..	12	..
				Red Gurnard	..	3	2	..	..	..	..	..	..	..	..	5	..	5	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	.	..	20	..
				Thornback ..	..	4	10	5	6	1	1	..	..	..	..	27	..	27	..
				Tope	..	..	..	..	..	..	..	..	..	..	1	1	..	5	..
LXIV 20	N.E. part of Knoll Deep.	24 f.g.s. & blk. clay.	Sept. 27th	Plaice ..	..	..	36	33	1	..	..	..	..	..	..	70	24	70	24
B 388	52° 42½′ N., 2° 35⅞′ E.	22½ f.g.s.	6 a.m.	Dab	..	8	8	1	..	..	..	..	..	..	..	17	..	17	..
			5 hrs.	Turbot ..	..	..	..	..	1	1	1	..	..	..	..	3	..	3	..
				Cod	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	3	68	18	..	..	..	..	..	..	..	89	..	89	..
				Grey Gurnard	..	73	54	1	..	..	..	..	..	..	..	128	..	128	..
				Latchet ..	..	..	..	3	..	..	..	..	..	..	..	3	..	3	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..
				Horse Mackerel.	..	..	2	2	..	..	..	..	..	..	..	4	..	4	..
				Thornback ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Lesser Spotted Dog.	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXIV 22	Leman Ground ..	17 f.g.s.	Sept. 27th	Plaice ..	..	2	4	2	..	..	..	..	..	..	..	8	..	8	..
B 389	53° 16¾′ N., 2° 30¼′ E.	17 f.g.s.	4 p.m.	Dab	..	55	..	..	..	..	..	..	..	..	..	55	..	55	..
			2 hrs.	Cod	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Whiting ..	..	226	125	7	..	..	..	..	..	..	..	358	..	358	..
				Grey Gurnard	..	6	2	..	..	..	..	..	..	..	..	8	..	8	..
				Allis Shad ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Mackerel ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LXIV 23	Leman Ground ..	17 f.g.s.	Sept. 27th	Plaice ..	1	5	23	46	3	1	..	..	..	..	..	79	27	79	27
B 390	53° 14½′ N., 2° 53′ E.	15 f.g.s.	6.30 p.m.	Dab	2	345	2	..	..	..	..	..	..	..	..	349	7	[1346]	27
			5½ hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Whiting ..	..	269	141	4	..	..	..	..	..	..	..	414	25	[513]	31
				Grey Gurnard	..	25	3	..	..	..	..	..	..	..	..	28	..	28	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	24	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	28	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LXIV 24	Eastern Edge of Leman Ground.	15 f.g.s.	Sept. 28th	Plaice ..	..	2	53	35	4	..	..	..	..	..	..	94	..	94	..
B 391	53° 19½′ N., 3° 1¼′ E.	17 f.g.s.	Midnight	Dab	13	220	3	..	..	..	..	..	..	..	..	236	4	[2537]	43
			5 hrs.	Sole	..	..	6	10	..	..	..	..	..	..	..	16	..	16	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Whiting ..	..	122	94	4	..	..	..	..	..	..	..	220	15	[765]	46
				Grey Gurnard	2	23	3	..	..	..	..	..	..	..	..	28	..	28	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
				Thornback ..	..	3	2	1	..	..	..	..	..	..	..	6	..	6	..
				Black Skate	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	.	..	..	69	..
LXIV 26	Between Leman and Ower Banks.	18 s. ross.	Sept. 28th	Plaice ..	..	..	36	46	8	..	..	..	..	..	..	90	..	90	..
B 392	53° 11¾′ N., 1° 52½′ E.	15½ s. ross.	12.10 p.m.	Dab	1	42	14	2	..	..	..	..	..	..	..	59	2	59	2
			2 hrs.	Leman Dab..	..	..	..	5	..	..	..	..	..	..	..	5	..	5	..
				Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Brill	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	..	7	17	4	3	3	..	..	..	..	34	..	34	..
				Haddock ..	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Whiting ..	..	..	7	3	..	..	..	..	..	..	..	10	..	10	..
				Pout	..	..	22	5	..	..	..	..	..	..	..	27	9	27	9
				Grey Gurnard	..	32	53	1	..	..	..	..	..	..	..	86	8	86	8
				Ling	..	..	..	..	..	..	..	..	..	2	..	2	..	2	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
				Thornback ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Homelyn.. ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
LXIV 29	Off Smith's Knoll Light-vessel.	23 c.s.	Sept. 29th	Plaice ..	..	..	3	9	7	2	..	..	..	..	..	21	13	21	13
B 394	52° 49⅓′ N., 2° 19¾′ E.	25½ s. & ross	8 a.m.	Dab	..	19	2	..	..	..	..	..	..	..	..	21	..	21	..
			5 hrs.	Sole	..	1	2	12	..	..	..	..	..	..	..	15	..	15	..
				Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	1	6	4	1	2	1	..	..	..	..	15	..	15	..
				Whiting ..	..	147	265	12	..	..	..	..	..	..	..	424	36	[695]	59
				Poor Cod ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Pout	..	10	..	..	..	..	..	..	..	..	..	10	..	10	..
				Grey Gurnard	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Conger ..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..


Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXIV 29	Off Smith's Knoll Light-vessel—*cont.*	23 | c.s.	Sept. 29th	Ling	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..
B 394	52° 49⅝′ N., 2° 19¾′ E.	25½ | s. & ross.	8 a.m.	Thornback ..	..	20	9	2	3	5	1	..	..	..	..	40	34	40	34
			5 hrs.	Black Skate ..	..	1	1	..	..	..	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	29	..
LXIV 30	Off Smith's Knoll Light-vessel.	25½ | s. & ross	Sept. 29th	Plaice ..	..	..	..	5	6	..	..	..	..	..	..	11	5	11	5
B 395	52° 50¾′ N., 2° 19⅝′ E.	19½ | s. & ross	1.30 p.m.	Dab	..	16	8	1	..	..	..	..	..	..	..	25	..	25	..
			5 hrs.	Sole	..	2	4	14	..	..	..	..	..	..	..	20	..	20	..
				Cod	..	..	9	18	5	5	3	2	1	..	..	43	41	43	41
				Whiting ..	..	94	162	13	..	..	..	..	..	..	..	269	21	[359]	28
				Pout	..	3	3	..	..	..	..	..	..	..	..	6	..	6	..
				Poor Cod ..	..	49	13	..	..	..	..	..	..	..	..	62	..	62	..
				Thornback ..	..	13	3	2	1	..	..	..	..	..	..	19	..	19	..
				Black Skate ..	..	2	2	1	..	..	..	..	..	..	..	5	..	5	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LXIV 31	Off Smith's Knoll Light-vessel.	22 | s. & ross	Sept. 29th	Plaice ..	..	..	3	14	3	..	..	..	..	..	..	20	8	20	8
B 396	52° 50′ N., 2° 21⅛′ E.	27 | s. & ross	7 p.m.	Dab	..	9	2	..	..	..	..	..	..	..	..	11	..	11	..
			4½ hrs.	Sole	..	1	7	2	..	..	..	..	..	..	..	10	..	10	..
				Turbot ..	..	..	..	..	1	1	..	..	..	..	..	2	..	2	..
				Cod	..	..	22	21	2	2	..	..	2	..	..	49	25	49	25
				Whiting ..	..	68	144	6	..	..	..	..	..	..	..	218	24	218	24
				Pout	..	17	3	..	..	..	..	..	..	..	..	20	..	20	..
				Poor Cod ..	..	91	16	..	..	..	..	..	..	..	..	107	..	107	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Thornback ..	..	10	8	3	..	1	..	..	..	..	..	22	..	22	..
				Black Skate ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LXV 1	East of Farn Island ..	41 | m.	Oct. 9th	Dab	..	6	..	..	..	..	..	..	..	..	..	6	..	6	..
O 353	55° 37½ N., 1° 10¼′ W.	48 | m.	3 a.m.	Lemon Dab ..	..	1	3	..	..	..	..	..	..	..	..	4	..	4	..
	Ground rope parted, belly torn.		4 hrs.	Long Rough Dab.	..	45	13	..	..	..	..	..	..	..	..	58	..	58	..
				Norway Pout	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	2	8	3	..	1	..	¼	1	..	..	19	25	19	25
				Haddock ..	..	15	169	14	2	..	..	..	..	..	..	200	33	645	94½
				Whiting ..	..	1	88	24	..	..	..	..	..	..	..	113	21	113	21
				Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Poor Cod ..	..	1	2	..	..	..	..	..	..	..	..	3	..	3	..
				Coal Fish ..	..	..	..	..	..	..	..	..	..	1	..	1	9½	1	9½
				Grey Gurnard ..	1	..	..	..	..	..	..	..	..	..	..	1	..	1	..
				Cat Fish ..	..	..	..	1	2	1	2	3	..	..	..	9	23	9	23
				Angler ..	..	..	2	..	..	2	1	3	..	..	..	8	30	8	30
				Lamprey ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Starry Ray ..	1	11	35	3	..	..	..	..	..	..	..	50	24	50	24
LXV 3	East of Farn Island	50 | m.	Oct. 9th	Plaice ..	..	..	..	1	1	..	1	..	..	..	..	3	..	3	..
O 354	55° 31⅔′ N., 0° 43′ W.	40½ | m.	10 a.m.	Dab	..	35	..	..	..	..	..	..	..	..	..	35	..	35	..
			4 hrs.	Lemon Dab ..	..	..	4	10	4	..	..	..	..	..	..	18	12	18	12
				Long Rough Dab.	..	64	6	..	..	..	..	..	..	..	..	70	15	320	..
				Whitch ..	..	..	9	7	3	..	..	..	..	..	..	19	7	19	7
				Cod	..	..	28	17	3	7	2	1	..	..	..	58	..	58	..
				Haddock ..	..	5	182	14	..	..	..	..	..	..	..	201	31	[1563]	241
				Whiting ..	..	..	61	35	1	..	..	..	..	..	..	97	19	97	19
				Pout	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	9	12	1	..	..	..	..	..	..	..	22	..	210	23
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Mackerel ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Fuller's Ray	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Starry Ray ..	1	21	30	3	..	..	..	..	..	..	..	55	22	55	22
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins.. / Cm..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXV 4	Brucey's Garden ..	34 s.m.	Oct. 10th	Haddock ..	..	23	112	2	..	..	..	..	..	..	..	137	16	137	16
O 355	54° 57¼′ N., 0° 58½′ E.	29 s.m.	2 a.m.	Whiting ..	..	8	15	..	..	..	..	..	..	..	..	23	..	23	..
	Belly very badly torn.		5 hrs.	Poor Cod ..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
LXV 5	Dogger Bank, East of N.W. Rough.	13 f.g.s.	Oct. 10th	Plaice ..	..	..	1	2	3	..	..	..	..	..	..	6	6	6	6
O 356	54° 59′ N., 1° 43¼′ E.	17½ gvl.	10.45 a.m.	Dab	..	204	46	..	..	..	..	..	..	..	..	250	17½	[1857]	130
			5 hrs.	Lemon Dab..	..	..	..	2	1	..	..	..	..	..	..	3	..	3	..
				Cod	..	..	49	204	29	3	1	1	..	..	..	287	..	287	..
				Haddock ..	..	..	184	13	9	6	..	..	..	..	..	212	62	212	62
				Whiting ..	..	..	188	41	..	..	..	..	..	..	..	229	51	229	51
				Coal Fish ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	310	32
				Ling	..	..	..	..	..	2	2	..	..	..	..	4	..	4	..
LXV 6	Dogger Bank, East of N.W. Rough.	17½ gvl.	Oct. 10th	Plaice ..	..	..	..	1	4	4	..	..	..	..	..	9	17	9	17
O 357	55° 8′ N., 1° 52¼ E.	18 c.s.	4.20 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	..	101
			4 hrs.	Lemon Dab..	..	1	2	2	..	..	..	..	..	..	..	5	..	5	..
				Cod	..	1	48	73	7	2	..	..	..	1	..	132	65	132	65
				Haddock ..	..	2	188	6	..	1	..	..	..	..	..	197	35	[1857]	330
				Whiting ..	..	..	97	23	..	..	..	..	..	..	..	120	25	[418]	87
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	..	32
				Mackerel ..	..	..	..	2	..	..	..	..	..	..	..	2	..	2	..
				Herring ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Thornback ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Starry Ray..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
LXV 7	Dogger Bank, N.W. of Eastern Shoal.	14 f.g.s.	Oct. 11th	Plaice ..	..	..	8	11	8	..	..	..	..	..	..	27	18½	27	18½
O 358	54° 39′ N., 2° 17¾′ E.	10½	4 a.m.	Dab	..	41	172	12	..	..	..	..	..	..	..	225	36	[1181]	189
		13 f.g.s.	5 hrs.	Cod	..	..	12	43	12	6	1	1	..	..	..	75	49	75	49
				Haddock ..	..	..	376	10	14	..	..	..	..	..	..	400	88½	400	88½
				Whiting ..	..	2	210	27	..	..	..	..	..	..	..	239	45	239	45
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	82	11
LXV 8	Dogger Bank, Eastern Shoal.	13 f.g.s.	Oct. 11th	Plaice ..	..	..	2	7	4	..	..	..	..	..	..	13	9	13	9
O 359	54° 41⅛′ N., 2° 30¼ E.	13 f.g.s. & sh.	10.10 a.m.	Dab	..	104	33	1	..	..	..	..	..	..	..	138	11	[1455]	116
		11½ f.g.s.	4 hrs.	Cod	..	..	12	106	13	3	..	..	..	..	..	134	..	134	..
				Haddock ..	..	..	57	4	17	4	..	..	..	..	..	82	37	[246]	111
				Whiting ..	..	..	108	20	..	..	..	..	..	..	..	128	26	128	26
				Grey Gurnard	..	66	68	2	..	..	..	..	..	..	..	136	14	136	14
				Ling	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
LXV 9	East part of Clay Deep.	24 s. & oz.	Oct. 12th	Plaice ..	..	..	6	41	3	2	..	..	..	..	..	52	27	52	27
O 360	55° 13¼′ N., 4° 16⅓′ E.	24	4 a.m.	Dab	..	195	5	..	..	..	..	..	..	..	..	200	10½	[1505]	79
		24 s. & oz.	5 hrs.	Turbot ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cod	..	..	15	21	3	4	..	2	..	..	..	45	30	45	30
				Haddock ..	..	1	298	14	19	1	..	..	..	..	..	333	75	[1536]	346
				Whiting ..	..	..	94	56	4	..	..	..	..	..	..	154	40	154	40
				Mackerel ..	..	..	4	3	..	..	..	..	..	..	..	7	..	7	..
				Cat Fish ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
				Horse Mackerel.	..	..	..	5	..	..	..	..	..	..	..	5	..	5	..
				Starry Ray..	..	2	..	..	..	..	..	..	..	..	..	2	..	2	..
LXV 10	Clay Deep, Edge of Dogger.	24 f.g.s.	Oct. 12th	Plaice ..	..	..	23	47	4	2	..	..	..	..	..	76	35½	76	35½
O 361	55° 13¾′ N., 4° 7¼′ E.	20 f.g.s. & sh.	9.40 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	..	68
		23 f.g.blk.s.	5 hrs.	Lemon Dab ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Turbot ..	..	..	..	..	4	1	..	..	..	..	..	5	14	5	14
				Cod	..	..	11	12	3	2	..	..	..	..	..	28	16	28	16
				Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	262
				Whiting ..	..	3	46	20	1	..	..	..	..	..	..	70	16	70	16
				Coal Fish ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	254	17
				Hake.. ..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..
				Mackerel ..	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
				Starry Ray..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ 0+	4+ 10+	8+ 20+	12+ 30+	15¾+ 40 +	19¾+ 50 +	23⅝+ 60 +	27½+ 70 +	31½+ 80 +	35½+ 90 +	39½+ 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXVI 1	Flamborough Off ..	28 f.d.g.s.	Oct. 19th	Plaice ..	..	2	5	10	7	2	..	..	..	..	..	26	20	26	20
B 397	54° 3½′ N., 0° 34⅜′ E.	26 f.d.g.s.	7 a.m.	Dab	2	242	31	4	..	..	..	..	..	..	..	279	18	279	18
			4 hrs.	Lemon Dab..	..	..	15	13	1	..	..	..	..	..	..	29	13	29	13
				Sole	..	..	4	3	..	..	..	..	..	..	..	7	..	7	..
				Turbot ..	..	..	..	1	..	2	..	..	..	..	..	3	10	3	10
				Brill	..	..	..	...	1	2	..	..	..	..	..	3	9	3	9
				Long Rough Dab ..	..	9	5	..	..	..	..	..	..	..	..	14	..	14	..
				Cod	..	2	55	17	9	4	..	..	..	..	..	87	34	87	34
				Haddock ..	..	1	267	1	..	..	..	..	..	..	..	269	39	269	39
				Whiting ..	..	31	158	16	..	..	..	..	..	..	..	205	25	205	25
				Grey Gurnard	..	55	39	6	..	..	..	..	..	..	..	100	..	208	27
				Conger ..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..
				Angler ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Cuckoo Ray	..	1	..	1	..	..	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	..	4	1	1	..	..	..	..	6	..	6	..
LXVI 2	Flamborough Off ..	26 f.d.g.s.	Oct. 19th	Plaice ..	..	..	9	22	5	1	..	..	..	..	..	37	..	37	..
O 362	54° 8¾′ N., 0° 41⅞′ E.	30 f.d.g.s.	Noon.	Dab	..	99	12	..	..	..	..	..	..	..	..	111	..	111	..
			4 hrs.	Lemon Dab..	..	..	..	6	..	..	..	..	..	..	..	6	..	6	..
				Sole	..	..	2	8	..	..	..	..	..	..	..	10	..	10	..
				Turbot ..	..	..	..	..	2	2	..	..	..	..	..	4	..	4	..
				Long Rough Dab.	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	29	21	1	1	..	..	1	2	..	55	..	55	..
				Haddock ..	..	..	180	1	..	..	..	..	..	..	..	181	..	790	..
				Whiting ..	..	..	42	12	..	..	..	..	..	..	..	54	..	54	..
				Pout	..	1	52	14	..	..	..	..	..	..	..	67	..	67	..
				Poor Cod ..	..	..	4	..	..	..	..	..	..	..	..	4	..	4	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	201	..
				Greater Weever	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Angler ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Mackerel ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Ling	..	..	..	..	..	..	1	..	..	1	..	2	..	2	..
LXVI 3	Flamborough Off ..	30 f.d.g.s.	Oct. 19th	Plaice ..	..	..	1	7	2	2	..	..	..	..	..	12	..	12	..
O 363	54° 11¼′ N., 0° 38½′ E.	30 f.d.g.s.	4.40 p.m. 5⅓ hrs.	Only Plaice recorded.															
LXVI 4	Flamborough Off ..	30 f.d.g.s.	Oct. 19th & 20th	Plaice ..	..	..	3	22	3	2	..	..	..	..	..	30	..	30	..
O 364	54° 6⅞′ N., 0° 38¼′ E.	26 f.g.s.	10.30 p.m. (19th) 5½ hrs.	Only Plaice recorded.															
LXVI 5	Western Edge of Flamborough Off.	26 f.g.s.	Oct. 20th	Plaice ..	..	..	12	29	9	..	..	..	..	..	..	50	..	50	..
O 365	54° 0½′ N., 0° 37⅝′ E.	26 f.g.s.	4.30 a.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	294	..
			5 hrs.	Lemon Dab..	..	..	7	7	..	..	..	..	..	..	..	14	..	14	..
				Sole	..	..	17	9	..	..	..	..	..	..	..	26	..	26	..
				Turbot ..	..	..	..	..	3	..	..	..	..	..	..	3	..	3	..
				Brill	..	..	..	2	5	..	..	..	..	..	..	7	..	7	..
				Cod	..	..	39	43	7	2	..	..	1	..	..	92	..	92	..
				Haddock ..	..	..	31	..	..	..	..	..	..	..	..	31	..	781	..
				Whiting ..	..	1	103	50	..	..	..	..	..	..	..	154	..	218	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	309	..
				Herring ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Ling	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LXVI 6	Flamborough Off ..	26 f.g.s.	Oct. 20th	Plaice ..	..	2	6	28	13	1	..	..	..	..	..	50	..	50	..
O 366	54° 1⅛′ N., 0° 45⅜′ E	25 f.d.g.s.	10 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	360	..
			4¾ hrs.	Lemon Dab	..	..	4	11	..	..	..	..	..	..	..	15	..	15	..
				Sole	..	..	3	7	..	..	..	..	..	..	..	10	..	10	..
				Brill	..	..	..	1	1	..	..	..	..	..	..	2	..	2	..

Voyage, Station, and No. of Haul.	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour, Shot and Duration.	Ins.. / Cm..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15¾+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXVI 6	Flamborough Off—*cont.*	26 f.g.s.	Oct. 20th	Cod	..	..	35	24	3	2	..	..	..	..	..	64	..	64	..
O 366	54° 1⅛′ N., 0° 45⅜′ E.	25 f.d.g.s.	10 p.m.	Haddock ..	..	..	..	..	..	..	..	..	..	..	..	..	..	951	..
			4¾ hrs.	Whiting ..	..	..	..	..	..	..	..	..	..	..	..	..	..	159	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	332	..
				Latchet ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Mackerel ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
				Starry Ray ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
LXVI 7	Markham's Hole ..	20 spk.s.	Oct. 24th	Dab	..	144	23	..	..	..	..	..	..	..	..	167	..	167	..
O 367	53° 45½′ N., 2° 40⅞′ E.	23	6.30 a.m.	Long Rough Dab.	..	6	2	..	..	..	..	..	..	..	..	8	..	8	..
	Belly torn; stone through cod end.	23	5 hrs.	Cod	..	..	1	3	..	..	..	..	..	..	..	4	..	4	..
		33 s.m.		Haddock ..	..	..	28	..	..	..	..	..	..	..	..	28	..	28	..
				Whiting ..	..	1	7	..	..	..	..	..	..	..	..	8	..	8	..
				Grey Gurnard	..	7	3	..	..	..	..	..	..	..	..	10	..	10	..
				Herring ..	..	..	15	..	..	..	..	..	..	..	..	15	..	15	..
				Horse Mackerel.	..	..	3	..	..	..	..	..	..	..	..	3	..	3	..
LXVI 8	Leman Ground ..	17 gvl.	Oct. 24th	Plaice ..	..	12	101	100	12	1	..	..	..	..	..	226	80	226	80
O 368	52° 28′ N., 2° 29¼′ E.	15 f.s.	2.30 p.m.	Dab	..	..	..	..	..	..	..	..	..	..	..	..	..	750	56
		12 f.s.	4 hrs.	Lemon Dab	..	..	2	2	1	..	..	..	..	..	..	5	..	5	..
				Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	1	2	..	..	..	..	..	..	3	..	3	..
				Cod	..	..	29	67	9	2	2	1	..	..	..	110	57	110	57
				Haddock ..	..	..	35	..	..	..	..	..	..	..	..	35	..	314	62
				Whiting ..	..	6	50	7	1	..	..	..	..	..	..	64	..	284	46
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	126	..
				Mackerel ..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Greater Weever.	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
				Horse Mackerel.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Thornback ..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
				Tope ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
LXVI 9	Leman Ground ..	10 f.g.s.	Oct. 25th	Plaice ..	..	28	223	61	5	1	..	..	..	..	..	318	77	318	77
O 369	53° 24′ N., 2° 25⅞′ E.	14	5 a.m.	Dab	..	453	9	..	..	..	..	..	..	..	..	462	21	[1125]	56
		12 f.g.s.	5 hrs.	Sole	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
				Turbot ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Brill	..	..	1	..	1	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	17	24	4	..	..	..	..	..	..	45	20	45	20
				Haddock ..	..	1	171	..	..	..	..	..	..	..	..	172	33	172	33
				Whiting ..	..	5	150	40	..	..	..	..	..	..	..	195	..	195	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	152	12
				Latchet ..	..	..	1	1	..	..	..	..	..	..	..	2	..	2	..
				Horse Mackerel.	..	..	3	1	..	..	..	..	..	..	..	4	..	4	..
				Greater Weever ..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
LXVI 10	Leman Ground ..	12 f.g.s.	Oct. 25th	Plaice ..	..	5	122	62	13	3	1	..	..	..	..	206	72	206	72
O 370	53° 19⅛′ N., 2° 31¼′ E.	14	10.30 a.m.	Dab	1	136	3	..	..	..	..	..	..	..	..	140	26	575	..
		15 f.g.s.	6 hrs.	Sole	..	..	..	1	..	..	..	..	..	..	..	1	..	1	..
		18 f.g.s.		Turbot ..	..	..	..	..	2	..	..	..	..	..	..	2	..	2	..
				Cod	..	..	23	32	1	..	..	..	..	..	..	56	21	56	21
				Haddock ..	..	..	15	..	..	..	..	..	..	..	..	15	..	15	..
				Whiting ..	..	..	113	41	..	..	..	..	..	..	..	154	..	154	..
				Grey Gurnard	..	..	..	..	..	..	..	..	..	..	..	..	..	50	..
				John Dory ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Herring ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Thornback ..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
				Tope	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..

Voyage, Station, and No. of Haul	Fishing Ground and Central Position.	Depth (Fms.) and Soil.	Date, Hour Shot, and Duration.	Ins. .. / Cm. ..	0+ / 0+	4+ / 10+	8+ / 20+	12+ / 30+	15½+ / 40 +	19¾+ / 50 +	23⅝+ / 60 +	27½+ / 70 +	31½+ / 80 +	35½+ / 90 +	39½+ / 100 +	Measured. No.	Measured. Kg.	Total Catch. No.	Total Catch. Kg.
LXVII 4	Margate Roads ..	7 s.m.gvl.	Oct. 31st	Plaice ..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..
B (c) 398	51° 24⅜′ N., 1° 25½′ E.	8	8.40 p.m.	Dab	2	81	56	1	..	..	..	..	..	..	..	140	16	140	16
	Covered net, experiment (No, 19).	8 s.m.	1½ hrs.	Sole	..	6	30	4	1	..	..	..	..	..	..	41	10	41	10
				Cod	..	..	4	5	3	..	1	1	..	..	..	14	17	14	17
				Whiting ..	1	14	72	11	..	..	..	..	..	..	..	98	19	98	19
				Pout	..	7	2	..	..	..	..	..	..	..	..	9	..	9	..
				Latchet ..	..	1	..	..	..	..	..	..	..	..	..	1	..	1	..
				Angler ..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	(small)
				Thornback ..	2	4	4	1	..	1	..	..	..	..	.	12	..	12	..
				Conger ..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
				Spur Dog ..	..	..	..	..	..	..	..	..	..	..		..	..	6	..
LXVII 5	Margate Roads ..	8 s.m.	Oct. 31st	Dab	..	8	3	..	..	..	..	..	..	..	..	11	..	11	..
B 399	51° 24⅞′ N., 1° 25¾′ E.	8	2 p.m.	Sole	..	3	7	1	..	..	..	..	..	..	..	11	..	11	..
	Belly and wings very badly torn.	9	1¾ hrs.	Cod	..	..	2	..	..	..	..	..	..	..	..	2	..	2	..
		9½ s.m.		Whiting ..	..	12	65	6	..	..	..	..	..	..		83	..	83	..
				Pout	..	19	4	..	..	..	..	..	..	..		23	..	23	..
				Thornback ..	4	5	6	..	..	..	..	..	..	..	..	15	..	15	..
				Spur Dog ..	..	..	..	6	..	..	..	..	..	..	..	6	..	6	..



SOUTH PART OF NORTH SEA

Scale 1: 1.200,000

1904.

POSITION OF TRAWL HAULS.

The lines represent the track of the trawl at each of the stations indicated. A broken line indicates that the catch was probably influenced by an accident to the net.

O.—Otter trawl. B.—Beam trawl. B(c).—Covered net.

Months.—I.—III. Blue. IV.—VI. Green.

VII.—IX. Red. X.—XII. Brown.

Trawling Investigations, 1904-5.

HELIOZINCOGRAPHED AT THE ORDNANCE SURVEY OFFICE, SOUTHAMPTON 1909.

MIDDLE PART OF NORTH SEA

Scale 1:1,200,000

1904.

POSITION OF TRAWL HAULS.

The lines represent the track of the trawl at each of the stations indicated. A broken line indicates that the catch was probably influenced by an accident to the net.

O.—Otter trawl. B.—Beam trawl. B(c).—Covered net.

Months.—I.—III. Blue. IV.—VI. Green.

VII.—IX. Red. X.—XII. Brown.

(See South Chart for other hauls in this latitude).

ENGLAND

DENMARK

GERMANY

HOLLAND

ZUIDER ZEE

St. Abbs, Berwick, Goswick, Skate Roads, Alnmouth, Druridge Bay, Blyth, Shields, Sunderland, Seaham, Hartlepool, Middlesborough, Whitby, Scarborough, Flamborough Hd., Bridlington, Hornsea, Hull, Withernsea, Humber, Gt. Grimsby, Spurn, Saltfleet, Mablethorpe, Skegness, Boston, Blakeney, Hunstanton, Declination at 55° 30′ N. 6° E. (1895), Esbjerg, Fanö, Blaavands Pt., Sylt, Föhr, Amrum, Tönning, Heligoland, Elbe, Cuxhaven, Norderney, Juist, Borkum, Langeroog, Wangeroog, Wilhelmshaven, Geestemünde, Schiermonnikoog, Ameland, Terschelling, Vlieland, Texel, Harlingen, Helder.

CONTOUR LINES.

10 METRE LINE	
20 ,, ,,	
40 ,, ,,	
60 ,, ,,	
80 ,, ,,	

EQUIVALENT DEPTHS.

1 METRE = 0·5		FATHOM
10 METRES = 5·4		FATHOMS
20 ,, = 10·9		,,
40 ,, = 21·8		,,
60 ,, = 32·8		,,

LIGHTS.

HOUSES ⌂ VESSELS ⚓


THE POSITION OF THE LIGHT IS INDICATED BY THE BLACK SPOT.

1 FATHOM = 1·8		METRES
5 FATHOMS = 9·1		,,
10 ,, = 18·2		,,
20 ,, = 36·6		,,
30 ,, = 55		,,

(a) B (c) 156, 0193, 0200, 0201, 0202, 0204, 0205, 0206, 0207, 0214, 0215.
(b) 0194, 0195, 0196, 0197.
(c) B (c) 155, 0192, 0199, 0208, 0211. 0213.

● = Otter Trawl
■ = Beam ,,
} Central Positions.

HELIOZINCOGRAPHED AT THE ORDNANCE SURVEY OFFICE, SOUTHAMPTON. 1909.


Hull
R. Humber
Withernsea
Spurn
Grimsby
Saltfleet
Mablethorpe
Skegness
Boston
THE WASH
Hunstanton
Blakeney
Cromer
Hasborough
King's Lynn
Winterton
Yarmouth
Lowestoft
Pakefield
Southwold
Aldeburgh
Orford Ness
Colchester
Harwich
Walton
Sheerness
Chatham
Whitstable
Margate
Ramsgate
Deal
S.Foreland
Dover
Folkestone
Dunkerque
Nieuport
Ostend
Blankenberghe
Flushing
Walcheren
Schouwen
ANTWERP
Brielle
ROTTERDAM
Hook of Holland
Scheveningen
Ymuiden
AMSTERDAM
Egmond
Camperdown
Helder
TEXEL
VLIELAND
TERSCHELLING
AMELAND
SCHIERMONNIKOOG
ROTTUM
BORKUM
JUIST
ZUIDER ZEE
ENGLAND
HOLLAND
BELGIUM
Declination at 53°20′ N. 3°20′ E. (1895)
B281
B282
B283
B284
B285
B286
B287
B288
B289
B290
B291
B292
B293
B294
B295
B296
B297
B298
B299
B300
B301
B302
B303
B304
B305
B306
B307
B308
B309
B310
B311
B312
B313
B314
B315
B316
B317
B318
B319
B320
B321
B322
B323
B324
B325
B326
B327
B328
B329
B330
B331
B332
B333
B334
B335
B336
B337
B338
B339
B340
B341
B342
B343
B344
B345
B346
B347
B348
B349
B350
B351
B352
B353
B354
B355
B356
B357
B358
B359
B360
B361
B362
B363
B364
B365
B366
B367
B368
B369
B370
B371
B372
B373
B374
B375
B376
B377
B378
B379
B380
B381
B382
B383
B384
B385
B386
B387
B388
B389
B390
B391
B392
B393
B394
B395
B396
B397
B398
B399
B(c)298
B(c)299
0289
0290
0291
0292
0293
0294
0295
0296
0297
0298
0299
0300
0301
0302
0303
0304
0305
0306
0307
0308
0309
0310
0311
0347
0350
0351
0352
0353
0354
0355
0356
0357
0358
0359
0360
0361
0362
0363
0364
0365
0366
0367
0368
0369
0370
0371
0372
0373
0374
0375
0376
0377
0378
0379
0380
0381
0382
0383
0384
0385
0386
0387
0388
0389
0390
0391
0392
0393
0394
0395
0396
0397
0398
0399
0400
0401
0402
0403
0404
0405
0406
0407
0408
0409
0410
0411
0412
0413
0414
0415
0416
0417
0418
0419
0420
0421
0422
0423
0424
0425
0426
0427
0428
0429
0430
0431
0432
0433
0434
0435
0436
0437
0438
0439
0440
0441
0442
0443
0444
0445
0446
0447
0448
0449
0450
0451
0452
0453
0454
0455
0456
0457
0458
0459
0460
0461
0462
0463
0464
0465
0466
0467
0468
0469
0470
0471
0472
0473
0474
0475
0476
0477
0478
0479
0480
0481
0482
0483
0484
0485
0486
0487
0488
0489
0490
0491
0492
0493
0494
0495
0496
0497
0498
0499
0500
0501
0502
0503
0504
0505
0506
0507
0508
0509
0510
0511
0512
0513
0514
0515
0516
0517
0518
0519
0520
0521
0522
0523
0524
0525
0526
0527
0528
0529
0530
0531
0532
0533
0534
0535
0536
0537
0538
0539
0540
0541
0542
0543
0544
0545
0546
0547
0548
0549
0550
0551
0552
0553
0554
0555
0556
0557
0558
0559
0560
0561
0562
0563
0564
0565
0566
0567
0568
0569
0570
0571
0572
0573
0574
0575
0576
0577
0578
0579
0580
0581
0582
0583
0584
0585
0586
0587
0588
0589
0590
0591
0592
0593
0594
0595
0596
0597
0598
0599
0600
0601
0602
0603
0604
0605
0606
0607
0608
0609
0610
0611
0612
0613
0614
0615
0616
0617
0618
0619
0620
0621
0622
0623
0624
0625
0626
0627
0628
0629
0630
0631
0632
0633
0634
0635
0636
0637
0638
0639
0640
0641
0642
0643
0644
0645
0646
0647
0648
0649
0650
0651
0652
0653
0654
0655
0656
0657
0658
0659
0660
0661
0662
0663
0664
0665
0666
0667
0668
0669
0670
0671
0672
0673
0674
0675
0676
0677
0678
0679
0680
0681
0682
0683
0684
0685
0686
0687
0688
0689
0690
0691
0692
0693
0694
0695
0696
0697
0698
0699
0700
0701
0702
0703
0704
0705
0706
0707
0708
0709
0710
0711
0712
0713
0714
0715
0716
0717
0718
0719
0720
0721
0722
0723
0724
0725
0726
0727
0728
0729
0730
0731
0732
0733
0734
0735
0736
0737
0738
0739
0740
0741
0742
0743
0744
0745
0746
0747
0748
0749
0750
0751
0752
0753
0754
0755
0756
0757
0758
0759
0760
0761
0762
0763
0764
0765
0766
0767
0768
0769
0770
0771
0772
0773
0774
0775
0776
0777
0778
0779
0780
0781
0782
0783
0784
0785
0786
0787
0788
0789
0790
0791
0792
0793
0794
0795
0796
0797
0798
0799
0800
0801
0802
0803
0804
0805
0806
0807
0808
0809
0810
0811
0812
0813
0814
0815
0816
0817
0818
0819
0820
0821
0822
0823
0824
0825
0826
0827
0828
0829
0830
0831
0832
0833
0834
0835
0836
0837
0838
0839
0840
0841
0842
0843
0844
0845
0846
0847
0848
0849
0850
0851
0852
0853
0854
0855
0856
0857
0858
0859
0860
0861
0862
0863
0864
0865
0866
0867
0868
0869
0870
0871
0872
0873
0874
0875
0876
0877
0878
0879
0880
0881
0882
0883
0884
0885
0886
0887
0888
0889
0890
0891
0892
0893
0894
0895
0896
0897
0898
0899
0900
0901
0902
0903
0904
0905
0906
0907
0908
0909
0910
0911
0912
0913
0914
0915
0916
0917
0918
0919
0920
0921
0922
0923
0924
0925
0926
0927
0928
0929
0930
0931
0932
0933
0934
0935
0936
0937
0938
0939
0940
0941
0942
0943
0944
0945
0946
0947
0948
0949
0950
0951
0952
0953
0954
0955
0956
0957
0958
0959
0960
0961
0962
0963
0964
0965
0966
0967
0968
0969
0970
0971
0972
0973
0974
0975
0976
0977
0978
0979
0980
0981
0982
0983
0984
0985
0986
0987
0988
0989
0990
0991
0992
0993
0994
0995
0996
0997
0998
0999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
2678
2679
2680
2681
2682
2683
2684
2685
2686
2687
2688
2689
2690
2691
2692
2693
2694
2695
2696
2697
2698
2699
2700
2701
2702
2703
2704
2705
2706
2707
2708
2709
2710
2711
2712
2713
2714
2715
2716
2717
2718
2719
2720
2721
2722
2723
2724
2725
2726
2727
2728
2729
2730
2731
2732
2733
2734
2735
2736
2737
2738
2739
2740
2741
2742
2743
2744
2745
2746
2747
2748
2749
2750
2751
2752
2753
2754
2755
2756
2757
2758
2759
2760
2761
2762
2763
2764
2765
2766
2767
2768
2769
2770
2771
2772
2773
2774
2775
2776
2777
2778
2779
2780
2781
2782
2783
2784
2785
2786
2787
2788
2789
2790
2791
2792
2793
2794
2795
2796
2797
2798
2799
2800
2801
2802
2803
2804
2805
2806
2807
2808
2809
2810
2811
2812
2813
2814
2815
2816
2817
2818
2819
2820
2821
2822
2823
2824
2825
2826
2827
2828
2829
2830
2831
2832
2833
2834
2835
2836
2837
2838
2839
2840
2841
2842
2843
2844
2845
2846
2847
2848
2849
2850
2851
2852
2853
2854
2855
2856
2857
2858
2859
2860
2861
2862
2863
2864
2865
2866
2867
2868
2869
2870
2871
2872
2873
2874
2875
2876
2877
2878
2879
2880
2881
2882
2883
2884
2885
2886
2887
2888
2889
2890
2891
2892
2893
2894
2895
2896
2897
2898
2899
2900
2901
2902
2903
2904
2905
2906
2907
2908
2909
2910
2911
2912
2913
2914
2915
2916
2917
2918
2919
2920
2921
2922
2923
2924
2925
2926
2927
2928
2929
2930
2931
2932
2933
2934
2935
2936
2937
2938
2939
2940
2941
2942
2943
2944
2945
2946
2947
2948
2949
2950
2951
2952
2953
2954
2955
2956
2957
2958
2959
2960
2961
2962
2963
2964
2965
2966
2967
2968
2969
2970
2971
2972
2973
2974
2975
2976
2977
2978
2979
2980
2981
2982
2983
2984
2985
2986
2987
2988
2989
2990
2991
2992
2993
2994
2995
2996
2997
2998
2999
3000
3001
3002
3003
3004
3005
3006
3007
3008
3009
3010
3011
3012
3013
3014
3015
3016
3017
3018
3019
3020
3021
3022
3023
3024
3025
3026
3027
3028
3029
3030
3031
3032
3033
3034
3035
3036
3037
3038
3039
3040
3041
3042
3043
3044
3045
3046
3047
3048
3049
3050
3051
3052
3053
3054
3055
3056
3057
3058
3059
3060
3061
3062
3063
3064
3065
3066
3067
3068
3069
3070
3071
3072
3073
3074
3075
3076
3077
3078
3079
3080
3081
3082
3083
3084
3085
3086
3087
3088
3089
3090
3091
3092
3093
3094
3095
3096
3097
3098
3099
3100
3101
3102
3103
3104
3105
3106
3107
3108
3109
3110
3111
3112
3113
3114
3115
3116
3117
3118
3119
3120
3121
3122
3123
3124
3125
3126
3127
3128
3129
3130
3131
3132
3133
3134
3135
3136
3137
3138
3139
3140
3141
3142
3143
3144
3145
3146
3147
3148
3149
3150
3151
3152
3153
3154
3155
3156
3157
3158
3159
3160
3161
3162
3163
3164
3165
3166
3167
3168
3169
3170
3171
3172
3173
3174
3175
3176
3177
3178
3179
3180
3181
3182
3183
3184
3185
3186
3187
3188
3189
3190
3191
3192
3193
3194
3195
3196
3197
3198
3199
3200
3201
3202
3203
3204
3205
3206
3207
3208
3209
3210
3211
3212
3213
3214
3215
3216
3217
3218
3219
3220
3221
3222
3223
3224
3225
3226
3227
3228
3229
3230
3231
3232
3233
3234
3235
3236
3237
3238
3239
3240
3241
3242
3243
3244
3245
3246
3247
3248
3249
3250
3251
3252
3253
3254
3255
3256
3257
3258
3259
3260
3261
3262
3263
3264
3265
3266
3267
3268
3269
3270
3271
3272
3273
3274
3275
3276
3277
3278
3279
3280
3281
3282
3283
3284
3285
3286
3287
3288
3289
3290
3291
3292
3293
3294
3295
3296
3297
3298
3299
3300
3301
3302
3303
3304
3305
3306
3307
3308
3309
3310
3311
3312
3313
3314
3315
3316
3317
3318
3319
3320
3321
3322
3323
3324
3325
3326
3327
3328
3329
3330
3331
3332
3333
3334
3335
3336
3337
3338
3339
3340
3341
3342
3343
3344
3345
3346
3347
3348
3349
3350
3351
3352
3353
3354
3355
3356
3357
3358
3359
3360
3361
3362
3363
3364
3365
3366
3367
3368
3369
3370
3371
3372
3373
3374
3375
3376
3377
3378
3379
3380
3381
3382
3383
3384
3385
3386
3387
3388
3389
3390
3391
3392
3393
3394
3395
3396
3397
3398
3399
3400
3401
3402
3403
3404
3405
3406
3407
3408
3409
3410
3411
3412
3413
3414
3415
3416
3417
3418
3419
3420
3421
3422
3423
3424
3425
3426
3427
3428
3429
3430
3431
3432
3433
3434
3435
3436
3437
3438
3439
3440
3441
3442
3443
3444
3445
3446
3447
3448
3449
3450
3451
3452
3453
3454
3455
3456
3457
3458
3459
3460
3461
3462
3463
3464
3465
3466
3467
3468
3469
3470
3471
3472
3473
3474
3475
3476
3477
3478
3479
3480
3481
3482
3483
3484
3485
3486
3487
3488
3489
3490
3491
3492
3493
3494
3495
3496
3497
3498
3499
3500
3501
3502
3503
3504
3505
3506
3507
3508
3509
3510
3511
3512
3513
3514
3515
3516
3517
3518
3519
3520
3521
3522
3523
3524
3525
3526
3527
3528
3529
3530
3531
3532
3533
3534
3535
3536
3537
3538
3539
3540
3541
3542
3543
3544
3545
3546
3547
3548
3549
3550
3551
3552
3553
3554
3555
3556
3557
3558
3559
3560
3561
3562
3563
3564
3565
3566
3567
3568
3569
3570
3571
3572
3573
3574
3575
3576
3577
3578
3579
3580
3581
3582
3583
3584
3585
3586
3587
3588
3589
3590
3591
3592
3593
3594
3595
3596
3597
3598
3599
3600
3601
3602
3603
3604
3605
3606
3607
3608
3609
3610
3611
3612
3613
3614
3615
3616
3617
3618
3619
3620
3621
3622
3623
3624
3625
3626
3627
3628
3629
3630
3631
3632
3633
3634
3635
3636
3637
3638
3639
3640
3641
3642
3643
3644
3645
3646
3647
3648
3649
3650
3651
3652
3653
3654
3655
3656
3657
3658
3659
3660
3661
3662
3663
3664
3665
3666
3667
3668
3669
3670
3671
3672
3673
3674
3675
3676
3677
3678
3679
3680
3681
3682
3683
3684
3685
3686
3687
3688
3689
3690
3691
3692
3693
3694
3695
3696
3697
3698
3699
3700
3701
3702
3703
3704
3705
3706
3707
3708
3709
3710
3711
3712
3713
3714
3715
3716
3717
3718
3719
3720
3721
3722
3723
3724
3725
3726
3727
3728
3729
3730
3731
3732
3733
3734
3735
3736
3737
3738
3739
3740
3741
3742
3743
3744
3745
3746
3747
3748
3749
3750
3751
3752
3753
3754
3755
3756
3757
3758
3759
3760
3761
3762
3763
3764
3765
3766
3767
3768
3769
3770
3771
3772
3773
3774
3775
3776
3777
3778
3779
3780
3781
3782
3783
3784
3785
3786
3787
3788
3789
3790
3791
3792
3793
3794
3795
3796
3797
3798
3799
3800
3801
3802
3803
3804
3805
3806
3807
3808
3809
3810
3811
3812
3813
3814
3815
3816
3817
3818
3819
3820
3821
3822
3823
3824
3825
3826
3827
3828
3829
3830
3831
3832
3833
3834
3835
3836
3837
3838
3839
3840
3841
3842
3843
3844
3845
3846
3847
3848
3849
3850
3851
3852
3853
3854
3855
3856
3857
3858
3859
3860
3861
3862
3863
3864
3865
3866
3867
3868
3869
3870
3871
3872
3873
3874
3875
3876
3877
3878
3879
3880
3881
3882
3883
3884
3885
3886
3887
3888
3889
3890
3891
3892
3893
3894
3895
3896
3897
3898
3899
3900
3901
3902
3903
3904
3905
3906
3907
3908
3909
3910
3911
3912
3913
3914
3915
3916
3917
3918
3919
3920
3921
3922
3923
3924
3925
3926
3927
3928
3929
3930
3931
3932
3933
3934
3935
3936
3937
3938
3939
3940
3941
3942
3943
3944
3945
3946
3947
3948
3949
3950
3951
3952
3953
3954
3955
3956
3957
3958
3959
3960
3961
3962
3963
3964
3965
3966
3967
3968
3969
3970
3971
3972
3973
3974
3975
3976
3977
3978
3979
3980
3981
3982
3983
3984
3985
3986
3987
3988
3989
3990
3991
3992
3993
3994
3995
3996
3997
3998
3999
4000
4001
4002
4003
4004
4005
4006
4007
4008
4009
4010
4011
4012
4013
4014
4015
4016
4017
4018
4019
4020
4021
4022
4023
4024
4025
4026
4027
4028
4029
4030
4031
4032
4033
4034
4035
4036
4037
4038
4039
4040
4041
4042
4043
4044
4045
4046
4047
4048
4049
4050
4051
4052
4053
4054
4055
4056
4057
4058
4059
4060
4061
4062
4063
4064
4065
4066
4067
4068
4069
4070
4071
4072
4073
4074
4075
4076
4077
4078
4079
4080
4081
4082
4083
4084
4085
4086
4087
4088
4089
4090
4091
4092
4093
4094
4095
4096
4097
4098
4099
4100
4101
4102
4103
4104
4105
4106
4107
4108
4109
4110
4111
4112
4113
4114
4115
4116
4117
4118
4119
4120
4121
4122
4123
4124
4125
4126
4127
4128
4129
4130
4131
4132
4133
4134
4135
4136
4137
4138
4139
4140
4141
4142
4143
4144
4145
4146
4147
4148
4149
4150
4151
4152
4153
4154
4155
4156
4157
4158
4159
4160
4161
4162
4163
4164
4165
4166
4167
4168
4169
4170
4171
4172
4173
4174
4175
4176
4177
4178
4179
4180
4181
4182
4183
4184
4185
4186
4187
4188
4189
4190
4191
4192
4193
4194
4195
4196
4197
4198
4199
4200
4201
4202
4203
4204
4205
4206
4207
4208
4209
4210
4211
4212
4213
4214
4215
4216
4217
4218
4219
4220
4221
4222
4223
4224
4225
4226
4227
4228
4229
4230
4231
4232
4233
4234
4235
4236
4237
4238
4239
4240
4241
4242
4243
4244
4245
4246
4247
4248
4249
4250
4251
4252
4253
4254
4255
4256
4257
4258
4259
4260
4261
4262
4263
4264
4265
4266
4267
4268
4269
4270
4271
4272
4273
4274
4275
4276
4277
4278
4279
4280
4281
4282
4283
4284
4285
4286
4287
4288
4289
4290
4291
4292
4293
4294
4295
4296
4297
4298
4299
4300
4301
4302
4303
4304
4305
4306
4307
4308
4309
4310
4311
4312
4313
4314
4315
4316
4317
4318
4319
4320
4321
4322
4323
4324
4325
4326
4327
4328
4329
4330
4331
4332
4333
4334
4335
4336
4337
4338
4339
4340
4341
4342
4343
4344
4345
4346
4347
4348
4349
4350
4351
4352
4353
4354
4355
4356
4357
4358
4359
4360
4361
4362
4363
4364
4365
4366
4367
4368
4369
4370
4371
4372
4373
4374
4375
4376
4377
4378
4379
4380
4381
4382
4383
4384
4385
4386
4387
4388
4389
4390
4391
4392
4393
4394
4395
4396
4397
4398
4399
4400
4401
4402
4403
4404
4405
4406
4407
4408
4409
4410
4411
4412
4413
4414
4415
4416
4417
4418
4419
4420
4421
4422
4423
4424
4425
4426
4427
4428
4429
4430
4431
4432
4433
4434
4435
4436
4437
4438
4439
4440
4441
4442
4443
4444
4445
4446
4447
4448
4449
4450
4451
4452
4453
4454
4455
4456
4457
4458
4459
4460
4461
4462
4463
4464
4465
4466
4467
4468
4469
4470
4471
4472
4473
4474
4475
4476
4477
4478
4479
4480
4481
4482
4483
4484
4485
4486
4487
4488
4489
4490
4491
4492
4493
4494
4495
4496
4497
4498
4499
4500
4501
4502
4503
4504
4505
4506
4507
4508
4509
4510
4511
4512
4513
4514
4515
4516
4517
4518
4519
4520
4521
4522
4523
4524
4525
4526
4527
4528
4529
4530
4531
4532
4533
4534
4535
4536
4537
4538
4539
4540
4541
4542
4543
4544
4545
4546
4547
4548
4549
4550
4551
4552
4553
4554
4555
4556
4557
4558
4559
4560
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
4571
4572
4573
4574
4575
4576
4577
4578
4579
4580
4581
4582
4583
4584
4585
4586
4587
4588
4589
4590
4591
4592
4593
4594
4595
4596
4597
4598
4599
4600
4601
4602
4603
4604
4605
4606
4607
4608
4609
4610
4611
4612
4613
4614
4615
4616
4617
4618
4619
4620
4621
4622
4623
4624
4625
4626
4627
4628
4629
4630
4631
4632
4633
4634
4635
4636
4637
4638
4639
4640
4641
4642
4643
4644
4645
4646
4647
4648
4649
4650
4651
4652
4653
4654
4655
4656
4657
4658
4659
4660
4661
4662
4663
4664
4665
4666
4667
4668
4669
4670
4671
4672
4673
4674
4675
4676
4677
4678
4679
4680
4681
4682
4683
4684
4685
4686
4687
4688
4689
4690
4691
4692
4693
4694
4695
4696
4697
4698
4699
4700
4701
4702
4703
4704
4705
4706
4707
4708
4709
4710
4711
4712
4713
4714
4715
4716
4717
4718
4719
4720
4721
4722
4723
4724
4725
4726
4727
4728
4729
4730
4731
4732
4733
4734
4735
4736
4737
4738
4739
4740
4741
4742
4743
4744
4745
4746
4747
4748
4749
4750
4751
4752
4753
4754
4755
4756
4757
4758
4759
4760
4761
4762
4763
4764
4765
4766
4767
4768
4769
4770
4771
4772
4773
4774
4775
4776
4777
4778
4779
4780
4781
4782
4783
4784
4785
4786
4787
4788
4789
4790
4791
4792
4793
4794
4795
4796
4797
4798
4799
4800
4801
4802
4803
4804
4805
4806
4807
4808
4809
4810
4811
4812
4813
4814
4815
4816
4817
4818
4819
4820
4821
4822
4823
4824
4825
4826
4827
4828
4829
4830
4831
4832
4833
4834
4835
4836
4837
4838
4839
4840
4841
4842
4843
4844
4845
4846
4847
4848
4849
4850
4851
4852
4853
4854
4855
4856
4857
4858
4859
4860
4861
4862
4863
4864
4865
4866
4867
4868
4869
4870
4871
4872
4873
4874
4875
4876
4877
4878
4879
4880
4881
4882
4883
4884
4885
4886
4887
4888
4889
4890
4891
4892
4893
4894
4895
4896
4897
4898
4899
4900
4901
4902
4903
4904
4905
4906
4907
4908
4909
4910
4911
4912
4913
4914
4915
4916
4917
4918
4919
4920
4921
4922
4923
4924
4925
4926
4927
4928
4929
4930
4931
4932
4933
4934
4935
4936
4937
4938
4939
4940
4941
4942
4943
4944
4945
4946
4947
4948
4949
4950
4951
4952
4953
4954
4955
4956
4957
4958
4959
4960
4961
4962
4963
4964
4965
4966
4967
4968
4969
4970
4971
4972
4973
4974
4975
4976
4977
4978
4979
4980
4981
4982
4983
4984
4985
4986
4987
4988
4989
4990
4991
4992
4993
4994
4995
4996
4997
4998
4999
5000
5001
5002
5003
5004
5005
5006
5007
5008
5009
5010
5011
5012
5013
5014
5015
5016
5017
5018
5019
5020
5021
5022
5023
5024
5025
5026
5027
5028
5029
5030
5031
5032
5033
5034
5035
5036
5037
5038
5039
5040
5041
5042
5043
5044
5045
5046
5047
5048
5049
5050
5051
5052
5053
5054
5055
5056
5057
5058
5059
5060
5061
5062
5063
5064
5065
5066
5067
5068
5069
5070
5071
5072
5073
5074
5075
5076
5077
5078
5079
5080
5081
5082
5083
5084
5085
5086
5087
5088
5089
5090
5091
5092
5093
5094
5095
5096
5097
5098
5099
5100
5101
5102
5103
5104
5105
5106
5107
5108
5109
5110
5111
5112
5113
5114
5115
5116
5117
5118
5119
5120
5121
5122
5123
5124
5125
5126
5127
5128
5129
5130
5131
5132
5133
5134
5135
5136
5137
5138
5139
5140
5141
5142
5143
5144
5145
5146
5147
5148
5149
5150
5151
5152
5153
5154
5155
5156
5157
5158
5159
5160
5161
5162
5163
5164
5165
5166
5167
5168
5169
5170
5171
5172
5173
5174
5175
5176
5177
5178
5179
5180
5181
5182
5183
5184
5185
5186
5187
5188
5189
5190
5191
5192
5193
5194
5195
5196
5197
5198
5199
5200
5201
5202
5203
5204
5205
5206
5207
5208
5209
5210
5211
5212
5213
5214
5215
5216
5217
5218
5219
5220
5221
5222
5223
5224
5225
5226
5227
5228
5229
5230
5231
5232
5233
5234
5235
5236
5237
5238
5239
5240
5241
5242
5243
5244
5245
5246
5247
5248
5249
5250
5251
5252
5253
5254
5255
5256
5257
5258
5259
5260
5261
5262
5263
5264
5265
5266
5267
5268
5269
5270
5271
5272
5273
5274
5275
5276
5277
5278
5279
5280
5281
5282
5283
5284
5285
5286
5287
5288
5289
5290
5291
5292
5293
5294
5295
5296
5297
5298
5299
5300
5301
5302
5303
5304
5305
5306
5307
5308
5309
5310
5311
5312
5313
5314
5315
5316
5317
5318
5319
5320
5321
5322
5323
5324
5325
5326
5327
5328
5329
5330
5331
5332
5333
5334
5335
5336
5337
5338
5339
5340
5341
5342
5343
5344
5345
5346
5347
5348
5349
5350
5351
5352
5353
5354
5355

MIDDLE PART OF NORTH SEA

Scale 1:1,200,000

1905.

POSITION OF TRAWL HAULS.

The lines represent the track of the trawl at each of the stations indicated. A broken line indicates that the catch was probably influenced by an accident to the net.

O.—Otter trawl. B.—Beam trawl. B(c).—Covered net.

Months.—I.—III. Blue. IV.—VI. Green.

VII.—IX. Red. X.—XII. Brown.

Declination at 55°30′ N. 6° E. (1895)

ENGLAND

St. Abbs Head, Berwick, Goswick, Skate Roads, Alnmouth, Druridge Bay, Blyth, Shields, Sunderland, Seaham, Hartlepool, Middlesborough, Tees, Whitby, Scarborough, Flamborough Hd., Bridlington, Hornsea, Hull, Withernsea, Humber, Spurn, Gt. Grimsby, Saltfleet, Mablethorpe, Skegness, Boston, Hunstanton, Blakeney

HOLLAND

Texel, Vlieland, Terschelling, Ameland, Harlingen, Schiermonnikoog, ZUIDER ZEE, Helder

GERMANY

Heligoland, Elbe, Cuxhaven, Juist, Norderney, Borkum, Langeroog, Wangeroog, Wilhelmshaven, Geestemünde

DENMARK

Blaavands Pt., Horn Reef, Esbjerg, Fanö, Skallingen, Föhr, Amrum, Tönning

CONTOUR LINES.

10	METRE LINE
20	" "
40	" "
60	" "
80	" "

EQUIVALENT DEPTHS.

1	METRE	= 0·5	FATHOM
10	METRES	= 5·4	FATHOMS
20	"	= 10·9	"
40	"	= 21·8	"
60	"	= 32·8	"

LIGHTS.

HOUSES ⚓ VESSELS ⚓

THE POSITION OF THE LIGHT IS INDICATED BY THE BLACK SPOT.

1	FATHOM	= 1·8	METRES
5	FATHOMS	= 9·1	"
10	"	= 18·2	"
20	"	= 36·6	"
30	"	= 55	"

HELIOZINCOGRAPHED AT THE ORDNANCE SURVEY OFFICE, SOUTHAMPTON, 1909.

REPORT ON THE

PHYSICAL CONDITIONS

IN THE

ENGLISH CHANNEL AND ADJACENT WATERS, 1904 AND 1905,

BY

DONALD J. MATTHEWS.

With Figures 1–3 and Plates 1–8.

33939

2 N 2

CONTENTS.

	Page.
INTRODUCTORY	281
Apparatus	282
Analysis of Water Samples	282
Tables	282
Positions of Observations	282
Charts and Curves	283
Discussion of the Results	284
SUMMARY	291
TABLES I.–V.	294

REPORT

ON

THE PHYSICAL CONDITIONS IN THE ENGLISH CHANNEL AND ADJACENT WATERS, 1904 AND 1905.

BY

DONALD J. MATTHEWS.

During the years 1904 and 1905 the quarterly cruises in the English Channel in February, May, August, and November, were made by the steamers *Huxley* and *Oithona*, the programme being nearly the same as that of the latter half of 1903. The course followed was slightly lengthened in order to increase the number of surface observations, and measurements with the Ekman current metre were made occasionally on Station 2. These latter investigations have been repeated from time to time when the weather was suitable, and will be discussed in a later report together with the records of a number of surface-drift bottles which have been thrown overboard on nearly all cruises.

As in 1903, a line of observation was made at the time of the quarterly cruises off the southwest coast of Ireland by the steamer *Helga* of the Fisheries Branch of the Department of Agriculture and Technical instruction for Ireland. Some of the results obtained I have received directly from Mr. Holt, the Scientific Adviser to the Department, while others have been taken from the Quarterly Bulletin of the International Council.

The following additional observations were also made on passenger steamers and lightships :—

A few sets of surface samples were collected between Lands End and Cork by steamers of the City of Cork Steam Packet Company.

The fortnightly sets of surface observations on steamers of the London, Brighton and South Coast Railway Company between Newhaven and Caen, which were commenced in the autumn of 1903, were continued.

Samples have also been collected every fortnight on steamers running from Southampton to Havre and St. Malo ; and from Plymouth to the Channel Islands and St. Brieuc. The observations on these lines were commenced during the spring and early summer of 1904, the first complete set from the four lines being obtained in June. I wish here to acknowledge the valuable assistance received from Captain Morris of the London, Brighton and South Coast Railway Company, from Captain Williams of the London and South-Western Railway Company, and from Captain Enwoldsen of the *Devonia*, in arranging for the collection of these samples, and also to the captains and officers responsible for the observations, whose names will be found at the end of this report in Table V.

In January, 1904, by the courtesy of the Trinity House, observations were also commenced on the following lightships—East Goodwin, Varne, Royal Sovereign, Owers, Shambles, Seven Stones, Cardigan Bay, and Bahama Bank. The collection of samples from the Royal Sovereign, Owers, and Shambles was discontinued after one year, as owing to their positions the results were not of great value. The names of the observers, to whom I wish to tender my thanks, will be found in Table V.

Use has also been made of a few observations made on liners ; most of these have already been published in the present writer's report on "The Surface Waters of the North Atlantic, September, 1904, to December, 1905." * Those made before September, 1904, are printed in Table III.

* The Surface Waters of the North Atlantic Ocean ; Matthews. Internat. Invest. Mar. Biol. Assoc. Report II. Pt. I.

The total number of observations of salinity used for the present report and falling within the limits of the larger charts was 3,611 ; they were distributed as follows :—

—	1904.		1905.	
On hydrographic cruises : surface	285	827	385	975
below surface	542		590	
Cross channel steamers, &c. : surface	578		639	
Lightships : surface	361		231	
Total for the year	1,766		1,845	

Use has also been made of the observations in adjacent waters published in the Quarterly Bulletin.

Apparatus, &c.

The apparatus used at sea was the same as in 1903,* with the exception of the bottles for storing water samples. The 35 oz. stoppered bottles were found to unnecessarily large, and 6 oz. sterilized milk bottles were substituted.

Analysis of Water Samples.

The samples were analysed by the present writer by Möhr's method, and calculated by means of Knudsen's Hydrographic Tables. Full details will be found in the paper on the North Atlantic Ocean. The standard used was the " normal water " of the Central Laboratory at Christiania.

Tables.

The tables, which are published at the end, give the observations on which the report is founded. They require little explanation and do not differ much in arrangement from those of previous reports. Depths are given in metres and fathoms, and temperatures according to both the Centigrade and the Fahrenheit scale. The salinity $S°/_{oo}$ σ_o, ($\sigma_o = (S_o - 1)\ 1000$ where S_o is the specific gravity at 0° C. compared with distilled water at 4° C.), and σ_t ($\sigma_t = (S_t - 1)\ 1000$, where S_t is the specific gravity corrected to the temperature in situ) are calculated from the chlorine content by Knudsen's Tables.

Positions of Observations.

The quarterly cruises, in order to be of much value, must be made as far as possible at the same time by the vessels of all the countries taking part in the work. It thus often happens that extreme accuracy in fixing positions has been sacrificed in favour of speed, especially in the winter, when advantage must be taken of every interval of fine weather. On some cruises it has not been possible to make a single astronomical fix, and the whole of the work has been done by dead reckoning. Under such conditions the soundings made on a station have not always agreed with the depths found on previous occasions or with those shown on the Admiralty Charts ; and often from the nature of the bottom it would not have been possible to find the true position with any certainty, and certainly not without much loss of time. In such a case the dead reckoning has been assumed to be correct, in spite of the sounding ; and the actual depths found have been given in Table I.

Charts and Curves.

Charts showing surface salinities and temperatures, and the positions at which observations were made, are given for all the quarterly cruises, and also for some short period, as a rule not longer than three or four days, in each month from July, 1904, onwards ; these latter are confined to the area between the meridians of Beachy Head and Start Point, and are founded on observations made on passenger steamers.

For each quarterly cruise there are also given three sections :—The longitudinal section is drawn through Stations 5, 2, 19, 11, 13, 21, and 22, and therefore differs slightly from that given in the quarterly bulletins of the International Council, which includes

*Report on the Physical Conditions in the English Channel 1903. Internat. Invest. Mar. Biol. Report I., 1902–1903.





Fig 1. Chart showing the positions of the stations worked on the quarterly cruises, lines on which surface samples are taken between the cruises, and Lightships.

Ordnance Survey Office, Southampton, 1909

FIG. 2. CURVE OF SALINITIES AT THE WESTERN STATIONS.

The unbroken lines represent the mean of the Salinities at the surface and 5 or 10 metres.
Broken lines represent the Salinities on the bottom.
Where the continuous line only is drawn Salinities are the same at surface and bottom.




Matthews. English Channel.
To face p. 282.

Weller & Graham, Ltd Litho. London.

FIG 3. CURVES OF SURFACE SALINITIES ON FOUR CROSS-CHANNEL LINES, CALCULATED FROM OBSERVATIONS MADE ON FORTNIGHTLY VOYAGES.

On the Southampton Havre line the continuous curve is calculated from observations between 49°50′ N. Lat. and 50°40′ N. Lat; the broken curve from the three highest observations on each voyage. The latter values have been used in calculating the mean curve of the eastern part of the Channel.



Matthews English Channel.
To face p. 282.

2204.

Weller & Graham, Ltd Litho. London.

Station 4 and omits Station 19, substituting the more southerly Stations 9 and 10. The western transverse section, through Stations 4, 5, 7, and 6, is foreshortened somewhat as in the report for 1903, and a new section, through Stations 3, 2, and 1 to Plymouth has been added.

A chart (Fig. 1) has been added, showing the positions of stations and the courses generally followed by the cross-channel steamers on which observations have been made.

The curves of surface and bottom salinities (Fig. 2) include the observations made in 1903. The surface salinities plotted here are really the mean of the actual surface salinity and that at 5 metres, or when this is wanting, at 10 metres, as the surface is often somewhat salter than the layer immediately below it, owing in all probability to local evaporation. Figure 3 gives the curves of the surface salinities for each month on the four cross-channel lines, and also of the Channel as a whole between Start Point and Beachy Head ; the latter curve is the mean of the other four. Each monthly mean on a cross-channel line is founded on two, or sometimes three, fortnightly voyages. In drawing the curves it was found necessary to make a selection of the salinities to be used, as some of the observations were made so near to the coasts as to fall within the area of the littoral waters, where the salinity gradient is very steep, and an error of a mile in position, or an advance or retreat of a low isohaline by the same distance, would give rise to greater apparent variations from one fortnight to the next than are generally found in the course of a year. On the line from Newhaven to Caen, where the samples were always taken in the same positions, as closely as dead reckoning would permit, the four northern observations, between latitude 49° 59′ N. and the English coast, have been used for drawing the curve. On the line from Southampton to Havre the three highest salinities on the run were chosen, and are shown by the dotted line ; the continuous line is calculated on all observations between 49° 50′ N. latitude and 50° 40′ N. latitude ; and on that from Southampton to St. Malo the three highest, excluding those made in the Gulf of St. Malo. On the line from Plymouth to St. Brieuc, the observations omitted were the two made south of the latitude of Guernsey.

Discussion of the Results.

The present report is not a complete discussion of the hydrographic conditions during the years 1904 and 1905, but rather an account of the English investigations in the Channel during those years. Use has therefore been made of the English and Irish observations only, and the latter have been only plotted on the surface charts in order to give a rough idea of the conditions in the area to the westward of the English Channel, and have not been discussed in any way. Unfortunately, owing to their position, they do not throw much light on the movements of the water in the English area, and additional observations to the west of the outer line of English stations, especially south of the forty-ninth parallel, are much to be desired. To the eastward, the charts might have been made more complete by including the results of the Belgian investigations, but the Straits of Dover do not fall within the English hydrographic area, and the changes there are of importance only in connection with the North Sea. Such English observations as have been made there have been plotted, but by themselves they are of little value.

In writing the present report I have been able, through the kindness of Docent Martin Knudsen, Chief Hydrographic Assistant at the Central Bureau, to make use of the Bulletin Supplémentaire, 1908, unpublished at the time of writing, which gives a valuable series of charts of the *mean* conditions, and has been of very great assistance.

The chart for November, 1903,* showed two large areas of surface water of 35·4 °/₀₀ *S.*,† surrounded on all sides by lower salinities. One of these was situated to the south and west of Beachy Head, and the other between the meridians of the Isle of Wight and of Plymouth. To the west and south-west of the latter area was found water of 35·3 °/₀₀ *S.*, falling to 35·2 °/₀₀ in the centre line of the English Channel south of the Scilly Isles, but rising to 35·4 °/₀₀ *S.* on the line from Ushant to Parsons Bank (Station 4). At the latter position the layer of 35·4 °/₀₀ *S.* was confined to the surface, and between 5 metres and 40 metres the salinity was about 35·33 °/₀₀ while below 40 metres it was 35·48 °/₀₀ at all depths. It will be seen from Fig. 2 of the present report that at those of the western stations which are fairly near land, there was no important difference between the salinities at the surface and the bottom, but at the others there was a distinct division into layers.

* Matthews, English Channel, 1903, loc. cit.

† Throughout this paper, a salinity given to only one place of decimals includes all between that salinity and a salinity 0·10 °/₀₀ higher. Thus 35·4 °/₀₀ *S.* includes all between 35·40 °/₀₀ *S.* and 35·49 °/₀₀ *S.* Salinities given to two places are exact as far as the experimental error allows.

Between November, 1903, and February, 1904, the only observations made were confined to the surface on the line from Newhaven to Caen. They point to a well-marked maximum in January, the low values shown by the dotted line (Fig. 2) in December and February being due in each month to a single sample of very low density which in all probability was not trustworthy.

February, 1904.—During the first half of the month it was impossible to carry out the regular programme owing to a series of south-westerly gales, and the chart for this period is founded on surface observations made on liners. It cannot give more than an approximately accurate view of the conditions, but it is of interest in showing the presence of surface water of 35·5°/$_{oo}$ *S.* a few miles from Lizard Head, and further west a large area of 35·6°/$_{oo}$ *S.* extending eastward to the meridian of the Scilly Isles in 49° N. latitude.

The weather moderated about the middle of the month and the quarterly cruise was made between February 15th and March 1st. The central axis of the channel was then filled with water of 35·3°/$_{oo}$ *S.*, falling to between 34·0°/$_{oo}$ *S.* and 34·5°/$_{oo}$ *S.* under the Isle of Wight, and to 33°/$_{oo}$ *S.* off the Bay of the Seine. South of Beachy Head there was an isolated surface area of 35·4°/$_{oo}$ *S.*, overlying water of slightly lower salinity and not connected in any way with the salt water at the entrance to the Channel. Westward of the Scilly Isles the isohaline of 35·40°/$_{oo}$ is somewhat problematical, but it is tolerably certain that its general course was east and west, running from about 50° N. latitude and 11° W. longitude, in a direction slightly south of east to midchannel in about 6° W. longitude, and then in a more northerly direction as far as the meridian of St. Albans Head, when it turned to the south-west towards Ushant. This is in marked contrast to the conditions prevailing in February of the previous year, when the isohaline of 35·40°/$_{oo}$ followed a roughly north and south course across the entrance to the English Channel, showing a strong surface flow of low salinity water from the Irish Channel. This southerly set was however present to a certain extent during the present month, and it will be seen from the longitudinal section that the surface area of the water of 35·40°/$_{oo}$ *S.* and over was far greater than its extension on the bottom, particularly in the region of Station 5, where it formed only a thin layer covering the fresher Irish current.

The centre of the area of 35·4°/$_{oo}$ *S.* was occupied by water of 35·5°/$_{oo}$ *S.* rising to 35·6°/$_{oo}$ *S.* at its eastern extremity. It is interesting to notice that this small patch of 35·6°/$_{oo}$ *S.*, shown by one observation only, was all that remained of the large area of similar water marked on the chart for the first half of the month, and that it had now moved some distance eastward. It has been drawn on the section as a surface layer only, and it was probably of no great thickness, though in the absence of observations here below the surface this cannot be stated definitely. We may suppose that the gales at the beginning of the month had set up a strong surface drift from the Bay of Biscay, giving rise to abnormally high surface salinities, which were obliterated almost immediately by mixing with the lower layers. The point is of importance inasmuch as it shows that in the English Channel gales lasting even some days give rise to only small changes in the hydrographic conditions, and it follows from this that the ordinary observations of a hydrographic cruise, which can be made only in moderate or fine weather, will give, as a rule, a sufficiently accurate account of the mean distribution of the water for a period of perhaps five or six weeks.

At Stations 1, 3, and 7, (and in a less degree at Station 6), which are at no great distance from land, the salinities had fallen both at the surface and on the bottom, as compared with the previous November, and the water tended to be homogeneous at all depths. At the remaining stations, 2, 4, and 5, the surface salinity had risen considerably, while the bottom values had either risen less quickly or had fallen, thus nearly obliterating the division into layers.

Thermal conditions were comparatively simple. The temperature was nearly the same at all depths, and fell from west to east and from the centre line towards the shore. The isotherms followed the same general direction as the isohalines, and can best be followed on the chart.

March and April, 1904.—The fall in the surface salinities on the Newhaven–Caen line continued and was decidedly rapid in April (Fig. 3), the low values being found chiefly off the English coast.

May, 1904.—During the May cruise salinities were low everywhere in the English Channel, and were nearly the same at all depths at any point. The western area which in February was filled by water of 35·4 °/$_{oo}$ *S.* and 35·5 °/$_{oo}$ *S.* now had a salinity of 35·3 °/$_{oo}$, except at the extreme south-western extremity of the area of investigation,

where two samples were collected giving a salinity of 35·41 °/₀₀. Off Beachy Head the isolated patch of water of 35·4 °/₀₀ *S.* had been replaced by water of about 35·25°/₀₀ *S.*, and the central axis of the Channel had a salinity of 35·2 °/₀₀ instead of 35·3 °/₀₀ as in February. The curves for the stations and for the Newhaven–Caen line show falling salinities except at Station 1, (and perhaps Station 7) where there was a rise. Salinities were also lower between Lands End and Cork, but the southerly flow from the Irish Channel, which was well marked in May, 1903, was now almost wanting.

Temperatures were the same at all depths at any point, and ranged from between 9° and 10° to the north of a line drawn from the Channel Islands to Station 2 and thence to Parsons Bank, to between 10° and 11° to the south of it.

June and July, 1904.—In June arrangements were made for obtaining surface samples and temperature records at fortnightly intervals from steamers sailing from Southampton to Havre and St. Malo, and since then sufficient observations have been obtained to make it possible to give a fairly accurate account of the changes occurring throughout the year in an area bounded on the west by a line from Plymouth to the Channel Islands and St. Brieuc, and on the east by a line from Newhaven to Havre. The value of these observations is much increased by the fact that the quarterly cruises have shown that in this region the water is nearly always of the same salinity at all depths, and that such differences as do occur are of comparatively small importance. The chart for June has not been included, but it does not differ much from that for July, and observations during the two months show a fairly steady fall in the salinity. The axis of water of 35·3°/₀₀ *S.*, which in February was continuous throughout the Channel and in May had retreated to the meridian of Cape La Hague was in June no longer found to the eastward of Start Point, and in July water of less than 35·00°/₀₀ *S.* extended from the Isle of Wight to the Bay of the Seine, separating two areas of slightly higher salinity. On the Newhaven–Caen line there was a slight rise in salinity from May to June, followed by a steady fall to a minimum in September.

The rise in the surface temperatures was considerable, and areas which in May did not reach 10° gave readings over 15° in July. The change was confined chiefly to the coastal regions, and an isolated area of water of less than 14°, surrounded on all sides by warmer water, was found south of the Isle of Wight.

August, 1904.—The hydrographic cruise during August showed a marked increase in both the salter and the fresher currents. Eastward of a line from Start Point to the Channel Islands salinities were still falling, and values as high as 35·10°/₀₀ were found only west of the Isle of Wight, and though water of 35·0°/₀₀ *S.* was now continuous throughout the Channel it had been reduced to a comparatively narrow band. South of Portland Bill there was an isolated surface patch of water of over 35·20°/₀₀ *S.* which was connected below the surface with the corresponding water westward.

Westward of Start Point the surface salinities were lower than in May. The isohaline of 35·20°/₀₀ had been driven further south from the English coast by fresher water, but the total area of water between 35·20°/₀₀ *S.*, and 35·30°/₀₀ *S.* had, if anything, increased by encroaching on the water of 35·3°/₀₀ *S.*, which it now surrounded on all sides except to the southward. The isohaline of 35·30°/₀₀ took a north and south direction across the Channel for a portion of its length, showing an increase in the fresher current from the Irish Channel, and the somewhat scanty observations between Land's End and the Irish coast point in the same direction. The water of 35·4°/₀₀ *S.*, which in May was found only on Station 4, had increased in volume, and was now found at all depths on Station 3, and at the bottom on Station 5. The total area was therefore much greater than appears on the chart, where it is largely masked by the lower salinity surface water. The changes are well shown by the sections and curves. It will be seen from the latter that at all the western stations, except 1 and 7, which are nearest to the English coast, the bottom salinities reached their minimum in May and then rose decidedly, while in nearly every case the lowest surface salinity did not occur until August. During the period from May to August the curves for the surface and bottom were therefore diverging, a change which gave rise to the division into layers shown on the sections.

Temperatures in the eastern part of the Channel were highest (over 17°) under the shores and decreased towards the central line, the minimum (less than 15°) occurring in a small isolated area south of Portland Bill, which coincided approximately with a similar patch of relatively high salinity water.

To the westward of the Start Point–St. Malo line the surface distribution of temperatures was reversed, the lowest being found under the shores and the highest in the open sea.

Below the surface the isotherms followed a horizontal direction for a large part of their length, and those for from 17° to 11° were closely crowded together a short distance below the surface in the southern and western areas, and radiated northwards and eastwards.

The temperature conditions can be best followed by consulting the charts and sections. The most noteworthy point is, that in the eastern part of the Channel, where the water is shallow and the tidal mixing very thorough, the seasonal rise of temperature had reached the bottom, while in the deeper and more slowly moving water to the westward it had had little influence below 30 or 40 metres. The increase in the bottom temperature from May to August was less than one degree on Station 4, and only just over a degree on Station 5.

September and October, 1904.—The salinities in the eastern part of the Channel were still at their minimum in September, and the central axis of water of 35·0°/$_{oo}$ *S.* had disappeared except at one point on the line from Southampton to Havre.

In October the surface salinities began to rise everywhere between Start Point and Beachy Head. The chart for the month shows the reappearance of the water of 35·0°/$_{oo}$ *S.*, but the change is brought out more distinctly by the curves (Fig. 3).

November, 1904.—In the area eastward of Start Point, the average surface salinity was hardly higher than during October. The central axis of water of 35·0°/$_{oo}$ *S.* had broadened between the Isle of Wight and Beachy Head, and water of 35·1°/$_{oo}$ *S.* was found eastward of the Southampton-St. Malo line, while the 35·30°/$_{oo}$ isohaline cut the line from Start Point to Guernsey for the first time since May. In spite of this, the curves show that except between Southampton and St. Malo the total change was only slight.

Westward of Start Point, the surface salinities had risen considerably: the isohalines for 35·10°/$_{oo}$ and 35·20°/$_{oo}$, which were found at some distance from the English coast in August, do not appear on the November chart, and water of 35·3°/$_{oo}$ *S.* now reached to within about fifteen miles of the shore and entered the Irish Channel in a broad band, the eastern edge of which approached closely to Lands End. The southerly flow from the Irish Sea was not so strong as in August, but its presence was still shown by a deep indentation of water of 35·2°/$_{oo}$ *S.* into that of 35·3°/$_{oo}$ *S.* on Station 5. The surface water of 35·4°/$_{oo}$ *S.* had advanced to mid-channel and then turned sharply in a direction slightly to the north of west to the longitude of the Scilly Islands. A study of the surface chart would lead one to suppose that there was a westerly current at this time in the northern part of the entrance to the Channel, and it is not impossible that the peculiar distribution was in part due to this. Gehrke,* indeed, has calculated that in the course of a year a certain amount of water must leave the English Channel through the northern part of its western entrance, but it seems more probable that in the present case the explanation is to be found in the fresher water of the Irish Channel having pushed into and overlaid the higher salinity water from the Bay of Biscay.

At the western stations, with the exception of 4 and 7, the division into layers that existed at the time of the previous cruise had been obliterated. In most cases this was due to the bottom salinities having remained nearly unchanged, while the surface salinity had increased. At Station 5, however, the surface salinity had scarcely varied and the bottom salinity had fallen.

Eastward of Plymouth the thermal conditions were of the winter type, but in the western entrance summer conditions still prevailed. Both sides of the Channel, from Lands End to the Isle of Wight, and from Ushant to the Bay of the Seine, were bordered by water of between 13° and 14°, and to the east by water of from 12° to 13°. An irregular area of between 14° and 15° filled the centre of the Channel between Plymouth and the Bay of the Seine, approaching closely to the English coast at its western extremity and to the French coast at its eastern end. In this region, therefore, the temperature increased from the shores to midchannel and was approximately the same at all depths. In the western entrance, on the contrary, an isolated patch of between 12° and 13°, surrounded on the surface on all sides by warmer water, stretched from Station 3 to the Scillies and Lands End; there is only one set of observations below the surface actually falling within this area, but the temperature readings on Stations 4 and 5 make it probable that it was underlaid on its south-western side by colder water, (10° to 11°).

At the extreme western edge of the area of investigation the relatively warm water had a depth of about 30 metres only. Below this the temperature fell rapidly to 10·6° at Station 5 and 11·4° at Station 4. At Station 2 it was the same at all depths, and it

* Johan Gehrke. Mean velocity of the Atlantic currents running north of Scotland and through the English Channel. Cons. Perm. Internat. pour l'Eplor. de la Mer. Pub. de Circ., No. 40.

would appear that the layer of cold water did not extend much to the eastward of the Scilly Islands.

December, 1904, and *January*, 1905.—During December the salinity of the eastern area altered only slightly, the chief change being in the advance of the isohaline for 35·10°/$_{oo}$ south of the Isle of Wight. In January the salinities rose suddenly; the isohaline of 35·40°/$_{oo}$ cut the Plymouth–Guernsey line for the first time since the previous February, that for 35·10°/$_{oo}$ was unbroken throughout the length of the Channel, and a small area of 35·2°/$_{oo}$ *S.* was found on the line from Newhaven to Caen.

February, 1905.—In February the mean surface salinity of the eastern Channel was only slightly higher than during the previous month. The isohaline of 35·10°/$_{oo}$ was continued to the Straits of Dover, and that of 35·20°/$_{oo}$ nearly reached the meridian of Dungeness. Water of 35·3°/$_{oo}$ *S.* and 35·4°/$_{oo}$ *S.* was also found further eastward than in January, though the easterly extremity of the latter had become slightly narrower. Salinities were nearly the same at all depths, except on Station 22, where the eastern end of the tongue of 35·2°/$_{oo}$ *S.* was thinned out to a surface layer with fresher water on the bottom.

To the westward the salinities had risen considerably since the November cruise. Water of 35·4°/$_{oo}$ *S.* had replaced that of 35·3°/$_{oo}$ *S.* to a large extent, and approached fairly closely to the English coast; the isohaline of 35·40°/$_{oo}$ ran nearly straight from Station 4 to Station 7, while that of 35·30°/$_{oo}$, which in November reached Station 5, probably did not now come south of the Scilly Islands, though the scarcity of observations here makes the distributions somewhat doubtful. In the centre of the water of 35·4°/$_{oo}$ *S.* was found a narrow band of 35·5°/$_{oo}$ *S.* stretching in a north-easterly direction over Station 2, where it was continuous at all depths, and even reaching Station 1, at one depth only, below the surface. At two positions, about 10 and 40 miles southwest of Station 2, were found patches of water of 35·6°/$_{oo}$ *S.*, which in the absence of further observations, have been assumed to reach the bottom since there was nowhere any important division into layers.

The water was generally of the same salinity at all depths, as will be seen from the sections and curves. At Stations 1, 2, 5, and 6, where there had been no division into layers in November, surface and bottom salinities had risen simultaneously, but at Stations 4 and 7, where there had been considerable differences between surface and bottom, the salinity in the depths had remained nearly constant and the surface salinity had risen so as to render the water homosaline.

Temperatures were nearly constant from surface to bottom, and ranged from between 10° and 11° at the western entrance to 7° or 8° under the eastern shore. The isotherms followed courses similar to those of the isohalines and were vertical with the exception of that for 10°, which cut the surface a short distance north of Station 4, ran horizontally at a depth of about 5 metres to Station 5, and then dipped to the bottom between Stations 5 and 7.

March and April, 1905.—The mean salinity between Start Point and Newhaven was almost exactly the same as for February and only slightly higher than in January, though some irregular changes occurred; the maximum on the Newhaven line was reached in April, with the appearance here of water of 35·3°/$_{oo}$ *S.*, while on the lines from Southampton to St. Malo and from Plymouth to Guernsey there was a fall.

May, 1905.—The spring maximum salinity of the Channel eastward of Start Point was reached in May, but it was only slightly higher than in February, and on the Newhaven–Caen Line a sharp fall had already set in. The water of 35·3°/$_{oo}$ *S.* and 35·4°/$_{oo}$ *S.* had advanced considerably, the former being continuous as far as Beachy Head, and the latter to the line joining the Needles to Cape de la Hague. At the western entrance to the Channel salinities had fallen very decidedly since February; the isohaline of 35·30°/$_{oo}$ across the mouth of the Irish Channel was found about sixty miles further south, and water of between 35·30°/$_{oo}$ *S.* and 35·40°/$_{oo}$ *S.* extended north and west from Ushant, so as to isolate completely an area of 35·4°/$_{oo}$ *S.* which filled the western part of the Channel. On the eastern edge of this area the isohalines were approximately vertical, but to the west it was drawn out to a thin surface layer; the difference between the surface and bottom salinities was, however, unimportant.

The southern isohaline of 35·40°/$_{oo}$ ran from near Ushant to Station 4 somewhat to the south of the line of observations, and then turned to the north-west. That for 35·20°/$_{oo}$ followed approximately the same course, from Start Point to Lands End, as the line of 35·40°/$_{oo}$ in February, and after dipping to the south turned to the north and west on the meridian of the Scilly Isles. The isohaline of 35·30°/$_{oo}$ followed a fairly parallel course, and as has been already pointed out, reached the 49th parallel before turning to the

north-west. An increased flow of low salinity water from the Irish Sea was evidently in progress, and is well shown by the chart.

The curves and sections show that the salinities had fallen on the western stations since February, and that in many cases the bottom salinity was less than on the surface, giving rise to an unimportant division into layers.

The temperatures showed a transition stage between winter and summer conditions, the isotherms tending to run across the Channel, and horizontally. That of 10° ran from the Isle of Wight to the Channel Islands, and the line for 11° from Start Point to the east of Station 19, when it turned to the west, and finally to the south, a short distance westward of Station 2. Another line for 11° started from Lizard Point, made a southerly bend round Station 7, and then turned approximately westward again across the mouth of the Irish Channel. Between the two 11° isotherms were found temperatures of less than 12°. On Station 4 the isotherms of 11° and 10·5° were found at 10 metres; below this the temperatures were nearly constant and 10·4 was found at the bottom. They cut Station 5 at about the same depth, but northwards the line for 11° met the surface near Station 7, while that for 10·5° was continued nearly horizontally to Station 6 and the Bristol Channel. The isotherm for 10° on the longitudinal and cross sections shows a tongue of colder water (between 9° and 10°) entering the Channel in the central line from the west at Station 5.

June and July, 1905.—Following on the maximum recorded in May, a remarkably quick fall set in in the salinity of the eastern area of the English Channel and the minimum was reached in July, when no water of a salinity as high as 35·40°/$_{oo}$ was found eastward of Start Point, while the isohaline of 35·30°/$_{oo}$ had retreated from the meridian of Beachy Head to that of Portland Bill.

August, 1905.—The observations made during this month, especially when considered in relation to the plankton records, yield some decidedly interesting results.

In the eastern part of the Channel the surface chart alone does not show any important change; the isohaline for 35·30°/$_{oo}$ had commenced to move to the eastward again, and water of 35·0°/$_{oo}$ *S.* had replaced part of the slightly fresher water under the English coast, but on the other hand the isohaline of 35·20°/$_{oo}$ had retreated on the central line of the Channel and advanced at its termination on the English shore. The curves show, however, that the salinities were rising generally, eastward of Start Point, from the July minimum. On Stations 21 and 22 the longitudinal section shows an unimportant division into layers of different salinity.

The larger part of the western entrance to the Channel was filled at all depths with water of from 35·30°/$_{oo}$ *S.* to 35·40°/$_{oo}$ *S.* which skirted the coast from Start Point to the Lizard fairly closely, being separated from the shore by water of 35·2°/$_{oo}$ *S.*, and was continued round Lands End into the Bristol Channel. On the meridian of the Scillies it was bounded, north of the 49th parallel, by a narrow tongue of water of 35·2°/$_{oo}$ *S.* from the Irish Channel, which was also of the same salinity at all depths. Enclosed in it were two isolated patches of surface water of 35·4°/$_{oo}$; one was shown by a single sample on Station 2, while the other took the form of a narrow band stretching from a point south of the Lizard to the north of Station 1 and then bending to the south-east to Station 19. These two patches are chiefly of importance in connection with the abnormal movements recorded earlier in the year, in the North Atlantic, and which have already been described.* To recapitulate briefly—an isolated area of water of over 37·00°/$_{oo}$ *S.* was thrown off from the high salinity water in about 37° N. Latitude, 37° W. Longitude, and travelled across the Atlantic, becoming slightly diluted on the way, to the south-west coast of Ireland, where it formed a large patch of water of over 36·00°/$_{oo}$ in August. At the same time many high salinities were found in the southern part of the Irish Channel, and these have been generalised on the chart for the present month as a fairly regular border of this water running along the 49th parallel from 11° W. Longitude to 8° W. Longitude, and then turning south and east to the Bay of Biscay. The observations do not agree among themselves in such a way as to point to any regular distribution of the water, and it seems probable that it had broken up into a number of quickly moving eddies, some of which travelled into the English Channel along the shore between Lands End and Start Point. This hypothesis is strengthened by the appearance in August in the English Channel, and even in Plymouth Sound, of large swarms of Pteropods, which are distinctly oceanic in habit, and had not been previously recorded with certainty here, at any rate not since the beginning of the detailed plankton work in connection with the International Investigations.

* Matthews; The Surface Waters of the North Atlantic Ocean: September 1904 to December 1905, loc. cit.

The sections and curves show in some places a fall, in others a rise, in the salinities on the western stations, and, compared with the two preceding years there was no important division into layers. It is worth noting that the bottom salinities of the western area, except at Stations 1, 6 and 7, reached their minimum at the same time as the surface salinities, and not at the time of the May cruise as in 1904.

Eastward of the Start Point–Guernsey line the temperatures were the same at all depths, and the isotherms were approximately parallel to the coasts, the values falling from a maximum of over 17° under the shores in the neighbourhood of the Isle of Wight and the Bay of the Somme to between 15° and 16° in mid-channel. To the west of this line the values decreased from over 17° in the Gulf of St. Malo to less than 15° in mid-channel, and then rose to between 15° and 16° off Start Point. The steepest surface temperature gradient was found west of Ushant, when the isotherms for 15°, 16°, and 17° were crowded together. That for 15° passed to the westward of Station 3, where the temperature ranged from 13·7° on the surface to 13·3° on the bottom, to the east and north of Station 2, and then turned north-east to Station 19. The isotherm for 16° ran fairly straight across channel westward of Station 2 to Plymouth, while that for 17° turned sharply westward towards Station 4. The isotherms for from 17° to 11° stretched northwards and eastwards from Station 4 ; to the north, that for 17° came to the surface almost immediately, and the lines for from 16° to 13° were continued fairly horizontally into the Bristol Channel, while those for 12° and 11° dropped to the bottom between Stations 5 and 7. In the direction of the axis of the channel, the lines for 16° and 15° appeared on the surface to the west and east, respectively, of Station 2, and the lower isotherms ended on the bottom, those for 14° and 13° between Stations 2 and 19, the line for 12° between Stations 5 and 2, while that for 11° appears to have terminated only a short distance to the north-east of Station 4.

September, 1905.—In this month an extra hydrographic cruise was made over Stations 1 to 5. There was still no important division into layers, but in other respects the conditions were decidedly abnormal. Reference to the chart shows that the northern areas of 35·4 °/$_{oo}$ *S.*, had disappeared, and that the tongue of water of 35·2 °/$_{oo}$ which was moving south across the fairway to the channel had turned to the south-west, cutting through the centre of the water of 35·3 °/$_{oo}$ *S.* to join the fresher water of the French coast. We thus have a decidedly unusual distribution, the salter water bordering the English coast while fresher water is found in mid-channel. To the south-west the isohaline of 35·40 °/$_{oo}$ had advanced slightly in a north-easterly direction.

In the eastern area salinities were higher than during the previous month, and the isohalines for 35·30 °/$_{oo}$ and 35·20 °/$_{oo}$ had moved eastward.

October, 1905.—Salinities continued to rise in the eastern area, except on the Southampton–St. Malo line, where there was a fall due to the retreat for the time of the isohaline of 35·30 °/$_{oo}$. The water of 35·40 °/$_{oo}$ *S.* on the line from Start Point to Guernsey was found at one position only and may have been a relic of the isolated patches found in August.

November, 1905.—In the eastern part of the Channel the salinities on the whole were rising very slowly. The isohaline for 35·30 °/$_{oo}$ had moved eastwards and opened out so as to include a larger area, but no water of 35·4 °/$_{oo}$ *S.* was found on the line from Start Point to Guernsey. The water was of nearly the same salinity from top to bottom, except perhaps on Station 21, but owing to the loss of the surface sample here this is doubtful.

To the west the prevailing salinity was between 35·30 °/$_{oo}$ and 35·40°/$_{oo}$ and extended round Lands End into the Bristol Channel. The southerly flow from the Irish Sea was marked by the north and south course of the isohaline for 35·30 °/$_{oo}$ across the fairway of the Channel, and appears to have been of about the same strength as in August. The bridge of 35·2 °/$_{oo}$ water which connected the Irish Channel with the waters of the French coast in September had been obliterated.

The quarterly cruise was extended in this month for some distance to the west, which made it possible to give a rather more satisfactory account of the conditions than usual. The isohaline of 35·40°/$_{oo}$ had advanced north-eastward nearly to Station 5 and water of 35·5°/$_{oo}$ *S.* was found on the surface at Station 4, but not at greater depths, showing that the surface layer was moving faster than the bottom water. At the extra station the salinity of the surface was 35·57°/$_{oo}$, at intermediate depths 35·53°/$_{oo}$, and rose to 35·61 at the bottom. On the western stations, the curves for the surface and bottom salinities were approaching one another, and at 4, 5, and 6 there was a rise in the salinities ; 1 and 7 were almost unaltered, and at 2 there was a fall.

The sections show probably simpler conditions than at any other time during the years 1903 to 1905.

Temperatures were the same at all depths except at the extra station, where the surface temperature was 12·37°, falling almost at once to 11° which was continuous to the bottom. The isotherms were generally parallel to the coasts; that for 10° ran from St. Albans Head and the Bay of the Seine to the Straits of Dover, while the line for 11° followed a course from Portland Bill to the longitude of Station 22, and then returned to Cape Barfleur. The 12° isotherm, beginning at Start Point on the English side, ran through Stations 18 and 11 to midway between Stations 12 and 24, where it turned westward, and after dipping deeply into the Gulf of St. Malo bent away from the coast to a point about 25 miles south of Station 2, and ran thence into the Bay of Biscay. Another branch of the 12° isotherm ran approximately parallel to the isohaline of 35·3°/$_{oo}$ at a distance from it of from 10 to 20 miles across the mouth of the Channel.

December, 1905.—In this month the mean salinity of the eastern part of the Channel reached its highest value for the year, though the rise since October was very small. The only change of any importance was the appearance of water of 35·40°/$_{oo}$ on the line from Start Point to Plymouth.

SUMMARY.

According to Knudsen's Charts of the Mean Annual Salinity at the surface, the isohalines follow the general trend of the shores of the English Channel, and the water is therefore arranged in zones approximately parallel to the coast line, the fresher water being found under the land and the salter water slightly to the north of the central line. The lowest isohaline shown is that for 34·50°/$_{oo}$, which crosses the Bay of the Seine and follows the French coast eastwards to the Bay of the Somme. On the English side the littoral waters are of somewhat higher salinity, and the lowest isohaline, 34·80°/$_{oo}$, encloses only a small area in the immediate neighbourhood of the Isle of Wight. The difference between the mean conditions on the two sides is undoubtedly due to the much greater number and volume of the rivers of the north of France.

The central axis has on the average a salinity just reaching 35·20°/$_{oo}$ in the Straits of Dover, increasing to 35·30°/$_{oo}$ in 2° 50′ W. longitude, slightly westward of the meridian of Portland Bill, and to 35·40°/$_{oo}$ in about 4° 30′ W. longitude, a short distance westward of the meridian of Plymouth.

Eastward of Start Point the water is nearly always homosaline, that is, of the same salinity at all depths, so that the surface charts also represent the conditions on the bottom; in the broad western entrance, however, there is at times a division into layers of varying composition, and it is necessary to consult the sections and the curves of bottom salinity when discussing the changes taking place here. It follows, therefore, that the western area, where bottom salinities can be obtained only from the investigation steamers, that is, as a rule, only at the times of the four quarterly cruises, is by no means as well known as the eastern region where samples are collected on four lines of steamers every fortnight. Knudsen's charts also show that the mean deviation from the mean salinity is far less at the western entrance than eastward of the Isle of Wight, and periodic changes are therefore less well marked, so that it cannot be expected that the salinity curves will show the same regularity as obtains, for instance, on the line from Newhaven to Caen.

On comparing the charts of mean annual salinity with those in the present report it is evident that at no time during the years 1904 and 1905 did the actual conditions bear anything but a distant resemblance to the mean, and indeed this is to be expected, since the waters of the English Channel exhibit a distinct periodic change similar to that which was first pointed out by Professor Otto Pettersson in other areas, and has since been proved to be the rule over nearly the whole of the Northern European region. Knudsen's charts, therefore, provide a datum line from which to measure the yearly periodic change, though it is true that for fishery purposes the deviation from the average periodic change is probably the determining factor, and that charts showing the mean salinity for each month would be of more value; at the time, however, when the charts of mean conditions were drawn up there were not sufficient data available to make it possible to discuss a shorter period than a year, and it is doubtful if one would be justified even now (March, 1909) in attempting the task.

It is somewhat difficult to compare the salinities during 1904 and 1905 with those of 1903, as the observations during that year were confined almost entirely to the four quarterly cruises, and such as were made showed that the abnormal conditions which were recognised by hydrographers working in other areas extended to the English Channel also.

The highest isohaline which is continuous throughout the length of the English Channel on the average is that of 35·20°/$_{oo}$ the eastern extremity of which just reaches the Straits of Dover. During 1903 it exceeded its mean eastward development at the time of the quarterly cruises except possibly during August, and even then can have fallen short of it by only a small amount. In 1904 it passed the Straits of Dover from January to May; from June to December it did not extend much eastward of Start Point. In 1905 it reached its mean development again from January to May, without passing it by any important amount; on the other hand it only fell short of the mean during June, July, and August, and then retreated no further than the Isle of Wight. From September to December it was again found in the Straits of Dover.

To recapitulate, the 35·20°/$_{oo}$ isohaline did not fall short of its mean development at any time during 1903, and generally exceeded it; in 1904 it again passed the mean during the first six months of the year, but fell far short of it during the second six months; in 1905 it just reached the mean during the first half of the year, then fell short of it by a relatively small amount during three months only, and was found again in the Straits of Dover from September to December.

The mean easterly limit of the isohaline of 35·30°/$_{oo}$ lies on the line from Start Point to Cape La Hague in midchannel, slightly westward of the meridian of Portland. During 1903 it was always found eastward of this mean position, retreating slowly from the Isle of Wight in February to nearly the mean position in August, and then advancing quickly again to the eastern end of the Channel, where it was found during February, 1904; in May also it was still beyond the mean. In June, however, it had moved westwards from the mean position, which it did not reach again till November, from which time onwards till the end of 1905 its position was to the eastwards of the meridian of Portland, the excess being greatest in May, after which a slow retreat set in which continued till October, to be followed by another advance in November and December.

The 35·30°/$_{oo}$ isohaline, therefore, followed that of 35·20°/$_{oo}$ fairly closely, in its movements of advance and retreat, but it fell short of its mean position for only five months in 1904, and not at all in 1905.

An inspection of the isohalines alone might lead one to suppose that in the area eastwards of Start Point the Atlantic flow was stronger during 1905 than in 1904, but reference to the curve of salinities on the Newhaven-Caen line (Fig. 3) and to the curves for the other cross-channel lines for the shorter period covered by them, will show that though both years agree in having a maximum salinity in late winter or early spring, the maximum was higher and the minimum lower in 1904 than in 1905, and that the first year may be considered to be the one of greater activity here in respect of the movements not only of the salter but also of the fresher water, and since the water in this area is practically homosaline, the above conditions hold for all depths.

The mean position of the isohaline of 35·40°/$_{oo}$ is slightly westward of 4½° W. longitude, and lies in the region in which a division into layers of unequal salinity frequently occurs. In discussing its movements, it is therefore necessary to refer to the sections and to the curves of salinities on Stations (Fig. 2,) as already pointed out.

During 1903 its eastward extension was above the mean both on the surface and at greater depths in February and May. In August it was found well within the entrance of the Channel, but had been separated from the corresponding water westward by a fresher surface layer, which in November had extended to the bottom. By February, 1904, it was continuous again with the salter water of the Bay of Biscay, but soon afterwards it appears to have retreated considerably, and was still slightly to the south-west of its mean position in August. The November cruise showed that it was advancing again, and from January to May, 1905, the volume of water of over 35·40°/$_{oo}$ in the English Channel was decidedly above the average. During the remaining months of 1905 it appears to have fallen short of the normal, the areas of water of high salinity shown in October and December on the Start Point–Channel Islands line probably being unimportant isolated patches such as appear in the chart for August, 1905.

Water of 35·50°/$_{oo}$ S. is not usually found within the area of investigation, and does not appear on the charts of mean salinity. It was present during the larger part of the abnormal year 1903, and in February of 1904 and 1905, and to a very slight extent in November of the latter year.

The movements of the water of high salinity, that is, of over 35·40°/$_{oo}$, show, therefore, that the Atlantic current reached its maximum strength in the early spring of 1904 and 1905, and the curves for the eastern and western areas agree fairly well in this respect. It will be seen, however, from the curves of salinities on the western stations that in 1904 the salter current fell to a minimum in May, and then began to increase again, while the high surface salinities in February, falling fairly regularly to August, point to a minimum strength for the fresher current in later winter and early spring, and a maximum strength in summer.

In 1905 the conditions were decidedly different ; the water of the western area was nearly homosaline, and the salinity range throughout the year relatively small ; we may conclude, therefore, that both currents were comparatively weak.

The explanation offered above of the changes occurring in the western area requires *two* currents, instead of attributing the falling salinities of summer to a weakening of the Atlantic flow, and the slow diluting influence of coastal water, which would be decidedly small at that season of the year ; and, indeed, when it is seen that in August, 1904, the surface salinity was falling at the outer stations and the bottom salinity was rising at the same time, it is almost impossible to avoid such a conclusion.

In this connection it is interesting to refer to a paper by J. N. Nielsen,* in which he suggests that there may be an anticyclonic circulation round Ireland. Though the data available up to the time of writing are not sufficient to through much light on this point, yet, as was pointed out in the report for 1903, the north and south course across the western entrance to the English Channel followed at times by the isohalines certainly suggests a current from the Irish Channel, and this hypothesis is strengthened by many of the charts of the present paper.

Additional confirmation is afforded by a paper by L. H. Gough on the distribution of *Muggiaea atlantica*.† Gough concluded from the localities at which this was found at different times that it migrated from the neighbourhood of Land's End northwards towards the Smalls Lighthouse, where it crossed over towards the Irish coast, and then moved south and west towards the Fastnet. Hydrographic observations made since then show that there is often a current of relatively high salinity moving northwards close to the northern shores of Cornwall and Devon, between the land and the fresher water of the Irish Channel, which would account for the northerly migration, and it is not difficult to imagine that some unimportant local change could then bring the shoal within reach of such a current as Nielsen suggests. It is hoped that some observations made in 8°W. longitude by the *Huxley* during February, 1909, which will be repeated during future cruises, will assist in deciding the question ; in the meantime, the present writer is of opinion that it is by no means improbable that such an anticyclonic current exists.

The Possible Presence of Mediterranean Water in the British Area.

It was shown in a previous report‡ by the present writer that the surface salinity of the Bay of Biscay during 1904 and 1905 was subject to irregular variations which appeared chiefly as "islands" of high salinity, and the suggestion was made that this was due to upwelling of Mediterranean water. The presence in the North Atlantic of a stratum of water of high salinity and temperature at intermediate depths was suspected as long ago as the time of the *Porcupine* expedition, and later observations appear to support the hypothesis. Nielsen, in the paper already cited, refers in this connection to the *Thor's* station No. 69, in 47° 47′ N. lat. and 8° 0′ W. long., on June 25th, 1905. The salinities here increased with the depth, and reached 35·60°/$_{oo}$ with a temperature of 10·47°C., at 600 metres. Dr. Brennecke,§ in a review of Nielsen's papers on the Danish investigations in the North Atlantic, quotes the results obtained by the *Planet* on January 26th, 1906, in 46° 52′ N. lat. and 7° 45′ W. long. The *Planet* found the highest salinities between 600 metres and 1,000 metres, the figures being:—Surface, 11·6°, 35·49°/$_{oo}$ S. ; 600 metres 10·4°, 35.52/$_{oo}$ S. ; 800 metres 10·0°, 35·70°/$_{oo}$; and 1,000

* Contributions to the hydography of the north-eastern part of the Atlantic Ocean ; Meddelelser fra Kommissionen for Havundersögelser ; Hydrografi, Bind I. No. 9. Copenhagen.

† On the distribution and the migrations of *Muggiaea atlantica* (Cunningham) in the Euglish Channel, &c., in 1904. Conseil Perm. Internat. pour l'Explor. de la Mer. Pub. de Circonstance. No. 29. Copenhagen, 1905.

‡ The Surface Waters of the North Atlantic, &c., 19th September, 1904, to December, 1905. Internat. Invest. Mar. Biol. Report II., Part I., 1904–1905.

§ Die Danischen Hydrographische Untersuchungen im Nordatlantischen Ozean, 1903–1905. Ann. der Hydr. 1907, page 506.

metres, 9·4°, 35·66°/$_{oo}$ S., below which the salinity decreased again. It is interesting to compare with these figures the English station in 47° 46′ N. lat. and 7° 50′ W. long., on November 8th, 1905. The depth here was only 320 metres, as compared with over 1,000 at the *Thor's* station a few miles away, but the results agree fairly well with those of the Danish and German hydrographers, the salinity rising from 35·53 °/$_{oo}$ at 15 metres to 35·61 °/$_{oo}$ at 310 metres. This station was visited again during February, 1909 ; the samples collected have not all been analysed at the time of writing, but it seems probable that the salinities were lower than in November, 1905.

Recapitulation.

The chief points brought out by the investigations described in this report are :—

The conditions during 1903 were abnormal in the English Channel as also over the larger part of the Northern European area, and cannot be easily compared with those of following years.

Both 1904 and 1905 show a yearly period with a maximum salinity in the early part of the year, and a minimum in the summer ; but they differ in that 1904 was a year of high range of salinity and rapid movement, with a marked division into layers in the deeper western area, while in 1905 the range was much less, and the water was relatively homosaline. It may be mentioned here that later observations have practically proved the existence of a one-year period in the English Channel, and point strongly to a two-year period reproducing the main features of the years 1904 and 1905.

I wish in conclusion to express my thanks to Messrs. D. O Mitchell and C. W. Frost, and to Miss A. Isgrove, who have helped me at various times in the preparation of this paper ; and, also, to those gentlemen who have assisted in the observations at sea, whose names will be found in Table II.

TABLE I.

Observations on Stations on Hydrographic Cruises.

Station E. 22.

50° 33′ N. Latitude. 0° 36′ E. Longitude.

1st March, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	45·59	7·55	19·62	35·44	28·48	27·70
5	2·7	45·91	7·73	—	—	—	—
10	5·5	45·91	7·73	19·58	35·37	28·43	27·63
20	10·9	45·91	7·73	—	—	—	—
36	19·7	45·91	7·73	19·58	35·37	28·43	27·63

Depth 38 M. = 20·8 F.

5th May, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	49·28	9·60	19·52	35·27	28·35	27·26
5	2·7	49·14	9·52	19·52	35·26	28·34	27·26
10	5·5	48·92	9·40	19·52	35·26	28·34	27·28
20	10·9	48·74	9·30	19·52	35·26	28·34	27·29
37	20·2	48·60	9·22	19·52	35·26	28·34	27·31

Depth 39 M. = 21·3 F. Gravel.

9th August, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	62·55	16·97	19·40	35·05	28·16	25·57
5	2·7	61·23	16·24	19·41	35·07	28·18	25·76
10	5·5	60·85	16·03	19·42	35·08	28·19	25·81
20	10·9	60·75	15·97	19·42	35·08	28·19	25·82
30	16·4	60·73	15·96	19·42	35·08	28·19	25·82
48	26·2	60·73	15·96	19·42	35·08	28·19	25·82

Depth 48 M. = 26·2 F. Gravel.

13th November, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	55·98	13·32	19·40	35·06	28·16	26·39
5	2·7	56·12	13·40	19·39	35·03	28·15	26·35
10	5·5	56·14	13·41	19·38	35·01	28·14	26·34
20	10·9	56·17	13·43	19·39	35·03	28·15	26·35
30	16·4	56·19	13·44	19·38	35·02	28·14	26·33
40	21·9	56·21	13·45	19·39	35·03	28·15	26·34
50	27·3	56·21	13·45	19·40	35·05	28·16	26·35

Depth 50 M. = 27·3 F. Sand and shell.

10th February, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	46·92	8·29	19·51	35·25	28·32	27·44
5	2·7	47·19	8·44	19·51	35·25	28·32	27·41
10	5·5	47·19	8·44	19·50	35·23	28·31	27·40
20	10·9	47·19	8·44	19·52	35·26	28·34	27·43
30	16·4	47·21	8·45	19·49	35·21	28·30	27·39
42	23·0	47·23	8·46	19·48	35·19	28·28	27·37

Depth 44 M. = 24·1 F.

4th May, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	48·70	9·28	19·52	35·26	28·34	27·30
5	2·7	48·79	9·33	19·49	35·21	28·30	27·25
10	5·5	48·81	9·34	19·49	35·21	28·30	27·25
20	10·9	48·81	9·34	19·49	35·21	28·30	27·25
30	16·4	48·81	9·34	19·49	35·21	28·30	27·25
49	26·8	48·81	9·34	19·49	35·21	28·30	27·25

Depth 51 M. = 27·9 F. Fine gravel.

6th August, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	60·55	15·86	19·44	35·12	28·22	25·89
5	2·7	60·66	15·92	19·42	35·08	28·19	25·84
10	5·5	60·62	15·90	19·46*	35·16	28·25	25·91
20	10·9	60·30	15·72	19·43	35·10	28·21	25·91
30	16·4	60·26	15·70	19·43	35·10	28·21	25·91
45	24·6	60·26	15·70	19·43	35·10	28·21	25·91

Depth 46 M. = 25·1 F. Fine sand with shell.

22nd November, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	51·60	10·89	19·53	35·28	28·35	27·03
5	2·7	51·94	11·08	19·51	35·25	28·33	26·97
10	5·5	51·98	11·10	19·51	35·25	28·33	26·96
20	10·9	51·98	11·10	19·52	35·26	28·34	26·98
30	16·4	51·98	11·10	19·51	35·25	28·32	26·96
47	25·7	51·98	11·10	19·51	35·25	28·32	26·96

Depth 48 M. = 26·2 F. Sand.

Station E. 21.

50° 21′ N. Latitude. 0° 19′ W. Longitude.

29th February, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	45·84	7·69	19·54	35·30	28·37	27·58
5	2·7	45·95	7·75	19·53	35·27	28·35	27·55
10	5·5	45·97	7·76	—	—	—	—
20	10·9	45·99	7·77	19·53	35·28	28·35	27·55
30	16·4	45·99	7·77	—	—	—	—
45	24·6	45·97	7·76	19·53	35·28	28·35	27·55

Depth 47 M.=25·7 F. Sand.

5th May, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	49·05	9·47	19·52	35·26	28·34	27·27
5	2·7	48·65	9·25	19·51	35·25	28·32	27·28
10	5·5	48·60	9·22	19·51	35·25	28·32	27·29
20	10·9	48·56	9·20	19·50	35·23	28·31	27·28
30	16·4	48·58	9·21	19·50	35·23	28·31	27·28
44	24·0	48·54	9·19	19·50	35·23	28·31	27·29

Depth 46 M.=25·1 F. Rock.

* Bottle badly stoppered: probably too high owing to evaporation.

TABLE I.—*continued.*

Depth.		Temperature.		*Cl.*‰	*S.*‰	σ_o	σ_t	Depth.		Temperature.		*Cl.*‰	*S.*‰	σ_o	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 21—*continued.*

50° 21′ N. Latitude. 0° 19′ W. Longitude—*continued.*

8th August, 1904.								13th November, 1904.							
0	0	61·50	16·39	19·40	35·05	28·16	25·71	0	0	56·71	13·73	19·37	34·99	28·12	26·26
5	2·7	60·51	15·84	19·40	35·05	28·16	25·83	5	2·7	56·89	13·83	19·37	34·99	28·12	26·24
10	5·5	60·48	15·82	19·40	35·05	28·16	25·84	10	5·5	56·89	13·83	19·37	34·99	28·12	26·24
20	10·9	60·44	15·80	19·39	35·03	28·15	25·83	20	10·9	56·89	13·83	19·37	34·99	28·12	26·24
30	16·4	60·44	15·80	19·40	35·05	28·16	25·84	30	16·4	56·91	13·84	19·37	34·99	28·12	26·23
48	26·2	60·44	15·80	19·39	35·03	28·15	25·83	40	21·9	56·91	13·84	19·37	34·99	28·12	26·23
								48	26·2	56·91	13·84	19·37	34·99	28·12	26·23
Depth 50 M.=27·3 F. Shell and gravel.								Depth 50 M.=27·3 F. Sand.							

9th February, 1905.								7th May, 1905.							
0	0	47·32	8·51	19·51	35·25	28·32	27·40	0	0	49·78	9·88	19.53	35·28	28·35	27·21
5	2·7	47·71	8·73	19·50	35·23	28·31	27·36	5	2·7	49·39	9·66	19·51	35·25	28·32	27·22
10	5·5	47·71	8·73	19·49	35·21	28·30	27·35	10	5·5	49·35	9·64	19·51	35·25	28·32	27·22
20	10·9	47·71	8·73	19·50	35·23	28·31	27·36	20	10·9	49·32	9·62	19·51	35·25	28·32	27·22
30	16·4	47·71	8·73	19·50	35·23	28·31	27·36	30	16·4	49·32	9·62	19·50	35·23	28·31	27·21
48	26·2	47·71	8·73	19·50	35·23	28·31	27·36	40	21·9	49·32	9·62	19·52	35·26	28·34	27·24
								56	30·6	49·30	9·61	19·50	35·23	28·31	27·22
Depth 49 M.=26·8 F. Rock.								Depth 58 M.=31·7 F. Gravel.							

7th August, 1905.								21st November, 1905.							
0	0	60·24	15·69	19·43	35·10	28·21	25·91	0	0	52·97	11·65	—	—	—	—
5	2·7	59·90	15·50	19·42	35·08	28·19	25·94	5	2·7	53·13	11·74	19·50	35·23	28·31	26·83
10	5·5	59·86	15·48	19·42	35·09	28·20	25·95	10	5·5	53·15	11·75	19·50	35·23	28·31	26·83
20	10·9	59·85	15·47	19·41	35·07	28·18	25·94	20	10·9	53·15	11·75	19·50	35·24	28·31	26·83
30	16·4	59·85	15·47	19·41	35·07	28·18	25·94	30	16·4	53·15	11·75	19·52	35·27	28·34	26·86
40	21·9	59·83	15·46	19·41	35·07	28·18	25·94	48	26·2	53·15	11·75	19·52	35·26	28·34	26·86
50	27·3	59·83	15·46	19·41	35·07	28·18	25·94								
Depth 50 M.=27·3 F. Stones.								Depth 48 M.=26·2 F. Gravel.							

STATION E. 24.

50° 00′ N. Latitude. 0° 21′ W. Longitude.

29th February, 1904.								5th May, 1904.							
0	0	46·40	8·00	19·57	35·35	28·41	27·57	0	0	48·69	9·27	19·38	35·01	28·14	27·11
5	2·7	46·76	8·20	19·55	35·32	28·38	27·51	5	2·7	48·42	9·12	19·37	34·99	28·12	27·11
10	5·5	46·76	8·20	—	—	—	—	10	5·5	48·31	9·06	19·37	34·99	28·12	27·11
20	10·9	46·78	8·21	19·55	35·32	28·38	27·51	20	10·9	48·27	9·04	19·37	34·99	28·12	27·12
30	16·4	46·80	8·22	—	—	—	—	30	16·4	48·25	9·03	19·37	34·99	28·12	27·13
48	26·2	46·81	8·23	19·56	35·34	28·40	27·53	49	26·8	48·25	9·03	19·37	34·99	28·12	27·13
Depth, 50 M.=27·3 F.								Depth, 51 M.=27·9 F. Sand and coarse gravel.							

8th August, 1904.								13th November, 1904.							
0	0	60·66	15·92	19·19	34·68	27·86	25·57	0	0	57·31	14·06	19·34	34·95	28·08	26·15
5	2·7	60·75	15·97	19·17	34·64	27·83	25·50	5	2·7	57·33	14·07	19·34	34·94	28·08	26·15
10	5·5	60·71	15·95	19·17	34·64	27·83	25·51	10	5·5	57·33	14·07	19·34	34·94	28·08	26·15
20	10·9	60·55	15·86	19·17	34·63	27·83	25·52	20	10·9	57·34	14·08	19·34	34·94	28·08	26·14
30	16·4	60·53	15·85	19·17	34·63	27·83	25·52	30	16·4	57·34	14·08	19·34	34·94	28·08	26·14
48	26 2	60·51	15·84	19·17	34·63	27·83	25·53	40	21·9	57·34	14·08	19·34	34·94	28·08	26·14
								50	27·3	57·34	14·08	19·34	34·94	28·08	26·14
Depth, 48 M.=26·2 F. Stones and shell.								Depth, 50 M.=27·3 F. Shell.							

STATION E. 24—*continued.*

50° 00′ N. Latitude. 0° 21′ W. Longitude—*continued.*

10th February, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	48·20	9·00	19·48	35·19	28·28	27·29
5	2·7	48·61	9·23	19·47	35·17	28·27	27·24
10	5·5	48·61	9·23	19·47	35·18	28·27	27·24
20	10·9	48·61	9·23	19·47	35·17	28·27	27·24
30	16·4	48·61	9·23	19·45	35·14	28·24	27·21
40	21·9	48·63	9·24	19·47	35·18	28·27	27·24
55	30·1	48·63	9·24	19·47	35·18	28·27	27·24

Depth, 57 M. = 31·2 F. Mud.

4th May, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	49·21	9·56	19·48	35·19	28·28	27·19
5	2·7	49·10	9·50	19·47	35·17	28·27	27·19
10	5·5	49·10	9·50	19·47	35·17	28·27	27·19
20	10·9	49·10	9·50	19·45	35·14	28·24	27·16
30	16·4	49·10	9·50	19·48	35·19	28·28	27·20
48	26·2	49·10	9·50	19·47	35·17	28·27	27·19

Depth, 49 M. = 26·8 F. Gravel.

7th August, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	60·93	16·07	19·22	34·72	27·90	25·54
10	5·5	60·78	15·99	19·21	34·70	27·89	25·54
20	10·9	60·76	15·98	19·21	34·70	27·89	25·54
30	16·4	60·76	15·98	19·21	34·70	27·89	25·54
44	24·1	60·78	15·99	19·21	34·71	27·89	25·54

Depth, 44 M. = 24·1 F. Gravel.

21st November, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	53·29	11·83	19·45	35·14	28·24	26·75
5	2·7	53·56	11·98	19·44	35·12	28·22	26·70
10	5·5	53·56	11·98	19·44	35·12	28·22	26·70
20	10·9	53·60	12·00	19·44	35·12	28·22	26·70
30	16·4	53·60	12·00	19·44	35·12	28·22	26·70
40	21·9	53·60	12·00	19·44	35·12	28·22	26·70
54	29·5	53·60	12·00	19·44	35·12	28·22	26·70

Depth, 54 M. = 29·5 F. Hard ground.

STATION E. 12.

49° 55′ N. Latitude. 1° 09′ W. Longitude.

28th February, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	45·46	7·48	19·43	35·10	28·21	27·45
7·5	4·1	45·73	7·63	19·39	35·04	28·15	27·37
10	5·5	45·73	7·63	—	—	—	—
20	10·9	45·77	7·65	—	—	—	—
30	16·4	45·77	7·65	19·40	35·06	28·17	27·39
40	21·9	45·84	7·69	—	—	—	—
67	36·6	45·88	7·71	19·41	35·07	28·18	27·39

Depth 70 M. = 38·3 F. Rock.

4th May, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	48·85	9·36	19·28	34·83	27·99	26·94
5	2·7	48·79	9·33	19·27	34·81	27·98	26·93
10	5·5	48·79	9·33	19·27	34·81	27·98	26·93
20	10·9	48·79	9·33	19·27	34·81	27·98	26·94
30	16·4	48·79	9·33	19·26	34·79	27·96	26·92
40	21·9	48·79	9·33	19·27	34·81	27·98	26·93
65	35·5	48·79	9·33	19·27	34·81	27·98	26·93

Depth 68 M. = 37·2 F. Stones.
The depth is uncertain owing to a strong under current.

8th August, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	60·67	15·93	19·24	34·77	27·94	25·61
5	2·7	60·73	15·96	19·23	34·74	27·92	25·57
10	5·5	60·73	15·96	19·23	34·74	27·92	25·57
20	10·9	60·73	15·96	19·23	34·74	27·92	25·58
30	16·4	60·73	15·96	19·23	34·74	27·92	25·57
40	21·9	60·73	15·96	19·23	34·74	27·92	25·58
57	31·2	60·73	15·96	19·23	34·75	27·92	25·59

Depth, 57 M. = 31·2 F. Stones.

13th November, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	57·43	14·13	19·23	34·74	27·92	25·98
5	2·7	57·42	14·12	19·23	34·74	27·92	25·98
10	5·5	57·42	14·12	19·23	34·74	27·92	25·98
20	10·9	57·42	14·12	19·23	34·75	27·92	25·98
30	16·4	57·42	14·12	19·22	34·72	27·90	25·96
40	21·9	57·42	14·12	19·23	34·74	27·92	25·98
56	30·6	57·42	14·12	19·23	34·75	27·92	25·98

Depth, 58 M. = 31·7 F. Rock.

9th February, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	46·15	7·86	19·18	34·65	27·84	27·03
5	2·7	46·38	7·99	19·17	34·63	27·83	27·01
10	5·5	46·38	7·99	19·17	34·63	27·83	27·01
20	10·9	46·38	7·99	19·17	34·63	27·83	27·01
30	16·4	46·36	7·98	19·16	34·61	27·82	27·00
40	21·9	46·35	7·97	—	—	—	—
57	31·2	46·36	7·98	19·17	34·63	27·83	27·01

Depth, 58 M. = 31·7 F. Rock.

7th May, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	49·69	9·83	19·50	35·23	28·31	27·18
5	2·7	49·57	9·76	19·48	35·19	28·28	27·16
10	5·5	49·57	9·76	19·48	35·19	28·28	27·16
20	10·9	49·60	9·78	19·49	35·21	28·30	27·18
30	16·4	49 60	9·78	19·49	35·21	28·30	27·18
40	21·9	49 60	9·78	19·49	35·21	28·30	27·18
57	31·2	49·60	9·78	19·49	35·21	28·30	27·18

Depth, 60 M. = 32·8 F. Rock.

TABLE I.—*continued.*

Depth.		Temperature.		$Cl.‰$	$S.‰$	σ_0	σ_t	Depth.		Temperatnre.		$Cl.‰$	$S.‰$	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 12—*continued.*

49° 55′ N. Latitude. 1° 09′ W. Longitude—*continued.*

8th August, 1905.								18th November, 1905.							
0	0	—	—	19·31	34·88	28·03	—	0	0	54·14	12·30	19·53	35·28	28·35	26·76
5	2·7	60·73	15·96	19·30	34·87	28·02	25·67	5	2·7	54·30	12·39	19·47	35·17	28·27	26·67
10	5·5	60·73	15·96	19·30	34·87	28·02	25·67	10	5·5	54·36	12·42	19·47	35·17	28·27	26·64
20	10·9	60·73	15·96	19·30	34·87	28·02	25·67	20	10·9	54·36	12·42	19·48	35·19	28·28	26·67
30	16·4	60·73	15·96	19·30	34·87	28·02	25·67	30	16·4	54·36	12·42	19·48	35·19	28·28	26·67
40	21·9	60·73	15·96	19·30	34·87	28·02	25·67	40	21·9	54·36	12·42	19·51	35·25	28·32	26·71
50	27·3	60·71	15·95	19·30	34·87	28·02	25·68	58	31·7	54·36	12·42	19·48	35·19	28·28	26·67
68	37·2	60·69	15·94	19·31	34·88	28·03	25·69								
Depth, 70 M. = 38·3 F. Rock.								Depth, 58 M. = 31·7 F. Rock.							

STATION E. 13.

50° 20′ N. Latitude. 1° 15′ W. Longitude.

28th February, 1904.								5th May, 1904.							
0	0	43·77	6·54	19·38	35·01	28·14	27·52	0	0	47·77	8·76	19·24	34·76	27·93	26·98
10	5·5	44·13	6·74	19·36	34·97	28·11	27·46	5	2·7	47·86	8·81	19·24	34·76	27·93	26·97
20	10·9	44·13	6·74	—	—	—	—	10	5·5	47·89	8·83	19·24	34·76	27·93	26·97
30	16·4	44·13	6·74	19·36	34·97	28·11	27·46	20	10·9	47·89	8·83	19·26	34·79	27·96	27·00
49	26·8	44·13	6·74	19·36	34·97	28·11	27·46	30	16·4	47·93	8·85	19·28	34·83	27·99	27·03
								40	21·9	47·93	8·85	19·29	34·85	28·00	27·04
								52	28·4	47·93	8·85	19·30	34·87	28·02	27·06
Depth, 50 M. = 27·3 F. Rock.								Depth, 52 M. = 28·4 F. Rock. Water very cloudy.							

8th August, 1904.								13th November, 1904.							
0	0	59·86	15·48	19·41	35·07	28·18	25·93	0	0	56·79	13·77	19·46	35·16	28·25	26·37
5	2·7	59·81	15·45	19·41	35·07	28·18	25·93	5	2·7	56·84	13·80	19·45	35·14	28·24	26·36
10	5·5	59·77	15·43	19·41	35·07	28·18	25·93	10	5·5	56·84	13·80	19·44	35·13	28·23	26·35
20	10·9	59·76	15·42	19·41	35·07	28·18	25·94	20	10·9	56·88	13·82	19·44	35·12	28·22	26·33
30	16·4	59·76	15·42	19·41	35·07	28·18	25·95	30	16·4	56·88	13·82	19·44	35·12	28·22	26·33
40	21·9	59·72	15·40	19·41	35·07	28·18	25·95	40	21·9	56·88	13·82	19·44	35·12	28·22	26·33
56	30·6	59·72	15·40	19·41	35·07	28·18	25·95	55	30·1	56·89	13·83	19·43	35·10	28·21	26·32
Depth, 57 M. = 31·2 F. Rock.								Depth, 60 M. = 32·8 F. Fine sand and shell.							

9th February, 1905.								7th May, 1905.							
0	0	48·72	9·29	19·53	35·28	28·35	27·31	0	0	49·21	9·56	19·38	35·01	28·14	27·06
5	2·7	48·99	9·44	19·52	35·26	28·34	27·27	5	2·7	49·10	9·50	19·36	34·97	28·11	27·04
10	5·5	48·99	9·44	19·52	35·26	28·34	27·27	10	5·5	49·10	9·50	19·36	34·97	28·11	27·04
20	10·9	48·99	9·44	19·52	35·26	28·34	27·27	20	10·9	49·12	9·51	19·35	34·96	28·09	27·02
30	16·4	48·99	9·44	19·53	35·28	28·35	27·28	30	16·4	49·12	9·51	19·35	34·96	28·09	27·02
40	21·9	49·01	9·45	19·52	35·26	28·34	27·27	47	25·7	49·12	9·51	19·36	34·97	28·11	27·04
60	32·8	49·01	9·45	19·52	35·26	28·34	27·27								
Depth, 62 M. = 33·9 F. Rock.								Depth, 49 M. = 26·8 F. Rock.							

7th August, 1905.								18th November, 1905.							
0	0	62·26	16·81	19·38	35·01	28·14	25·59	0	0	53·01	11·67	19·55	35·33	28·39	26·92
5	2·7	62·38	16·88	19·36	34·97	28·11	25·55	5	2·7	53·24	11·80	19·55	35·32	28·38	26·89
10	5·5	62·37	16·87	19·37	34·99	28·12	25·56	10	5·5	53·31	11·84	19·55	35·32	28·38	26·88
20	10·9	62·31	16·84	19·38	35·01	28·14	25·58	20	10·9	53·33	11·85	19·54	35·30	28·37	26·87
30	16·4	62·28	16·82	19·38	35·01	28·14	25·59	30	16·4	53·31	11·84	19·55	35·32	28·38	26·88
40	21·9	62·26	16·81	19·37	34·99	28·12	25·57	40	21·9	53·29	11·83	19·55	35·33	28·39	26·89
50	27·3	62·26	16·81	19·38	35·01	28·14	25·59	53	29·0	53·29	11·83	19·55	35·33	28·39	26·89
Depth, 52 M. = 28·4 F. Gravel.								Depth, 54 M. = 29·5 F. Fine sand and shell.							

TABLE I.—*continued.*

Depth.		Temperature.		*Cl.*‰	*S.*‰	σ_o	σ_t	Depth.		Temperature.		*Cl.*‰	*S.*‰	σ_o	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 14.

50° 33′ N. Latitude. 1° 17′ W. Longitude.

29th February, 1904.								5th May, 1904.							
0	0	43·14	6·19	19·06	34·43	27·67	27·10	0	0	49·24	9·58	19·08	34·47	27·70	26·63
10	5·5	43·34	6·30	19·06	34·43	27·67	27·09	5	2·7	49·15	9·53	19·06	34·43	27·67	26·61
20	10·9	43·34	6·30	—	—	—	—	10	5·5	49·12	9·51	19·08	34·47	27·70	26·64
40	21·9	43·34	6·30	—	—	—	—	15	8·2	49·12	9·51	19·08	34·47	27·70	26·64
59	32·3	43·32	6·29	19·07	34·45	27·68	27·10	24	13·1	49·12	9·51	19·08	34·47	27·70	26·64
Depth, 66 M.=36·1 F. Rock. Bottom very uneven.								Depth, 25 M.=13·7 F. Rock. Bottom very uneven.							

8th August, 1904.								13th November, 1904.							
0	0	64·26	17·92	19·22	34·72	27·90	25·10	0	0	54·99	12·77	19·34	34·94	28·08	26·41
5	2·7	—	—	19·22	34·72	27·90	—	5	2·7	55·09	12·83	19·32	34·90	28·05	26·37
10	5·4	—	—	19·22	34·72	27·90	—	10	5·5	55·09	12·83	19·32	34·90	28·05	26·37
20	10·9	—	—	19·22	34·73	27·91	—	20	10·9	55·09	12·83	19·32	34·90	28·05	26·37
37	20·2	64·26	17·92	19·22	34·72	27·90	25·10	30	16·4	55·09	12·83	19·32	34·90	28·05	26·37
								40	21·9	55·13	12·85	19·32	34·90	28·05	26·37
								59	32·3	55·13	12·85	19·34	34·94	28·08	26·40
Depth, 38 M.=20·8 F. Rock. The temperatures were above the range of the thermometers used with the water bottle, and were taken with the surface thermometer.								Depth, 62 M.=33·9 F. Rock.							

9th February, 1905.								8th May, 1905.							
0	0	44·11	6·73	19·38	35·01	28·14	27·49	0	0	49·96	9·98	19·27	34·81	27·98	26·83
5	2·7	44·40	6·89	19·38	35·01	28 14	27·47	5	2·7	49·84	9·91	19·27	34·81	27·98	26·85
10	5·5	44·40	6·89	19·38	35·01	28·14	27·46	10	5·5	49·84	9·91	19·27	34·81	27·98	26·85
25	13·7	44·42	6·90	19·38	35·01	28·14	27·47	25	13·7	49·86	9·92	19·27	34·81	27·98	26·85
Depth, 26 M.=14·2 F. Rock.								Depth, 26 M.=14·2 F. Rock.							

7th August, 1905.								18th November, 1905.							
0	0	64·26	17·92	19·35	34·96	28·09	25·28	0	0	49·78	9·88	19·43	35·11	28·21	27·07
5	2·7	—	—	19·34	34·94	28·08	—	30	16·4	50·04	10·02	19·42	35·09	28·20	27·04
10	5·5	—	—	19·34	34·94	28·08	—								
24	13·1	64·26	17·92	19·24*	34·76	27·93	25·28								
Depth, 24 M.=13·1 F. Stones.								Depth, 34 M.=18·6 F. Rock.							

STATION E. 15.

50° 27′ N. Latitude. 1° 50′ W. Longitude.

4th May, 1904.								12th November, 1904.							
0	0	48·74	9·30	19·42	35·09	28·20	27·16	0	0	55·96	13·31	19·45	35·14	28·24	26·46
5	2·7	48·61	9·23	19·42	35·08	28·19	27·16	5	2·7	56·01	13·34	19·42	35·08	28·19	26·40
10	5·5	48·61	9·23	19·42	35·08	28·19	27·16	10	5·5	56·01	13·34	19·43	35·10	28·21	26·42
20	10·9	48·61	9·23	19·42	35·08	28·19	27·16	20	10·9	56·05	13·36	19·42	35·09	28·20	26·41
34	18·6	48·61	9·23	19·42	35·08	28·19	27·16	30	16·4	56·05	13·36	19·42	35·09	28·20	26·41
								40	21·9	56·05	13·36	19·43	35·10	28·21	26·42
Depth, 36 M.=19·7 F. Rock.								Depth 42 M.=23·0 F. Stones.							

* Analysis repeated.

TABLE I.—*continued.*

Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t	Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 15—*continued.*

50° 27′ N. Latitude. 1° 50′ W. Longitude—*continued.*

9th May, 1905.															
0	0	50·05	10·03	19·48	35·19	28·28	27·11	—	—	—	—	—	—	—	—
5	2·7	50·00	10·00	19·47	35·17	28·27	27·11	—	—	—	—	—	—	—	—
10	5·5	50·00	10·00	19·47	35·17	28·27	27·11	—	—	—	—	—	—	—	—
20	10·9	50·00	10·00	19·47	35·17	28·27	27·11	—	—	—	—	—	—	—	—
30	16·4	50·00	10·00	19·47	35·17	28·27	27·11	—	—	—	—	—	—	—	—
40	21·9	50·00	10·00	19·47	35·17	28·27	27·11	—	—	—	—	—	—	—	—
Depth, 43 M. = 23·5 F. Sand and rock.															

STATION E. 11.

50° 05′ N. Latitude. 1° 58′ W. Longitude.

28th February, 1904.								4th May, 1904.							
0	0	47·43	8·57	19·57	35·35	28·41	27·48	0	0	49·06	9·48	19·48	35·19	28·28	27·21
5	2·7	47·55	8·64	19·56	35·34	28·40	27·46	5	2·7	49·05	9·47	19·47	35·17	28·27	27·20
10	5·5	47·57	8·65	—	—	—	—	10	5·5	49·05	9·47	19·47	35·17	28·27	27·20
15	8·2	47·57	8·65	—	—	—	—	20	10·9	49·05	9·47	19·47	35·17	28·27	27·20
20	10·9	47·57	8·65	19·57	35·35	28·41	27·47	30	16·4	49·06	9·48	19·47	35·17	28·27	27·20
30	16·4	47·57	8·65	—	—	—	—	40	21·9	49·05	9·47	19·47	35·17	28·27	27·20
40	21·9	47·57	8·65	—	—	—	—	58	31·7	49·06	9·48	19·45	35·14	28·24	27·17
57	31·2	47·57	8·65	19·55	35·32	28·38	27·44								
Depth, 60 M. = 32·8 F. Sand and stones.								Depth, 60 M. = 32·8 F. Stones.							

7th August, 1904.								12th November, 1904.							
0	0	59·40	15·22	19·42	35·09	28·20	26·01	0	0	57·22	14·01	19·47	35·17	28·27	26·34
5	2·7	59·38	15·21	19·40	35·05	28·16	25·98	5	2·7	57·24	14·02	19·46	35·16	28·25	26·32
10	5·5	59·36	15·20	19·40	35·05	28·16	25·98	10	5·5	57·24	14·02	19·46	35·16	28·25	26·32
20	10·9	59·36	15·20	19·39	35·04	28·15	25·98	20	10·9	57·24	14·02	19·46	35·16	28·25	26·32
30	16·4	59·34	15·19	19·39	35·04	28·15	25·98	30	16·4	57·24	14·02	19·46	35·16	28·25	26·32
40	21·9	59·32	15·18	19·39	35·04	28·15	25·98	40	21·9	57·24	14·02	19·46	35·16	28·25	26·32
60	32·8	59·32	15·18	19·40	35·06	28·17	25·99	58	31·7	57·24	14·02	19·46	35·16	28·25	26·32
Depth, 61 M. = 33·4 F. Stones and sand.								Depth, 59 M. = 32·3 F. Stones.							

9th February, 1905.								9th May, 1905.							
0	0	48·99	9·44	19·55	35·32	28·38	27·31	0	0	50·50	10·28	19·62	35·44	28·48	27·26
5	2·7	49·37	9·65	19·54	35·30	28·37	27·27	5	2·7	50·22	10·12	19·61	35·43	28·47	27·28
10	5·5	49·37	9·65	19·53	35·28	28·35	27·25	10	5·5	50·20	10·11	19·60	35·41	28·46	27·27
20	10·9	49·37	9·65	19·54	35·30	28·37	27·27	20	10·9	50·18	10·10	19·60	35·41	28·46	27·28
30	16·4	49·39	9·66	19·54	35·30	28·37	27·26	30	16·4	50·18	10·10	19·61	35·43	28·47	27·29
40	21·9	49·39	9·66	19·53	35·28	28·35	27·24	40	21·9	50·18	10·10	19·61	35·43	28·47	27·29
58	31·7	49·39	9·66	19·55	35·32	28·38	27·27	57	31·2	50·18	10·10	19·60	35·41	28·46	27·28
Depth, 61 M. = 33·4 F. Stones.								Depth, 59 M. = 32·3 F. Rock.							

8th August, 1905.								18th November, 1905							
0	0	59·77	15·43	19·55	35·32	28·38	26·13	0	0	53·65	12·03	19·55	35·33	28·39	26·85
5	2·7	59·54	15·30	19·54	35·30	28·37	26·16	5	2·7	53·87	12·15	19·55	35·32	28·38	26·82
10	5·5	59·77	15·43	19·54	35·30	28·37	26·12	10	5·5	53·94	12·19	19·55	35·32	28·38	26·81
20	10·9	59·41	15·23	19·54	35·30	28·37	26·17	20	10·9	53·94	12·19	19·55	35·33	28·39	26·82
30	16·4	59·40	15·22	19·54	35·30	28·37	26·17	30	16·4	53·94	12·19	19·55	35·32	28·38	26·81
40	21·9	59·40	15·22	19·54	35·30	28·37	26·17	40	21·9	53·94	12·19	19·54	35·30	28·37	26·80
58	31·7	59·38	15·21	19·54	35·30	28·37	26·18	55	30·1	53·94	12·19	19·55	35·33	28·39	26·82
Depth, 62 M. = 33·9 F. Coarse sand and stone.								Depth, 56 M. = 30·6 F. Stones.							

TABLE I.—*continued.*

Depth.		Temperature.		$Cl.^{o}/_{oo}$	$S.^{o}/_{oo}$	σ_0	σ_t	Depth.		Temperature.		$Cl.^{o}/_{oo}$	$S.^{o}/_{oo}$	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 16.

50° 23′ N. Latitude. 2° 28′ W. Longitude.

27th February, 1904.

0	0	45·43	7·46	19·33	34·93	28·07	27·32
5	2·7	45·70	7·61	19·32	34·90	28·05	27·28
10	5·5	45·73	7·63	19·31	34·89	28·04	27·26
20	10·9	45·77	7·65	19·33	34·92	28·06	27·28
30	16·4	45·77	7·65	19·33	34·92	28·06	27·28
40	21·9	45·77	7·65	19·33	34·92	28·06	27·28
49	26·8	45·75	7·64	19·33	34·92	28·06	27·28

Depth, 53 M. = 29·0 F. Coarse sand. Much mud and sand in suspension

4th May, 1904.

0	0	49·28	9·60	19·38	35·01	28·14	27·05
5	2·7	48·87	9·37	19·37	35·00	28·13	27·08
10	5·5	48·78	9·32	19·37	35·00	28·13	27·09
20	10·9	48·78	9·32	19·37	35·00	28·13	27·09
30	16·4	48·72	9·29	19·37	35·00	28·13	27·09
40	21·9	48·70	9·28	19·38	35·01	28·14	27·10
52	28·4	48·70	9·28	19·37	35·00	28·13	27·09

Depth, 54 M. = 29·5 F. Stones.

4th August, 1904.

0	0	61·47	16·37	19·39	35·04	28·15	25·71
5	2·7	61·47	16·37	19·39	35·03	28·15	25·70
10	5·5	62·20	16·78	19·39	35·04	28·15	25·70
20	10·9	61·47	16·37	19·39	35·04	28·15	25·71
30	16·4	61·45	16·36	19·39	35·04	28·15	25·71
40	21·9	61·45	16·36	19·39	35·04	28·15	25·71
50	27·3	61·45	16·36	19·39	35·04	28·15	25·71

Depth, 52 M. = 28·4 F. Coarse gravel and stones.

——

Not worked in November, 1904.

8th February, 1905.

0	0	46·83	8·24	19·50	35·23	28·31	27·44
5	2·7	47·14	8·41	19·47	35·17	28·27	27·37
10	5·5	47·07	8·37	19·47	35·17	28·27	27·38
20	10·9	47·03	8·35	19·47	35·17	28·27	27·38
30	16·4	47·14	8·41	19·48	35·19	28·28	27·39
40	21·9	47·10	8·39	19·47	35·17	28·27	27·38
52	28·4	47·08	8·38	19·48	35·19	28·28	27·39

Depth, 54 M. = 29·5 F. Gravel and rock.

10th May, 1905.

0	0	49·98	9·99	19·50	35·23	28·31	27·15
5	2·7	49·95	9·97	19·49	35·21	28·30	27·14
10	5·5	49·96	9·98	19·48	35·19	28·28	27·13
20	10·9	49·96	9·98	19·49	35·21	28·30	27·14
30	16·4	49·96	9·98	19·49	35·21	28·30	27·14
40	21·9	49·96	9·98	19·48	35·19	28·28	27·12
52	28·4	49·98	9·99	19·48	35·19	28·28	27·12

Depth, 56 M. = 30·6 F. Gravel and rock.

9th August, 1905.

0	0	59·90	15·50	19·52	35·26	28·34	26·08
5	2·7	59·97	15·54	19·49	35·22	28·30	26·04
10	5·5	59·97	15·54	19·50	35·23	28·31	26·05
20	10·9	59·97	15·54	19·50	35·23	28·31	26·05
30	16·4	59·99	15·55	19·50	35·23	28·31	26·05
40	21·9	59·99	15·55	19·50	35·23	28·31	26·05
52	28·4	59·97	15·54	19·50	35·23	28·31	26·05

Depth, 54 M. = 29·5 F. Stones.

17th November, 1905.

0	0	52·07	11·15	19·58	35·37	28·43	27·06
5	2·7	52·34	11·30	19·57	35·35	28·41	27·01
10	5·5	52·38	11·32	19·57	35·35	28·41	27·01
20	10·9	52·38	11·32	19·57	35·35	28·41	27·01
30	16·4	52·39	11·33	19·57	35·35	28·41	27·01
40	21·9	52·39	11·33	19·57	35·36	28·42	27·02
55	30·1	52·39	11·33	19·57	35·35	28·41	27·01

Depth, 57 M. = 31·2 F. Stones.

STATION E. 10.

49° 49′ N. Latitude. 2° 33′ W. Longitude.

28th February, 1904.

0	0	47·08	8·38	19·55	35·32	28·38	27·48
5	2·7	47·17	8·43	19·53	35·29	28·36	27·45
10	5·5	47·17	8·43	—	—	—	—
15	8·2	47·17	8·43	—	—	—	—
20	10·9	47·17	8·43	19·54	35·30	28·37	27·46
30	16·4	47·17	8·43	—	—	—	—
40	21·9	47·17	8·43	—	—	—	—
50	27·3	47·17	8·43	19·54	35·30	28·37	27·46
97	53·0	47·21	8·45	19·53	35·29	28·36	27·46

Depth, 97 M. = 53·0 F. Rock.
The exact position of the station in the deepest water could not be picked up owing to the strength of the tide.

4th May, 1904.

0	0	48·90	9·39	19·50	35·24	28·31	27·26
5	2·7	48·90	9·39	19·49	35·22	28·30	27·25
10	5·5	48·90	9·39	19·49	35·21	28·30	27·24
20	10·9	48·90	9·39	19·49	35·21	28·30	27·24
30	16·4	48·90	9·39	19·49	35·22	28·30	27·25
40	21·9	48·90	9·39	19·50	35·23	28·31	27·25
50	27·3	48·90	9·39	19·49	35·22	28·30	27·25
80	43·7	48·90	9·39	19·49	35·22	28·30	27·25
135	73·8	48·88	9·38	19·50	35·23	28·31	27·25

Depth, 142 M. = 77·6 F. Rock.

TABLE I.—*continued.*

Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t	Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 10—*continued.*

49° 49′ N. Latitude. 2° 33′ W. Longitude—*continued.*

4th August, 1904.								12th November, 1904.							
0	0	59·41	15·23	19·38	35·02	28·14	25·96	0	0	57·78	14·32	19·52	35·26	28·34	26·34
5	2·7	59·34	15·19	19·38	35·01	28·14	25·96	5	2·7	57·72	14·29	19·51	35·25	28·32	26·33
10	5·5	59·07	15·04	19·39	35·04	28·15	26·03	10	5·5	57·65	14·25	19·51	35·25	28·32	26·34
20	10·9	58·55	14·75	19·44	35·12	28·22	26·13	20	10·9	57·63	14·24	19·52	35·26	28·34	26·36
30	16·4	58·44	14·69	19·45	35·14	28·24	26·16	30	16·4	57·61	14·23	19·52	35·26	28·34	26·36
40	21·9	58·42	14·68	19·45	35·15	28·24	26·18	40	21·9	57·61	14·23	19·52	35·26	28·34	26·36
75	41·0	58·44	14·69	19·45	35·15	28·24	26·17	50	27·3	57·56	14·20	19·52	35·26	28·34	26·37
100	54·7	58·44	14·69	19·45	35·15	28·24	26·17	75	41·0	57·52	14·18	19·52	35·26	28·34	26·37
140	76·5	58·42	14·68	19·46	35·16	28·25	26·18	100	54·7	57·52	14·18	19·52	35·26	28·34	26·37
								144	78·7	57·52	14·18	19·52	35·26	28·34	26·37
Depth, 141 M. = 77·1 F. Stones.								Depth, 150 M. = 82·0 F. Gravel.							

9th February, 1905.								9th May, 1905.							
0	0	49·59	9·77	19·57	35·35	28·41	27·28	0		50·14	10·08	19·58	35·37	28·43	27·25
5	2·7	49·78	9·88	19·57	35·35	28·41	27·27	5	2·7	50·07	10·04	19·57	35·35	28·41	27·24
10	5·5	49·78	9·88	19·57	35·35	28·41	27·27	15	8·2	50·07	10·04	19·57	35·35	28·41	27·24
20	10·9	49·80	9·89	19·57	35·35	28·41	27·26	30	16·4	50·07	10·04	19·58	35·37	28·43	27·26
30	16·4	49·80	9·89	—	—	—	—	50	27·3	50·02	10·01	19·56	35·34	28·40	27·23
40	21·9	49·78	9·88	19·58	35·37	28·43	27·26	100	54·7	50·04	10·02	19·57	35·35	28·41	27·24
50	27·3	49·78	9·88	—	—	—	—	155	84·7	50·07	10·04	19·57	35·35	28·41	27·24
75	41·0	49·77	9·87	19·58	35·37	28·43	27·29								
100	54·7	49·77	9·87	19·58	35·37	28·43	27·29								
155	84·7	49·77	9·87	19·58	35·37	28·43	27·29								
Depth, 160 M. = 87·5 F. Rock.								Depth, 158 M. = 86·4 F. Rock.							

8th August, 1905.								17th November, 1905.							
0	0	59·13	15·07	19·51	35·25	28·32	26·16	0	0	54·73	12·63	19·57	35·35	28·41	26·76
5	2·7	59·07	15·04	19·53	35·28	28·35	26·19	5	2·7	55·22	12·90	19·55	35·33	28·39	26·68
10	5·5	59·07	15·04	19·49	35·21	28·30	26·15	10	5·5	55·22	12·90	19·56	35·34	28·40	26·69
20	10·9	59·04	15·02	19·48	35·20	28·29	26·14	20	10·9	55·22	12·90	19·55	35·33	28·39	26·68
30	16·4	59·02	15·01	19·48	35·20	28·29	26·15	30	16·4	55·22	12·90	19·56	35·34	28·40	26·69
40	21·9	59·00	15·00	19·48	35·20	28·29	26·15	50	27·3	55·22	12·90	19·56	35·34	28·40	26·69
75	41·0	58·82	14·90	19·49	35·22	28·30	26·18	80	43·7	55·22	12·90	19·56	35·34	28·40	26·69
100	54·7	58·75	14·86	19·49	35·22	28·30	26·19	110	60·1	55·20	12·89	19·56	35·34	28·40	26·69
166	90·8	58·69	14·83	19·49	35·21	28·30	26·19	152	83·1	55·20	12·89	19·55	35·33	28·39	26·69
Depth, 170 M. = 93·0 F. Stones.								Depth, 155 M. = 84·7 F. Rock.							

STATION E. 17.

50° 11′ N. Latitude. 2° 52′ W. Longitude.

26th February, 1904.								4th May, 1904.							
0	0	47·59	8·66	19·55	35·32	28·38	27·44	0	0	49·08	9·49	19·51	35·25	28·32	27·24
10	5·5	47·84	8·80	19·53	35·29	28·36	27·40	5	2·7	49·05	9·47	19·51	35·25	28·32	27·25
20	10·9	47·84	8·80	—	—	—	—	10	5·5	49·05	9·47	19·51	35·25	28·32	27·25
30	16·4	47·84	8·80	19·54	35·30	28·37	27·41	20	10·9	49·05	9·47	19·51	35·25	28·32	27·25
40	21·9	47·84	8·80	—	—	—	—	30	16·4	49·05	9·47	19·51	35·25	28·32	27·25
59	32·3	47·84	8·80	19·53	35·29	28·36	27·40	40	21·9	49·06	9·48	19·51	35·25	28·32	27·25
								59	32·3	49·06	9·48	19·51	35·25	28·32	27·25
Depth, 61 M. = 33·4 F. Sand, gravel and shell.								Depth, 59 M. = 32·3 F. Sand and gravel.							

TABLE I.—*continued.*

Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t	Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 17—*continued.*

50° 11′ N. Latitude. 2° 52′ W. Longitude—*continued.*

4th August, 1904.								12th November, 1904.							
0	0	60·93	16·07	19·45	35·14	28·24	25·86	0	0	56·79	13·77	19·45	35·14	28·24	26·36
5	2·7	59·16	15·09	19·45	35·15	28·24	26·09	5	2·7	57·00	13·89	19·44	35·12	28·22	26·32
10	5·5	58·95	14·97	19·45	35·14	28·24	26·11	10	5·5	57·00	13·89	19·44	35·12	28·22	26·32
20	10·9	58·89	14·94	19·45	35·15	28·24	26·12	20	10·9	57·00	13·89	19·44	35·12	28·22	26·32
30	16·4	58·82	14·90	19·45	35·14	28·24	26·12	30	16·4	57·00	13·89	19·44	35·12	28·22	26·32
40	21·9	58·82	14·90	19·45	35·14	28·24	26·12	40	21·9	57·02	13·90	19·44	35·12	28·22	26·32
59	32·3	58·82	14·90	19·45	35·15	28·24	26·13	59	32·3	57·02	13·90	19·44	35·12	28·22	26·32
Depth, 60 M. = 32·8 F. Gravel.								Depth, 61 M. = 33·4 F. Gravel and shell.							

8th February, 1905.								10th May, 1905.							
0	0	49·24	9·58	19·60	35·41	28·46	27·36	0	0	50·16	10·09	19·53	35·28	28·35	27·17
5	2·7	49·50	9·72	19·60	35·41	28·46	27·34	5	2·7	50·00	10·00	19·53	35·28	28·35	27·19
10	5·5	49·50	9·72	19·60	35·41	28·46	27·34	10	5·5	50·00	10·00	19·52	35·26	28·34	27·18
20	10·9	49·50	9·72	19·60	35·41	28·46	27·34	20	10·9	50·00	10·00	19·52	35·26	28·34	27·18
30	16·4	49·50	9·72	19·60	35·41	28·46	27·34	30	16·4	50·02	10·01	19·52	35·26	28·34	27·18
40	21·9	49·50	9·72	19·60	35·41	28·46	27·34	40	21·9	50·02	10·01	19·52	35·26	28·34	27·18
57	31·2	49·51	9·73	19·60	35·41	28·46	27·34	60	32·8	50·04	10·02	19·52	35·26	28·34	27·17
Depth, 58 M. = 31·7 F. Gravel.								Depth, 63 M. = 34·4 F. Shell and gravel.							

9th August, 1905.								17th November, 1905.							
0	0	58·87	14·93	19·53	35·28	28·35	26·22	0	0	53·94	12·19	19·58	35·37	28·43	26·86
5	2·7	58·82	14·90	19·53	35·29	28·36	26·23	5	2·7	54·23	12·35	19·57	35·35	28·41	26·81
10	5·5	58·82	14·90	19·54	35·30	28·37	26·24	10	5·5	54·27	12·37	19·57	35·35	28·41	26·81
20	10·9	58·82	14·90	19·53	35·29	25·36	26·23	20	10·9	54·28	12·38	19·57	35·35	28·41	26·81
30	16·4	58·82	14·90	19·55	35·32	28·38	26·25	30	16·4	54·28	12·38	19·57	35·35	28·41	26·81
40	21·9	58·82	14·90	19·53	35·29	28·36	26·23	40	21·9	54·28	12·38	19·57	35·35	28·41	26·81
57	31·2	58·84	14·91	19·54	35·30	28·37	26·24	57	31·2	54·30	12·39	19·57	35·35	28·41	26·80
Depth, 58 M. = 31·7 F. Gravel and shell.								Depth, 58 M. = 31·7 F. Gravel.							

STATION E. 18.

50° 23′ N. Latitude. 3° 08′ W. Longitude.

26th February, 1904.								4th May, 1904.							
0	0	46·40	8·00	19·43	35·11	28·21	27·38	0	0	48·74	9·30	19·43	35·10	28·21	27·17
5	2·7	46·63	8·13	19·41	35·07	28·18	27·33	5	2·7	48·56	9·20	19·43	35·10	28·21	27·19
10	5·5	46·65	8·14	—	—	—	—	10	5·5	48·33	9·07	19·42	35·08	28·19	27·19
15	8·2	46·65	8·14	—	—	—	—	20	10·9	48·29	9·05	19·42	35·09	28·20	27·20
20	10·9	46·65	8·14	19·41	35·07	28·18	27·33	30	16·4	48·29	9·05	19·42	35·08	28·19	27·19
30	16·4	46·65	8·14	—	—	—	—	40	21·9	48·29	9·05	19·42	35·09	28·20	27·20
40	21·9	46·74	8·19	19·42	35·09	28·20	27·34	55	30·1	48·29	9·05	19·42	35·08	28·19	27·19
49	26·8	46·85	8·25	19·44	35·13	28·23	27·36								
Depth, 51 M. = 27·9 F. Fine sand.								Depth, 56 M. = 30·6 F. Sand and shell.							

4th August, 1904.								11th November, 1904.							
0	0	63·27	17·37	19·43	35·11	28·21	25·53	0	0	56·71	13·73	19·46	35·16	28·25	26·37
5	2·7	63·05	17·25	19·40	35·06	28·17	25·52	5	2·7	56·82	13·79	19·44	35·13	28·23	26·34
10	5·5	59·83	15·46	19·44	35·12	28·22	25·98	10	5·5	56·82	13·79	19·44	35·13	28·23	26·34
20	10·9	59·14	15·08	19·44	35·12	28·22	26·06	20	10·9	56·84	13·80	19·44	35·12	28·22	26·34
30	16 4	59·13	15·07	19·45	35·14	28·24	26·08	30	16·4	56·84	13·80	19·44	35·12	28·22	26·34
40	21·9	59·13	15·07	19·44	35·13	28·23	26·08	40	21·9	56·84	13·80	19·44	35·13	28·23	26·35
52	28·4	59·13	15·07	19·45	35·14	28·24	26·08	50	27·3	56·84	13·80	19·44	35·13	28·23	26·35
Depth, 53 M. = 29·0 F. Fine sand and shell.								Depth, 53 M. = 29·0 F. Fine sand.							

TABLE I.—*continued.*

Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t	Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 18—*continued.*

50° 23′ N. Latitude. 3° 08′ W. Longitude—*continued.*

8th February, 1905.								10th May, 1905.							
0	0	46·85	8·25	19·45	35·14	28·24	27·37	0	0	50·97	10·54	19·51	35·25	28·32	27·06
5	2·7	46·99	8·33	19·46	35·16	28·25	27·36	5	2·7	50·22	10·12	19·50	35·23	28·31	27·13
10	5·5	46·94	8·30	19·45	35·14	28·24	27·36	10	5·5	50·04	10·02	19·50	35·23	28·31	27·15
20	10·9	46·90	8·28	19·45	35·14	28·24	27·36	20	10·9	49·98	9·99	19·51	35·25	28·32	27·16
30	16·4	46·92	8·29	—	—	—	—	30	16·4	49·95	9·97	19·50	35·23	28·31	27·15
40	21·9	46·92	8·29	19·45	35·14	28·24	27·36	40	21·9	49·93	9·96	19·50	35·23	28·31	27·15
50	27·3	46·92	8·29	19·46	35·16	28·25	27·37	50	27·3	49·93	9·96	19·50	35·23	28·31	27·15
Depth, 53 M. = 29·0 F. Sand, mud, and fine shell.								Depth, 53 M. = 29·0 F. Mud and sand.							

9th August, 1905.								17th November, 1905.							
0	0	60·39	15·77	19·53	35·28	28·35	26·03	0	0	53·19	11·77	19·58	35·37	28·43	26·94
5	2·7	60·28	15·71	19·52	35·26	28·34	26·03	5	2·7	53·80	12·11	19·57	35·36	28·42	26·87
10	5·5	60·15	15·64	19·53	35·28	28·35	26·06	10	5·5	53·80	12·11	19·57	35·35	28·41	26·86
20	10·9	59·63	15·35	19·52	35·27	28·34	26·11	20	10·9	53·80	12·11	19·57	35·35	28·41	26·86
30	16·4	59·54	15·30	19·52	35·27	28·34	26·13	30	16·4	53·82	12·12	19·57	35·36	28·42	26·87
40	21·9	59·50	15·28	19·53	35·28	28·35	26·14	40	21·9	53·82	12·12	19·57	35·35	28·41	26·86
49	26·8	59·49	15·27	19·53	35·28	28·35	26·14	55	30·1	53·82	12·12	19·57	35·35	28·41	26·86
Depth, 51 M. = 27·9 F. Sand and mud.								Depth, 56 M. = 30·6 F. Sand and shell.							

STATION E. 9.

49° 39′ N. Latitude. 3° 09′ W. Longitude.

—								3rd May, 1904.							
Not worked in February, 1904.								0	0	48·94	9·41	19·45	35·14	28·24	27·18
								5	2·7	48·76	9·31	19·45	35·14	28·24	27·20
								10	5·5	48·69	9·27	19·45	35·14	28·24	27·20
								20	10·9	48·69	9·27	19·45	35·14	28·24	27·20
								30	16·4	48·69	9·27	19·44	35·13	28·23	27·19
								40	21·9	48·69	9·27	19·44	35·13	28·23	27·19
								66	36·1	48·69	9·27	19·44	35·13	28·23	27·19
								Depth, 68 M. = 37·2 F. Gravel and stones.							

3rd August, 1904.								12th November, 1904.							
0	0	62·58	16·99	19·38	35·01	28·14	25·55	0	0	—	—	19·52	35·26	28·34	—
5	2·7	61·92	16·62	12·37	34·99	28·12	25·62	5	2·7	57·49	14·16	19·52	35·26	28·34	26·38
10	5·5	57·24	14·02	19·42	35·08	28·19	26·26	10	5·5	57·51	14·17	19·52	35·26	28·34	26·37
20	10·9	57·24	14·02	19·42	35·08	28·19	26·26	20	10·9	57·51	14·17	19·52	35·26	28·34	26·37
40	21·9	57·13	13·96	19·43	35·10	28·21	26·29	30	16·4	57·51	14·17	19·52	35·26	28·34	26·37
66	36·1	57·13	13·96	19·42	35·08	28·19	26·27	40	21·9	57·51	14·17	19·52	35·26	28·34	26·37
								50	27·3	57·51	14·17	19·52	35·26	28·34	26·37
								70	38·3	57·51	14·17	19·52	35·26	28·34	26·37
Depth, 68 M. = 37·2 F. Shell and gravel. The station was worked about 4 miles N. by W. (mag.) of the correct position.								Depth, 72 M. = 39·4 F. Sand and gravel.							

8th February, 1905.								10th May, 1905.							
0	0	49·59	9·77	19·56	35·34	28·40	27·27	0	0	51·40	10·78	19·60	35·41	28·46	27·15
5	2·7	50·05	10·03	19·55	35·33	28·39	27·22	5	2·7	50·65	10·36	19·58	35·37	28·43	27·20
10	5·5	50·05	10·03	19·55	35·33	28·39	27·22	10	5·5	50·23	10·13	19·58	35·37	28·43	27·24
20	10·9	50·05	10·03	19·56	35·34	28·40	27·23	20	10·9	50·20	10·11	19·59	35·39	28·44	27·25
30	16·4	50·05	10·03	19·56	35·34	28·40	27·23	30	16·4	50·18	10·10	—	—	—	—
40	21·9	50·05	10·03	19·56	35·34	28·40	27·23	40	21·9	50·18	10·10	19·59	35·39	28·44	27·26
66	36·1	50·07	10·04	19·55	35·32	28·38	27·21	50	27·3	50·18	10·10	19·59	35·39	28·44	27·26
								72	39·4	50·18	10·10	19·58	35·37	28·43	27·25
Depth, 70 M. = 38·3 F. Gravel and shell.								Depth, 74 M. = 40·5 F. Gravel and shell.							

TABLE I.—*continued.*

Depth.		Temperature.		$Cl.‰$	$S.‰$	σ_0	σ_t	Depth.		Temperature.		$Cl.‰$	$S.‰$	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 9—*continued.*

49° 39′ N. Latitude. 3° 09′ W. Longitude—*continued.*

9th August, 1905.								17th November, 1905.							
0	0	58·59	14·77	19·51	35·25	28·32	26·22	0	0	54·99	12·77	19·56	35·34	28·40	26·72
5	2·7	58·75	14·86	19·50	35·24	28·31	26·20	5	2·7	55·45	13·03	19·56	35·34	28·40	26·67
10	5·5	58·68	14·82	19·50	35·24	28·31	26·20	10	5·5	55·47	13·04	19·55	35·33	28·39	26·66
20	10·9	58·64	14·80	19·50	35·24	28·31	26·21	20	10·9	55·49	13·05	19·55	35·33	28·39	26·65
30	16·4	58·60	14·78	19·50	35·24	28·31	26·21	30	16·4	55·49	13·05	19·56	35·34	28·40	26·66
40	21·9	58·60	14·78	19·50	35·23	28·31	26·21	40	21·9	55·49	13·05	19·55	35·33	28·39	26·65
69	37·7	58·57	14·76	19·50	35·24	28·31	26·22	69	37·7	55·49	13·05	19·55	35·32	28·38	26·64
Depth, 70 M. = 38·3 F. Gravel.								Depth, 70 M. = 38·3 F. Sand and shell.							

STATION E. 19.

49° 56′ N. Latitude. 3° 23′ W. Longtitude.

25th February, 1904.								3rd May, 1904.							
0	0	48·07	8·93	19·56	35·34	28·40	27·41	0	0	50·00	10·00	19·55	35·32	28·38	27·22
5	2·7	48·25	9·03	19·53	35·29	28·36	27·36	5	2·7	49·84	9·91	19·56	35·34	28·40	27·25
10	5·5	48·25	9·03	—	—	—	—	10	5·5	49·69	9·83	19·56	35·34	28·40	27·26
15	8·2	48·25	9·03	—	—	—	—	20	10·9	49·68	9·82	19·56	35·34	28·40	27·27
20	10·9	48·22	9·01	—	—	—	—	30	16·4	49·66	9·81	19·57	35·35	28·41	27·28
30	16·4	48·25	9·03	19·54	35·31	28·37	27·37	40	21·9	49·62	9·79	19·57	35·35	28·41	27·28
40	21·9	48·29	9·05	—	—	—	—	69	37·7	49·66	9·81	19·57	35·35	28·41	27·28
67	36·6	48·31	9·06	19·53	35·29	28·36	27·36								
Depth, 68 M. = 37·2 F. Gravel and rock.								Depth, 72 M. = 39·4 F. Gravel and shell.							

3rd August, 1904.								10th August, 1904.							
0	0	62·74	17·08	19·42	35·08	28·19	25·57	0	0	61·57	16·43	19·40	35·05	28·16	25·70
5	2·7	61·20	16·22	19·42	35·08	28·19	25·77	5	2·7	61·70	16·50	19·38	35·02	28·14	25·65
10	5·5	58·55	14·75	19·45	35·14	28·24	26·15	10	5·5	61·03	16·13	19·37	35·00	28·13	25·74
20	10·9	58·32	14·62	19·45	35·14	28·24	26·18	20	10·9	57·16	13·98	19·42	35·09	28·20	26·28
30	16·4	58·10	14·50	19·45	35·14	28·24	26·21	30	16·4	57·02	13·90	19·44	35·12	28·22	26·31
40	21·9	57·92	14·40	19·44	35·12	28·22	26·21	40	21·9	57·02	13·90	19·44	35·12	28·22	26·31
64	35·0	57·74	14·30	19·44	35·12	28·22	26·23	50	27·3	57·02	13·90	19·44	35·12	28·22	26·31
								68	37·2	57·02	13·90	19·44	35·13	28·23	26·32
Depth, 65 M. = 35·5 F. Sand and shell. The station was worked about 5 miles N. (true) of the correct position, and was therefore repeated a week later.								Depth, 69 M. = 37·7 F. Shell and gravel.							

10th November, 1904.								8th February, 1905.							
0	0	57·11	13·95	19·54	35·30	28·37	26·45	0	0	49·33	9·63	19·58	35·37	28·43	27·33
5	2·7	57·11	13·95	19·52	35·26	28·34	26·42	5	2·7	49·75	9·86	19·57	35·35	28·41	27·27
10	5·5	57·15	13·97	19·53	35·28	28·35	26·43	10	5·5	49·75	9·86	—	—	—	—
20	10·9	57·16	13·98	19·52	35·26	28·34	26·41	20	10·9	49·77	9·87	19·57	35·35	28·41	27·27
30	16·4	57·16	13·98	19·52	35·26	28·34	26·41	30	16·4	49·77	9·87	19·57	35·35	28·41	27·27
40	21·9	57·16	13·98	19·53	35·28	28·35	26·42	40	21·9	49·78	9·88	19·57	35·35	28·41	27·27
50	27·3	57·16	13·98	19·52	35·26	28·34	26·41	69	37·7	49·78	9·88	19·57	35·35	28·41	27·27
70	38·3	57·16	13·98	19·54	35·30	28·37	26·44								
Depth, 71 M. = 38·8 F. Sand and shell.								Depth, 70 M. = 38·3 F. Coarse sand and shell.							

10th May, 1905.								9th August, 1905.							
0	0	52·39	11·33	19·61	35·43	28·47	27·06	0	0	59·05	15·03	19·61	35·43*	28·47	26·31
5	2·7	51·22	10·68	19·60	35·41	28·46	27·17	5	2·7	59·07	15·04	19·55	35·33	28·39	26·23
10	5·5	50·72	10·40	19·60	35·41	28·46	27·22	10	5·5	58·93	14·96	19·55	35·32	28·38	26·24
20	10·9	50·54	10·30	19·60	35·41	28·46	27·24	20	10·9	58·28	14·60	19·55	35·33	28·39	26·32
30	16·4	50·52	10·29	19·61	35·43	28·47	27·25	30	16·4	58·23	14·57	19·56	35·34	28·40	26·34
40	21·9	50·50	10·28	19·61	35·43	28·47	27·25	40	21·9	58·23	14·57	19·55	35·33	28·39	26·33
50	27·3	50·50	10·28	19·61	35·43	28·47	27·25	50	27·3	58·21	14·56	19·56	35·34	28·40	26·35
66	36·1	50·50	10·28	19·63	35·46	28·50	27·28	67	36·6	58·21	14·56	19·56	35·34	28·40	26·35
Depth, 68 M. = 37·2 F. Fine sand and shell.								Depth, 68 M. = 37·2 F. Gravel.							

* Analysis is repeated.

TABLE I.—*continued.*

Depth.		Temperature.		$Cl.^{o}/_{oo}$	$S.^{o}/_{oo}$	σ_0	σ_t	Depth.		Temperature.		$Cl.^{o}/_{oo}$	$S.^{o}/_{oo}$	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 19—*continued.*

49° 56′ N. Latitude. 3° 23′ W. Longitude—*continued.*

16th November, 1905.								——							
0	0	54·25	12·36	19·58	35·37	28·43	26·83	—	—	—	—	—	—	—	—
5	2·7	54·68	12·60	19·56	35·34	28·40	26·75	—	—	—	—	—	—	—	—
10	5·5	54·68	12·60	19·56	35·34	28·40	26·75	—	—	—	—	—	—	—	—
20	10·9	54·70	12·61	19·57	35·35	28·41	26·76	—	—	—	—	—	—	—	—
30	16·4	54·68	12·60	19·56	35·34	28·40	26·75	—	—	—	—	—	—	—	—
40	21·9	54·70	12·61	19·57	35·35	28·41	26·77	—	—	—	—	—	—	—	—
50	27·3	54·70	12·61	19·57	35·35	28·41	26·76	—	—	—	—	—	—	—	—
70	38·3	54·70	12·61	19·58	35·37	28·43	26·78	—	—	—	—	—	—	—	—
Depth, 71 M.=38·8 F. Gravel and shell.															

STATION E. 8.

49° 16′ N. Latitude. 3° 37′ W. Longitude.

——								3rd May, 1904.							
Not worked in February, 1904.								0	0	50·29	10·16	19·42	35·08	28·19	27·00
								5	2·7	50·18	10·10	19·43	35·10	28·21	27·03
								10	5·5	50·16	10·09	19·42	35·08	28·19	27·02
								20	10·9	50·02	10·01	19·43	35·10	28·21	27·05
								30	16·4	49·96	9·98	19·42	35·08	28·19	27·04
								40	21·9	49·96	9·98	19·42	35·08	28·19	27·04
								50	27·3	49·96	9·98	19·43	35·10	28·21	27·06
								78	42·6	49·96	9·98	19·43	35·10	28.21	27·06
								Depth, 80 M. = 43·7 F. Stones and shell.							

3rd August, 1904.								11th November, 1904.							
0	0	59·18	15·10	19·55	35·32	28·38	26·21	0	0	56·97	13·87	19·56	35·34	28·40	26·49
5	2·7	59·23	15·13	19·52	35·26	28·34	26·17	10	5·5	56·95	13·86	19·55	35·32	28·38	26·48
10	5·5	58·64	14·80	19·53	35·28	28·35	26·25	20	10·9	56·91	13·84	19·55	35·32	28·38	26·48
15	8·2	58·32	14·62	19·52	35·26	28·34	26·28	30	16·4	56·91	13·84	—	—	—	—
20	10·9	58·17	14·54	19·52	35·26	28·34	26·29	50	27·3	56·91	13·84	19·55	35·32	28·38	26·48
30	16·4	58·10	14·50	19·53	35·28	28·35	26·31	77	42·1	56·88	13·82	19·54	35·30	28·37	26·48
40	21·9	58·08	14·49	19·52	35·26	28·34	26·30								
50	27·3	58·06	14·48	19·52	35·26	28·34	26·31								
84	45·9	58·08	14·49	19·52	35·26	28·34	26·30								
Depth, 84 M. = 45·9 F. Shell and gravel. About 5miles N.N.W. (true) of correct position.								Depth, 82 M. = 44·8 F. Sand and shell.							

7th February, 1905.								11th May, 1905.							
0	0	49·39	9·66	19·57	35·36	28·42	27·31	0	0	51·19	10·66	19·63	35·46	28·50	27·22
5	2·7	49·80	9·89	19·57	35·35	28·41	27·26	5	2·7	51·01	10·56	19·62	35·44	28·48	27·22
10	5·5	49·80	9·89	19·57	35·35	28·41	27·26	10	5·5	50·83	10·46	19·60	35·41	28·46	27·21
20	10·9	49·80	9·89	19·58	35·37	28·43	27·28	20	10·9	50·58	10·32	19·60	35·41	28·46	27·24
30	16·4	49·86	9·92	19·59	35·39	28·44	27·28	30	16·4	50·58	10·32	19·60	35·41	21·46	27·24
40	21·9	49·86	9·92	19·59	35·39	28·44	27·28	40	21·9	50·56	10·31	19·59	35·39	28·44	27·22
50	27·3	49·86	9·92	19.59	35·39	28·44	27·28	50	27·3	50·56	10·31	19.60	35·41	28·46	27·24
82	44·8	49·86	9·92	19·59	35·39	28·44	27·28	83	45·4	50·56	10·31	19·59	35·39	28·44	27·22
Depth, 83 M. = 45·4 F. Gravel and shell.								Depth, 85 M. = 46·5 F. Sand and shell.							

9th August, 1905.								15th November, 1905.							
0	0	58·24	14·58	19·53	35·28	28·35	26·29	0	0	53·80	12·11	19·59	35·39	28·44	26·89
5	2·7	58·41	14·67	19·53	35·28	28·35	26·28	5	2·7	54·07	12·26	19·57	35·35	28·41	26·83
10	5·5	58·12	14·51	19·53	35·28	28·35	26·31	10	5·5	54·09	12·27	19·57	35·35	28·41	26·83
20	10·9	57.94	14·41	19·53	35·28	28·35	26·33	20	10·9	54·09	12·27	19·57	35·35	28·41	26·83
30	16·4	57·92	14·40	19·53	35·29	28·36	26·34	30	16·4	54·10	12·28	19·58	35·37	23·43	26·84
40	21·9	57·92	14·40	19·53	35·29	28·36	26·34	40	21·9	54·10	12·28	—	—	—	—
50	27·3	57·90	14·39	19·54	35·30	28·37	26·35	50	27·3	54·10	12·28	19·58	37·37	28·43	26·84
78	42·6	57·88	14·38	19·54	35·30	28·37	26·35	68	37·2	54·10	12·28	19·57	35·35	28·41	26·82
Depth, 79 M. = 43·2 F. Broken shell.								Depth, 70 M. = 38·3 F. Sand and shell.							

TABLE I.—*continued.*

Depth.		Temperature.		$Cl.‰$	$S.‰$	σ_o	σ_t	Depth.		Temperature.		$Cl.‰$	$S.‰$	σ_o	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 20.

50° 08′ N. Latitude. 3° 47′ W. Longitude.

25th February, 1904.								3rd May, 1904.							
0	0	46·74	8·19	19·38	35·01	28·14	27·28	0	0	49·30	9·61	19·51	35·25	28·32	27·22
5	2·7	46·83	8·24	19·37	35·00	28·13	27·26	5	2·7	49·15	9·53	19·51	35·25	28·32	27·24
10	5·5	46·94	8·30	—	—	—	—	10	5·5	49·12	9·51	19·50	35·23	28·31	27·26
15	8·2	46·94	8·30	19·39	35·03	28·15	27·27	20	10·9	49·12	9·51	19·50	35·23	28·31	27·23
20	10·9	46·94	8·30	—	—	—	—	30	16·4	49·12	9·51	19·51	35·25	28·32	27·24
30	16·4	46·94	8·30	19·40	35·05	28·16	27·28	40	21·9	49·12	9·51	19·52	35·26	28·34	27·26
40	21·9	46·94	8·30	19·40	35·05	28·16	27·28	64	35·0	49·12	9·51	19·51	35·25	28·32	27·24
68	37·2	46·92	8·29	19·40	35·05	28·16	27·28								
Depth, 68 M. = 37·2 F. Coarse sand.								Depth, 69 M. = 37·7 F. Gravel and shell.							
3rd August, 1904.								10th November, 1904.							
0	0	62·28	16·82	19·42	35·08	28·19	25·63	0	0	56·97	13·87	19·52	35·26	28·34	26·44
5	2·7	59·99	15·55	19·41	35·07	28·18	25·92	5	2·7	57·00	13·89	19·51	35·25	28·32	26·42
10	5·5	59·18	15·10	19·42	35·09	28·20	26·04	10	5·5	57·00	13·89	19·52	35·26	28·34	26·43
20	10·9	58·19	14·55	19·43	35·10	28·21	26·17	20	10·9	57·00	13·89	19·52	35·26	28·34	26·43
30	16·4	57·90	14·39	19·43	35·11	28·21	26·21	30	16·4	57·00	13·89	19·52	35·26	28·34	26·43
40	21·9	57·79	14·33	19·44	35·12	28·22	26·22	40	21·9	57·00	13·89	19·52	35·26	28·34	26·43
54	29·5	57·72	14·29	19·44	35·12	28·22	26·23	60	32·8	57·00	13·89	19·51	35·25	28·32	26·42
Depth, 59 M. = 32·3 F. Sand, shell, and gravel.								Depth, 60 M. = 32·8 F. Gravel and shell.							
8th February, 1905.								10th May, 1905.							
0	0	48·51	9·17	19·50	35·23	28·31	27·29	0	0	52·03	11·13	19·49	35·21	28·30	26·94
5	2·7	48·97	9·43	19·50	35·24	28·31	27·24	5	2·7	50·49	10·27	19·46	35·16	28·25	27·04
10	5·5	48·97	9·43	19·54*	35·30	28·37	27·30	10	5·5	50·18	10·10	19·49	35·21	28·30	27·12
20	10·9	48·97	9·43	19·50	35·23	28·31	27·24	20	10·9	50·04	10·02	19·50	35·23	28·31	27·14
30	16·4	48·99	9·44	19·51	35·25	28·32	27·25	30	16·4	50·04	10·02	19·51	35·25	28·32	27·15
40	21·9	48·99	9·44	19·50	35·24	28·31	27·24	40	21·9	50·04	10·02	19·51	35·25	28·32	27·15
67	36·6	48·99	9·44	19·50	35·23	28·31	27·24	64	35·0	50·04	10·02	19·52	35·26	28·34	27·17
Depth, 69 M. = 37·7 F. Gravel and shell.								Depth, 66 M. = 36·1 F. Sand and shell.							
9th August, 1905.								16th November, 1905.							
0	0	59·86	15·48	19·58	35·38	28·43	26·17	0	0	53·80	12·11	19·59	35·39	28·44	26·89
5	2·7	59·31	15·17	19·58	35·37	28·43	26·24	5	2·7	54·07	12·26	19·57	35·35	28·41	26·83
10	5·5	57·69	14·27	19·58	35·37	28·43	26·44	10	5·5	54·09	12·27	19·57	35·35	28·41	26·83
20	10·9	57·52	14·18	19·58	35·37	28·43	26·46	20	10·9	54·09	12·27	19·57	35·35	28·41	26·83
30	16·4	57·49	14·16	19·57	35·36	28·42	26·45	30	16·4	54·10	12·28	19·58	35·37	28·43	26·84
40	21·9	57·49	14·16	19·58	35·37	28·43	26·46	40	21·9	54·10	12·28	—	—	—	—
50	27·3	57·49	14·16	19·58	35·37	28·43	26·46	50	27·3	54·10	12·28	19·58	35·37	28·43	26·84
67	36·6	57·49	14·16	19·56	35·34	28·40	26·43	68	37·2	54·10	12·28	19·57	35·35	28·41	26·82
Depth, 69 M. = 37·7 F. Gravel and shell.								Depth, 70 M. = 38·3 F. Sand and shell.							

STATION E. 1.

50° 02′ N. Latitude. 4° 22′ W. Longitude.

4th February, 1904.								16th February, 1904.							
0	0	48·74	9·30	19·55	35·32	28·38	27·33	0	0	48·07	8·93	19·51	35·25	28·32	27·34
5	2·7	48·76	9·31	—	—	—	—	15	8·2	48·20	9·00	19·51	35·25	28·32	27·33
10	5·5	48·76	9·31	19·54	35·30	28·37	27·32	30	16·4	48·22	9·01	19·51	35·25	28·32	27·32
15	8·2	48·76	9·31	19·54	35·30	28·37	27·32	40	21·9	48·25	9·03	19·51	35·25	28·32	27·32
20	10·9	48·76	9·31	19·54	35·31	28·37	27·32	70	38·3	48·27	9·04	19·51	35·25	28·32	27·32
30	16·4	48·76	9·31	19·54	35·30	28·37	27·32								
40	21·9	48·76	9·31	19·54	35·30	28·37	27·32								
50	27·3	48·79	9·33	19·54	35·30	28·37	27·32								
71	38·8	48·79	9·33	19·54	35·30	28·37	27·32								
Depth, 74 M. = 40·5 F. Fine sand.								Depth, 73 M. = 39·9 F. Fine sand.							

* Analysis repeated.

TABLE I.—*continued.*

Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t	Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t
M.	F	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 1—*continued.*

50° 02′ N. Latitude. 4° 22′ W. Longitude—*continued.*

27th April, 1904.

0	0	49·96	9·98	19·58	35·37	28·43	27·27
5	2·7	49·80	9·89	19·57	35·35	28·41	27·26
10	5·5	49·12	9·51	19·57	35·35	28·41	27·33
15	8·2	49·03	9·46	19·57	35·35	28·41	27·34
20	10·9	48·97	9·43	19·57	35·35	28·41	27·34
30	16·4	48·97	9·43	19·57	35·35	28·41	27·34
50	27·3	48·94	9·41	19·57	35·35	28·41	27·34
71	38·8	48·94	9·41	19·57	35·35	28·41	27·34

Depth, 74 M. = 40·5 F. Fine sand.

12th August, 1904.

0	0	62·55	16·97	19·40	35·05	28·16	25·57
5	2·7	62·60	17·00	19·39	35·04	28·15	25·57
10	5·5	62·46	16·92	19·39	35·04	28·15	25·58
15	8·2	59·97	15·54	19·45	35·14	28·24	25·98
20	10·9	54·93	12·74	19·51	35·25	28·32	26·65
30	16·4	54·81	12·67	19·51	35·25	28·32	26·66
40	21·9	54·70	12·61	19·51	35·25	28·32	26·67
50	27·3	54·68	12·60	19·51	35·25	28·32	26·67
71	38·8	54·68	12·60	19·51	35·25	28·32	26·67

Depth, 73 M. = 39·9 F. Fine sand.

31st October, 1904.

0	0	57·11	13·95	19·55	35·32	28·38	26·46
5	2·7	57·29	14·05	19·53	35·28	28·35	26·41
10	5·5	57·29	14·05	19·54	35·30	28·37	26·43
20	10·9	57·29	14·05	19·53	35·28	28·35	26·41
30	16·4	57·31	14·06	19·53	35·29	28·36	26·42
40	21·9	57·31	14·06	19·52	35·27	28·34	26·40
50	27·3	57·31	14·06	19·53	35·28	28·35	26·41
71	38·8	57·31	14·06	19·52	35·27	28·34	26·40

Depth, 73 M. = 39·9 F. Fine sand.

3rd February, 1905.

0	0	50·27	10·15	19·62	35·44	28·48	27·29
5	2·7	50·18	10·10	19·61	35·43	28·47	27·29
10	5·5	50·16	10·09	19·67*	35·53	28·56	27·37
20	10·9	50·16	10·09	19·61	35·43	28·47	27·29
30	16·4	50·16	10·09	19·61	35·43	28·47	27·29
40	21·9	50·18	10·10	19·62	35·44	28·48	27·30
50	27·3	50·18	10·10	19·61	35·43	28·47	27·29
70	38·3	50·18	10·10	19·61	35·43	28·47	27·29

Depth, 72 M. = 39·4 F. Fine sand.

12th May, 1905.

0	0	52·34	11·30	19·52	35·26	28·34	26·95
5	2·7	52·34	11·30	19·52	35·26	28·34	26·95
10	5·5	51·96	11·09	19·52	35·26	28·34	26·98
20	10·9	50·25	10·14	19·54	35·30	28·37	27·18
30	16·4	50·16	10·09	19·54	35·30	28·37	27·19
40	21·9	50·16	10·09	19·54	35·30	28·37	27·19
50	27·3	50·14	10·08	19·54	35·30	28·37	27·19
70	38·3	50·14	10·08	19·53	35·28	28·35	27·19

Depth, 74 M. = 40·5 F. Fine sand.

11th August, 1905.

0	0	59·72	15·40	19·59	35·39	28·44	26·20
5	2·7	59·76	15·42	19·58	35·37	28·43	26·19
10	5·5	59·72	15·40	19·59	35·39	28·44	26·20
20	10·9	57·74	14·30	19·58	35·38	28·43	26·44
30	16·4	54·50	12·50	19·59	35·39	28·44	26·81
40	21·9	54·45	12·47	19·59	35·39	28·44	26·82
50	27·3	54·45	12·47	19·59	35·39	28·44	26·82
71	38·8	54·46	12·48	19·59	35·39	28·44	26·82

Depth, 72 M. = 39·4 F. Fine sand.

12th September, 1905.

0	0	58·41	14·67	19·57	35·35	28·41	26·33
10	5·5	58·33	14·63	19·57	35·35	28·41	26·34
20	10·9	58·12	14·51	19·56	35·34	28·40	26·36
30	16·4	57·79	14·33	19·57	35·35	28·41	26·41
40	21·9	56·30	13·50	19·57	35·35	28·41	26·58
50	27·3	56·23	13·46	19·57	35·35	28·41	26·59
74	40·5	56·23	13·46	19·55	35·32	28·38	26·56

Depth, 75 M. = 41·0 F. Fine sand.

6th November, 1905.

0	0	55·17	12·87	19·60	35·41	28·46	26·76
5	2·7	55·40	13·00	19·57	35·36	28·42	26·69
10	5·5	55·44	13·02	19·58	35·37	28·43	26·70
20	10·9	55·44	13·02	19·58	35·37	28·43	26·70
30	16·4	55·44	13·02	19·58	35·37	28·43	26·70
40	21·9	55·44	13·02	19·58	35·37	28·43	26·70
50	27·3	55·45	13·03	19·58	35·37	28·43	26·70
74	40·5	55·47	13·04	19·58	35·37	28·43	26·70

Depth, 74 M. = 40·5 F. Fine sand.

STATION E. 2.

49° 27′ N. Latitude. 4° 42′ W. Longitude.

19th February 1904.

0	0	49·71	9·84	19·64	35·48	28·51	27·37
5	2·7	49·69	9·83	19·62	35·44	28·48	27·34
10	5·5	49·68	9·82	19·61	35·43	28·47	27·33
15	8·2	49·69	9·83	19·61	35·43	28·47	27·33
20	10·9	49·66	9·81	19·61	35·43	28·47	27·33
30	16·4	49·68	9·82	19·62	35·44	28·48	27·34
40	21·9	49·66	9·81	19·61	35·43	28·47	27·33
50	27·3	49·66	9·81	19·61	35·43	28·47	27·33
75	41·0	49·66	9·81	19·61	35·43	28·47	27·33
91	49·8	49·66	9·81	19·62	35·44	28·48	27·34

Depth, 94 M. = 51·4 F. Sand and gravel.

27th April, 1904.

0	0	49·82	9·90	19·56	35·34	28·40	27·25
5	2·7	49·84	9·91	19·54	35·30	28·37	27·22
10	5·5	49·82	9·90	19·54	35·30	28·37	27·22
15	8·2	49·84	9·91	19·53	35·28	28·35	27·20
20	10·9	49·84	9·91	—	—	—	—
30	16·4	49·82	9·90	19·54	35·30	28·37	27·22
40	21·9	49·82	9·90	19·54	35·30	28·37	27·22
50	27·3	49·80	9·89	19·54	35·30	28·37	27·22
90	49·2	49·80	9·89	19·54	35·30	28·37	27·22

Depth, 94 M. = 51·4 F. Sand and shell.

* Analysis repeated: the bottle was not perfectly closed and the high value may be due to evaporation.

TABLE I.—*continued.*

STATION E. 2—*continued.*

49° 27′ N. Latitude. 4° 42′ W. Longitude—*continued.*

12th August, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	63·70	17·61	19·52	35·26	28·34	25·59
5	2·7	63·72	17·62	19·50	35·23	28·31	25·55
10	5·5	62·89	17·16	19·50	35·23	28·31	25·67
15	8·2	56·12	13·40	19·56	35·34	28·40	26·59
20	10·9	55·60	13·11	19·57	35·35	28·41	26·66
30	16·4	55·54	13·08	19·56	35·34	28·40	26·66
40	21·9	55·49	13·05	19·57	35·35	28·41	26·67
50	27·3	55·47	13·04	19·57	35·35	28·41	26·68
75	41·0	55·45	13·03	19·57	35·35	28·41	26·68
94	51·4	55·45	13·03	19·57	35·35	28·41	26·68

Depth, 96 M. = 52·5 F.

1st November, 1904.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	56·28	13·49	19·59	35·39	28·44	26·61
10	5·5	56·50	13·61	19·57	35·36	28·42	26·57
20	10·9	56·48	13·60	19·57	35·36	28·42	26·57
30	16·4	56·48	13·60	19·57	35·35	28·41	26·56
40	21·9	56·48	13·60	19·57	35·35	28·41	26·56
50	27·3	56·52	13·62	19·57	35·36	28·42	26·57
92	50·3	56·52	13·62	—	—	—	—

Depth, 94 M. = 51·4 F. Fine gravel.

3rd February, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	50·68	10·38	19·66	35·52	28·54	27·30
5	2·7	50·76	10·42	19·65	35·50	28·53	27·29
10	5·5	50·76	10·42	19·65	35·50	28·53	27·29
20	10·9	50·77	10·43	19·65	35·50	28·53	27·29
30	16·4	50·77	10·43	19·65	35·51	28·53	27·29
40	21·9	50·77	10·43	19·65	35·51	28·53	27·29
50	27·3	50·77	10·43	19·65	35·50	28·53	27·29
90	49·2	50·77	10·43	19·65	35·51	28·53	27·29

Depth, 92 M. = 50·3 F. Coarse sand and shell.

13th May, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	51·26	10·70	19·60	35·41	28·46	27·17
5	2·7	51·30	10·72	19·60	35·41	28·46	27·17
10	5·5	51·26	10·70	19·58	35·37	28·43	27·14
20	10·9	51·01	10·56	19·58	35·37	28·43	27·16
30	16·4	50·52	10·29	19·58	35·37	28·43	27·21
40	21·9	50·49	10·27	19·59	35·39	28·44	27·23
60	32·8	50·49	10·27	19·58	35·37	28·43	27·22
90	49·2	50·49	10·27	19·59	35·39	28·44	27·23

Depth, 94 M. = 51·4 F. Fine sand and shell.

12th August, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	60·69	15·94	19·59	35·40	28·45	26·09
5	2·7	60·75	15·97	19·58	35·37	28·43	26·06
10	5·5	60·75	15·97	19·58	35·37	28·43	26·06
20	10·9	60·60	15·89	19·59	35·39	28·44	26·09
30	16·4	55·35	12·97	19·56	35·34	28·40	26·68
40	21·9	55·26	12·92	19·57	35·35	28·41	26·70
50	27·3	55·04	12·80	19·56	35·34	28·40	26·71
75	41·0	54·99	12·77	19·56	35·34	28·40	26·72
92	50·3	54·97	12·76	19·56	35·34	28·40	26·72

Depth, 94 M. = 51·4 F. Sand and shell.

13th September, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	58·23	14·57	19·54	35·30	28·37	26·32
10	5·5	58·28	14·60	19·54	35·30	28·37	26·31
25	13·7	57·22	14·01	19·56	35·34	28·40	26·47
40	21·9	57·09	13·94	19·56	35·34	28·40	26·48
65	35·5	57·06	13·92	19·56	35·34	28·40	26·48
88	48·1	56·98	13·88	19·56	35·34	28·40	26·49

Depth, 90 M. = 49·2 F. Gravel and shell.

6th November, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	55·02	12·79	19·57	35·35	28·41	26·72
5	2·7	55·17	12·87	19·54	35·30	28·37	26·69
10	5·5	55·17	12·87	19·54	35·30	28·37	26·69
20	10·9	55·18	12·88	19·54	35·30	28·37	26·69
30	16·4	55·18	12·88	19·54	35·30	28·37	26·69
40	21·9	55·18	12·88	19·54	35·30	28·37	26·69
60	32·8	55·18	12·88	19·54	35·30	28·37	26·69
90	49·2	55·18	12·88	19·54	35·30	28·37	26·69

Depth, 92 M. = 50·3 F. Coarse sand and shell.

EXTRA STATION.

49° 31′ N. Latitude. 5° 11′ W. Longitude.

15th August, 1905.

Depth. M.	Depth. F.	Temperature. Fahr.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0	σ_t
0	0	62·01	16·67	19·59	35·39	28·44	25·81
30	16·4	55·40	13·00	19·56	35·34	28·40	26·67
94	51·4	54·19	12·33	19·56	35·34	28·40	26·79

Depth, 97 M. = 53·0 F. Fine sand and shell.

TABLE I.—*continued.*

Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t	Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 3.

48° 34′ N. Latitude. 5° 13′ W. Longitude.

20th February, 1904.

0	0	50·31	10·17	19·63	35·46	28·50	27·30
7·5	4·1	50·29	10·16	19·61	35·43	28·47	27·27
10	5·5	50·29	10·16	19·62	35·44	28·48	27·28
15	8·2	50·29	10·16	19·62	35·44	28·48	27·28
20	10·9	50·32	10·18	19·62	35·44	28·48	27·28
30	16·4	50·34	10·19	19·62	35·44	28·48	27·28
40	21·9	50·34	10·19	19·62	35·45	28·49	27·30
50	27·3	50·32	10·18	19·63	35·46	28·50	27·30
75	41·0	50·32	10·18	19·63	35·46	28·50	27·30
110	60·1	50·32	10·18	19·63	35·46	28·50	27·30

Depth, 111 M. = 60·7 F. Sand and shell.

28th April, 1904.

0	0	50·52	10·29	19·57	35·35	28·41	27·19
5	2·7	50·45	10·25	19·56	35·34	28·40	27·19
10	5·5	50·45	10·25	19·56	35·34	28·40	27·19
15	8·2	50·43	10·24	19·56	35·34	28·40	27·19
20	10·9	50·43	10·24	19·56	35·34	28·40	27·19
30	16·4	50·41	10·23	19·56	35·34	28·40	27·20
40	21·9	50·41	10·23	19·57	35·35	28·41	27·21
50	27·3	50·40	10·22	19·57	35·35	28·41	27·21
75	41·0	50·38	10·21	19·57	35·35	28·41	27·21
106	58·0	50·38	10·21	19·57	35·35	28·41	27·21

Depth, 110. M. = 60·1 F. Coarse sand.

13th August, 1904.

0	0	55·92	13·29	19·59	35·40	28·45	26·66
5	2·7	56·07	13·37	19·59	35·40	28·45	26·65
10	5·5	56·08	13·38	19·59	35·40	28·45	26·64
20	10·9	56·07	13·37	19·59	35·39	28·44	26·64
30	16·4	56·03	13·35	19·59	35·40	28·45	26·65
40	21·9	55·98	13·32	19·59	35·40	28·45	26·66
50	27·3	55·98	13·32	19·59	35·40	28·45	26·66
75	41·0	55·76	13·20	19·59	35·39	28·44	26·67
112	61·2	55·76	13·20	19·59	35·40	28·45	26·68

Depth, 114 M. = 62·3 F. Sand and shell.

2nd November, 1904.

0	0	55·53	13·07	19·63	35·46	28·50	26·76
5	2·7	55·54	13·08	19·60	35·42	28·46	26·72
10	5·5	55·53	13·07	19·60	35·41	28·46	26·72
20	10·9	55·58	13·10	19·61	35·43	28·47	26·72
30	16·4	55·54	13·08	19·60	35·41	28·46	26·72
40	21·9	55·54	13·08	19·61	35·43	28·47	26·73
50	27·3	55·54	13·08	19·61	35·43	28·47	26·73
75	41·0	55·51	13·06	19·62	35·44	28·48	26·74
110	60·1	55·45	13·03	19·62	35·44	28·48	26·75

Depth, 111 M. = 60·7 F. Fine sand and shell.

4th February, 1905.

0	0	50·58	10·32	19·61	35·43	28·47	27·25
5	2·7	50·59	10·33	19·60	35·41	28·46	27·23
10	5·5	50·59	10·33	19·60	35·41	28·46	27·23
20	10·9	50·59	10·33	19·60	35·41	28·46	27·23
30	16·4	50·58	10·32	19·61	35·43	28·47	27·24
40	21·9	50·58	10·32	19·60	35·41	28·46	27·23
50	27·3	50·58	10·32	19·60	35·41	28·46	27·23
75	41·0	50·56	10·31	19·60	35·42	28·46	27·25
110	60·1	50·56	10·31	19·60	35·41	28·46	27·24

Depth, 113 M. = 61·8 F. Coarse sand and shell.

14th May, 1905.

0	0	52·57	11·43	19·56	35·34	28·40	26·98
5	2·7	51·96	11·09	19·56	35·34	28·40	27·04
10	5·5	51·57	10·87	19·56	35·34	28·40	27·08
20	10·9	51·28	10·71	19·56	35·34	28·40	27·11
30	16·4	51·26	10·70	19·56	35·34	28·40	27·11
40	21·9	51·22	10·68	19·56	35·34	28·40	27·12
50	27·3	51·22	10·68	19·56	35·34	28·40	27·12
75	41·0	51·22	10·68	19·56	35·34	28·40	27·12
114	62·3	51·22	10·68	19·56	35·34	28·40	27·12

Depth, 116 M. = 62·3 F. Fine sand and gravel.

13th August, 1905.

0	0	56·73	13·74	19·54	35·31	28·37	26·49
5	2·7	56·95	13·86	19·54	35·31	28·37	26·47
10	5·5	56·77	13·76	19·54	35·30	28·37	26·49
20	10·9	56·30	13·50	19·54	35·30	28·37	26·54
30	16·4	56·34	13·52	19·53	35·29	28·36	26·53
40	21·9	56·08	13·38	19·54	35·31	28·37	26·57
50	27·3	56·05	13·36	19·54	35·30	28·37	26·57
75	41·0	55·96	13·31	19·55	35·32	28·38	26·59
110	60·1	55·90	13·28	19·54	35·30	28·37	26·59

Depth, 114 M. = 62·3 F. Fine sand and shell.

13th September, 1905.

0	0	56·35	13·53	19·52	35·27	28·34	26·51
10	5·5	56·26	13·48	19·52	35·27	28·34	26·52
20	10·9	56·03	13·35	19·52	35·26	28·34	26·54
30	16·4	56·03	13·35	19·52	35·26	28·34	26·54
40	21·9	56·08	13·38	19·52	35·27	28·34	26·54
50	27·3	55·94	13·30	19·53	35·28	28·35	26·56
75	41·0	55·94	13·30	19·52	35·27	28·34	26·55
107	58·5	55·90	13·28	19·53	35·28	28·35	26·57

Depth, 110 M. = 60·1 F. Shell and sand.

7th November, 1905.

0	0	53·26	11·81	19·56	35·34	28·40	26·91
5	2·7	53·40	11·89	19·56	35·34	28·40	26·89
15	8·2	53·40	11·89	19·56	35·34	28·40	26·89
30	16·4	53·40	11·89	19·55	35·33	28·39	26·88
50	27·3	53·35	11·86	19·54	35·31	28·37	26·88
75	41·0	53·33	11·85	19·55	35·32	28·38	26·88
105	57·4	53·31	11·84	19·56	35·34	28·40	26·90

Depth, 109 M. = 59·6 F. Sand and shell.

TABLE I.—*continued.*

Depth.		Temperature.		$Cl.^{o}/_{oo}$	$S.^{o}/_{oo}$	σ_0	σ_t	Depth.		Temperature.		$Cl.^{o}/_{oo}$	$S.^{o}/_{oo}$	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 7.

49° 53′ N. Latitude. 5° 38′ W. Longitude.

23rd February, 1904.								30th April, 1904.							
0	0	47·91	8·84	19·53	35·29	28·36	27·39	0	0	49·10	9·50	19·49	35·21	28·30	27·22
5	2·7	47·89	8·83	19·48	35·20	28·29	27·32	5	2·7	49·05	9·47	19·49	35·21	28·30	27·23
10	5·5	47·89	8·38	19·49	35·21	28·30	27·33	10	5·5	49·03	9·46	19·49	35·21	28·30	27·23
15	8·2	47·89	8·83	19·49	35·22	28·30	27·33	15	8·2	48·97	9·43	19·49	35·21	28·30	27·24
20	10·9	47·89	8·83	19·50	35·23	28·31	27·34	20	10·9	49·01	9·45	19·50	35·23	28·31	27·24
30	16·4	47·89	8·83	19·49	35·21	28·30	27·33	30	16·4	48·81	9·34	19·50	35·23	28·31	27·26
40	21·9	47·89	8·83	19·49	35·21	28·30	27·33	40	21·9	48·72	9·29	19·50	35·23	28·31	27·27
50	27·3	47·89	8·83	19·49	35·21	28·30	27·33	50	27·3	48·70	9·28	19·50	35·23	28·31	27·27
78	42·6	47·89	8·83	19·49	35·21	28·30	27·33	74	40·5	48·70	9·28	19·50	35·23	28·31	27·27
Depth, 78 M. = 42·6 F. Coarse sand.								Depth, 77 M. = 42·1 F. Sand and shell.							

16th August, 1904.								3rd November, 1904.							
0	0	60·93	16·07	19·51	35·25	28·32	25·93	0	0	56·66	13·70	19·51	35·25	28·32	26·45
5	2·7	60·98	16·10	19·52	35·26	28·34	25·94	5	2·7	56·70	13·72	19·49	35·21	28·30	26·43
10	5·5	60·57	15·87	19·52	35·26	28·34	26·00	10	5·5	56·70	13·72	19·50	35·23	28·31	26·44
15	8·2	60·06	15·59	19·52	35·27	28·34	26·07	20	10·9	56·70	13·72	19·51	35·25	28·32	26·45
20	10·9	54·61	12·56	19·55	35·33	28·39	26·75	30	16·4	56·64	13·69	19·53	35·28	28·35	26·48
30	16·4	53·65	12·03	19·56	35·34	23·40	26·86	40	21·9	56·59	13·66	19·54	35·30	28·37	26·51
40	21·9	53·62	12·01	19·55	35·33	28·39	26·86	50	27·3	56·52	13·62	19·55	35·32	28·38	26·53
50	27·3	53·62	12·01	19·56	35·34	28·40	26·87	78	42·6	55·83	13·24	19·57	35·35	28·41	26·63
75	41·0	53·60	12·00	19·56	35·34	28·40	26·87								
Depth, 78 M. = 42·6 F. Fine sand and shell.								Depth, 80 M. = 43·7 F. Shell and Gravel.							

6th February, 1905.								16th May, 1905.							
0	0	49·42	9·68	19·60	35·41	28·46	27·35	0	0	51·58	10·88	19·55	35·32	28·38	27·06
5	2·7	49·87	9·93	19·59	35·39	28·44	27·29	5	2·7	51·51	10·84	19·55	35·32	28·38	27·07
10	5·5	49·87	9·93	19·59	35·39	28·44	27·29	10	5·5	51·44	10·80	19·53	35·28	28·35	27·05
20	10·9	49·87	9·93	19·58	35·37	28·43	27·28	20	10·9	50·20	10·11	19·52	35·26	28·34	27·16
30	16·4	49·87	9·93	19·59	35·39	28·44	27·29	30	16·4	50·18	10·10	19·52	35·26	28·34	27·16
40	21·9	49·87	9·93	19·59	35·39	28·44	27·29	50	27·3	50·18	10·10	19·52	35·26	28·34	27·16
50	27·3	49·87	9·93	19·58	35·37	28·43	27·28	71	38·8	50·18	10·10	19·52	35·26	28·34	27·16
76	41·6	49·87	9·93	19·59	35·39	28·44	27·29								
Depth, 78 M. = 42·6 F. Coarse sand.								Depth, 74 M. = 40·5 F. Sand, shell, and Gravel.							

15th August, 1905.								9th November, 1905.							
0	0	61·11	16·17	19·58	35·37	28·43	26·01	0	0	53·64	12·02	19·58	35·37	28·43	26·90
5	2·7	60·98	16·10	19·57	55·35	28·41	26·01	5	2·7	53·74	12·08	19·56	35·34	28·40	26·84
10	5·5	60·73	15·96	19·56	35·34	28·40	26·04	10	5·5	53·76	12·09	19·56	35·34	28·40	26·84
20	10·9	56·89	13·83	19·56	35·34	28·40	26·50	20	10·9	53·78	12·10	19·55	35·33	28·39	26·84
30	16·4	54·19	12·33	19·57	35·36	28·42	26·83	30	16·4	53·78	12·10	19·55	35·33	28·39	26·84
40	21·9	54·09	12·27	19·58	35·37	28·43	26·85	40	21·9	53·78	12·10	19·55	35·32	28·38	26·83
50	27·3	54·07	12·26	19·58	35·37	28·43	26·85	50	27·3	53·78	12·10	19·55	35·33	28·39	26·84
72	39·4	54·03	12·24	19·58	35·37	28·43	26·85	75	41·0	53·78	12·10	19·55	35·33	28·39	26·84
Depth, 74 M. = 40·5 F. Sand and shell.								Depth, 78 M. = 42·6 F. Coarse sand and fine shell.							

STATION E. 6.

50° 24′ N. Latitude. 6^{c} 05′ W. Longitude.

23rd February, 1904.								29th April, 1904.							
0	0	47·68	8·71	19·51	35·25	28·32	27·37	0	0	48·74	9·30	19·47	35·18	28·27	27·24
5	2·7	47·73	8·74	19·49	35·21	28·30	27·35	5	2·7	48·51	9·17	19·48	35·19	28·28	27·26
10	5·5	47·71	8·73	19·51	35·25	28·32	27·37	10	5·5	48·47	9·15	19·48	35·19	28·28	27·26
15	8·2	47·71	8·73	19·51	35·25	28·32	27·37	20	10·9	48·45	9·14	19·48	35·19	28·28	27·26
20	10·9	47·71	8·73	19·51	35·25	28·32	27·37	30	16·4	48·45	9·14	19·48	35·19	28·28	27·26
30	16·4	47·71	8·73	19·51	35·25	28·32	27·37	40	21·9	48·43	9·13	19·48	35·19	28·28	27·26
40	21·9	47·71	8·73	19·51	35·25	28·32	27·37	50	27·3	48·40	9·11	19·48	35·19	28·28	27·26
50	27·3	47·70	8·72	19·51	35·25	28·32	27·37	87	47·6	48·40	9·11	19·48	35·19	28·28	27·26
85	46·5	47·71	8·73	19·51	35·25	28·32	27·37								
Depth, 85 M. = 46·5 F. Coarse sand and shell.								Depth, 90 M. = 49·2 F. Coarse sand.							

TABLE I.—*continued.*

Depth.		Temperature.		$Cl.‰$	$S.‰$	σ_0	σ_t	Depth.		Temperature.		$Cl.‰$	$S.‰$	σ_0	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 6—*continued.*

50° 24′ N. Latitude. 6° 05′ W. Longitude—*continued.*

16 August, 1904.								3rd November, 1904.							
0	0	61·83	16·57	19·41	35·07	28·18	25·68	0	0	56·16	13·42	19·56	35·34	28·40	26·59
5	2·7	61·88	16·60	19·41	35·07	28·18	25·68	5	2·7	56·03	13·35	19·56	35·34	28·40	26·60
10	5·5	61·65	16·47	19·42	35·08	28·19	25·72	10	5·5	55·89	13·27	19·55	35·33	28·39	26·61
20	10·9	61·66	16·48	19·42	35·09	28·20	25·73	20	10·9	55·83	13·24	19·55	35·33	28·39	26·62
30	16·4	57·60	14·22	19·50	35·23	28·31	26·33	30	16·4	55·80	13·22	19·56	35·34	28·40	26·63
40	21·9	55·58	13·10	19·54	35·31	28·37	26·33	40	21·9	55·80	13·22	19·56	35·34	28·40	26·63
50	27·3	55·11	12·84	19·54	35·30	28·37	26·68	50	27·3	55·80	13·22	19·56	35·34	28·40	26·63
82	44·8	54·50	12·50	19·54	35·31	28·37	26·75	84	45·9	55·80	13·22	19·56	35·34	28·40	26·63
Depth, 85 M. = 46·5 F. Gravel and shell.								Depth, 85 M. = 46·5 F. Gravel and shell.							

5th February, 1905.								15th May, 1905.							
0	0	49·33	9·63	19·58	35·38	28·43	27·33	0	0	51·49	10·83	19·45	35·15	28·24	26·95
5	2·7	49·73	9·85	19·58	35·37	28·43	27·29	5	2·7	51·44	10·80	19·45	35·14	28·24	26·94
10	5·5	49·77	9·87	19·58	35·37	28·43	27·28	10	5·5	51·28	10·71	19·44	35·12	28·22	26·94
20	10·9	49·77	9·87	19·58	35·37	28·43	27·28	20	10·9	50·11	10·06	19·43	35·10	28·21	27·04
30	16·4	49·77	9·87	19·57	35·36	28·42	27·27	30	16·4	50·02	10·01	19·43	35·10	28·21	27·05
40	21·9	49·77	9·87	19·61*	35·43	28·47	27·32	40	21·9	50·00	10·00	19·43	35·10	28·21	27·05
50	27·3	49·73	9·85	19·58	35·37	28·43	27·29	50	27·3	49·96	9·98	19·43	35·10	28·21	27·06
82	44·8	49·73	9·85	19·58	35·37	28·43	27·29	77	42·1	49·95	9·97	19·43	35·10	28·21	27·06
Depth, 82 M. = 44·8 F. Coarse sand.								Depth, 80 M. = 43·7 F. Gravel and shell.							

14th August, 1905.								9th November, 1905.							
0	0	63·01	17·23	19·48	35·19	28·28	25·63	0	0	53·33	11·85	19·57	35·35	28·41	26·91
5	2·7	62·60	17·00	19·48	35·19	28·28	25·68	5	2·7	53·35	11·86	19·56	35·34	28·40	26·90
10	5·5	62·06	16·70	19·48	35·19	28·28	25·75	10	5·5	53·33	11·85	19·56	35·34	28·40	26·90
20	10·9	61·18	16·21	19·48	35·19	28·28	25·87	20	10·9	53·35	11·86	19·57	35·35	28·41	26·91
30	16·4	57·74	14·30	19·51	35·25	28·32	26·33	30	16·4	53·35	11·86	—	—	—	—
40	21·9	55·22	12·90	19·50	35·23	28·31	26·61	40	21·9	53·35	11·86	19·57	35·35	28·41	26·91
50	27·3	53·55	11·97	19·50	35·23	28·31	26·79	50	27·3	53·35	11·86	19·56	35·34	28·40	26·90
87	47·6	53·06	11·70	19·50	35·23	28·31	26·84	84	45·9	53·35	11·86	19·56	35·34	28·40	26·90
Depth, 87 M. = 47·6 F. Gravel and shell.								Depth, 87 M. = 47·6 F. Sand and shell.							

STATION E. 5.

49° 06′ N. Latitude. 6° 32′ W. Longitude.

21st February, 1904.								29th April, 1904.							
0	0	49·24	9·58	19·59	35·40	28·45	27·35	0	0	49·33	9·63	19·55	35·32	28·38	27·28
7·5	4·1	49·23	9·57	19·57	35·35	28·41	27·32	5	2·7	49·28	9·60	19·55	35·32	28·38	27·28
15	8·2	49·23	9·57	19·56	35·34	28·40	27·31	10	5·5	49·28	9·60	19·54	35·30	28·37	27·27
20	10·9	49·23	9·57	19·57	35·35	28·41	27·32	15	8·2	49·28	9·60	19·55	35·32	28·38	27·28
30	16·4	49·23	9·57	19·57	35·35	28·41	27·32	20	10·9	49·23	9·57	19·55	35·32	28·38	27·29
40	21·9	49·23	9·57	—	—	—	—	30	16·4	49·15	9·53	19·55	35·32	28·38	27·29
50	27·3	49·23	9·57	19·58†	35·37	28·43	27·34	40	21·9	49·14	9·52	19·54	35·30	28·37	27·29
75	41·0	49·23	9·57	19·55	35·33	28·39	27·30	50	27·3	49·12	9·51	19·54	35·30	28·37	27·29
127	69·4	49·23	9·57	19·55	35·33	28·39	27·30	75	41·0	49·10	9·50	19·55	35·32	28·38	27·30
								117	64·0	49·10	9·50	19·55	35·32	28·38	27·30
Depth, 130 M. = 71·1 F. Coarse sand and shell.								Depth, 122 M. = 66·7 F. Coarse sand and shell.							

14th August, 1904.								3rd November, 1904.							
0	0	63·81	17·67	19·53	35·29	28·36	25·59	0	0	55·96	13·31	19·52	35·26	28·34	26·55
10	5·5	64·00	17·78	19·52	35·26	28·34	25·55	5	2·7	56·01	13·34	19·51	35·25	28·32	26·53
20	10·9	61·34	16·30	19·52	35·27	28·34	25·91	10	5·5	56·01	13·34	19·51	35·25	28·32	26·53
30	16·4	51·26	10·70	19·58	35·37	28·43	27·14	20	10·9	56·01	13·34	19·51	35·25	28·32	26·53
40	21·9	51·19	10·66	19·58	35·38	28·43	27·16	30	16·4	55·98	13·32	19·51	35·25	28·32	26·53
75	41·0	51·17	10·65	19·59	35·39	28·44	27·16	40	21·9	51·19	10·66	19·53	35·28	28·35	27·07
120	65·6	51·12	10·62	19·59	35·40	28·45	27·18	50	27·3	51·19	10·66	19·52	35·26	28·34	27·06
								80	43·7	51·19	10·66	19·52	35·26	28·34	27·06
								119	65·1	51·19	10·66	19·52	35·26	28·34	27·06
Depth, 126 M. = 68·9 F. Sand.								Depth, 122 M. = 66·7 F. Fine sand and shell.							

* Analysis repeated.

† Analysis somewhat uncertain.

TABLE I.—*continued.*

STATION E. 5—*continued.*

49° 06′ N. Latitude. 6° 32′ W. Longitude—*continued.*

Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t
M.	F.	Fahr.	C.				
5 February, 1905.							
0	0	49·75	9·86	19·56	35·34	28·40	27·26
5	2·7	50·18	10·10	19·56	35·34	28·40	27·22
10	5·5	50·18	10·10	19·56	35·34	28·40	27·22
20	10·9	50·20	10·11	19·56	35·34	28·40	27·22
30	16·4	50·20	10·11	19·56	35·34	28·40	27·22
40	21·9	50·22	10·12	19·56	35·34	28·40	27·21
50	27·3	50·22	10·12	19·57	35·35	28·41	27·22
75	41·0	50·22	10·12	19·56	35·34	28·40	27·21
118	64·5	50·22	10·12	19·56	35·34	28·40	27·21
Depth, 120 M. = 65·6 F. Sand and shell.							
15th May, 1905.							
0	0	52·50	11·39	19·52	35·26	28·34	26·93
5	2·7	52·34	11·30	19·52	35·26	28·34	26·94
10	5·5	52·25	11·25	19·52	35·26	28·34	26·95
20	10·9	51·96	11·09	19·52	35·26	28·34	26·98
30	16·4	49·89	9·94	19·51	35·25	28·32	27·17
40	21·9	49·80	9·89	19·51	35·25	28·32	27·18
50	27·3	49·80	9·89	19·51	35·25	28·32	27·18
75	41·0	49·80	9·89	19·51	35·25	28·32	27·18
122	66·7	49·80	9·89	19·52	35·26	28·34	27·20
Depth, 126 M. = 68·9 F. Sand and shell.							
14th August, 1905.							
0	0	62·38	16·88	19·53	35·28	28·35	25·77
5	2·7	62·38	16·88	19·53	35·28	28·35	25·77
10	5·5	62·37	16·87	19·53	35·28	28·35	25·77
20	10·9	62·15	16·75	19·53	35·28	28·35	25·80
30	16·4	52·70	11·50	19·51	35·25	28·32	26·89
40	21·9	51·01	10·56	19·50	35·23	28·31	27·05
50	27·3	50·99	10·55	19·50	35·23	28·31	27·05
76	41·6	50·99	10·55	19·51	35·25	28·32	27·06
119	65·1	51·01	10·56	19·51	35·25	28·32	27·06
Depth, 123 M. = 67·3 F. Fine sand and shell.							
14th September, 1905.							
0	0	59·49	15·27	19·56	35·34	28·40	26·19
10	5·5	59·58	15·32	19·55	35·32	28·38	26·16
30	16·4	59·56	15·31	19·54	35·30	28·37	26·15
50	27·3	51·33	10·74	19·54	35·30	28·37	27·08
85	46·5	51·30	10·72	19·54	35·30	28·37	27·08
118	64·5	51·30	10·72	19·54	35·30	28·37	27·08
Depth, 120 M. = 65·6 F. Sand and shell.							
8th November, 1905.							
0	0	52·11	11·17	19·56	35·34	28·40	27·03
5	2·7	52·12	11·18	19·54	35·30	28·37	27·00
10	5·5	52·12	11·18	19·55	35·32	28·38	27·01
20	10·9	52·12	11·18	19·55	35·32	28·38	27·01
30	16·4	52·11	11·17	19·55	35·32	28·38	27·01
40	21·9	52·12	11·18	19·55	35·32	28·38	27·01
50	27·3	52·11	11·17	19·55	35·32	28·38	27·01
85	46·5	52·11	11·17	19·56	35·34	28·40	27·03
116	63·4	52·09	11·16	19·56	35·34	28·40	27·03
Depth, 120 M. = 65·6 F. Shell.							
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—

STATION E. 4.

48° 27′ N. Latitude. 6° 35′ W. Longitude.

Depth.		Temperature.		Cl.‰	S.‰	σ_0	σ_t
M.	F.	Fahr.	C.				
20th February, 1904.							
0	0	50·45	10·25	19·64	35·48	28·51	27·30
7·5	4·1	50·45	10·25	19·63	35·46	28·50	27·29
15	8·2	50·45	10·25	19·63	35·46	28·50	27·29
30	16·4	50·45	10·25	19·63	35·46	28·50	27·29
50	27·3	50·45	10·25	19·63	35·46	28·50	27·29
100	54·7	50·45	10·25	19·63	35·46	28·50	27·29
150	82·0	50·45	10·25	19·63	35·46	28·50	27·29
Depth, 153 M. = 86·4 F. Fine grey sand, with black specks.							
28th April, 1904.							
0	0	50·54	10·30	19·60	35·41	28·46	27·24
5	2·7	50·47	10·26	19·58	35·37	28·43	27·22
10	5·5	50·47	10·26	19·58	35·37	28·43	27·22
20	10·9	50·13	10·07	19·59	35·39	28·44	27·26
30	16·4	50·11	10·06	19·60	35·41	28·46	27·28
40	21·9	50·09	10·05	19·59	35·39	28·44	27·27
50	27·3	50·09	10·05	19·59	35·39	28·44	27·27
75	41·0	50·09	10·05	19·59	35·39	28·44	27·27
100	54·7	50·07	10·04	19·59	35·39	28·44	27·27
165	90·2	50·05	10·03	19·60	35·41	28·46	27·29
Depth, 165 M. = 90·2 F. Sand and shell.							

TABLE I.—*continued.*

Depth.		Temperature.		$Cl.^{o}/_{oo}$	$S.^{o}/_{oo}$	σ_o	σ_t	Depth.		Temperature.		$Cl.^{o}/_{oo}$	$S.^{o}/_{oo}$	σ_o	σ_t
M.	F.	Fahr.	C.					M.	F.	Fahr.	C.				

STATION E. 4—*continued.*

48° 27′ N. Latitude. 6° 35′ W. Longitude—*continued.*

13th August, 1904.

0	0	64·17	17·87	19·57	35·35	28·41	25·59
5	2·7	64·36	17·98	19·56	35·34	28·40	25·55
10	5·5	64·09	17·83	19·57	35·35	28·41	25·60
20	10·9	63·28	17·38	19·60	35·41	28·46	25·76
30	16·4	59·05	15·03	19·61	35·43	28·47	26·31
40	21·9	51·57	10·87	19·62	35·44	28·48	27·16
50	27·3	51·49	10·83	19·62	35·44	28·48	27·16
75	41·0	51·48	10·82	19·62	35·45	28·49	27·18
100	54·7	51·48	10·82	19·62	35·45	28·49	27·18
137	74·9	51·49	10·83	19·62	35·45	28·49	27·18

Depth, 142 M. = 77·6 F. Coarse sand and shell.

2nd November, 1904.

0	0	56·57	13·65	19·56	35·34	28·40	26·54
5	2·7	56·59	13·66	19·56	35·34	28·40	26·54
10	5·5	56·59	13·66	19·56	35·34	28·40	26·54
20	10·9	56·59	13·66	19·56	35·34	28·40	26·54
30	16·4	56·59	13·66	19·56	35·34	28·40	26·54
40	21·9	54·59	12·55	19·60	35·41	28·46	26·82
50	27·3	52·75	11·53	19·61	35·43	28·47	27·03
75	41·0	52·72	11·51	19·62	35·44	28·48	27·04
100	54·7	52·61	11·45	19·61	35·43	28·47	27·04
145	79·3	52·59	11·44	19·61	35·43	28·47	27·04

Depth, 148 M. = 80·9 F. Fine sand and shell.

5th February, 1905.

0	0	51·13	10·63	19·62	35·45	28·49	27·38
5	2·7	51·53	10·85	19·62	35·44	28·48	27·34
10	5·5	51·55	10·86	19·62	35·44	28·48	27·34
20	10·9	51·57	10·87	19·63	35·46	28·50	27·35
30	16·4	51·57	10·87	19·62	35·44	28·48	27·33
40	21·9	51·58	10·88	19·61	35·43	28·47	27·32
50	27·3	51·58	10·88	19·62	35·44	28·48	27·33
75	41·0	51·58	10·88	19·63	35·46	28·50	27·35
100	54·7	51·58	10·88	19·62	35·44	28·48	27·33
145	79·3	51·58	10·88	19·62	35·44	28·48	27·33

Depth, 147 M. = 80·4 F. Coarse sand and fine shell.

14th May, 1905.

0	0	53·20	11·78	19·60	35·41	28·46	26·97
5	2·7	53·15	11·75	19·60	35·41	28·46	26·98
10	5·5	52·23	11·24	19·58	35·37	28·43	27·04
20	10·9	51·49	10·83	19·59	35·39	28·44	27·13
30	16·4	51·44	10·80	19·59	35·39	28·44	27·13
40	21·9	50·90	10·50	19·58	35·37	28·43	27·18
50	27·3	50·79	10·44	19·58	35·37	28·43	27·19
85	46·5	50·79	10·44	19·58	35·37	28·43	27·19
142	77·6	50·77	10·43	19·58	35·38	28·43	27·19

Depth, 147 M. = 80·4 F. Gravel and sand.

13th August, 1905.

0	0	62·85	17·14	19·59	35·39	28·44	25·80
5	2·7	62·91	17·17	19·58	35·37	28·43	25·78
10	5·5	62·91	17·17	19·58	35·37	28·43	25·78
20	10·9	62·56	16·98	19·59	35·39	28·44	25·84
30	16·4	61·88	16·60	19·59	35·39	28·44	25·92
40	21·9	58·30	14·61	—	—	—	—
50	27·3	54·50	12·50	19·58	35·37	28·43	26·80
75	41·0	51·80	11·00	19·58	35·37	28·43	27·09
100	54·7	51·78	10·99	19·58	35·37	28·43	27·09
142	77·6	51·80	11·00	19·58	35·37	28·43	27·09

Depth, 146 M. = 79·8 F. Sand and shell.

13th September, 1905.

0	0	60·39	15·77	19·59	35·39	28·44	26·12
10	5·5	60·58	15·88	19·58	35·37	28·43	26·08
30	16·4	57·31	14·06	19·57	35·35	28·41	26·46
50	27·3	52·07	11·15	19·56	35·34	28·40	27·03
90	49·2	51·94	11·08	19·57	35·35	28·41	27·05
130	71·1	51·94	11·08	19·56	35·34	28·40	27·04

Depth, 135 M. = 73·8 F. Shell.

7th November, 1905.

0	0	53·92	12·18	19·66	35·52	28·54	26·97
5	2·7	54·01	12·23	19·64	35·48	28·51	26·93
10	5·5	54·01	12·23	19·64	35·48	28·51	26·93
20	10·9	54·01	12·23	19·64	35·48	28·51	26·93
30	16·4	54·01	12·23	19·64	35·49	28·52	26·94
40	21·9	54·01	12·23	—	—	—	—
50	27·3	54·01	12·23	19·64	35·48	28·51	26·93
90	49·2	54·01	12·23	19·64	35·48	28·51	26·93
124	67·8	54·01	12·23	19·63	35·46	28·50	26·92

Depth, 129 M. = 70·5 F. Sand and shell.

—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—

EXTRA STATION.

47° 46′ N. Latitude. 7° 50′ W. Longitude.

8th November, 1905.

0	0	54·27	12·37	19·69	35·57	28·59	26·98
15	8·2	51·78	10·99	19·67	35·53	28·56	27·21
50	27·3	51·80	11·00	19·67	35·53	28·56	27·21
150	82·0	51·78	10·99	19·68	35·55	28·57	27·22
310	169·5	51·78	10·99	19·71	35·61	28·62	27·27

Depth, 320 M. = 175·0 F. Fine sand.

—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—

TABLE II.

Surface Observations on Hydrographic Cruises.

FEBRUARY, 1904—S.S. *Huxley*.

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature.		Cl. °/₀₀	S. °/₀₀	σ₀	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Feb. 3	11 a.m.	50 16 N.	4 13 W.	47·3	8·5	19·53	35·28	28·35	S. 70 W.	4	6	c. 9	Moderate.	
„ 3	2 p.m.	Sea rising rapidly; altered course for Plymouth.												
„ 4	Noon.	Proceeded to sea; weather rough.												
„ 4	3.15 p.m.	50 02 N.	4 22 W.	48·7	9·3	19·55	35·32	28·38	S. 5 W.	5	8	o.	Moderate	Station 1.
„ 4	9 p.m.	49 55 N.	4 24 W.	49·3	9·6	19·53	35·29	28·36	S. 50 W.	6	10·5	Clear	Rough.	
„ 4	11 p.m.	49 49 N.	4 31 W.	49·3	9·6	19·56	35·34	28·40	S. 50 W.	6	10·5	c. 3	Rough.	
„ 5	1 a.m.	49 45 N.	4 30 W.	49·5	9·7	19·58	35·37	28·43	S. 30 W.	6	10·5	c. 3	Rough.	
„ 5	3.10 a.m.	49 40 N.	4 44 W.	49·6	9·8		Lost.		S. 30 W.	6	10·5	c. 2	Rough.	
„ 5	6 a.m.	49 34 N.	4 50 W.	49·8	9·9	19·59	35·40	28·45	S. 30 W.	4	6	c. 4	Moderate.	
„ 5	9.30 a.m.	Heavy sea; altered course for Plymouth.												
From Feb. 5th to 16th no work was possible owing to continuous bad weather.														
„ 16	7.30 a.m.	Proceeded to sea; heavy south-westerly swell.												
„ 16	10 a.m.	50 11 N.	4 14 W.	46·9	8·3	19·35	34·96	28·09	S. 5 W.	3	4	o.	Moderate.	
„ 16	11.30 a.m.	50 02 N.	4 22 W.	48·1	8·9	19·51	35·25	28·32	S. 15 E.	5	8	o.	Moderate	Station 1. (Second time.)
„ 16	5.45 p.m.	49 54 N.	4 17 W.	48·9	9·4	19·56	35·34	28·40	S. 50 W.	4	6	c. 8	Moderate.	
„ 16	8.55 p.m.	49 47 N.	4 23 W.	48·9	9·4	19·58	35·38	28·43	S. 60 W.	5	8	o.	Moderate.	
„ 17	3.20 a.m.	North-westerly gale and heavy sea; altered course for Falmouth.												
„ 17	6.45 a.m.	49 41 N.	4 53 W.	48·6	9·2	19·53	35·28	28·35	N. 60 W.	7	13	c. 8	Rough.	
„ 17	11.30 a.m.	Anchored in Falmouth Harbour.												
„ 19	7.30 a.m.	Proceeded to sea; fine weather and smooth sea.												
„ 19	9.30 a.m.	49 56 N.	4 47 W.	48·4	9·1	19·53	35·28	28·35	N. 60 W.	1	1	c. 1	Smooth.	
„ 19	11 a.m.	49 41 N.	4 55 W.	48·6	9·2	19·59	35·39	28·44	N. 60 W.	2	2	c. 4	Smooth.	
„ 19	0.30 p.m.	49 31 N.	4 46 W.	49·3	9·6	19·58	35·37	28·43	S. 50 W.	3	4	c. 5	Slight.	
„ 19	1.30 p.m.	49 27 N.	4 42 W.	49·7	9·8	19·64	35·48	28·51	S. 85 W.	3	4	c. 6	Slight	Station 2.
„ 19	6.30 p.m.	49 17 N.	4 48 W.	49·5	9·7	19·62	35·44	28·48	S. 50 W.	3	4	o.	Slight.	
„ 19	8.5 p.m.	49 05 N.	4 58 W.	50·2	10·1	19·70	35·60	28·61	S. 50 W.	3	4	o.	Moderate.	
„ 19	9.50 p.m.	48 53 N.	5 07 W.	50·2	10·1	19·69	35·57	28·59	S. 50 W.	4	6	c. 2	Moderate.	
„ 20	1.15 a.m.	48 44 N.	5 16 W.	50·4	10·2	19·68	35·55	28·57	S. 50 W.	3	4	c. 4	Moderate.	
„ 20	7.35 a.m.	48 34 N.	5 13 W.	50·3	10·1	19·63	35·46	28·50	S. 70 W.	4	6	o.	Rough.	Station 3.
„ 20	1 p.m.	48 27 N.	5 31 W	50·4	10·2	19·68	35·56	28·58	S. 50 W.	4	6	o.	Rough.	
„ 20	3.40 p.m.	48 27 N.	5 50 W.	50·0	10·0	19·64	35·48	28·51	S. 70 W.	3	4	o. p.	Moderate.	
„ 20	5.15 p.m.	48 28 N.	6 04 W.	50·2	10·1	19·65	35·50	28·53	S. 70 W.	3	4	c. 4	Moderate.	
„ 20	7.15 p.m.	48 28 N.	6 19 W.	50·0	10·0	19·64	35·48	28·51	S. 60 W.	3	4	c. 8	Moderate.	
„ 20	10 p.m.	48 27 N.	6 35 W.	50·4	10·2	19·64	35·48	28·51	S. 70 W.	5	8	o.	Rough	Station 4.
„ 21	1.50 a.m.	48 36 N.	6 37 W.	50·0	10·0	19·69	35·57	28·59	S. 60 W.	3	4	o.	Moderate.	
„ 21	3.40 a.m.	48 53 N.	6 37 W.	49·6	9·8	19·60	35·41	28·46	S. 60 W.	4	6	o.	Heavy swell.	
„ 21	5.20 a.m.	49 06 N.	6 32 W.	49·3	9·6	19·59	35·40	28·45	S. 50 W.	4	6	o.	Heavy swell.	Station 5.
„ 21	10.5 a.m.	49 21	6 14	49·1	9·5	19·60	35·41	28·46	S. 50 W.	4	6	o. p.	Moderate.	
„ 21	0.15 p.m.	49 32	6 03	48·7	9·3	19·55	35·32	28·38	S. 30 W.	5	8	o. r.	Moderate.	
„ 21	2.0 p.m.	49 44 N.	5 53 W.	48·0	8·9	19·53	35·29	28·36	S. 70 W.	5	8	o. d.	Rough	Very thick; hove to.
„ 22	8.45 a.m.	Anchored off Newlyn.												
„ 22	6.0 p.m.	Proceeded to sea.												
„ 23	0.15 a.m.	50 24 N.	6 05 W.	47·7	8·7	19·51	35·25	28·32	S. 30 W.	1	1	c. 8 p.	Smooth	Station 6.
„ 23	2.50 a.m.	50 23 N.	5 59 W.	47·7	8·7	19·55	35·32	28·38	S. 5 W.	3	4	o.	Moderate.	
„ 23	3.38 a.m.	50 21 N.	5 51 W.	47·7	8·7	19·52	35·26	28·34	S. 5 W.	3	4	o.	Moderate.	
„ 23	4.14 a.m.	50 20 N.	5 43 W.	47·5	8·6	19·53	35·28	28·35	—	—	—	—	—	
„ 23	7.35 a.m.	50 03 N.	5 46 W.	47·5	8·6	19·53	35·28	28·35	S. 40 E.	3	4	o.	Smooth.	
„ 23	9.20 a.m.	49 53 N.	5 38 W.	47·9	8·8	19·53	35·29	28·36	S. 30 E.	4	4	o. d.	Smooth	Station 7.
23	0.55 p.m.	49 55 N.	5 13 W.	47·5	8·6	19·46	35·16	28·25	S. 30 E.	3	4	o. d.	Moderate.	
„ 23	6.20 p.m.	Anchored in Plymouth Sound.												
„ 25	Noon.	Proceeded to sea.												

TABLE II—*continued.*

FEBRUARY, 1904—S.S. *Huxley—continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature.		Cl. °/₀₀	S. °/₀₀	σ_0	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Feb. 25	3.10 p.m.	50 08 N.	3 47 W.	46·7	8·2	19·38	35·01	28·14	S. 60 E.	1	1	o.	Smooth	Station 20.
„ 25	6.15 p.m.	50 01 N.	3 32 W.	47·7	8·7	19·51	35·25	28·32	S. 60 E.	1	1	o.	Smooth.	
„ 25	7.10 p.m.	49 56 N.	3 23 W.	48·1	8·9	19·56	35·34	28·40	S. 60 E.	2	2	o.	Smooth	Station 19.
„ 25	9.52 p.m.	50 03 N.	3 22 W.	47·5	8·6	19·54	35·31	28·37	S. 60 E.	1	1	o.	Smooth.	
„ 25	11.7 p m.	50 11 N.	3 17 W.	46·8	8·2	19·42	35·09	28·20	S. 60 E.	1	1	o.	Smooth.	
„ 26	0.30 a.m.	50 23 N.	3 08 W.	46·4	8·0	19·43	35·11	28·21	S. 20 W.	3	4	o.	Smooth	Station 18.
„ 26	Noon.	50 30 N.	3 27 W.	47·7	8·7	—	—	—	—	--	—	o. d.	Smooth	Trawling.
„ 26	10 p.m.	50 11 N.	2 52 W.	47·6	8·7	19·55	35·32	28·38	N. 85 E.	5	8	o.	Rough.	Station 17.
„ 27	6 a.m.	50 23 N.	2 28 W.	45·4	7·5	19·33	34·93	28·07	N. 85 E.	3	4	o.	Smooth	Station 16.
„ 27	10.17 p.m.	50 19 N.	2 51 W.	47·1	8·4	19·51	35·25	28·32	Calm			o. m.	Smooth.	
„ 27	11.40 p.m.	50 07 N.	2 49 W.	47·7	8·7	19·57	35·35	28·41	Calm			o. m.	Smooth.	
„ 28	1.5 am.	49 56 N.	2 47 W.	48·0	8·9	19·60	35·42	28·46	Calm			o.	Smooth.	
„ 28	4 a.m.	49 49 N.	2 33 W.	47·1	8·4	19·55	35·32	28·38	N. 60 E.	2	2	o.	Smooth	Station 10.
„ 28	7.30 a.m.	49 59 N.	2 09 W.	47·3	8·5	19·61	35·43	28·47	N. 70 E.	2	2	o.	Smooth.	
„ 28	9.50 a.m.	50 05 N.	1 58 W.	47·4	8·6	19·57	35·35	28·41	N. 60 E.	3	4	o.	Smooth	Station 11.
„ 28	2.15 p.m.	49 59 N.	1 39 W.	46·0	7·8	19·53	35·28	28·35	N. 70 E.	5	8	c. 8	Moderate.	
„ 28	5 p.m.	49 55 N.	1 09 W.	45·5	7·5	19·43	35·10	28·21	N. 60 E.	3	4	c. 5	Slight	Station 12.
„ 28	7.30 p.m.	50 00 N.	1 11 W.	46·2	7·9	19·54	35·30	28·37	N. 60 E.	3	4	c. 8	Moderate.	
„ 28	8.20 p.m.	50 06 N.	1 12 W.	47·1	8·4	19·55	35·32	28·38	N. 85 E.	4	6	c. 8	Moderate	Bottom Salinity 35·00.
„ 28	9.50 p.m.	50 12 N.	1 14 W.	46·8	8·2	19·57	35·35	28·41	N. 85 E.	4	6	c. 8	Rising.	
„ 28	10.30 p.m.	50 20 N.	1 15 W.	43·8	6·5	19·38	35·01	28·14	N. 70 E.	4	6	c. 8	Moderate	Station 13.
„ 29	7 a.m.	50 33 N.	1 17 W.	43·1	6·2	19·06	34·43	27·67	N. 50 E.	1	1	—	Slight	Station 14.
„ 29	10.10 a.m.	50 31 N.	0 56 W.	42·4	5·8	19·02	34·36	27·61	N. 50 E.	4	6	c. 1	Slight.	
„ 29	0.5 p.m.	50 27 N.	0 40 W.	44·2	6·8	19·41	35·07	28·18	S. 70 E.	2	2	o. snow	Smooth.	
„ 29	2.30 p.m.	50 21 N.	0 19 W.	45·8	7·7	19·54	35·30	28·37	N. 70 E.	1	1	c. 9	Smooth	Station 21.
„ 29	5.45 p.m.	50 10 N.	0 18 W.	46·4	8·0	19·57	35·36	28·42	N. 30 E.	1	1	c. 8	Smooth.	
„ 29	6.50 p.m.	50 00 N.	0 21 W.	46·4	8·0	19·57	35·35	28·41	N. 70 E.	1	1	o.	Smooth	Station 24.
„ 29	9.20 p.m.	50 07 N.	0 08 W.	43·9	6·6	19·57	35·35	28·41	N. 70 E.	1	1	o.	Smooth.	
„ 29	10.45 p.m.	50 12 N.	0 01 E.	41·9	5·5	—	—	—	N. 70 E.	1	1	o.	Smooth.	

MARCH, 1904—S.S. *Huxley.*

Mar. 1	0.15 a.m.	50 18 N.	0 09 E.	46·0	7·8	19·58	35·37	28·43	N. 70 E.	1	1	o.	Smooth.	
„ 1	1.35 a.m.	50 24 N.	0 17 E.	45·9	7·7	19·58	35·37	28·43	—	—	—	o.	Smooth.	
„ 1	3.50 a.m	50 33 N.	0 36 E.	45·6	7·5	19·62	35·44	28·48	N. 70 E.	1	1	m.	Smooth	Station 22.
„ 1	10.20 a.m.	50 56 N.	1 17 E.	44·2	6·8	19·57	35·35	28·41	Calm.			c. 5	Smooth.	

Observations on Stations were made by D. J. Matthews; surface observations between the station by D. J. Matthews, G. H. Grosvenor, B.A., and J. Carter.

APRIL, 1904—S.S. *Huxley.*

April 27	1.45 p.m.	50 10 N.	4 15 W.	49·3	9·6	19·47	35·18	28·27	—	—	—	—	Smooth.	
„ 27	3.15 p.m.	50 02 N.	4 22 W.	49·9	9·9	19·58	35·37	28·43	N. 40 W.	2	2	c. 5	Smooth	Station 1.
„ 27	7.20 p.m.	49 49 N.	4 23 W.	49·6	9·8	19·59	35·39	28·44	S. 85 W.	2	2	c. 1	Smooth.	
„ 27	9.10 p.m.	49 37 N.	4 32 W.	49·8	9·9	19·58	35·37	28·43	S. 85 W.	4	6	0	Slight.	
„ 27	10.40 p.m.	49 27 N.	4 42 W.	49·8	9·9	19·56	35·34	28·40	N. 60 W.	1	1	0	Smooth	Station 2.
„ 28	3.5 a.m.	49 13 N.	4 50 W.	50·2	10·1	19·50	35·23	28·31	—	—	—	o.	Slight.	
„ 28	4.30 a.m.	49 01 N.	4 59 W.	50·2	10·1	19·50	35·23	28·31	N. 60 W.	2	2	o.	Smooth.	
„ 28	6 a.m.	48 48 N.	5 07 W.	50·4	10·2	19·53	35·28	28·35	N. 60 W.	3	4	o.	Slight.	
28	7.40 a.m.	48 34 N.	5 13 W.	50·5	10·3	19·57	35·35	28·41	S. 70 W.	2	2	o.	Smooth	Station 3.
„ 28	11.47 a.m.	48 31 N.	5 35 W.	49·8	9·9	19·55	35·32	28·38	S. 60 W.	2	2	c. 9	Smooth.	
„ 28	1.30 p.m.	48 29 N.	5 58 W.	49·8	9·9	19·56	35·34	28·40	S. 60 W.	2	2	c. 8	Smooth.	

TABLE II—*continued.*

APRIL, 1904—S.S. *Huxley—continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.* ‰	*S.* ‰	σ_0	Wind. Direction (True).	Wind. Force. B.	Wind. Force. m/s.	Sky.	Sea.	Remarks.
		° ′	° ′						°					
April 28	3.20 p.m.	48 28 N.	6 20 W.	50·4	10·2	19·55	35·32	28·38	S. 60 W.	2	2	o.	Slight.	
„ 28	4.53 p.m.	48 27 N.	6 35 W.	50·5	10·3	19·60	35·41	28·46	S. 60 W.	2	2	o. d.	Slight	Station 4.
„ 28	9.30 p.m.	48 38 N.	6 32 W.	49·6	9·8	19·54	35·30	28·37	—	—	—	—	—	
„ 28	10.50 p.m.	48 51 N.	6 32 W.	49·6	9·8	19·55	35·32	28·38	—	—	—	—	—	
„ 29	0.30 a.m.	49 06 N.	6 32 W.	49·3	9·6	19·55	35·32	28·38	S. 30 W.	4	6	o.	Moderate	Station 5.
„ 29	4.30 a.m.	49 22 N.	6 18 W.	49·5	9·7	19·56	35·34	28·40	—	—	—	—	—	
„ 29	6.15 a.m.	49 35 N.	6 09 W	49·5	9·7	19·53	35·23	28·35	—	—	—	o.	—	
„ 29	7.50 a.m.	49 46 N.	6 00 W.	48·9	9·4	19·52	35·26	28·34	—	—	—	o.	—	
„ 29	2.30 p.m.	50 24 N.	6 05 W.	48·7	9·3	19·47	35·18	28·27	S. 30 W.	3	4	o. f. d.	Moderate	Station 6.
„ 29	10 p.m.	50 17 N.	5 53 W.	49·1	9·5	19·49	35·21	28·30	—	—	—	f.	—	
„ 30	—	50 03 N.	5 46 W.	—	—	19·35	34·96	28·09	—	—	—	f.	—	Position doubtful: land not seen.
„ 30	6 a.m.	49 53 N.	5 38 W.	49·1	9·5	19·49	35·21	28·30	—	—	—	o.	Slight	Station 7.
„ 30	10.30 a.m.	49 56 N.	5 12 W.	48·9	9·4	19·42	35·08	28·19	—	—	—	—	—	
„ 30	1.45 p.m.	50 09 N.	4 41 W.	49·5	9·7	19·39	35·03	28·15	N. 75 W.	1	1	o.	Smooth.	
						Put into Plymouth.								

MAY, 1904—S.S. *Huxley.*

May 3	4 a.m.					Proceeded to sea.								
„ 3	7.12 a.m.	50 08 N.	3 47 W.	49·3	9·6	19·51	35·25	28·32	S. 70 W.	1	1	c. 9	Smooth	Station 20.
„ 3	9.21 a.m.	50 02 N.	3 35 W.	49·8	9·9	19·58	35·37	28·43	S. 70 W.	1	1	c. 5	Smooth.	
„ 3	10.24 a.m.	49 56 N.	3 23 W.	50·0	10·0	19·55	35·32	28·38	S. 85 W.	2	2	c. 8	Smooth	Station 19.
„ 3	1.23 p.m.	49 47 N.	3 30 W.	49·3	9·6	19·49	35·21	28·30	—	—	—	—	—	
„ 3	2.30 p.m.	49 37 N.	3 35 W.	49·3	9·6	19·57	35·35	28·41	—	—	—	—	—	
„ 3	5 p.m.	49 16 N.	3 37 W.	50·3	10·2	19·42	35·08	28·19	S. 70 W.	2	2	o. d.	Smooth	Station 8.
„ 3	7.5 p.m.	49 24 N.	3 28 W.	50·0	10·0	19·43	35·10	28·21	—	—	—	o. d.	Smooth.	
„ 3	8.3 p.m.	49 32 N.	3 19 W.	48·7	9·3	19·42	35·08	28·19	—	—	—	—	Slight.	
„ 3	8.55 p.m.	49 39 N.	3 09 W.	48·9	9·4	19·45	35·14	28·24	S. 70 W.	1	1	o. d.	Slight	Station 9.
„ 3	11.35 p.m.	49 45 N.	2 53 W.	48·9	9·4	19·49	35·21	28·30	—	—	—	o.	Smooth.	
„ 4	0.55 a.m.	49 49 N.	2 33 W.	48·9	9·4	19·50	35·24	28·31	N. 40 W.	1	1	c. 3	Smooth	Station 10.
„ 4	4.10 a.m.	50 00 N.	2 43 W.	49·1	9·5	19·54	35·31	28·37	—	—	—	—	—	
„ 4	5.40 a.m.	50 11 N.	2 52 W.	49·1	9·5	19·51	35·25	28·32	N. 20 W.	2	2	b	Smooth	Station 17.
„ 4	8.30 a.m.	50 17 N.	3 01 W.	48·6	9·2	19·43	35·10	28·21	—	—	—	—	—	
„ 4	8.45 a.m.	50 23 N.	3 08 W.	48·7	9·3	19·43	35·10	28·21	N. 20 W.	1	1	b.	Smooth	Station 18.
„ 4	11.10 a.m.	50 24 N.	2 47 W.	50·4	10·2	19·45	35·14	28·24	—	—	—	c. 5	Smooth	Very distinct solar halo.
„ 4	0.10 p.m.	50 23 N.	2 28 W.	49·3	9·6	19·38	35·01	28·14	N. 20 W.	1	1	Light cloud.	Smooth	Station 16. „
„ 4	4.30 p.m.	50 27 N.	1 50 W.	48·7	9·3	19·42	35·09	28·20	S. 30 W.	3	4	Light cloud.	Smooth	Station 15.
„ 4	6.35 p.m.	50 17 N.	1 55 W.	48·9	9·4	19·55	35·32	28·38	—	—	—	—	Smooth.	
„ 4	7.50 p.m.	50 05 N.	1 58 W.	49·1	9·5	19·48	35·19	28·28	Calm			o.	Smooth	Station 11.
„ 4	10.40 p.m.	49 58 N.	1 27 W.	48·9	9·4	19·47	35·17	28·27	—	—	—	—	—	
„ 4	11.45 p.m.	49 55 N.	1 09 W.	48·8	9·4	19·28	34·83	27·99	S. 20 E.	1	1	o.	Smooth	Station 12.
„ 5	2.5 a.m.	50 03 N.	1 07 W.	48·7	9·3	19·37	35·00	28·13	—	—	—	c. 8	Smooth.	
„ 5	3.3 a.m.	50 11 N.	1 11 W.	48·7	9·3	19·50	35·23	28·31	—	—	—	—	Smooth.	
„ 5	4.5 a.m.	50 20 N.	1 15 W.	47·8	8·8	19·24	34·76	27·93	S. 30 W.	3	4	c. 4	Smooth	Station 13.
„ 5	6.0 a.m.	50 26 N.	1 15 W.	48·7	9·3	19·06	34·43	27·67	—	—	—	—	—	
„ 5	7.7 a.m.	50 33 N.	1 17 W.	49·2	9·6	19·08	34·47	27·70	S. 20 E.	2	2	c. 3	Smooth	Station 14.
„ 4	9.20 a.m.	50 30 N.	1 00 W.	48·7	9·3	19·27	34·82	27·98	—	—	—	—	—	
„ 4	10.50 a.m.	50 25 N.	0 42 W.	48·6	9·2	19·44	35·12	28·22	—	—	—	—	—	
„ 4	Noon	50 21 N.	0 19 W.	49·1	9·5	19·52	35·26	28·34	S. 20 E.	1	1	c. 2	Smooth	Station 21.
„ 4	2.10 p.m.	50 10 N.	0 20 W.	49·1	9·5	19·48	35·19	28·28	—	—	—	—	—	
„ 4	3.15 p.m.	50 00 N.	0 21 W.	48·7	9·3	19·38	35·01	28·14	S. 20 E.	1	1	c. 5	Smooth	Station 24.
„ 4	5.10 p.m.	50 06 N.	0 09 W.	48·9	9·4	19·42	35·08	28·19	—	—	—	—	—	

TABLE II—*continued.*

MAY, 1904—S.S. *Huxley—continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl. ‰	S. ‰	σ_0	Wind. Direction (True).	Wind. Force. B.	Wind. Force. m/s.	Sky.	Sea.	Remarks.
		° ′	° ′						°					
May 4	6.25 p.m.	50 13 N.	0 02 E.	48·7	9·3	19·44	35·12	28·22	—	—	—	—	Smooth.	
„ 4	7.28 p.m.	50 20 N.	0 14 E.	48·7	9·3	19·47	35·17	28·27	—	—	—	o.	Smooth.	
„ 4	8.42 p.m.	50 27 N.	0 25 E.	48·9	9·4	19·52	35·26	28·34	—	—	—	—	—	
„ 4	9.50 p.m.	50 33 N.	0 36 E.	49·3	9·6	19·52	35·27	28·34	S. 50 W.	2	2	c. 8	Smooth	Station 22.
„ 6	2.30 a.m.	50 56 N.	1 19 E.	48·4	9·1	19·51	35·25	28·32	—	—	—	—	—	
„ 6	4.20 a.m.	51 14 N.	1 39 E.	48·2	9·0	19·43	35·10	28·21	—	—	—	Heavy rain.	Smooth.	

Observations on stations were made by D. J. Matthews; surface observations between stations by D. J. Matthews and S. Pace.

AUGUST, 1904—S.S. *Oithona.*

Aug. 2	7.35 p.m.	50 10¾ N.	4 14 W.	61·9	16·6	19·42	35·08	28·19	S. 20 E.	1	1	b.	Smooth.	
„ 2	9.4 p.m.	50 02 N.	4 08 W.	62·8	17·1	19·43	35·10	28·21	S. 20 E.	1	1	b.	Smooth.	
„ 2	10.40 p.m.	49 54 N.	4 00 W.	61·2	16·2	19·47	35·17	28·27	S. 20 E.	1	1	b.	Smooth.	
„ 2	Midnight	49 45 N.	3 53 W.	62·8	17·1	19·48	35·19	28·28	Calm			b.	Smooth.	
„ 3	1.27 a.m.	49 37 N.	3 47 W.	62·4	16·9	19·48	35·20	28·29	Calm			b.	Smooth.	
„ 3	2.53 a.m.	49 27 N.	3 42 W.	59·4	15·2	19·56	35·34	28·40	Calm			b.	Smooth.	
„ 3	3.50 a.m.	49 20 N.	3 41 W.	59·2	15·1	19·55	35·32	28·38	S. 85 E.	1	1	b.	Smooth	Station 8; owing to an error in the patent log the station was worked about 5 miles N., 28° W. from the correct position.
„ 3	8.15 a.m.	49 31 N.	3 26 W.	61·0	16·1	19·49	35·21	28·30	Calm			b.	Smooth.	
„ 3	11.35 a.m.	49 43 N.	3 11 W.	62·6	16·9	19·38	35·01	28·14	Calm			c. 3	Smooth	Station 9; 4 miles N. 28° W. of correct position.
„ 3	2.42 p.m.	49 53 N.	3 20 W.	64·4	18·0	19·40	35·06	28·17	N. 70 E.	1	1	c. 6	Smooth.	
„ 3	3.35 p.m.	50 01 N.	3 26 W.	62·7	17·1	19·42	35·08	28·19	N. 70 E.	1	1	c. 3	Smooth	Station 19; miles N. 17° W. of correct position
„ 3	7.15 p.m.	50 08 N.	3 47 W.	62·3	16·8	19·42	35·08	28·19	S. 30 E.	1	1	c. 8	Smooth	Station 20.
„ 3	Patent log working badly; put into Dartmouth to obtain a new one.													
„ 4	11.30 a.m.	Proceeded to sea.												
„ 4	1.5 p.m.	50 22 N.	3 19 W.	65·1	18·4	19·34	34·95	28·08	S. 20 E.	2	2	c. 4	Slight.	
„ 4	2.15 p.m.	50 23 N.	3 08 W.	63·3	17·4	19·43	35·11	28·21	S. 20 E.	2	2	c. 3	Slight	Station 18.
„ 4	4.24 p.m.	50 17 N.	3 00 W.	64·6	18·1	19·38	35·02	28·14	S. 20 E.	3	3	c. 9	Slight.	
„ 4	5.40 p.m.	50 11 N.	2 52 W.	60·9	16·1	19·45	35·14	28·24	S. 20 E.	1	1	c. 8	Smooth	Station 17.
„ 4	8.20 p.m.	50 17 N.	2 38 W.	59·5	15·3	19·47	35·17	28·27	S. 20 E,	1	1	c. 8	Smooth.	
„ 4	10.15 p.m.	50 23 N.	2 28 W.	61·5	16·4	19·39	35·04	28·15	S. 5 E.	1	1	o.	Smooth	Station 16.
„ 5	1.13 a.m.	50 11 N.	2 28 W.	58·6	14·8	19·46	35·16	28·25	S. 40 W.	1	1	o.	Smooth	Heavy rain squall at midnight.
„ 5	2.25 a.m.	50 03 N.	2 29 W.	57·7	14·3	19·49	35·21	28·30	S. 40 W.	1	1	o.	Smooth.	
„ 5	9.10 a.m.	49 49 N.	2 33 W.	59·4	15·2	19·38	35·02	28·14	S. 40 W.	4	6	c. 1	Slight	Station 10.
„ 5	0.40 p.m.	49 58 N.	2 45 W.	58·6	14·8	19·48	35·20	28·29	S. 70 W.	3	4	b.	Slight swell.	
„ 5	2.30 p.m.	50 06 N.	2 58 W.	60·6	15·9	19·45	35·14	28·24	S. 70 W.	4	6	c. 8	Moderate.	
„ 5	4.25 p.m.	50 13 N.	3 12 W.	61·7	16·5	19·42	35·08	28·19	S. 50 W.	4	6	b.	Moderate	
Put into Dartmouth for repairs.														
„ 7	9.20 a.m.	Proceeded to sea.												
„ 7	6.40 p.m.	50 05 N,	1 58 W.	59·4	15·2	19·42	35·09	28·20	S. 5 W.	1	1	o.	Smooth	Station 11.
„ 7	10.50 p.m.	49 55 N.	1 36 W.	60·3	15·7	19·37	34·99	28·12	Calm			o.	Smooth.	
„ 8	2.10 a.m.	49 55 N.	1 09 W.	60·7	15·9	19·24	34·77	27·94	N. 30 E.	1	1	o. d.	Smooth	Station 12.
„ 8	4.40 a.m.	50 03 N.	1 13 W.	60·6	15·9	19·26	34·80	28·97	N. 40 E.	1	1	o.	Smooth.	
„ 8	5.20 a.m.	50 13 N.	1 14 W.	59·7	15·4	19·36	34·97	28·11	N. 40 E.	1	1	c. 5	Smooth.	
„ 8	7.20 a.m.	50 20 N.	1 15 W.	59·9	15·5	19·41	35·07	28·18	N. 70 E.	1	1	c. 2	Smooth	Station 13.
„ 8	11.25 a.m.	50 33 N.	1 17 W.	64·3	17·9	19·22	34·72	27·90	S. 30 W.	1	1	c. 3	Smooth	Station 14.
„ 8	2.9 p.m.	50 30 N.	1 06 W.	64·9	18·3	19·21	34·71	27·89	—	—	—	—	—	
„ 8	3.30 p.m.	50 27 N.	0 50 W.	63·3	17·4	19·35	34·96	28·09	S. 30 W.	1	1	c. 1	Smooth.	
„ 8	4.45 p.m.	50 24 N.	0 35 W.	62·1	16·7	19·40	35·06	28·17	—	—	—	—	—	

TABLE II—*continued.*

AUGUST, 1904—S.S. *Oithona—continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature.		Cl. °/₀₀	S. °/₀₀	σ_0	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Aug. 8	6.10 p.m.	50 21 N.	0 19 W.	61·5	16·4	19·40	35·05	28·16	N. 70 W.	1	1	c. 2	Smooth	Station 21.
„ 8	8.23 p.m.	50 11 N.	0 20 W.	60·3	15·7	19·28	34·83	27·99	S. 30 W.	1	1	b.	Smooth.	
„ 8	10.25 p.m.	50 00 N.	0 21 W.	60·7	15·9	19·19	34·68	27·86	S. 50 W.	0-1	0-1	b.	Smooth	Station 24.
„ 9	1.10 a.m.	50 06 N.	0 13 W	60·6	15·9	19·21	34·70	27·89	N. 15 E.	1	1	b.	Smooth.	
„ 9	2.35 a.m.	50 13 N.	0 02 W.	61·0	16·1	19·25	34·78	27·95	Calm.			b.	Smooth.	
„ 9	4 a.m.	50 20 N.	0 11 E.	60·4	15·8	19·32	34·91	28·05	N. 50 E.	0-1	0-1	c. 5	Smooth.	
„ 9	5·25 a.m.	50 27 N.	0 25 E.	60·4	15·8	19·40	35·06	28·17	N. 50 E.	0-1	0-1	b.	Smooth.	
„ 9	8.30 a.m.	50 41 N.	0 22 E.	61·5	16·4	19·37	34·99	28·12	—	—	—	—	—	
„ 9	10.20 a.m.	50 33 N.	0 36 E.	62·5	16·9	19·40	35·05	28·16	N. 20 W.	1	1	b.	Smooth	Station 22.
„ 9	0.38 p.m.	50 26 N.	0 38 E.	63·9	17·7	19·39	35·04	28·15	S.	0·1	0·1	c. 1	Smooth	Large solar halo.
„ 9	1.53 p.m.	50 17 N.	0 41 E.	65·3	18·5	19·35	34·96	28·09	S. 20 E.	1	1	b.	Smooth	Large solar halo.
„ 9	3 p.m.	50 10 N.	0 46 E.	65·5	18·6	19·29	34·86	28·01	S. 5 E.	1	1	b.	Smooth.	
„ 9	4.9 p.m.	50 03 N.	0 53 E.	63·4	19·1	19·14	34·58	27·79	N. 60 W.	2	2	b.	Smooth.	
„ 9	5.35 p.m.	50 03 N.	0 39 E.	64·9	18·3	19·20	34·69	27·87	N. 60 W.	2	2	m.	Smooth.	
„ 9	7 p.m.	50 04 N.	0 26 E.	61·7	16·5	19·25	34·78	27·95	N. 60 W.	2	2	m.	Smooth.	
„ 9	8.28 p.m.	50 05 N.	0 13 E.	61·2	16·2	19·21	34·70	27·89	N. 60 W.	2	2	b.	Smooth.	
„ 9	9.55 p.m.	50 05 N.	0 03 W.	60·6	15·9	19·23	34·75	27·92	N. 60 W.	2	2	b.	Smooth.	
„ 9	11.25 p.m	50 05 N.	0 18 W.	60·3	15·7	19·25	34·78	27·95	N. 60 W.	1	1	b.	Smooth.	
„ 10	0.40 a.m.	50 05 N.	0 39 W.	60·1	15·6	19·31	34·88	28·03	N. 60 W.	1	1	b; m.	Smooth.	
„ 10	2.5 a.m.	50 05 N.	0 55 W	59·7	15·4	19·37	34·99	28·12	N. 60 W.	1	1	b.	Smooth.	
„ 10	7.15 p.m.	49 56 N.	3 23 W.	61·6	16·4	19·40	35·05	28·16	N. 60 W.	3	4	o.	Slight	Station 19; second time.
Put into Plymouth.														
„ 12	5.45 a.m.	Proceeded to Sea.												
„ 12	7.30 a.m.	50 11 N.	4 14 W.	59·9	15·5	19·39	35·03	28·15	—	—	—	—	—	
„ 12	9.14 a.m.	50 02 N.	4 22 W.	62·5	16·9	19·40	35·05	28·16	S. 75 W.	3	4	c. 1	Smooth	Station 1.
„ 12	0.50 p.m.	49 53 N.	4 29 W.	61·3	16·3	19·45	35·14	28·24	S. 70 W.	2	2	b.	Slight swell.	
„ 12	1.59 p.m.	49 44 N.	4 35 W.	63·5	17·5	19·45	35·15	28·24	S. 75 W.	3	4	b.	Slight.	
„ 12	3.23 p.m.	49 36 N.	4 39 W.	63·9	17·7	19·49	35·21	28·30	S. 75 W.	3	4	c.	Slight.	
„ 12	4·47 p.m.	49 27 N.	4 42 W.	63·7	17·6	19·52	35·26	28·34	N. 60 W.	1	1	b.	Smooth	Station 2.
„ 12	7.45 p.m.	49 16 N.	4 46 W.	63·0	17·2	19·52	35·26	28·34	S. 70 W.	0-1	0-1	b.	Dead smooth.	
„ 12	9.54 p.m.	49 05 N.	4 53 W.	62·4	16·9	19·55	35·32	28·38	Calm.			b.	Dead smooth.	
„ 12	11.6 p.m.	48 56 N.	4 58 W.	61·9	16·6	19·57	35·35	28·41	Calm.			b.	Dead smooth.	Much phosphorescence.
„ 13	1.3 a.m.	48 44 N.	5 06 W.	63·0	17·2	19·59	35·39	28·44	Calm.			b.	Smooth.	
„ 13	3.27 a.m.	48 34 N.	5 13 W.	55·9	13·3	19·59	35·40	28·45	S. 30 E.	1	1	b.	Dead smooth.	Station 3.
„ 13	8.5 a.m.	48 35 N.	5 31 W.	62·6	17·0	19·59	35·39	28·44	S. 30 E.	1	1	b.	Smooth.	
„ 13	10.4 a.m.	48 31 N.	5 46 W.	64·4	18·0	19·52	35·27	28·34	S. 30 E.	1	1	c. 2	Smooth.	
„ 13	11.30 a.m.	48 29 N.	6 04 W.	64·9	18·3	19·49	35·21	28·30	S. 20 E.	1	1	c. 1	Smooth.	
„ 13	1 p.m.	48 28 N.	6 21 W.	64·9	18·3	19·54	35·31	28·37	S. 30 W.	3	4	d.	Slight.	
„ 13	4.15 p.m.	48 27 N.	6 35 W.	64·2	17·9	19·57	35·35	28·41	S. 20 W.	3	4	b. m.	Slight	Station 4.
„ 13	8.12 p.m.	48 38 N.	6 13 W.	64·4	18·0	19·52	35·26	28·34	S. 30 W.	3	4	b.	Slight.	
„ 13	10.40 p.m.	48 49 N.	6 21 W.	64·0	17·8	19·54	35·31	28·37	—	—	—	—	—	
„ 14	1.50 a.m.	49 06 N.	6 32 W.	63·8	17·7	19·53	35·29	28·36	S. 70 W.	5	8	b.	Rough	Station 5.
„ 14	5.55 a.m.	49 24 N.	6 21 W.	62·8	17·1	19·55	35·33	28·39	S. 30 W.	2	2	b.	Smooth.	
„ 14	8.5 a.m.	49 38 N.	6 07 W.	62·1	16·7	19·51	35·25	28·32	S. 50 W.	4	6	o. r.	Rough.	
„ 14	10 a.m.	49 46 N.	5 57 W.	62·1	16·7	19·52	35·26	28·34	S. 30 W.	6	10·5	o. r.	Rough.	
Put into Newlyn for shelter.														
„ 16	6.25 a.m.	Proceeded to Sea.												
„ 16	0.50 p.m.	50 24 N.	6 05 W.	61·8	16·6	19·41	35·07	28·18	S. 5 W.	2	2	o.	Slight	Station 6.
„ 16	3.40 p.m.	50 13 N.	6 00 W.	58·1	14·5	19·52	35·26	28·34	S. 40 E.	1	1	o. d.	Slight.	
„ 16	5.10 p.m.	50 05 N.	5 52 W.	56·8	13·8	19·52	35·26	28·24	S. 5 W.	1	1	o. d.	Slight.	
„ 16	7.50 p.m.	49 56 N.	5 48 W.	59·4	15·2	19·50	35·24	28·31	S. 30 W.	2	2	o. r.	Slight.	
„ 16	9.45 p.m.	49 53 N.	5 38 W.	60·9	16·1	19·51	35·25	28·32	S. 20 E.	2	2	o. p.	Smooth.	Station 7.

Observations on stations were made by D. J. Matthews: surface observations between stations by D. J. M., E. J. Allen, D. Sc., and Charles Martin, B.A.

TABLE II—*continued.*

OCTOBER, 1904—S.S. *Huxley.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature.		Cl. ‰	S. ‰	σ_0	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Oct. 31	4.31 p.m.	50 12½ N.	4 13 W.	57·6	14·2	19·51	35·25	28·32	N. 50 E.	1	1	o.	Smooth.	
„ 31	6 p.m.	50 02 N.	4 22 W.	57·1	13·9	19·55	35·32	28·38	N. 80 E.	2	2	o.	Slight	Station 1.
„ 31	9.30 p.m.	49 51 N	4 31 W.	56·5	13·6	19·55	35·32	28·38	N. 50 E.	1	1	o.	Smooth.	
„ 31	11.10 p.m	49 40 N.	4 38 W.	56·5	13·6	19·54	35·31	28·37	—	—	—	—	—	

NOVEMBER, 1904—S.S. *Huxley.*

Nov. 1	10.15 p.m.	49 27 N.	4 42 W.	56·3	13·5	19·59	35·39	28·44	N. 50 E.	4	6	o.	Slight	Station 2.
„ 2	1.41 a.m.	49 15 N.	4 51 W.	55·4	13·0	19·59	35·40	28·45	N. 80 E.	1	1	o.	Smooth.	
„ 2	3.13 a.m.	49 02 N.	4 59 W.	55·6	13·1	19·62	35·44	28·48	N. 50 E.	2	2	o.	Smooth.	
„ 2	4.58 a.m.	48 49 N.	5 08 W.	56·7	13·7	19·62	35·44	28·48	N. 50 E.	2	2	o.	Smooth.	
„ 2	7.5 a.m.	48 34 N.	5 13 W.	55·5	13·1	19·63	35·46	28·50	N. 60 E.	1	1	o.	Slight	Station 3.
„ 2	11.15 a.m.	48 34 N.	5 28 W.	54·0	12·2	19·58	35·37	28·43	N. 75 E.	3	4	o.	Slight.	
„ 2	0.50 p.m.	48 32 N.	5 47 W.	53·8	12·1	19·56	35 34	28·40	N. 60 E.	1	1	o.	Smooth.	
„ 2	2.21 p.m.	48 29 N.	6 09 W.	56·3	13·5	19·56	35·34	28·40	N. 60 E.	1	1	o.	Smooth.	
„ 2	4.50 p.m.	48 27 N.	6 35 W.	56·6	13·6	19·56	35·34	28·40	N. 60 E.	2	2	o.	Smooth	Station 4.
„ 2	7.55 p.m.	48 36 N.	6 36 W.	—	—	—	—	—	N. 10 E.	2	2	o.	Smooth.	
„ 2	9.8 p.m.	48 47 N.	6 36 W.	56·5	13·6	19·55	35·32	28·38	N. 10 E.	3	4	o.	Smooth.	
„ 2	10.30 p.m.	48 58 N.	6 35 W.	56·3	13·5	19·54	35·30	28·37	N. 10 E.	3	4	o.	Slight.	
„ 3	0.12 a.m.	49 06 N.	6 32 W.	55·9	13·3	19·52	35·26	28·34	N. 50 E.	2	2	o.	Smooth	Station 5.
„ 3	4.55 a.m.	49 20 N.	6 21 W.	55·2	12·9	19·52	35·26	28·34	N. 70 E.	3	4	o.	Smooth.	
„ 3	6.45 a.m.	49 33 N.	6 14 W.	54·5	12·5	19·60	35·41	28·46	Calm.			o.	Smooth.	
„ 3	8.15 a.m.	49 48 N.	6 03 W.	55·2	12·9	19·59	35·39	28·44	N. 70 E.	1	1	o.	Smooth.	
„ 3	9.43 a.m.	49 59 N.	5 54 W.	55·9	13·3	19·57	35·35	28·41	N. 30 E.	1	1	c. 5	Smooth.	
„ 3	10.32 a.m.	50 03 N.	5 56 W,	56·3	13·5	19·56	35·34	28·40	N. 70 E.	0–1	0–1	b. m.	Dead smooth.	
„ 3	11.35 a.m.	50 11 N.	5 56 W.	56·3	13·5	19·56	35·34	28·40	N. 50 E.	1	1	b. m.	Smooth.	
„ 3	0.22 p.m.	50 18 N.	5 59 W.	55·9	13·3	19·56	35·34	28·40	—	—	—	b.	Smooth.	
„ 3	1.35 p.m.	50 24 N.	6 05 W.	56·2	13·4	19·56	35·34	28·40	W.	0–1	0–1	c. 1	Smooth	Station 6.
„ 3	4.5 p.m.	50 25 N.	5 50 W.	56·3	13·5	19·56	35·34	28·40	N. 60 W.	1	1	c. 9	Smooth.	
„ 3	5.30 p.m.	50 24 N.	5 35 W.	56·1	13·4	19·56	35·34	28·40	—	—	—	o.	Smooth.	
„ 3	11.20 p.m.	49 53 N.	5 38 W.	56·7	13·7	19·51	35·25	28·32	N. 30 E.	0–1	0–1	o.	Dead smooth.	Station 7.
„ 4	2.10 a.m.	49 42 N.	5 36 W.	55·9	13·3	19·59	35·39	28·44	Calm			o.	Smooth.	
„ 4	3.25 a,m.	49 33 N.	5 35 W.	55·4	13·0	19·62	35·44	28·48	—	—	—	o.	Smooth.	
„ 4	4.40 a.m.	49 22 N.	5 33 W.	54·1	12·3	19·58	35·37	28·43	—	—	—	o.	Smooth.	
„ 4	5.50 a.m.	49 11 N.	5 32 W.	54·0	12·2	19·56	35·34	28·40	S. 5 E.	1	1	o.	Smooth.	
„ 4	7.5 a.m.	49 19 N.	5 22 W.	54·3	12·4	19·58	35·37	28·43	S. 80 E.	1	1	o.	Smooth.	
„ 4	7.40 a.m.	49 24 N.	5 17 W.	54·9	12·7	19·61	35·43	28·47	S. 80 E.	2	2	o.	Smooth.	
„ 4	9.30 a.m.	49 36 N.	5 04 W.	56·3	13·5	19·54	35·30	28·37	N. 85 E.	1	1	o.	Smooth.	
„ 4	11.20 a.m.	49 47 N.	4 49 W.	56·5	13·6	19·54	35·30	28·37	N. 60 E.	3	4	o.	Smooth.	
„ 4	1.7 p.m.	50 00 N.	4 34 W.	56·8	13·8	19·56	35·34	28·40	—	—	—	c. 8	Smooth.	
				Put into Plymouth.										
„ 7	7.15 a.m.			Proceeded to Sea.										
„ 7	9.50 a.m.	50 14 N.	3 59 W.	57·0	13·9	19·48	35·19	28·28	S. 30 W.	6	10·5	o. r.	Very rough.	
				Put into Dartmouth for shelter.										
„ 10	8.45 a.m.			Proceeded to Sea.										
„ 10	0.15 p.m.	50 08 N.	3 47 W.	56·9	13·9	19·52	35·26	28·34	S. 70 W.	1	1	o.	Smooth.	Station 20.
„ 10	2.46 p.m.	50 02 N.	3 37 W.	57·2	14·0	19·52	35·26	28·34	S. 30 W.	2	2	o.	Slight.	
„ 10	4.0 p.m.	49 56 N.	3 23 W.	57·1	13·9	19·54	35·30	28·37	S. 50 W.	3	4	o.d.	Moderate	Station 19.
„ 10	6.35 p.m.	49 46 N.	3 28 W.	57·4	14·1	19·56	35·34	28·40	S. 40 W.	5	8	o.	Rough.	
„ 10	8.25 p.m.	49 37 N.	3 31 W.	57·2	14·0	19·58	35·37	28·43	S. 40 W.	6	10·5	o.	Rough.	
„ 10	10.25 p.m.	49 28 N.	3 34 W.	57·0	13·9	19·56	35·34	28·40	S. 50 W.	6	10·5	o.	Rough.	
„ 11	0.25 a.m.	49 16 N.	3 37 W.	56·9	13·9	19·56	35·34	28·40	S. 70 W.	4	6	o.	Rough	Station 8.

TABLE II—*continued.*

NOVEMBER, 1904—S.S. *Huxley—continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature.		Cl. ‰	S. ‰	σ_0	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Nov. 11	8.13 p.m.	50 25 N.	3 17 W.	56·3	13·5	19·49	35·21	28·30	S. 70 W.	1	1	o.	Smooth.	
„ 11	9 p.m.	50 23 N.	3 08 W.	56·7	13·7	19·46	35·16	28·25	S. 70 W.	4	6	c. 8	Moderate	Station 18.
„ 12	0.10 a.m.	50 11 N.	2 52 W.	56·7	13·7	19·45	35·14	28·24	S. 50 W.	3	4	b.	Slight	Station 17
„ 12	2.45 a.m.	50 02 N.	2 56 W.	56·8	13·8	19·50	35·23	28·31	S. 60 W	3	4	b.	Slight.	
„ 12	4.12 a.m.	49 51 N.	3 03 W.	57·0	13·9	19·55	35·32	28·38	S. 60 W.	3	4	b.	Slight.	
„ 12	5.50 a.m.	49 39 N.	3 09 W.	—	—	19·52	35·26	28·34	S. 85 W	1	1	c. 5	Smooth	Station 9.
„ 12	10.50 a.m.	49 49 N.	2 33 W.	57·8	14·3	19·52	35·26	28·34	S. 85 W.	0–1	0–1	c. 8	Smooth	Station 10.
„ 12	3.20 p.m.	50 05 N.	1 58 W.	57·2	14·0	19·47	35·17	28·27	S. 75 W	0–1	0–1	c. 2	Smooth	Station 11.
„ 12	5.55 p.m.	50 16 N.	1 51 W.	57·0	13·9	19·46	35·16	28·25	N. 30 E.	0–1	0–1	b.	Smooth.	
„ 12	8.15 p.m.	50 27 N.	1 50 W.	55·9	13·3	19·45	35·14	28·24	N. 85 W.	0–1	0–1	b.	Smooth	Station 15.
„ 13	0.20 a.m.	50 35 N.	1 17 W.	54·9	12·8	19·34	34·94	28·08	N. 70 E.	1–2	1–2	b.	Smooth	Station 14.
„ 13	2.25 a.m.	50 26 N.	1 14 W.	55·6	13·1	19·45	35·14	28·24	S. 60 E.	0–1	0–1	b.	Smooth.	
„ 13	4.45 a.m.	50 20 N.	1 15 W.	56·8	13·8	19·46	35·16	28·25	N. 85 E.	2	2	c. 5	Smooth	Station 13.
„ 13	5.43 a.m.	50 15 N.	1 12 W.	57·4	14·1	19·41	35·07	28·18	S. 60 E.	0–1	0–1	c. 9	Smooth.	
„ 13	6.30 a.m.	50 05 N.	1 11 W.	57·4	14·1	19·40	35·05	28·16	S. 60 E.	1	1	o.	Smooth.	
„ 13	8.10 a.m.	49 55 N.	1 09 W.	57·4	14·1	19·23	34·74	27·92	N. 85 E.	3	4	c. 7	Slight	Station 12.
„ 13	11 a.m.	49 57 N.	0 47 W.	57·6	14·2	19·27	34·81	27·98	S. 85 E.	4	6	Light cloud.	Moderate.	
„ 13	1.15 p.m.	50 00 N.	0 21 W.	57·3	14·1	19·34	34·95	28·08	S. 40 E.	2	2	c. 1	Slight	Station 24.
„ 13	3.12 p.m.	50 10 N.	0 19 W.	56·8	13·8	19·39	35·03	28·15	S. 85 E.	2	2	c. 5	Slight.	
„ 13	4.30 p.m.	50 21 N.	0 19 W.	56·7	13·7	19·37	34·99	28·12	S. 85 E.	1	1	b.	Smooth	Station 21.
„ 13	6.45 p.m.	50 27 N.	0 08 W.	56·5	13·6	19·41	35·07	28·18	S. 75 E.	1	1	b.	Smooth.	
„ 13	7.57 p.m.	50 33 N.	0 04 W.	55·8	13·2	19·41	35·07	28·18	S. 85 E.	1	1	b.	Smooth.	
„ 13	9.23 p.m.	50 39 N.	0 17 E.	54·1	12·3	19·40	35·06	28·17	N. 85 E.	1	1	b.	Smooth.	
„ 13	10.50 p.m.	50 33 N.	0 36 E.	55·9	13·3	19·40	35·06	28·17	S. 85 E.	2	2	b.	Slight	Station 22.
„ 14	0.45 a.m.	50 29 N.	0 48 E.	55·8	13·2	19·37	34·99	28·12	S. 60 E.	2	2	b.	Slight.	
„ 14	2.30 a.m.	50 21 N.	1 08 E.	54·1	12·3	19·32	34·91	28·05	—	—	—	b.	Slight.	

Observations on stations were made by D. J. Matthews; surface observations between stations by D. J. Matthews and G. T. Atkinson.

FEBRUARY, 1905—S.S. *Huxley.*

Feb. 3	9.35 a.m.	50 12 N.	4 14 W.	49·3	9·6	19·56	35·34	28·40	S. 75 W.	4	6	c. 9	Smooth.	
„ 3	10.55 a.m.	50 02 N.	4 22 W.	50·3	10·1	19·62	35·44	28·48	N. 60 W.	3	4	o.	Slight	Station 1.
„ 3	1 p.m.	49 53 N.	4 26 W.	50·2	10·1	19·64	35·48	28·51	S. 75 W.	4	6	o.	Smooth.	
„ 3	2 p.m.	49 44 N.	4 31 W.	50·4	10·2	19·63	35·46	28·50	S. 75 W.	4	6	o.	Smooth.	
„ 3	3.13 p.m.	49 36 N.	4 37 W.	50·5	10·3	19·64	35·48	28·51	S. 75 W.	4	6	o.	Moderate.	
„ 3	5.45 p.m.	49 27 N.	4 42 W.	50·7	10·4	19·66	35·52	28·54	S. 65 W.	2	2	o.	Slight	Station 2.
„ 3	9.47 p.m.	49 17 N.	4 48 W.	50·5	10·3	19·74	35·67	28·66	S. 75 W.	4	6	c. 9	Moderate.	
„ 3	11.7 a.m.	49 06 N.	4 55 W.	50·5	10·3	19·65	35·50	28·53	S. 75 W.	4	6	c. 7	Moderate.	
„ 4	0.30 p.m.	48 56 N.	5 01 W.	50·2	10·1	19·62	35·44	28·48	S. 70 W.	4	6	c. 3	Moderate.	
„ 4	1.50 p.m.	48 45 N.	5 07 W.	50·4	10·2	19·74	35·66	28·66	S. 70 W.	4	6	c. 3	Moderate.	
„ 4	4 p.m.	48 34 N.	5 13 W.	50·6	10·3	19·61	35·43	28·47	S. 70 W.	3	4	c. 1	Slight	Station 3.
„ 4	7.35 p.m.	48 33 N.	5 27 W.	50·4	10·2	19·62	35·44	28·48	S. 70 W.	4	6	o.	Moderate.	
„ 4	8.52 p.m.	48 32 N.	5 43 W.	49·8	9·9	19·59	35·40	28·45	W.	4	6	—	Smooth.	
„ 4	11.46 p.m.	48 28 N.	6 18 W.	50·5	10·3	19·59	35·40	28·45	S. 70 W.	4	6	c. 1	Smooth.	
„ 5	1.20 a.m.	48 27 N.	6 35 W.	51·1	10·6	19·62	35·45	28·49	S. 70 W.	1	1	b.	Smooth	Station 4.
„ 5	4.17 a.m.	48 40 N.	6 32 W.	50·2	10·1	19·59	35·39	28·44	N. 60 W.	2	2	o.	Smooth.	
„ 5	5.54 a.m.	48 54 N.	6 32 W.	49·8	9·9	19·59	35·39	28·44	N. 20 W.	1	1	o.	Smooth.	
„ 5	7.50 a.m.	49 06 N.	6 32 W.	49·7	9·9	19·56	35·34	28·40	S. 60 W.	1	1	o.	Smooth	Station 5
„ 5	11.8 a.m.	49 17 N.	6 23 W.	49·8	9·9	19·57	35·35	28·41	S. 50 W.	2	2	o.	Smooth.	
„ 5	0.28 p.m.	49 27 N.	6 17 W.	49·8	9·9	19·57	35·36	28·42	S. 30 W.	1	1	o.	Smooth.	
„ 5	1.47 p.m.	49 38 N.	6 09 W.	49·6	9·8	19·57	35·35	28·41	S. 30 W.	2	2	o.	Smooth.	

TABLE II—*continued.*

FEBRUARY, 1905—S.S. *Huxley—continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature.		Cl. ‰	S. ‰	σ_0	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Feb. 5	3.5 p.m.	49 48 N.	6 03 W.	49·5	9·7	19·57	35·35	28·41	S. 30 W.	2	2	o.	Smooth.	
„ 5	4.22 p.m.	49 58½ N.	5 55½ W.	49·1	9·5	19·58	35·37	28·43	N. 85 W.	4	6	o.	Smooth.	
„ 5	5.25 p.m.	50 07 N.	5 59 W.	49·1	9·5	19·57	35·35	28·41	S. 85 W.	3	4	o.	Smooth.	
„ 5	6.25 p.m.	50 15 N.	6 01 W.	49·1	9·5	19·58	35·37	28·43	N. 85 W.	3	4	o.	Smooth.	
„ 5	7.40 p.m.	50 24 N.	6 05 W.	49·3	9·6	19·58	35·38	28·43	S. 30 W.	4	6	o.	Moderate	Station 6.
„ 6	4.45 a.m.	49 52 N.	5 09 W.	49·1	9·5	19·55	35·32	28·38	S. 20 E.	3	4	o.	Smooth.	
„ 6	7.25 a.m.	50 06 N.	4 33 W.	49·8	9·9	19·61	35·43	28·47	S. 30 W.	4	6	o.	Smooth.	
				Put into Plymouth.										
„ 7	11.0 a.m.						Proceeded to Sea.							
„ 7	1.2 p.m.	50 10 N.	4 07 W.	49·1	9·5	19·57	35·35	28·41	S. 50 W.	4	6	o.	Choppy.	
„ 7	2.18 p.m.	50 01 N.	4 02 W.	49·8	9·9	19·61	35·43	28·47	S. 30 W.	4	6	o.	Choppy.	
„ 7	3.23 p.m.	49 52 N.	3 57 W.	50·0	10·0	19·67	35·53	28·56	S. 30 W.	4	6	c. 9	Moderate.	
„ 7	4.31 p.m.	49 43 N.	3 52 W.	49·8	9·9	19·60	35·41	28·46	S. 30 W.	4	6	c. 9	Moderate.	
„ 7	5.40 p.m.	49 34 N.	3 47 W.	49·6	9·8	19·57	35·35	28·41	S. 50 W.	3	4	o.	Choppy.	
„ 7	6.45 p.m.	49 24 N.	3 43 W.	48·9	9·4		Lost		S. 30 W.	3	4	c. 3	Moderate.	
„ 7	8.0 p.m.	49 16 N.	3 37 W.	49·4	9·7	19·57	35·36	28·42	S. 85 W.	3	4	m.	Moderate	Station 8.
„ 7	10.50 p.m.	49 28 N.	3 23 W.	48·6	9·2	19·53	35·28	28·35	N. 70 W.	1	1	m.	Smooth.	
„ 8	0.50 a.m.	49 39 N.	3 09 W.	49·6	9·8	19·56	35·34	28·40	S. 85 W.	2	2	o.	Slight	Station 9.
„ 8	2.55 a.m.	49 47 N.	3 17 W.	49·5	9·7	19·60	35·41	28·46	N. 5 W.	2	2	o.	Moderate.	
„ 8	4.12 a.m.	49 56 N.	3 23 W.	49·3	9·6	19·58	35·37	28·43	S. 70 W.	0-1	0-1	o.	Slight.	Station 19
„ 8	6.15 a.m.	50 02 N.	3 37 W.	49·1	9·5	19·54	35·30	28·37	N. 40 E.	1	1	—	—	
„ 8	7.50 a.m.	50 08 N.	3 47 W.	48·5	9·2	19·50	35·23	28·31	N. 70 E.	1	1	o.	Smooth	Station 20.
„ 8	10.30 a.m.	50 15 N.	3 26 W.	47·5	8·6	19·45	35·14	28·24	N. 70 E.	1	1	o.	Smooth.	
„ 8	11.50 a.m.	50 23 N.	3 08 W.	46·8	8·2	19·45	35·14	28·24	N. 80 E.	0-1	0-1	o.	Smooth	Station 18.
„ 8	2.30 p.m.	50 11 N.	2 52 W.	49·2	9·6	19·60	35·41	28·46	S. 5 W.	0-1	0-1	o.	Smooth	Station 17.
„ 8	4.34 p.m.	50 18 N.	2 39 W.	47·5	8·6	19·50	35·23	28·31	N. 75 E.	1	1	o. m.	Calm.	
„ 8	5.55 p.m.	50 23 N.	2 28 W.	46·8	8·2	19·50	35·23	28·31	S. 20 E.	0-1	0-1	o. d.	Smooth	Station 16.
„ 8	7.40 p.m.	50 14 N.	2 31 W.	48·0	8·9	19·51	35·25	28·32	S. 10 E.	0-1	0-1	o. m.	Calm.	
„ 8	8.28 p.m.	50 06 N.	2 31 W.	48·4	9·1		Lost		S. 30 E.	3	4	o.	Smooth.	
„ 8	9.20 p.m.	49 58 N.	2 32 W.	48·6	9·2	19·57	35·35	28·41	S. 30 E.	3	4	o.	Smooth.	
„ 9	0.15 a.m.	49 49 N.	2 33 W.	49·6	9·8	19·57	35·35	28·41	S. 60 E.	0-1	0-1	o.	Smooth	Station 10.
„ 9	5.25 a.m.	50 05 N.	1 58 W.	48·9	9·4	19·55	35·32	28·38	S. 20 E.	0-1	0-1	o.	Smooth	Station 11.
„ 9	8.13 a.m.	49 49 N.	1 36 W.	48·9	9·4	19·55	35·32	28·38	S. 70 E.	2	2	o.	Smooth.	
„ 9	10.10 a.m.	49 55 N.	1 09 W.	46·1	7·9	19·18	34·65	27·84	S. 20 E.	0-1	0-1	o.	Smooth	Station 12.
„ 9	11.58 a.m.	50 02 N.	1 08 W.	48·6	9·2	19·51	35·25	28·32	S. 30 E.	2	2	o.	Smooth.	
„ 9	1 p.m.	50 10 N.	1 11 W.	47·8	8·8	19·51	35·25	28·32	N. 5 W.	1	1	o.	Smooth.	
„ 9	2.10 p.m.	50 20 N.	1 15 W.	48·7	9·3	19·53	35·28	28·35	—	—	—	o.	Smooth	Station 13.
„ 9	3.40 p.m.	50 26 N.	1 15 W.	48·2	9·0	19·52	35·26	28·34	N. 20 E.	0-1	0-1	o.	Calm.	
„ 9	6.20 p.m.	50 33 N.	1 17 W.	44·1	6·7	19·38	35·01	28·14	S. 20 E.	0-1	0-1	o. m.	Calm	Station 14.
„ 9	8.6 p.m.	50 28 N.	0 59 W.	45·9	7·7	19·44	35·12	28·22	N. 80 E.	1	1	o.	Smooth.	
„ 9	9.24 p.m.	50 24 N.	0 39 W.	47·3	8·5	19·50	35·23	28·31	S. 40 E.	1	1	o.	Smooth.	
„ 9	10.50 p.m.	50 21 N.	0 19 W.	47·3	8·5	19·51	35·25	28·32	Calm			o.	Dead smooth.	Station 21.
„ 10	0.55 a.m.	50 10 N.	0 18 W.	48·0	8·9	19·51	35·25	28·32	S. 40 W.	1	1	o.	Smooth.	
„ 10	2.30 a.m.	50 00 N.	0 21 W.	48·2	9·0	19·48	35·19	28·28	S. 30 W.	1	1	o.	Smooth	Station 24.
„ 10	4.30 a.m.	50 05 N.	0 11 W.	47·8	8·8	19·42	35·08	28·19	Calm			o.	Dead smooth.	
„ 10	5.35 a.m.	50 10 N.	0 02 W.	47·8	8·8	19·49	35·21	28·30	Calm			o.	Dead smooth.	
„ 10	6.37 a.m.	50 16 N.	0 07 E.	47·7	8·7	19·51	35·25	28·32	S. 70 W.	0 1	0·1	o.	Smooth.	
„ 10	7.37 a.m.	50 21 N.	0 16 E.	46·9	8·3	19·48	35·19	28·28	S. 80 W.	1	1	o.	Smooth.	
„ 10	8.45 a.m.	50 26 N.	0 25 E.	46·9	8·3	19·48	35·19	28·28	S. 50 W.	1	1	o.	Smooth.	
„ 10	10.20 a.m.	50 33 N.	0 36 E.	46·9	8·3	19·51	35·25	28·32	S. 50 W.	3	4	o.	Slight	Station 22.
„ 10	0.5 p.m.	50 34 N.	0 49 E.	46·6	8·1	19·51	35·25	28·32	S. 50 W.	3	4	c. 3	Smooth.	
„ 10	0.52 p.m.	50 36 N.	1 02 E.	46·0	7·8	19·47	35·17	28·27	S. 50 W.	3	4	c. 3	Smooth.	
„ 10	1.44 p.m.	50 43 N.	1 08 E.	45·3	7·4	19·47	35·17	28·27	S. 50 W.	3	4	c. 6	Smooth.	

TABLE II—*continued.*

FEBRUARY, 1905—S.S. *Huxley*—*continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl. ‰	S. ‰	σ_0	Wind. Direction (True).	Wind. Force. B.	Wind. Force. m/s.	Sky.	Sea.	Remarks.
		° ′	° ′						°					
Feb. 10	2.35 p.m.	50 51 N.	1 14 E.	45·7	7·6	19·47	35·17	28·27	S. 50 W.	3	4	c. 9	Smooth.	
„ 10	3.30 p.m.	50 57½ N.	1 21 E.	45·3	7·4	19·47	35·17	28·27	N. 85 W.	3	4	o.	Smooth.	
„ 10	4.36 p.m.	51 04 N.	1 30 E.	44·4	6·9	19·43	35·10	28·21	S. 50 W.	3	4	o.	Smooth.	
„ 10	5.18 p.m.	51 11¾ N.	1 38 E.	44·1	6·7	19·45	35·14	28·24	S. 50 W.	3	4	o.	Smooth.	
Observations on Stations were made by D. J. Matthews; surface observations between Stations by R. A. Todd, B.Sc., and Charles Martin, B.A.														

MAY, 1905—S.S. *Oithona.*

May 3	6.45 p.m.	50 38 N.	0 40 W.	48·7	9·3	19·32	34·90	28·05	S. 40 E.	1	1	c. 5	Smooth.	
„ 3	8.5 a.m.	50 38½ N.	0 21 W.	48·7	9·3	19·30	34·87	28·02	S. 75 W.	2	2	c. 9	Smooth.	
„ 3	9.45 p.m.	50 40½ N.	0 01 W.	48·7	9·3	19·41	35·07	28·18	S. 75 W.	2	2	b.	Smooth.	
„ 3	11.55 p.m.	50 41 N	0 20½ E.	48·4	9·1	19·40	35·05	28·16	—	—	—	—	Smooth.	
„ 4	2.22 a.m.	50 33 N.	0 36 E.	48·6	9·2	19·52	35·26	28·34	N. 5 W.	1	1	o.	Smooth	Station 22.
„ 4	4.40 a.m.	50 21 N.	0 44 E.	49·1	9·5	19·53	35·28	28·35	N. 30 E.	2	2	o.	Smooth.	
„ 4	6.15 a.m.	50 10 N.	0 52 E.	48·9	9·4	19·33	34·92	28·06	N. 30 E.	2	2	o. r.	Smooth.	
„ 4	8 a.m.	50 02 N.	1 00 E.	49·1	9·5	18·99	34·31	27·57	N. 30 E.	3	4	o. r.	Smooth.	
„ 4	8.15 a.m.	50 00½ N.	1 01 E.	48·9	9·4	18·83	34·02	27·34	—	—	—	—	—	
„ 4	10.15 a.m.	50 01 N.	0 42 E.	49·1	9·5	19·10	34·51	27·73	N. 20 W.	4	6	c. 9	Moderate.	
„ 4	Noon	50 01 N.	0 20 E.	49·1	9·5	19·48	35·19	28·28	N. 20 W.	4	6	c. 1	Moderate.	
„ 4	2 p.m.	50 00 N.	0 00	49·3	9·6	19·44	35·12	28·22	N. 20 W.	3	4	b.	Moderate.	
„ 4	4.30 p.m.	50 00 N.	0 21 W.	49·1	9·5	19·48	35·19	28·28	N. 30 E.	3	4	c. 8.	Slight	Station 24.
„ 4	6.27 p.m.	50 10 N.	0 20 W.	49·3	9·6	19·56	35·34	28·40	N. 40 E.	4	4	c. 8.	Choppy.	
Sea rising rapidly; put into Gosport for shelter.														
„ 7	10.3 a.m.	50 34 N.	0 30 W.	49·6	9·8	19·40	35·05	28·16	S. 70 W.	1	1	c. 1.	Smooth.	
„ 7	0.20 p.m.	50 21 N.	0 19 W.	49·6	9·8	19·53	35·28	28·35	S. 50 W.	1	1	b.	Smooth	Station 21
„ 7	2.25 p.m.	50 13 N.	0 34 W.	50·2	10·1	19·55	35·32	28·38	S. 70 W.	1	1	b.	Slight.	
„ 7	4.30 p.m.	50 09 N.	0 51 W.	49·8	9·9	19·56	35·34	28·40	S. 70 W.	4	6	c. 1.	Slight.	
„ 7	10.20 p.m.	49 55 N.	1 09 W.	49·6	9·8	19·50	35·23	28·31	N. 60 W.	3	4	c. 5.	Slight	Station 12.
„ 8	0.20 a.m.	50 03 N.	1 11 W.	49·8	9·9	19·55	35·32	28·38	N. 40 W.	4	6	o.	Slight.	
„ 8	—	50 12 N.	1 13 W.	49·6	9·8	19·58	35·37	28·43	N. 40 W.	3	4	o.	Smooth.	
„ 8	6.30 a.m.	50 20 N.	1 15 W.	49·1	9·5	19·38	35·01	28·14	N. 30 E.	4	6	o.	Moderate	Station 13.
„ 8	8.30 a.m.	50 26 N.	1 16 W.	49·1	9·5	19·32	34·90	28·05	N. 30 E.	5	8	o.	Moderate.	
„ 8	11.20 a.m.	50 33 N.	1 17 W.	49·8	9·9	19·27	34·81	27·98	N. 30 E.	4	6	b.	Slight	Station 14.
„ 9	7.55 a.m.	50 27 N.	1 50 W.	50·0	10·0	19·48	35·19	28·28	N. 30 E.	2	2	b.	Smooth	Station 15.
„ 9	9.30 a.m.	50 19 N.	1 51 W.	50·2	10·1	19·53	35·28	28·35	S. 60 E.	1	1	b.	Smooth.	
„ 9	10.41 a.m.	50 12 N.	1 54 W.	50·0	10·0	19·59	35·39	28·44	N. 70 E.	1	1	b.	Slight.	
„ 9	0.16 p.m.	50 05 N.	1 58 W.	50·4	10·2	19·62	35·44	28·48	N. 85 E.	1	1	b. m.	Smooth	Station 11.
„ 9	2.50 p.m.	50 04 N.	2 15 W.	51·4	10·8	19·61	35·43	28·47	N. 70 E.	0-1	0-1	b.	Smooth.	
„ 9	8.20 p.m.	49 49 N	2 33 W.	50·0	10·0	19·58	35·37	28·43	N. 30 E.	1	1	b.	Smooth	Station 10.
„ 9	10.30 p m.	50 00 N.	2 31 W.	50·0	10·0	19·57	35·35	28·41	Calm			b.	Smooth.	
„ 9	11.55 p.m.	50 11 N.	2 32 W.	50·2	10·1	19·59	35·39	28·44	—	—	—	—	—	
„ 10	3 a.m.	50 23 N.	2 28 W.	49·8	9·9	19·50	35·23	28·31	Calm			b.	Dead smooth	Station 16.
„ 10	6.30 a.m.	50 11 N.	2 52 W.	50·0	10·0	19·53	35·28	28·35	N. 80 W.	1	1	b.	Smooth	Station 17.
„ 10	9.30 a.m.	50 23 N.	3 08 W.	50·9	10·5	19·51	35·25	28·32	S. 65 W.	1	1	b.	Smooth	Station 18.
„ 10	11.32 a.m.	50 21 N.	3 24 W.	51·3	10·7	19·55	35·32	28·38	—	—	—	c. 1	Smooth.	
„ 10	3.5 p.m.	50 08 N.	3 47 W.	52·0	11·1	19·49	35·21	28·30	S. 65 W.	1	1	b.	Smooth	Station 20.
„ 10	4.55 p.m.	50 02 N.	3 35 W.	51·6	10·9	19·57	35·35	28·41	S. 5 E.	1	1	c. 2	Smooth.	
„ 10	6.40 p.m.	49 56 N.	3 23 W.	52·3	11·3	19·61	35·43	28·47	S. 65 W.	1	1	b.	Smooth	Station 19.
„ 10	8.27 p.m.	49 45 N.	3 11 W.	51·4	10·8	19·63	35·46	28·50	S. 15 W.	2	2	c. 1	Smooth.	
„ 10	10.50 p.m.	49 39 N.	3 09 W.	51·3	10·7	19·60	35·41	28·46	S. 30 W.	1	1	b.	Smooth	Station 9.
„ 11	4.55 a.m.	49 16 N.	3 37 W.	51·1	10·6	19·63	35·46	28·50	S. 75 W.	1	1	b.	Smooth	Station 8.

TABLE II—*continued.*

MAY, 1905—S.S. *Oithona*—*continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature.		Cl. °/₀₀	S. °/₀₀	σ_0	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
May 11	7.10 a.m.	49 29 N.	3 50 W.	50·9	10·5	19·61	35·43	28·47	—	—	—	c. 2	Long swell.	
„ 11	8.37 a.m.	49 39 N.	3 53 W.	51·3	10·7	19·61	35·43	28·47	—	—	—	c. 1	Long swell.	
„ 11	10.10 a.m.	49 51 N.	4 01 W.	52·2	11·2	19·63	35·46	28·50	N. 85 W.	—	—	c. 7	Slight.	
„ 11	11.45 a.m.	50 03 N.	4 10 W.	52·0	11·1	19·56	35·34	28·40	—	—	—	c. 6	Slight.	
„ 11	1.25 p.m.	50 14 N.	4 13 W.	52·0	11·1	19·46	35·16	28·25	—	—	—	c. 3	Smooth.	
		Put into Plymouth.												
„ 12	5 p.m.	Proceeded to sea.												
„ 12	—	50 11 N.	4 13 W.	—	—	19·43	35·10	28·21	—	—	—	—	—	
„ 12	9.5 p.m.	50 02 N.	4 22 W.	52·3	11·3	19·52	35·26	28·34	N. 30 E.	4	6	o.	Moderate	Station 1.
„ 12	11.8 p.m.	49 53 N.	4 28 W.	51·6	10·9	19·59	35·39	28·44	N. 30 E.	4	6	b,	Moderate.	
„ 13	0..57 a.m.	49 40 N.	4 35 W.	51·3	10·7	19·62	35·44	28·48	N. 5 E.	3	4	b.	Moderate.	
„ 13	2.3 a.m.	49 35 N.	4 38 W.	51·4	10·8	19·62	35·44	28·48	N. 5 E.	3	4	b.	Moderate.	
„ 13	4.15 a.m.	49 27 N.	4 42 W.	51·3	10·7	19·60	35·41	28·46	—	—	—	b. m.	Moderate.	Station 2.
		At anchor for 15 hours on Station 2 for current measurements.												
„ 14	0.45 a.m.	49 12 N.	4 50 W.	52·0	11·1	19·60	35·41	28·46	—	—	—	—	Smooth.	
„ 14	2.59 a.m.	49 01 N.	4 48 W.	51·8	11·0	19·58	35·37	28·43	N. 30 E.	1	1	b.	Smooth.	
„ 14	4.49 a.m.	48 49 N.	5 08 W.	51·3	10·7	19·57	35·35	28·41	S. 70 W.	1	1	b. m.	Moderate.	
„ 14	0.30 p.m.	48 34 N.	5 13 W.	52·5	11·4	19·56	35·34	28·40	N. 15 W.	1	1	b. m.	Smooth	Station 3.
„ 14	3.37 p.m.	48 32 N.	5 29 W.	53·1	11·7	19·57	35·35	28·41	N. 30 E.	2	2	c. 3	Smooth.	
„ 14	4.50 p.m.	48 31 N.	5 44 W.	52·7	11·5	19·57	35·35	28·41	N. 20 W.	2	2	b. m.	Slight, long swell.	
„ 14	6.21 p.m.	48 30 N.	5 59 W.	52·9	11·6	19·57	35·35	28·41	N. 20 W.	2	2	c. 5	Long swell.	
„ 14	7.57 p.m.	48 28 N.	6 14 W.	53·1	11·7	19·57	35·35	28·41	N. 70 W.	1	1	c. 7	Heavy swell.	
„ 14	9.20 p.m.	48 28 N.	6 30 W.	53·1	11·7	19·58	35·37	28·43	N. 60 W.	1	1	c. 7	Swell.	
„ 15	0.22 a.m.	48 27 N.	6 35 W.	53·1	11·7	19·60	35·41	28·46	N. 35 E.	1	1	o.	Smooth	Station 4.
„ 15	2.55 a.m.	48 37 N.	6 32 W.	52·7	11·5	19·58	35·37	28·43	N. 30 E.	1	1	o.	some swell. Slight.	
„ 15	4.20 a.m.	48 47 N.	6 32 W.	52·7	11·5	19·56	35·34	28·40	N. 30 E.	1	1	c. 3	Smooth.	
„ 15	5.45 a.m.	48 57 N.	6 33 W.	52·3	11·3	19·56	35·34	28·40	—	—	—	c. 3	Smooth.	
„ 15	8.37 a.m.	49 06 N.	6 32 W.	52·3	11·3	19·52	35·26	28·34	N. 20 E.	2	2	o. f.	Smooth	Station 5.
„ 15	noon	49 15 N.	6 27 W.	52·3	11·3	19·52	35·26	28·34	N. 5 E.	2	2	o.	Slight.	
„ 15	1.35 p.m.	49 25 N.	6 22 W.	52·2	11·2	19·53	35·28	28·35	—	—	—	—	Long swell.	
„ 15	2.27 p.m.	49 30 N.	6 19 W.	52·0	11·1	19·55	35·32	28·38	N. 50 E.	2	2	o.	Slight.	
„ 15	—	49 37 N.	6 17 W.	52·5	11·4	19·49	35·21	28·30	—	—	—	o.	—	
„ 15	5.14 p.m.	49 46 N.	6 12 W.	52·2	11·2	19·48	35·19	28·28	N. 20 W.	1	1	c. 2	Smooth; long swell.	
„ 15	6.48 p.m.	49 55 N.	6 07 W.	52·2	11·2	19·47	35·17	28·27	—	—	—	—	—	
„ 15	8.30 p.m.	50 04 N.	6 03 W.	53·2	11·8	19·46	35·16	28·25	N. 30 E.	1	1	b.	Slight.	
„ 15	9.40 p.m.	50 15 N.	6 02 W.	50·9	10·5	19·46	35·16	28·25	N. 20 E.	2	2	c. 1	Moderate.	
„ 16	0.20 a.m.	50 24 N.	6 05 W.	51·4	10·8	19·45	35·15	28·24	N. 30 E.	2	2	b.	Confused swell.	Station 6.
„ 16	4.20 a.m.	50 04 N.	5 48 W.	50·9	10·5	19·46	35·16	28·25	N. 70 E.	1	1	c. 1	Smooth.	
„ 16	5.6 a.m.	49 57 N.	5 48 W.	50·9	10·5	19·52	35·26	28·34	N. 50 E.	1	1	c. 1	Smooth.	
„ 16	6.40 a.m.	49 53 N.	5 38 W.	51·4	10·8	19·55	35·32	28·38	N. 75 E.	1	1	b.	Slight	Station 7.
„ 16	8.45 a.m.	49 44 N.	5 27 W.	51·4	10·8	19·57	35·35	28·41	—	—	—	—	—	
„ 16	10.3 a.m.	49 36 N.	5 22 W.	52·2	11·2	19·60	35·41	28·46	S. 85 E.	4	6	b.	Moderate.	
„ 16	11.43 a.m.	49 28 N.	5 14 W.	52·7	11·5	19·61	35·43	28·47	S. 85 E.	4	6	b.	Moderate.	
„ 16	1.15 p.m.	49 37 N.	5 04 W.	52·9	11·6	19·62	35·44	28·48	—	—	—	b.	Moderate.	
„ 16	2.45 p.m.	49 43 N.	4 51 W.	53·4	11·9	19·61	35·43	28·47	—	—	—	—	—	
„ 16	4.30 p.m.	49 54 N.	4 43 W.	54·5	12·5	19·55	35·32	28·38	—	—	—	b.	Smooth.	

Observations on stations were made by D. J. Matthews; surface observations between stations by D. J. Matthews and S. Pace.

AUGUST, 1905—S.S. *Oithona.*

Aug. 6	10.20 a.m.	50 42 N.	0 59 W.	64·9	18·3	19·38	35·01	28·14	S. 30 W.	4	6	c. 8	Slight.	
„ 6	11.43 a.m.	50 39 N.	0 41 W.	62·2	16·8	19·42	35·08	28·19	S. 80 W.	4	6	c. 3	Slight.	
„ 6	1.2 p.m.	50 39 N.	0 21 W.	62·4	16·9	19·43	35·10	28·21	S. 40 W.	4	6	c. 1	Slight.	

TABLE II—*continued.*

AUGUST, 1905—S.S. *Oithona—continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature.		*Cl.* ‰	*S.* ‰	σ_0	Wind.			Sky.	Sea.	Remarks,
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Aug. 6	2.15 p.m.	50 40 N.	0 02 W.	61·9	16·6	19·42	35·08	28·19	S. 40 W.	3	4	c. l	Slight.	
„ 6	3.40 p.m.	50 42 N.	0 09 E.	63·3	17·4	19·42	35·08	28·19	S. 60 W.	3	4	b.	Slight.	
„ 6	5.8 p.m.	50 41 N.	0 20 E.	62·2	16·8	19·41	35·07	28·18	—	—	—	b.	Slight.	
„ 6	6.45 p.m.	50 33 N.	0 36 E.	60·4	15·8	19·44	35·12	28·22	S. 5 W.	1	1	c. l	Slight	Station 22.
„ 6	9.30 p.m.	50 24 N.	0 41 E.	60·6	15·9	19·41	35·07	28·18	S. 60 W.	2	2	—	Smooth.	
„ 6	10.50 p.m.	50 17 N.	0 47 E.	61·3	16·3	19·35	34·96	28·09	S. 30 W.	2	2	—	Smooth.	
„ 6	11.55 p.m.	50 09 N.	0 52 E.	62·2	16·8	19·30	34·87	28·02	S. 30 W.	2	2	—	Smooth.	
„ 7	1.10 a.m.	50 01 N.	1 01 E.	63·0	17·2	19·26	34·79	27·96	S. 20 E.	5	8	—	Moderate.	
„ 7	2.35 a.m.	50 00 N.	0 44 E.	62·1	16·7	19·26	34·79	27·96	S. 20 E.	4	6	c. l	Slight.	
„ 7	4 a.m.	50 00 N.	0 29 E.	61·5	16·4	19·27	34·81	27·98	S. 30 W.	5	8	o.	Moderate.	
„ 7	5.30 a.m.	50 00 N.	0 13 E.	60·6	15·9	19·26	34·79	27·96	S. 20 E.	4	6	o. p.	Moderate.	
„ 7	7.10 a.m.	50 00 N.	0 04 E.	60·4	15·8	19·22	34·72	27·90	S. 20 E.	5	8	o.	Rough.	
„ 7	8.45 a.m.	50 00 N.	0 21 W.	60·8	16·0	19·22	34·72	27·90	S. 5 W.	4	6	o.	Rough	Station 24.
„ 7	11.27 a.m.	50 10 N.	0 20 W.	60·4	15·8	19·31	34·88	28·03	—	—	—	o.	Moderate.	
„ 7	1.27 p.m.	50 21 N.	0 19 W.	60·3	15·7	19·43	35·10	28·21	S. 5 E.	1	1	o. p.	Moderate	Station 21.
„ 7	5.30 p.m.	50 26 N.	0 56 W.	63·1	17·3	19·44	35·12	28·22	—	—	—	—	—	
„ 7	6.20 p.m.	50 26 N.	1 03 W.	64·2	17·9	19·37	34·99	28·12	—	—	—	—	—	
„ 7	8.10 p.m.	50 33 N.	1 17 W.	64·2	17·9	19·35	34·96	28·09	S. 50 W.	1	1	o.	Smooth	Station 14.
„ 7	9.42 p.m.	50 26 N.	1 16 W.	64·2	17·9	19·40	35·05	28·16	S. 50 W.	2	2	o.	Smooth.	
„ 7	11.50 p.m.	50 20 N.	1 15 W.	62·2	16·8	19·38	35·01	28·14	S. 30 W.	1	1	o.	Smooth	Station 13
„ 8	1.15 a.m.	50 12 N.	1 15 W.	59·9	15·5	19·51	35·25	28·32	S. 50 W.	2	2	o.	Smooth.	
„ 8	2.7 a.m.	50 06 N.	1 13 W.	59·9	15·5	19·48	35·19	28·28	S. 50 W.	2	2	o.	Smooth.	
„ 8	3.5 a.m.	49 58 N.	1 10 W.	59·9	15·5	19·46	35·16	28·25	S. 50 W.	2	2	o.	Smooth.	
„ 8	5.20 a.m.	49 55 N.	1 09 W.	—	—	19·31	34·88	28·03	S. 85 W.	2	2	o.	Smooth	Station 12.
„ 8	7.55 a.m.	50 00 N.	1 32 W.	60·1	15·6	19·48	35·19	28·28	—	—	—	—	Smooth.	
„ 8	10.43 a.m.	50 05 N.	1 58 W.	59·7	15·4	19·55	35·32	28·38	S. 85 W.	1	1	b.	Smooth	Station 11.
„ 8	0.55 p.m.	50 00 N.	2 12 W.	59·9	15·5	19·50	35·23	28·31	—	—	—	o.	Smooth.	
„ 8	2.22 p.m.	49 55 N.	2 26 W.	59·2	15·1	19·49	35·21	28·30	—	—	—	o.	Smooth.	
„ 8	6.45 p.m.	48 49 N.	2 33 W.	59·2	15·1	19·51	35·25	28·32	S. 75 W.	—	—	c. 5	Smooth	Station 10.
„ 8	9.38 p.m.	49 56 N.	2 34 W.	58·3	14·6	19·54	35·30	28·37	—	—	—	—	Smooth.	
„ 8	10.42 p.m.	50 05 N.	2 30 W.	58·8	14·9	19·56	35·34	28·40	—	—	—	—	Smooth.	
„ 9	0.55 a.m.	50 15 N.	2 25 W.	59·4	15·2	19·54	35·30	28·37	—	—	—	—	Smooth.	
„ 9	1.55 a.m.	50 23 N.	2 28 W.	61·7	16·5	19·52	35·26	28·34	S. 50 W.	2	2	o.	Smooth	Station 16.
„ 9	4.0 a.m.	50 16 N.	2 40 W.	59·9	15·5	19·53	35·28	28·35	S. 70 W.	1	1	o.	Smooth.	
„ 9	6.10 a.m.	50 11 N.	2 52 W.	58·8	14·9	19·53	35·28	28·35	S. 40 E.	1	1	o. d.	Dead smooth.	Station 17.
„ 9	9.55 a.m.	50 23 N.	3 08 W.	60·3	15·7	19·53	35·28	28·35	S. 5 W.	2	2	o. d.	Slight	Station 18.
„ 9	0.8 p.m.	50 18 N.	3 22 W.	59·9	15·5	19·52	35·26	28·34	—	—	—	—	Slight.	
„ 9	3.30 p.m.	50 08 N.	3 47 W.	59·7	15·4	19·58	35·38	28·43	S. 50 W.	3	4	c. 5	Slight	Station 20.
„ 9	5.35 p.m.	50 00 N.	3 37 W.	59·2	15·1	19·58	35·38	28·43	S. 30 W.	5	8	—	Moderate.	
„ 9	7.40 p.m.	49 56 N.	3 23 W.	59·0	15·0	19·61	35·43	28·47	S. 75 W.	4	6	c. 3	Slight	Station 19.
„ 9	9.21 p.m.	49 48 N.	3 19 W.	58·5	14·7	19·60	35·42	28·46	—	—	—	—	—	
„ 9	11.30 p.m.	49 39 N.	3 09 W.	58·5	14·7	19·51	35·25	28·32	S. 75 W.	3	4	o.	Heavy swell	Station 9.
„ 10	5.50 a.m.	49 16 N.	3 37 W.	58·1	14·5	19·53	35·28	28·35	S. 50 W.	3	4	b.	Slight	Station 8.
„ 10	8.10 a.m.	49 32 N.	3 48 W.	58·1	14·5	19·53	35·28	28·35	—	—	—	—	—	
„ 10	9.20 a.m.	49 38 N.	3 51 W.	59·4	15·2	19·56	35·34	28·40	—	—	—	c. l	Moderate.	
„ 10	10.50 a.m.	49 38 N.	3 56 W.	60·1	15·6	19·58	35·37	28·43	—	—	—	—	—	
„ 10	0.15 p.m.	49 57 N.	4 00 W.	59·9	15·5	19·59	35·40	28·45	N. 60 W.	4	6	b.	Moderate.	
„ 10	1.32 p.m.	50 07 N.	4 06 W.	60·4	15·8	19·59	35·40	23·45	N. 60 W.	5	8	b.	Moderate.	
				Put into Plymouth.										
„ 11	3 p.m.			Proceeded to sea.										
„ 11	4.55 p.m.	50 15 N.	4 12 W.	59·7	15·4	19·54	35·30	28·37	N. 60 W.	4	6	b.	Moderate.	
„ 11	7.40 p.m.	50 02 N.	4 22 W.	59·7	15·4	19·59	35·39	28·44	N. 50 W.	4	6	b.	Moderate	Station 1.
„ 11	9.25 p.m.	49 52 N.	4 28 W.	59·4	15·2	19·58	35·38	28·43	N. 85 W.	3	4	b.	Moderate.	

TABLE II—*continued.*

AUGUST, 1905—S.S. *Oithona—continued.*

Date.	Time.	Latitude.	Longitude.	Temperature.		Cl. ‰	S. ‰	σ_0	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Aug. 11	10.50 p.m.	49 44 N.	4 34 W.	59·0	15·0	19·58	35·38	28·43	N. 85 W.	3	4	b.	Moderate.	
„ 12	0.20 a.m.	49 34 N.	4 39 W.	59·0	15·0	19·58	35·38	28·43	N. 85 W.	2	2	b.	Moderate.	
„ 12	2.50 a.m.	49 27 N.	4 42 W.	60·6	15·9	19·59	35·40	28·45	N. 85 W.	2	2	o.	Falling	Station 2.
				Anchored for current measurements.										
„ 13	2.17 a.m.	49 18 N.	4 47 W.	61·0	16·1	—	Lost	—	Light airs			—	Smooth.	
„ 13	3.30 a.m.	49 11 N.	4 54 W.	60·1	15·6	19·58	35·37	28·43	Light airs			—	Smooth.	
„ 13	4.45 a.m.	49 01 N.	4 56 W.	59·7	15·4	19·58	35·37	28·43	N. 70 E.	2	2	o.	Smooth.	
„ 13	6.5 a.m.	48 52 N.	5 01 W.	59·2	15·1	19·57	35·35	28·41	S. 85 E.	2	2	o.	Smooth.	
„ 13	7.20 a.m.	48 42 N.	5 07 W.	59·9	15·5	19·57	35·35	28·41	S. 85 E	2	2	o.	Smooth.	
„ 13	10.22 a.m.	48 34 N.	5 13 W.	56·7	13·7	19·54	35·31	28·37	N. 85 E.	4	6	o.	Confused	Station 3.
„ 13	1.45 p.m.	48 32 N.	5 35 W.	62·6	17·0	19·55	35·33	28·39	N. 75 E.	4	6	c. 1	Moderate.	
„ 13	3.20 p.m.	48 30 N.	5 53 W.	62·8	17·1	19·55	35·32	28·38	N. 75 E.	4	6	c. 1	Moderate.	
„ 13	5.5 p.m.	48 29 N.	6 12 W.	62·8	17·1	19·55	35·32	28·38	N. 75 E.	4	6	c. 1	Moderate.	
„ 13	8.20 p.m.	48 27 N.	6 35 W.	62·8	17·1	19·59	35·39	28·44	N. 75 E.	4	6	b.	Rough	Station 4.
„ 13	10.40 p.m.	48 36 N.	6 33 W.	62·2	16·8	19·57	35·35	28·41	N. 50 E.	4	6	b	Heavy swell.	
„ 13	11.50 p.m.	48 47 N.	6 33 W.	62·4	16·9	19·56	35·34	28·40	N. 50 E.	4	6	b.	Moderate.	
„ 14	1.45 a.m.	48 58 N.	6 32 W.	62·2	16·8	19·55	35·32	28·38	—	—	—	—	—	
„ 14	4.20 a.m.	49 06 N.	6 32 W.	62·2	16·8	19·53	35·28	28·35	S. 80 E.	4	6	c. 5	Moderate	Station 5.
„ 14	8.42 a.m.	49 12 N.	6 27 W.	61·9	16·6	19·53	35·28	28·35	N. 50 E.	3	4	—	Moderate.	
„ 14	—	49 29 N.	6 22 W.	61·2	16·2	19·53	35·28	28·35	N. 50 E.	3	4	b.	Moderate.	
„ 14	11.7 a.m.	49 41 N.	6 13 W.	60·4	15·8	19·53	35·28	28·35	N. 50 E.	3	4	b.	Moderate.	
„ 14	0.55 p.m.	49 54 N.	6 13 W.	61·0	16·1	19·57	35·35	28·41	—	—	—	—	—	
„ 14	2.17 p.m.	50 04 N.	6 04 W.	61·5	16·4	19·52	35·26	28·34	—	—	—	—	—	
„ 14	3.30 p.m.	50 12 N.	6 03 W.	62·4	16·9	19·49	35·21	28·30	—	—	—	b.	Slight swell.	
„ 14	—	50 18 N.	6 04 W.	61·5	16·4	19·55	35·32	28·38	—	—	—	—	—	
„ 14	6.20 p.m.	50 24 N.	6 05 W.	63·0	17·2	19·48	35·19	28·28	N. 40 E.	1	1	b.	Smooth	Station 6.
„ 14	9.40 p.m.	50 04 N.	5 54 W.	59·5	15·3	19·55	35·32	28·38	—	—	—	—	—	
„ 14	11 p.m.	49 57 N.	5 49 W.	60·4	15·8	19·58	35·37	28·43	N. 70 E.	—	—	b.	Smooth.	
„ 15	0.20 a.m.	49 53 N.	5 38 W.	61·0	16·1	19·58	35·37	28·43	N. 85 E.	1	1	o.	Smooth	Station 7.
„ 15	3 a.m.	49 46 N.	5 30 W.	62·2	16·8	19·59	35·39	28·44	S. 85 E.	2	2	o.	Smooth.	
„ 15	4.35 a.m.	49 37 N.	5 20 W.	62·2	16·8	19·59	35·39	28·44	—	—	—	c. 8	Smooth.	
„ 15	6 a.m.	49 31 N.	5 11 W.	61·9	16·6	19·59	35·39	28·44	—	—	—	—	—	Extra Station
„ 15	—	49 39 N.	5 00 W.	61·0	16·1	19·57	35·35	28·41	—	—	—	—	—	
„ 15	9.40 a.m.	49 47 N.	4 49 W.	61·2	16·2	19·59	35·39	28·44	N. 70 E.	2	2	o.	Smooth.	
„ 15	11 a.m.	49 54 N.	4 40 W.	60·8	16·0	19·60	35·41	28·46	N. 70 E.	2	2	o.	Smooth.	
„ 15	0.10 p.m.	50 03 N.	4 32 W.	61·2	16·2	19·60	35·41	28·46	N. 70 E.	2	2	o.	Smooth.	
„ 15	1.30 p.m.	50 10 N.	4 23 W.	61·3	16·3	19·61	35·43	28·47	N. 70 E.	2	2	o.	Smooth.	

Observations on Stations were made by D. J. Matthews; surface observations between stations by D. J. Matthews, T. V. Hodgson, and W. G. Ramsay.

SEPTEMBER, 1905—S.S. *Oithona.*

Aug. 12	3.43 p.m.	50 11 N.	4 14 W.	57·7	14·3	19·57	35·35	28·41	S. 70 W.	2	2	c. 2	Slight.	
„ 12	5.5 p.m.	50 02 N.	4 22 W.	58·4	14·7	19·57	35·35	28·41	S. 85 W.	2	2	b.	Slight	Station 1.
„ 12	7.20 p.m.	49 53 N.	4 26 W.	57·7	14·3	19·57	35·35	28·41	—	—	—	—	—	
„ 12	8.50 p.m.	49 45 N.	4 31 W.	57·7	14·3	19·56	35·34	28·40	S. 70 W.	2	2	b.	Slight.	
„ 12	10.15 p.m.	49 35 N.	4 37 W.	57·4	14·1	19·55	35·32	28·38	—	—	—	b.	Smooth.	
„ 13	0.15 a.m.	49 27 N.	4 42 W.	58·1	14·5	19·54	35·30	28·37	N. 85 W.	1	1	c. 1	Smooth	Station 2.
„ 13	3.15 a.m.	49 17 N.	4 48 W.	58·1	14·5	19·55	35·32	28·38	S. 30 W.	2	2	b.	Smooth.	
„ 13	5.10 a.m.	49 05 N.	4 57 W.	57·9	14·4	19·53	35·28	28·35	S. 30 W.	1	1	b.	Smooth.	
„ 13	7.0 a.m.	48 53 N.	5 02 W.	56·8	13·8	19·54	35·30	28·37	S. 30 W.	1	1	o.	Smooth.	
„ 13	8.50 a.m.	48 42 N.	5 09 W.	57·9	14·4	19·52	35·26	28·34	—	—	—	—	Slight.	
„ 13	11.35 a.m.	48 34 N.	5 13 W.	56·3	13·5	19·52	35·27	28·34	—	—	—	—	—	Station 3.

TABLE II—*continued.*

SEPTEMBER, 1905—S.S. *Oithona—continued.*

Date.	Greenwich Time.	Latitude	Longitude.	Temperature.		Cl. °/₀₀	S. °/₀₀	σ_0	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Aug. 13	2.20 p.m.	48 32 N.	5 29 W.	58·5	14·7	19·52	35·26	28·34	—	—	—	—	Moderate swell.	
„ 13	4. p.m.	48 30 N.	5 44 W.	60·3	15·7	19·54	35·30	28·37	—	—	—	—	—	
„ 13	5.50 p.m.	48 29 N.	6 02 W.	60·4	15·8	19·55	35·32	28·38	—	—	—	—	—	
„ 13	7.40 p.m.	48 28 N.	6 19 W.	59·7	15·4	19·56	35·34	28·40	—	—	—	—	—	
„ 13	9.20 p.m.	48 27 N.	6 35 W.	60·4	15·8	19·59	35·39	28·44	—	—	—	—	Heavy swell.	Station 4.
„ 14	0.5 a.m.	48 36 N.	6 35 W.	60·4	15·8	19·59	35·40	28·45	N. 40 W.	2	2	—	Moderate swell.	
„ 14	1.45 a.m.	48 45 N.	6 34 W.	59·9	15·5	19·59	35·39	28·44	—	—	—	b.	Moderate swell.	
„ 14	3.25 a.m.	48 54 N.	6 33 W.	59·0	15·0	19·58	35·37	28·43	—	—	—	—	Moderate swell.	
„ 14	4.45 a.m.	49 06 N.	6 32 W.	59·5	15·3	19·56	35·34	28·40	—	—	—	—	Heavy swell.	Station 5
„ 14	7.50 a.m.	49 10 N.	6 18 W.	58·3	14·6	19·53	35·28	28·35	—	—	—	—	—	
„ 14	9.40 a.m.	49 15 N.	6 02 W.	58·3	14·6	19·52	35·26	28·34	—	—	—	—	—	
„ 14	11.20 a.m.	49 19 N.	5 49 W.	59·4	15·2	19·53	35·28	28·35	N. 75 E.	4	6	—	Heavy swell.	
„ 14	1.20 p.m.	49 25 N.	5 35 W.	59·5	15·3	19·54	35·30	28·37	—	—	—	—	Rough.	
„ 14	3.15 p.m.	49 32 N.	5 21 W.	59·4	15·2	19·55	35·32	28·38	—	—	—	—	—	
„ 14	4.55 p.m.	49 41 N.	5 12 W.	59·2	15·1	19·55	35·33	28·39	—	—	—	—	—	
„ 14	6.30 p.m.	49 49 N.	5 01 W.	59·0	15·0	19·56	35·34	28·40	—	—	—	—	Rough.	
14	8 p.m.	49 56 N.	4 49 W.	56·8	13·8	19·57	35·35	28·41	—	—	—	—	—	
„ 14	9.30 p.m.	50 03 N.	4 40 W.	—	—	19·58	35·37	28·43	—	—	—	—	—	

Observations on stations were made by D. J. Matthews: surface observations between stations by D. J. Matthews and T. V. Hodgson.

NOVEMBER, 1905—S.S. *Huxley.*

Nov. 6	0.5 a.m.	Proceeded to sea.												
„ 6	1.35 a.m.	50 11 N.	4 15 W.	55·0	12·8	19·58	35·37	28·43	S. 70 W.	1	1	b.	Smooth.	
„ 6	3 a.m.	50 02 N.	4 22 W.	55·2	12·9	19·60	35·41	28·46	N. 60 W.	1	1	b p.	Smooth	Station 1.
„ 6	6.12 a.m.	49 53 N.	4 26 W.	55·4	13·0	19·59	35·39	28·44	N. 85 W.	2	2	c. 5	Slight.	
„ 6	7.26 a.m.	49 44 N.	4 31 W.	54·9	12·7	19·57	35·35	28·41	N. 85 W.	2	2	c. 5	Slight.	
„ 6	8.40 a.m.	49 36 N.	4 36 W.	55·4	13·0	19·58	35·37	28·43	?	1	1	c. 5	Slight.	
„ 6	10.10 a.m.	49 27 N.	4 42 W.	55·0	12·8	19·57	35·35	28·41	N. 60 W.	1	1	o. to c. 5	Slight	Station 2.
Anchored for seven hours for current measurements.														
„ 6	9.25 p.m.	49 19 N.	4 46 W.	55·0	12·8	19·53	35·28	28·35	S. 60 W.	1	1	c. 1	Slight.	
„ 6	10.40 p.m.	49 12 N.	4 51 W.	54·5	12·5	19·54	35·30	28·37	S. 60 W.	1	1	c. 1	Slight.	
„ 6	11.55 p.m.	49 03 N.	4 57 W.	53·8	12·1	19·55	35·32	28·38	S. 60 W.	1	1	c. 5	Slight.	
„ 7	1.7 a.m.	48 55 N.	5 03 W.	53·1	11·7	19·55	35·32	28·38	S. 40 W.	1	1	c. 5	Slight.	
„ 7	6 a.m.	48 34 N.	5 13 W.	53·3	11·8	19·56	35·34	28·40	S. 70 W.	1	1	c. 5	Smooth	Station 3.
„ 7	9.22 a.m.	48 32 N.	5 27 W.	53·1	11·7	19·56	35·34	28·40	—	—	—	o.	Slight.	
„ 7	10.31 a.m.	48 31 N.	5 41 W.	53·2	11·8	19·59	35·39	28·44	Calm			c. 5	Slight.	
„ 7	11.39 a.m.	48 30 N.	5 54 W.	53·6	12·0	19·61	35·43	28·47	—	—	—	—	—	
„ 7	0.50 p.m.	48 29 N.	6 07 W.	53·6	12·0	19·61	35·43	28·47	S. 70 W.	1	1	c. 5	Slight.	
„ 7	2.5 p.m.	48 28 N.	6 21 W.	54·0	12·2	19·64	35·48	28·51	S. 70 W.	1	1	c. 5	Slight.	
„ 7	3.30 p.m.	48 27 N.	6 35 W.	53·9	12·2	19·66	35·52	28·54	N. 60 W.	2	2	c. 2	Slight	Station 4.
„ 7	6.25 p.m.	48 20 N.	6 50 W.	53·8	12·1	19·66	35·52	28·54	N. 60 W.	2	2	c. 2	Slight.	
„ 7	7.43 p.m.	48 15 N.	7 04 W.	54·0	12·2	19·66	35·52	28·54	N. 60 W.	3	4	c. 3	Slight.	
„ 7	9.10 p.m.	48 10 N.	7 15 W.	54·0	12·2	19·67	35·53	28·56	—	—	—	—	—	
„ 7	10.35 p.m.	48 05 N.	7 29 W.	54·0	12·2	19·67	35·53	28·56	N. 50 W.	—	—	—	Rising.	
„ 7	Midnight	48 00 N.	7 43 W.	54·0	12·2	19·69	35·57	28·59	—	—	—	—	—	
„ 8	4 a.m.	47 46 N.	7 50 W.	54·3	12·4	19·69	35·57	28·59	N. 60 W.	1	1	b.	Slight	Extra station.
„ 8	8.45 a.m.	47 51 N.	7 46 W.	53·8	12·1	19·68	35·55	28·57	N. 50 W.	1	1	c. 1	Slight.	
„ 8	10.30 a.m.	48 09 N.	7 40 W.	54·1	12·3	19·68	35·55	28·57	N. 50 W.	1	1	c. 1	Slight.	
„ 8	0.12 p.m.	48 21 N.	7 33 W.	54·3	12·4	19·68	35·55	28·57	—	—	—	—	—	
„ 8	1.35 p.m.	48 33 N.	7 22 W.	54·5	12·5	19·67	35·53	28·56	N. 60 W.	1	1	c. 2	Slight.	

TABLE II—*continued.*

NOVEMBER, 1905—S.S. *Huxley—continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature.		Cl. ‰	S. ‰	σ_0	Wind.			Sky.	Sea.	Remarks.
				F.	C.				Direction (True).	Force. B.	Force. m/s.			
		° ′	° ′						°					
Nov. 8	3 p.m.	48 42 N.	7 10 W.	54·1	12·3	19·63	35·52	28·54	N. 60 W.	1	1	c. 1	Slight.	
„ 8	4.36 p.m.	48 50 N.	6 56 W.	53·6	12·0	19·64	35·48	28·51	—	—	—	—	—	
„ 8	5.57 p.m.	48 59 N.	6 43 W.	53·1	11·7		Lost.		N. 50 W.	1	1	c. 1	Slight.	
„ 8	7.59 p.m.	49 06 N.	6 32 W.	52·1	11·2	19·56	35·34	28·40	S. 70 W.	1	1	b.	Smooth	Station 5.
„ 8	11.45 p.m.	49 15 N.	6 26 W.	52·0	11·1	19·53	35·28	28·35	—	—	—	b.	Slight.	
„ 9	1.15 a.m.	49 25 N.	6 20 W.	52·0	11·1	19·53	35·28	28·35	—	—	—	b.	Slight. swell.	
„ 9	2.42 a.m.	49 35 N.	6 14 W.	52·3	11·3	19·54	35·30	28·37	N. 70 E.	1	1	b.	Slight.	
„ 9	4.10 a.m.	49 45 N.	6 08 W.	52·9	11·6	19·54	35·31	28·37	N. 70 E.	1	1	b.	Slight.	
„ 9	5.35 a.m.	49 55 N,	6 01 W.	52·9	11·6	19·56	35·34	28·40	N. 70 E.	1	1	b.	Slight.	
„ 9	7.3 a.m.	50 05 N.	5 55 W.	53·6	12·0	19·53	35·28	28·35	N. 70 E.	1	1	o.	Slight.	
„ 9	10.20 a.m.	50 24 N.	6 05 W.	53·3	11·8	19·57	35·35	28·41	S. 30 E.	1	1	o.	Slight	Station 6.
„ 9	1.5 p.m.	50 18 N.	5 59 W.	54·0	12·2	19·58	35·38	28·43	S. 30 E.	2	2	o.	Slight.	
„ 9	2.12 p.m.	50 11 N.	5 54 W.	53·8	12·1	19·58	35·37	28·43	—	—	—	o.	Slight.	
„ 9	3.50 p.m.	50 03 N.	5 49 W.	53·8	12·1	19·57	35·35	28·41	—	—	—	o.	Slight.	
„ 9	5.3 p.m.	49 57 N.	5 48¾ W.	53·8	12·1	19·58	35·37	28·43	—	—	—	o. d.	Moderate.	
„ 9	6.5 p.m,	49 53 N.	5 38 W.	53·6	12·0	19·58	35·37	28·43	S. 30 E,	4	6	o.r.	Moderate	Station 7.
„ 9	9.28 p.m.	49 50 N.	5 23 W.	54·1	12·3	19·60	35·41	28·46	S. 30 E.	6	10·5	o.	Rough.	
„ 9	11.20 p.m.	49 46 N.	5 09 W.	54·3	12·4	19·59	35·39	28·44	S. 30 E.	6	10·5	o.	Rough.	
„ 10	1.40 a.m.	49 44 N.	4 52 W,	54·7	12·6	19·58	35·37	28·43	S. 30 E.	6	10·5	o.	Rough.	
„ 10	3.45 a.m.	49 53 N.	4 41 W.	54·9	12·7	19·58	35·37	28·43	S.	4	6	o.	Rough.	
„ 10	5.15 a.m.	50 02 N.	4 29 W.	54·7	12·6	19·61	35·43	28·47	S. 30 E.	2	2	o.	Moderate.	
„ 10	7 a.m.	50 12 N.	4 19 W.	—	—	19·61	35·43	28·47	—	—	—	—	—	
				Put into Plymouth.										
„ 12	2 p.m.			Proceeded to sea.										
„ 12	3.45 p.m.	50 15 N.	4 05 W.	54·5	12·5	19·49	35·21	28·30	S. 5 W.	4	6	o.	Rough.	
„ 12	4.38 p.m.	50 09 N.	4 01 W.	54·1	12·3	19·52	35·26	28·34	S. 15 E.	5	8	o.	Rough.	
„ 12	5.30 p.m.			Sea rising rapidly; put back to Plymouth.										
„ 14	3.35 p.m.			Proceeded to sea.										
„ 14	4.19 p.m.	50 15 N.	4 07 W.	53·6	12·0	19·56	35·34	28·40	N. 50 E.	2	2	c. 8 m.	Slight.	
„ 14	4.56 p.m.	50 10 N.	4 04 W.	53·6	12·0	19·57	35·35	28·41	N. 50 E.	3	4	c. 8.	Slight.	
„ 14	6.11 p.m.	50 01 N.	4 00 W.	54·5	12·5	19·57	35·35	28·41	N. 50 E.	—	—	—	—	
„ 14	7.33 p.m.	49 51 N.	3 55 W.	54·5	12·5	19·55	35·32	28·38	N. 50 E.	1	1	o. r.	Slight.	
„ 14	8.48 p.m.	49 41 N.	3 50 W.	54·7	12·6	19·57	35·35	28·41	N. 50 E.	4	6	o.	Moderate.	
„ 14	10.5 p.m.	49 33 N.	3 45 W.	55·0	12·8	19·57	35·35	28·41	N. 70 E.	5	8	o.	Rough.	
„ 14	11.23 p.m.	49 23 N.	3 40 W.	55·0	12·8	19·57	35·35	28·41	N. 70 E.	5	8	o.	Rough.	
„ 15	0.20 a.m.	49 16 N.	3 37 W.	53·8	12·1	19·59	35·39	28·44	N. 50 E.	5	8	c. 9	Rough	Station 8.
„ 15	5.39 a.m.	49 27 N.	3 27 W.	55·4	13·0	19·56	35·34	28·40	N. 40 E.	5	8	o.	Rough.	
„ 15	4.20 p.m.			Sea too rough for work; put into Dartmouth.										
„ 16	3.20 p.m.			Proceeded to sea.										
„ 16	5.55 p.m.	50 08 N.	3 47 W.	53·8	12·1	19·59	35·39	28·44	N. 30 E.	1	1	b.	Smooth	Station 20.
„ 16	8.40 p.m.	50 02 N.	3 35 W.	54·1	12·3	19·59	35·39	28·44	N. 30 E.	1	1	b.	Smooth.	
„ 16	9.53 p.m.	49 56 N.	3 23 W.	54·2	12·4	19·58	35·37	28·43	N. 5 E.	2	2	b.	Slight	Station 19.
„ 17	0.19 a.m.	49 47 N.	3 15 W.	54·5	12·5	19·57	35·35	28·41	N. 30 E.	1	1	b.	Slight.	
„ 17	1.28 a.m.	49 39 N.	3 09 W.	54·9	12·8	19·56	35·34	28·40	N. 5 E.	2	2	c. 5	Slight	Station 9.
„ 17	4.53 a.m.	49 44 N.	2 52 W.	54·1	12·3	19·56	35·34	28·40	N. 5 E.	1	1	b.	Slight.	
„ 17	8.30 a.m.	49 49 N.	2 33 W.	54·7	12·6	19·57	35·35	28·41	N. 30 E.	2	2	c. 8	Smooth	Station 10.
„ 17	11.26 a.m.	49 58 N.	2 35 W.	54·0	12·2	19·58	35·38	28·43	N. 10 W.	1	1	—	Smooth.	
„ 17	0.35 p.m.	50 05 N.	2 43 W.	54·1	12·3	19·60	35·41	28·46	N. 15 W.	1	1	c. 7	Smooth.	
„ 17	1.45 p.m.	50 11 N.	2 52 W.	53·9	12·2	19·58	35·37	28·43	Calm			—	Smooth	Station 17.
„ 17	3.50 p.m.	50 16 N	3 01 W.	53·8	12·1	19·58	35·37	28·43	Calm			c. 7	Smooth.	
„ 17	4.45 p.m.	50 23 N.	3 08 W.	53·2	11·8	19·58	35·37	28·43	N. 70 E.	1	1	c. 5	Smooth	Station 18.
„ 17	7.25 p.m.	50 22 N.	2 49 W.	53·6	12·0	19·58	35·37	28·43	—	—	—	c. 5	Smooth.	
„ 17	9.5 p.m.	50 23 N.	2 28 W.	52·1	11·2	19·58	35·37	28·43	N. 60 E.	4	6	c. 9 r.	Slight	Station 16.

TABLE II—*continued.*

NOVEMBER, 1905—S.S. *Huxley—continued.*

Date.	Greenwich Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl. ‰	S. ‰	σ_0	Wind. Direction (True).	Wind. Force. B.	Wind. Force. m/s.	Sky.	Sea.	Remarks.
		° ′	° ′						°					
Nov. 17	11.23 p.m.	50 16 N.	2 20 W.	52·5	11·4	19·59	35·39	28·44	N. 70 E.	4	6	o. r.	Moderate	Saint Elmo's Fire on masts.
„ 18	0.25 a.m.	50 10 N.	2 12 W.	53·2	11·8	19·56	35·34	28·40	N. 60 E.	5	8	o.	Moderate.	
„ 18	1.50 a.m.	50 05 N.	1 58 W.	53·7	12·0	19·55	35·33	28·39	S. 60 E.	4	6	o. p.	Slight	Station 11.
„ 18	5.43 a.m.	49 59 N.	1 44 W.	54·5	12·5	19·55	35·32	28·38	S. 15 E.	—	—	o.	Moderate.	
„ 18	9.30 a.m.	49 55 N.	1 09 W.	54·1	12·3	19·53	35·28	28·35	S. 60 E.	4	6	o.	Slight	Station 12.
„ 18	11.30 a.m.	50 01 N.	1 11 W.	54·3	12·4	19·53	35·28	28·35	N. 85 E.	4	6	c. 3.	Moderate.	
„ 18	0.25 p.m.	50 08 N.	1 12 W.	54·3	12·4	19·50	35·24	28·31	N. 85 E.	4	6	c. 6	Moderate.	
„ 18	1.10 p.m.	50 14 N.	1 13 W.	53·4	11·9	19·53	35·29	28·36	S. 60 E.	4	6	—	Moderate.	
„ 18	2 p.m.	50 20 N.	1 15 W.	53·0	11·7	19·55	35·33	28·39	S. 80 E.	6	10·5	o.	Rough	Station 1 .
„ 18	3.45 p.m.	50 27 N.	1 16 W.	50·7	10·4	19·55	35·33	28·39	—	6	10·5	o.	Rough.	
„ 18	4.55 p.m.	50 33 N.	1 17 W.	49·8	9·9	19·43	35·11	28·21	N. 50 E.	7	13	o.	Rough	Station 14.
„ 18	Midnight.	50 28 N.	0 52 W.	52·3	11·3	19·57	35·35	28·41	N. 50 E.	8	16	o.	Very rough.	
„ 19	Noon.	Anchored off Lymington.												
„ 21	11.15 a.m.	Proceeded to sea.												
„ 21	1 p.m.	50 42⅔ N.	0 59½ W.	46·8	8·2	19·39	35·04	28·15	—	—	—	—	Smooth	Off Nab Lightship.
„ 21	2.2 p.m.	50 38 N.	0 49 W.	49·1	9·5	19·53	35·28	28·35	N. 70 E.	1	1	c. 2	Slight.	
„ 21	3.4 p.m.	50 32 N.	0 39 W.	51·6	10·9	19·56	35·34	28·40	N. 85 E.	1	1	c. 5	Slight.	
„ 21	4.5 p.m.	50 26 N.	0 29 W.	52·2	11·2	19·56	35·34	28·40	S. 15 E.	2	2	o.	Smooth.	
„ 21	5 p.m.	50 21 N.	0 19 W.	52·9	11·6	—	—	—	S. 30 W.	2	2	o.	Smooth	Station 21.
„ 21	7.20 p.m.	50 11 N.	0 19 W.	53·1	11·7	19·45	35·14	28·24	S. 30 W.	2	2	o.	Slight.	
„ 21	8.54 p.m.	50 00 N.	0 21 W.	53·3	11·8	19·45	35·14	28·24	S. 5 E.	2	2	o.	Smooth	Station 24.
„ 21	11.8 p.m.	50 09 N.	0 15 W.	52·7	11·5	19·48	35·19	28·28	S. 5 W.	3	4	o.	Slight.	
„ 22	0.27 a.m.	50 17 N.	0 07 W.	52·7	11·5	19·52	35·26	28·34	S. 30 W.	2	2	o.	Slight.	
„ 22	1.41 a.m.	50 25 N.	0 01 E.	52·2	11·2	19·54	35·30	28·37	S. 30 W.	1	1	c. 9	Slight.	
„ 22	2.56 a.m.	50 33 N.	0 08 E.	51·8	11·0	19·52	35·26	28·34	S. 60 W.	1	1	b.	Smooth.	
„ 22	4.14 a.m.	50 41 N.	0 16 E.	48·4	9·1	19·45	35·14	28·24	Calm			—	Smooth.	
„ 22	5.17 a.m	50 37 N.	0 25 E.	—	—	19·49	35·21	28·30	Calm			—	Smooth.	
„ 22	6.30 a.m.	50 33 N.	0 36 E.	51·6	10·9	19·53	35·28	28·35	S. 5 E.	1	1	o.	Smooth	Station 22.
„ 22	8.40 a.m.	50 28 N.	0 46 E.	51·4	10·8	19·52	35·26	28·34	—	—	—	—	Slight.	
„ 22	9.50 a.m.	50 24 N.	0 55 E.	51·3	10·7	19·47	35·17	28·27	S. 15 E.	1	1	c. 1	Smooth.	
„ 22	11.0 a.m.	50 19 N.	1 04 E.	50·5	10·3	19·47	35·17	28·27	S. 15 E.	4	6	c. 1	Moderate.	
„ 22	0.12 p.m.	50 14 N.	1 15 E.	49·5	9·7	19·40	35·05	28·16	S. 5 E.	4	6	c. 2	Moderate.	
„ 22	1.45 p.m.	50 22 N.	1 10 E.	49·8	9·9	19·42	35·08	28·19	S. 40 W.	4	6	c. 9	Moderate.	
„ 22	3.22 p.m.	50 31 N.	1 06 E.	51·3	10·7	19·44	35·12	28·22	S. 30 W.	4	6	—	Rough.	
„ 22	4.40 p.m.	50 41 N.	1 02 E.	51·3	10·7	19·44	35·13	28·23	S. 40 W.	5	8	—	Rough.	
„ 22	5.54 p.m.	50 50 N.	1 09 E.	51·6	10·9	19·52	35·26	28·34	S. 20 W.	4	6	—	Moderate.	
„ 22	6.55 p.m.	50 59 N.	1 16 E.	49·5	9·7	19·42	35·08	28·19	S. 30 W.	—	—	—	Moderate.	
„ 22	7.52 p.m.	51 05 N.	1 29 E.	49·1	9·5	19·46	35·16	28·25	S. 30 W.	—	—	c. 5	Moderate.	

Observations on stations were made by D. J. Matthews; surface observations between stations by D. J. Matthews, L. R. Crawshay, M.A., and G. E. Bullen.

TABLE III.

Surface Observations made on Cross-channel Steamers, &c.

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl.‰	S.‰	σ_0
		JANUARY, 1904.						
		NEWHAVEN-CAEN.						
16	32.5 p.m.	49° 48′ N.	0° 11′ W.	47	8·3	19·45	35·14	28·24
16	4.10 p.m.	50 00 N.	0 12 W.	47½	8·6	19·54	35·30	28·37
16	6.05 p.m.	50 12 N.	0 11 W.	48	8·9	19·61	35·43	28·47
16	7.20 p.m.	50 24 N.	0 11 W.	48	8·9	19·73	35·64	28·64
16	9.05 p.m.	50 36 N.	0 00 W.	45½	7·5	19·55	35·32	28·38
31	0.30 a.m.	49 46 N.	0 07 W.	45	7·2	19·43	35·10	28·21
31	1.55 a.m.	49 58 N.	0 07 W.	46	7·8	19·53	35·28	28·35
31	3.30 a.m.	50 10 N.	0 07 W.	46	7·8	19·59	35·39	28·44
31	5 a.m.	50 22 N.	0 07 W.	47	8·3	19·57	35·35	28·41
		MEDITERRANEAN-CARDIFF.*						
2	7 p.m.	38 00 N.	9 30 W.	58	14·4	19·96	36·06	28·98
3	10.30 a.m.	40 00 N.	9 45 W.	58	14·4	19·91	35·97	28·91
3	11.30 p.m.	42 00 N.	9 00 W.	56¼	13·4	19·84	35·84	28·80
4	3.0 p.m.	44 00 N.	9 00 W.	55	12·8	19·77	35·71	28·70
5	7.30 p.m.	46 00 N.	7 50 W.	53	11·7	19·74	35·66	28·66
6	10.30 a.m.	48 00 N.	7 00 W.	52½	11·4	19·71	35·61	28·62
		FEBRUARY, 1904.						
		NEWHAVEN-CAEN.						
11	8.55 p.m.	50 35 N.	0 01 E.	45	7·2	19·56	35·34	28·40
11	10.25 p.m.	50 23 N.	0 00	46	7·8	19·55	35·32	28·38
11	11.50 p.m.	50 11 N.	0 02 W.	46	7·8	19·57	35·35	28·41
12	1.05 a.m.	49 59 N.	0 04 W.	44	6·7	19·40	35·05	28·16
12	2.35 a.m.	49 47 N.	0 08 W.	44	6·7	19·31	34·88	28·03
25	5.15 a.m.	50 35 N.	0 02 E.	45	7·2	19·47	35·17	28·27
25	6.30 a.m.	50 23 N.	0 00	46	7·8	19·62	35·44	28·48
25	7.45 a.m.	50 11 N.	0 03 W.	46	7·8	19·63	35·46	28·50
25	9.10 a.m.	49 59 N.	0 06 W.	44	6·7	18·68	33·75	27·12
25	10.30 a.m.	49 47 N.	0 08 W.	42	5·6	18·63	33·66	27·04
		S.S. *Helga*—IRISH COAST.						
3	—	50 19 N.	10 17 W.	—	—	19·64	35·48	28·51
3	—	50 27 N.	10 11 W.	—	—	19·62	35·44	28·48
3	—	50 46 N.	10 00 W.	—	—	19·52	35·26	28·34
3	—	51 14 N.	9 42 W.	—	—	19·46	35·16	28·25
		PLYMOUTH-CORK.						
27	4 p.m.	50 15 N.	6 01 W.	47¼	8·4	19·54	35·30	28·37
27	5.55 p.m.	50 30 N.	6 23 W.	47¼	8·4	19·53	35·28	28·35
27	7.40 p.m.	50 44 N.	6 44 W.	47	8·3	19·52	35·26	28·34
27	9.35 p.m.	50 59 N.	7 06 W.	47	8·3	19·51	35·25	28·32
27	11.24 p.m.	51 13 N.	7 28 W.	47	8·3		Lost.	
28	1.15 a.m.	51 28 N.	7 48 W.	46½	8·1	19·45	35·14	28·24
		SOUTHAMPTON-NEW YORK.						
7	3.31 a.m.	49 46 N.	5 16 W.	49·9	9·9	19·68	35·55	28·57
7	5.15 a.m.	49 47 N.	6 07 W.	49·3	9·6	19·55	35·32	28·38
7	6.25 a.m.	49 44 N.	6 38 W.	48·3	9·1	19·58	35·37	28·43
7	8.49 a.m.	49 44 N.	7 29 W.	49·8	9·9	19·65	35·50	28·53
7	10.55 a.m.	49 45 N.	8 41 W.	49·8	9·9	19·73	35·64	28·64
7	1.05 p.m.	49 46 N.	9 45 W.	50·1	10·1	19·61	35·43	28·47
15	5.30 a.m.	49 53½ N.	5 12 W.	47½	8·6	19·52	35·26	28·34
15	8.45 a.m.	49 50 N.	6 00 W.	48	8·9	19·57	35·35	28·41
		FEBRUARY, 1904—*continued.*						
		SOUTHAMPTON-NEW YORK—*continued.*						
15	Noon	49° 49′ N.	6° 42′ W.	48½	9·2	19·58	35·37	23·43
15	4 p.m.	49 50 N.	7 31 W.	49	9·4	19·58	35·37	28·43
15	8 p.m.	49 50 N.	8 20 W.	48¼	9·0	19·59	35·39	28·44
16	1.30 a.m.	49 47 N.	9 26 W.	48¼	9·0	19·64	35·48	28·51
		SOUTHAMPTON-WEST INDIES.						
4	6.30 a.m.	48 59 N.	5 20 W.	50½	10·1	19·55	35·32	28·38
4	9.30 a.m.	48 37 N.	6 10 W.	51½	10·8	19·71	35·61	28·62
4	1.10 p.m.	48 05 N.	7 05 W.	51½	10·8	19·71	35·61	28·62
4	4.10 p.m.	47 40 N.	7 40 W.	51½	10·8	19·72	35·62	28·63
4	9.45 p.m.	47 15 N.	8 30 W.	51½	10·8	19·70	35·59	28·60
5	2.30 a.m.	46 36 N.	10 15 W.	51½	10·8	19·74	35·66	28·66
		MARCH, 1904.						
		NEWHAVEN-CAEN.						
10	5.20 a.m.	50 35 N.	0 02 E.	44	6·7	19·33	34·92	28·06
10	6.40 a.m.	50 23 N.	0 01 E.	45½	7·3	19·58	35·37	28·43
10	8 a.m.	50 11 N.	0 03 W.	46	7·8	19·61	35·43	28·47
10	9.36 a.m.	49 59 N.	0 03 W.	45½	7·3	19·42	35·08	28·19
10	11 a.m.	49 47 N.	0 06 W.	44½	6·9	19·21	34·70	27·89
24	3.30 a.m.	50 34 N.	0 01 E.	44	6·7	19·52	35·26	28·34
24	4.45 a.m.	50 22 N.	0 00.	45	7·2	19·59	35·39	28·44
24	6 a.m.	50 10 N.	0 01 W.	46	7·8	19·60	35·41	28·46
24	7.25 a.m.	49 58 N.	0 03 W.	46	7·8	19·58	35·37	28·43
24	8.45 a.m.	49 46 N.	0 05 W.	45	7·2	19·36	34·97	28·11
		SOUTHAMPTON-NEW YORK.						
5	8.20 a.m.	49 37 N.	10 00 W.	45	7·2	19·64	35·49	28·52
5	10.20 a.m.	49 39 N.	9 00 W.	43	6·1	19·65	35·50	28·53
5	0.20 p.m.	49 44 N.	8 00 W.	45	7·2	19·60	35·41	28·46
5	2.40 p.m.	49 47 N.	7 00 W.	44	6·7	19·61	35·43	28·47
5	5.15 p.m.	49 49 N.	6 00 W.	43	6·1	19·60	35·41	28·46
		BRISTOL-WEST INDIES.						
1	1 a.m.	50 47 N.	10 12 W.	47½	8·4	19·55	35·32	28·38
1	4 a.m.	50 54 N.	9 11 W.	46	7·8	19·51	35·25	28·32
1	7 a.m.	50 59 N.	7 55 W.	46	7·8	19·52	35·26	28·34
1	10.38 a.m.	51 02 N.	7 00 W.	45	7·2	19·50	35·23	28·31
1	0.30 p.m.	51 02 N.	6 25 W.	45½	7·5	19·46	35·16	28·25
1	4.24 p.m.	51 06 N.	4 55 W.	45	7·2	19·51	35·25	28·32
		SOUTHAMPTON-CAPE TOWN.						
25	8 p.m.	43 14 N.	9 29 W.	49½	9·7	19·70	35·59	28·60
26	8 a.m.	45 24 N.	7 50 W.	48½	9·2	20·03	36·18	29·08
26	8 p.m.	47 40 N.	6 03 W.	47	8·3	20·11	36·33	29·20
27	8 a.m.	49 58 N.	4 01 W.	45	7·2	20·10	36·31	29·18
		APRIL, 1904.						
		NEWHAVEN-CAEN.						
11	9.30 p.m.	50 35 N.	0 01 E.	46	7·8	19·33	34·92	28·06
11	10.45 p.m.	50 23 N.	0 01 W.	47	8·3	19·55	35·32	28·3
11	Midnight	50 11 N.	0 02 W.	46¾	2		Lost.	
12	1.25 a.m.	49 59 N.	0 03 W.	47	8·3	19·37	35·00	28·23
12	2.45 a.m.	49 47 N.	0 05 W.	47	8·3	19·45	35·14	28·24
21	2.30 a.m.	50 35 N.	0 02 E.	46	7·8	19·28	34·83	27·99

* Samples and temperatures taken at a seacock 17 feet (5 metres) below water line.

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0
			APRIL, 1904—*continued.*					
			NEWHAVEN-CAEN—*continued.*					
21	3.45 a.m.	50 23 N.	0 01 W.	47	8·3	19·45	35·14	28·24
21	5 a.m.	50 11 N.	0 03 W.	48	8·9	19·50	35·23	28·31
21	6.25 a.m.	49 59 N.	0 06 W.	48	8·9	19·52	35·26	28·34
21	7 a.m.	49 47 N.	0 08 W.	48	8·9	19·46	35·16	28·25
			MAY, 1904.					
			NEWHAVEN-CAEN.					
5	1.50 a.m.	50 35 N.	0 00	47	8·3	19·33	34·92	28·06
5	3.30 a.m.	50 23 N.	0 03 W.	48	8·9	19·50	35·23	28·31
5	5.05 a.m.	50 11 N.	0 07 W.	49	9·4	19·42	35·08	28·19
5	6.45 a.m.	49 59 N.	0 10 W.	49	9·4	19·36	34·97	28·11
5	8.30 a.m.	49 47 N.	0 10 W.	49	9·4	19·07	34·45	27·68
18	11.50 p.m.	50 35 N.	0 00	49	9·4	19·33	34·92	28·06
19	1.10 a.m.	50 23 N.	0 03 W.	49	9·4	19·33	34·93	28·07
19	2.30 a.m.	50 11 N.	0 07 W.	50	10·0	19·48	35·20	28·29
19	3.50 a.m.	49 59 N.	0 10 W.	50	10·0	18·84	34·04	27·35
19	5.15 a.m.	49 47 N.	0 10 W.	51	10·6	18·82	34·01	27·33
			PLYMOUTH-ST. BRIEUC.					
5	0.15 a.m.	48 53 N.	2 25 W.	50½	10·3	19·39	35·03	28·15
5	4.45 p.m.	49 19 N.	2 25 W.	51¼	10·7	19·44	35·12	28·22
5	11.05 p.m.	49 31 N.	2 30 W.	49½	9·7	19·48	35·19	28·28
6	1.30 a.m.	49 43 N.	2 55 W.	49	9·4	19·49	35·21	28·30
6	3.20 a.m.	49 55 N.	3 22 W.	47	8·3		Lost.	
6	6.20 a.m.	50 08 N.	3 49 W.	48½	9·2	19·53	35·28	28·35
18	9 p.m.	48 53 N.	2 25 W.	53	11·7	19·41	35·07	28·18
19	7.15 p.m.	49 19 N.	2 25 W.	51¼	10·7	19·49	35·21	28·30
19	11 p.m.	49 31 N.	2 30 W.	51	10·6	19·46	35·16	28·25
20	1.12 a.m.	49 43 N.	2 55 W.	51	10·6	19·51	35·25	28·32
20	3 a.m.	49 55 N.	3 22 W.	51	10·6	19·61	35·43	28·47
20	4.40 a.m.	50 08 N.	3 49 W.	51	10·6	19·61	35·43	28·47
			PLYMOUTH-CORK.					
7	4.30 p.m.	50 18 N.	5 58 W.	49	9·4	19·49	35·21	28·30
7	6.30 p.m.	50 33 N.	6 22 W.	48	8·9	19·35	34·96	28·09
7	8.30 p.m.	50 47 N.	6 44 W.	47½	8·6	19·36	34·97	28·11
7	10.30 p.m.	51 01 N.	7 05 W.	48	8·9	19·41	35·07	28·18
8	0.30 a.m.	51 15 N.	7 27 W.	47¾	8·7	19·40	35·05	28·16
8	2.30 a.m.	51 29 N.	7 48 W.	48¼	9·0	19·40	35·05	28·16
			S.S. *Helga*-OFF IRISH COAST.					
3	0.20 p.m.	50 19 N.	10 17 W.	50·9	10·5	19·60	35·41	28·46
3	7.30 p.m.	50 27 N.	10 52 W.	51·3	10·7	19·63	35·46	28·50
3	10.0 p.m.	50 42 N.	10 29 W.	50	10·0	19·51	35·25	28·32
4	0.30 a.m.	50 56 N.	9 54 W.	50	10·0	19·45	35·14	28·24
4	4.0 a.m.	51 14 N.	9 42 W.	49·5	9·7	19·37	34·99	28·12
			LONDON-PHILADELPHIA.					
15	0.22 a.m.	49 52 N.	5 27 W.	56	13·3	19·60	35·41	28·46
16	8.30 a.m.	49 53 N.	8 00 W.	56	13·3	19·53	35·28	28·35
16	4.40 p.m.	49 53 N.	10 03 W.	52	11·1	19·60	35·41	28·46
17	0.30 a.m.	49 49 N.	12 00 W.	51	10·6	19·70	35·59	28·60
17	9.0 a.m.	49 42 N.	14 18 W.	51	10·6	19·72	35·62	28·63
17	0.45 p.m	49 40 N.	15 30 W.	51	10·6	19·67	35·53	28·56
			SOUTHAMPTON-NEW YORK.					
20	9.23 p.m.	49 07 N.	13 43 W.	53	11·7	19·65	35·50	28·53
21	0.30 a.m.	49 15 N.	12 16 W.	54	12·2	19·67	35·53	28·56

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0
			MAY, 1904—*continued.*					
			SOUTHAMPTON—NEW YORK—*continued.*					
21	4.45 a.m.	49 18 N.	10 21 W.	53½	11·9	19·55	35·32	28·38
21	7.50 a.m.	49 40 N.	8 55 W.	52	11·1	19·55	35·32	28·38
21	Noon	49 52 N.	7 00 W.	55	12·8	19·54	35·30	28·37
21	2.37 p.m.	49 52 N.	5 50 W.	52	11·1	19·57	35·35	28·41
28	1.40 a.m.	49 41 N.	10 00 W.	56	13·3	19·49	35·21	28·30
28	3.50 a.m.	49 44 N.	9 00 W.	55	12·8	19·50	35·23	28·31
28	6.0 a.m.	49 45 N.	8 00 W.	54	12·2	19·50	35·23	28·31
28	8.0 a.m.	49 44 N.	7 00 W.	54	12·2	19·48	35·19	28·28
28	10.05 a.m.	49 50 N.	6 00 W.	53	11·7	19·47	35·17	28·27
28	0.40 p.m.	49 47 N.	5 00 W.	53	11·7	19·51	35·25	28·32
			LONDON-NEW YORK.					
22	3.05 p.m.	40 12 N.	65 01 W.	67	19·4	19·71	35·61	28·62
23	3.10 p.m.	40 12 N.	57 04 W.	66	18·9	19·95	36·04	28·96
24	3.10 p.m.	40 37 N.	48 06 W.	65	18·3	20·13	36·36	29·23
25	3.08 p.m.	43 18 N.	40 57 W.	62	16·7	19·96	36·06	28·98
26	3.05 p.m.	45 56 N.	33 03 W.	57	13·9	19·81	35·79	28·76
27	3.04 p.m.	48 00 N.	24 14 W.	55	12·8	19·70	35·59	28·60
22	—	49 00 N.	14 16 W.	53¼	11·8	19·69	35·57	28·59
22	—	49 13 N.	12 24 W.	53⅜	12·1	19·67	35·53	28·56
22	—	49 21 N.	10 18 W.	52	11·1	19·62	35·44	28·48
23	—	49 30 N.	7 56 W.	52½	11·4	19·57	35·35	28·41
23	—	49 35 N.	7 02 W.	51⅝	10·9	19·55	35·32	28·38
23	—	49 52 N.	5 41 W.	51⅝	10·9	19·60	35·41	28·46
			LONDON-BOSTON.					
23	6.30 p.m.	49 44 N.	5 55 W.	53	11·7	19·54	35·30	28·37
23	Midnight	49 43 N.	7 12 W.	53	11·7	19·48	35·19	28·28
24	6.0 a.m.	49 40 N.	8 50 W.	53	11·7	19·53	35·28	28·35
24	Noon	49 38 N.	10 25 W.	53½	11·9	19·58	35·37	28·43
24	6.10 p.m	49 35 N.	11 52 W.	54½	12·5	19·66	35·52	28·54
25	0.10 a.m.	49 32 N.	13 26 W.	55	12·8	19·54	35·30	28·37
			BRISTOL-WEST INDIES.					
7	9.30 p.m.	51 03 N.	5 01 W.	48	8·9	19·45	35·14	28·24
8	3.0 a.m.	50 40 N.	6 43 W.	48	8·9	19·44	35·12	28·22
8	8.30 a.m.	50 11 N.	8 45 W.	50	10·0	19·53	35·28	28·35
8	3.45 p.m.	49 37 N.	10 57 W.	50	10·0	19·59	35·57	28·59
8	11.55 p.m.	48 50 N.	13 40 W.	51	10·6	19·76	35·70	28·69
9	4.0 a.m.	48 27 N.	15 00 W.	51	10·6	19·68	35·55	28·57
			SOUTHAMPTON-MADEIRA.					
1	8.0 a.m.	48 28 N.	5 15 W.	50	10·0	19·57	35·35	28·41
1	Noon	47 35 N.	5 56 W.	50·5	10·3	19·76	35·70	28·69
1	4.0 p.m.	46 36 N.	6 41 W.	53	11·7	19·75	35·68	28·67
1	8.0 p.m.	45 44 N.	7 03 W.	54	12·2	19·73	35·64	28·64
2	4.0 a.m.	43 57 N.	9 00 W.	54	12·2	19·67	35·53	28·56
2	Noon	42 04 N.	10 12 W.	56	13·3	19·81	35·79	28·76
			SOUTHAMPTON-LISBON.					
7	Noon	48 10 N.	5 30 W.	52	11·1	19·63	35·46	28·50
7	10.0 p.m.	46 8 N.	6 48 W.	52	11·1	19·60	35·41	28·46
8	8.0 a.m.	43 55 N.	8 40 W.	56	13·3	19·58	35·37	28·43
8	1.0 p.m.	42 50 N.	9 25 W.	56	13·3	19·67	35·53	28·56
8	10.0 p.m.	41 40 N.	9 00 W.	58	14·4	19·66	35·52	28·54
9	5.0 a.m.	40 00 N.	9 40 W.	57	13·9	19·69	35·57	28·59

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0
			JUNE, 1904.					
			NEWHAVEN--CAEN.					
15	midnight	50 35 N	0 01 E.	52	11·1	19·33	34·92	28·06
16	1.15 a.m.	50 23 N.	0 02 W.	53	11·7	19·46	35·16	28·25
16	2.25 a.m.	50 11 N.	0 05 W.	53	11·7	19·40	35·05	28·16
16	3.45 a.m.	49 59 N.	0 08 W.	54	12·2	19·38	35·01	28·14
16	5.10 a.m.	49 47 N.	0 11 W.	54	12·2	19·34	34·94	28·08
30	0.42 a.m.	50 35 N.	0 02 E.	57	13·9	19·21	34·70	27·89
30	1.25 a.m.	50 23 N.	0 01 W.	59	15·0	19·38	35·01	28·14
30	2.45 a.m.	50 11 N.	0 03 W.	59	15·0	19·39	35·03	28·15
30	4 a.m.	49 59 N.	0 06 W.	55½	13·1	19·33	34·92	28·06
30	5.15 a.m.	49 47 N.	0 08 W.	57	13·9	19·25	34·78	27·95
30	6.25 a.m.	49 35 N.	0 10 W.	61	16·1	17·92	32·38	26·01
			SOUTHAMPTON—HAVRE.					
30	0.42 a.m.	Calshot lightship		57	13·9	18·71	33·80	27·16
30	1.25 a.m.	Nab lightship		59	15·0	19·18	34·65	27·84
30	2.45 a.m.	50 21 N.	0 42 W.	59	15·0	19·40	35·05	28·16
30	4 a.m.	50 02 N.	0 26 W.	55½	13·1	19·34	34·94	28·08
30	5.15 a.m.	49 42 N.	0 10 W.	57	13·9	19·21	34·70	27·89
30	6.25 a.m.	49 33 N.	0 01 E.	61	16·1	17·33	31·31	25·16
			SOUTHAMPTON—ST. MALO.					
29	7.10 p.m.	Calshot light-vessel		59½	15·3	18·67	33·73	27·10
29	8.34 p.m.	Off the Needles		60	15·6	18·95	34·23	27·51
29	10.50 p.m.	50 11 N.	0 44 W.	55	12·8	19·43	35·10	28·21
30	1.07 a.m.	49 44 N.	2 01 W.	57½	14·2	19·29	34·85	28·00
30	3.07 a.m.	49 15 N.	2 18 W.	57½	14·2	19·39	35·03	28·15
30	4.32 a.m.	S.W. Minquiers in line.		57½	14·2	19·39	35·03	28·15
			PLYMOUTH-ST. BRIEUC.					
1	8 p.m.	48 53 N.	2 25 W.	55	12·8	19·54	35·30	28·37
2	8.10 p.m.	49 19 N.	2 25 W.	53	11·7	19·55	35·32	28·38
3	0.30 a.m.	49 31 N.	2 30 W.	52¾	11·5	19·48	35·19	28·28
3	2.30 a.m.	49 43 N.	2 55 W.	54	12·2	19·43	35·10	28·21
3	4.30 a.m.	49 53 N.	3 22 W.	52	11·1	19·44	35·12	28·22
3	6.55 a.m.	50 08 N.	3 49 W.	53½	11·9	19·34	34·94	28·08
15	8 p.m.	48 53 N.	2 23 W.	55	12·8	19·42	35·08	28·19
16	8.30 p.m.	49 19 N.	2 35 W.	54	12·2	19·43	35·10	28·21
16	Midnight.	49 31 N.	2 30 W.	54¼	12·3	19·42	35·08	28·19
17	2 a.m.	49 43 N.	2 55 W.	54	12·2	19·44	35·12	28·22
17	4.25 a.m.	49 55 N.	3 22 W.	54	12·2	19·52	35·26	28·34
17	6.30 a.m.	50 08 N.	3 49 W.	54	12·2	19·51	35·25	28·32
29	8.15 p.m.	48 53 N.	2 25 W.	57¼	14·0	19·36	34·97	28·11
30	7.30 p.m.	49 19 N.	2 25 W.	56	13·3	19·43	35·10	28·21
30	11.10 p.m.	49 31 N.	2 30 W.	57	13·9		Lost.	
			JULY, 1904.					
1	2.20 a.m.	49 43 N.	2 55 W.	55½	13·1	19·39	35·03	28·15
1	3.30 a.m.	49 55 N.	3 22 W.	56	13·3	19·43	35·10	28·21
1	5.10 a.m.	50 08 N.	3 49 W.	56	13·3	19·50	35·23	28·31
			JUNE, 1904.					
			LONDON-NEW YORK.					
2	Noon.	48 57 N.	42 12 W.	42	5·6	18·95	34·23	27·51
3	Noon.	49 53 N.	35 48 W.	52	11·1	19·63	35·46	28·50
4	Noon.	50 40 N.	29 02 W.	48	8·9	19·36	34·97	28·11
5	Noon.	50 40 N.	21 49 W.	54	12·2	19·59	35·39	28·44
6	Noon.	50 25 N.	14 47 W.	55	12·8	19·62	35·44	28·48
7	Noon.	50 10 N.	8 02 W.	56	13·3	19·44	35·12	28·22

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0
			JULY, 1904.					
			NEWHAVEN-CAEN.					
15	11.7 p.m.	49 35 N.	0 08 W.	62	16·7	18·23	32·94	26·46
16	0.30 a.m.	49 47 N.	0 06 W.	60	15·6		Lost.	
16	1.55 a.m.	49 59 N.	0 04 W.	58	14·4	19·25	34·78	27·95
16	3.27 a.m.	50 11 N.	0 01 W.	58	14·4		Lost.	
16	4.50 a.m.	50 23 N.	0 00	58	14·4	19·44	35·12	28·22
16	6.10 a.m.	50 35 N.	0 01 E.	58	14·4	19·35	34·96	28·09
27	11.30 p.m.	50 35 N.	0 01 E.	60	15·6	19·31	34·88	28·03
28	0.50 a.m.	50 23 N.	0 00	59½	15·3	19·40	35·05	28·16
28	2.10 a.m.	50 11 N.	0 02 W.	59½	15·3	19·27	34·81	27·98
28	3.30 a.m.	49 59 N.	0 04 W.	60½	15·8	19·22	34·72	27·90
28	4.50 a.m.	49 47 N.	0 06 W.	63	17·2	19·10	34·51	27·73
28	6.10 a.m.	49 35 N.	0 08 W.	64	17·8	18·26	32·99	26·51
			SOUTHAMPTON-HAVRE.					
14	2 a.m.	50 35 N.	0 53 W.	60	15·6	19·22	34·72	27·90
14	2.50 a.m.	50 23 N.	0 44 W.	58½	14·7	19·34	34·94	28·08
14	3.40 a.m.	50 10 N.	0 33 W.	56	13·3	19·35	34·96	28·09
14	4.25 a.m.	49 57 N.	0 22 W.	56	13·3	19·23	34·74	27·92
14	5 a.m.	49 44 N.	0 12 W.	57½	14·2	19·20	34·69	27·87
14	5.50 a.m.	49 32 N.	0 02 W.	60	15·6	19·01	34·34	27·60
28	1.50 a.m.	50 35 N.	0 53 W.	62	16·7	19·20	34·69	27·87
28	2.40 a.m.	50 23 N.	0 43 W.	58½	14·7	19·33	34·92	28·06
28	3.30 a.m.	50 10 N.	0 33 W.	58	14·4	19·33	34·92	28·06
28	4.20 a.m.	49 57 N.	0 23 W.	57½	14·2	19·17	34·63	27·83
28	5.10 a.m.	49 45 N.	0 13 W.	59½	15·3	19·15	34·60	27·80
28	6 a.m.	49 33 N.	0 03 W.	63	17·2	18·52	33·46	26·88
			SOUTHAMPTON-ST. MALO.					
12	10.18 p.m.	49 15 N.	2 18 W.	60½	15·8	19·39	35·03	28·15
13	1.40 a.m.	49 44 N.	2 01 W.	58	14·4	19·33	34·92	28·06
13	2.40 a.m.	49 58 N.	1 55 W.	57½	14·2	19·38	35·01	28·14
13	3.36 a.m.	50 08 N.	1 50 W.	57	13·9	19·39	35·03	28·15
13	4.31 a.m.	50 20 N.	1 45 W.	56½	13·6	19·44	35·12	28·22
13	5.24 a.m.	50 30 N.	1 40 W.	59	15·0	19·25	34·78	27·95
29	10.30 p.m.	50 28 N.	1 43 W.	61	16·1	19·28	34·83	27·99
29	11.27 p.m.	50 17 N.	1 50 W.	59	15·0	19·40	35·05	28·16
30	0.21 a.m.	50 06 N.	1 57 W.	58½	14·7	19·37	34·99	28·12
30	1.15 a.m.	49 55 N.	2 03 W.	58½	14·7	19·27	34·81	27·98
30	2.08 a.m.	49 44 N.	2 01 W.	60	15·6	19·26	34·79	27·96
30	4.05 a.m.	49 15 N.	2 18 W.	63	17·2	19·35	34·96	28·09
			PLYMOUTH-ST. BRIEUC.					
13	8 p.m.	48 53 N.	2 25 W.	60¼	15·7	19·40	35·05	28·16
14	6.55 p.m.	49 19 N.	2 25 W.	62	16.7	19·37	34·99	28·12
14	11.15 p.m.	49 31 N.	2 30 W.	58½	14·7	19·42	35·08	28·19
15	1.15 a.m.	49 43 N.	2 55 W.	60	15·6	19·41	35·07	28·18
15	3.25 a.m.	49 55 N.	3 22 W.	61¼	16·2	19·51	35·25	28·32
15	4.35 a.m.	50 08 N.	3 49 W.	60	15·6	19·50	35·23	28·31
27	7.20 p.m.	48 53 N.	2 25 W.	61½	16·4	19·37	34·99	28·12
28	6.10 p.m.	49 19 N.	2 25 W.	64	17·8	19·36	34·97	28·11
28	11 p.m.	49 31 N.	2 30 W.	60¼	15·7	19·40	35·05	28·16
29	1 a.m.	49 43 N.	2 55 W.	59	15·0	19·40	35·05	28·16
29	3 a.m.	49 55 N.	3 22 W.	60	15·6	19·44	35·12	28·22
29	5 a.m.	50 08 N.	3 49 W.	58½	14·7	19·41	35·07	28·81

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0
			AUGUST, 1904.					
			NEWHAVEN-CAEN.					
11	10.40 p.m.	50° 35′ N.	0° 01′ E.	62	16·7	19·37	34·99	28·12
12	0.10 a.m.	50 23 N.	0 01½ W.	60½	15·8	19·36	34·97	28·11
12	1.35 a.m.	50 11 N.	0 04 W.	60½	15·8	19·28	34·83	27·99
12	2.50 a.m.	49 59 N.	0 06 W.	62	16·7	19·20	34·69	27·87
12	4.20 a.m.	49 47 N.	0 09 W.	63	17·2	19·13	34·56	27·77
24	10.25 p.m.	50 34 N.	0 01 E.	61½	16·4	19·39	35·03	28·15
24	11.30 p.m.	50 22 N.	0 01 W.	60½	15·8	19·36	34·97	28·11
25	0.35 a.m.	50 10 N.	0 02½ W.	61	16·1	19·28	34·83	27·99
25	1.45 a.m.	49 59 N.	0 04 W.	61½	16·4	19·23	34·74	27·92
25	2.45 a.m.	49 47 N.	0 06 W.	63	17·2	19·17	34·63	27·83
			SOUTHAMPTON-HAVRE.					
9	1.50 a.m.	50 34 N.	0 52 W.	64½	18·1	19·28	34·83	27·99
9	2.40 a.m.	50 22 N.	0 42 W.	61	16·1	19·38	35·01	28·14
9	3.30 a.m.	50 10 N.	0 33 W.	61	16·1	19·26	34·79	27·96
9	4.20 a.m.	49 56 N.	0 22 W.	61	16·1	19·17	34·63	27·83
9	5.10 a.m.	49 43 N.	0 11 W.	63½	17·5	19·10	34·51	27·73
9	6. a.m.	49 36 N.	0 05 W.	65	18·3	18·20	32·88	26·42
23	1.50 a.m.	50 34 N.	0 52 W.	61½	16·4	19·12	34·54	27·76
23	2.40 a.m.	50 20 N.	0 41 W.	61	16·1	19·37	34·99	28·12
23	3.30 a.m.	50 08 N.	0 31 W.	60½	15·8	19·37	34·99	28·12
23	4.20 a.m.	49 56 N.	0 21 W.	59¾	15·4	19·22	34·72	27·90
23	5.10 a.m.	49 43 N.	0 11 W.	62½	16·9	19·17	34·63	27·83
23	6.04 a.m.	49 32 N.	0 02 W.	64	17·8	18·27	33·01	26·52
			SOUTHAMPTON—St. MALO.					
12	9.30 p.m.	50 28 N.	1 43 W.	62¼	16·8	19·36	34·97	28·11
12	10.25 p.m.	50 17 N.	1 50 W.	60	15·6	19·46	35·16	28·25
12	11.20 p.m.	50 06 N.	1 57 W.	59½	15·3	19·42	35·08	28·19
13	0.15 a.m.	49 55 N.	2 03 W.	59½	15·3	19·41	35·07	28·18
13	1.05 a.m.	49 44 N.	2 01 W.	60½	15·8	19·32	34·90	28·05
13	3.05 a.m.	49 15 N.	2 18 W.	63¼	17·3	19·40	35·05	28·16
26	9.36 p.m.	50 28 N.	1 43 W.	62½	16·9	19·39	35·03	28·15
26	10.31 p.m.	50 17 N.	1 50 W.	61¾	16·5	19·42	35·08	28·19
26	11.26 p.m.	50 06 N.	1 57 W.	60½	15·8	19·41	35·07	28·18
27	0.21 a.m.	49 55 N.	2 03 W.	61	16·1	19·42	35·08	28·19
27	1.15 a.m.	49 44 N.	2 01 W.	61½	16·4	19·36	34·97	28·11
27	3.15 a.m.	49 15 N.	2 18 W.	62½	16·9	18·39	33·22	26·70
			PLYMOUTH—St. BRIEUC.					
10	6.20 p.m.	48 53 N.	2 25 W.	62¼	16·8	19·37	34·99	28·12
11	5.30 p.m.	49 19 N.	2 25 W.	63¼	17·3	19·36	34·97	28·11
11	11.15 p.m.	49 31 N.	2 30 W.	61½	16·4	19·39	35·03	28·15
12	1.20 a.m.	49 43 N.	2 55 W.	58	14·4	19·43	35·10	28·21
12	3.30 a.m.	49 55 N.	3 22 W.	58	14·4	Lost.		
12	5.20 a.m.	50 08 N.	3 49 W.	59½	15·3	19·44	35·12	28·22
			PLYMOUTH—CORK.					
27	6.20 p.m.	50 15 N.	6 01 W.	59¾	15·4	19·50	35·23	28·31
27	8.13 p.m.	50 30 N.	6 23 W.	62	16·7	19·38	35·01	28·14
27	10.08 p.m.	50 44 N.	6 44 W.	60	15·6	19·28	34·83	27·99
27	Midnight	50 59 N.	7 06 W.	60¼	15·7	19·27	34·81	27·98
28	1.50 a.m.	51 13 N.	7 28 W.	61	16·1	19·27	34·81	27·98
28	3.45 a.m.	51 28 N.	7 48 W.	60½	15·8	19·27	34·81	27·98

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0
			AUGUST, 1904—*continued.*					
			S.S. *Helga*—OFF IRISH COAST.					
4	9 a.m.	50° 19′ N.	10° 17′ W.	61·0	16·1	19·56	35·34	28·40*
4	11 a.m.	50 27 N.	10 11 W.	61·0	16·1	19·56	35·34	28·40
4	1.55 p.m.	50 36 N.	10 06 W.	61·2	16·2	19·57	35·35	28·41
4	4 p.m.	50 46 N.	10 00 W.	60·6	15·9	19·57	35·35	28·41†
4	5.45 p.m.	50 56 N.	9 54 W.	61	16·1	19·54	35·30	28·37
4	7.45 p.m.	51 05 N.	9 47 W.	61	16·1	19·51	35·25	28·32‡
4	—	51 14 N.	9 42 W.	—	—	19·36	34·97	28·11
			LONDON-PHILADELPHIA.					
8	9.15 a.m.	50 03 N.	6 50 W.	—	—	19·42	35·08	28·19
8	4 p.m.	50 16 N.	8 57 W.	—	—	19·51	35·25	28·32
8	Midnight	50 30 N.	11 30 W.	—	—	19·52	35·26	28·34
9	8 p.m.	50 46 N.	13 40 W.	—	—	19·54	35·30	28·37
9	4.15 p.m.	50 38 N.	16 20 W.	—	—	19·58	35·37	28·43
9	Midnight.	50 38 N.	18 30 W.	—	—	19·48	35·19	28·28
			CHERBOURG-NEW YORK.					
7	5 a.m.	49 49 N.	6 00 W.	63	17·2	19·53	35·28	28·35
7	9.25 a.m.	49 50 N.	7 49 W.	64	17·8	19·37	34·99	28·12
7	1.30 p.m.	49 49 N.	9 33 W.	64	17·8	19·66	35·52	28·54
7	5.40 p.m.	49 44 N.	11 16 W.	62	16·7	19·66	35·52	28·54
7	10 p.m.	49 42 N.	13 04 W.	61½	16·4	19·67	35·53	28·56
8	1.52 a.m.	49 37 N.	15 00 W.	60	15·6	19·64	35·48	28·51
			LONDON—GIBRALTAR.					
4	5.30 p.m.	41 50 N.	9 30 W.	69½	20·8	19·88	35·91	28·86
5	5.45 a.m.	44 50 N.	8 14 W.	67¾	19·8	19·75	35·68	28·67
5	Noon.	46 14 N.	7 18 W.	66½	19·0	19·77	35·71	28·70
5	5 p.m.	47 23 N.	6 25 W.	62¾	17·1	19·71	35·61	28·62
5	10.45 a.m.	48 42 N.	5 24 W.	64	17·8	19·63	35·46	28·50
6	1 a.m.	49 15 N.	5 00 W.	63	17·2	19·57	35 35	28·4*
6	8 a.m.	48 50 N.	5 00 W.	64	17·8	19·52	35·26	28·34
8	2 p.m.	48 03 N.	6 10 W.	66	18·9	19·60	35·41	28·46
8	8 p.m.	47 00 N.	6 51 W.	65½	18·6	19·71	35·61	28·62
9	4 a.m.	45 42 N.	7 53 W.	68	20·0	19·72	35·62	28·63
9	Noon.	44 23 N.	8 47 W.	70	21·1	19·76	35·70	28·69
9	8 p.m.	43 05 N.	9 35 W.	64½	18·1	19·74	35·66	28·66
			SEPTEMBER, 1904.					
			NEWHAVEN—CAEN.					
7	9.40 p.m.	50 35 N.	0 01 E.	61¾	16·5	19·17	34·63	27·83
7	11 p.m.	50 23 N.	0 01 W.	61	16·1	19·32	34·90	28·05
8	0.20 a.m.	50 11 N.	0 02 W.	61	16·1	19·29	34·85	28·00
8	1.40 a.m.	49 59 N.	0 04 W.	61½	16·4	19·23	34·74	27·92
8	3 a.m.	49 47 N.	0 05 W.	61	16·1	19·16	34·61	27·82
21	10.35 p.m.	50 35 N.	0 01 E.	61	16·1	19·37	34·99	28·12
21	11.55 p.m.	50 23 N.	0 02 W.	59	15·0	19·37	34·99	28·12
22	1.20 a.m.	50 11 N.	0 05 W.	59	15·0	19·32	34·90	28·05
22	2.56 a.m.	49 59 N.	0 08 W.	60	15·6	19·29	34·85	28·00
22	4.10 a.m.	49 47 N.	0 10 W.	60	15·6	19·21	34·70	27·89
			SOUTHAMPTON—HAVRE.					
6	1.50 a.m.	50 34 N.	0 52 W.	63	17·2	19·23	34·74	27·92
6	2.40 a.m.	50 23 N.	0 44 W.	62½	16·9	19·35	34·96	28·09
6	3.30 a.m.	50 11 N.	0 33 W.	62	16·7	19·36	34·97	28·11

* At 40 fathoms the salinity was 35·46 and the temperature 10·6° c. † At 64 fathoms the salinity was 35·30 and the temperature 9·3° c.
‡ Homogeneous from top to bottom.

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl.‰	S.‰	σ_0
			SEPTEMBER, 1904—*continued.*					
			SOUTHAMPTON-HAVRE—*continued.*					
		° ′	° ′					
6	4.20 a.m.	49 59 N.	0 24 W.	62½	16·9	19·24	34·76	27·93
6	5.10 a.m.	49 47 N.	0 14 W.	63	17·2	19·15	34·60	27·80
6	6 a.m.	49 33 N.	0 03 W.	64	17·8	18·74	33·86	27·20
29	1.50 a.m.	50 36 N.	0 54 W.	58¼	14·6	19·25	34·78	27·95
29	2.40 a.m.	50 25 N.	0 45 W.	60	15·6	19·39	34·92	28·06
29	3.30 a.m.	50 14 N.	0 35 W.	60	15·6	19·39	35·03	28·15
29	4.20 a.m.	50 00 N.	0 24 W.	60¼	15·7	19·33	34·92	28·06
29	5.10 a.m.	49 48 N.	0 15 W.	60½	15·8	19·24	34·76	27·93
29	6.10 a.m.	49 33 N.	0 03 W.	63¾	17·6	19·14	34·58	27·79
			SOUTHAMPTON-ST. MALO.					
9	8.25 p.m.	50 28 N.	1 43 W.	62½	16·9	19·42	35·08	28·19
9	9.19 p.m.	50 17 N.	1 50 W.	60¾	15·9	19·42	35·08	28·19
9	10.13 p.m.	50 06 N	1 57 W.	60½	15·8	19·47	35·17	28·27
9	11.07 p.m.	49 55 N.	2 03 W.	61¼	16·2	19·44	35·12	28·22
10	0·02 a.m.	49 44 N.	2 01 W.	61⅝	16·5	19·37	34·99	28·12
10	1.58 a.m.	49 15 N.	2 18 W.	62½	16·9	19·40	35·05	28·16
30	7.30 a.m.	6 miles N. of St. Malo.		56	13·3	19·39	35·03	28·15
30	10.25 p.m.	Off La Corbiere.		56½	13·6	19·40	35·05	28·16
			OCTOBER, 1904.					
1	1 a.m.	Race of Alderney.		56	13·3	19·24	34·76	27·93
1	2 a.m.	15 miles N.E. of Alderney.		56½	13·6	19·12	34·54	27·76
1	3 a.m.	Mid Channel.		55½	13·1	19·35	34·96	28·09
1	4 a.m.	15 miles S.W. of Needles.		56¼	13·4	19·37	34·99	28·12
			AUGUST, 1904.					
			PLYMOUTH-ST. BRIEUC.					
31	9.40 p.m.	48 53 N.	2 25 W.	62¼	16·8	19·38	35·01	28·14
			SEPTEMBER, 1904.					
1	5 p.m.	49 19 N.	2 25 W.	61½	16·4	19·43	35·10	28·21
1	10.40 p.m.	49 31 N.	2 30 W.	60⅝	15·8	19·44	35·12	28·22
2	1.10 a.m.	49 49 N.	2 55 W.	58	14·4	19·51	35·25	28·32
2	3.35 a.m.	49 55 N.	3 22 W.	58	14·4	19·47	35·17	28·27
2	5.15 a.m.	50 08 N.	3 49 W.	58½	14·7	19·42	35·08	28·19
22	6 a.m.	48 53 N.	2 25 W.	59	15·0	19·40	35·05	28·16
22	9 p.m.	49 19 N.	2 25 W.	60	15·6	19·42	35·08	28·19
23	3 a.m.	49 31 N.	2 30 W.	60	15·6	19·44	35·12	28·22
23	5 a.m.	49 43 N.	2 55 W.	59½	15·3	19·52	35·26	28·34
23	7 a.m.	49 55 N.	3 22 W.	58½	14·7	19·52	35·26	28·34
23	9.15 a.m.	50 08 N.	3 49 W.	59	15·0	19·45	35·14	28·34
			OCTOBER, 1904.					
			NEWHAVEN—CAEN.					
9	Noon	49 47 N.	0 01 W.	59	15·0	19·20	34·69	27·87
9	1.35 p.m.	49 59 N.	0 00	59	15·0	19·31	34·88	28·03
9	3.10 p.m.	50 11 N.	0 01 E.	59	15·0	19·35	34·96	28·09
9	4.30 p.m.	50 23 N.	0 02 E.	59	15·0	19·37	34·99	28·12
9	6.10 p.m.	50 35 N.	0 02 E.	59	15·0	19·39	35·03	28·15
21	9.50 p.m.	49 46 N.	0 02 W.	58	14·4	19·23	34·74	27·92
21	11.5 p.m.	49 58 N.	0 00	58	14.4	19·29	34·85	28·00
22	0.35 a.m.	50 10 N.	0 01 E.	58	14·4	19·35	34·96	28·09
22	2.10 a.m.	50 22 N.	0 02 E.	58	14·4	19·38	35·01	28·14
22	3.40 a.m.	50 34 N.	0 03 E.	58	14·4	19·38	35·01	28·14

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl.‰	S.‰	σ_0
			OCTOBER, 1904—*continued.*					
			SOUTHAMPTON-HAVRE.					
		° ′	° ′					
8	1.50 a.m.	50 35 N.	0 53 W.	57	13·9	19·32	34·90	28·05
8	2.40 a.m.	50 23 N.	0 43 W.	58	14·4	19·36	34·97	28·11
8	3.30 a.m.	50 10 N.	0 33 W.	58	14·4	19·36	34·97	28·11
8	4.20 a.m.	49 57 N.	0 22 W.	58½	14·7	19·31	34·88	28·03
8	5.10 a.m.	49 46 N.	0 14 W.	59	15·0	19·22	34·72	27·90
8	6 a.m.	49 41 N.	0 09 W.	58¾	14·8	18·85	34·05	27·36
22	1.50 a.m.	50 35 N.	0 53 W.	58	14·4	19·23	34·74	27·92
22	2.45 a.m.	50 22 N.	0 42 W.	58½	14·7	19·31	34·88	28·03
22	3.30 a.m.	50 01 N.	0 26 W.	59	15·0	19·38	35·01	28·14
22	4.20 a.m.	49 48 N.	0 15 W.	59	15·0	19·28	34·83	27·99
22	5.10 a.m.	49 44 N.	0 12 W.	59	15·0	19·24	34·76	27·93
22	6.05 a.m.	Off Cape La Heve.		58	14·4	19·06	34·43	27·67
			SOUTHAMPTON—ST. MALO.					
7	7.36 p.m.	50 28 N.	1 43 W.	56½	13·6	19·25	34·78	27·95
7	8.31 p.m.	50 17 N.	1 50 W.	56	13·3	19·40	35·05	28·16
7	9.26 p.m.	50 06 N.	1 57 W.	55½	13·1	19·42	35·08	28·19
7	10.21 p.m.	49 55 N.	2 03 W.	56	13·3	19·42	35·08	28·19
7	11.11 p.m.	49 44 N.	2 01 W.	57	13·9	19·32	34·90	28·05
8	1.12 a.m.	49 15 N.	2 18½ W.	57½	14·2	19·37	34·99	28·12
21	7.15 p.m.	50 28 N.	1 43 W.	56½	13·6	19·28	34·83	27·99
21	8.10 p.m.	50 17 N.	1 50 W.	57	13·9	19·33	34·92	28·06
21	9.51 p.m.	50 06 N.	1 57 W.	57½	14·2	19·40	35·05	28·16
21	10 p.m.	49 55 N.	2 03 W.	58	14·4	19·41	35·07	28·18
21	10.55 p.m.	49 44 N.	2 01 W.	58¼	14·6	19·31	34·88	28·03
22	1 a.m.	49 15 N.	2 18½ W.	58¼	14·6	19·40	35·05	28·16
			PLYMOUTH—ST. BRIEUC.					
6	4.20 p.m.	48 53 N.	2 25 W.	60½	15·8	19·40	35·05	28·16
7	6.10 a.m.	49 19 N.	2 25 W.	58¾	14·0	19·41	35·07	28·18
7	11.15 a.m.	49 31 N.	2 30 W.	59	15·0	19·46	35·16	28·25
7	3 p.m.	49 43 N.	2 55 W.	58	14·4	19·54	35·30	28·37
7	8 p.m.	49 56 N.	3 22 W.	57½	14·2	19·55	35·32	28·38
7	10.20 p.m.	50 08 N	3 49 W.	58	14·4	19·47	35·17	28·27
20	6 a.m.	48 53 N.	2 25 W.	59	15·0	19·42	35·08	28·19
20	7 p.m.	49 19 N.	2 25 W.	59½	15·3	19·45	35·14	28·24
21	1 a.m.	49 31 N.	2 30 W.	60	15·6	19·48	35·19	28·28
21	3.15 a.m.	49 43 N.	2 55 W.	59	15·0	19·53	35·28	28·35
21	5.30 a.m.	49 55 N.	3 22 W.	59	15·0	19·52	35·26	28·34
21	7.30 a.m.	50 08 N.	3 49 W.	58½	14·7	19·50	35·23	28·31
			NOVEMBER, 1904.					
			NEWHAVEN—CAEN.					
2	7.25 p.m.	50 35 N.	0 01 E.	57	13·9	19·36	34·97	28·11
2	8.40 p.m.	50 23 N.	0 00	57	13·9	19·38	35·01	28·14
2	10 p.m.	50 11 N.	0 01 W.	57½	14·2	19·38	35·02	28·14
2	11.20 p.m.	49 59 N.	0 02 W.	57½	14·2	19·37	35·00	28·13
3	0.40 a.m.	49 47 N.	0 04 W.	57½	14·2	19·36	34·98	28·11
16	7.40 p.m.	50 35 N.	0 01½ E.	55	12·8	19·35	34·96	28·09
16	8.45 p.m.	50 23 N.	0 00	55	12·8	19·40	35·05	28·16
16	9.50 p.m.	50 11 N.	0 02 W.	55	12·8	19·35	34·96	28·09
16	11 p.m.	49 59 N.	0 04 W.	55	12·8	19·28	34·83	27·99
17	0.15 a.m.	49 47 N.	0 05½ W.	55	12·8	19·25	34·78	27·95

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0
		NOVEMBER, 1904—*continued.*						
		SOUTHAMPTON—HAVRE.						
5	1.50 a.m.	50 37 N.	0 55 W.	56	13·3	19·36	34·97	28·11
5	2.40 a.m.	50 23 N.	0 44 W.	57	13·9	19·37	34·99	28·12
5	3.30 a.m.	50 10 N.	0 33 W.	57	13·9	19·40	35·05	28·16
5	4.25 a.m.	49 51 N.	0 18 W.	56½	13·6		Lost.	
5	5.15 a.m.	49 44 N.	0 11 W.	55½	13·1	19·26	34·79	27·96
5	6.05 a.m.	49 32 N.	0 02 W.	54	12·2	18·89	34·13	27·42
20	1.50 a.m.	50 35 N.	0 53 W.	54	12·2	19·27	34·82	27·98
20	2.40 a.m.	50 22 N.	0 42 W.	55	12·8	19·34	34·94	28·08
20	3.30 a.m.	50 10 N.	0 33 W.	55½	13·1	19·34	34·94	28·08
20	4.20 a.m.	49 56 N.	0 22 W.	55½	13·1		Lost.	
20	5.10 a.m.	49 44 N.	0 12 W.	54½	12·5	19·15	34·60	27·80
20	6 a.m.	49 32 N.	0 02 W.	54	11·7		Lost.	
		SOUTHAMPTON—ST. MALO.						
5	5 a.m.	49 15 N.	2 18½ W	56½	13·6	19·31	34·88	28·03
5	7.10 a.m.	49 44 N.	2 01 W.	56¾	13·7	19·45	35·14	28·24
5	8.05 a.m.	49 56 N.	1 56½ W.	57½	14·2	19·40	35·05	28·16
5	9 a.m.	50 07 N.	1 51 W.	57½	14·2	19·41	35·07	28·18
5	9.55 a.m.	50 19 N.	1 46 W.	57½	14·2	19·42	35·08	28·19
5	10.50 a.m.	50 30 N.	1 41 W.	56½	13·6	19·37	34·99	28·12
19	4.48 a.m.	49 15 N.	2 18½ W.	57	13·9	19·39	35·03	28·15
19	7 a.m.	49 44 N.	2 01 W.	57	13·9	19·44	35·12	28·22
19	7.55 a.m.	49 56 N.	1 56 W.	56¾	13·7	19·41	35·07	28·18
19	8.50 a.m.	50 07 N.	1 51 W.	56¾	13·7	19·44	35·12	28·22
19	9.45 a.m.	50 19 N.	1 46 W.	56¾	13·7	19·43	35·10	28·21
19	10.40 a.m.	50 30 N.	1 41 W.	55¾	13·2	19·41	35·07	28·18
		PLYMOUTH—ST. BRIEUC.						
3	4 a.m.	48 53 N.	2 25 W.	56½	13·6	19·42	35·08	28·19
3	6 p.m.	49 19 N.	2 25 W.	57½	14·2	19·46	35·16	28·25
3	11 p.m.	49 31 N.	2 30 W.	58½	14·7	19·47	35·17	28·27
4	1.30 a.m.	49 43 N.	2 55 W.	58	14·4	19·52	35·26	28·34
4	3.45 a.m.	49 58 N.	3 22 W.	57	13·9	19·50	35·23	28·31
4	6 a.m.	50 08 N.	3 49 W.	56	13·3	19·47	35·17	28·27
18	6 a.m.	48 53 N.	2 25 W.	55	12·8	19·43	35·10	28·21
18	5.30 p.m.	49 19 N.	2 25 W.	55	12·8	19·47	35·17	28·27
18	9 p.m.	49 31 N.	2 30 W.	55½	13·1	19·47	35·17	28·27
18	11 p.m.	49 43 N.	2 55 W.	55½	13·1	19·53	35·28	28·35
19	1 a.m.	49 55 N.	3 22 W.	55	12·8	19·57	35·35	28·41
19	3.15 a.m.	50 08 N.	3 49 W.	55	12·8	19·51	35·25	28·32
		PLYMOUTH-CORK.						
12	9.40 p.m.	51 28 N.	7 46 W.	53¼	11·8	19·34	34·94	28·08
12	11.40 p.m.	51 14 N.	7 25 W.	54	12·2	19·39	35·03	28·15
13	1.55 a.m.	50 59 N.	7 03 W.	55	12·8	19·39	35·03	28·15
13	3.55 a.m.	50 44 N.	6 40 W.	54	12·2	19·45	35·14	28·24
13	5.50 a.m.	50 30 N.	6 20 W.	55½	13·1	19·48	35·19	28·28
13	7.45 a.m.	50 14 N.	5 57 W.	56½	13·6	19·52	35·26	28·34
		S.S. *Helga*—OFF IRISH COAST.						
1	1.25 a.m.	50 19 N.	10 17 W.	57	13·9	19·67	35·53	28·56*
1	3.37 p.m.	50 27 N.	10 11 W.	56·8	13·8	19·64	35·48	28·51
1	7.40 p.m.	50 46 N.	10 00 W.	56·5	13·6	19·59	35·39	28·44
1	Midnight.	51 05 N.	9 48 W.	55·5	13·1	19·45	35·14	28·24
		NOVEMBER, 1901—*continued.*						
		S.S. *Helga*—OFF IRISH COAST—*continued.*						
2	2 a.m.	51 14 N.	9 42 W.	56·1	13·4	19·38	35·01	28·14
3	8 a.m.	52 05 N.	12 00 W.	52·2	11·2	19·61	35·43	28·47
3	4.23 p.m.	52 05 N.	11 44 W.	55·7	13·2	19·59	35·39	28·44
3	5·03 p.m.	52 05 N.	11 27 W.	55	12·8	19·44	35·12	28·22
		DECEMBER, 1904.						
		NEWHAVEN—CAEN.						
1	5.35 a.m.	50 35 N.	0 01 E,	54	12·2	19·39	35·03	28·15
1	6.50 a.m.	50 23 N.	0 01 W.	55	12·8	19·40	35·05	28·16
1	8 a.m.	50 11 N.	0 04 W.	55	12·8	19·38	35·01	28·14
1	9.15 a.m.	49 59 N.	0 06 W.	54	12·2	19·31	34·88	28·03
1	10.35 a.m.	49 47 N.	0 08 W.	53	11·7	19·24	34·76	27·93
14	4.30 p.m.	50 35 N.	0 02 E.	52	11·1	19·34	34·94	28·08
14	5.45 p.m.	50 23 N.	0 00	53	11·7	19·40	35·06	28·17
14	7 p.m.	50 11 N.	0 01 W.	53	11·7	19·37	34·99	28·12
14	8.10 p.m.	49 59 N.	0 03 W.	52½	11·4	19·29	34·85	28·00
14	9.20 p.m.	49 47 N.	0 05 W.	51¾	10·9	19·17	34·63	27·83
		SOUTHAMPTON—HAVRE.						
4	1.45 a.m.	50 35 N.	0 53 W.	53½	11·9	19·43	35·10	28·21
4	2.40 a.m.	50 20 N.	0 41 W.	53½	11·9	19·41	35·07	28·18
4	3.30 a.m.	50 10 N.	0 33 W.	54½	12·5	19·44	35·12	28·22
4	4.20 a.m.	49 57 N.	0 22 W.	54½	12·5	19·34	34·94	28·08
4	5.10 a.m.	49 44 N.	0 12 W.	53	11·7	19·22	34·72	27·90
4	6 a.m.	49 35 N.	0 05 W.	51	10·6	18·94	34·22	27·49
18	1.50 a.m.	50 36 N.	0 54 W.	48½	9·2	19·14	34·58	27·79
18	2.40 a.m.	50 23 N.	0 44 W.	52½	11·4	19·42	35·08	28·19
18	3.30 a.m.	50 11 N.	0 33 W.	53½	11·9	19·35	34·96	28·09
18	4.20 a.m.	49 59 N.	0 24 W.	54	12·2	19·27	34·81	27·98
18	5.10 a.m.	49 47 N.	0 14 W.	53	11·7	19·18	34·65	27·84
18	6 a.m.	49 35 N.	0 05 W.	49	9·4	17·85	32·25	25·91
		SOUTHAMPTON-ST. MALO.						
3	3.41 a.m.	49 15 N.	2 18 W.	50¾	10·4	19·34	34·94	28·08
3	5.55 a.m.	49 44 N.	2 01 W.	50	10·0	19·32	34·90	28·05
3	6.50 a.m.	49 56 N.	1 56 W.	50½	10·3	19·45	35·14	28·24
3	7.45 a.m.	50 07 N.	1 51 W.	50½	10·1	19·45	35·14	28·24
3	8.40 a.m.	50 19 N.	1 46 W.	50½	10·1	19·43	35·10	28·21
3	9.35 a.m.	50 30 N.	1 41 W.	49	9·4	19·38	35·01	28·14
18	3.38 a.m.	49 15 N.	2 18½ W.	49½	9·7	19·38	35·02	28·14
18	5.47 a.m.	49 44 N.	2 01 W.	49½	9·7	19·41	35·07	28·18
18	6.40 a.m.	49 56 N.	1 56½ W.	51	10·6	19·47	35·17	28·27
18	7.35 a.m.	50 08 N.	1 51 W.	51	10·6	19·45	35·14	28·24
18	8.30 a.m.	50 20 N.	1 46 W.	49½	9·7	19·46	35·16	28·25
18	9.25 a.m.	50 32 N.	1 40 W.	48¼	9·0	19·43	35·10	28·21
		PLYMOUTH-ST. BRIEUC.						
1	1 a.m.	48 53 N.	2 25 W.	54	12·2	19·39	35·03	28·15
1	5 p.m.	49 19 N.	2 25 W.	55½	13·1	19·48	35·19	28·28
1	10.45 p.m.	49 31 N.	2 30 W.	54¾	12·6	19·50	35·23	28·31
2	1 a.m.	49 43 N.	2 55 W.	55	12·8	19·49	35·21	28·30
2	3.20 a.m.	49 55 N.	3 22 W.	55	12·8	19·53	35·28	28·35
2	5.20 a.m.	50 08 N.	3 49 W.	53½	11·9	19·48	35·19	28·28
13	Noon	48 53 N.	2 25 W.	52	11·1	19·43	35·11	28·21

* Salinity the same at all depths. Temperature at 50 fathoms, 11·5° C.; at 80 fathoms, 10·6° C.

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0
			DECEMBER, 1904—*continued.*					
			PLYMOUTH-ST. BRIEUC—*continued.*					
15	5 p.m.	49° 19′ N.	2° 25′ W.	54	12·2	19·46	35·16	28·25
15	11 p.m.	49 31 N.	2 30 W.	54	12·2	19·47	35·18	28·27
16	1.45 a.m.	49 43 N.	2 55 W.	54	12·2	19·52	35·26	28·34
16	3.30 a.m.	49 55 N.	3 22 W.	54½	12·5	19·56	35·34	28·40
16	6 a.m.	50 08 N.	3 49 W.	53	11·7	19·46	35·16	28·25
28	11 p.m.	48 53 N.	2 25 W.	51	10·6	19·42	35·08	28·19
29	5 p.m.	49 19 N.	2 25 W.	52½	11·4	19·49	35·21	28·30
29	10.45 p.m.	49 31 N.	2 30 W.	53	11·7	19·51	35·25	28·32
30	1.20 a.m.	49 43 N.	2 55 W.	53	11·7	19·56	35·34	28·40
30	5.20 a.m.	49 55 N.	3 22 W.	53	11·7	19·59	35·39	28·44
30	10 a.m.	50 08 N.	3 49 W.	53	11·7	19·47	35·17	28·27
			JANUARY, 1905.					
			NEWHAVEN-CAEN.					
4	10.20 p.m.	50 35 N.	0 02 E.	50	10·0	19·32	34·90	28·05
4	11.40 p.m.	50 23 N.	0 00	51	10·6	19·47	35·17	28·27
5	0.55 a.m.	50 11 N.	0 01 W.	51	10·6	19·50	35·23	28·31
5	2.10 a.m.	49 59 N.	0 03 W.	51½	10·8	19·46	35·16	28·25
5	3.30 a.m.	49 47 N.	0 05 W.	50½	10·3	19·35	34·96	28·09
18	9.20 p.m.	50 53 N.	0 02 E.	48¾	9·3	19·37	34·99	28·12
18	10.30 p.m.	50 23 N.	0 00	49	9·4	19·50	35·23	28·31
18	11.40 p.m.	50 11 N.	0 02 W.	50	10·0	19·52	35·26	28·34
19	0.50 a.m.	49 50 N.	0 04 W.	49	9·4	19·41	35·07	28·18
19	2 a.m.	49 47 N.	0 06 W.	48	8·9	19·29	34·85	28·00
			SOUTHAMPTON-HAVRE.					
1	1.40 a.m.	50 36 N.	0 54 W.	44½	6·9	19·25	34·78	27·95
1	2·30 a.m.	50 24 N.	0 44 W.	48	8·9	19·41	35·07	28·18
1	3·20 a.m.	50 12 N.	0 34 W.	48	8·9	19·47	35·17	28·27
1	4·10 a.m.	50 00 N.	0 25 W.	48½	9·2	19·38	35·01	28·14
1	5 a.m.	49 48 N.	0 15 W.	47	8·3	19·32	34·90	28·05
1	5.50 a.m.	49 35 N.	0 04 W.	46½	8·1	18·89	34·13	27·42
15	1.50 a.m.	50 36 N.	0 54 W.	43	6·1	19·29	34·85	28·00
15	2.45 a.m.	50 24 N.	0 44 W.	45½	7·5	19·47	35·17	28·27
15	3.45 a.m.	50 14 N.	0 35 W.	46	7·8	19·48	35·19	28·28
15	4.45 a.m.	50 02 N.	0 26 W.	46½	8·1	19·56	35·34	28·40
15	5.45 a.m.	49 52 N.	0 18 W.	45½	7·5	19·54	35·30	28·37
15	7 a.m.	49 42 N.	0 10 W.	43	6·1	19·49	35·21	28·30
29	1.40 a.m.	50 37 N.	0 55 W.	42½	5·8	19·35	34·96	28·09
29	2.30 a.m.	50 23 N.	0 44 W.	47½	8·6	19·56	35·34	28·40
29	3.10 a.m.	50 12 N.	0 34 W.	48	8·9	19·44	35·12	28·22
29	4.10 a.m.	49 58 N.	0 22 W.	47	8·3	19·33	34·92	28·06
29	5 a.m.	49 46 N.	0 14 W.	46	7·8	19·30	34·87	28·02
29	5.50 a.m.	49 31 N.	0 02 W.	43½	6·4	18·05	32·61	26·20
			SOUTHAMPTON-ST. MALO.					
2	7.17 p.m.	50 28 N.	1 43 W.	45½	7·5	19·39	35·03	28·15
2	8.07 p.m.	50 17 N.	1 50 W.	46	7·8	19·44	35·12	28·22
2	8.57 p.m.	50 06 N.	1 57 W.	48½	9·2	19·51	35·25	28·32
2	9.47 p.m.	49 55 N.	2 03 W.	48¼	9·0	19·50	35·23	28·31
2	10.40 p.m.	49 44 N.	2 01 W.	48	8·9	19·43	35·10	28·21
3	0.40 a.m.	49 15 N.	2 18½ W.	45¼	7·3	19·47	35·17	28·27
17	3.55 a.m.	50 28 N.	1 43 W.	44¼	6·8	19·39	35·03	28·15
17	4.55 a.m.	50 17 N.	1 50 W.	46	7·8	19·43	35·10	28·21
17	5.55 a.m.	50 06 N.	1 57 W.	46¾	8·2	19·50	35·23	28·31
			JANUARY, 1905—*continued.*					
			SOUTHAMPTON-ST. MALO—*continued.*					
17	6.55 a.m.	49° 55′ N.	2° 03′ W.	47½	8·6	19·55	35·32	28·38
17	7.48 a.m.	49 44 N.	2 01 W.	45½	7·5	19·51	35·25	28·32
17	10.06 a.m.	49 15 N.	2 18 W.	46	7·8	19·52	35·26	28·34
31	3.53 a.m.	50 28 N.	1 43 W.	44¼	6·8	19·47	35·17	28·27
31	4.53 a.m.	50 17 N.	1 50 W.	43½	6·4	19·49	35·21	28·30
31	5.53 a.m.	50 06 N.	1 57 W.	45½	7·5	19·56	35·34	28·40
31	6.53 a.m.	49 55 N.	2 03 W.	46	7·8	19·53	35·28	28·35
31	7.45 a.m.	49 44 N.	2 01 W.	44½	6·9	19·36	34·97	28·11
31	9.54 a.m.	49 15 N.	2 18½ W.	44¾	7·1	19·52	35·26	28·34
			PLYMOUTH-ST. BRIEUC.					
11	11 p.m.	48 53 N.	2 25 W.	50	10·0	19·47	35·17	28·27
12	5 p.m	49 19 N.	2 25 W.	51	10·6	19·52	35·26	28·34
12	11 p.m.	49 31 N.	2 30 W.	50½	10·3	19·52	35·26	28·34
13	1 a.m.	49 43 N.	2 55 W.	50	10·0	19·60	35·41	28·46
13	3.15 a.m.	49 55 N.	3 22 W.	50	10·0	19·61	35·43	28·47
13	5 a.m.	50 08 N.	3 49 W.	49½	9·7	19·53	35·28	28·35
28	Midnight	48 53 N.	2 25 W.	47½	8·6	19·50	35·23	28·31
28	2 a.m.	49 19 N.	2 55 W.	48	8·9	19·51	35·25	28·32
28	4 a.m.	49 31 N.	3 09 W.	50	10·0	19·56	35·34	28·40
28	6 a.m.	49 43 N.	3 24 W.	48½	9·2	19·60	35·41	28·46
28	8 a.m.	49 55 N.	3 38 W.	50	10·0	19·61	35·43	28·47
28	9.15 a.m.	50 08 N.	3 54 W.	51	10·6	19·55	35·32	28·38
			FEBRUARY, 1905.					
			NEWHAVEN-CAEN.					
9	1.20 a.m.	50 35 N.	0 02 E.	46	7·8	19·38	35·01	28·14
9	2.35 a.m.	50 23 N.	0 01 W.	47½	8·6	19·46	35·16	28·25
9	3.50 a.m.	50 11 N.	0 03 W.	49	9·4	19·52	35·26	28·34
9	5.05 a.m.	49 59 N.	0 05 W.	49	9·4	19·46	35·16	28·25
9	6.30 a.m.	49 47 N.	0 08 W.	48	8·9	19·37	34·99	28·12
15	9 p.m.	50 35 N.	0 02 E.	46	7·8	19·43	35·10	28·21
15	11 p.m.	50 23 N.	0 00	47½	8·6	19·51	35·25	28·32
16	0·30 a.m.	50 11 N.	0 02 W.	48	8·9	19·53	35·28	28·35
16	2 a.m.	49 59 N.	0 04 W.	48½	9·2	19·50	35·23	28·31
16	3.30 a.m.	49 47 N.	0 06 W.	48	8·9	19·47	35·17	28·27
			SOUTHAMPTON-HAVRE.					
12	1.50 a.m.	50 35 N.	0 52½ W.	43½	6·4	19·47	35·17	28·27
12	2.40 a.m.	50 23 N.	0 43 W.	45½	7·5	19·52	35·26	28·34
12	3.30 a.m.	50 11 N.	0 33 W.	47	8·3	19·50	35·23	28·31
12	4.20 a.m.	49 56 N.	0 21 W.	45	7·2	19·41	35·07	28·18
12	5.10 a.m.	49 44 N.	0 10 W.	45½	7·5	19·39	35·03	28·15
12	6 a.m.	49 33 N.	0 02 W.	43¼	6·2	17·99	32·50	26·11
26	1.50 a.m.	50 36 N.	0 54 W.	43½	6·4		Lost	
26	2.50 a.m.	50 23 N.	0 44 W.	45½	7·5	19·55	35·32	28·38
26	3.42 a.m.	50 10 N.	0 33 W.	46½	8·1	19·50	35·23	28·31
26	4.30 p.m.	49 59 N.	0 24 W.	47½	8·6	19·45	35·14	28·24
26	5.20 p.m.	49 46 N.	0 14 W.	46	7·8	19·50	35·23	28·31
26	6.25 p.m.	49 33 N.	0 03 W.	45	7·2	19·34	34·94	28·08
			SOUTHAMPTON-ST. MALO.					
14	—	50 28 N.	1 40 W.	—	—	19·39	35·03	28·15
14	—	50 16 N.	1 45 W.	—	—	19·41	35·07	28·18
14	—	50 05 N.	1 50 W.	—	—	19·49	35·21	28·30
14	—	49 53 N.	1 55 W.	—	—	19·47	35·17	28·27

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl.‰	S.‰	σ_0
		FEBRUARY, 1905—*continued.*						
		SOUTHAMPTON-ST. MALO—*continued.*						
14	—	49 44 N.	2 00 W.	—	—	19·31	34·88	28·03
14	—	49 15 N.	2 19 W.	—	—	19·50	35·23	28·31
28	2.19 a.m.	50 28 N.	1 43 W.	38½	3·6	19·15	34·60	27·80
28	3.22 a.m.	50 17 N.	1 50 W.	41	5·0	19·44	35·12	28·22
28	4.25 a.m	50 06 N.	1 57 W.	42½	5·8	19·50	35·23	28·31
28	5.28 a.m.	49 55 N.	2 03 W.	42½	5·8	19·51	35·25	28·32
28	6.29 a.m.	49 44 N.	2 01 W.	43	6·1	19·31	34·88	28·03
28	8.49 a.m.	49 15 N.	2 18½ W.	44	6·7	19·45	35·14	28·24
		PLYMOUTH-ST. BRIEUC.						
21	11 p.m.	48 55 N.	2 25 W.	46½	8·1	19·50	35·23	28·31
22	7 p.m.	49 19 N.	2 25 W.	45½	7·5	19·38	35·01	28·14
23	2.30 a.m.	49 31 N.	2 30 W.	44	6·7	19·55	35·32	28·38
23	5 a.m.	49 43 N.	2 55 W.	45	7·2	19·70	35·59	28·60
23	7.30 a.m.	49 52 N.	3 15 W.	46	7·8	19·58	35·37	28·43
23	9 a.m.	50 08 N.	3 49 W.	44½	6·9	19·51	35·25	28·32
		PLYMOUTH-CORK.						
18	4.47 p.m.	50 15 N.	6 01 W.	49¾	9·8	19·58	35·37	28·43
18	6.55 p.m.	50 30 N.	6 23 W.	48	8·9	19·39	35·03	28·15
18	10.05 p.m.	50 44 N.	6 44 W.	48½	9·2	19·48	35·19	28·28
19	1.05 a.m.	50 59 N.	7 06 W.	48½	9·2	19·48	35·19	28·28
19	3.45 a.m.	51 13 N.	7 28 W.	48	8·9	19·46	35·16	28·25
19	6 a.m.	51 28 N.	7 48 W.	47¼	8·4	19·43	35·10	28·21
		MARCH, 1905.						
		NEWHAVEN-CAEN.						
1	9.35 p.m.	50 35 N.	0 02 E.	45	7·2	19·50	35·23	28·31
1	10.42 p.m.	50 23 N.	0 01 W.	46	7·8	19·51	35·25	28·32
1	11.50 p.m.	50 12 N.	0 03 W.	46	7·8	19·29	34·85	28·00
2	1 a.m.	49 59 N.	0 06 W.	46	7·8	19·41	35·07	28·18
2	2.15 a.m.	49 47 N.	0 09 W.	45	7·2	19·39	35·03	28·15
2	3.30 a.m.	49 35 N.	0 11 W.	43	6·1	17·08	30·86	24·79
16	5.10 p.m.	50 35 N.	0 01 E.	46	7·8	19·36	34·97	28·11
16	6.35 p.m.	50 23 N.	0 00.	47	8·3	19·47	35·17	28·27
16	8.10 p.m.	50 11 N.	0 03 W.	48	8·9	19·47	37·17	28·27
16	9.45 p.m.	49 59 N.	0 05 W.	48	8·9	19·40	35·05	28·16
16	11.30 p.m.	49 47 N.	0 07 W.	47	8·3	19·18	34·65	27·84
29	7.30 p.m.	50 35 N.	0 02 E.	48	8·9	19·47	37·17	28·27
29	8.55 p.m.	50 23 N.	0 01 W.	48	8·9	19·55	35·32	28·38
29	10.10 p.m.	50 12 N.	0 03 W.	49	9·4	19·55	35·32	28·38
29	11.30 p.m.	49 59 N.	0 06 W.	48	8·9	19·44	35·12	28·22
30	1.56 a.m.	49 47 N.	0 09 W.	48	8·9	19·08	34·47	27·70
30	2.10 a.m.	49 38 N.	0 11 W.	47	8·3	18·27	33·01	26·52
		SOUTHAMPTON-HAVRE.						
14	0.45 a.m.	49 34 N.	0 04 W.	46½	8·1	18·61	33·62	27·02
14	1.42 a.m.	49 46 N.	0 14 W.	47	8·3	19·06	34·43	27·67
14	2.25 a.m.	49 57 N.	0 22 W.	48	8·9	19·38	35·01	28·14
14	3.22 a.m.	50 12 N.	0 34 W.	47½	8·6	19·48	35·19	28·28
14	4.20 p.m.	50 24 N.	0 44 W.	45½	7·5	19·48	35·19	28·28
14	5.17 p.m.	50 39 N.	0 57 W.	44½	6·9	19·31	34·88	28·03
31	1.40 a.m.	50 34 N.	0 52 W.	46½	8·1	18·97	34·27	27·54
31	2.35 a.m.	50 23 N.	0 44 W.	47	8·3	19·48	35·19	28·28
31	3.30 a.m.	50 09 N.	0 32 W.	47	8·3	19·52	35·26	28·34
		MARCH, 1905—*continued.*						
		SOUTHAMPTON-HAVRE—*continued.*						
31	4.15 a.m.	49 57 N.	0 22 W.	47½	8·6	19·52	35·26	28·34
31	5.10 a.m.	49 46 N.	0 14 W.	46	7·8	19·03	34·38	27·63
31	6.05 a.m.	49 33 N.	0 03 W.	46½	8·1	18·38	33·21	26·68
		SOUTHAMPTON-ST. MALO.						
16	2.14 a.m.	49 15 N.	2 18½ W.	44½	6·9	19·35	34·96	28·09
16	4.25 a.m.	49 44 N.	2 01 W.	45½	7·5	19·30	34·87	28·02
16	5.20 a.m.	49 56 N.	1 56½ W.	46	7·8	19·44	35·12	28·22
16	6.15 a.m.	50 07 N.	1 51 W.	45½	7·3	19·51	35·25	28·32
16	7.10 a.m.	50 19 N.	1 46 W.	45	7·2	19·53	35·28	28·35
16	8.05 a.m.	50 30 N.	1 41 W.	43½	6·4	19·42	35·08	28·19
28	0.24 a.m.	50 28 N.	1 43 W.	45½	7·5	19·40	35·05	28·16
28	1.26 a.m.	50 17 N.	1 50 W.	46½	8·1	19·46	35·16	28·25
28	2.28 a.m.	50 06 N.	1 57 W.	47½	8·6	19·59	35·39	28·44
28	3.30 a.m.	49 55 N.	2 03 W.	47½	8·6	19·61	35·43	28·47
28	4.30 a.m.	49 44 N.	2 01 W.	47¼	8·4	19·51	35·25	28·32
28	6.50 a.m.	49 15 N.	2 18½ W.	47	8·3	19·44	35·12	28·22
		PLYMOUTH-ST. BRIEUC.						
15	10 p.m.	48 55 N.	2 25 W.	46½	8·1	19·42	35·08	28·19
15	Midnight	49 19 N.	2 25 W.	47½	8·6	19·51	35·25	28·32
16	8 a.m.	49 31 N.	2 30 W.	47½	8·6	19·51	35·25	28·32
16	10.0 a.m.	49 43 N.	2 55 W.	47½	8·6	19·51	35·25	28·32
16	Noon	49 52 N.	3 15 W.	48¾	9·3	19·64	35·48	28·51
16	2 p.m.	50 08 N.	3 49 W.	48½	9·2	19·54	35·30	28·37
27	Midnight	48 53 N.	2 25 W.	47½	8·6	19·43	35·10	28·21
29	5 p.m.	49 19 N.	2 25 W.	48¾	9·3	19·53	35·28	28·35
29	11 p.m.	49 31 N.	2 30 W.	49	9·4	19·52	35·26	28·34
30	1 a.m.	49 43 N.	2 55 W.	49	9·4	19·59	35·39	28·44
30	3 a.m.	49 52 N.	3 15 W.	49	9·4	19·59	35·39	28·44
30	5 a.m.	50 08 N.	3 49 W.	49	9·4	19·52	35·26	28·34
		APRIL, 1905.						
		NEWHAVEN-CAEN.						
13	3.40 a.m.	50 35 N.	0 02 E.	48	8·9	19·48	35·19	28·28
13	4.55 a.m.	50 23 N.	0 01 W.	49	9·4	19·54	35·30	28·37
13	6.15 a.m.	50 12 N.	0 03 W.	49	9·4	19·55	35·32	28·38
13	7.30 a.m.	49 59 N.	0 06 W.	49	9·4	19·47	35·17	28·27
13	9 a.m.	49 47 N.	0 09 W.	49	9·4	19·16	34·61	27·82
13	10.20 a.m.	49 36 N.	0 11 W.	48	8·9	18·20	32·88	26·42
27	5.10 a.m.	50 35 N.	0 02 E.	48	8·9	19·40	35·05	28·16
27	6.25 a.m.	50 23 N.	0 00	48	8·9	19·53	35·28	28·35
27	7.45 a.m.	50 11 N.	0 02 W.	49	9·4	19·54	35·30	28·37
27	9.10 a.m.	49 59 N.	0 04 W.	49	9·4	19·51	35·25	28·32
27	10.40 a.m.	49 47 N.	0 07 W.	49	9·4	19·43	35·10	28·21
		SOUTHAMPTON-HAVRE.						
12	1.50 a.m.	50 36 N.	0 54 W.	47½	8·6	19·28	34·83	27·99
12	2.32 a.m.	50 27 N.	0 46 W.	47	8·3	19·35	34·96	28·09
12	3.20 a.m.	50 15 N.	0 35 W.	47½	8·6	19·47	35·17	28·27
12	4.15 a.m.	50 01 N.	0 26 W.	48	8·9	19·51	35·25	28·32
12	5.05 a.m.	49 49 N.	0 16 W.	47½	8·6	19·27	34·81	27·98
12	6.05 a.m.	49 35 N.	0 05 W.	47½	8·6	18·65	33·69	27·07
27	1.26 a.m.	49 38 N.	0 01 W.	48½	9·2	18·84	34·04	27·35
27	2.20 a.m.	49 51 N.	0 12 W.	49	9·4	19·44	35·12	28·22

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl.‰	S.‰	σ_0
		APRIL, 1905—*continued.*						
		SOUTHAMPTON-HAVRE—*continued.*						
27	3 08 a.m.	50 05 N.	0 23 W.	48½	9·2	19·46	35·16	28·25
27	4.02 a.m.	50 18½ N.	0 34 W.	50	10·0	19·56	35·34	28·40
27	4.55 a.m.	50 34½ N.	0 47 W.	48½	9·2	19·38	35·01	28·14
27	5.50 a.m.	50 41½ N.	0 56 W.	48⅛	9·2	19·20	34·69	27·87
		SOUTHAMPTON-ST. MALO.						
10	11.05 p.m.	50 30 N.	1 42 W.	47½	8·6	19·33	34·92	28·06
10	Midnight	50 17 N.	1 50 W.	47½	8·6	19·48	35·19	28·28
11	0.55 a.m.	50 06 N.	1 57 W.	47⅜	8·7	19·49	35·21	28·30
11	0 a.m.	49 55 N.	2 03 W.	47⅜	8·7	19·53	35·28	28·35
11	2.46 a.m.	49 44 N.	2 01 W.	47½	8·6	19·44	35·12	28·22
11	4.55 a.m.	49 15 N.	2 18 W.	47⅜	8·7	19·47	35·17	28·27
25	0.28 a.m.	50 28 N.	1 41 W.	48	8·9	19·34	34·94	28·08
25	1.23 a.m.	50 17 N.	1 47 W.	47½	8·6	19·58	35·37	28·43
25	2.18 a.m.	50 06 N.	1 53 W.	47	8·3	19·53	35·28	28·35
25	3.13 a.m.	49 54 N.	1 59 W.	47	8·3	19·53	35·28	28·35
25	4.03 a.m.	49 44 N.	2 01 W.	47	8·3	19·53	35·28	28·35
25	6.59 a.m.	49 15 N.	2 18 W.	47½	8·6	19·42	35·08	28·19
		PLYMOUTH-ST. BRIEUC.						
11	10.40 a.m.	48 55 N.	2 25 W.	49½	9·7	19·39	35·03	28·15
12	4.40 p.m.	49 19 N.	2 25 W.	49½	9·7	19·50	35·23	28·31
12	10.40 p.m.	49 31 N.	2 30 W.	50½	10·3	19·52	35·26	28·34
13	0.35 a.m.	49 43 N.	2 55 W.	49½	9·7	19·57	35·35	28·41
13	2.30 a.m.	49 52 N.	3 15 W.	50	10·0	19·63	35·46	28·50
13	4.30 a.m.	50 08 N.	3 49 W.	50	10·0	19·55	35·32	28·38
25	11 a.m.	48 55 N.	2 25 W.	50	10·0	19·47	35·17	28·27
26	5 p.m.	49 19 N.	2 25 W.	50	10·0	19·50	35·23	28·31
26	10.30 p.m.	49 31 N.	2 30 W.	50	10·0	19·54	35·30	28·37
27	0.20 a.m.	49 43 N.	2 55 W.	49½	9·7	19·60	35·41	28·46
27	2.45 a.m.	49 52 N.	3 15 W.	50	10·0	19·60	35·41	28·46
27	5 a.m.	50 08 N.	3 49 W.	50	10·0	19·49	35·21	28·30
		MAY, 1905.						
		NEWHAVEN-CAEN.						
11	3.38 a.m.	50 35 N.	0 02 E.	50	10·0	19·47	35·17	28·27
11	4.45 a.m.	50 23 N.	0 00	50	10·0	19·55	35·32	28·38
11	6.07 a.m.	50 11 N.	0 02 W.	50	10·0	19·40	35·05	28·16
11	7.25 a.m.	49 59 N.	0 04 W.	50	10·0	19·37	34·99	28·12
11	8.50 a.m.	49 47 N.	0 06 W.	50	10·0	19·22	34·72	27·90
25	3.35 a.m.	50 35 N.	0 02 E.	50	10·0	19·43	35·10	28·21
25	4.50 a.m.	50 23 N.	0 00	51	10·6	19·54	35·30	28·37
25	6.10 a.m.	50 11 N.	0 02 W.	52	11·1	19·52	35·26	28·34
25	7.50 a.m.	49 59 N.	0 04 W.	52	11·1	19·44	35·12	28·22
25	9.05 a.m.	49 47 N.	0 06 W.	52	11·1	19·40	35·05	28·16
		SOUTHAMPTON-HAVRE.						
10	1.50 a.m.	50 37 N.	0 52 W.	49	9·4	19·30	34·87	28·02
10	2.40 a.m.	50 21 N.	0 42 W.	49½	9·6	19·48	35·19	28·28
10	3.30 a.m.	50 11 N.	0 34 W.	49½	9·7	19·54	35·30	28·37
10	4.20 a.m.	49 57 N.	0 21 W.	49	9·4	19·37	34·99	28·12
10	5.12 a.m.	49 45 N.	0 12 W.	49½	9·7	19·26	34·79	27·96
10	6.05 a.m.	49 38 N.	0 01 W.	50	10·0	18·81	33·98	27·31
20	1 a.m.	49 33 N.	0 03 W.	52	11·1	18·89	34·13	27·42
20	1.49 a.m.	49 46 N.	0 14 W.	51½	10·8	19·33	34·92	28·06
		MAY, 1905—*continued.*						
		SOUTHAMPTON-HAVRE—*continued.*						
20	2.45 a.m.	50 00 N.	0 24 W.	51	10·6	19·39	35·03	28·15
20	3.33 a.m.	50 13 N.	0 35 W.	51	10·6	19·54	35·30	28·37
20	4.20 a.m.	50 24 N.	0 44 W.	50½	10·3	19·54	35·30	28·37
20	5.10 a.m.	50 38 N.	0 56 W.	51½	10·8	19·44	35·12	28·22
		SOUTHAMPTON-ST. MALO.						
8	10.45 p.m.	50 28 N.	1 41 W.	49½	9·7	19·48	35·19	28·28
8	11.40 p.m.	50 17 N.	1 47 W.	49½	9·6	19·61	35·43	28·47
9	0.35 a.m.	50 06 N.	1 53 W.	49¼	9·6	19·64	35·48	28·51
9	1.30 a.m.	49 54 N.	1 59 W.	49¼	9·6	19·58	35·37	28·43
9	2.20 a.m.	49 44 N.	2 01 W.	49⅜	9·8	19·45	35·14	28·24
9	4.20 a.m.	49 15 N.	2 18 W.	49⅜	9·8	19·46	35·16	28·25
22	11.20 p.m.	49 15 N.	2 18 W.	49	9·4	19·34	34·94	28·08
23	1.46 a.m.	49 44 N.	2 01 W.	49	9·4	19·44	35·12	28·22
23	2.50 a.m.	49 54 N.	1 59 W.	49⅜	9·8	19·56	35·34	28·40
23	3.54 a.m.	50 06 N.	1 53 W.	49½	9·7	19·65	35·50	28·53
23	4.58 a.m.	50 17 N.	1 47 W.	49½	9·7		Lost	
23	5.02 a.m.	50 28 N.	1 41 W.	49½	9·7	19·41	35·07	28·18
		PLYMOUTH-ST. BRIEUC.						
9	10 p.m.	48 55 N.	2 25 W.	51	10·6	19·45	35·14	28·24
10	4.30 p.m.	49 19 N.	2 25 W.	53½	11·9	19·47	35·17	28·27
10	10.30 p.m.	49 31 N.	2 30 W.	51½	10·8	19·52	35·26	28·34
11	0.30 a.m.	49 43 N.	2 55 W.	51	10·6	19·60	35·41	28·46
11	2.45 a.m.	49 52 N.	3 15 W.	51	10·6	19·63	35·46	28·50
11	5 a.m.	50 08 N.	3 49 W.	50	10·0	19·48	35·19	28·28
22	10.0 p.m.	48 55 N.	2 25 W.	52	11·1	19·49	35·21	28·30
24	5 p.m.	49 19 N.	2 25 W.	52⅜	11·5	19·51	35·25	28·32
24	10.30 p.m.	49 31 N.	2 30 W.	51½	10·8	19·54	35·30	28·37
25	1 a.m.	49 43 N.	2 55 W.	52	11·1	19·63	35·46	28·50
25	3 a.m.	49 52 N.	3 15 W.	52	11·1	19·53	35·2	28·35
25	5 a.m.	50 08 N.	3 49 W.	52	11·1	19·48	35·19	28·28
		PLYMOUTH-CORK.						
6	10 p.m.	51 29 N.	7 47 W.	52	11·1	19·51	35·25	28·32
6	11.30 p.m.	51 14 N.	7 25 W.	51¼	10·7	19·47	35·17	28·27
7	1.30 a.m.	51 00 N.	7 03 W.	51	10·6	19·47	35·17	28·27
7	3.20 a.m.	50 45 N.	6 41 W.	50⅞	10·4	19·47	35·17	28·27
7	5 a.m.	50 31 N.	6 21 W.	50⅝	10·4	19·48	35·19	28·28
7	6.45 a.m.	50 16 N.	6 00 W.	50	10·0	19·47	35·17	28·27
20	9.45 p.m.	51 29 N.	7 47 W.	55	12·8	19·48	35·19	28·28
20	11.32 p.m.	51 14 N.	7 25 W.	54½	12·5	19·44	35·12	28·22
21	1.25 a.m.	51 00 N.	7 03 W.	54	12·2	19·43	35·10	28·21
21	5 a.m.	50 31 N.	6 21 W	53	11·7	19·48	35·19	28·28
21	6.10 a.m.	50 16 N.	6 00 W.	51½	10·8	19·47	35·17	28·27
		JUNE, 1905.						
		NEWHAVEN-CAEN.						
8	3.40 a.m.	50 35 N.	0 02 E.	52	11·1	19·45	35·14	28·24
8	6.05 a.m.	50 11 N.	0 00	53	11·7	19·40	35·05	28·16
8	7.20 a.m.	49 59 N.	0 04 W.	53	11·7	19·38	35·01	28·14
8	8.35 a.m.	49 47 N.	0 07 W.	54	12·2	19·19	34·67	27·86
22	2.45 a.m.	50 35 N.	0 02 E.	54	12·2	19·46	35·16	28·25
22	4 a.m.	50 23 N.	0 01 W.	55	12·8	19·47	35·17	28·27
22	5.10 a.m.	50 12 N.	0 03 W.	52	12·8	19·34	34·94	28·08

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl.‰	S.‰	σ_0
			JUNE, 1905—*continued.*					
			NEWHAVEN-CAEN—*continued.*					
22	6.20 a.m.	49° 59′ N.	0° 06′ W.	55	12·8	19·27	34·81	27·98
22	7.35 a.m.	49 47 N.	0 09 W.	57	13·9	19·18	34·65	27·84
22	8.45 a.m.	49 36 N.	0 11 W.	57	13·9	18·72	33·82	27·18
			SOUTHAMPTON-HAVRE.					
4	1.50 a.m.	50 34 N.	0 52 W.	54	12·2	19·35	34·96	28·09
4	2.40 a.m.	50 23 N.	0 44 W.	53½	11·9	19·51	35·25	28·32
4	3.30 a.m.	50 11 N.	0 33 W.	53	11·7	19·54	35·30	28·37
4	4.20 a.m.	49 59 N.	0 24 W.	52½	11·4	19·36	34·97	28·11
4	5.10 a.m.	49 47 N.	0 14 W.	53¼	11·8	19·36	34·97	28 11
4	6.05 a.m.	Off Cape	La Heve	55	12·8	18·78	33·93	27·26
18	1.54 a.m.	50 36 N.	0 54 W.	57	13·9	19·38	35·01	28·14
18	2.40 a.m.	50 26 N.	0 45 W.	55	12·8	19·43	35·10	28 21
18	3.35 a.m.	50 14 N.	0 36 W.	54	12·2	19·50	35·23	28·31
18	4.25 a.m.	50 02 N.	0 26 W.	54	12·2	19·30	34·87	28·02
18	5.20 a.m.	49 49 N.	0 16 W.	55	12·8	19·15	34·60	27·80
18	6.20 a.m.	49 35 N.	0 05 W.	56¼	13·4	18·86	34·07	27·38
			SOUTHAMPTON-ST. MALO.					
4	9.49 p.m.	50 28 N.	1 41 W.	52½	11·4	19·11	34·52	27·74
4	10.44 p.m.	50 17 N.	1 47 W.	52	11·1	19·20	34·69	27·87
4	11.39 p.m.	50 06 N.	1 53 W.	52	11·1	19·53	35·28	28·35
5	0.34 a.m.	49 54 N.	1 59 W.	52	11·1	19·54	35·30	28·37
5	1.23 a.m.	49 44 N.	2 01 W.	52½	11·4	18·90	34·14	27·44
5	3.21 a.m.	49 15 N.	2 18 W.	53	11·7	19·42	35·08	28·19
20	0.50 a.m.	49 15 N.	2 18 W.	55½	13·1	19·42	35·08	28·19
20	3.52 a.m.	49 44 N	2 01 W.	54½	12·5	19·32	34·90	28·05
20	4.47 a.m.	49 54 N.	1 59 W.	54	12·2	19·50	35·23	28·31
20	5.42 a.m.	50 06 N.	1 53 W.	54	12·2	19·46	35·16	28·25
20	6.37 a.m.	50 17 N.	1 47 W.	54½	12·5	19·58	35·37	28·43
20	7.32 a.m.	50 28 N.	1 41 W.	55	12·8	19·33	34·92	28·06
			PLYMOUTH-ST. BRIEUC.					
5	8.30 p.m.	48 55 N.	2 25 W.	56	13·3	19·49	35·21	28·30
7	8 p.m.	49 19 N.	2 25 W.	52¾	11·5	19·52	35·26	28·34
7	11 p.m.	49 31 N.	2 30 W.	53	11·7	19·54	35·30	28·37
8	1 a.m.	49 43 N.	2 55 W.	53	11·7	19·58	35·37	28·43
8	3 a.m.	49 52 N.	3 15 W.	53	11·7	19·58	35·37	28·43
8	5 a.m.	50 08 N.	3 49 W.	52	11·1	19·55	35·32	28·38
20	8.30 p.m.	48 55 N.	2 25 W.	57	13·9	19·44	35·12	28·22
21	8 p.m.	49 19 N.	2 25 W.	59½	15·3	19·41	35·07	28·18
21	11 p.m.	49 31 N.	2 30 W.	56	13·3	19·50	35·23	28·31
22	1 a.m.	49 43 N.	2 55 W.	55	12·8	19·48	35·19	28·28
22	3 a.m.	49 52 N.	3 15 W.	54½	12·5	19·57	35·35	28·41
22	5 a.m.	50 08 N.	3 49 W.	56	13·3	19·60	35·41	28·46
			JULY, 1905.					
			NEWHAVEN-CAEN.					
6	1.05 a.m.	50 35 N.	0 02 E.	56	13·3	19·39	35·03	28·15
6	2.15 a.m.	50 23 N.	0 00	56	13·3	19·48	35·19	28·28
6	3.35 a.m.	50 11 N.	0 02 W.	57	13·9	19·34	34·94	28·08
6	5 a.m.	49 59 N.	0 05 W.	57	13·9	19·24	34·76	27·93
6	6.15 a.m.	49 47 N.	0 07 W.	57½	14·2	19·18	34·65	27·84
20	2.25 a.m.	50 35 N.	0 02 E.	59	15·0	19·41	35·07	28·18
20	3.35 a.m.	50 23 N.	0 01 W.	58	14·4	19·46	35·16	28·25
			JULY, 1905—*continued.*					
			NEWHAVEN-CAEN—*continued.*					
20	4.45 a.m.	50° 12′ N.	0° 03′ W.	58	14·4	19·37	34·99	28·12
20	5.56 a.m.	49 59 N.	0 04 W.	59	15·0	19·29	34·85	28·00
29	7.05 a.m.	49 47 N.	0 09 W.	59	15·0	19·20	34·69	27·87
20	8.10 a.m.	49 36 N.	0 11 W.	64	17·8	18·21	32·90	26·43
			SOUTHAMPTON-HAVRE.					
2	1.50 a.m.	50 36 N.	0 54 W.	60½	15·8	19·34	34·94	28·08
2	2.37 a.m.	50 25 N.	0 45 W.	57	13·9	19·49	35·21	28·30
2	3.30 a.m.	50 10 N.	0 33 W.	56½	13·6	19·48	35·19	28·28
2	4.10 a.m.	50 00 N.	0 24 W.	56	13·3	19·25	34·78	27·95
2	5.10 a.m.	49 47 N.	0 14 W.	57¼	14·0	19·21	34·70	27·89
2	6.05 a.m.	49 33 N.	0 03 W.	60¼	15·7	18·78	33·93	27·26
16	1.50 a.m.	50 35 N.	0 53 W.	61	16·1	19·37	34·99	28·12
16	2.40 a.m.	50 23 N.	0 44 W.	58½	14·7	19·48	35·19	28·28
16	3.35 a.m.	50 11 N.	0 33 W.	58	14·4	19·38	35·01	28·14
16	4.15 a.m.	50 00 N.	0 24 W.	57½	14·2	19·28	34·83	27·99
16	5.10 a.m.	49 47 N.	0 14 W.	59	15·0	19·21	34·70	27·89
16	6.05 a.m.	49 34 N.	0 04 W.	63	17·2	18·52	33·46	26·88
30	1.50 a.m.	50 35 N.	0 53 W.	65	18·3	19·21	34·70	27·89
30	2.40 a.m.	50 23 N.	0 43 W.	60	15·6	19·50	35·23	28·31
30	3.34 a.m.	50 10 N.	0 33 W.	59½	15·3	19·34	34·94	28·08
30	4.20 a.m.	49 58 N.	0 22 W.	60	15·6	19·23	34·74	27·92
30	5.10 a.m.	49 46 N.	0 12 W.	62	16·7	19·15	34·60	27·80
30	6.04 a.m.	49 32 N.	0 01 W.	66	18·9	18·40	33·24	26·71
			SOUTHAMPTON-ST. MALO.					
2	5.18 a.m.	50 28 N.	1 41 W.	58¾	14·8	18·95	34·23	27·51
2	6.19 a.m.	50 17 N.	1 47 W.	57½	14·2	19·35	34·96	28·09
2	7.20 a.m.	50 06 N.	1 53 W.	56	13·3	19·48	35·19	28·28
2	8.21 a.m.	49 54 N.	1 59 W.	56	13·3	19·48	35·19	28·28
2	9.19 a.m.	49 44 N.	2 01 W.	57½	14·2	19·39	35·03	28·15
2	0·22 p.m.	49 15 N.	2 18 W.	58¾	14·8	19·46	35·16	28·25
15	10.42 p.m.	49 15 N.	2 18½ W.	59½	15·3	19·21	34·70	27·89
16	1.43 a.m.	49 44 N.	2 01 W.	57½	14·2	19·31	34·88	28·03
16	2.40 a.m.	49 56 N.	1 56 W.	57	13·9	19·32	34·90	28·05
16	3.37 a.m.	50 07 N.	1 51 W.	57	13·9	19·46	35·16	28·25
16	4.34 a.m.	50 19 N.	1 46 W.	57	13·9	19·54	35·30	28·37
16	5.31 a.m.	50 30 N.	1 41 W.	58½	14·7	19·38	35·01	28·14
31	8.43 p.m.	50 28 N.	1 41 W.	62¾	17·1	19·38	35·01	28·14
31	9.37 p.m.	50 16 N.	1 46 W.	58	14·4	19·53	35·28	28·35
31	10.31 p.m.	50 04 N.	1 51 W.	58	14·4	19·48	35·19	28·28
31	11.25 p.m.	49 53 N.	1 56 W.	58½	14·7	19·48	35·19	28·28
			AUGUST, 1905.					
1	0.17 a.m.	49 43 N.	2 00 W.	59¾	15·4	19·39	35·03	28·15
1	—	49 14 N.	2 18 W.	62	16·7	19·43	35·10	28·21
			JULY, 1905.					
			PLYMOUTH-ST. BRIEUC.					
4	7.30 p.m.	48 55 N.	2 25 W.	57	13·9	19·45	35·14	28·24
5	7 p.m.	49 19 N.	2 25 W.	59½	15·3	19·43	35·10	28·21
5	11 p.m.	49 31 N.	2 30 W.	57½	14·2	19·49	35·21	28·30
6	1 a.m.	49 43 N.	2 55 W.	57	13·9	19·53	35·28	28·35
6	3 a.m.	49 52 N.	3 15 W.	57	13·9	19·55	35·32	28·38
6	5 a.m.	50 08 N.	3 49 W.	56	13·3	19·55	35·32	28·38

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	Cl.‰	S.‰	σ_0
			JULY, 1905—*continued.*					
			PLYMOUTH-ST. BRIEUC—*continued.*					
18	8 p.m.	48° 55′ N.	2° 25′ W.	60¾	15·9	19·45	35·14	28·24
19	7 p.m.	49° 19′ N.	2° 25′ W.	61¼	16·2	19·46	35·16	28·25
19	11 p.m.	49° 31′ N.	2° 30′ W.	58½	14·7	19·50	35·23	28·31
20	1 a.m.	49° 43′ N.	2° 55′ W.	57	13·9	19·53	35·28	28·35
20	3 a.m.	49° 52′ N.	3° 15′ W.	57	13·9	19·57	35·35	28·41
20	5 a.m.	50° 08′ N.	3° 49′ W.	59	15·0	Lost.		
			AUGUST, 1905.					
			NEWHAVEN-CAEN.					
2	11.35 p.m.	50° 35′ N.	0° 02′ E.	59	15·0	19·43	35·10	28·21
3	1.45 a.m.	50° 23′ N.	0° 00	60	15·6	19·45	35·14	28·24
3	2.10 a.m.	50° 11′ N.	0° 02′ W.	60	15·6	19·31	34·88	28·03
3	3.40 a.m.	49° 59′ N.	0° 04′ W.	60	15·6	19·24	34·76	27·93
3	4.55 a.m.	49° 47′ N.	0° 06′ W.	62	16·7	19·20	34·69	27·87
17	0.30 a.m.	50° 35′ N.	0° 02′ E.	61	16·1	19·44	35·12	28·22
17	1.45 a.m.	50° 23′ N.	0° 00	61	16·1	19·43	35·10	28·21
17	3 a.m.	50° 11′ N.	0° 02′ W.	60	15·6	19·32	34·90	28·05
17	4.20 a.m.	49° 59′ N.	0° 05′ W.	60	15·6	19·28	34·83	27·99
17	5.40 a.m.	49° 47′ N.	0° 07′ W.	62	16·7	19·19	34·67	27·86
30	11 p.m.	50° 35′ N.	0° 01′ E.	61	16·1	19·46	35·16	28·25
31	0.20 a.m.	50° 23′ N.	0° 01′ W.	60	15·6	19·48	35·19	28·28
31	1.40 a.m.	50° 11′ N.	0° 03′ W.	60	15·6	19·43	35·10	28·21
31	3.10 a.m.	49° 59′ N.	0° 05′ W.	60	15·6	19·30	34·87	28·02
31	4.30 p.m.	49° 47′ N.	0° 07′ W.	60	15·6	19·18	34·65	27·84
			SOUTHAMPTON-HAVRE.					
13	1.50 a.m.	50° 35′ N.	0° 52′ W.	63	17·2	19·39	35·03	28·15
13	2 0 a.m.	50° 25′ N.	0° 45′ W.	61	16·1	19·51	35·25	28·32
13	3.30 a.m.	50° 11′ N.	0° 32′ W.	60	15·6	19·44	35·12	28·22
13	4.20 a.m.	49° 58′ N.	0° 22′ W.	61	16·1	19·25	34·78	27·95
13	5.10 a.m.	49° 45′ N.	0° 12′ W.	63	17·2	19·07	34·45	27·68
13	6 a.m.	49° 34′ N.	0° 02′ W.	64½	18·1	18·46	33·35	26·80
30	1.50 a.m.	50° 37′ N.	0° 54′ W.	62	16·7	19·35	34·96	28·09
30	2.40 a.m.	50° 26′ N.	0° 45′ W.	61	16·1	19·52	35·26	28·34
30	3.30 a.m.	50° 13′ N.	0° 34′ W.	60	15·6	19·51	35·25	28·32
30	4.20 a.m.	49° 59′ N.	0° 23′ W.	61	16·1	19·38	35·01	28·14
30	5.10 a.m.	49° 47′ N.	0° 13′ W.	61¼	16·2	19·16	34·61	27·82
30	6 a.m.	49° 35′ N.	0° 04′ W.	63	17·2	18·85	34·05	27·36
			SOUTHAMPTON-ST. MALO.					
12	4.14 a.m.	50° 28′ N.	1° 41′ W.	60½	15·8	19·35	34·96	28·09
12	5 p.m.	50° 17′ N.	1° 46′ W.	58½	14·7	19·35	34·96	28·09
12	6.04 a.m.	50° 06′ N.	1° 51′ W.	58½	14·7	19·52	35·26	28·34
12	7 a.m.	49° 54′ N.	1° 56′ W.	59½	15·3	19·46	35·16	28·25
12	8 a.m.	49° 43′ N.	2° 03′ W.	60	15·6	19·39	35·03	28·15
12	10.10 a.m.	49° 20′ N.	2° 19′ W.	63	17·2	19·46	35·16	28·25
26	3.55 a.m.	50° 27′ N.	1° 41′ W.	61	16·1	19·46	35·16	28·25
26	4.45 a.m.	50° 17′ N.	1° 46′ W.	60	15·6	19·54	35·30	28·37
26	5.35 a.m.	50° 08′ N.	1° 50′ W.	58½	14·7	19·52	35·26	28·34
26	6.30 a.m.	49° 58′ N.	1° 54′ W.	59	15·0	19·49	35·21	28·30
26	7.25 a.m.	49° 47½′ N.	1° 58′ W	59½	15·3	19·46	35·16	28·25
26	9.53 a.m.	49° 15′ N.	2° 19′ W.	60½	15·8	19·52	35·26	28·34
			PLYMOUTH-ST. BRIEUC.					
1	7 p.m.	48° 55′ N.	2° 25′ W.	62	16·7	19·47	35·17	28·27
2	6 p.m.	49° 19′ N.	2° 25′ W.	63¼	17·3	19·47	35·17	28·27
			AUGUST, 1905—*continued.*					
			PLYMOUTH-ST. BRIEUC—*continued.*					
2	11 p.m.	49° 31′ N.	2° 30′ W.	61	16·1	19·49	35·21	28·30
3	1 a.m.	49° 43′ N.	2° 55′ W.	60	15·6	19·55	35·32	28·38
3	3 a.m.	49° 52′ N.	3° 22′ W.	59	15·0	19·54	35·30	28·37
3	5 a.m.	50° 08′ N.	3° 49′ W.	58½	14·7	19·54	35·30	28·37
16	8 a.m.	48° 55′ N.	2° 25′ W.	63	17·2	19·45	35·14	28·24
16	5 p.m.	49° 19′ N.	2° 25′ W.	64	17·8	19·45	35·14	28·24
16	11 p.m.	49° 31′ N.	2° 30′ W.	63	17·2	19·49	35·21	28·30
17	1 a.m.	49° 43′ N.	2° 55′ W.	62	16·7	19·55	35·32	28·38
17	3 a.m.	49° 52′ N.	3° 22′ W.	59	15·0	19·57	35·35	28·41
17	5 a.m.	50° 08′ N.	3° 49′ W.	59	15·0	19·53	35·28	28·35
29	7.30 p.m.	48° 55′ N.	2° 25′ W.	62	16·7	19·48	35·19	28·28
30	6.30 p.m.	49° 19′ N.	2° 25′ W.	61½	16·4	19·46	35·16	28·25
31	1 a.m.	49° 31′ N.	2° 30′ W.	60½	15·8	19·50	35·23	28·31
31	3 a.m.	49° 43′ N.	2° 55′ W.	59	15·0	19·56	35·34	28·40
31	5 a.m.	49° 52′ N.	3° 22′ W.	58	14·4	19·56	35·34	28·40
31	7 a.m.	50° 08′ N.	3° 49′ W.	58	14·4	19·57	35·35	28·41
			S.S. *Oithona*—OFF PLYMOUTH.					
17	Noon	50° 16½′ N.	4° 17¾′ W.	61·2	16·2	19·56	35·34	28·40
23	1 p.m.	50° 04′ N.	4° 18¾′ W.	58·9	14·9	19·55	35·32	28·38
30	4.30 p.m.	50° 09′ N.	4° 13¼′ W.	59·1	15·1	19·56	35·34	28·40
31	3 p.m.	50° 14′ N.	4° 21′ W.	59·5	15·3	19·56	35·34	28·40
			PLYMOUTH-CORK.					
26	9.45 p.m.	51° 29′ N.	7° 47′ W.	60·4	15·8	19·36	34·97	28·11
26	11.55 p.m.	51° 14′ N.	7° 25′ W.	60	15·6	19·36	34·97	28·11
27	2.05 a.m.	51° 00′ N.	7° 03′ W.	60	15·6	19·36	34·97	28·11
27	4 a.m.	50° 45′ N.	6° 41′ W.	59·5	15·3	19·36	34·97	28·11
27	6.20 a.m.	50° 31′ N.	6° 21′ W.	58	14·4	19·57	35·35	28·41
27	8.12 a.m.	50° 16′ N.	6° 00′ W.	58·2	14·6	19·55	35·32	28·38
			SEPTEMBER, 1905.					
			NEWHAVEN-CAEN.					
13	10.50 p.m.	50° 35′ N.	0° 02′ E.	60	15·6	19·48	35·19	28·28
13	Midnight.	50° 23′ N.	0° 00	60	15·6	19·49	35·21	28·30
14	1.20 a.m.	50° 11′ N.	0° 02′ W.	60	15·6	19·44	35·12	28·22
14	2.45 a.m.	49° 59′ N.	0° 04′ W.	60	15·6	19·35	34·96	28·09
14	4.05 a.m.	49° 47′ N.	0° 07′ W.	60	15·6	19·21	34·70	27·89
27	11.25 p.m.	50° 35′ N.	0° 02′ E.	60	15·6	19·43	35·10	28·21
28	0.40 a.m.	50° 23′ N.	0° 01′ W.	61	16·1	19·49	35·21	28·30
28	1.50 a.m.	50° 12′ N.	0° 03′ W.	61	16·1	19·47	35·17	28·27
28	3 a.m.	49° 59′ N.	0° 04′ W.	61	16·1	19·43	35·10	28·21
28	4.20 a.m.	49° 49′ N.	0° 09′ W.	61	16·1	19·29	34·85	28·00
28	5.30 a.m.	49° 36′ N.	0° 11′ W.	61	16·1	18·96	34·25	27·52
			SOUTHAMPTON-HAVRE.					
13	1.50 a.m.	50° 35′ N.	0° 53′ W.	61	16·1	19·35	34·96	28·09
13	2.40 a.m.	50° 23′ N.	0° 43′ W.	61	16·1	19·55	35·32	28·38
13	3.30 a.m.	50° 13′ N.	0° 34′ W.	60½	15·8	19·54	35·30	28·37
13	4.25 a.m.	49° 58′ N.	0° 22′ W.	59½	15·3	19·43	35·10	28·21
13	5.13 a.m.	49° 45′ N.	0° 12′ W.	60½	15·8	19·18	34·65	27·84
13	6.10 a.m.	49° 33′ N.	0° 02′ W.	61	16·1	18·56	33·53	26·94
26	1.40 a.m.	49° 32′ N.	0° 08′ W.	59	15·0	18·25	32·97	26·49
26	2.40 a.m.	49° 49′ N.	0° 17′ W.	60	15·6	19·27	34·81	27·98
26	3.40 a.m.	50° 02′ N.	0° 27′ W.	60	15·6	19·42	35·08	28·19

TABLE III—*continued.*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S.*‰	σ_0
			SEPTEMBER, 1905—*continued.*					
			SOUTHAMPTON-HAVRE—*continued.*					
26	4.30 a.m.	50 14 N.	0 37 W.	60	15·6	19·52	35·26	28·34
26	5.20 a.m.	50 27 N.	0 47 W.	59½	15·3	19·54	35·30	28·37
26	6.20 a.m.	50 39 N.	0 55 W.	60	15·6	19·52	35·26	28·34
			SOUTHAMPTON-ST. MALO.					
9	4.10 a.m.	50 30½ N.	1 39 W.	59·5	15·3	19·28	34·83	27·99
9	5.16 a.m.	50 22 N.	1 43 W.	59·9	15·3	19·53	35·28	28·35
9	6.20 a.m.	50 13 N.	1 47 W.	58·5	14·7	19·53	35·28	28·35
9	7.25 a.m.	50 03 N.	1 51 W.	58·75	14·8	19·51	35·25	28·32
9	8.30 a.m.	49 51½ N.	1 57 W.	59	15·0	19·50	35·23	28·31
9	9.36 a.m.	49 40 N.	2 04 W.	59	15·0	19·53	35·28	28·35
24	2.50 a.m.	49 15 N.	2 19 W.	58½	14·7	19·47	35·17	28·27
24	5.15 a.m.	49 44 N.	2 01 W.	58½	14·7	19·44	35·12	28·22
24	6.25 a.m.	49 56 N.	1 52 W.	58¼	14·6	19·50	35·23	28·31
24	7.35 a.m.	50 07 N.	1 48 W.	58	14·4	19·53	35·28	28·35
24	8.45 a.m.	50 18 N.	1 45 W.	58	14·4	19·51	35·25	28·32
24	9.55 a.m.	50 31 N.	1 40 W.	58½	14·7	19·56	35·34	28·40
			PLYMOUTH-ST. BRIEUC.					
13	7.30 p.m.	48 55 N.	2 25 W.	63	17·2	19·48	35·19	28·28
14	6 p.m.	49 19 N.	2 25 W.	60	15·6	19·50	35·23	28·31
14	11 p.m.	49 31 N.	2 30 W.	60	15·6	19·51	35·25	28·32
15	1 a.m.	49 43 N.	2 55 W.	60	15·6	19·58	35·37	28·43
15	3 a.m.	49 52 N.	3 22 W.	59	15·0	19·54	35·30	28·37
15	5 a.m.	50 08 N.	3 49 W.	57	13·9	19·55	35·32	28·38
27	6.34 p.m.	48 53 N.	2 25 W.	60½	15·8	19·50	35·23	28·31
28	5 p.m.	49 19 N.	2 25 W.	59¾	15·4	19·50	35·23	28·31
28	11 p.m.	49 31 N.	2 30 W.	59½	15·3	19·48	35·19	28·28
29	1 a.m.	49 43 N.	2 55 W.	58	14·4	19·54	35·30	28·37
29	3 a.m.	49 52 N.	3 22 W.	57	13·9	19·57	35·35	28·41
29	5 a.m.	50 08 N.	3 49 W.	57½	14·2	19·58	35·37	28·43
			S.S. *Oithona*—OFF PLYMOUTH.					
1	2.30 p.m.	50 14½ N.	4 21½ W.	59·1	15·1	19·53	35·23	28·35
1	3.40 p.m.	50 14½ N.	4 22 W.	58·9	14·9	19·54	35·30	28·37
4	0.10 p.m.	50 15 N.	4 20 W.	58·8	14·9	19·56	35·34	28·40
6	0.30 p.m.	50 13 N.	4 17⅜ W.	59·4	15·2	19·50	35·23	28·31
18	1 p.m.	50 12⅜ N.	4 17½ W.	58	14·4	19·57	35·35	28·41
19	0.10 p.m.	50 13½ N.	4 17½ W.	58·1	14·5	19·56	35·34	28·40
22	Noon.	50 14¼ N.	4 17 W.	57·9	14·4	19·58	35·38	28·43
23	9.50 a.m.	50 14 N.	4 17 W.	57·7	14·3	19·58	35·37	28·43
			OCTOBER, 1905.					
			NEWHAVEN-CAEN.					
11	11 p.m.	50 35 N.	0 02 E.	57·3	14·1	19·47	35·17	28·27
12	0.10 a.m.	50 23 N.	0 01 W.	58·0	14·4	19·50	35·23	28·31
12	1.15 a.m.	50 12 N.	0 03 W.	58·0	14·4	19·49	35·21	28·30
12	2.20 a.m.	49 59 N.	0 06 W.	58·0	14·4	19·47	35·17	28·27
12	3.37 a.m.	49 47 N.	0 09 W.	57·5	14·2	19·42	35·08	28·19
12	4.50 a.m.	49 36 N.	0 11 W.	57·5	14·2	19·07	34·45	27·68
25	9.25 p.m.	50 35 N.	0 02 E.	55	12·8	19·49	35·21	28·30
25	10.40 p.m.	50 23 N.	0 00	55	12·8	19·49	35·21	28·30
25	11.50 p.m.	50 11 N.	0 02 W.	55	12·8	19·48	35·19	28·28
25	1.15 a.m.	49 59 N.	0 05 W.	55	12·8	19·48	35·19	28·28
26	2.30 a.m.	49 47 N.	0 07 W.	55	12·8	19·39	35·03	28·15

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	‰	σ_0
			OCTOBER, 1905—*continued.*					
			SOUTHAMPTON-HAVRE.					
11	1.52 a.m.	50 37 N.	0 55 W.	57½	14·2	19·55	35·32	28·38
11	2.40 a.m.	50 25 N.	0 45 W.	58	14·4	19·52	35·26	28·34
11	3.30 a.m.	50 12 N	0 35 W.	58	14·4	19·52	35·26	28·34
11	4.20 a.m.	49 59 N.	0 25 W.	58½	14·7	19·49	35·21	28·30
11	5.10 a.m.	49 46 N.	0 15 W.	58	14·4	19·47	35·17	28·27
11	6.10 a.m.	49 32 N.	0 05 W.	57½	14·2	19·14	34·58	27·79
24	1 a.m.	49 35 N.	0 08 W.	52	11·1	18·50	33·42	26·86
24	1.50 a.m.	49 49 N.	0 17 W.	55	12·8	19·47	35·17	28·27
24	2.40 a.m.	50 03 N.	0 27 W.	55	12·8	19·55	35·32	28·38
24	3.30 a.m.	50 16 N.	0 38 W.	55	12·8	19·56	35·34	28·40
24	4.25 a.m.	50 29 N.	0 48 W.	54	12·2	19·57	35·35	28·41
24	5.20 a.m.	50 42 N.	0 58 W.	53	11·7	19·56	35·34	28·40
			SOUTHAMPTON-ST. MALO.					
9	7.02 p.m.	50 29 N.	1 42 W.	57·25	14·0	19·39	35·03	28·15
9	7.54 p.m.	50 18 N.	1 47 W.	57·0	13·9	19·53	35·28	28·35
9	8.46 p.m.	50 06 N.	1 55 W.	57·0	13·9	19·50	35·23	28·31
9	9.38 p.m.	49 55 N.	2 01 W.	57·0	13·9	19·46	35·16	28·25
9	10.28 p.m.	49 44 N.	2 01 W.	57·25	14·0	19·36	34·97	28·11
10	0.28 a.m.	49 15 N.	2 19 W.	57·25	14·0	19·25	34·78	27·95
20	11.44 p.m.	49 15 N.	2 19 W.	54¼	12·3	19·41	35·07	28·18
21	1.56 a.m.	49 44½ N.	2 01 W.	54¼	12·3	19·37	34·99	28·12
21	2.51 a.m.	49 56 N.	1 52 W.	55	12·8	19·45	35·14	28·24
21	3.46 a.m.	50 07 N.	1 48 W.	55	12·8	19·54	35·30	28·37
21	4.41 a.m.	50 18 N.	1 45 W.	54	12·2	19·53	35·28	28·35
21	5.36 a.m.	50 31 N.	1 40 W.	54	12·2	19·52	35·26	28·34
			PLYMOUTH-ST. BRIEUC.					
11	6.30 p.m.	48 53 N.	2 25 W.	58½	14·7	19·53	35·28	28·35
12	5.30 p.m.	49 19 N.	2 25 W.	56	13·3	19·53	35·28	28·35
12	11 p.m.	49 31 N.	2 30 W.	58	14·4	19·54	35·30	28·37
13	1 a.m.	49 43 N.	2 55 W.	57	13·9	19·59	35·39	28·44
13	3 a.m.	49 52 N.	3 22 W.	57	13·9	19·60	35·41	28·46
13	5 a.m.	50 08 N.	3 49 W.	57	13·9	19·55	35·32	28·38
26	4 a.m.	48 53 N.	2 25 W.	55	12·8	19·56	35·34	28·40
26	5 p.m.	49 19 N.	2 25 W.	55	12·8	19·57	35·35	28·41
26	11 p.m.	49 31 N.	2 30 W.	56	13·3	19·59	35·39	28·44
27	1.30 a.m.	49 43 N.	2 55 W.	56	13·3	19·63	35·46	28·50
27	4 a.m.	49 52 N.	3 22 W.	56	13·3	19·63	35·46	28·50
27	6.30 a.m.	50 08 N.	3 49 W.	56	13·3	19·60	35·41	28·46
			NOVEMBER, 1905.					
			NEWHAVEN-CAEN.					
8	9.25 p.m.	50 35 N.	0 02 E.	55	12·8	19·52	35·26	28·34
8	10.30 p.m.	50 23 N.	0 00	55	12·8	19·55	35·32	28·38
8	11.45 p.m.	50 11 N.	0 02 W.	55	12·8	19·52	35·26	28·34
9	0.35 a.m.	49 59 N.	0 04 W.	55	12·8	19·35	34·96	28·09
9	2.10 a.m.	49 47 N.	0 06 W.	55	12·8	19·33	34·92	28·06
24	8.05 p.m.	49 36 N.	0 11 W.	49½	9·7	18·85	34·05	27·36
24	9.30 p.m.	49 47 N.	0 09 W.	51	10·6	19·26	34·79	27·96
24	10.40 p.m.	49 59 N.	0 06 W.	52½	11·4	19·55	35·32	28·38
24	11.55 p.m.	50 12 N.	0 03 W.	52½	11·4	19·45	35·14	28·24
25	1.10 a.m.	50 25 N.	0 01 W.	52	11·1	19·44	35·12	28·22
25	2.35 a.m.	50 35 N.	0 02 E.	51½	10·8	19·52	35·26	28·34

TABLE III—*continued*

Date.	Time.	Latitude.	Longitude.	Temperature. F.	Temperature. C.	*Cl.*‰	*S*‰	σ_0
			NOVEMBER, 1905—*continued.*					
			SOUTHAMPTON-HAVRE.					
7	1 a.m.	49° 38′ N.	0° 09′ W.	53	11·7	19·19	34·67	27·86
7	1.50 a.m.	49 52 N.	0 20 W.	54½	12·5	19·19	34·67	27·86
7	2.40 a.m.	50 05 N.	0 30 W.	54½	12·5	19·42	35·08	28·19
7	3.30 a.m.	50 19 N.	0 41 W.	55	12·8	19·57	35·35	28·41
7	4.30 a.m.	50 31 N.	0 49 W.	53½	11·9	19·56	35·34	28·40
7	5.25 a.m.	50 38 N.	0 55 W.	52	11·1	19·52	35·26	28·34
21	0.45 a.m.	49 35 N.	0 07 W.	47	8·3	18·55	33·51	26·93
21	1.40 a.m.	49 50 N.	0 17 W.	50	10·0		Lost.	
21	2.30 a.m.	50 03 N.	0 28 W.	52	11·1	19·46	35·16	28·25
21	3.20 a.m.	50 16 N.	0 38 W.	51½	10·8	19·48	35·19	28·28
21	4.10 a.m.	50 29 N.	0 48 W.	51	10·6	19·55	35·32	28·38
21	5.10 a.m.	50 42 N.	0 58 W.	49½	9·7	19·51	35·25	28·32
			SOUTHAMPTON-ST. MALO.					
4	0.24 a.m.	49 15 N.	2 19 W.	52½	11·4	19·34	34·94	28·08
4	2.33 a.m.	49 44 N.	2 01 W.	53½	11·9	19·37	34·99	28·12
4	3.28 a.m.	49 56 N.	1 52 W.	52½	11·4	19·41	35·07	28·18
4	4.23 a.m.	50 07 N.	1 48 W.	52½	11·4	19·52	35·26	28·34
4	5.18 a.m.	50 18 N.	1 45 W.	53	11·7	19·55	35·32	28·38
4	6.13 a.m.	50 31 N.	1 40 W.	53	11·7	19·54	35·30	28·37
17	11.16 p.m.	49 15 N.	2 19 W.	49	9·4	19·29	34·85	28·00
18	1.30 a.m.	49 44 N.	2 01 W.	51	10·6	19·43	35·10	28·21
18	2.30 a.m.	49 56 N.	1 52 W.	52	11·1	19·53	35·28	28·35
18	3.30 a.m.	50 07 N.	1 48 W.	52	11·1	19·57	35·35	28·41
18	4.30 a.m.	50 18 N.	1 45 W.	51	10·6	19·58	35·37	28·43
18	5.30 a.m.	50 31 N.	1 40 W.	50	10·0	19·58	35·37	28·43
			PLYMOUTH-ST. BRIEUC.					
9	4.30 a.m.	48 53 N.	2 25 W.	54¾	12·7	19·52	35·26	28·34
9	5.30 p.m.	49 19 N.	2 25 W.	54½	12·5	19·53	35 28	28·35
9	11 p.m.	49 31 N.	2 30 W.	55	12·8	19·53	35·28	28·35
10	1 a.m.	49 43 N.	2 55 W.	55	12·8	19·55	35·32	28·38
10	3 a.m.	49 52 N.	3 22 W.	55	12·8	19·57	35·35	28·41
10	5 a.m.	50 08 N.	3 49 W.	55	12·8	19·59	35·39	28·44
23	3.45 p.m.	48 53 N.	2 25 W.	52¾	11·5	19·45	35·14	28·24
24	3.20 a.m.	49 19 N.	2 25 W.	53¾	12·1	19·54	35·30	28·37
24	9 a.m.	49 31 N.	2 30 W.	53	11·7	19·52	35·26	28·34
24	11 a.m.	49 43 N.	2 55 W.	53¼	11·8	19·56	35·34	28·40
24	1 p.m.	49 52 N.	3 22 W.	53	11·7	19·59	35·39	28·44
24	3 p.m.	50 08 N.	3 49 W.	52½	11·4	19·59	35·39	28·44
			PLYMOUTH-CORK.					
4	7.45 p.m.	50 24 N.	6 12 W.	44½	6·9	19·57	35·35	28·41
4	9.40 p.m.	50 38 N.	6 33 W.	44½	6·9	19·53	35·28	28·35
4	11.35 p.m.	50 53 N.	6 54 W.	43½	6·4	19·49	35·21	28·30
5	1.35 a.m.	51 08 N.	7 16 W.	44	6·7	19·46	35·16	28·25
5	3.30 a.m.	51 23 N.	7 37 W.	44	6·7	19·44	35·12	28·22
5	5.30 a.m.	51 39 N.	8 01 W.	44½	6·9	19·39	35·03	28·15
			DECEMBER, 1905.					
			NEWHAVEN-CAEN.					
6	7.55 p.m.	50 35 N.	0 02 E.	51	10·6	19·50	35·23	28·31
6	9.05 p.m.	50 23 N.	0 01 W.	52	11·1	19·48	35·19	28·28
6	10.30 p.m.	50 12 N.	0 03 W.	52	11·1	19·52	35·26	28·34
6	11.45 p.m.	49 59 N.	0 04 W.	52	11·1	19·49	35·21	28·30

Date.	Time.	Latitude.	Longitude	Temperature F.	Temperature C.	*Cl.*‰	*S*‰	σ_0
			DECEMBER, 1905—*continued.*					
			NEWHAVEN-CAEN—*continued.*					
7	1 a.m.	49° 47′ N.	0° 09′ W.	52	11·1	19·48	35·19	28·28
7	2.20 a.m.	49 36 N.	0 10 W.	50	10·0	18·73	33·84	27·19
20	5.45 p.m	50 35 N.	0 02 E.	49	9·4	19·48	35·19	28·28
20	7.10 p.m	50 23 N.	0 00	50	10·0	19·54	35·30	28·37
20	8.45 p.m.	50 11 N.	0 02 W.	50	10·0	19·53	35·28	28·35
20	10·05 p.m	49 59 N.	0 04 W.	50	10·0	19·52	35·26	28·34
20	11.40 p.m.	49 47 N.	0 06 W.	49	9·4	19·22	34·72	27·90
			SOUTHAMPTON-HAVRE.					
3	1.50 a.m.	50 37 N.	0 55 W.	47	8·3	19·23	34·74	27·92
3	2.40 a.m.	50 25 N.	0 45 W.	48	8·9	19·49	35·21	28·30
3	3.30 a.m.	50 11 N.	0 35 W.	50	10·0	19·54	35·30	28·37
3	4.20 a.m.	49 59 N.	0 25 W.	51	10·6	19·54	35·30	28·37
3	5.12 a.m.	49 47 N.	0 15 W.	50	10·0	19·42	35·08	28·19
3	6.10 a.m.	49 33 N.	0 06 W.	46	7·8	11·61	20·99	16·86
20	1.50 a.m.	50 35 N.	0 52 W.	46½	8·1	19·36	34·97	28·11
20	2.40 a.m.	50 24 N.	0 42 W.	48½	9·2	19·55	35·32	28·38
20	3.30 a.m.	50 12 N.	0 32 W.	50	10·0	19·57	35·35	28·41
20	4.20 a.m.	49 58 N.	0 20 W.	50	10·0	19·52	35·26	28·34
20	5.12 a.m.	49 44 N.	0 07 W.	49	9·4	19·31	34·88	28·03
20	6 a.m.	49 33 N.	0 00	47½	8·6	19·36	34·97	28·11
			SOUTHAMPTON-ST. MALO.					
5	2.11 a.m.	50 29 N.	1 42 W.	50	10·0	19·42	35·08	28·19
5	3.08 a.m.	50 18 N.	1 48 W	51	10·6	19·56	35·34	28·40
5	4.05 a.m.	50 08 N.	1 55 W	52	11·1	19·54	35·30	28·37
5	5.02 a.m.	49 56 N.	2 01 W	52	11·1	19·53	35·28	28·35
5	5.57 a.m.	49 44 N.	2 01 W.	49	9·4	19·52	35·26	28·34
5	8.20 a.m.	49 15 N.	2 19 W.	51	10·6	19·54	35·30	28·37
16	11.17 p.m.	49 15 N.	2 19 W.	51	10·6	19·34	34·94	28·08
17	1.25 a.m.	49 44 N.	2 01 W.	51	10·6	19·51	35·25	28·32
17	2.25 a.m.	49 56 N.	1 55 W.	51	10·6	19·54	35·30	28·37
17	3.25 a.m.	50 03 N.	1 50 W.	51·5	10·8	19·54	35·30	28·37
17	4.25 a.m.	50 19 N.	1 45 W.	51	10·6	19·57	35·35	28·41
17	5.25 a.m.	50 30 N.	1 39 W.	48	8·9	19·56	35·34	28·40
29	11.10 p.m.	49 15 N.	2 19 W.	49·5	9·7	19·28	34·83	27·99
30	1.26 a.m.	49 44 N.	2 01 W.	49·5	9·7	19·40	35·05	28·16
30	2.26 a.m.	49 56 N.	1 55 W.	51·0	10·6	19·53	35·28	28·35
30	3.26 a.m.	50 08 N.	1 50 W.	51·0	10·6	19·52	35·26	28·34
30	4.26 a.m.	50 19 N.	1 45 W.	50·5	10·3	19·55	35·32	28·38
30	5.26 a.m.	50 30 N.	1 39 W.	49·0	9·4	19·54	35·30	28·37
			PLYMOUTH-ST. BRIEUC.					
7	4 a.m.	48 53 N.	2 25 W.	51½	10·8	19·50	35·23	28·31
7	5 p.m.	49 19 N.	2 25 W.	53	11·7	19·53	35·28	28·35
7	11 p.m.	49 31 N.	2 30 W.	53	11·7	19·55	35·32	28·38
8	1.30 a.m.	49 43 N.	2 55 W.	53	11·7	19·57	35·35	28·41
8	4.30 a.m.	49 52 N.	3 22 W.	52¾	11·6	19·60	35·41	28·46
8	6.30 a.m.	50 08 N.	3 49 W.	53	11·7	19·57	35·35	28·41
21	2 a.m.	48 53 N.	2 25 W.	50½	10·3	19·47	35·18	28·27
21	5 p.m.	49 19 N.	2 25 W.	51¼	10·7	19·53	35·28	28·35
21	11 p.m.	49 31 N.	2 30 W.	51	10·6	19·56	35·34	28·40
22	1 a.m.	49 43 N.	2 55 W.	51	10·6	19·59	35·40	28·45
22	3 a.m.	49 52 N.	3 22 W.	51	10·6	19·59	35·40	28·45
22	5 a.m.	50 08 N.	3 49 W.	51	10·6	19·59	35·40	28·45

TABLE IV.

Surface Salinities at Lightships.

Date.	*Cl.*‰	*S.*‰	σ_0
1. East Goodwin Lightship.			
1904.			
Jan. 18	19·24	34·76	27·93
„ 27	19·45	35·14	28·24
Feb. 3	19·61	35·43	28·47
„ 10	19·39	35·03	28·15
„ 17	19·53	35·28	28·35
„ 26	19·43	35·10	28·21
Mar. 4	19·17	34·63	27·83
„ 10	18·93	34·20	27·48
„ 18	19·17	34·63	27·83
„ 27	18·87	34·09	27·39
Apr. 1	19·36	34·97	28·11
„ 10	19·20	34·69	27·87
„ 17	19·33	34·92	28·06
May 1	19·36	34·97	28·11
„ 16	19·20	34·69	27·87
„ 24	19·34	34·94	28·08
„ 30	19·30	34·87	28·02
June 7	19·20	34·69	27·87
„ 15	19·15	34·60	27·80
„ 21	19·21	34·70	27·89
„ 28	18·59	33·58	26·99
July 6	19·31	34·88	28·03
„ 15	19·17	34·63	27·83
„ 21	19·16	34·61	27·82
„ 28	19·29	34·85	28·00
Aug. 6	19·36	34·97	28·11
„ 13	19·34	34·94	28·08
„ 19	19·40	35·05	28·16
„ 27	19·36	34·97	28·11
Sept. 4	19·31	34·88	28·03
„ 16	19·34	34·94	28·08
„ 19	19·28	34·83	27·99
„ 26	19·36	34·97	28·11
Oct. 4	19·31	34·88	28·03
„ 11	19·29	34·85	28·00
„ 18	19·42	35·08	28·19
„ 25	19·33	34·92	28·06
Nov. 1	19·35	34·96	28·09
„ 8	19·41	35·07	28·18
„ 17	19·31	34·88	28·03
„ 24	19·36	34·97	28·11
Dec. 2	19·32	34·90	28·05
„ 9	19·44	35·12	28·22
„ 22	19·27	34·81	27·98
2. Varne Lightship.			
1904.			
Jan. 19	19·55	35·32	28·38
„ 26	19·60	35·42	28·46
Feb. 1	19·29	34·85	28·00
„ 2	19·38	35·01	28·14
„ 8	19·56	35·34	28·40
„ 16	19·64	35·48	28·51
„ 24	19·59	35·40	28·45
Mar. 2	19·55	35·33	28·39
„ 9	19·58	35·38	28·43
„ 17	19·45	35·14	28·24
„ 25	19·17	34·63	27·83
Apr. 2	19·48	35·19	28·28
„ 8	19·48	35·19	28·28
„ 15	19·45	35·14	28·24
„ 23	19·54	35·30	28·37
„ 30	19·45	35·14	28·24
2. Varne Lightship—*cont.*			
1904.			
May 7	19·44	35·12	28·22
„ 16	19·44	35·12	28·22
„ 29	19·50	35·23	28·31
„ 31	19·44	35·12	28·22
June 8	19·25	34·78	27·95
„ 14	19·21	34·70	27·89
„ 20	19·36	34·97	28·11
„ 27	19·35	34·96	28·09
July 5	19·35	34·96	28·09
„ 13	19·31	34·88	28·03
„ 24	19·40	35·05	28·16
„ 29	19·49	35·21	28·30
Aug. 6	19·45	35·14	28·24
„ 11	19·41	35·07	28·18
„ 18	19·41	35·07	28·18
„ 26	19·40	35·05	28·16
Sept. 3	19·39	35·03	28·15
„ 9	19·38	35·01	28·14
„ 18	19·39	35·03	28·15
„ 26	19·40	35·05	28·16
Oct. 4	19·39	35·03	28·15
„ 11	19·32	34·90	28·05
„ 18	19·40	35·05	28·16
„ 24	19·40	35·05	28·16
Nov. 1	19·39	35·03	28·15
„ 7	19·38	35·01	28·14
„ 15	19·41	35·07	28·18
„ 25	19·46	35·16	28·25
Dec. 2	19·45	35·14	28·24
„ 9	19·42	35·08	28·19
„ 15	19·38	35·01	28·14
„ 22	19·42	35·09	28·20
„ 29	19·42	35·09	28·20
3. Royal Sovereign Lightship.			
1904.			
Jan. 20	19·55	35·32	28·38
„ 26	19·54	35·30	28·37
Feb. 9	19·42	35·09	28·20
„ 16	19·27	34·81	27·98
„ 25	19·15	34·60	27·80
Mar. 3	19·40	35·05	28·16
„ 10	19·37	34·99	28·12
„ 17	19·40	35·05	28·16
„ 25	19·38	35·01	28·14
Apr. 1	19·28	34·83	27·99
„ 8	19·40	35·05	28·16
„ 16	19·28	34·83	27·99
„ 24	19·34	34·94	28·08
May 1	19·29	34·85	28·00
„ 8	19·29	34·85	28·00
„ 16	19·31	34·88	28·03
„ 23	19·30	34·87	28·02
„ 31	19·31	34·88	28·03
June 7	19·34	34·94	28·08
„ 15	19·34	34·94	28·08
„ 22	19·33	34·92	28·06
„ 29	19·36	34·97	28·11
July 6	19·31	34·88	28·03
„ 13	19·37	34·99	28·12
„ 21	19·38	35·01	28·14
„ 29	19·37	34·99	28·12
Aug. 6	19·37	34·99	28·12
3. Royal Sovereign Lightship—*cont.*			
1904.			
Aug. 13	19·37	34·99	28·12
„ 20	19·39	35·03	28·15
„ 28	19·38	35·01	28·14
Sept. 5	19·39	35·03	28·15
„ 12	19·38	35·01	28·14
„ 19	19·39	35·03	28·15
„ 27	19·40	35·05	28·16
Nov. 25	19·43	35·10	28·21
Dec. 2	19·43	35·10	28·21
„ 9	19·43	35·10	28·21
„ 24	19·43	35·10	28·21
„ 31	19·42	35·08	28·19
4. Owers Lightship.			
1904.			
Jan. 16	19·48	35·19	28·28
„ 19	19·32	34·90	28·05
„ 25	19·32	34·90	28·05
Feb. 1	19·16	34·61	27·82
„ 8	19·37	34·99	28·12
„ 15	19·02	34·36	27·61
„ 24	19·20	34·69	27·87
Mar. 2	19·24	34·76	27·93
„ 9	19·33	34·92	28·06
„ 18	19·33	34·92	28·06
„ 25	19·33	34·92	28·06
Apr. 2	19·28	34·83	27·99
„ 8	19·27	34·81	27·98
„ 16	19·26	34·79	27·96
„ 25	19·32	34·90	28·05
„ 27	19·25	34·78	27·95
May 7	19·27	34·81	27·98
„ 14	19·27	34·81	27·98
„ 22	19·28	34·83	27·99
„ 29	19·30	34·87	28·02
June 6	19·30	34·87	28·02
„ 16	19·34	34·94	28·08
„ 20	19·35	34·96	28·09
„ 27	19·34	34·94	28·08
July 4	19·32	34·90	28·05
„ 13	19·33	34·92	28·06
„ 19	19·37	34·99	28·12
„ 28	19·37	34·99	28·12
Aug. 4	19·35	34·96	28·09
„ 11	19·36	34·97	28·11
„ 18	19·34	34·94	28·08
„ 25	19·35	34·96	28·09
Sept. 2	19·32	34·90	28·05
„ 16	19·27	34·81	27·98
„ 23	19·39	35·03	28·15
„ 25	19·43	35·10	28·21
„ 29	19·33	34·92	28·06
Oct. 2	19·40	35·05	28·16
„ 9	19·38	35·01	28·14
„ 16	19·47	35·17	28·27
„ 24	19·37	34·99	28·12
„ 31	19·41	35·07	28·18
Nov. 9	19·39	35·03	28·15
„ 14	19·40	35·05	28·16
„ 23	19·42	35·08	28·19
„ 30	19·44	35·12	28·22
Dec. 7	19·41	35·07	28·18
„ 22	19·39	35·03	28·15
„ 29	19·39	35·03	28·15

TABLE IV—*continued.*

Date.	*Cl.*‰	*S.*‰	σ_0
5. SHAMBLES LIGHTSHIP.			
1904.			
Jan. 19	19·44	35·12	28·22
„ 25	19·46	35·16	28·25
„ 27	19·44	35·12	28·22
Feb. 3	19·49	35·21	28·30
„ 10	19·35	34·96	28·09
„ 15	19·23	34·74	27·92
„ 19	19·33	34·92	28·06
„ 21	19·33	34·92	28·06
„ 26	19·35	34·96	28·09
„ 27	19·36	34·97	28·11
Mar. 3	19·40	35·05	28·16
„ 13	19·37	34·99	28·12
„ 18	19·36	34·97	28·11
„ 23	19·37	34·99	28·12
„ 26	19·33	34·92	28·06
Apr. 2	19·37	34·99	28·12
„ 9	19·39	35·03	28·15
„ 15	19·27	34·81	27·98
„ 18	19·37	34·99	28·12
„ 19	19·26	34·79	27·96
„ 24	19·38	35·01	28·14
„ 26	19·40	35·05	28·16
May 1	19·40	35·05	28·16
„ 14	19·40	35·05	28·16
„ 19	19·44	35·12	28·22
„ 30	19·40	35·05	28·16
June 2	19·39	35·03	28·15
„ 7	19·35	34·96	28·09
„ 13	19·41	35·07	28·18
„ 14	19·42	35·08	28·19
„ 18	19·42	35·08	28·19
„ 23	19·42	35·08	28·19
„ 24	19·42	35·08	28·19
„ 30	19·42	35·08	28·19
July 7	19·42	35·08	28·19
„ 15	19·42	35·08	28·19
„ 21	19·41	35·07	28·18
„ 27	19·39	35·03	28·15
Aug. 3	19·40	35·05	28·16
„ 11	19·51	35·25	28·32
„ 17	19·30	34·87	38·02
„ 28	19·40	35·05	28·16
Sept. 20	19·42	35·08	28·19
„ 26	19·43	35·10	28·21
Oct. 4	19·42	35·08	28·19
„ 10	19·43	35·10	28·21
„ 24	19·42	35·08	28·19
„ 28	19·42	35·08	28·19
Nov. 24	19·48	35·19	28·28
„ 30	19·48	35·19	28·28
Dec. 8	19·47	35·17	28·27
„ 14	19·45	35·14	28·24
„ 16	19·44	35·12	28·22
„ 29	19·43	35·10	28·21
6. SEVEN STONES LIGHTSHIP.			
1904.			
Jan. 19	19·54	35·31	28·37
„ 26	19·55	35·33	28·39
Feb. 3	19·54	35·30	28·37
„ 10	19·53	35·28	28·35
„ 17	19·54	35·30	28·37
„ 26	19·52	35·26	28·34
Mar. 3	19·52	35·26	28·34
„ 11	19·50	35·23	28·31
„ 18	19·50	35·23	28·31
„ 25	19·52	35·26	28·34
6. SEVEN STONES LIGHTSHIP—*cont.*			
1904.			
Apr. 16	19·53	35·28	28·35
„ 24	19·53	35·28	28·35
May 2	19·53	35·28	28·35
„ 9	19·52	35·26	28·34
„ 16	19·49	35·21	28·30
„ 23	19·51	35·25	28·32
„ 30	19·51	35·25	28·32
June 7	19·51	35·25	28·32
„ 15	19·54	35·30	28·37
July 8	19·49	35·21	28·30
„ 20	19·55	35·32	28·38
„ 28	19·51	35·25	28·32
Aug. 5	19·47	35·17	28·27
„ 12	19·49	35·21	28·30
„ 30	19·47	35·17	28·27
Sept. 6	19·49	35·21	28·30
„ 13	19·50	35·23	28·31
„ 19	19·51	35·25	28·32
„ 26	19·56	35·34	28·40
Oct. 18	19·57	35·35	28·41
„ 27	19·60	35·41	28·46
Nov. 3	19·57	35·35	28·41
„ 11	19·53	35·28	28·35
„ 17	19·55	35·32	28·38
„ 24	19·59	35·39	28·44
Dec. 1	19·62	35·44	28·48
„ 8	19·60	35·41	28·46
„ 15	19·56	35·34	28·40
„ 23	19·57	35·35	28·41
„ 31	19·57	35·35	28·41
7. CARDIGAN BAY LIGHTSHIP.			
1904.			
Jan. 25	19·29	34·85	28·00
Feb. 1	19·35	34·96	28·09
„ 8	19·31	34·88	28·03
„ 16	19·28	34·83	27·99
„ 25	19·26	34·79	27·96
Mar. 2	19·26	34·79	27·96
„ 9	19·19	34·68	27·86
„ 17	19·13	34·57	27·78
„ 24	19·13	34·56	27·77
Apr. 1	19·09	34·49	27·71
„ 8	19·11	34·52	27·74
„ 16	19·15	34·60	27·80
„ 25	19·16	34·61	27·82
„ 30	19·13	34·56	27·77
May 7	19·15	34·60	27·80
„ 16	19·14	34·58	27·79
„ 22	19·14	34·58	27·79
„ 30	19·11	34·52	27·74
June 7	19·11	34·52	27·74
„ 14	19·13	34·56	27·77
„ 20	19·07	34·45	27·68
„ 27	19·05	34·42	27·65
July 5	19·15	34·60	27·80
„ 13	19·11	34·52	27·74
„ 19	19·11	34·52	27·74
„ 27	19·13	34·56	27·77
Aug. 4	19·17	34·63	27·83
„ 12	19·20	34·69	27·87
„ 26	19·15	34·60	27·80
Sept. 3	19·14	34·58	27·79
„ 9	19·16	34·61	27·82
„ 16	19·14	34·58	27·79
„ 25	19·17	34·63	27·83
7. CARDIGAN BAY LIGHTSHIP—*cont.*			
1904.			
Oct. 10	19·18	34·65	27·84
„ 25	19·16	34·61	27·82
Nov. 1	19·10	34·51	27·73
„ 7	19·12	34·54	27·76
„ 15	19·11	34·52	27·74
„ 24	19·15	34·60	27·80
„ 30	19·14	34·58	27·79
Dec. 8	19·12	34·54	27·76
„ 14	19·10	34·51	27·73
„ 24	19·13	34·56	27·77
„ 31	19·11	34·52	27·74
8. BAHAMA BANK LIGHTSHIP.			
1904.			
Jan. 29	19·44	35·12	28·22
Feb. 3	18·82	34·00	27·32
„ 10	18·46	33·36	26·80
„ 18	18·88	34·11	27·41
„ 26	18·78	33·93	27·26
Mar. 4	18·86	34·07	27·38
„ 10	18·31	33·08	26·58
„ 18	18·53	33·48	26·90
„ 26	18·64	33·68	27·06
Apr. 2	18·73	33·84	27·19
„ 9	18·92	34·18	27·47
„ 16	18·65	33·69	27·07
„ 25	18·73	33·84	27·19
„ 30	18·75	33·87	27·22
May 9	18·67	33·73	27·10
„ 16	18·87	34·09	27·39
„ 23	18·69	33·77	27·13
„ 30	18·66	33·71	27·09
June 22	18·73	33·84	27·19
„ 29	18·77	33·91	27·25
July 4	18·76	33·89	27·23
„ 14	18·77	33·91	27·25
„ 21	18·70	33·78	27·15
„ 27	18·80	33·96	27·29
Aug. 8	18·80	33·96	27·29
„ 13	18·84	34·04	27·35
„ 20	18·82	34·00	27·32
„ 27	18·80	33·96	27·29
Sept. 4	18·87	34·09	27·39
„ 10	18·67	33·73	27·10
„ 18	18·84	34·04	27·35
„ 26	18·77	33·91	27·25
Oct. 2	18·66	33·71	27·09
„ 10	18·85	34·05	27·36
„ 25	18·95	34·23	27·51
Nov. 2	18·96	34·25	27·52
„ 10	18·88	34·11	27·41
„ 16	18·68	33·75	27·12
„ 24	18·92	34·18	27·47
Dec. 8	18·88	34·11	27·41
„ 16	18·68	33·75	27·12
„ 24	18·91	34·16	27·45
„ 31	18·86	34·07	27·38
1. EAST GOODWIN LIGHTSHIP.			
1905.			
Jan. 5	19·40	35·05	28·16
„ 17	19·43	35·10	28·21
„ 23	19·44	35·12	28·22
„ 30	19·44	35·12	28·22
Feb. 6	19·31	34·88	28·03
„ 14	19·32	34·90	28·05
„ 20	19·28	34·83	27·99

TABLE IV—*continued.*

Date.	*Cl.*‰	*S.*‰	σ_0
1. East Goodwin Lightship—*cont.*			
1905.			
Mar. 17	19·39	35·03	28·15
„ 24	19·39	35·03	28·15
„ 29	19·45	35·14	28·24
Apr. 5	19·44	35·12	28·22
„ 19	19·46	35·16	28·25
„ 26	19·45	35·14	28·24
May 4	19·37	34·99	28·12
„ 11	19·36	34·97	28·11
„ 19	19·34	34·94	28·08
June 4	19·35	34·96	28·09
„ 12	19·13	34·56	27·77
„ 17	19·27	34·81	27·98
„ 24	19·13	34·56	27·77
July 3	19·30	34·87	28·02
„ 10	19·19	34·67	27·86
„ 17	19·26	34·79	27·96
„ 25	19·25	34·78	27·95
Aug. 2	—	—	—
„ 9	19·46	35·16	28·25
„ 23	19·46	35·16	28·25
„ 30	19·45	35·14	28·24
Sept. 6	19·47	35·17	28·27
„ 13	19·44	35·12	28·22
„ 23	19·48	35·19	28·28
„ 30	19·48	35·19	28·28
Oct. 7	19·50	35·23	28·31
„ 10	19·49	35·21	28·30
„ 15	19·43	35·10	28·21
„ 20	19·37	34·99	28·12
„ 26	19·26	34·79	27·96
Nov. 5	19·52	35·26	28·34
„ 21	19·48	35·19	28·28
„ 27	19·53	35·28	28·35
Dec. 4	19·43	35·10	28·21
„ 12	19·48	35·19	28·28
2. Varne Lightship.			
1905.			
Jan. 4	19·43	35·10	28·21
„ 13	19·42	35·08	28·19
„ 21	19·45	35·14	28·24
„ 28	19·48	35·19	28·28
Feb. 5	19·43	35·10	28·21
„ 12	19·36	34·97	28·11
„ 18	19·35	34·96	28·09
„ 25	19·31	34·88	28·03
Mar. 6	19·47	35·17	28·27
„ 14	19·46	35·16	28·25
„ 21	19·47	35·17	28·27
„ 27	19·52	35·26	28·34
Apr. 5	19·54	35·30	28·37
„ 12	19·52	35·26	28·34
„ 19	19·55	35·32	28·38
„ 26	19·55	35·32	28·38
May 5	19·48	35·19	28·28
„ 12	19·46	35·16	28·25
„ 18	19·41	35·07	28·18
„ 26	19·42	35·08	28·19
June 3	19·45	35·14	28·24
„ 10	19·39	35·03	28·15
„ 17	19·41	35·07	28·18
July 3	19·45	35·14	28·24
„ 10	19·47	35·17	28·27
„ 17	19·47	35·17	28·27
„ 24	19·45	35·14	28·24
Aug. 9	19·45	35·14	28·24
„ 23	19·46	35·16	28·25
2. Varne Lightship—*cont.*			
1905.			
Aug. 30	19·46	35·16	28·25
Sept. 6	19·44	35·12	28·22
„ 14	19·45	35·14	28·24
„ 21	19·49	35·21	28·30
„ 28	19·43	35·10	28·21
Oct. 5	19·44	35·12	28·22
„ 13	19·48	35·19	28·28
„ 21	19·36	34·97	28·11
„ 28	19·40	35·05	28·16
Nov. 4	19·50	35·23	28·31
„ 14	19·50	35·23	28·31
„ 21	19·36	34·97	28·11
„ 27	19·56	35·34	28·40
Dec. 4	19·54	35·30	28·37
„ 12	19·53	35·28	28·35
„ 20	19·54	35·30	28·37
„ 26	19·54	35·30	28·37
4. Ower's Lightship.			
1905.			
Jan. 5	19·42	35·08	28·19
„ 13	19·42	35·08	28·19
„ 21	19·42	35·08	28·19
„ 28	19·50	35·23	28·31
Feb. 4	19·45	35·14	28·24
„ 12	19·44	35·12	28·22
5. Shambles Lightship.			
1905.			
Jan. 3	19·43	35·10	28·21
„ 29	19·46	35·16	28·25
Feb. 14	19·48	35·19	28·28
6. Seven Stones Lightship.			
1905.			
Jan. 3	19·55	35·32	28·38
„ 30	19·58	35·37	28·43
Feb. 6	19·57	35·35	28·41
„ 15	19·58	35·37	28·43
„ 21	19·58	35·37	28·43
„ 28	19·59	35·39	28·44
Mar. 7	19·54	35·30	28·37
„ 16	19·44	35·12	28·22
„ 23	19·46	35·16	28·25
„ 30	19·42	35·08	28·19
Apr. 6	19·48	35·19	28·28
„ 13	19·45	35·14	28·24
„ 20	19·50	35·23	28·31
„ 28	19·46	35·16	28·25
May 6	19·50	35·23	28·31
„ 14	19·47	35·17	28·27
„ 19	19·45	35·14	28·24
„ 27	19·50	35·23	28·31
June 3	19·50	35·23	28·31
„ 10	19·51	35·25	28·32
„ 19	19·51	35·25	28·32
„ 28	19·54	35·30	28·37
July 4	19·50	35·23	28·31
„ 12	19·52	35·26	28·34
„ 18	19·52	35·26	28·34
„ 26	19·48	35·19	28·28
Aug. 3	19·54	35·30	28·37
„ 10	19·53	35·28	28·35
„ 26	19·55	35·32	28·38
Sept. 1	19·53	35·28	28·35
„ 9	19·49	35·21	28·30
„ 16	19·56	35·34	28·40
6. Seven Stones Lightship—*cont.*			
1905.			
Sept. 24	19·56	35·34	28·40
„ 30	19·56	35·34	28·40
Oct. 7	19·60	35·41	28·46
„ 14	19·61	35·43	28·47
„ 23	19·59	35·39	28·44
„ 30	19·64	35·48	28·51
Nov. 6	19·57	35·35	28·41
„ 14	19·55	35·32	28·38
„ 20	19·55	35·32	28·38
„ 28	19·57	35·35	28·41
Dec. 5	19·56	35·34	28·40
„ 13	19·55	35·32	28·38
„ 22	19·53	35·28	28·35
„ 27	19·51	35·25	28·32
7. Cardigan Bay Lightship.			
1905.			
Jan. 6	19·07	34·45	27·68
„ 16	19·32	34·90	28·05
„ 24	19·15	34·60	27·80
„ 30	19·25	34·78	27·95
Feb. 7	19·14	34·58	27·79
„ 13	19·14	34·58	27·79
„ 21	19·08	34·47	27·70
„ 26	19·05	34·42	27·65
Mar. 7	19·04	34·40	27·64
„ 14	19·05	34·42	27·65
„ 19	19·14	34·58	27·79
„ 25	19·06	34·43	27·67
„ 30	19·05	34·42	27·65
Apr. 6	19·18	34·65	27·84
„ 14	19·13	34·56	27·77
„ 21	19·17	34·63	27·83
„ 28	19·10	34·51	27·73
May 6	19·14	34·58	27·79
„ 13	19·05	34·42	27·65
„ 27	19·13	34·56	27·77
June 4	19·14	34·58	27·79
„ 18	19·18	34·65	27·84
„ 24	19·19	34·67	27·86
July 2	19·18	34·65	27·84
„ 9	19·11	34·52	27·74
„ 17	19·20	34·69	27·87
„ 24	19·20	34·69	27·87
Sept. 1	19·17	34·63	27·83
„ 8	19·24	34·76	27·93
„ 14	19·18	34·65	27·84
„ 22	19·18	34·65	27·84
„ 29	19·21	34·70	27·89
Oct. 5	19·15	34·60	27·80
„ 14	19·12	34·54	27·76
„ 22	19·10	34·51	27·73
„ 30	19·05	34·42	27·65
Nov. 5	19·09	34·49	27·71
„ 12	19·15	34·60	27·80
„ 20	19·13	34·56	27·77
„ 27	19·10	34·51	27·73
Dec. 4	19·12	34·54	27·76
„ 12	19·19	34·67	27·86
8. Bahama Bank Lightship.			
1905.			
Jan. 7	18·67	33·73	27·10
„ 14	18·86	34·07	27·38
„ 21	18·96	34·25	27·52
„ 28	18·72	33·82	27·18
Feb. 4	18·84	34·04	27·35


TABLE IV—*continued.*

Date.	$Cl.^{\circ}/_{\circ\circ}$	$S.^{\circ}/_{\circ\circ}$	σ_0	Date.	$Cl.^{\circ}/_{\circ\circ}$	$S.^{\circ}/_{\circ\circ}$	σ_0	Date.	$Cl.^{\circ}/_{\circ\circ}$	$S.^{\circ}/_{\circ\circ}$	σ_0
8. BAHAMA BANK LIGHT-SHIP—*cont.*				8. BAHAMA BANK LIGHT-SHIP—*cont.*				8. BAHAMA BANK LIGHT-SHIP—*cont.*			
1905.				1905.				1905.			
Feb. 13	18·96	34·25	27·52	May 27	18·74	33·86	27·20	Sept. 8	18·81	33·98	27·31
„ 20	18·90	34·14	27·44	June 5	18·66	33·71	27·09	„ 15	18·72	33·82	27·18
„ 27	18·81	33·98	27·31	„ 11	18·54	33·49	26·91	„ 23	18·80	33·96	27·29
Mar. 7	18·64	33·68	27·06	„ 19	18·61	33·62	27·02	„ 30	18·69	33·77	27·13
„ 15	18·97	34·27	27·54	„ 22	18·63	33·66	27·04	Oct. 7	18·75	33·87	27·22
„ 22	18·91	34·16	27·45	July 5	18·80	33·96	27·29	„ 14	18·79	33·95	27·28
„ 29	18·69	33·77	27·13	„ 11	18·84	34·04	27·35	„ 23	18·84	34·04	27·35
Apr. 6	18·79	33·95	27·28	„ 19	18·79	33·95	27·28	„ 31	18·87	34·09	27·39
„ 15	18·39	33·22	26·70	„ 26	18·82	34·00	27·32	Nov. 6	18·87	34·09	27·39
„ 22	18·72	33·82	27·18	Aug. 2	18·82	34·00	27·32	„ 20	18·76	33·89	27·23
„ 29	18·69	33·77	27·13	„ 9	18·80	33·96	27·29	„ 28	18·92	34·18	27·47
May 6	18·69	33·77	27·13	„ 16	18·81	33·98	27·31	Dec. 5	18·91	34·16	27·45
„ 13	18·83	34·02	27·34	„ 24	18·81	33·98	27·31	„ 19	18·73	33·84	27·19
„ 19	18·50	33·42	26·86	„ 31	18·64	33·68	27·06	„ 28	18·96	34·25	27·52


TABLE V.—COMMANDERS and OBSERVERS on Cross-Channel Steamers, &c., on which Surface Water Samples have been collected during 1904 and 1905.


Vessel or Route.	Commanders and Observers.
Newhaven to Caen	N. G. Phillips, A. E. Hemmings, F. Banks, H. Proctor, J. Ellis, C. Cook, Commanders.
Southampton to Havre	R. Carter, E. T. Smith, Commanders.
Southampton to St. Malo ..	H. Forester, W. Gregory, A. H. Steide, Commanders.
Plymouth to St. Brieuc	E. T. Enwoldsen, Commander.
Plymouth to Cork	F. Ridge, H. Blanchard, R. Murray, Mates.
S.S. 'Eastfield"	F. B. Allen, Chief Engineer.
S.S. "Tagus"	J. E. P. Matthews, 2nd Officer.
S.S. "Philadephian"	S. Brookes.
S.S. "Port Morant"	E. W. Harvey.
S.S. "Philadelphia"	C. P. Lilley, 2nd Officer.
S.S. "Arundel Castle"	J. G. B. Harrison.
S.S. "Briton"	H. P. B. Smith, 3rd Officer.
S S. "Port Royal"	J. D. Ashworth, 2nd Officer.
S.S. "Thames"	B. Shillitoe, 3rd Officer.
S.S. "North Point"	T. H. Wheaton, 3rd Officer.
S.S. "Minnehaha"	G. H. W. Guddery, 1st Officer.
S.S. "Minneapolis"	T. F. Gates, Commander; F. H. Claret, 1st Officer.
S.S. "Cambrian"...	E. B. Lee.
S.S. "Hungarian"	W. Wallace, Commander.
S.S. "Macedonia"	C. D. Bennett, Commander.
S.S. "Germanic"	A. Moffat, 3rd Officer.
S.S. "Goorkha"	F. D. McArthur, 2nd Officer.
East Goodwin Lightship... ...	J. Leman, Master; J. Soal, G. Tracey, Mates.
Varne Lightship	J. Leaman, J. Lewis, A. G. Griggs, Masters; R. Couzins, Mate; W. Thomas, Lamplighter.
Royal Sovereign Lightship ...	D. K. Wright, Master; S. A. Jocelyn, Mate.
Owers Lightship	J. Burry, Master; T. H. Hutchings, R. Pillar, Mates.
Shambles Lightship	W. E. Norris, Master; J. Hicks, F. Webb, Mates.
Seven Stones Lightship	J. Clay, Master; J. Griffiths, Mate; R. Hall, Lamplighter.
Cardigan Bay Lightship	B. Davies, J. Rees, Masters; R. M. Hall, B. Tony, J. Hutchings, D. Quayle, Mates.
Bahama Bank Lightship	D. Quayle, W. Emmerson, Masters; R. Murphy, R. Pritchard, Mates; R. D. Pritchard, Lamplighter.


International Investigations Mar. Biol. Assoc. Report II.





Matthews. Physical Conditions in English Channel.












SECTIONS. FEB. 15TH TO MARCH 1ST 1904.


Stations are shown by vertical lines with the number of station above.
Observations below the surface are shown by short horizontal lines crossing the station lines
Isohalines are shown by continuous lines.
Isotherms are shown by broken lines.


The Horizontal Scale is that of the Charts.


Weller & Graham, Ltd Litho London

International Investigations Mar. Biol. Assoc. Report II









SECTIONS. APRIL 27TH TO MAY 8TH 1904.

Stations are shown by vertical lines with the number of station above.
Observations below the surface are shown by short horizontal lines crossing the station lines.
Isohalines are shown by continuous lines.
Isotherms are shown by broken lines.


The horizontal scale is that of the Charts.


Matthews Physical Conditions in English Channel.


2204

Weller & Graham, Ltd Litho. London.

International Investigations Mar. Biol. Assoc. Report II.







Fathoms Metres
0 50
50 100
100 150
150 200


SECTIONS. AUGUST 1ST TO 16TH 1904.


Stations are shown by vertical lines with the number of station above.
Observations below the surface are shown by short horizontal lines crossing the station lines
Isohalines are shown by continuous lines.
Isotherms are shown by broken lines.


The horizontal scale is that of the charts.

Matthews Physical Conditions in English Channel.

2204











Weller & Graham, Ltd Litho. London.


International Investigations Mar. Biol. Assoc. Report II.














SECTIONS NOV. 1ST TO 16TH 1904.


Stations are shown by vertical lines with the number of station above.
Observations below the surface are shown by short horizontal lines crossing the station lines
Isohalines are shown by continuous lines.
Isotherms are shown by broken lines.


The Horizontal Scale is that of the Chart.


Matthews Physical Conditions in English Channel.

2204.

Wellner & Graham Ltd. Elmc London








SCALE OF SALINITY COLORING

34·00
35·00
35·10
35·20
35·30
35·40
35·50
35·60
AND OVER



SECTIONS FEB. 1ST TO 10TH 1905.


Stations are shown by vertical lines with the number of the station above.
Observations below the surface are shown by short horizontal lines crossing the station lines
Isohalines are shown by continuous lines
Isotherms are shown by broken lines


The horizontal scale is that of the charts.


Matthews Physical Conditions in English Channel.

Weller & Graham Ltd Litho, London.

International Investigations, Mon. Biol. Assoc. Report II








SECTIONS MAY 1ST TO 16TH 1905.


Stations are shown by vertical lines with the number of the station above.
Observations below the surface are shown by short horizontal lines crossing the station lines.
Isohalines are shown by continuous lines.
Isotherms are shown by broken lines.


The Horizontal Scale is that of the Charts.

Matthews, Physical Conditions in English Channel.


2209.











Weller & Graham, Ltd Litho. London.














SECTIONS. AUGUST 1ST TO 15TH AND SEPTEMBER 9TH TO 14TH 1905.

Stations are shown by vertical lines with the number of the station above.
Observations below the surface are shown by short horizontal lines crossing the station lines.
Isohalines are shown by continuous lines.
Isotherms are shown by broken lines.


The horizontal scale is that of the charts


Matthews. Physical Conditions in English Channel.

2204

Weller & Graham, Ltd Litho. London.

International Investigations Mar. Biol. Assoc. Report II.







SECTIONS. NOVEMBER 3RD TO 22ND 1905.


Stations are shown by vertical lines with the number of the station above.
Observations below the surface are shown by short horizontal lines crossing the station lines.
Isohalines are shown by continuous lines.
Isotherms are shown by broken lines.

The horizontal scale is that of the charts.

The extra station is not drawn of full depth







Matthews. Physical Conditions in English Channel.

1204

Weller & Graham, Ltd Litho London

ade and Commerce &c.—*cont.*

[Cd. 4254.] STRIKES AND LOCKOUTS AND CONCILIATION AND ARBITRATION BOARDS. Report. 1907. 9*d.*
[Cd. 4255.] CHANGES IN RATES OF WAGES AND HOURS OF LABOUR. Report. 1907. 9*d.*
[Cd. 4257.] RAILWAY RETURNS, 1907. Capital, Traffic, &c. 1*s.* 3*d.*
H.C. No. 321. FISCAL POLICY OF INTERNATIONAL TRADE. Memorandum. 3*d.*
[Cd. 4413.] LABOUR STATISTICS, United Kingdom. 1906–1907. 1*s.* 2*d.*
[Cd. 4420.] REGISTRATION OF COMMERCIAL FIRMS ABROAD. Reports on Laws and Regulations. 1*s.* 6*d.*
[Cd. 4462.] ELECTRICAL ENERGY in Premises under the Factory and Workshop Act 1901 Report on the Draft Regulations for the Generation, Transformation, Distribution, and Use of. 3½*d.*
[Cd. 4383.] COLONIAL IMPORT DUTIES, 1908. 3*s.*
[Cd. 4414.] FOREIGN IMPORT DUTIES, 1908. 3*s.* 8*d.*
[Cd. 4489.] PROPOSED NEW FRENCH TARIFF. Translation of. 1*s.*

Record Office Publications:—

I. CALENDARS:—
INQUISITIONS POST MORTEM. Vol. VII. EDWARD III., years 1 to 9. 15*s.*
STATE PAPERS. FOREIGN SERIES. ELIZABETH. Vol. XVI. May–Dec., 1582. 15*s.*
II. LISTS AND INDEXES:—
No. XXX. CHANCERY PROCEEDINGS (Series II.). Vol. II. 1621–1660. 12*s.*
VI. SCOTTISH:—
LORD HIGH TREASURER OF SCOTLAND. ACCOUNTS OF THE. Vol. VIII. 1541–1546. 10*s.*

Military:—

ARMY SERVICE CORPS TRAINING. Part II. Supplies. 1*s.* 3*d.*
ARTILLERY. ROYAL GARRISON. TRAINING. Vol. III., 1905. Amendments, March, 1909. 1*d.*
CLOTHING AND NECESSARIES. PRICED VOCABULARY OF. Amendments, April, 1909. 1*d.*
COMMAND. SOUTHERN. STANDING ORDERS. SALISBURY PLAIN. 1909. Applicable to all Troops on Salisbury Plain, except those quartered in Permanent Huts or Barracks at Bulford and Tidworth. 2*d.*
ENGINEER SERVICES REGULATIONS. Part II. Amendments. April, 1909. 2*d.*
EQUIPMENT REGULATIONS:—
Part 1. 1909. 1*s.*
Part 2. Secs. IV., IVa., and IVb. Army Ordnance Corps. Army Pay Corps. Army Veterinary Corps. (Regular Army). 1909. 2*d.*
Part 2. Sec. XId. Horse and Field Artillery. Staff and Depôts. Q.F. 13- and 18-pr Equipments, Riding Establishment, School of Gunnery (Horse and Field), and Mounted Band. 1909. 3*d.*
Part 2. Sec. XIIc. Heavy Artillery. B.L. 60-pr. (Regular Army). 1909. 6*d.*
Parts 1, 2, and 3. Amendments. April, 1909. 1*d.*
EXAMINATION PAPERS:—
OFFICERS' TRAINING CORPS. Cadets of the Senior Division. Certificate A. Dec., 1908. With Report. 6*d.*
STAFF COLLEGE. Admission to the. Aug. 1908. 1*s.*
Officers of the Regular Forces, Canadian Permanent Forces, Special Reserve of Officers, Territorial Force, and Colonial Military Forces. Nov., 1908. 1*s.*
FIELD SERVICE MANUAL. ENGINEERS. Telegraph Company on Lines of Communication 1909. 3*d.*
GUN. 4·7-inch Q. Fixed Armaments. Drill for. 2*d.*
ORDNANCE SERVICE. ARMY. Regulations, Part II. Amendments, Feb. 1909. 1*d.*
RANGE FINDER. MARINDIN. Infantry pattern. 1908. 3*d.*
SPECIAL RESERVE. Scheme for the Provision, Organization, and Training of that portion which will be drawn from the Territorial Force to supplement the Regular Army on Mobilization being ordered. (Special A.O., Nov. 20, 1908.) 2*d.*

Admiralty Publications:—

CHARTS. Consecutive List of. Dec. 31, 1908. 8*d.*
EASTERN ARCHIPELAGO, Part I., 1902. Revised Supplement, 1909. 9*d.*
OCEANIC DEPTHS received during 1908. List of. 1*s.*
SCOTLAND. WEST COAST OF. SAILING DIRECTIONS, 1902. Revised Supplement, 1909. 9*d.*
ST. LAWRENCE PILOT, 1906. Supplement, 1909. 6*d.*
SEAMANSHIP. Manual of. Vol. I. 1908. 1*s.* 6*d.*
YANGTSE (HAN KIANG). Report on the Navigation of the; with Sailing Directions and a Map. Dec., 1902. No. 187, Yangtse No. 4. 1*s.*
UPPER YANGTSE:—
Further Report on the Navigation of the Upper Yangtse and Tributaries, and on the Trade carried thereon; with additional Notes on the Rapids. Aug. and Sept., 1901. No. 181, Yangtse No. 2. 2*s.*
Report on the Navigation of the Tung Ting Lake and the Siang and Yuen Rivers; with descriptions of the three principal Towns Chang Sha, Siang Tan, Chang Teh, in the Province of Hunan, China. April, 1902. No. 182, Yangtse No. 3. 2*s.*
Report on the Navigability of Tributaries from Chung King to Ho Chau on the Kialing Kiang and from Ho Chau to Ngan Dhu Shien on the Fu Kiang; with additional Notes on the possibilities of Navigating the Upper Waters of these Tributaries. July, 1902. No. 188, Yangtse No. 5. 2*d.*
Report on the Navigability of the Kialing Kiang (or Chung King Siao Ho) and the Fu Ho (or Min River). 1902. No. 191, Yangtse No. 6. 1*s.* 6*d.*

Local Government Board:—

MODEL BYELAWS. VI. Slaughter Houses. 2*d.*
REPORTS ON PUBLIC HEALTH AND MEDICAL MATTERS. New Series:—
1. AMERICAN METHODS for the Control and Improvement of the MILK SUPPLY. 6*d.*
2. FLOCK as a possible Distributor of VERMIN. Preliminary Investigation; and the Life History of the BODY-LOUSE. 3*d.*
TUBERCULOSIS. Memorandum on Administrative Measures against. 2*d.*

Emigrants' Information Office, 31, Broadway, Westminster, S.W.:—

COLONIES, HANDBOOKS FOR:—
No. 1. Canada. 2. New South Wales. 3. Victoria. 4. South Australia. 5. Queensland. 6. Western Australia. 7. Tasmania. 8. New Zealand. 9. Cape Colony. 10. Natal. 11. Transvaal. 12. Orange River Colony, 1*d.* each; 13. Professional. 14. Emigration Statutes and General, 3*d.* each; 15. (Nos. 1 to 14 in cloth), 2*s.*
INTENDING EMIGRANTS, INFORMATION FOR:—Argentine Republic, 1908, 2*d.* East Africa Protectorate, 1908, 6*d.* Ceylon, 1907, 1*d.* Federated Malay States, &c., 1908, 6*d.* Newfoundland, Jan. 1908, 1*d.* Nyasaland Protectorate, Sept. 1907, 6*d.* Uganda Protectorate. 1908, 6*d.* West African Colonies, July, 1907, 6*d.* West Indies, 1908, 6*d.*
SUMMARY OF CONSULAR REPORTS, 1908, and General Information relating to NORTH, CENTRAL, AND SOUTH AMERICA. 6*d.*

Foreign Office:—

COMMERCIAL TREATIES BETWEEN GREAT BRITAIN AND FOREIGN POWERS. Vols. I. to XXIV. 15*s.* each.
STATE PAPERS. British and Foreign. In 97 vols. 10*s.* each.

Board of Trade:—

JOURNAL. Weekly. 3*d.*
LABOUR GAZETTE. Monthly. 1*d.*
SHIPS COMING INTO REGISTRY, &c. List of. Monthly. 3*d.*
SURVEYORS. INSTRUCTIONS TO. Circulars:—1465. Load Line—German ships; 1466. Motor Boats. each 1*d.*