



The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/) unless otherwise mentioned. JoTT allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

Journal of Threatened Taxa

Building evidence for conservation globally

www.threatenedtaxa.org

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

COMMUNICATION

MAPPING OCTOCORAL (ANTHOZOA: OCTOCORALLIA) RESEARCH IN ASIA, WITH PARTICULAR REFERENCE TO THE INDIAN SUBCONTINENT: TRENDS, CHALLENGES, AND OPPORTUNITIES

Ghosh Ramvilas, Kannan Shalu, Rajeev Raghavan & Kutty Ranjeet

26 October 2019 | Vol. 11 | No. 13 | Pages: 14691–14721

DOI: 10.11609/jott.4982.11.13.14691-14721



For Focus, Scope, Aims, Policies, and Guidelines visit <https://threatenedtaxa.org/index.php/JoTT/about/editorialPolicies#custom-0>

For Article Submission Guidelines, visit <https://threatenedtaxa.org/index.php/JoTT/about/submissions#onlineSubmissions>

For Policies against Scientific Misconduct, visit <https://threatenedtaxa.org/index.php/JoTT/about/editorialPolicies#custom-2>

For reprints, contact [<ravi@threatenedtaxa.org>](mailto:ravi@threatenedtaxa.org)

The opinions expressed by the authors do not reflect the views of the Journal of Threatened Taxa, Wildlife Information Liaison Development Society, Zoo Outreach Organization, or any of the partners. The journal, the publisher, the host, and the partners are not responsible for the accuracy of the political boundaries shown in the maps by the authors.

Partner



صندوق محمد بن زايد
للمحافظة على
الكائنات الحية

The Mohamed bin Zayed
Species Conservation Fund

Member



Publisher & Host





MAPPING OCTOCORAL (ANTHOZOA: OCTOCORALLIA) RESEARCH IN ASIA, WITH PARTICULAR REFERENCE TO THE INDIAN SUBCONTINENT: TRENDS, CHALLENGES, AND OPPORTUNITIES

Ghosh Ramvilas¹ , Kannan Shalu² , Rajeev Raghavan³ & Kutty Ranjeet⁴

^{1,2} School of Ocean Science and Technology, ³ Department of Fisheries Resource Management, ⁴ Department of Aquatic Environment Management, Kerala University of Fisheries and Ocean Studies (KUFOS), Kochi, Kerala 682506, India.

¹ ramvilas@kufos.ac.in (corresponding author), ² shalu@kufos.ac.in, ³ rajeevraq@hotmail.com,

⁴ ranjeet.kufos@gmail.com

ISSN 0974-7907 (Online)
ISSN 0974-7893 (Print)

PLATINUM
OPEN ACCESS



Abstract: Octocorallia (Cnidaria, Anthozoa) comprising over 3,600 nominal species within three orders, Alcyonacea, Helioporacea and Pennatulacea, is one of the most poorly known groups of marine invertebrates. Half of known octocoral species occur in the Indo-Pacific, but not much is understood about research efforts and outputs in this region, particularly in the Asian context. A review of the literature on Asian octocorals during a 40-year period from 1978 to 2018 revealed that most research was concentrated in particular regions/countries. An analysis of research originating from India indicated several issues, including low quality data and local taxonomic impediment. This paper examines the general trends and geographic disparity in Asian octocoral research over the past four decades, analyses the extent and source of such disparity by drawing parallels between India and the rest of Asia, and provides recommendations for improving octocoral studies in the region.

Keywords: India, Indian Ocean, marine invertebrates, sea fans, soft corals, taxonomy

DOI: <https://doi.org/10.11609/jott.4982.11.13.14691-14721> | **ZooBank:** urn:lsid:zoobank.org:pub:9518746B-0F46-4037-89C0-1D5830EA50C7

Editor: Phil Alderslade, CSIRO Marine And Atmospheric Research, Hobart, Australia.

Date of publication: 26 October 2019 (online & print)

Manuscript details: #4982 | Received 02 April 2019 | Final received 04 October 2019 | Finally accepted 19 October 2019

Citation: Ramvilas, G., K. Shalu, R. Raghavan & K. Ranjeet (2019). Mapping octocoral (Anthozoa: Octocorallia) research in Asia, with particular reference to the Indian subcontinent: trends, challenges, and opportunities. *Journal of Threatened Taxa* 11(13): 14691–14721; <https://doi.org/10.11609/jott.4982.11.13.14691-14721>

Copyright: © Ramvilas et al. 2019. Creative Commons Attribution 4.0 International License. JoTT allows unrestricted use, reproduction, and distribution of this article in any medium by adequate credit to the author(s) and the source of publication.

Funding: The study was part of a Mohammed Bin Zayed Species Conservation Fund project on Seafans of India funded to the first author.

Competing interests: The authors declare no competing interests.

Author details: RAMVILAS GHOSH is working on the taxonomic identity and subsequent evolution of gorgonians of the central Indian Ocean region. His research interests include octocoral taxonomy, phylogeny and conservation. SHALU KANNAN is working on syngnathid fishes of India and her other interests include marine taxonomy, population genetics and conservation. RAJEEV RAGHAVAN is interested in interdisciplinary research that generates information to support conservation decision making in tropical aquatic ecosystems particularly in the Western Ghats Biodiversity Hotspot. His work cuts across multiple disciplines from taxonomy to evolutionary biogeography, fisheries management and conservation policies, and range from local to global scales. KUTTY RANJEET'S interest includes understanding ecological dynamics and impacts on aquatic environments with focus on estuarine and nearshore communities. He also has experience in crustacean aquaculture and its biotechnology.

Author contribution: RG, RR and KR conceptualized and designed the work. RG and KS collected and analysed the data. RG, RR and KR wrote the manuscript.

Acknowledgements: The authors thank the two anonymous reviewers and the subject editor for their critical comments and suggestions that greatly improved the manuscript.



INTRODUCTION

Ocean life has been explored for millennia, with Aristotle's work of the 3rd Century BC on European marine biota being one of the earliest (Coll et al. 2010). Nevertheless, a large proportion of the world's marine biodiversity remains unknown (Mora et al. 2011). Knowledge of the extent and magnitude of this biodiversity (particularly lower microscopic forms) has been hindered by uneven sampling efforts and a shortfall in taxonomic expertise required for documentation (Wilson 2017). Octocorals (Cnidaria, Anthozoa), characterized by the presence of eight tentacles surrounding the mouth of the polyp, comprise a diverse group of marine organisms which includes blue corals, soft corals, sea fans and sea whips (gorgonians) and sea pens (Fabricius & Alderslade 2001). They are conspicuous members of coral reefs, often forming the frontiers (Steiner et al. 2018). They are also distributed over a broad range of bathymetry ranging from intertidal to the deep waters, and in some regions octocorals rival hard corals in biomass, abundance and diversity (Perez et al. 2016).

Octocorallia currently comprises over 3,649 nominal species within three orders, Alcyonacea, Helioporacea, and Pennatulacea (Daly et al. 2007; WoRMS 2019). They are however, one of the most poorly known groups of marine invertebrates, whose taxonomy is in a flux as a result of insufficient taxonomic expertise, high levels of homoplasy and lack of distinct diagnostic characters (except colony morphology and sclerite characteristics) that makes identification a complex affair (Perez et al. 2016). Further, missing/lost 'type material', inadequate species descriptions from the 19th and 20th century, and the likelihood of hundreds of undescribed species necessitate the reinforcement and acceleration of octocoral research, especially extensive taxonomic revisions for many alcyonacean genera (Daly et al. 2007). Despite their prominent worldwide diversity, only forty species have been assessed for the IUCN Red List of Threatened Species (IUCN 2019), highlighting the need for expanding and improving efforts for global and regional conservation prioritization (see examples Bramanti et al. 2009; Maldonado et al. 2013; Althaus et al. 2017).

Seventy per cent of known octocoral species occur in the Indo-Pacific (Perez et al. 2016), yet the region has been classified as 'data-poor' for octocorals (Bayer 1981). Though knowledge on taxonomy, diversity and distribution of octocorals in the larger Indo-Pacific region has improved substantially, many areas, e.g.,

the Indo-West Pacific (which is included in Asia), are still considered problematic when compared to the Mediterranean and Atlantic waters (Bayer 2002).

Based on this affirmation, we undertook a systematic review of the published literature on diversity and taxonomy of Asian octocorals (i.e., publications on octocorals reported from Asia published by both Asian and non-Asians) during a 40-year period between 1978 and 2018, to better understand the trends, status and regional inclinations of such studies. For example, despite having high levels of marine diversity (Tittensor et al. 2010) and two centuries of marine diversity inventories, comprehensive data on octocorals in and around the Indian subcontinent is extremely poor when compared to other groups of cnidaria (e.g., scleractinian corals and siphonophores; Venkataraman & Wafar 2005). In this background, we: (i) examine the general trends and geographic unevenness (if any) in Asian octocoral research, (ii) analyze the extent and source of such biases in the octocoral research arena by drawing parallels between India and the rest of Asia, and (iii) provide recommendations for improving octocoral diversity and taxonomic studies in the Indian region.

METHODS

Primary literature (concerning Asian octocorals) published during the period, 1978 to 2018 was extracted from Google Scholar™ using the following keywords: (octocorals OR Octocorallia OR Alcyonacea OR Helioporacea OR Gorgonacea OR Pennatulacea OR Stolonifera OR Telestacea OR Gorgonarian OR Gorgoniden OR Alcyonarien OR Octocorallien OR Penatulaceen OR 'soft corals' OR gorgonian OR 'sea pen' OR 'sea fan' OR 'sea whip') AND (Asia OR Japan OR Israel OR Iran OR Indonesia OR Vietnam etc.) AND (diversity OR distribution OR 'species description' OR taxonomy OR 'new species' OR 'new genus' OR 'new family'). More than 2,000 search results were manually screened to extract papers on 'diversity and taxonomy'. Based on the degree of relevance, individual papers were then eliminated by 'title' or 'abstract' alone, or by accessing the entire paper.

Similar boolean operators were used to extract papers on octocoral research in India, substituting the second and third set of keywords with India AND diversity OR distribution OR 'species description' OR taxonomy OR 'new species' OR 'new genus' OR 'new family' OR bioactivity OR pharmaceutical OR 'bioactive compounds' OR policy OR conservation OR ecology OR 'animal

assemblage' OR 'animal association'; to understand the history and trend of Indian octocoral research. To ensure maximum inclusion of Indian papers, an explicit time scale was not specified, and careful cross-references were also made to consider unpublished proceedings, theses, library records etc. Only those publications supported by empirical field data (quantitative field surveys, voucher specimens, photographs) on any one of the following topics: diversity, distribution, taxonomic works such as revisions, species/generic description, nomenclatural acts and focused on Asia, or any study involving octocorals in the case of India, were included. Only peer-reviewed journal articles were considered, to maintain both consistency and quality of data. We recorded the year and country of publishing, author names (national and international separately), nationality of non-Indian authors and the type and name of the journal. In addition, we also assessed the octocoral 'diversity and taxonomic' publications from over 22 Asian maritime countries/islands excluding India for the past 40 years (1978–2018) to compare geographical trends.

For this paper, a 'taxonomic expert' is defined using a slight modification of the broader definition of Convention on Biological Diversity (CBD), as 'a person with good expertise and extensive knowledge on octocorals who is/was active for 10 years or more and/or has published more than one taxonomic paper during the last four decades' (Haas & Häuser 2005). A 'peer-reviewed publication' is defined as one published in a journal indexed in either the Web of Science™, SCOPUS, or Google Scholar™ but excluding 'predatory open-access journals' (Bohannon 2013).

RESULTS AND DISCUSSION

a. Forty years of octocoral studies (taxonomy and diversity) in Asia

The resulting list (n=205) indicates that nearly 40% (n=78) of the published literature on octocoral diversity in Asia originates from the Far East (Japan, Taiwan, Hong Kong, Russia, Korea, and China) (Figure 1), with Japan contributing the greatest share (n=29) of publications, and the highest number of newly described species (n=29; from 10 description papers). Nearly 85% of the new species descriptions were carried out by foreign researchers (non-Asians/researchers not from their home country; n=33) followed by the combination of national and foreign researchers (n=18). The top 10 scientists/taxonomic experts (Asian or otherwise)

together account for over 80% of the total number of species descriptions from the Asian waters (Figure 2). Thus, apart from Japan, Israel and Iran, the contribution of Asian researchers to octocoral taxonomy during a 40-year period (1978–2018) is proportionally low, indicating a shortfall of local taxonomic expertise in the region. Most species descriptions were made from countries along the Red Sea and in West Asia (n=77), followed by the Far East including the seas of Japan, Taiwan and Hong Kong (n=46). The least number of species were described from southeastern Asia (n=30) despite this being a region of high endemism and biodiversity, and from south Asia (n=11, including India n=8).

From 1978 to 2018, India recorded over 65 publications on octocoral diversity and distribution (including occurrence and distribution reports, taxonomy, and new records); of which only 28 appeared in peer-reviewed journals. The rest include books/book chapters/reports (n=23), posters/pre-prints/conference papers (n=4) and predatory or dubious publications (n=10). Though the higher number of papers is a result of many studies from Japan or other Asian countries with high numbers of octocoral studies (Taiwan, Singapore, and Indonesia), issues such as poor-quality publications and ambiguous diversity assessments have impeded the progress of octocoral studies in India (also see sections below). Also, despite the large number of publications, only five dealt with new species descriptions. Foreign authors were involved in all the (currently valid) species descriptions (n=8) from three publications, while those species described by Indian authors (n=57) from two publications show no records in either Zoobank or in WoRMS.

Costello et al. (2013a) noted an overall increase in the number of taxonomists (for all taxa) in Asia, but the data on octocorals do not reflect this. Nevertheless, discovering and naming new octocoral species alone will not solve the issue of biodiversity assessment and estimation for this group, since the majority of octocoral genera need extensive taxonomic studies (i.e., re-descriptions and revisions) (Daly et al. 2007). A positive trend of increasing numbers of young researchers working on taxonomy and systematics of octocorals points to an encouraging future for this field of research (Williams 2018).

b. History and trends in Indian octocoral research

Octocoral research in India dates to the late 19th Century, followed by 100 years of mostly exploratory research that resulted in publications on taxonomy, diversity and distributions. A critical review of 193




Figure 1. Geographical patterns of octocoral research in Asia from 1978 to 2018.




Figure 2. Contribution of top 10 authors in new species discoveries (Asian octocorals) from 1978 to 2018.

published and unpublished (e.g., theses, reports, newsletters, and posters) works on octocorals based on primary data/observations revealed that more than two-thirds have focused on 'taxonomy and diversity' and 'bioactivity' (Figure 3). Despite several publications on diversity and distribution of octocorals, taxonomic ambiguities and in several cases erroneous and unvalidated records of species have hampered the progress of octocoral research in India. Publications under the 'taxonomy and diversity' section are largely dominated by simple diversity and distribution (i.e., occurrence) studies, which in many cases are trivial and insignificant. Interestingly, the number of published 'taxonomic papers' (related to a taxonomic or nomenclatural act) is significantly less compared to those in 'taxonomy and diversity,' and the majority of such research from Indian waters was carried out by western researchers in the early 20th Century, as part of colonial natural history expeditions and investigations. Of this modest proportion of 'taxonomic papers', all but two involve foreign researchers, or a combination of both foreign and Indian researchers.

c. Publication trends in octocoral research in India – Quality vs Mediocrity

Good quality, peer-reviewed and publicly accessible biodiversity data can influence the reliability of communicating management and conservation policies and improve societal benefits (Costello et al. 2013b). Octocoral research in India has been scattered in several publication domains. While the majority of octocoral related publications are peer-reviewed (including those in journals), an equal number of mediocre publications in the form of grey literature and papers in predatory

journals (as defined by Jeffrey Beall; see <https://beallslist.weebly.com/>) are a major concern for the advancement of octocoral research in India. The highest number of such publications have appeared recently (2000 to 2018), coinciding with the generally increased use of predatory journals by Indian scientists (see Raghavan et al. 2015). Since the year 2000, over 12 publications including those on diversity (checklist, distribution records), bioactivity and ecology have appeared in various predatory journals. Taxonomic research published after 1991 (except Williams & Vennam (2001)) has appeared mostly in predatory outlets or is in the form of mediocre publications circulated in single institutions/libraries, usually inaccessible to general public or academics, and in most cases containing invalid records. For instance, a monograph on gorgonians (Fernando 2011) has very limited circulation and most voucher specimens, including type material, is inaccessible to researchers (Ramvilas Ghosh pers. obs. 20.vii.2018), which contravenes the Recommendation 72F of the International Code of Zoological Nomenclature (ICZN). Similarly, a checklist on gorgonians by Kumar and Raghunathan in 2015, probably the only recent compilation of gorgonian fauna from India, has appeared in a predatory journal questioning the authenticity and quality of the data.

Scientific misconduct, in particular, plagiarism, has become a major menace in the Indian scientific and academic circles (see Raghavan et al. 2013; Amos 2014) and octocoral studies from the subcontinent are no different. "For example, it was noted that Rao & Devi's (2003) paper on the soft corals of the Andaman Islands is a blatant example of plagiarism. The authors describe over 50 species and illustrate 47 of these, each with a figure containing numerous drawings of sclerites,




Figure 3. Historical shifts and bias associated with octocoral research in India.

with every single drawing hand-copied, with slight alterations, from the originals of Verseveldt (1980, 1982, 1983), primarily focused on his revisions of *Lobophytum*, *Sarcophyton* and *Sinularia*. Similarly, Rao & Devi's figures of *Lobophytum variatum* on page 34 are overtly copied from Verseveldt (1983)" (Phil Alderslade pers. comm. 09.i.2019).

d. Publication trends in octocoral research in India – Regional biases

Octocoral publications in India to date have been subject to regional inclinations, a trend that is similar to the whole of Asia. Much of the research focus has been on the southeastern coast (n=66), particularly in the Gulf of Mannar, and very little work has been carried out along the eastern coast of India (n=11). Between the island territories, higher numbers of publications have originated from the Andaman & Nicobar Islands (n=50), compared to Lakshadweep (n=16). The coastal and deeper waters off the southwestern, northwestern & eastern coasts, and the Lakshadweep Islands require extensive exploration and systematic taxonomic inventories to improve and contribute to the nation-wide understanding of octocoral diversity and distribution.

The absence of scientific institutions in some parts of the country (e.g., Lakshadweep) and the concentration of many institutions (both private and government) and museums in areas like the Gulf of Mannar could be the reason for the regional disparity in the studies of octocorals. But when considering cnidarian fauna in general, these regional disparities become very distinct for octocorals. For instance, comprehensive accounts on the cnidarian diversity are available for Scleractinia (Pillai 1991), Siphonophora (Daniel 1985), and Scyphomedusae (Chakrapany 1984). Also, inclusive data are available for hard corals (Scleractinia) from all major reef areas including mainland and the island territories (Venkataraman & Wafar 2005), so there must be another reason that octocorals have received less attention. Incidentally, scleractinian corals and coral dominated reefs receive much funding, and are considered of global significance due to their biodiversity and apparent vulnerability when compared to other marine ecosystems (Brooks et al. 2006).

We do not contend the fact that octocorals have never received scientific attention or research priority in India. In India, octocorals were heavily sought after for their bioactivity during the 1980s, however, most of the research was undertaken only to the level of extraction and chemical analysis, with no resulting industrial applications (Raveendran et al. 2011), which may have

contributed (among other factors) to the current lack of interest in this fauna.

Even though regional accounts on the diversity of octocorals are available, most of them tend to be unreliable in terms of data-quality. "For instance, a paper on the octocorals from the Andaman & Nicobar Islands (Kumar et al. 2014) bases virtually all of the identifications on Grasshoff's (1999) monograph on the gorgonians of New Caledonia, which is a very popular book among Indian octocoral workers, as it has colored underwater images. But in the paper (Kumar et al. 2014), it is obvious that numerous colony pictures they present do not look like the actual species figured by Grasshoff (1999), and moreover as sclerites are an essential taxonomic character, the lack of illustrations renders it impossible for the readers to judge, and the authors to prove that the species are as claimed. Interestingly, since the publication of Grasshoff's (1999) monograph, many species previously considered to be endemic to New Caledonia have been recorded from the Andaman & Nicobar Islands - mostly dubious claims" (Phil Alderslade pers. comm. 09.i.2019).

e. The paradigm of species diversity, museums and specimens

In the context of taxonomic uncertainty, there is a high likelihood of underestimations or overestimations of Indian octocoral diversity especially in the case of gorgonians. Most gorgonian genera, and in particular *Junceella* and *Acanthomuricea* (reported from the 'Investigator' expedition) need considerable revision using an integrative approach and using modern molecular tools. With a limited amount of taxonomic expertise and capacity in India, the identity of many gorgonian species has been restricted to the generic level (Mary & Sluka 2014).

Author and date misnomers are yet another problem creating confusions in octocoral taxonomic data. For example, *Trimuricea reticulata* Gordon, 1926 mentioned in WoRMS (2019) and Global Biodiversity Information Facility (2019) should actually be *Trimuricea reticulata* (Thomson & Simpson, 1909) (see Samimi-Namin & van Ofwegen 2016). This type of outdated and obsolete information on species can be seen in several Indian checklists pertaining to octocorals. For example, both Venkataraman et al. (2004) and Thomas (1996) have used names for ellisellid genera (e.g., *Gorgonella*, *Scirpearia*) that have not been used by taxonomists for many decades. It is notable that regional checklists of octocorals from India (except Tudu et al. 2018 for sea pens) that contain outdated or erroneous records, are

mostly published in poor-quality publications mostly without any rigorous peer-review, or in predatory journals.

Many specimens described from the Investigator expedition and currently housed in the invertebrate collections of the Zoological Survey of India (ZSI), Kolkata, “need re-examination and extensive re-evaluation (Phil Alderslade pers. comm. 09.i.2019). But there are enormous difficulties in accessing these specimens (see, for example, Samimi-Namin & van Ofwegen 2016), which reflects an appalling attitude of the regulating authorities. Issues regarding the difficulty, or even impossibility, of accessing these specimens has resonated around the global taxonomic community for numerous decades. “Indian biodiversity policies restrict the free exchange of specimens to overseas scientists and their institutions regardless of their reputation, and Indian scientists are also finding it increasingly difficult to access the museums of the Zoological Survey of India. Unless authorities change this dismaying situation and encourage international collaboration and allow Indian taxonomists the same kind of museum access that their overseas counterparts experience, genuine taxonomic research on Indian octocorals, and many other marine taxonomic groups, will continue to stagnate biodiversity documentation in India. This will also result in sub-standard and poorly compiled research reports as is occurring in the parallel case with scleractinian corals” (Phil Alderslade pers. comm. 09.i.2019).

Type material of many species collected from Indian waters by Indian and non-Indian expeditions (see examples in Verseveldt 1980; van Ofwegen 1990) are housed in foreign museums and accessing these types via loans is a ‘kafkaesque’ situation due to the National Biodiversity Authority (NBA) restrictions under the pretext of Biological Diversity Act (2002) and Biological Diversity Rules (2004) (see NBA, 2004). Thus, the lack of adequate taxonomic expertise, inaccessible types and voucher specimens at Indian museums and institutions, and expenses associated with visiting foreign museums where many types are housed, further delays the opportunity to rectify the many erroneous records in the Indian octocoral literature.

f. Opportunities and challenges

To a considerable extent, the issues pertaining to octocoral research discussed here can be solved through international and inter-institutional collaborations, a key strategy followed by countries like the United States of America which is a leader in global biodiversity documentation and research (Liu et al. 2011). As an

example, in the case of octocoral-related taxonomic publications from Japan, Taiwan, Indonesia, and Israel (the largest contributors to such studies on Asian octocorals), international collaboration has not only enabled research results to be published in reputed journals, but also helped develop in-country capacity and taxonomic expertise supporting local researchers to document their octocoral diversity and independently publish their research results. Another critical impediment in many biodiversity-rich countries including India are the national regulations formulated under the pretext of the Convention on Biological Diversity (CBD), restricting biodiversity research of native scientists and discouraging international collaborations (Prathapan et al. 2018). As argued by Prathapan et al. (2018), there is no monopolistic situation in which a single country can identify all taxa, and none of the aims envisaged by CBD can be met unless scientists have access to the resources they wish to study and share with and involve the expertise of other countries. Similarly, Madhusudan et al. (2006) points out a distressing trend across India where researchers and scientists are refused entry into wildlife reserves (marine protected areas in this context), denying them opportunity to conduct scientific research that would actually inform the authorities what organisms inhabit these areas. Coupled with this, legislation like the Indian Wildlife Protection Act, 1972 (WPA 1972), prompts a poignant rhetoric in octocoral research. For example, in the case of gorgonians (protected under Schedule 1 of the Indian Wildlife Protection Act), the legislation has resulted in the restriction of sample collections and most exasperatingly the delay in getting research permissions to work on these taxa.

OPPORTUNITIES AND RECOMMENDATIONS

Given the above-mentioned issues and complexities in advancing the field of octocoral research in India, we suggest the following recommendations.

Convention on Biological Diversity (CBD), National legislations, and Research

Convention on Biological Diversity’s Access and Benefit Sharing rules and the Nagoya Protocol (NP) obliges all committed parties including India, to develop necessary policies to foster equitable sharing of genetic resource and benefits arising from them (Buck & Hamilton 2011). But, despite several advancement in policies and management strategies, it is highly unlikely

that the 'Aichi Biodiversity Targets' approved under the patronage of CBD can achieve much of an improvement in the state of biodiversity knowledge by 2020, particularly in the marine realm (Tittensor et al. 2014; Global Biodiversity Outlook 4 2014). The research community, undeniably the stakeholder most affected by the Nagoya Protocol, and CBD's Access and Benefit Sharing rules, are concerned by this state of affairs because Article 8(a) of Nagoya Protocol was formulated to 'promote and encourage research which contributes to the conservation and sustainable use of biological diversity, particularly in developing countries' (Buck & Hamilton 2011; CBD 2011). Therefore, to foster octocoral research in India, the restriction to the exchange of specimens for non-commercial, taxonomic and biodiversity research, arising due to national regimes under the misguided interpretation of CBD, should be objectively and urgently addressed. Perhaps placing a separate clause in the CBD accord to give special status to fundamental and non-commercial science, like taxonomy, for mutual exchange of data/specimens between institutions would allay the concerns of other stakeholders and reduce the complexity in undertaking biodiversity research (Prathapan et al. 2018). Similarly, national legislation like the Indian Wildlife Protection Act, 1972, and added amendments, which are meant to protect wild animals, should be made far less restrictive for octocorals as there is no viable commercial exploitation and the current situation hinders what little research is associated with them (e.g., all gorgonians). At present, the restriction limits sample collection and prohibits the exchange of specimens with foreign institutions and museums for the sake of taxonomic identification and archiving (WPA, 1972). We suggest, therefore, that the scheduled status of some octocorals especially in the case of gorgonians should be reconsidered, and improved conservation strategies like marine protected areas and 'no-take' zones be developed to protect this fauna, once research has been undertaken to determine where such areas would be best located.

Taxonomy and Quality Publication

As discussed in the relevant sections of this paper, octocoral research in India is beset by many mediocre publications which include works published in predatory journals. For instance, a recent checklist of octocorals in India (Kumar and others in 2018) was published in an outlet widely regarded as predatory, which perpetuates the trend of such unethical publishing practice among Indian researchers (see Raghavan et al. 2015; Patwardhan et al. 2018). These publishing companies masquerading

under the pretext of an open access model continue to threaten science and science communication by narrowing the line between science and pseudoscience (Beall 2016). Since taxonomy and diversity research impacts national policies and influences other allied basic and applied research (Raghavan et al. 2014), flawed and mediocre publications pose serious impediment to India's international commitments like CBD's Aichi Targets. Because many mediocre publications in octocorals are from leading national research institutes like the Zoological Survey of India (ZSI), they reflect a bad image internationally which might result in blacklisting Indian taxonomists in general instead of just those deserving such a reputation. Scrapping Academic Performance Index (API) (Raghavan et al. 2015) and replacing traditional 'bibliometrics' with 'almetrics' to assess researcher's impact (Brown 2014) would render more popularity to science and reduce the unhealthy competition among researchers to publish more, causing some to resort to predatory or other sub-standard levels of publishing which lack peer review. Also, researchers and journals must avoid citing such dubious publications and thereby disavow unethical practice and unreliable research data. We also insist future octocoral taxonomist follow the modern trends in describing octocorals (Figure 4) and adhere to the rules of International Commission on Zoological Nomenclature (ICZN) (see Benayahu et al. 2017; Breedy & Guzman 2018).

Museums

Museums play a pivotal role in fundamental science like taxonomy and systematics through archiving and documenting specimens and manifesting a vast and irreplaceable resource for such studies (Brooke 2000). Many octocorals recorded as occurring in India have their type material housed in foreign museums. Physically accessing museum materials spread across the globe is not feasible in terms of money and time for a country like India. A realistic solution to overcome this issue is encouraging foreign collaboration, whereby researchers can gain experience and knowledge from international octocoral experts, benefitting both the researchers and octocoral science in India. At the same time, museums in India which house octocoral types (e.g., Zoological Survey of India) should change from being obstructive to acting as good advocates encouraging genuine requests to access specimens for verification and study. We also encourage these museums to digitally document and catalogue their octocoral specimens, both voucher specimens and types, and allow the information to be open to fair use for research nationally and internationally.




Figure 4. Conceptual model explaining the best practices to improve quality of octocoral diversity data and its accessibility. Adapted and modified from Costello et al. (2013b).

Bridging the biodiversity shortfalls

Based on available data it is evident that there exist huge gaps in data on octocorals, particularly related to the Linnaean (species diversity), Wallacean (geographic distribution) and Darwinian (evolution) shortfalls (see Hortal et al. 2015 for general discussion on biodiversity

shortfalls). A consensus on the exact diversity and distribution range of many octocorals has not yet been reached as numerous records and data either remain incomplete or unreliable, particularly for the central Indian Ocean. Published literature also indicates that studies on evolution, phylogeny, biogeography,

population genetics and abiotic tolerances of octocorals have not been undertaken as yet in countries such as India. For instance, the impasse in the case of the ‘invasive snowflake coral’ (*Carijoa riisei* Duchassaing & Michelotti, 1860) as a true invasive soft coral or a reestablished native species could be put to rest through genetic profiling (Patro et al. 2015). Such a study is currently being carried out by the authors of the present communication. Considering the expanse of the Indian subcontinent including the chains of islands and coral reefs, integrative taxonomic studies using morphology and molecular data (see Benayahu et al. 2018), research on evolution and phylogeny (see McFadden et al. 2017), including population genetics to study gene flow and connectivity (see Yesson et al. 2018) hold enormous potential. Not only are such studies inconspicuous in India, they are virtually non-existent because much of the basic biodiversity data (species diversity, abundance, and distribution) is unfortunately wanting, and will continue to be so unless there are significant changes to the culture and policies that are holding us back.

REFERENCES

- Althaus, F., A. Williams, P. Alderslade & T.A. Schlacher (2017). Conservation of marine biodiversity on a very large deep continental margin: how representative is a very large offshore reserve network for deep-water octocorals? *Diversity and Distributions* 23(1): 90–103. <https://doi.org/10.1111/ddi.12501>
- Amos, K.A. (2014). The ethics of scholarly publishing: exploring differences in plagiarism and duplicate publication across nations. *Journal of the Medical Library Association* 102(2): 87–91. <https://doi.org/10.3163%2F1536-5050.102.2.005>
- Bayer, F.M. (1981). Status of knowledge of octocorals of world seas. *Seminários de Biologia Marinha, Academia Brasileira de Ciências* 3–11.
- Bayer, F.M. (2002). Octocoral research – past, present and future. *Atoll Research Bulletin* 494: 78–106.
- Beall, J. (2016). Best practices for scholarly authors in the age of predatory journals. *Annals of the Royal College of Surgeons of England* 98: 77–79. <https://doi.org/10.1308/rcsann.2016.0056>
- Benayahu, Y., C.S. McFadden, E.F. Shoham & L.P. van Ofwegen (2017). Search for mesophotic octocorals (Cnidaria, Anthozoa) and their phylogeny. II. A new zooxanthellate species from Eilat, northern Red Sea. *ZooKeys* 676: 1–12. <https://doi.org/10.3897/zookeys.676.12751>
- Benayahu, Y., L.P. van Ofwegen & C.S. McFadden (2018). Evaluating the genus *Cespitularia* MilneEdwards & Haime, 1850 with descriptions of new genera of the family Xenidae (Octocorallia, Alcyonacea). *ZooKeys* 754: 63–101. <https://doi.org/10.3897/zookeys.754.23368>
- Bohannon, J. (2013). Who's Afraid of Peer Review? *Science* 342(6154): 60–65. <https://doi.org/10.1126/science.342.6154.60>
- Breedy, O. & H.M. Guzman (2018). Revision of the genus *Adelogorgia* Bayer, 1958 (Cnidaria: Anthozoa: Octocorallia) with the description of three new species. *Zootaxa* 4369(3): 327–348. <https://doi.org/10.11646/zootaxa.4369.3.2>
- Bramanti, L., M. Iannelli & G. Santangelo (2009). Mathematical modelling for conservation and management of gorgonian corals: young and old, could they coexist? *Ecological Modelling* 220(21): 2851–2856. <https://doi.org/10.1016/j.ecolmodel.2009.01.031>
- Brooke, M.D. (2000). Why museums matter. *Trends in Ecology & Evolution* 15(4): 136–137. [https://doi.org/10.1016/S0169-5347\(99\)01802-9](https://doi.org/10.1016/S0169-5347(99)01802-9)
- Brooks, T.M., R.M. Mittermeier, G.A. da Fonseca, J. Gerlach, M. Hoffmann, J.F. Lamoreux, C.G. Mittermeier, J.D. Pilgrim & A.S. Rodrigues. (2006). Global biodiversity conservation priorities. *Science* 313(5783): 58–61. <https://doi.org/10.1126/science.1127609>
- Brown, M. (2014). Is almetrics an acceptable replacement for citation counts and the impact factor? *The Serials Librarian* 67(1): 27–30. <https://doi.org/10.1080/0361526X.2014.915609>
- Buck, M. & C. Hamilton (2011). The Nagoya Protocol on access to genetic resources and the fair and equitable sharing of benefits arising from their utilization to the Convention on Biological Diversity. *Review of European Community & International Environmental Law* 20(1): 47–61. <https://doi.org/10.1111/j.1467-9388.2011.00703.x>
- Chakrapany, S. (1984). Studies on Marine Invertebrates. Scyphomedusae of the Indian and adjoining seas. Ph.D. Thesis, University of Madras, 412pp.
- Coll, M., C. Piroddi, J. Steenbeek, K. Kaschner, F.B.R. Lasram, J. Aguzzi, E. Ballesteros, C.N. Bianchi, J. Corbera, T. Dailianis & R. Danovaro (2010). The biodiversity of the Mediterranean Sea: estimates, patterns, and threats. *PLoS ONE* 5(8): e11842. <https://doi.org/10.1371/journal.pone.0011842>
- Costello, M.J., R.M. May & N.E. Stork (2013a). Can we name Earth's species before they go extinct? *Science* 339(6118): 413–416. <https://doi.org/10.1126/science.1230318>
- Costello, M.J., W.K. Michener, M. Gahegan, Z.Q. Zhang & P.E. Bourne (2013b). Biodiversity data should be published, cited, and peer reviewed. *Trends in Ecology & Evolution* 28(8): 454–461. <https://doi.org/10.1016/j.tree.2013.05.002>
- Daly, M., M.R. Brugler, P. Cartwright, G.A. Collins, M.N. Dawson, D.G. Fautin, S.C. France, C.S. McFadden, D.M. Opresko, E. Rodriguez, S.L. Romano & J.L. Stake (2007). The phylum Cnidaria: a review of phylogenetic patterns and diversity 300 years after Linnaeus. *Zootaxa* 1668(1): 127–182. <https://doi.org/10.11646/zootaxa.1668.1.11>
- Daniel, R. (1985). Coelenterata, Hydrozoa: Siphonophora, The Fauna of India and the Adjacent Countries. Zoological Survey of India, Kolkata, India, 400pp.
- Fabricius, K. & P. Alderslade (2001). Soft corals and sea fans: a comprehensive guide to the tropical shallow-water genera of the Central-West Pacific, the Indian Ocean and the Red Sea. Australian Institute of Marine Science, Queensland, 262pp.
- Global Biodiversity Information Facility Secretariat (2019). *Trimuricea reticulata* Gordon, 1926, In: GBIF Backbone Taxonomy. Checklist dataset. Downloaded on 18 October 2019. <https://doi.org/10.15468/39omei>
- Grasshoff, M. (1999). The shallow-water gorgonians of New Caledonia and adjacent islands (Coelenterata: Octocorallia). *Senckenbergiana Biologica* 78: 1–121.
- Haas, F. & C.L. Häuser (2005). Taxonomists: An endangered species. pp. 87–89 In: *Success Stories in Implementation of the Programmes of Work on Dry and Sub-Humid Lands and the Global Taxonomy Initiative*, 87. Abstracts of Poster Presentations at the 11th Meeting of the Subsidiary Body on Scientific, Technical and Technological Advice of the Convention on Biological Diversity. Montreal: CBD Technical Series 21. 189pp.
- Hortal, J., F. de Bello, J.A.F. Diniz-Filho, T.M. Lewinsohn, J.M. Lobo & R.J. Ladle (2015). Seven shortfalls that beset large-scale knowledge of biodiversity. *Annual Review of Ecology, Evolution, and Systematics* 46: 523–549. <https://doi.org/10.1146/annurev-ecolsys-112414-054400>
- IUCN (2019). The IUCN Red List of Threatened Species. Version 2018-2. Downloaded on 18 October 2019. <https://www.iucnredlist.org/>
- Kumar, J.S.Y., C. Raghunathan, R. Raghuraman, C.R. Sreeraj & K. Venkataraman (2014). *Handbook on Gorgonians (Octocorallia) of Andaman and Nicobar Islands*. Zoological Survey of India, Kolkata, 119pp.
- Liu, X., L. Zhang & S. Hong (2011). Global biodiversity research during 1900–2009: a bibliometric analysis. *Biodiversity and Conservation* 20(4): 807–826. <https://doi.org/10.1007/s10531-010-9981-z>

- Madhusudan, M.D., K. Shanker, A. Kumar, C. Mishra, A. Sinha, R. Arthur, A. Datta & M. Rangarajan (2006). Science in the wilderness: the predicament of scientific research in India's wildlife reserves. *Current Science* 91(8): 1015–1019.
- Maldonado, M., M. López-Acosta, L. Sánchez-Tocino, & C. Sitjà (2013). The rare, giant gorgonian *Ellisella paraplexauroides*: demographics and conservation concerns. *Marine Ecology Progress Series* 479: 127–141.
- Mary, A.G. & R.D. Sluka (2014). Biodiversity and distribution of octocorals of Minicoy Atoll, Lakshadweep. *Atoll Research Bulletin* 602: 1–17.
- McFadden, C.S., R. Haverkort-Yeh, A.M. Reynolds, A. Halász, A.M. Quattrini, Z.H. Forsman, Y. Benayahu & R.J. Toonen (2017). Species boundaries in the absence of morphological, ecological or geographical differentiation in the Red Sea octocoral genus *Ovabunda* (Alcyonacea: Xeniidae). *Molecular Phylogenetics and Evolution* 112: 174–184. <https://doi.org/10.1016/j.ympev.2017.04.025>
- Mora, C., D.P. Tittensor, S. Adl, A.G. Simpson & B. Worm (2011). How many species are there on Earth and in the ocean?. *PLoS Biology* 9(8): e1001127. <https://doi.org/10.1371/journal.pbio.1001127>
- National Biodiversity Authority (2004). The Biological Diversity Act, 2002 and Biological Diversity Rules, 2004. 74pp. https://nbaindia.org/uploaded/act/BDACT_ENG.pdf
- Patro, S., P. Krishnan, M. Gopi, S. Raja, C.R. Sreeraj, P. Ramachandran & R. Ramesh (2015). Snowflake coral, *Carijoa riisei* from Grand Island, Goa: a case of invasion of an alien species or re-establishment of a native species?. *Current Science* 109(6): 1028–1030.
- Patwardhan, B., S. Nagarkar, S.R. Gadre, S.C. Lakhotia, V.M. Katoch & D. Moher (2018). A critical analysis of the 'UGC-approved list of journals'. *Current Science* 114(6): 1299–1303. <https://doi.org/10.18520/cs/v114/i06/1299-1303>
- Pérez, C.D., B.M. Neves, R.T. Cordeiro, G.C. Williams & S.D. Cairns (2016). Diversity and distribution of Octocorallia, pp. 109–123. In: Goffredo, S. & Z. Dubinsky (eds.). *The Cnidaria, Past, Present and Future*. Springer, Switzerland, 842pp.
- Pillai, C.S.G. (1991). Scleractinia., pp. 41–47. In: Director Zoological Survey of India (eds.). *Animal Resources of India: Protozoa to Mammalia*. Zoological Survey of India, Kolkata, 694pp.
- Prathapan, K.D., R. Pethiyagoda, K.S. Bawa, P.H. Raven & P.D. Rajan (2018). When the cure kills—CBD limits biodiversity research. *Science* 360(6396): 1405–1406. <https://doi.org/10.1126/science.aat9844>
- Raghavan, R., N. Dahanukar & S. Molur (2015). Curbing academic predators: JoTT's policy regarding citation of publications from predatory journals. *Journal of Threatened Taxa* 7(10): 7609–7611. <https://doi.org/10.11609/JoTT.o4388.7609-11>
- Raghavan, R., N. Dahanukar, J.M. Knight, A. Bijukumar, U. Katwate, K. Krishnakumar, A. Ali & S. Philip (2014). Predatory journals and Indian ichthyology. *Current Science* 107(5): 740–742.
- Raghavan, R., S. Philip, N. Dahanukar & A. Ali (2013). Freshwater biodiversity of India: a response to Sarkar et al. (2013). *Reviews in Fish Biology and Fisheries* 23(4): 547–554.
- Raveendran, T.V., V.L. Mol & P.S. Parameswaran (2011). Natural product antifoulants from the octocorals of Indian waters. *International Biodeterioration & Biodegradation* 65(1): 265–268. <https://doi.org/10.1016/j.ibiod.2010.11.013>
- Samimi-Namin, K. & L.P. van Ofwegen (2016). A revision of *Trimuricea* Gordon, 1926 (Cnidaria: Octocorallia: Plexauridae) with the description of six new species. *Zootaxa* 4105(1): 1–44. <https://doi.org/10.11646/zootaxa.4105.1.1>
- Secretariat of the Convention on Biological Diversity (2011). Nagoya Protocol on Access to Genetic Resources and the Fair and Equitable Sharing of Benefits Arising from their Utilization to the Convention on Biological Diversity. CBD, Montreal, 25pp.
- Secretariat of the Convention on Biological Diversity (2014). Global Biodiversity Outlook 4, A mid-term assessment of progress towards the implementation of the Strategic Plan for Biodiversity 2011–2020. CBD, Montreal, 155pp.
- Steiner, S.C., B. Riegl, A. Lavorato & J. Rodriguez (2018). Community structure of shallow water Alcyonacea (Anthozoa: Octocorallia) from the southern tropical eastern Pacific. *Ecological Research* 33(2): 457–469. <https://doi.org/10.1007/s11284-018-1567-3>
- The Indian Wildlife Protection Act (1972). Schedule 1 (Sections 2, 8,9,11, 40,41, 48,51, 61 & 62). <https://envfor.nic.in/legis/wildlife/wildlife2s1.pdf>
- Thomas, P.A. (1996). The gorgonid resources and their conservation in India, pp. 32–40. In: Menon, N.G. & C.S.G. Pillai (eds.). *Marine Diversity Conservation and Management*. Central Marine Fisheries Institute, Cochin, 193pp.
- Tittensor, D.P., C. Mora, W. Jetz, H.K. Lotze, D. Ricard, E.V. Berghe & B. Worm (2010). Global patterns and predictors of marine biodiversity across taxa. *Nature* 466: 1098–1101. <https://doi.org/10.1038/nature09329>
- Tittensor, D.P., M. Walpole, S.L. Hill, D.G. Boyce, G.L. Britten, N.D. Burgess, S.H. Butchart, P.W. Leadley, E.C. Regan, R. Alkemade & R. Baumung (2014). A mid-term analysis of progress toward international biodiversity targets. *Science* 346: 241–244. <https://doi.org/10.1126/science.1257484>
- Tudu, P.C., D. Ray & A. Mohapatra (2018). A checklist of Indian sea pen (Cnidaria: Anthozoa: Pennatulacea). *Indian Journal of Geo-Marine Sciences* 47(5): 1014–1017. <https://nopr.niscair.res.in/handle/123456789/44421>
- Venkataraman, K. & M.V.M. Wafar (2005). Coastal and marine biodiversity of India. *Indian Journal of Geo-Marine Sciences* 34: 57–75. <https://hdl.handle.net/123456789/1544>
- Venkataraman, K., R. Jeyabaskaran, K.P. Raghuram & J.R.B. Alfred (2004). Bibliography and Checklist of Corals and Coral Reef Associated Organisms of India, *Records of Zoological Survey of India. Occasional Paper No. 226*: 1–468.
- van Ofwegen, L.P. (1990). Notes on the Keroeididae (Anthozoa: Gorgonacea) collected in 1963 and 1964 by the International Indian Ocean Expedition of the R/V 'Anton Bruun', in the Indian Ocean, with the description of a new species, *Lignella hartogi*. *Zoologische Mededelingen* 63(13): 163–168. <https://www.repositorio.naturalis.nl/record/319109>
- Verseveldt, J. (1980). A revision of the genus *Sinularia* May (Octocorallia: Alcyonacea). *Zoologische Verhandelingen Rijksmuseum van Natuurlijke Historie*, Leiden 179(1): 1–128.
- Verseveldt, J. (1982). A revision of the genus *Sarcophyton* Lesson (Octocorallia: Alcyonacea). *Zoologische Verhandelingen Rijksmuseum van Natuurlijke Historie*, Leiden 192(1): 1–91.
- Verseveldt, J. (1983). A revision of the genus *Lobophytum* von Marenzeller (Octocorallia: Alcyonacea). *Zoologische Verhandelingen Rijksmuseum van Natuurlijke Historie*, Leiden 200(1): 1–103.
- Williams, G.C. (2018). Who is doing what in octocoral research. The International Who's Who to Contemporary Octocoral Research, Octocoral Research Center. Downloaded on 2 December 2018. https://researcharchive.calacademy.org/research/izg/WhosDoingWhat_Final.htm/
- Williams, G.C. & J.S. Vennam (2001). A revision of the Indo-West Pacific taxa of the gorgonian genus *Pseudopterogorgia* (Octocorallia: Gorgoniidae), with the description of a new species from western India. *Bulletin of Biological Society of Washington* 10: 71–95.
- Wilson, E.O. (2017). Biodiversity research requires more boots on the ground. *Nature Ecology & Evolution* 1: 1590–1591. <https://doi.org/10.1038/s41559-017-0360-y>
- WoRMS (2019). World Register of Marine Species. Downloaded on 18 October 2019; <https://www.marinespecies.org> at VLIZ/
- Yesson, C., E. Wright & A. Braga-Henriques (2018). Population genetics of *Narella versluysi* (Octocorallia: Alcyonacea, Primnoidae) in the Bay of Biscay (NE Atlantic). *Marine Biology* 165(135): 1–12. <https://doi.org/10.1007/s00227-018-3394-z>

Appendix 1.

	List of octocoral publications from Asia (1978–2018).
1	Topçu, N.E. (2017). Demographic structure of Gorgonian (Anthozoa, Octocorallia, Holaxonia) assemblages in the Bay of Saros. <i>KSÜ Journal of Natural Sciences</i> 20: 368–377.
2	Aguilar-Hurtado, C., M. Nonaka & J.D. Reimer (2012). The Melithaeidae (Cnidaria: Octocorallia) of the Ryukyu Archipelago: molecular and morphological examinations. <i>Molecular Phylogenetics and Evolution</i> 64: 56–65.
3	Agustiadi, T. & O.M. Luthfi (2017). Diversity of Stoloniferan Coral (Stolonifera) at Lirang Island, Southwest Maluku (Moluccas), Indonesia. <i>International Journal of Oceans and Oceanography</i> 11: 21–30.
4	Alderslade, P. & C.S. McFadden (2007). Pinnule-less polyps: a new genus and new species of Indo-Pacific Clavulariidae and validation of the soft coral genus <i>Acrossota</i> and the family Acrossotidae (Coelenterata: Octocorallia). <i>Zootaxa</i> 1400: 27–44.
5	Alderslade, P. (2000). Four new genera of soft corals (Coelenterata: Octocorallia), with notes on the classification of some established taxa. <i>Zoologische Mededelingen Leiden</i> 74: 237–249.
6	Alderslade, P. (2001). Six new genera and six new species of soft coral, and some proposed familial and subfamilial changes within the Alcyonacea (Coelenterata: Octocorallia). <i>Bulletin of the Biological Society of Washington</i> 10: 15–65.
7	Alderslade, P. (2002). A new soft coral genus (Coelenterata: Octocorallia) from Palau. <i>The Beagle, Records of the Museums and Art Galleries of the Northern Territory</i> 18: 1–8.
8	Altermatt, R.U. (1993). A diving expedition around Macclesfield (South Chinese Sea)-coral reefs are in danger. <i>Nature und Museum</i> (Germany). 123: 275–281.
9	Antonius, A.A., G. Scheer & C. Bouchon (1990). Corals of the eastern Red Sea. <i>Atoll Research Bulletin</i> 334: 1–22.
10	Aratake, S., T. Tomura, S. Saitoh, R. Yokokura, Y. Kawanishi, R. Shinjo, J.D. Reimer, J. Tanaka & H. Maekawa (2012). Soft coral <i>Sarcophyton</i> (Cnidaria: Anthozoa: Octocorallia) species diversity and chemotypes. <i>PLoS ONE</i> 7: e30410.
11	Baum, G., I. Januar, S.C. Ferse, C. Wild & A. Kunzmann (2016). Abundance and physiology of dominant soft corals linked to water quality in Jakarta Bay, Indonesia. <i>PeerJ</i> 4: e2625.
12	Bayer, F.M. & L.P. van Ofwegen (2016). The type specimens of <i>Bebryce</i> (Cnidaria, Octocorallia, Plexauridae) re-examined, with emphasis on the sclerites. <i>Zootaxa</i> , 4083(3): 301–358
13	Bayer, F.M. & S.D. Cairns (2003). A new genus of the scleraxonian family Coralliidae (Octocorallia: Gorgonacea). <i>Proceedings of the Biological Society of Washington</i> 116(1): 222–228.
14	Bayer, F.M. (1993). Two new species of the gorgoncean genus <i>Paragorgia</i> (Coelenterata: Octocorallia). <i>Precious Corals & Octocoral Research</i> . 2: 1–10.
15	Ben, H.X. & T.N. Dautova (2010). Diversity of soft corals (Alcyonacea) in Vietnam. Proceedings of International Conference: Marine biodiversity of East Asia seas: Status, challenges and sustainable development pp 82–87.
16	Bên, H.X. & T.N. Dautova (2010). Soft corals (Octocorallia: Alcyonacea) in Ly Son islands, the central of Vietnam. <i>Journal of Marine Science and Technology</i> 10: 39–49.
17	Benayahu, Y. & L.P. van Ofwegen (2011). New species of the genus <i>Sinularia</i> (Octocorallia: Alcyonacea) from Singapore, with notes on the occurrence of other species of the genus. <i>Raffles Bulletin of Zoology</i> 59: 117–125.
18	Benayahu, Y. & K. Fabricius (2010). On some Octocorallia (Alcyonacea) from Hong Kong, with description of a new species, <i>Paraminabea rubeusa</i> . <i>Pacific Science</i> 64 :285–296.
19	Benayahu, Y. & L.P. van Ofwegen (2009). New species of <i>Sarcophyton</i> and <i>Lobophytum</i> (Octocorallia: Alcyonacea) from Hong Kong. <i>Zoologische Mededelingen</i> 83: 8638–76.
20	Benayahu, Y. & S. Perkol-Finkel (2004). Soft Corals (Octocorallia: Alcyonacea) from southern Taiwan: I. <i>Sarcophyton nanwanensis</i> sp. nov.(Octocorallia: Alcyonacea). <i>Zoological Studies</i> 43:537–547.
21	Benayahu, Y. & L.M. Chou (2010). On some Octocorallia (Cnidaria: Anthozoa: Alcyonacea) from Singapore, with a description of a new <i>Cladiella</i> Species. <i>Raffles Bulletin of Zoology</i> 58 :1–13.
22	Benayahu, Y. (1982). A new species of <i>Metalcyonium</i> (Octocorallia, Alcyonacea) from the Red Sea. <i>Zoologische Mededelingen</i> 56: 197–201.
23	Benayahu, Y. (1990). Xenidiidae (Cnidaria: Octocorallia) from the Red Sea with description of a new species. <i>Zoologische Mededelingen</i> 64: 113–120.
24	Benayahu, Y. (1995). Species composition of soft corals (Octocorallia, Alcyonacea) on the coral reefs of Sesoko Island, Ryukyu Archipelago, Japan. <i>Galaxea</i> (Tokyo) 12: 103–124.
25	Benayahu, Y. (2002). Soft corals (Octocorallia: Alcyonacea) of the southern Ryukyu Archipelago: The families Tubiporidae, Clavulariidae, Alcyoniidae and Briareidae. <i>Galaxea</i> (Tokyo) 4: 1–32.
26	Benayahu, Y. (2010). A new genus of a soft coral of the family Xenidiidae (Cnidaria: Octocorallia) from Japan. <i>Galaxea</i> (Tokyo) 12: 53–64.
27	Benayahu, Y., C.S. McFadden & E. Shoham (2017). Search for mesophotic octocorals (Cnidaria, Anthozoa) and their phylogeny: I. A new sclerite-free genus from Eilat, northern Red Sea. <i>Zookeys</i> 680: 1–11.
28	Benayahu, Y., L.P. van Ofwegen & C.S. McFadden (2018). Evaluating the genus <i>Cespitularia</i> MilneEdwards & Haime (1850) with descriptions of new genera of the family Xenidiidae (Octocorallia, Alcyonacea). <i>ZooKeys</i> 754: 63–101.
29	Benayahu, Y., L.P. van Ofwegen, C.F. Dai, M.S. Jeng, K. Soong, A. Shlagman, H.J. Hsieh & C.S. McFadden (2012). Diversity, Distribution, and Molecular Systematics of Octocorals (Coelenterata: Anthozoa) of the Penghu Archipelago, Taiwan. 51:1529–1548.
30	Benayahu, Y., L.P. van Ofwegen, C.F. Dai, M.S. Jeng, K. Soong, A. Shlagman, S.W. Du, P. Hong, N.H. Imam, A. Chung & T. Wu (2018). The Octocorals of Dongsha Atoll (South China Sea): An Iterative Approach to Species Identification Using Classical Taxonomy and Molecular Barcodes. <i>Zoological Studies</i> 57: 1–26.
31	Benayahu, Y., M.S. Jeng, S. Perkol-Finkel & C.F. Dai (2004). Soft corals (Octocorallia: Alcyonacea) from southern Taiwan: II. species diversity and distributional patterns. <i>Zoological Studies</i> 43: 548–560.
32	Benayahu, Y., T. Yosief & H.M. Schleyer (2002). Soft corals (Octocorallia, Alcyonacea) of the southern Red Sea. <i>Israel Journal of Zoology</i> 48: 273–283.
33	Benayahu, Y. & L.P. van Ofwegen (2011). New Species of Octocorals (Coelenterata: Anthozoa) from the Penghu Archipelago, Taiwan. <i>Zoological Studies</i> 50: 350–362.

34	Benayahu, Y. & C.S. McFadden (2011). A new genus of soft coral of the family Alcyoniidae (Cnidaria, Octocorallia) with re-description of a new combination and description of a new species. <i>Zookeys</i> 84: 1–11.
35	Chanmethakul, T., H. Chansang & S. Watanasit (2010). Soft coral (Cnidaria: Alcyonacea) distribution patterns in Thai waters. <i>Zoological Studies</i> 49: 72–84.
36	Chen, C.C. (1991). Gorgonacea (Coelenterata: Anthozoa: Octocorallia) of southern Taiwan. <i>Bulletin of the Institute of Zoology, Academia Sinica</i> 30: 149–181.
37	Cho, I., D. Kang, J. Kang, H. Hwang, J. Won, W.K. Paek & S. Seo (2014). A study on the biodiversity of benthic invertebrates in the waters of Seogwipo, Jeju Island, Korea. <i>Journal of Asia-Pacific Biodiversity</i> 7: 11–18.
38	Chupu, L. (1982). Studies the Alcyonacea of the South China Sea. 1. Alcyonacea from Yalong Bay. <i>Tropic oceanology</i> 1: 156–169.
39	Chupu, L. (1982). Two new species of Alcyonacea from south China sea (Coelenterata: Octocorallia). <i>Acta Zootaxonomica Sinica</i> 7: 229–232.
40	Chupu, L. (1984). Studies on the Alcyonacea of the South China Sea. 2. Genera <i>Lobophytum</i> and <i>Sarcophyton</i> from the Xisha Islands, Guangdong Province. <i>Nanhai Studia Marina Sinica</i> 6: 103–130.
41	Chupu, L. (1986). The Alcyonacea in Hong Kong waters. <i>Tropic Oceanology</i> 5: 19–25.
42	Chupu, L. (1993). Two species of Alcyonacea from the northeastern South China Sea. <i>Tropic Oceanology</i> 12: 94–96.
43	Cinar, M.E., M.B. Yokes, Ş. Acik & A.K. Bakir (2014). Checklist of Cnidaria and Ctenophora from the coasts of Turkey. <i>Turkish Journal of Zoology</i> 38: 677–697.
44	Çinar, M.E., O. Gonulal & B. Ozturk (2018). Wanted dead or alive: <i>Corallium rubrum</i> (Cnidaria: Anthozoa) on the coasts of Turkey. <i>Cahiers de Biologie Marine</i> 59: 175–179.
45	Clark, T.H. (1997). The distribution of ahermatypic corals at Cape d'Aguilar, Hong Kong. The marine flora and fauna of Hong Kong and southern China IV (B. Morton, eds), Proceedings of the 8th International Marine Biological Workshop, Hong Kong University Press, pp 219–233.
46	Dai, C.F. & T.Y. Fan (1996). Coral Fauna of Taiping Island (Itu Aba Island) in the Spratlys of the South China Sea. <i>Atoll Research Bulletin</i> 436: 1–21.
47	Dai, C.F. (1991). Distribution and adaptive strategies of alcyonacean corals in Nanwan Bay, Taiwan. <i>Hydrobiologia</i> 216/217: 241–246.
48	Dautova, T.N. & O.V. Savinkin (2009). New data on soft corals (Cnidaria: Octocorallia: Alcyonacea) from Nha Trang Bay, South China Sea. <i>Zootaxa</i> 2027: 1–27.
49	Dautova, T.N. (2007). Gorgonians (Anthozoa: Octocorallia) of the Northwestern Sea of Japan. <i>Russian Journal of Marine Biology</i> 33: 297–304.
50	Dautova, T.N. (2018). Two new species of deep-water <i>Calcigorgia gorgonians</i> (Anthozoa: Octocorallia) from the Kurile Islands, Sea of Okhotsk, with a review of distinctive characters of the known species of the genus. <i>European Journal of Taxonomy</i> 408: 1–22.
51	Dautova, T.N., L.P. van Ofwegen & O.V. Savinkin (2010). New species of the genus <i>Sinularia</i> (Octocorallia: Alcyonacea) from Nha Trang Bay, South China Sea, Vietnam. <i>Zoologische Mededelingen</i> 84: 47–91.
52	Dautova, T.N., Y.Y. Latypov & O.V. Savinkin (2007). Annotated Checklist of Scleractinian Corals, Mille pores and Heliopora of Nhatrang Bay. In: Britayev TA, Pavlov DS (eds) Benthic Fauna of the Bay of Nhatrang, Moscow, pp 13–80.
53	Fabrizius, K.E. & D. McCorry (2006). Changes in octocoral communities and benthic cover along a water quality gradient in the reefs of Hong Kong. <i>Marine Pollution Bulletin</i> 52: 22–33.
54	Goh, B.P.L., G.E. Tan & L.T. Tan (2009). Diversity, distribution and biological activity of soft corals (Octocorallia, Alcyonacea) in Singapore. <i>Journal of Coastal Development</i> 12: 89–98.
55	Goh, N.K.C. & L.M. Chou (1994). Distribution and biodiversity of Singapore gorgonians (sub-class Octocorallia) - a preliminary survey. <i>Hydrobiologia</i> 285: 101–109.
56	Goh, N.K.C. & L.M. Chou (1999). Dominance analyses of Gorgonian (Octocorallia: Gorgonacea) populations on Singapore coral. <i>Asian Journal of Tropical Biology</i> 3: 25–34.
57	Goh, N.K.C. & L.M. Chou (1994). The non-scleractinian component of Singapore reefs: Bathymetric analysis. In Proceedings of the 3rd ASEAN-Australia Symposium on Living Coastal Resources, Research Papers. Chulalongkorn University, Thailand, Vol. 2 pp 203–208.
58	Goh, N.K.C. & L.M. Chou (1996). An annotated checklist of the gorgonians (Anthozoa: Octocorallia) of Singapore, with a discussion of gorgonian diversity in the Indo-West Pacific. <i>Raffles Bulletin of Zoology</i> 44: 435–459.
59	Grasshoff, M. & P. Alderslade (1997). Gorgoniidae of Indo-Pacific reefs with description of two new genera (Coelenterata: Octocorallia). <i>Senckenbergiana Biologica</i> 77: 23–35.
60	Grasshoff, M. (2000). The gorgonians of the Sinai coast and the Strait of Gubal, Red Sea (Coelenterata, Octocorallia). <i>Courier Forschungsinstitut Senckenberg</i> 224: 1–125.
61	Gul, S., A.C. Morandini, V. Häussermann & U. Pörschmann (2015). Checklist of cnidarians from Pakistani waters. <i>Check List</i> 11: 1–8.
62	Halász, A., C.S. McFadden, D. Aharonovich, R. Toonen & Y. Benayahu (2014). A revision of the octocoral genus <i>Ovabunda</i> Alderslade, 2001 (Anthozoa, Octocorallia, Xenidae). <i>ZooKeys</i> 373: 1–41.
63	Haverkort-Yeh, R.D., C.S. McFadden, Y. Benayahu, M. Berumen, A. Halász & R.J. Toonen (2013). A taxonomic survey of Saudi Arabian Red Sea octocorals (Cnidaria: Alcyonacea). <i>Marine Biodiversity</i> 43: 279–291.
64	Hermanlimianto, M.I.Y.T. & L.P. van Ofwegen (2006). A new species of <i>Astrogorgia</i> (Coelenterata: Octocorallia: Plexauridae) from Bali. <i>Zoologische Mededelingen</i> 80: 103–108.
65	Hoang, X.B. (2014). Soft coral (Octocorallia, Alcyonacea) diversity and distribution along a latitudinal environmental gradient and the role of their chemical defenses against predatory fish in the Red Sea. Ph.D. thesis, Universität Kiel p 128.
66	Hoeksema, B.W. & S.E.T. van der Meij (2008). Cryptic marine biota of the Raja Ampat island group: Preliminary results of the Raja Ampat Expedition (2007). <i>National Museum of Natural History Naturalis, Leiden</i> pp 1–73.
67	Hossain, M.M. & M.H. Islam (2006). Status of the biodiversity of St. Martin's Island, Bay of Bengal, Bangladesh. <i>Pakistan Journal of Marine Sciences</i> 15: 201–210.
68	Hsu, M.J. & G. Agoramoorthy (1999). Conserving the biodiversity of Kenting National Park, Taiwan: Present status and future challenges. In Proceedings of the Symposium on Biodiversity, pp 62–72.
69	Huang, H., X.B. Li, J.G. He & R.L. Zou (2007). Species diversity and distribution of gorgonian at Xuwen, Zhanjian, Guangdong Province. <i>Journal of Tropical Oceanography</i> 26: 60–67.

70	Hung, T.Q., N.H. Yet, T.N. Dautova & L.V. Ken (2010). Species composition of soft coral family (alcyoniidae) In Con Co Island, Quang Tri province, Vietnam. Proceedings of the International Conference Marine Biodiversity of East Asian Seas: Status, Challenges and Sustainable Development, Vietnam, pp 37–39.
71	Hwang, H., J. Kang, I. Cho, D. Kang, W.K. Paek & S.H. Lee (2014). Benthic invertebrate fauna in the islets of Namuseom and Bukhyeongjeseom off Busan. <i>Journal of Asia-Pacific Biodiversity</i> 7: 206–212.
72	Hwang, S.J. & J.I. Song (2013). Four new records of <i>Dendronephthya</i> species (Octocorallia: Alcyonacea: Nephtheidae) from Korea. <i>Animal Systematics, Evolution and Diversity</i> 29: 160–174.
73	Imahara, Y. & H. Namikawa (2018). Preliminary Report on the Octocorals (Cnidaria: Anthozoa: Octocorallia) from the Ogasawara Islands. Memoires of the National Museum of Nature and Science., Tokyo, (52), pp 65–94
74	Imahara, Y. (1991). Report on the Octocorallia from the Ryukyu Islands of Japan. <i>Bulletin of Institute of Oceanic Research and Development</i> , Tokai University, (11), pp 59–94.
75	Imahara, Y. (1996). Previously recorded octocorals from Japan and adjacent seas. <i>Precious Corals & Octocoral Research</i> , 4: 17–44.
76	Imahara, Y. (2013). Redescriptions of Five Species of Japanese <i>Dendronephthya</i> (Octocorallia: Alcyonacea) Based on Type Material Collected by Doderlein in 1879–81. <i>Species Diversity</i> 18: 111–134.
77	Imahara, Y. (2013). Two new paralcyniid octocorals from Japan (Anthozoa: Alcyonacea). <i>Zootaxa</i> 3652: 424–436.
78	Imahara, Y., F. Iwase & H. Namakawa (2014). The octocorals of Sagami Bay. Tokyo University Press, pp 398.
79	Imahara, Y., H. Yamamoto, H. Takaoka & M. Nonaka (2017). First records of four soft coral species from Japan, with a list of soft corals previously found from the shallow waters of the Ryukyu Archipelago, Japan, and an overview on the systematics of the genera Siphonogorgia and Chironephthya. <i>Fauna Ryukyuna</i> 38: 1–30.
80	In, S.L. (1998). Fauna of anthozoans from adjacent waters of Geojedo Island in Korea. <i>Animal Systematics, Evolution and Diversity</i> 14: 229–242.
81	Inoue, S., H. Kayanne, S. Yamamoto & H. Kurihara (2013). Spatial community shift from hard to soft corals in acidified water. <i>Nature Climate Change</i> 3: 1–5.
82	Janes, M.P. & G.B. Reinicke (2008). Xenidiidae (Coelenterata: Octocorallia) of the Red Sea with descriptions of six new species of <i>Xenia</i> . <i>Zoologische Mededelingen</i> 82(49): 1–41.
83	Janes, M.P. (2013). Distribution and diversity of the soft coral family Xenidiidae (Coelenterata: Octocorallia) in Lembeh Strait, Indonesia. <i>Galaxea</i> (Tokyo) 15: 195–200.
84	Janes, M.P., C.S. McFadden & T. Chanmethakul (2014). A new species of <i>Ovabunda</i> (Octocorallia, Xenidiidae) from the Andaman Sea, Thailand with notes on the biogeography of this genus. <i>Zookeys</i> 431 :1–17.
85	Kim, M.S. & J.I. Song (2014). Four New Records of <i>Holaxonia</i> (Anthozoa: Octocorallia: Alcyonacea) from Korea. <i>Animal Systematics, Evolution & Diversity</i> 30: 95–102
86	Lam, K. & B. Morton (2008). Soft corals, sea fans, gorgonians (Octocorallia: Alcyonacea) and black and wire corals (Ceriantipatharia: Antipatharia) from submarine caves in Hong Kong with a checklist of local species and a description of a new species of <i>Paraminabea</i> . <i>Journal of Natural History</i> 42: 749–780.
87	Lau, Y.W., F.R. Stokvis, L.P. van Ofwegen & J.D. Reimer (2018). Stolonifera from shallow waters in the north-western Pacific: a description of a new genus and two new species within the Arulidae (Anthozoa, Octocorallia). <i>Zookeys</i> 790: 1–19.
88	Li, Y., Zhan, Z. & Xu, K. (2017). Morphology and molecular phylogeny of <i>Paragorgia rubra</i> sp. nov. (Cnidaria: Octocorallia), a new bubblegum coral species from a seamount in the tropical Western Pacific. <i>Journal of Oceanology and Limnology</i> 35: 803–814.
89	Loyjw, T., V. Viyakarn & S. Chavanich (2008). Diversity of gorgonians and influence of cutting on their growth in the upper Gulf of Thailand. Proceedings of the 11th International Coral Reef Symposium, Ft. Lauderdale, Florida, Session number 26, pp 1360–1362
90	Malyutin, A.N. (1990). Two new species of <i>Sinularia</i> (Octocorallia: Alcyonacea) from south Vietnam. <i>Asian Marine Biology</i> 7: 9–14.
91	Malyutin, A.N. (1993). On a new genus and species of nidaliid octocoral (Coelenterata: Octocorallia) from the South China Sea. <i>Beagle: Records of the Museums and Art Galleries of the Northern Territory</i> 10: 41–43.
92	Manuputty, A.E. (1986). Karang Lunak, Salah Satu Penyusun Terumbu Karang. <i>Oseana</i> , 11: 131–141.
93	Manuputty, A.E.W. (1992). The soft coral cover in the Seribu Islands. In: Chou LM, Wilkinson CR (eds) The third ASEAN Science and Technology Week Conference Proceedings, Vol. 6, Marine Science: Living Coastal Resources:87–94. Singapore.
94	Manuputty, A.E.W. (1996). Introduction to some soft corals (Octocorallia, Alcyonacea) in the field. <i>Oseana</i> 21:1–11
95	Manuputty, A.E.W. (2010). Sebaran karang lunak marga <i>Sinularia</i> May, 1898 (Octocorallia, Alcyonacea) di Pulau-pulau Derawan, Kalimantan Timur. <i>Oseanologi dan Limnologi di Indonesia</i> 36: 211–225.
96	Manuputty, A.E.W. (2016). The Common Soft Corals (Octocorallia: Alcyonacea) in East Biak Waters. <i>Oseanologi dan Limnologi di Indonesia</i> 1: 47–59.
97	Manuputty, A.E.W., van Ofwegen, L.P. (2007). The genus <i>Sinularia</i> (Octocorallia: Alcyonacea) from Ambon and Seram (Moluccas, Indonesia). <i>Zoologische Mededelingen</i> 81: 187–216.
98	Matsumoto, A.K. & van Ofwegen, L.P. (2015). Melithaeidae of Japan (Octocorallia, Alcyonacea) re-examined with descriptions of 11 new species. <i>Zookeys</i> 522: 1–127.
99	Matsumoto, A.K. & van Ofwegen, L.P. (2016). Species of <i>Elasmogorgia</i> and <i>Euplexaura</i> (Cnidaria, Octocorallia) from Japan with a discussion about the genus <i>Filigella</i> . <i>Zookeys</i> 589: 1–21
100	Matsumoto, A.K. & van Ofwegen, L.P. (2016). The genus <i>Bebyrce</i> (Cnidaria, Octocorallia, Plexauridae) at Japan, with descriptions of three new species. <i>Zookeys</i> 587: 1–20.
101	Matsumoto, A.K. (2005). Recent observations on the distribution of deep-sea coral communities on the Shiribeshi Seamount, Sea of Japan. <i>Cold-Water Corals and Ecosystems</i> 345–356
102	Matsumoto, A.K., Iwase, F., Imahara, Y. & Namikawa, H. (2007). Bathymetric distribution and biodiversity of cold-water octocorals (Coelenterata: Octocorallia) in Sagami Bay and adjacent waters of Japan. <i>Bulletin of Marine Science</i> 81: 231–251.
103	McFadden, C.S., Reynolds, A.M. & Janes, M.P. (2014). DNA barcoding of xeniid soft corals (Octocorallia: Alcyonacea: Xenidiidae) from Indonesia: species richness and phylogenetic relationships. <i>Syst Biodivers</i> 12:247–257
104	Miyazaki, Y. & Reimer, J.D. (2014). Morphological and genetic diversity of <i>Briareum</i> (Anthozoa: Octocorallia) from the Ryukyu Archipelago, Japan. <i>Zoological Science</i> 31: 692–702.

105	Miyazaki, Y. & Reimer, J.D. (2015). A new genus and species of octocoral with aragonite calcium-carbonate skeleton (Octocorallia, Helioporacea) from Okinawa, Japan. <i>Zookeys</i> 511: 1–23.
106	Miyazaki, Y., Santos, M.E.A., Kunihiro, S., Weinstein, D.K., Reimer, J.D. (2016). Rarity of <i>Nanipora kamurai</i> (Anthozoa: Octocorallia: Helioporacea) at its type locality. <i>Marine Biodiversity</i> 46: 917–921
107	Mohammad, M., Apandi, Z.N.I., Marican, H.A.W., Kamphol, N., Mubin, N.A.A.A., Salleh, S. & Ismail, M.N. (2016). The Identification of Octocorals from the Northern Region of Straits of Malacca. <i>Tropical Life Sciences Research</i> 27 :87–93.
108	Namin, K.S. & van Ofwegen, L.P. (2009). The second observation of a live <i>Trimuricea</i> species (Octocorallia: Plexauridae). <i>Coral Reefs</i> 28: 517–517.
109	Namin, K.S. & van Ofwegen, L.P. (2010). An overview of Bebryce (Cnidaria, Octocorallia, Plexauridae) species with tiny rosettes, with the description of a new species from the Gulf of Oman. <i>Zoosystema</i> 32: 479–493.
110	Namin, K.S., van Ofwegen, L.P. (2009). Some shallow water octocorals (Coelenterata: Anthozoa) of the Persian Gulf. <i>Zootaxa</i> 2058: 1–52.
111	Nonaka, M. & Muzik, K. (2016). The first records of two species of precious coral (Octocorallia: Coralliidae) from the Ryukyu Archipelago. <i>Fauna Ryukyuna</i> 29: 15–36.
112	Nonaka, M., K. Muzik & N. Iwasaki (2012). Descriptions of two new species and designation of three neotypes of Japanese Coralliidae from recently discovered specimens that were collected by Kishinouye, and the introduction of a statistical approach to sclerite abundance and size. <i>Zootaxa</i> 3428: 1–67.
113	Özalp, H.B. & A.S. Ateş (2015). New records of anthozoan species (Cnidaria, Octocorallia, Hexacorallia) for the Turkish Straits System. <i>Oceanological and Hydrobiological Studies</i> 44: 193–205.
114	Özalp, H.B. & A.S. Ateş (2015). The occurrence of the Mediterranean soft coral <i>Maasella edwardsi</i> (Cnidaria, Anthozoa, Alcyonacea) in the Aegean Sea coasts of Turkey. <i>Marine Biodiversity Records</i> 8: 1–5.
115	Panithanarak, T., S. Sieiwong, S. Putchaharn & S. Dheerakamporn (2013). Genetic diversity of soft corals of the family Alcyoniidae along Nang Rong Beach, Jorake Island and Juang Island, Amphur Sattahip, Chonburi Province, Thailand. <i>Galaxea</i> (Tokyo) 15: 182–188.
116	Park, J.M. & S.H. Huh (2018). Epibenthic invertebrate fauna in the southern coast of the East Sea, Korea. <i>Journal of Asia-Pacific Biodiversity</i> 11: 217–222.
117	Pasternak, F.A. (1970). Pennatularians (Octocorallia, Pennatularia) from the ultra-abysal depths of the Kurile-Kamchatka Trench. <i>Trudy Inst. Okeanol. Akad. Nauk SSSR</i> 86: 236–248.
118	Pasternak, F.A. (1960). The deep-sea Pennatularia from the Bering Sea and Kuril-Kamtschatka Trench. <i>Trudy Inst. Okeanol. Moskva</i> 34: 329–335.
119	Pasternak, F.A. (1961). Some new data on the specific composition and the distribution of deep-sea Pennatularia, genus <i>Kophobelemn</i> , in northern Pacific. <i>Trudy Inst. Okeanol. Moskva</i> 45: 240–258.
120	Pasternak, F.A. (1964). The deep-sea Pennatularians and Antipatharians obtained by R/S "Vitjaz" in the Indian Ocean and the resemblance between the fauna of the Pennatularians of the Indian Ocean and the Pacific. <i>Trudy Inst. Okeanol. Moskva</i> 69: 183–215.
121	Pe, M. (2004). National Report Of Myanmar on the Sustainable Management of The Bay of Bengal Large Marine Ecosystem (BOBLME), FAO, Rome
122	Plaza, P.U., R. Mehrotra, C.M. Scott & J.D. Reimer (2017). Rare zooxanthellate <i>Nanipora</i> octocoral (Helioporacea) in the Gulf of Thailand. <i>Marine Biodiversity</i> 48: 1961–1967.
123	Putra, S.A., A. Damar & A.M. Samosir (2014). Colonization of Coral Communities in the Krakatau Islands Strict Marine Nature Reserve, Indonesia. <i>Ilmu Kelautan</i> 19: 63–74.
124	Quader, O. (2010). Coastal and marine biodiversity of Bangladesh (Bay of Bengal). In Proceeding of International Conference on Environmental Aspects of Bangladesh (ICEAB10), Japan pp 83–86.
125	Qurban, M.A., P.K. Krishnakumar, T.V. Joydas, K.P. Manikandan, T.T.M. Ashraf, S.I. Quadri, M. Wafar, A. Qasem & S.D. Cairns (2014). In-situ observation of deep water corals in the northern Red Sea waters of Saudi Arabia. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> 89: 35–43.
126	Rajasuriya, A., H.U. Zahir, E.V. Muley, B.R. Subramanian, K. Venkataraman, M.V. Wafar, S.M. Khan & E.M. Whittingham (2002). Status of coral reefs in South Asia: Bangladesh, India, Maldives, Sri Lanka. <i>Proc 9th International Coral Reef Symposium</i> 2: 841–845.
127	Reimer, J.D., Y.W. Lau, W.H. Boo & K. Soong (2018). Living fossil <i>Nanipora</i> (Anthozoa: Octocorallia) as the dominant calcifying benthos in a seagrass meadow in the South China Sea. <i>Matters Select</i> 2018: 1–6.
128	Reinicke, G.B. & L.P. van Ofwegen (1999). Soft corals (Alcyonacea: Octocorallia) from shallow water in the Chagos Archipelago: species assemblages and their distribution. In: Sheppard CRC, Seaward MRD (eds) <i>Ecology of the Chagos archipelago</i> 2: 67–90.
129	Reinicke, G.B. (1997). Xenidae (Coelenterata: Octocorallia) of the Red Sea, with descriptions of six new species of Xenia. <i>Fauna of Saudi Arabia</i> 16: 5–62.
130	Rho, B.J. & J.I. Song (1976). A study on the classification of the Korean Anthozoa 1. Gorgonacea and Pennatulacea. <i>Journal of the Korean Research Institute for Better Living</i> 17: 71–92.
131	Rho, B.J. & J.I. Song (1977). A study on the classification of the Korean Anthozoa 3. Alcyonacea and Pennatulacea. <i>Journal of the Korean Research Institute for Better Living</i> 19: 81–100.
132	Rho, B.J., J.I. Song & J.W. Lee (1980). A systematic study on Octocorallia in Korea 4. Scleraxonia (Gorgonacea). <i>Journal of the Korean Research Institute for Better Living</i> 25: 45–64.
133	Samimi-Namin, K. & L.P. van Ofwegen (2016). A revision of <i>Trimuricea</i> Gordon, 1926 (Cnidaria: Octocorallia: Plexauridae) with the description of six new species. <i>Zootaxa</i> 4105: 1–44.
134	Samimi-Namin, K., L.P. van Ofwegen & C.S. McFadden (2016). A new species of Melithaea (Anthozoa, Octocorallia, Melithaeidae) from the Oman Sea, off Oman. <i>Zookeys</i> 623: 15–29.
135	Samimi-Namin, K., L.P. van Ofwegen, S.C. Wilson & M.R. Claereboudt (2011). The first in situ and shallow-water observation of the genus <i>Pseudothellogorgia</i> (Octocorallia: Keroeididae). <i>Zoological Studies</i> 50: 265.
136	Samimi-Namin, K., & L.P. van Ofwegen (2016). Overview of the genus <i>Briareum</i> (Cnidaria, Octocorallia, Briareidae) in the Indo-Pacific, with the description of a new species. <i>ZooKeys</i> 557: 1–44
137	Samimi-Namin, K. & L.P. van Ofwegen (2009). Some shallow water octocorals (Coelenterata: Anthozoa) of the Persian Gulf. <i>Zootaxa</i> 2058: 1–52.
138	Samimi-Namin, K. & L.P. van Ofwegen (2009). The Octocoral Fauna of the Gulf. In: Riegl B., Purkis S. (eds) <i>Coral Reefs of the Gulf. Coral Reefs of the World</i> , vol 3. Springer, Dordrecht
139	Samimi-Namin, K. & L.P. van Ofwegen (2010). An overview of Bebryce (Cnidaria, Octocorallia, Plexauridae) species with tiny rosettes, with the description of a new species from the Gulf of Oman. <i>Zoosystema</i> , 32 (3), 479–493.

140	Samimi Namin, K. & L.P. van Ofwegen (2009). The second observation of a live Trimuricea species (Octocorallia: Plexauridae). <i>Coral Reefs</i> 28(2): 517–517.
141	Satapoomin, U. & S. Sudara (1991). Preliminary survey of soft corals in the Gulf of Thailand. In Proceedings of the Regional Symposium on Living Resources in Coastal Areas, University of the Philippines, Manila, pp 27–31.
142	Schleyer, M.H. & Y. Benayahu (2010). Pre-and post-1998 ENSO records of shallow-water octocorals (Alcyonacea) in the Chagos Archipelago. <i>Marine Pollution Bulletin</i> 60: 2197–2200.
143	Seah, J.Z.S., N.W.L. Yap, L.T. Tan, & B.P.L. Goh (2015). Distribution and abundance of octocoral (Octocorallia, alcyonacea) communities at three Southern Islands of Singapore. <i>Ocean Science Journal</i> 50: 299–306.
144	Sezgin, M. & A. Yükses (2015). First record of Cavernularia pusilla (Anthozoa: Pennatulacea) from the Sea of Marmara, Turkey basin. <i>Marine Biodiversity Records</i> 8: 1–3.
145	Shoham, E. & Y. Benayahu (2017). Higher species richness of octocorals in the upper mesophotic zone in Eilat (Gulf of Aqaba) compared to shallower reef zones. <i>Coral Reefs</i> 36: 71–81.
146	Song, J.I. (1980). A Systematic Study on Octocorallia in Korea 5. Paramuriceidae (Holaxonia: Gorgonacea). <i>The Korean Journal of Zoology</i> 23: 25–40.
147	Song, J.I. (1981). A systematic study on Octocorallia in Korea 6. Holaxonia (Gorgonacea). <i>Korean Journal of Zoology</i> 24: 99–115.
148	Song, J.I. (2016). New Records of Cold-Water Corals from Korea. <i>Animal Systematics, Evolution and Diversity</i> 32: 197–206.
149	Topçu, E.N. & B. Öztürk (2013). Octocoral diversity of Balıkcı Island, the Marmara Sea. <i>Journal of the Black Sea / Mediterranean Environment</i> 19: 46–57.
150	Topçu, E.N. & B. Öztürk (2015). Composition and abundance of octocorals in the Sea of Marmara, where the Mediterranean meets the Black Sea. <i>Scientia Marina</i> 79: 125–135.
151	Tu, T.H., Dai, C.F. & M.S. Jeng (2012). Precious corals (Octocorallia: Coralliidae) from the northern West Pacific region with descriptions of two New Species. <i>Zootaxa</i> 3395: 1–17.
152	van Ofwegen, L.P. & B.W. Hoeksema (2001). <i>Astragorgia bayeri</i> , a new gorgonian octocoral species from South Sulawesi (Coelenterata: Octocorallia: Plexauridae). <i>Bulletin of the Biological Society of Washington</i> 10: 66–70.
153	van Ofwegen, L. P. (1990). Notes on the Keroeidae (Anthozoa: Gorgonacea) collected in 1963 and 1964 by the International Indian Ocean Expedition of the R/V 'Anton Bruun', in the Indian Ocean, with the description of a new species, <i>Lignella hartogi</i> . <i>Zoologische Mededelingen</i> , 63(13): 163–168.
154	van Ofwegen, L.P. & J. Vennam. (1994). Results of the Rumphius Biohistorical Expedition to Ambon (1990). Part 3. The Alcyoniidae (Octocorallia: Alcyonacea). <i>Zoologische Mededelingen</i> 68(14): 135–158.
155	van Ofwegen, L.P. & P. Alderslade (2007). A new species of <i>Alertigorgia</i> (Coelenterata: Octocorallia: Anthothelidae) from the Indo Malayan region. <i>Zoologische Mededelingen</i> 81: 241–249.
156	van Ofwegen, L.P. & Y. Benayahu (2012). Two New Species and a New Record of the Genus <i>Sinularia</i> (Octocorallia: Alcyonacea) from the Penghu Archipelago, Taiwan. <i>Zoological Studies</i> 51: 383–398.
157	van Ofwegen, L.P. (1987). Melithaeidae (Coelenterata, Anthozoa) from the Indian Ocean and the Malay Archipelago. <i>Zoologische Verhandelingen</i> 239: 1–57.
158	van Ofwegen, L.P. (1999). <i>Lobophytum jasparsi</i> spec. nov. from Indonesia (Coelenterata: Octocorallia: Alcyonacea). <i>Zoologische Mededelingen</i> 73: 177–185.
159	van Ofwegen, L.P. (2005). A new genus of nephtheid soft corals (Octocorallia: Alcyonacea: Nephtheidae) from the Indo-Pacific. <i>Zoologische Mededelingen</i> 79: 1–236.
160	van Ofwegen, L.P. (2008). The genus <i>Sinularia</i> (Octocorallia: Alcyonacea) at Palau, Micronesia. <i>Zoologische Mededelingen</i> 82: 631–735.
161	van Ofwegen, L.P. (2016). The genus <i>Litophyton</i> Forskål, 1775 (Octocorallia, Alcyonacea, Nephtheidae) in the Red Sea and the western Indian Ocean. <i>ZooKeys</i> 567: 1–128.
162	van Ofwegen, L.P., N.K. Goh & L.M. Chou (2000). The Melithaeidae (Coelenterata: Octocorallia) of Singapore. <i>Zoologische Mededelingen</i> 73: 285–304.
163	van Ofwegen, L.P., C.S. McFadden & Y. Benayahu (2016). <i>Sinularia polydactyla</i> (Ehrenberg, 1834) (Cnidaria, Octocorallia) re-examined, with the description of a new species. <i>Zookeys</i> 581: 71–126.
164	van Ofwegen, L.P., Y. Benayahu & C.S. McFadden (2013). <i>Sinularia leptoclados</i> (Ehrenberg, 1834) (Cnidaria, Octocorallia) re-examined. <i>Zookeys</i> 272: 29–59.
165	Verseveldt, J. & Y. Benayahu (1978). Descriptions of one old and five new species of Alcyonacea (Coelenterata: Octocorallia) from the Red Sea. <i>Zoologische Mededelingen</i> 53: 57–74.
166	Verseveldt, J. & Y. Benayahu (1983). On two old and fourteen new species of Alcyonacea (Coelenterata, Octocorallia) from the Red Sea. <i>Zoologische Verhandelingen</i> 208: 1–33.
167	Verseveldt, J. (1980). A revision of the genus <i>Sinularia</i> May (Octocorallia: Alcyonacea). <i>Zoologische Verhandelingen Leiden</i> 179: 1–128.
168	Verseveldt, J. (1982). A revision of the genus <i>Sarcophyton</i> Lesson (Octocorallia, Alcyonacea). <i>Zoologische Verhandelingen Leiden</i> 192: 1–91.
169	Verseveldt, J. (1982). New species of Alcyonacea (Octocorallia) from the Great Barrier Reef, South East Asia, and the Red Sea. <i>Zoologische Mededelingen</i> 56: 143–151.
170	Verseveldt, J. (1983). A revision of the genus <i>Lobophytum</i> von Marenzeller (Octocorallia: Alcyonacea). <i>Zoologische Verhandelingen Leiden</i> 200: 1–103.
171	Williams, G.C. & A.K. Matsumoto (2015). A review of the pennatulacean Genus <i>Stylatula</i> , with the description of a new species from Japan (Cnidaria: Octocorallia). <i>Proceedings of the California Academy of Sciences</i> 62(8): 257–266.
172	Williams, G.C. & J. Chen (2014). Illustrated key to the shallow-water gorgonians and pennatulaceans of the Verde Island Passage, northern Philippines, including synopses of the taxa and a glossary of terms (Cnidaria: Anthozoa: Octocorallia). In Williams GC, Gosliner TM (eds), <i>The coral triangle—the Hearst Philippine Biodiversity Expedition 2011</i> . San Francisco: California Academy of Sciences, pp 67–128.
173	Williams, G.C. (1992). Revision of the soft coral genus <i>Minabea</i> (Octocorallia: Alcyoniidae) with new taxa from the Indo-West Pacific. <i>Proceedings of the California Academy of Sciences</i> 48 (1): 1–26.
174	Williams, G.C. (2003). Capitate taxa of the soft coral genus <i>Eleutherobia</i> (Octocorallia: Alcyoniidae) from Palau and South Africa; a new species and a new combination. <i>Zoologische Verhandelingen</i> 345: 419–436.
175	Yeung, C.W., C.C. Cheang, M.W. Lee, H.L. Fung, W.K. Chow & J.P. Ang (2014). Environmental variabilities and the distribution of octocorals and black corals in Hong Kong. <i>Marine Pollution Bulletin</i> 85(2): 74–782.

176	Zou, R. & Y. Chen (1984). Study on the shallow-water Gorgonacea from the coast of Guangdong. <i>Nanhai Studia Marina Sinica</i> 5: 67–74.
177	Zou, R.L. & P.J.B. Scott (1982). The Gorgonacea of Hong Kong. In Proceedings, 1st International Marine Biology Workshop: The marine flora and fauna of Hong Kong and southern China, Hong Kong. Hong Kong University Press, Hong Kong 135–159pp.
	List of relevant Indian publications on octocorals (1978–2018).
1	Alderslade, P. & P. Shirwaiker (1991). New species of soft corals (Coelenterata: Octocorallia) from the Laccadive Archipelago. <i>Beagle: Records of the Museums and Art Galleries of the Northern Territory</i> 8:189–233.
2	Bhagirathan, U., S.K. Panda, V.R. Madhu & B. Meenakumari (2008). Occurrence of live Octocorals in the Trawling Grounds of Veraval Coast of Gujarat, Arabian Sea. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> 8:369–372.
3	Dhivya, P., V. Sachithanandam, P.M. Mohan (2012). New record of <i>Carijoa riisei</i> at Wandoor–Mahatma Gandhi Marine National Park [MGMNP], Andaman and Nicobar Islands, India. <i>Indian Journal of Geo-Marine Sciences</i> 41: 212–214.
4	George, A.M. (2008). Abundance and community structure of reef building corals in Lakshadweep Islands, India. <i>Atoll Research Bulletin</i> 563:1–14
5	George, R.M., N.K. Sanil & T.S. Naomi (2007). A qualitative appraisal of the soft corals (Octocorallia: Alcyonacea) off Mandapam, South India. <i>Indian Journal of Fisheries</i> 54: 99–106.
6	Jayasree, V., K.L. Bhat & A.H. Parulekar (1994). <i>Sarcophyton andamanensis</i> , a new species of soft coral from Andaman Islands. <i>Journal of the Andaman Science Association</i> 10: 107–111.
7	Jayasree, V., K.L. Bhatt & K.H. Parulekar (1996). Occurrence and distribution of soft corals (Octocorallia:Alcyonacea) from the Andaman and Nicobar Islands. <i>Journal of the Bombay Natural History Society</i> 93: 202–209.
8	Jayasree, V. & A.H. Parulekar (1997). The ecology and distribution of Alcyonaceans at Mandapam (Palk Bay, Gulf of Mannar), South India. <i>Journal of the Bombay Natural History Society</i> 94: 521–524.
9	Kumar, J.S.Y., S. Geetha, V. Raghunathan & R. Sornaraj (2018). A note on shallow water octocorallia from Nicobar Islands, India. <i>Indian Journal of Geo-Marine Sciences</i> 47: 60–66.
10	Kumar, J.S.Y., S. Geetha, C. Raghunathan & R. Sornaraj (2018). Diversity and distribution of gorgonians (Octocorallia) in the Long Island and it's adjacent areas in Middle Andaman, India. <i>Indian Journal of Geo-Marine Sciences</i> 47: 96–102
11	Mary A.G. & S. Lazarus (2004). Gorgonids off the southwest Coast of India. <i>Journal of the Marine Biological Association of India</i> 46: 32–43.
12	Mary, A.G. & R.D. Sluka (2014). Biodiversity and distribution of octocorals of Minicoy atoll, Lakshadweep. <i>Atoll Research Bulletin</i> 6: 1–17.
13	Mary, A.G., R.D. Sluka & S. Lazarus (2011). Octocoral diversity and distribution on the south–west Indian coast. <i>Marine Biodiversity Records</i> 4: 1–11.
14	Rajendra, S., C. Raghunathan & K. Chandra (2017). New record of <i>Sarcophyton cornispiculatum</i> Verseveldt, 1971 (Octocorallia: Alcyonacea: Alcyoniidae) in India, from the Andaman Islands. <i>European Journal of Zoological Research</i> 84: 167–171.
15	Rajendra, S. C. Raghunathan & T. Mondal (2017). New distribution records of three <i>Sarcophyton</i> species (Alcyonacea: Alcyoniidae) in Indian waters from Andaman Islands. <i>Journal of Threatened Taxa</i> 9: 10426–10432.
16	Rajendra, S., C. Raghunathan, T. Mondal & K. Venkataraman (2017). First report of soft coral <i>Sarcophyton birkelandi</i> Verseveldt, 1978 (Anthozoa: Alcyonacea) in Indian waters from Andaman Islands. <i>Journal of Threatened Taxa</i> 9: 10577–10580.
17	Rajesh, S., K.D. Raj, G. Mathews, T. Sivaramkrishnan & J.K. Edward (2014). Status of Alcyonacean corals along Tuticorin coast of Gulf of Mannar, Southeastern India. <i>Indian Journal of Geo-Marine Sciences</i> 43: 666–675.
18	Thomas, P.A. & R.M. George (1987). On five species of commercially important gorgonids new to Indian seas. <i>Indian Journal of Fisheries</i> 34: 20–27.
19	Thomas, P.A., R.M. George & S. Lazarus (1995). Distribution of gorgonids in the northeast coast of India with particular reference to <i>Heterogorgia flabellum</i> (Pallas). <i>Journal of the Marine Biological Association of India</i> 37: 134–142.
20	Thomas, P.A., R.M. George, P.E.S. Manickam (1998). Deep water Gorgonids collected aboard FORV SAGAR SAMPADA from the Southwest coast of India. <i>Journal of the Marine Biological Association of India</i> 40: 158–165.
21	Thomas, P.A. & R.M. George (1986). A systematic appraisal of the commercially important gorgonids of the Indian seas. <i>Journal of the Marine Biological Association of India</i> 28: 96–112.
22	Tudu, P.C., D. Ray & A. Mohapatra (2018). A Checklist of Indian Sea pen (Cnidaria: Anthozoa: Pennatulacea). <i>Indian Journal of Geo-Marine Sciences</i> 47: 1014–1017.
23	van Ofwegen L.P. & J. Vennam (1991). Notes on Octocorallia from the laccadives (SW India). <i>Zoologische Mededelingen Leiden</i> 65: 143–154.
24	Veena, S. & P. Kaladharan (2012). First record of <i>Cavernulina orientalis</i> (Thomson & Simpson, 1909) (Octocorallia: Pennatulacea: Veretillidae) from the Bay coast of Visakhapatnam, Andhra Pradesh. <i>Zootaxa</i> , 3204: 61–64.
25	Veena, S. & P. Kaladharan (2013). <i>Cavernularia obesa</i> from the bay coast of Visakhapatnam, Andhra Pradesh, India. <i>Marine Biodiversity Records</i> 6: e54.
26	Vennam, J. & L.P. van Ofwegen (1996). Soft corals (Coelenterata: Octocorallia: Alcyonacea) from the Laccadives (SW India), with a re–examination of <i>Sinularia gravis</i> Tixier–Durivault, 1970. <i>Zoologische Mededelingen, Leiden</i> 70:437–452
27	Vibha, V.U., P.M. Mohan, M. Muruganantham & P. Nagarjuna (2015). New record of <i>Cladiella pachyclados</i> (Klunzinger, 1877) at Port Blair, South Andaman, Andaman and Nicobar Islands, India. <i>Indian Journal of Geo-Marine Sciences</i> 44: 1787–1789.
28	Williams, G.C. & J.S. Vennam (2001). A revision of the Indo–West Pacific taxa of the gorgonian genus <i>Pseudopterogorgia</i> (Octocorallia: Gorgoniidae), with the description of a new species from western India. <i>Bulletin of the Biological Society of Washington</i> 10: 71–95.

Appendix 2.

	List of octocoral publications from India
1	Kumaraguru, A.K., V.E. Joseph, M. Rajee & T. Blasubramanian (2008). Palk Bay–Information and Bibliography, CAS in Marine Biology, Annamalai University, Parangipettai and Centre for Marine and Coastal Studies, Madurai Kamaraj University, Madurai, 227pp.
2	Alderslade, P. & P. Shirwaiker (1991). New species of soft corals (Coelenterata: Octocorallia) from the Laccadive Archipelago. <i>Beagle: Records of the Museums and Art Galleries of the Northern Territory</i> 8: 189–233.
3	Anjaneyulu ASR, Gowri PM, Murthy MVRK (1999). New sesquiterpenoids from the soft coral <i>Sinularia intacta</i> of the Indian Ocean. <i>Journal of Natural Products</i> 62: 1600–1604.
4	Anjaneyulu, A.S., V.L. Rao, V.G. Sastry & D.V. Rao (2008). Trocheliophorin: A novel rearranged sesquiterpenoid from the Indian Ocean soft coral <i>Sarcophyton trocheliophorum</i> . <i>Journal of Asian Natural Products Research</i> 10: 597–601.
5	Anjaneyulu, A.S.R. & K.V.S. Raju (1995). Bioactive compounds of a new soft coral of the genus <i>Sinularia</i> of the Mandapam Coast. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 34: 463–465.
6	Anjaneyulu, A.S.R. & K.V.S. Raju (1995). Secondary metabolites of a new soft coral of the genus <i>Sinularia</i> of the Mandapam coast. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 34: 463–465.
7	Anjaneyulu, A.S.R. & C.V.S. Prakash (1994). Long chain Gamma-Lactone and Cyclopentanone derivatives from a sea pen of <i>Virgularia</i> genus of Indian Coast. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 33: 55–58.
8	Anjaneyulu, A.S.R. & C.V.S. Prakash (1995). New sesqui and diterpenoids from the soft coral <i>Nephthea chabroli</i> of Indian coast. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 34: 32–39.
9	Anjaneyulu, A.S.R. & M.V.R.K. Murthy (2000). Two new terpenoid derivatives from a new soft coral species of <i>Nephthea</i> genus of the Indian Ocean. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 39: 42–56.
10	Anjaneyulu, A.S.R. & N.S.K. Rao (1996). Four new lobane diterpenoids from the soft coral <i>Lobophytum microlobulatum</i> of the Havelock island of the Andaman and Nicobar group of Islands. <i>Indian Journal of Chemistry</i> 35B: 1294–1303.
11	Anjaneyulu, A.S.R., K.S. Sagar & G.V. Rao (1997). New Cembranoid lactones from the Indian Ocean soft coral <i>Sinularia flexibilis</i> . <i>Journal of Natural Products</i> 60: 9–12.
12	Anjaneyulu, A.S.R., C.V.S. Prakash, U.V. Mallavadhani & K.V.S. Raju (1992). Two new Sterols from a sea pen of <i>Virgularia</i> species of Indian Coast. <i>Journal of the Indian Chemical Society</i> 69: 150–152.
13	Anjaneyulu, A.S.R., P.M. Gowri & M.V.R.K. Murthy (1998). Dehydrosarcophytin, a new diterpenoid from the soft coral <i>Sarcophyton elegans</i> of the Indian Ocean. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 38: 357–360.
14	Anjaneyulu, V. & P. Radhika (1999). Two new sphingosine derivatives from <i>Sinularia crassa</i> Tixier–Durivault of the Andaman and Nicobar Islands. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 38: 457–460.
15	Arthur, R. (2000). Coral bleaching and mortality in three Indian reef regions during an El Niño southern oscillation event. <i>Current Science</i> 79: 1723–1729.
16	Bhagirathan, U., S.K. Panda, V.R. Madhu & B. Meenakumari (2008). Occurrence of live Octocorals in the Trawling Grounds of Veraval Coast of Gujarat, Arabian Sea. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> 8: 369–372.
17	Bhagirathan, U., S.K. Panda, B. Meenakumari, V.R. Madhu & D.T. Vaghela (2012). Effects of bottom trawling on the ecological integrity of macrobenthos off Veraval, Gujarat. <i>Journal of the Marine Biological Association of India</i> 54: 5–12.
18	Bhosale, S.H., V.L. Nagle & T.G. Jagtap (2002). Antifouling potential of some marine organisms from India against species of <i>Bacillus</i> and <i>Pseudomonas</i> . <i>Marine biotechnology</i> 4(2): 111–118.
19	Central Marine Fisheries Research Institute (1995). Research Highlights 1994–'95. Director (eds.). CMFRI, Kochi, 24pp.
20	Chandra, K. B., V.U. Rao, S. Pattnaik & Busi, S. (2016). Antimicrobial Activity Screening of Marine Bacteria Isolated from the Machilipatnam Sea Coast of Andhra Pradesh, India. <i>Journal of Applied Biology & Biotechnology</i> Vol 4(3): 15–19.
21	Chandran, R., J.S. Yogeshkumar, G. Arun, K. Ramkumaran, C. Satyanarayana & K. Venkataraman (2015). Re-colonizing soft corals on the degraded coral reefs of Gulf of Kachchh Marine National Park in India—A positive sign of resilience and recovery. <i>International Journal of Recent Research in Life Sciences</i> 2: 64–69.
22	Chellaram, C., T.P. Anand, D. Kesavan, G. Priya & C. Gladis (2011). Enhanced cultivability of antagonistic bacterial strains from soft coral <i>Sinularia</i> sp., Gulf of Mannar, Southeastern India. <i>African Journal of Microbiology Research</i> 5: 1521–1526.
23	Database on Gulf of Mannar (2015). ENVIS Centre Department of Environment, Government of Tamil Nadu, Chennai, 74pp.
24	Datta, P.K., A.K. Ray, A.K. Barua, S.K. Chowdhuri & A. Patra (1990). Isolation of a bioactive sterol from a sea pen, <i>Pteroeides esperi</i> . <i>Journal of Natural Products</i> 53: 1347–134.
25	Devaraj, M.V.S.R., V.S. Murthy, R. Sathiadhas & K.K. Joshi (1998). The new economic policy and perspective for marine fisheries research and development in India. <i>Fishing chimes</i> 18: 18–29.
26	Devi, P., J. Vennam, C.G. Naik, P.S. Parameshwaran, T.V. Raveendran & K.S. Yeshwant (1998). Antifouling activity of Indian marine invertebrates against the green mussel <i>Perna viridis</i> L. <i>Journal of Marine Biotechnology</i> 6: 229–232.
27	Devi, P., V. Jayasree & C.G. Naik (2004). Effect of soft coral extracts on isolated tissues, pp 41–45. In: Abidi, S.A.H., M. Ravindran, R. Venkatesan & Vijayakumaran (eds.). <i>Proceedings of the National Seminar on New Frontiers in Marine Bioscience Research</i> .
28	Dhivya, P., V. Sachithanandam, P.M. Mohan (2012). New record of <i>Carijoa riisei</i> at Wandoor–Mahatma Gandhi Marine National Park [MGMNP], Andaman and Nicobar Islands, India. <i>Indian Journal of Geo-Marine Sciences</i> 41: 212–214.
29	Dinamani, P. (1965). On a collection of <i>Umbellula</i> from the Arabian Sea. <i>Nytt Magasin for Zoologi</i> 12: 30–34.
30	Dmitrenok, A.S., P. Radhika, V. Anjaneyulu, C. Subrahmanyam, P.S. Rao, P.S. Dmitrenok & V.M. Boguslavsky (2003). New lipids from the soft corals of the Andaman Islands. <i>Russian Chemical Bulletin</i> 52: 1868–1872.
31	Fernando, S.A., K. Venkataraman & C. Raghunathan (2017). Gorgonians of Indian sea. Zoological Survey of India, Kolkata, 330pp.
32	Fernando, S.A. (2011). <i>Monograph on Gorgonids (Sea fans) of India</i> . Centre of Advanced Study in Marine Biology, Faculty of Marine Sciences, Parangipettai, 145pp.
33	Fowler, G.H. (1894). On two sea-pens of the family Veretillidae from Madras museum. <i>Proceedings of the Zoological Society of London</i> 1894: 376–379.

34	Gaonkar, C.A, S.S. Sawant, A.C. Anil, K. Venkat & S.N. Harkantra (2010). Changes in the occurrence of hard substratum fauna: A case study from Mumbai harbour, India. <i>Indian Journal of Marine Sciences</i> 39: 74–84.
35	Geetha, S., J.S.Y. Kumar, C. Raghunathan & R. Sornaraj (2014). Status of Gorgoniidae (Octocorallia) from the Gulf of Mannar Biosphere Reserve, Tamil Nadu, South India. <i>American Journal of Pharmacy and Health Research</i> 2: 2321–3647.
36	Geetha, S., J.S.Y. Kumar, C. Raghunathan & R. Sornaraj (2018). Space competition studies between <i>Briareum violaceum</i> (Octocorallia; Alcyonacea) and scleractinian corals in Shark Island, north Andaman, India. <i>Indian Journal of Geo-Marine Sciences</i> 47: 2390–2394.
37	George, A.M. (2008). Abundance and community structure of reef building corals in Lakshadweep Islands, India. <i>Atoll Research Bulletin</i> 563: 1–14
38	George, R.M., T.S. Naomi, M.K. Manisseri, N.K. Sanil, K.K. Joshi, K. Vinod, M. Varghese, S. Sukumaran & V.J. Thomas (2012). Soft Corals and Seafans of India. CMFRI (Poster).
39	George, R.M., N.K. Sanil & T.S. Naomi (2007). A qualitative appraisal of the soft corals (Octocorallia: Alcyonacea) off Mandapam, South India. <i>Indian Journal of Fisheries</i> 54: 99–106.
40	Gnanambal, M.E.K, C. Chellaram & J.K.P. Edward (2005). Isolation of antagonistic marine bacteria from the surface of the gorgonian corals at Tuticorin, southeast coast of India. <i>Indian Journal of Marine Sciences</i> 34: 316–319
41	Gopakumar, G. (2008). Resource analysis, trade potential and conservation management of marine ornamentals of India, pp 65–79. In: Kurup, B.M., M.R. Boopendranath, K. Ravindran, S. Banu & A.G. Nair (eds.). <i>Ornamental Fish – Breeding, Farming and Trade</i> . Department of Fisheries, Government of Kerala.
42	Goswami, A., S. Saha, S. Mukhopadhyay & S. C. Pakrashi (1995). Marine products from Bay of Bengal–Part–III*: Sterol composition of four molluscs and a sea pen. <i>Indian Journal of Marine Sciences</i> 24: 238–239.
43	Gravely, F.H. (1927). The littoral fauna of Krusadai Island in the Gulf of Manaar. Bulletin of the Madras Government Museum 1: 25–30.
44	Hamid, A. 1931. On <i>Virgularia gracillima</i> (Kölliker) from the Chilka Lake. Zoological Records Indian Museum Calcutta 33: 483–487.
45	Hickson, S.J. (1903). The alcyonaria of the Maldives. Part I. The genera <i>Xenia</i> , <i>Telesto</i> , <i>Spongodes</i> , <i>Nephthya</i> , <i>Paraspongodes</i> , <i>Chironephthya</i> , <i>Siphonogorgia</i> , <i>Solenocaulon</i> , and <i>Melitodes</i> , pp. 473–502. In: Gardiner, J.S. (ed.). <i>The Fauna and Geography of the Maldivian and Laccadive Archipelagoes. Being the account of the work carried on and of the collections made by an expedition during the years 1899 and 1900</i> . Cambridge University Press, London.
46	Hickson, S.J. (1905). The Alcyonaria of the Maldives. Part III. The Families Muricidae, Gorgonellidae, Melitodidae and the Genera <i>Pennatulula</i> and <i>Eunephthya</i> , pp 807–826. In: Gardiner, J.S. (ed.). <i>The Fauna and Geography of the Maldivian and Laccadive Archipelagoes. Being the Account of the Work carried on and of the Collections made by an Expedition during the years 1899 and 1900</i> . Cambridge University Press, London.
47	Jagadis, I., N.G. Menon & A. Shanmugavel (2004). Observations on the effect of bottom trawling on dislocation of non-edible biota in the Palk Bay and Gulf of Mannar, South East Coast of India, pp. 607–624. In: Somvanshi (ed.). <i>Large marine ecosystem: Exploration and exploitation for sustainable development and conservation of fish stocks</i> . Fishery Survey of India.
48	Jagtap, T.G. (1987). Distribution of algae, seagrasses and coral communities from Lakshadweep Islands, eastern Arabian Sea. <i>Indian Journal of Marine Sciences</i> 16: 256–260.
49	Jayasree, V & A.H. Parulekar (1997). The ecology and distribution of Alcyonaceans at Mandapam (Palk Bay, Gulf of Mannar), South India. <i>Journal of the Bombay Natural History Society</i> 94: 521–524.
50	Jayasree, V., K.L. Bhat & A.H. Parulekar (1994). <i>Sarcophyton andamanensis</i> , a new species of soft coral from Andaman Islands. <i>Journal of the Andaman Science Association</i> 10: 107–111.
51	Jayasree, V., K.L. Bhatt & K.H. Parulekar (1996). Occurrence and distribution of soft corals (Octocorallia:Alcyonacea) from the Andaman and Nicobar Islands. <i>Journal of the Bombay Natural History Society</i> 93: 202–209.
52	Jha, D.K., N.V. Vinithkumar, N. Marimuthu, B. Baskar, B.K. Sahu, A.K. Das & R. Kirubakaran (2013). Field and GIS based post–tsunami assessment of Scleractinian coral cover in the Aerial Bay group of Islands, North Andaman, India. <i>Journal of Coastal Conservation</i> 17: 671–677
53	Jones, S. (1959). Notes on animal associations 1. A porcellanid crab on the sea pen, <i>Pteroeides esperi</i> Herklots. <i>Journal of the Marine Biological Association of India</i> 1: 178–179.
54	Joshi, K.K., M.S. Varsha & V.L. Sruthy (2015). Marine Biodiversity of India–Status and Challenges, pp 9–12. In: <i>Summer school on recent advances in marine biodiversity conservation and management</i> . Central Marine Fisheries Research Institute, Kochi.
55	Kobayashi, M. K. Kobayashi, R. Ramana, C. Rao, D. Rao, C.B. Rao (1991). Marine Sterols. Part 20. Polyhydroxy Sterols of the soft corals of the Andaman and Nicobar Coasts. Part 4. Andamansterol (I) and Nicobarsterol (II), Novel Sterols with 3, 9, 11, 21-Tetrahydroxylated, and 11, 21-Epoxy-9, 11-secosteroid Skeletons, from a <i>Sclerophytum</i> sp. of Soft Coral. X-Ray Molecular Structure of Andamansterol. <i>Journal of the Chemical Society, Perkin Transactions</i> 1: 493–497.
56	Kobayashi, M., F. Kanda, C.V.L. Rao, S.M.D. Kumar, G. Trimurtulu & C.B. Rao (1990). Polyhydroxysterols of the soft corals of the Andaman and Nicobar coasts. <i>Chemical and Pharmaceutical Bulletin</i> 38: 1724–1726.
57	Kobayashi, M., F. Kanda, C.V.L. Rao, S.M.D. Kumar, D.V. Rao & C.B.S. Rao (1991). Marine sterols–Polyhydroxysterols of the soft corals of Andaman and Nicobar coasts. Part –3. Isolation and structures of five new c–28 polyhydroxysterols from two soft corals of <i>Sclerophytum</i> spp. <i>Chemical and Pharmaceutical Bulletin</i> 39: 297–300.
58	Kobayashi, M., F. Kanda, D.S. Rao, D.V. Rao & C.B.S. Rao (1990). Marine sterols – Polyhydroxy sterols of the soft corals of Andaman & Nicobar coasts. Part –2. Isolation and structures of three 16–glycosides from an <i>Alcyonarian</i> sp. Soft Coral. <i>Chemical and Pharmaceutical Bulletin</i> 38: 2400–2403.
59	Kumar J.S.Y. & C. Raghunathan (2015). Check list of Indian gorgonians with a new report of <i>Melithaea variabilis</i> (Family : Melithaeidae) from Andaman and Nicobar Island, India. <i>Scholars Academic Journal of Biosciences</i> 3: 804-813.
60	Kumar J.S.Y., C. Raghunathan & K. Venkataraman (2012). Studies on new findings of Gorgoniidae from Ritchie's Archipelago Andaman and Nicobar Islands. <i>International Journal of Science and Nature</i> 3: 395–405.
61	Kumar J.S.Y., C. Raghunathan & K. Venkataraman (2014). New Records of Octocorallia (Order: Pennatulacea) from Indian Waters. <i>International Journal of Applied Biology and Pharmaceutical Technology</i> 5: 52–56.
62	Kumar J.S.Y., C. Raghunathan & K. Venkataraman (2015). A report on some symbiotic shrimps (Crustacea: Decapoda) from the Andaman and Nicobar Islands, India. <i>Scholars Academic Journal of Biosciences</i> 3: 113–119.
63	Kumar J.S.Y., C. Raghunathan & K. Venkataraman (2015). Octocorals in the Andaman and Nicobar Archipelago, India, pp 15–33. In: Venkataraman, K. & S. Sivaperuman (eds.). <i>Marine faunal diversity in India: taxonomy, ecology and conservation</i> . London Academic Press, London.
64	Kumar J.S.Y., C. Raghunathan, R. Raghuraman, C.R. Sreeraj & K. Venkataraman (2014). Handbook on Gorgonians (Octocorallia) of Andaman and Nicobar Islands. Director, Zoological Survey of India, Kolkata. 119pp.
65	Kumar J.S.Y., C. Raghunathan, S. Geetha & K. Venkataraman (2014). New species of soft corals (Octocorallia: Alcyonacea) on the coral reef of Andaman and Nicobar Islands. <i>International Journal of Integrative Sciences, Innovation and Technology</i> . 3: 8–11.

66	Kumar, A., J.K. Jakhar & H. Vardia (2014). Bycatch Analysis of trammel net along Thoothukudi (Tuticorin) Coast, India. <i>The Ecoscan</i> 8: 339–343.
67	Kumar, J.S.Y., S. Geetha & R. Sornaraj (2016). Studies on the shallow water octocorals from the coast of Gulf of Mannar, India. <i>Scholars Academic Journal of Bioscience</i> 4: 1045–1053.
68	Kumar, J.S.Y., S. Geetha, C. Raghunathan & R. Sornaraj (2018). Diversity and distribution of gorgonians (Octocorallia) in the Long Island and its adjacent areas in Middle Andaman, India. <i>Indian Journal of Geo-Marine Sciences</i> 47: 96–102.
69	Kumar, J.S.Y., S. Geetha, C. Satyanarayana, K. Venkataraman & R.D. Kamboj (2014). New species of soft corals (Octocorallia) on the reef of Marine National Park, Gulf of Kachchh. <i>Journal of Pharmaceutical and Biological Research</i> 2: 50–55.
70	Kumar, J.S.Y., S. Geetha, V. Raghunathan & R. Sornaraj (2018). A note on shallow water octocorallia from Nicobar Islands, India. <i>Indian Journal of Geo-Marine Sciences</i> 47: 60–66.
71	Kumaraguru, A.K. (2000). Studies on socioeconomics of coral reef resource users in the Gulf of Mannar coast, South India. Madurai, India: Centre for Marine and Coastal studies School of Energy, Environment and Natural Resources Madurai Kamaraj University, p.163.
72	Kumaraguru, A.K. (2002). Biofouling and antifouling organisms in the Gulf of Mannar. Report submitted to Department of Ocean Development, OSTC (Annamalai), Government of India.
73	Manzo, E., M.L. Ciavatta, M. Gavagnin, G. Villani, C. Quaranta, L. D'Souza & G. Cimino (2009). A new xenicane norditerpene from the Indian marine gorgonian <i>Acanthogorgia turgida</i> . <i>Natural Product Research</i> 23: 1664–1670.
74	Manzo, E., M.L. Ciavatta, M.P.L. Gresa, M. Gavagnin, G. Villani, C. G. Naik & G. Cimino (2007). New bioactive hydrogenated linderazulene–derivatives from the gorgonian <i>Echinogorgia complexa</i> . <i>Tetrahedron Letters</i> 48: 2569–2571.
75	Mary A.G. & S. Lazarus (2004). Gorgonids off the southwest Coast of India. <i>Journal of the Marine Biological Association of India</i> 46: 32–43.
76	Mary A.G., S. Lazarus & S.G.P. Vincent (1998). Marine organisms containing bio-active compounds—a check list. Proceedings of the First National Seminar on Trends in Marine Biotechnology, Manonmaniam Sundaranar University, India, ICAS 2. pp. 11–27.
77	Mary, A., V. Mary, R. Sarojini & R. Nagabhushanam (1994). Broad spectrum natural products from the Indian Ocean octocoral <i>Euplexaura nuttingi</i> ; pp 241–249. In: Thompson M.F., R. Nagabhushanam, R. Sarojini & M. Fingerman (eds.). <i>Recent Developments in Biofouling control</i> . Oxford and IBH, New Delhi, India.
78	Mary, A.G. & R.D. Sluka (2014). Biodiversity and distribution of octocorals of Minicoy atoll, Lakshadweep. <i>Atoll Research Bulletin</i> 6: 1–17.
79	Mary, A.G., R.D. Sluka & S. Lazarus (2011). Octocoral diversity and distribution on the south–west Indian coast. <i>Marine Biodiversity Records</i> 4: 1–11.
80	Menon, N.G., K. Balachandran & P.T. Mani (2006). Impact of coastal bottom trawling on target and non–target resources along the south west coast of India. <i>Marine Fisheries Information Service, Technical and Extension Series</i> 187: 7–13.
81	Mishra, P.M., S. Baliarsingh, A. Sree , S.K. Padhan & P.P. Mohanty (2014). Study and comparison of fatty acid profile of two gorgonians of the Family Paramuriceidae. <i>Chemistry of Natural Compounds</i> 50: 114–116.
82	Mol, V.P., K.R. Abhilash, T.V. Raveendran, P.S. Parameswaran, R.J. Kunnath & N. Sathyan (2010). Antifouling sesquiterpene from the Indian soft coral, <i>Sinularia kavarattiensis</i> Alderslade and Prita. <i>Indian Journal of Marine Sciences</i> 39: 270–273.
83	Mol, V.P.L., K.R. Abhilash, T.V. Raveendran & P.S. Parameswaran (2014). Microfouling inhibitors from the Indian gorgonian <i>Subergorgia reticulata</i> (Ellis and Solander, 1786). <i>Indian Journal of Marine Sciences</i> 43: 2094–2100.
84	Mol, V.P.L., T. V. Raveendran, P.S. Parameswaran, R.J. Kunnath & P.R. Rajamohanam (2010). (–)-6 α -Hydroxy polyanthellin A—A novel antifouling diterpenoid from the Indian soft coral <i>Cladiella krempfi</i> (Hickson). <i>Canadian Journal of Chemistry</i> 89: 57–60.
85	Murugan, A. & R. Durgekar (2008). Status of Fisheries in Tamil Nadu, India: A Snapshot of Present and Long-term Trends. In: Shanker K & N. Namboothiri (eds.). <i>Beyond the Tsunami: Social, Ecological and Policy Analyses of Coastal and Marine Systems on the Mainland Coast of India</i> . UNDP/UNTRIS, Chennai and ATREE, Bangalore, India, 75pp.
86	Nayar, K.N. & S. Mahadevan (1965). Under water ecological observation's in the Gulf of Mannar off Tuticorin. IV. The occurrence of crinoids (<i>Lamprometros</i> and <i>Comanthus</i>) on the gorgonid <i>Juncella</i> . <i>Journal of the Marine Biological Association of India</i> 7: 456–457.
87	Padmakumar, K. & R. Chandran (2012). Biodiversity of Octocorals; pp 53–70. In: Bhatt, J.R., J.K.P. Edward, D.J. Macintosh & B.P. Nilaratna (eds.). <i>Coral reefs in India – status, threats and conservation measures</i> , IUCN India.
88	Padmakumar, K., R. Chandran, J.S.Y. Kumar & R. Sornaraj (2011). <i>Carijoa riisei</i> (Cnidaria : Octocorallia : Clavulariidae), a newly observed threat to Gulf of Mannar coral biodiversity? <i>Current Science</i> 100: 35–37.
89	Paramasivam, K., K. Venkataraman, C. Venkataraman, R. Rajkumar & S. Shrinivasu (2015). Diversity and Distribution of Sea Grass Associated Macrofauna in Gulf of Mannar Biosphere Reserve, Southern India; pp 137–160. In: Venkataraman, K. & C. Sivaperuman (eds.). <i>Marine Faunal Diversity in India</i> , Academic Press, London.
90	Parulekar, A.H. (1981). Marine fauna of Malvan, central west coast of India. <i>Mahasagar</i> 14: 33–44.
91	Patro, S., P. Krishnan, M. Gopi, S. Raja, C.R. Sreeraj, P. Ramachandran & R. Ramesh (2015). Snowflake coral, <i>Carijoa riisei</i> from Grand Island, Goa: a case of invasion of an alien species or re–establishment of a native species?. <i>Current Science</i> 109: 1028–1030.
92	Pillai, C.S.G. (1996). Coral reefs of India, their conservation and management. Central Marine Fisheries Research Institute, Cochin, pp. 16–31
93	Pillai, C.S.G. (2010). A review of the status of corals and coral reefs of India. <i>Indian Journal of Animal Sciences</i> 80: 53–56.
94	Pratt, E.M. (1903). The Alcyonaria of the Maldives. Part II. The genera <i>Sarcophytum</i> , <i>Arcophytum</i> , <i>Lobophytum</i> , <i>Sclerophytum</i> and <i>Alcyonium</i> ; pp. 504–535. In: Gardiner J.S. (ed.). <i>The Fauna and Geography of the Maldivian and Laccadive Archipelagoes</i> . Cambridge.
95	Pratt, E.M. (1905). Report on some Alcyoniidae collected by Prof. Herdman, at Ceylon, in 1902. Ceylon Pearl Oyster Fisheries, Suppl. Rep. 3(19) : 247–268
96	Radhika, P. (2006). Chemical constituents and biological activities of the soft corals of genus <i>Cladiella</i> : A review. <i>Biochemical systematics and ecology</i> , 34(11): 781–789.
97	Radhika, P., S.P.V. Rao, V. Anjaneyulu, R.N. Asolkar & H. Laatsch (2002). Horiolide, a novel norditerpenoid from Indian Ocean soft coral of the Genus <i>Sinularia</i> . <i>Journal of Natural Products</i> 65: 737–739.
98	Radhika, P., P.R. Rao, J. Archana & N.K. Rao (2005). Anti-inflammatory activity of a new sphingosine derivative and cembrenoid diterpene (lobohedleolide) isolated from marine soft corals of <i>Sinularia crassa</i> Tixier–Durivault and <i>Lobophytum</i> species of the Andaman and Nicobar Islands. <i>Biological and Pharmaceutical Bulletin</i> 28: 1311–1313.
99	Raghunathan, C., K. Venkataraman, C. Satyanarayana & R. Rajkumar (2013). An invasion of snowflake coral <i>Carijoa riisei</i> (Duchassaing and Michelotti 1860) in Indian seas: threats to coral reef ecosystem; pp. 381–393. In: Venkataraman, K., C. Raghunathan & C. Sivaperuman (eds.). <i>Ecology and Conservation of Tropical Marine Faunal Communities</i> , Springer, Berlin, Heidelberg.

100	Raghunathan, C., R. Raghuraman, J.S.Y. Kumar & K. Venkataraman (2014). Gorgonian diversity of Andaman and Nicobar islands. Uttar Pradesh State Biodiversity Board. pp. 14–22.
101	Raghunathan, C. & K. Venkataraman (2012). Diversity and distribution of corals and their associated fauna of Rani Jhansi marine National park, Andaman and Nicobar Islands. In: Venkataraman, K., C. Raghunathan & C. Sivaperuman (eds.). <i>Ecology of Faunal Communities on the Andaman and Nicobar Islands</i> , Springer, Berlin, Heidelberg.
102	Raghuraman, R. & C. Raghunathan (2015). Impact of Anthropogenic Activity and Natural Calamities on Fringing Reef of North Bay, South Andaman; pp. 421–429. In: Venkataraman, K. & C. Sivaperuman (eds.). <i>Marine Faunal Diversity in India</i> . Academic Press. Oxford. 542pp.
103	Rajalakshmi, S. & R.M. George (2004). A Study on the Gorgonid bed off Chennai and its qualitative appraisal; pp 487–499. In: Abidi, S.A.H., M. Ravindran, R. Venkatesan & Vijayakumaran (eds.). <i>Proceedings of MBR 2004 National Seminar on New Frontiers in Marine Bioscience Research</i> .
104	Rajendra, S. & C. Raghunathan (2016). New record of two alcyonacean corals to Indian waters from Andaman Islands. <i>Records of the Zoological Survey of India</i> 116: 307–312.
105	Rajendra, S. C. Raghunathan & T. Mondal (2017). New distribution records of three <i>Sarcophyton</i> species (Alcyonacea: Alcyoniidae) in Indian waters from Andaman Islands. <i>Journal of Threatened Taxa</i> 9: 10426–10432.
106	Rajendra, S., C. Raghunathan & K. Chandra (2017). New record of <i>Sarcophyton cornispiculatum</i> Verseveldt, 1971 (Octocorallia: Alcyonacea: Alcyoniidae) in India, from the Andaman Islands. <i>European Journal of Zoological Research</i> 84: 167–171.
107	Rajendra, S., C. Raghunathan, T. Mondal & K. Venkataraman (2017). First report of soft coral <i>Sarcophyton birkelandi</i> Verseveldt, 1978 (Anthozoa: Alcyonacea) in Indian waters from Andaman Islands. <i>Journal of Threatened Taxa</i> 9: 10577–10580.
108	Rajesh, S., K.D. Raj, G. Mathews, T. Sivaramakrishnan & J.K. Edward (2014). Status of Alcyonacean corals along Tuticorin coast of Gulf of Mannar, Southeastern India. <i>Indian Journal of Geo-Marine Sciences</i> 43: 666–675.
109	Raju, B.L., G. Raju, M.C. Reddy, D.V. Rao, C.B. Rao & V.S.N. Raju (1991). Polyhydroxysterols from the soft coral <i>Sarcophytum subviridis</i> of Andaman and Nicobar coasts. <i>Journal of Natural Products</i> 55:318–322.
110	Raju, B.L., G.V. Subbaraju, K.V. Reddy & C.B. Rao (1994). Alcyonacean Metabolites. Part 5. Further metabolites from a soft coral of <i>Lobophytum</i> genus of the Andaman and Nicobar coasts. <i>Indian Journal of Chemistry</i> 33B: 1033–1037.
111	Ramakrishna, S.J. & S. Talukdar (2003). Marine invertebrates of Digha coast and some recommendations on their conservation. <i>Records of the Zoological Survey of India</i> 101: 1–298.
112	Ramesh, P., N.S. Reddy, T.P. Rao & Y. Venkateswarulu (1999). New oxygenated Africanenes from the soft coral <i>Sinularia dissecta</i> . <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 62: 1019–1021.
113	Ramesh, P., N.S. Reddy, Y. Venkateswarlu, M.V.R. Reddy & D.J. Faulkner (1998). Rameswaralide, a novel diterpenoid from the soft coral <i>Sinularia dissecta</i> . <i>Tetrahedron Letters</i> 39: 8217–8220.
114	Rao, C.B. (2012). Chemical examination of the soft coral <i>Sinularia inelegrans</i> and <i>Sarcophyton ehrenbergi</i> and development of greener synthetic methodologies. PhD Thesis. Indian Institute of Chemical Technology, Hyderabad.
115	Rao, C.B., C.V.L. Rao, G. Trimmurtulu & D. Rao (1990). Metabolites of the soft coral of a <i>Sclerophytum</i> species in the Indian Ocean. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 29: 588–589.
116	Rao, C.B., K.V. Ramana, D.V. Rao, E. Fahy & D.J. Faulkner (1988). Metabolites of the gorgonian <i>Isis hippuris</i> from India. <i>Journal of Natural Products</i> 51: 954–958.
117	Rao, C.B., V.C. Sekhar, B. Sarvani & D.V. Rao (2004). A new oxygenated tricyclic sesquiterpene from a soft coral of <i>Nephthea</i> species of Andaman and Nicobar coasts of Indian ocean. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 43: 1329–1331.
118	Rao, C.H.V., S.M.D. Kumar, G. Trimmurthulu & D.V. Rao (1990). A new Lobane diterpene from an alcyonarian of <i>Sclerophytum</i> species of the Indian Ocean. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 29: 681–682.
119	Rao, D.V. & D.R.K. Sastry (2007). Fauna of Button Island National Parks, South Andamans, Bay of Bengal, <i>Records of the Zoological Survey of India</i> 270: 1–54.
120	Rao, D.V. (2000). Report on Faunal Biodiversity : Soft Corals (Alcyonacea). GOI/UNDP/GEF Management of Coral Reef Ecosystem of Andaman Nicobar Island. Zoological Survey of India Port Blair, 12pp
121	Rao, D.V. (2010). Field guide to coral and coral associates of Andaman and Nicobar Islands. Zoological Survey of India, Kolkata, 283pp.
122	Rao, D.V., & K. Devi (2003). Studies on the soft corals (Octocorallia: Alcyonacea) of Andaman Islands, Bay of Bengal. <i>Records of the Zoological Survey of India</i> 206: 1–99.
123	Rao, D.V., K. Chandra & K. Devi (2013). Endemic animals of Andaman and Nicobar Islands, Zoological Survey of India, Kolkata, 182pp.
124	Rao, M.R., K.V. Sridevi, U. Venkatesham, T.P. Rao, S.S. Lee & Y. Venkateswarlu (2000). Four new sesquiterpenoids from the soft coral <i>Nephthea chabrollei</i> . <i>Journal of Chemical Research</i> 5: 245–247.
125	Rao, M.R., V. Venkatesham, M.V.R. Reddy & Y. Venkateswarulu (1999). An unusual novel, C–29 steroid from the soft coral <i>Lobophytum crassum</i> . <i>Journal of Natural Products</i> 62: 785–786.
126	Rao, S.N.Y. & D.R.K. Sastry (2005). Fauna of Marine National Park, Gulf of Kutch, (Gujarat): An Overview. <i>Conservation Area Series</i> 23: 1–7.
127	Rao, S.T., B. Sarvani, D.V. Rao & C.B. Rao (1996). Investigations on a soft coral of <i>Sinularia</i> species of the Coasts of the Andaman and Nicobar Islands. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 35: 1356–1358.
128	Raveendran, T.V., V.L. Mol & P.S. Parameswaran (2011). Natural product antifoulants from the octocorals of Indian waters. <i>International Biodeterioration & Biodegradation</i> 65: 265–268.
129	Reddy, N.S., T.V. Goud & Y. Venkateswarlu (2002). Seco–sethukarailin, a novel diterpenoid from the soft coral <i>Sinularia dissecta</i> . <i>Journal of Natural Products</i> 65: 1059–1060.
130	Ridley, S.O. (1882). Contributions to the knowledge of the Alcyonaria, with descriptions of new species from the Indian ocean and the bay of Bengal. <i>Journal of Natural History</i> 9: 184–193.
131	Sajan, J., B.P. Kumar, K. Sivakumar & B.C. Choudhury (2013). An Assessment of Marine Fauna of Wildlife (Protection) Act, 1972 in Curio Trade in India: A Market Study; pp 451–461. In: Venkataraman, K., C. Raghunathan & C. Sivaperuman (eds.). <i>Ecology and Conservation of Tropical Marine Faunal Communities</i> . Springer, Heidelberg.
132	Sankarankutty, C. (1961). On the porcellanid crab, <i>Porcellanella triloba</i> White (Crustacea–Anomura), a commensal on sea pen with remarks on allied species. <i>Journal of the Marine Biological Association of India</i> , 3: 96–100.
133	Sankolli, K.N. & B. Neelakantan (1971). Animal associations along the west coast of India: 2. A porcellanid crab (Decapoda, Anomura) on the coelenterate, <i>Pennatula</i> sp. <i>Records of the Zoological Survey of India</i> 2: 51–55.

134	Sarma, N.S. & N.R. Rao (2005). Anti-HIV and anti-cancer activities of a diterpene and a sesquiterpene from soft corals off the Indian coast. <i>Proceedings Andhra Pradesh Akademi of Sciences</i> 9: 183–184.
135	Sarma, N.S., M.S. Krishna, S.G. Pasha, T.S.P. Rao, Y. Venkateswarlu & P.S. Parameswaran (2009). Marine metabolites: The sterols of soft coral. <i>Chemical Reviews</i> 109: 2803–2828.
136	Sarma, N.S., R. Chavakula, I.N. Rao, R. Kadirvelraj, T.G. Row & I Saito (1993). Crystal and molecular structure of sclerophytin F methyl ether from the soft coral <i>Cladiella krempfi</i> . <i>Journal of Natural Products</i> 56: 1977–1980.
137	Satyanarayana, C. & Ramakrishna (2009). Handbook on hard corals of Gulf of Kachchh. Zoological Survey India, Kolkata, 114pp.
138	Saxena, A. (2015). Coral reefs and their conservation—a review. <i>Biological and Chemical Research</i> 2015: 187–206.
139	Serebiah, J.S., M. Rajkumar, J. Sun, B.V. Maran, A. Saravanakumar & G.A. Thivakaran (2011). New discovery of coral rubbings in the north–western Gulf of Kachchh, Gujarat, Western India—GIS based evaluation. <i>Journal of Ocean University of China</i> 10: 1–4.
140	Shettigar, V. & P. Kaladharan (2010). <i>Cavernularia malabarica</i> Fowler, 1894 from the Bay coast of Visakhapatnam, Andhra Pradesh. <i>Nature preceedings</i> . Available from Nature Preceedings < http://hdl.handle.net/10101/npre.2010.4952.1 > (2010).
141	Sila, T., A.S. Gaur & Sundares (2006). Exploration of a Portuguese shipwreck in Goa waters, western coast of India. <i>Bulletin of the Australasian Institute for Maritime Archaeology</i> 30: 127–136.
142	Singh, K.S., W.H. Kaminsky, C. Rodrigues & C.G. Naik (2009). Structural studies and antimicrobial properties of norcembrane diterpenoid from an Indian soft coral <i>Sinularia inelegrans</i> Tixier–Durivault. <i>Journal of Chemical Research</i> 121: 1041–1046.
143	Sivaleela, G. & Padmanaban (2015). Studies on the Alcyonacean fauna of Gulf of Mannar. <i>Records of the Zoological Survey of India</i> 115: 21–30.
144	Sivaleela, G., K. Venkataraman & S.C. Kumar (2012). Status of soft corals (Alcyonacea) in the Gulf of Mannar, Southeast coast of India; pp 71–77 . In: Bhatt, J.R., J.K.P. Edward, D.J. Macintosh & B.P. Nilaratna (eds.). <i>Coral reefs in India: status, trends and conservation</i> . IUCN India.
145	Sluka, R.D., A.G. Mary & S. Lazarus (2012). The biota of shallow, rocky reefs on the west coast of India; pp. 1–9. In: Obura, D.O. & M.A. Samoilys (eds.). <i>CORDIO Status Report</i> .
146	Sluka, R.D., S. Lazarus & A.G. Mary (2006). First Description of the Coral Reefs of India's West Coast. <i>Conference: International Society of Reef Studies</i> , Germany.
147	Subrahmanyam, C. & R. Kulatheeswaran (1999). Bioactive compounds from a new species of <i>Sinularia</i> soft coral. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 38: 1388–1390.
148	Subrahmanyam, C., R. Kulatheeswaran & R.S. Ward (1998). Briarane diterpenes from the Indian Ocean gorgonian <i>Gorgonella umbraculum</i> . <i>Journal of Natural Products</i> 61: 1120–1122.
149	Subrahmanyam, C., S. Ratnakumar & R.S. Ward (2000). Umbraculolides B–D, further briarane diterpenes from the gorgonian <i>Gorgonella umbraculum</i> . <i>Tetrahedron</i> , 56: 4585–4588.
150	Subrahmanyam, C., S.R. Kumar & G.D. Reddy (2003). A new pregnane derivative from the Indian Ocean gorgonian <i>Subergorgia suberosa</i> (Pallas). <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 42: 219–220.
151	Subrahmanyam, C., S.R. Kumar & G.D. Reddy (2005). Bioactive compounds from the Indian Ocean gorgonian <i>Subergorgia suberosa</i> (Pallas). <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 44: 2186–2188.
152	Subramaniyam, C., R. Kulatheeswaran & C.V. Rao (1996). New sphingosines from two soft corals of the Andaman and Nicobar Islands. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 35: 578–630.
153	Sureshkumar, R. (1995). Studies on the sea fans (Anthozoa: Octocorallia) of the northeast coast of Tamil Nadu, India. M Phil thesis, Annamalai University, pp 27.
154	The Director (2014). Gorgonids of India. Zoological Survey of India, Port Blair. (Poster).
155	Thomas, P.A. & R.M. George (1986). A systematic appraisal of the commercially important gorgonids of the Indian seas. <i>Journal of the Marine Biological Association of India</i> 28: 96–112.
156	Thomas, P.A. & R.M. George (1987). Gorgonid Resources of India. <i>Marine Fisheries Information Services</i> 74: 1–13.
157	Thomas, P.A. & R.M. George (1987). On five species of commercially important gorgonids new to Indian seas. <i>Indian Journal of Fisheries</i> 34: 20–27.
158	Thomas, P.A. & R.M. George (1989). Discovery of a Deep Water Bed off Bombay and its Qualitative Appraisal. <i>Proceedings First Workshop Scientific Result FORV Sagar Sampada</i> , pp. 417–425.
159	Thomas, P.A. (1996). The gorgonid resources and their conservation in India. Central Marine Fisheries Research Institute, Cochin, pp. 32–41.
160	Thomas, P.A. (1998). The unexploited marine resources of India. <i>Kadalekum Kanivukal (Bounties of the Sea)</i> CIFT, Cochin, pp. 54–57.
161	Thomas, P.A., R.M. George & S. Lazarus (1995). Distribution of gorgonids in the northeast coast of India with particular reference to <i>Heterogorgia flabellum</i> (Pallas). <i>Journal of the Marine Biological Association of India</i> 37: 134–142.
162	Thomas, P.A., R.M. George, P.E.S. Manickam (1998). Deep water Gorgonids collected aboard FORV SAGAR SAMPADA from the Southwest coast of India. <i>Journal of the Marine Biological Association of India</i> 40: 158–165.
163	Thomas, S. (2013). Conservation criteria and Red listed marine resources of India. Central Marine Fisheries Research Institute, Research Centre, Mangalore. pp 51–56
164	Thomson J.A. & J.J. Simpson (1909). An account of the alcyonarians collected by the Royal Indian Marine Survey Ship Investigator in the Indian Ocean. In: Henderson, W.D. (ed.). <i>The Alcyonarians of the Littoral Area</i> . The Indian Museum, Calcutta, pp. i–xviii, 1–319.
165	Thomson, A. & G. Crane (1909). The alcyonarians of Okhalmandal. In: Hornell, J. (ed.). <i>Marine Zoology of Okamandal in Kattiawar</i> 1: 15–135.
166	Thomson, J.A. & G. Crane (1909). The Alcyonarians of Okhamandal. In: Hornell, J. (ed.) Report Government Baroda Marine Zoology of Okhamandal in Kattiawar. Part 1. London; Williams and Norgate, pp. 125–135.
167	Thomson, J.A. & W.D. Henderson (1905a). Report on the Alcyonaria collected by Professor Herdman, at Ceylon, in 1902. In: <i>Report of the Government of Ceylon on the Pearl Oyster Fisheries of the Gulf of Manaar</i> . Part 3, supplementary report, 20: 269–238.
168	Thomson, J.A. & W.D. Henderson (1905b). Preliminary notice of the deep-sea Alcyonaria collected in the Indian Ocean. <i>Annals and Magazine of Natural History</i> 7: 547–557.
169	Thomson, J.A. & W.D. Henderson (1906). An account of the alcyonarians collected by the Royal Indian Marine Survey Ship Investigator in the Indian Ocean. 1. The Alcyonarians of the Deep Sea. The Indian Museum, Calcutta, pp. i–xvi, 1–132.

170	Tudu, P.C., D. Ray & A. Mohapatra (2018). A Checklist of Indian Sea pen (Cnidaria: Anthozoa: Pennatulacea). <i>Indian Journal of Geo-Marine Sciences</i> 47: 1014–1017.
171	Turner, J.R., D. Vousden, R. Klaus, C. Satyanarayana, D. Fenner, K. Venkataraman, P.T. Rajan, S.N.V. Rao, J.R.B. Alfred, Ralnakrishna & C. Raghunathan (2009). Coral reef ecosystem of Andaman Islands – Remote sensing and rapid site assessment survey. Records of the Zoological Survey of India, Occasional Paper 301: 1–132.
172	Ummerkutty, A.N.P. (1961). Studies on Indian copepods 5. On eleven new species of marine cyclopoid copepods from the south-east coast of India. <i>Journal of the marine biological Association of India</i> , 3: 19–69.
173	van Ofwegen L.P. & J. Vennam (1991). Notes on Octocorallia from the laccadives (SW India). <i>Zoologische Mededelingen Leiden</i> 65: 143–154.
174	Vanisree, M. & G.V. Subbaraju (2002). Alcyonacean metabolites VIII—antibacterial metabolites from <i>Lobophytum crassum</i> of the Indian Ocean. <i>Asian Journal of Chemistry</i> 14: 957–960.
175	Vanisree, M., G.V. Subbaraju & C.B. Rao (2000). Alcyonacean Metabolites VII—Chemical constituents of <i>Lobophytum denticulatum</i> and <i>Lobophytum strictum</i> of the Indian Ocean. <i>Journal of Asian Natural Products Research</i> 2: 87–95.
176	Vanisree, M., G.V. Subbaraju & C.N. Rao (1999). Alcyonacean metabolites: part 6. Steroid glucosides from a new species of <i>Sinularia</i> species of the Andaman and Nicobar coast. <i>Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry</i> 38: 394–396.
177	Varghese, M., R.M. George & C. Kasinathan (2007). Recent gorgonid resources of Gulf of Mannar and Palk Bay, India. <i>Marine Fisheries Information Service Technical & Extension Series</i> . 194: 14–17.
178	Veena, S. & P. Kaladharan (2012). First record of <i>Cavernularia orientalis</i> (Thomson & Simpson, 1909) (Octocorallia: Pennatulacea: Veretillidae) from the Bay coast of Visakhapatnam, Andhra Pradesh. <i>Zootaxa</i> , 3204: 61–64.
179	Veena, S. & P. Kaladharan (2013). <i>Cavernularia obesa</i> from the bay coast of Visakhapatnam, Andhra Pradesh, India. <i>Marine Biodiversity Records</i> 6: e54.
180	Velayutham, P., I.G. Jasmine, K. Venkataramanujam & V. Ramadhas (2002). Seasonal variation in the proximate composition of gorgonians collected from Thoothukkudi coastal waters. In: Patterson, K.E., A. Murugan & J. Patterson (eds.). <i>Proceedings of National Seminar on Marine and Coastal Ecosystems: Coral and Mangrove – problems and management strategies</i> . SDMRI Research Publication 2: 185–189.
181	Velayutham, P., K. Venkataramanujam & V. Ramadhas (2002). Toxicity and feeding deterrence properties of gorgonian collected from Thoothukkudi coastal waters. In: Patterson, K.E., A. Murugan & J. Patterson (eds.). <i>Proceedings of National Seminar on Marine and Coastal Ecosystems: Coral and Mangrove – problems and management strategies</i> . SDMRI Research Publication 2: 176–180.
182	Velayutham, P., K. Venkataramanujam & V. Ramadhas (2003). Species diversity, distribution and abundance of Gorgonians in the Gulf of Mannar. National Seminar on Reef Ecosystem Remediation, 24th –26th Sep'03, SDMRI, Tuticorin, India. p 20.
183	Velayutham, P., V. Ramadhas & K. Venkataramanujam (2003). Gorgonians as an indicator of metal pollution. <i>SDMRI Research Publication</i> 3: 149–153.
184	Venkataraman, K., C. Raghunathan, C. Satyanarayanan & R. Rajkumar (2016). Invasion of Snowflake Coral, <i>Carijia riisei</i> (Duchassaing and Michelotti, 1860), in Indian Seas: Threats to Coral Reef Ecosystem. <i>Indian Journal of Geo-Marine Sciences</i> 45: 1403–1408.
185	Venkataraman, K., C. Raghunathan, R. Raghuraman & C.R. Sreeraj (2012). Marine biodiversity in India. Zoological Survey of India, Kolkata, India, pp 164.
186	Venkataraman, K., R. Jeyabaskaran, K.P. Raghuram & J.R.B. Alfred (2004). Bibliography and checklist of corals and coral reef associated organisms of India, <i>Records of the Zoological Survey of India</i> . Kolkatta, Occasional Paper 226:1–468.
187	Venkataramanujam, K. & G. Sanjeeviraj (1982). The gorgonian resources of Tamil Nadu. <i>Seafood Export Journal</i> 14: 23–26.
188	Venkateswarlu, Y., M.F. Biabani, M.V.R. Reddy, T.P. Rao, A.C. Kunwar, D.J. Faulkner (1994). Mandapamate, a diterpenoid from the soft coral <i>Sinularia dissecta</i> . <i>Tetrahedron Letters</i> 35: 2249–2252.
189	Vennam, J. & L.P. van Ofwegen (1996). Soft corals (Coelenterata: Octocorallia: Alcyonacea) from the Laccadives (SW India), with a re-examination of <i>Sinularia gravis</i> Tixier–Durivault, 1970. <i>Zoologische Mededelingen, Leiden</i> 70:437–452
190	Vibha, V.U., P.M. Mohan, M. Muruganantham & P. Nagarjuna (2015). New record of <i>Cladiella pachyclados</i> (Klunzinger, 1877) at Port Blair, South Andaman, Andaman and Nicobar Islands, India. <i>Indian Journal of Geo-Marine Sciences</i> 44: 1787–1789.
191	Williams, G.C. & J.S. Vennam (2001). A revision of the Indo–West Pacific taxa of the gorgonian genus <i>Pseudopterogorgia</i> (Octocorallia: Gorgoniidae), with the description of a new species from western India. <i>Bulletin of the Biological Society of Washington</i> 10: 71–95.
192	Wilsanand, V., A.B. Wagh & M. Bapuji (1999). Antifouling activities of marine sedentary invertebrates on some macrofoulers. <i>Indian Journal of Geo-Marine Sciences</i> 28: 280–284.

Appendix 3. Annotated list of gorgonians reported from Indian waters.

	Systematic position	Type locality	Current status as per WoRMS	Current distribution	EI	WI	A&N	LK
1	<i>Acanthogorgia breviflora</i> Whitelegge, 1897	Funafuti	Accepted	French Polynesia, Australia, New Caledonia, Tuvalu	0	0	1	0
2	<i>Acanthogorgia ceylonensis</i> Thomson & Henderson, 1905	Trincomalee	Accepted	Thailand, Oman, Indonesia, Sri Lanka	0	1	0	0
3	<i>Acanthogorgia muricata</i> Verrill, 1883	Barbados	Accepted	Indonesia, Barbados, Myanmar, Bahamas, Sri Lanka, Cape Guardafui	1	0	1	0
4	<i>Acanthogorgia spinosa</i> Hiles, 1899	Blanche bay (New Britain)	Accepted	New Caledonia, Indonesia, Myanmar, Australia, New Britain	0	0	1	0
5	<i>Acanthogorgia turgida</i> Nutting, 1911	Malay archipelago	Accepted	Indonesia	0	1	0	0
6	<i>Acanthomuricea arborea</i> (Thomson and Simson, 1909)	Arakan coast	No Records		1	0	0	0
7	<i>Annella mollis</i> (Nutting, 1910)	D'Aross	Accepted	Egypt, Japan, Palau, Philippines, Saudi Arabia, New Caledonia, Micronesia, Madagascar, Indonesia, Malaysia, Mauritius, Guam, Papua New Guinea, India, Northern Mariana Islands, Thailand, Fiji, El Salvador, Mayotte, Australia, Chinese Taipei, Marshall islands, American Samoa, Singapore	1	0	1	0
8	<i>Annella reticulata</i> (Ellis & Solander, 1786)	Philippines	Accepted	Philippines, New Caledonia, Australia, Saudi Arabia, Micronesia, Solomon Islands, Northern Mariana Islands, Palau, Indonesia, Mauritius, Papua New Guinea, Comoros, Tonga, Guam, Japan, Madagascar, Mayotte, Fiji, Thailand, Panama, Singapore, India	1	0	1	0
9	<i>Anthogorgia glomerata</i> Thomson & Simpson, 1909	Andamans	Accepted	Philippines, India	1	0	1	0
10	<i>Anthogorgia ochracea</i> Grasshoff, 1999	New Caledonia	Accepted	Vanuatu, New Caledonia	0	0	1	0
11	<i>Anthogorgia racemosa</i> Thomson & Simpson, 1909	Andamans	Accepted	India	1	0	1	0
12	<i>Anthogorgia verrilli</i> Thomson & Henderson, 1906	Andamans	Accepted	India	1	0	1	0
13	<i>Briareum hamrum</i> (Gohar, 1948)	Tumbatu, Zanzibar	Accepted	Israel, Oman, India	0	0	1	0
14	<i>Bebryce indica</i> Thomson, 1905	Gulf of Mannar	Accepted	Palau, Australia, Indonesia, Chinese Taipei, Sri Lanka,	1	0	0	0
15	<i>Bebryce sirene</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	0	0	1	0
16	<i>Bebryce studeri</i> Whitelegge, 1897	Funafuti	Accepted	French Polynesia, New Caledonia, Portugal, Indonesia, Philippines	1	0	1	0
17	<i>Bebryce thomsoni</i> Nutting, 1910	Kei islands (Indonesia)	Accepted	Indonesia	1	0	0	0
18	<i>Callogorgia versluysi</i> (Thomson, 1905)	Ceylon seas	Accepted	Palau, Sri Lanka, India	1	0	1	0
19	<i>Dichotella gemmacea</i> (Milne Edwards & Haime, 1857)	Red sea	Accepted	Australia, Philippines, Japan, New Caledonia, Fiji, Indonesia	0	0	1	0
20	<i>Discogorgia campanulifera</i> (Nutting, 1910)	Nusa Tenggara	Accepted	Indonesia	1	0	0	0
21	<i>Discogorgia squamata</i> (Nutting, 1910)	Indonesia?? <i>Placogorgia squamata</i> ??	No records		1	0	0	0
22	<i>Echinogorgia complexa</i> Nutting, 1910	Papua	Accepted	Indonesia, India	1	0	0	0
23	<i>Echinogorgia macrospiculata</i> Thomson & Simpson, 1909	Andamans	Accepted	India	1	0	1	0
24	<i>Echinogorgia reticulata</i> (Esper, 1791)	Misrepresentation of date???	Accepted	Chinese Taipei, Australia, Japan, Pakistan, Indonesia, India, Mauritius, Amsterdam, Penguin channel	1	0	1	0
25	<i>Echinogorgia toombo</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	1	0	1	0
26	<i>Echinomuricea indica</i> Thomson & Simpson, 1909	Arakan coast	Accepted	Thailand, India	1	0	1	0
27	<i>Echinomuricea indomalaccensis</i> Ridley, 1884	Torres strait	Accepted	Australia, New Caledonia, Madagascar, Japan, Indonesia	1	0	1	0

	Systematic position	Type locality	Current status as per WoRMS	Current distribution	EI	WI	A&N	LK
28	<i>Ellisella andamanensis</i> (Nutting, 1910)	Maluku (Indonesia)	Accepted	Japan, New Caledonia, Fiji, Indonesia, India	1	0	1	0
29	<i>Ellisella azilia</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	0	0	1	0
30	<i>Ellisella cercidia</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	0	0	1	0
31	<i>Ellisella ceylonensis</i> (Simpson, 1910)	Galle (Sri Lanka)	Accepted	Sri Lanka, Indonesia, Japan, Papua New Guinea, Australia	1	0	0	0
32	<i>Ellisella eustala</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	0	0	1	0
33	<i>Ellisella filiformis</i> (Toeplitz, 1889)	Probable misrepresentation of author	Accepted		1	0	0	0
34	<i>Ellisella maculata</i> (Studer, 1878)	Australia	Accepted	Australia, India, Indonesia	1	0	0	0
35	<i>Ellisella marisrubri</i> (Stiasny, 1938)	Red Sea	Accepted	Gulf of Suez (Red Sea)	0	0	1	0
36	<i>Ellisella nuctenea</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	0	0	1	0
37	<i>Euplexaura albida</i> Kükenthal, 1908	Australia	Accepted	Papua New Guinea, Australia	1	0	0	0
38	<i>Euplexaura amerea</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	0	0	1	0
39	<i>Euplexaura rhipidalis</i> Studer, 1895	Bintang Island	Accepted	New Caledonia, Japan, Indonesia, Caribbean sea, Burma	0	0	1	0
40	<i>Euplexaura thomsoni</i> Kükenthal, 1924		Accepted		1	0	0	0
41	<i>Guaiagorgia anas</i> Grasshoff & Alderslade, 1997	New Caledonia	Accepted	Australia, Papua New Guinea, New Caledonia, Indonesia	1	0	0	0
42	<i>Heliania spinescens</i> (Gray, 1859)	Philippines	Accepted	New Caledonia, Philippines, Fiji, Palau, Papua New Guinea, Vanuatu	1	0	0	0
43	<i>Heterogorgia flabellum</i> (Pallas, 1766)/ <i>Psammogorgia flabellum</i> (Pallas, 1766)	Indian Ocean	Not Accepted	India	1	0	0	0
44	<i>Hicksonella princeps</i> Nutting, 1910	Sailus Besar	Accepted	Philippines, Australia, Vanuatu, Malaysia, Japan, New Caledonia, Fiji, Indonesia,	0	0	1	0
45	<i>Isis hippuris</i> Linnaeus, 1758	North Sea	Accepted	Australia, Philippines, Papua New Guinea, Chinese Taipei, Malaysia, Japan, New Caledonia, Palau, Sri Lanka, Indonesia, India	0	0	1	0
46	<i>Junceella delicata</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	0	0	1	0
47	<i>Junceella eunicelloides</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	0	0	1	0
48	<i>Junceella juncea</i> (Pallas, 1766)	Indian Ocean	Accepted	Philippines, Australia, India, Micronesia, Northern Mariana Islands, Mauritius, Palau, Papua New Guinea, Vanuatu, Saudi Arabia, Comoros, Kiribati, Maldives, Singapore, China, New Caledonia, Japan, Myanmar, Madagascar, Indonesia, Vietnam, Sri Lanka, Taiwan	1	0	1	1
49	<i>Junceella miniacea</i> (Thompson & Henderson, 1906)	Andamans	No Records	Andamans	1	0	1	0
50	<i>Keroeides gracilis</i> Whitelegge, 1897	Funafuti	Accepted	New Caledonia, Australia, Northern Mariana Islands, Philippines, Indonesia, India, Tuvalu, India	1	0	1	0
51	<i>Keroeides koreni</i> Wright & Studer, 1889	Japan	Accepted	Australia, Japan, Mayotte, Northern Mariana Islands, Kenya, Somalia, Marshall Islands, Philippines, Indonesia, India, Japan, Sri Lanka	1	0	1	0
52	<i>Melithaea andamanensis</i> (van Ofwegen, 1987)	South Thailand	Accepted	Thailand, Andaman Sea	1	0	0	0
53	<i>Melithaea biserialis</i> (Kükenthal, 1908)	Red Sea	Accepted	Kenya, Madagascar	1	0	0	0
54	<i>Melithaea braueri</i> (Kükenthal, 1919)	Seychelles??	Accepted	Seychelles, Madagascar, India	0	0	1	0

	Systematic position	Type locality	Current status as per WoRMS	Current distribution	EI	WI	A&N	LK
55	<i>Melithaea caledonica</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	0	0	1	0
56	<i>Melithaea cinquemiglia</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	0	0	1	0
57	<i>Melithaea ochracea</i> (Linnaeus, 1758)		Accepted	New Caledonia, Papua New Guinea, Australia, Indonesia, Fiji, Japan, Palau, Philippines, Singapore, Malaysia, Sri Lanka, Vanuatu	0	0	1	0
58	<i>Melithaea ouvea</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	0	0	1	0
59	<i>Melithaea rubeola</i> (Wright & Studer, 1889)	Arafura Sea	Accepted	Philippines, Australia, Singapore, China, Malaysia, USA	1	0	1	0
60	<i>Melithaea squamata</i> (Nutting, 1911)	Timor	Accepted	Australia, Indonesia, Palau, Philippines	1	0	0	0
61	<i>Melithaea variabilis</i> (Hickson, 1905)	Maldives	Accepted	India, Mayotte, Marshall islands, French Southern Territories, British Indian Ocean Territories, Seychelles, Indonesia	0	0	1	1
62	<i>Menella flora</i> (Nutting, 1910)	Papua	Accepted	Indonesia, Egypt, India, China, New Guinea	1	0	1	0
63	<i>Menella indica</i> Gray, 1870	Back Bay (Bombay)	Accepted	Japan, India	0	0	1	0
64	<i>Menella kanisa</i> Grasshoff, 2000	Red Sea	Accepted	Eilat, Strait of Gubal, Sinai	0	0	1	0
65	<i>Menella kouare</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	0	0	1	0
66	<i>Menella praelonga</i> (Ridley, 1884)	Port Curtis	Accepted	Japan, Malaysia, Australia, Fiji	0	0	1	0
67	<i>Menella woodin</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	0	0	1	0
68	<i>Muricella complanata</i> Wright & Studer, 1889	Hyalonema Ground, Japan	Accepted	United States, Mosambique, Sri Lanka, Myanmar, India	1	0	1	0
69	<i>Muricella dubia</i> Nutting, 1910	Nusa Tenggara (Indonesia)	Accepted	Indonesia	0	1	0	0
70	<i>Muricella nitida</i> (Verrill, 1868)	Ebon island	Accepted	Japan	1	0	0	0
71	<i>Muricella paraplectana</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	0	0	1	0
72	<i>Muricella ramosa</i> Thomson & Henderson, 1905	Deep waters, GoM	Accepted	Australia, Thailand, South Africa, Japan, Oman, Indonesia, Sri Lanka, India	1	0	1	0
73	<i>Muricella rubra</i> Thomson, 1905	Ceylon seas	Accepted	Madagascar, Marshall islands, Mauritius, Sri Lanka, India	0	0	1	0
74	<i>Muricella umbraticoides</i> (Studer, 1878)	Gazelle (Australia)	Accepted	Indonesia, India	1	0	0	0
75	<i>Nicella carinata</i> Nutting, 1910	Duroa strait, Kei islands	Accepted	Australia, Palau, Japan, Philippines, Indonesia, Mauritius,	1	0	0	0
76	<i>Nicella dichotoma</i> (Gray, 1860)	Bombay	Accepted	Japan, Indonesia, Thailand, British Indian Ocean territory, India	1	0	1	0
77	<i>Nicella flabellata</i> (Whitelegge, 1897)	Funafuti	Accepted	New Caledonia, Thailand, India	1	0	1	0
78	<i>Nicella gemmacea</i> (Valenciennes, 1855)	Red Sea	No Records		1	0	0	0
79	<i>Nicella laevis</i> (Nutting, 1910)	Timer Island	No Records		1	0	0	0
80	<i>Nicella laxa</i> Whitelegge, 1897	Funafuti	Accepted	New Caledonia, Tuvalu	0	0	1	0
81	<i>Nicella magna</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia, Vanuatu	1	0	0	0
82	<i>Nicella rubra</i> (Nutting, 1910)	Hyalonema Ground, Japan	No Records		1	0	0	0
83	<i>Paracis ceylonensis</i> (Thomson & Henderson, 1905)	Deep waters of Galle	Accepted	Thailand, Oman	1	0	0	0
84	<i>Paracis rigida</i> (Thomson & Simpson, 1909)	Andamans	Accepted		1	0	0	0
85	<i>Paracis spinosa</i> (Thomson & Henderson, 1906)	Andamans	Accepted		1	0	0	0
86	<i>Parisis fruticosa</i> Verrill, 1864	Sulu sea	Accepted	Australia, Palau, New Caledonia, India, Somalia, Thailand, Japan, Philippines, Niue, Madagascar, Indonesia, Mauritius, New Zealand, India	1	0	1	0

	Systematic position	Type locality	Current status as per WoRMS	Current distribution	EI	WI	A&N	LK
87	<i>Pseudopterogorgia australiensis</i> (Ridley, 1884)	Torres strait	Accepted	Australia	1	0	0	0
88	<i>Pseudopterogorgia formosa</i> (Nutting, 1910)	Nusa Tenggara (Indonesia)	Accepted	Indonesia	1	0	0	0
89	<i>Pseudopterogorgia fredericki</i> Williams & Vennam, 2001	St. Mary Isles, Bellikery, India	Accepted	India	1	0	0	0
90	<i>Pseudopterogorgia oppositipinna</i> (Ridley, 1888)	Mergui archipelago	Accepted	Australia	1	0	0	0
91	<i>Pseudopterogorgia rubrotincta</i> (Thomson & Henderson, 1905)	Indian Ocean	Accepted		1	0	0	0
92	<i>Pseudopterogorgia thomassini</i> (Tixier-Durivault, 1972)	Madagascar	Accepted	Madagascar	1	0	0	0
93	<i>Pterostenella plumatilis</i> (Milne Edwards and Haime, 1857)	Ceylon	Accepted	Philippines, Japan, Australia	1	0	0	0
94	<i>Rumphella aggregata</i> (Nutting, 1910)	Kei islands (Indonesia)	Accepted	Australia, Egypt, New Caledonia, Papua New Guinea, Vanuatu, Guam, Micronesia, Palau, Thailand, Indonesia, Yemen	0	0	1	0
95	<i>Rumphella torta</i> (Klunzinger, 1877)	Red Sea	No Records	India. Red sea	0	0	1	0
96	<i>Solenocaulon sterroclonium</i> Germanos, 1895	Ternate (Maluku)	Accepted	Australia, Indonesia	1	0	0	0
97	<i>Solenocaulon tortuosum</i> Gray, 1862	North Australia	Accepted	Australia, Singapore, Madagascar, Somalia, Maldives, India	1	0	0	0
98	<i>Subergorgia rubra</i> (Thomson, 1905)	Ceylon seas	Accepted	Thailand, Chinese Taipei, New Caledonia, Sri Lanka	1	0	1	0
99	<i>Subergorgia suberosa</i> (Pallas, 1766)	Sea of South Africa	Accepted	Philippines, Australia, Saudi Arabia, Chinese Taipei, Japan, Madagascar, Reunion, Micronesia, India, Palau, Japan, China, Malaysia, Mauritius, Papua New Guinea, Guam, Vanuatu, UAE, Indonesia, Thailand, Singapore, Marshall Islands, Fiji, New Caledonia, Tanzania, Christmas Islands	1	0	1	0
100	<i>Thesea flava</i> Nutting, 1910	Aru Islands	Accepted	Philippines, Indonesia, India	1	0	0	0
101	<i>Trimuricea caledonica</i> Grasshoff, 1999	New Caledonia	Accepted	New Caledonia	0	0	1	0
102	<i>Trimuricea reticulata</i> (Thomson & Simpson, 1909)	Trimuricea reticulata Gordon, 1926 - discrepancy in the author. GBIF shows both results but 0 occurrence for Trimuricea reticulata (Thomson & Simpson, 1909) - Refer Namin & Ofwegen 2016	Accepted	Myanmar, India	1	0	1	0
103	<i>Verrucella cerasina</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	0	0	1	0
104	<i>Verrucella corona</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	0	0	1	0
105	<i>Verrucella diadema</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	1	0	1	0
106	<i>Verrucella flexuosa</i> (Klunzinger, 1877)	Red Sea	Accepted	Japan, India	1	0	1	0
107	<i>Verrucella gubalensis</i> Grasshoff, 2000	Red Sea	Accepted		1	0	1	0
108	<i>Verrucella klunzingeri</i> Grasshoff, 2000	Eilat	Accepted	Red Sea	0	0	1	0
109	<i>Verrucella umbella</i> (Esper, 1798)	Foreign language..cant derive the type locality- Bay of Bengal??	Accepted	South Africa, Somalia, Thailand , Iran	1	0	1	0

	Systematic position	Type locality	Current status as per WoRMS	Current distribution	EI	WI	A&N	LK
110	<i>Verrucella umbraculum</i> (Ellis & Solander, 1786)	Batavia	Accepted	Papua New Guinea, Thailand, Singapore, Japan, Tanzania, Somalia, Pakistan, Philippines, South Africa, India	1	0	1	0
111	<i>Villogorgia ceylonensis</i> (Thomson & Henderson, 1905)	Deep waters of Galle	Accepted	Sri Lanka	1	0	1	0
112	<i>Villogorgia tenuis</i> (Nutting, 1908)	Hawaii	Accepted	United States of America, Somalia, Thailand	1	0	1	0
113	<i>Viminella crassa</i> (Grasshoff, 1999)	New Caledonia	Accepted	New Caledonia	0	0	1	0
114	<i>Viminella juncelloides</i> (Stiasny, 1938)	Red Sea	Accepted	India, Red Sea	0	0	1	0
115	<i>Acanthomuricea nagapatinamensis</i> Antony Fernando, 2011	Nagapattinam	No records	India	1	0	0	0
116	<i>Acanthogorgia cuddalorensis</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
117	<i>Acanthogorgia cylindricus</i> Antony Fernando, 2011	Cuddalore fish landing centre	No records	India	1	0	0	0
118	<i>Acanthogorgia delicata</i> Antony Fernando, 2011	Cuddalore fish landing centre	No records	India	1	0	0	0
119	<i>Acanthogorgia macrospiculata</i> Antony Fernando, 2011	Yerwadi beach	No records	India	1	0	0	0
120	<i>Acanthomuricea tuticorinensis</i> Antony Fernando, 2011	Tuticorin	No records	India	1	0	0	0
121	<i>Anthogorgia ramamoorthii</i> Antony Fernando, 2011	Cuddalore fish landing centre	No records	India	1	0	0	0
122	<i>Astrogorgia anastomosans</i> Antony Fernando, 2011	Pondicherry	No records	India	1	0	0	0
123	<i>Astrogorgia bicolor</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
124	<i>Astrogorgia cuddalorensis</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
125	<i>Astrogorgia krusadaiensis</i> Antony Fernando, 2011	Vedalai	No records	India	1	0	0	0
126	<i>Astrogorgia macrosclera</i> Antony Fernando, 2011	Pondichery	No records	India	1	0	0	0
127	<i>Astrogorgia nagapainamensis</i> Antony Fernando, 2011	Nagapatinamensis	No records	India	1	0	0	0
128	<i>Astrogorgia seshaiyai</i> Antony Fernando, 2011	Vedalai	No records	India	1	0	0	0
129	<i>Astrogorgia sinensis</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
130	<i>Astrogorgia uvariensis</i> Antony Fernando, 2011	Uvari	No records	India	1	0	0	0
131	<i>Echinogorgia disimilis</i> Antony Fernando, 2011	Nagapatinam	No records	India	1	0	0	0
132	<i>Echinogorgia longispinosa</i> Antony Fernando, 2011	Pondicherry	No records	India	1	0	0	0
133	<i>Echinogorgia seshaiyai</i> Antony Fernando, 2011	Pamban	No records	India	1	0	0	0
134	<i>Echinomuricea cuddalorensis</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
135	<i>Ellisella bayeri</i> Antony Fernando, 2011	Kanyakumari	No records	India	1	0	0	0
136	<i>Ellisella grasshoffi</i> Antony Fernando, 2011	Thiruchendur	No records	India	1	0	0	0
137	<i>Erythropodium pambanensis</i> Antony Fernando, 2011	Pamban	No records	India	1	0	0	0
138	<i>Euplexaura koothankuliensis</i> Antony Fernando, 2011	Koothankuli	No records	India	1	0	0	0
139	<i>Menella idinthakaraiensis</i> Antony Fernando, 2011	Idinthakarai	No records	India	1	0	0	0
140	<i>Nicella cuddalorensis</i> Antony Fernando, 2011		No records	India	1	0	0	0
141	<i>Nicella gracilis</i> Antony Fernando, 2011	Koothankuli	<i>Nicella gracilis</i> Cairns, 2007		1	0	0	0

	Systematic position	Type locality	Current status as per WoRMS	Current distribution	EI	WI	A&N	LK
142	<i>Nicella rarus</i> Antony Fernando, 2011	bw Nagapattinam and Palayar	No records	India	1	0	0	0
143	<i>Paraplexaura mannarensis</i> Antony Fernando, 2011	Vedalai	No records	India	1	0	0	0
144	<i>Paraplexaura maxima</i> Antony Fernando, 2011	Pondicherry	No records	India	1	0	0	0
145	<i>Paraplexaura multiplanar</i> Antony Fernando, 2011	Vedalai	No records	India	1	0	0	0
146	<i>Paraplexaura platysclera</i> Antony Fernando, 2011		No records	India	1	0	0	0
147	<i>Pseudopterogorgia anastomosan</i> Antony Fernando, 2011	Vedalai, GoM	No records	India	1	0	0	0
148	<i>Pseudopterogorgia balasubramanii</i> Antony Fernando, 2011	Kothapatnam, Andhra	No records	India	1	0	0	0
149	<i>Pseudopterogorgia filiformis</i> Antony Fernando, 2011	Kodiakkarai, Palk Bay	No records	India	1	0	0	0
150	<i>Pseudopterogorgia flexibilis</i> Antony Fernando, 2011	Kodiakkarai, Palk Bay	No records	India	1	0	0	0
151	<i>Pseudopterogorgia kodiakariensis</i> Antony Fernando, 2011	Kodiakkarai, Palk Bay	No records	India	1	0	0	0
152	<i>Pseudopterogorgia kotapatnamensis</i> Antony Fernando, 2011	Kodiakkarai, Palk Bay	No records	India	1	0	0	0
153	<i>Pseudopterogorgia mandabamensis</i> Antony Fernando, 2011	Mandapam	No records	India	1	0	0	0
154	<i>Pseudopterogorgia mangalorensis</i> Antony Fernando, 2011	Surathkal	No records	India	0	1	0	0
155	<i>Pseudopterogorgia oliviae</i> Antony Fernando, 2011	Vedalai, GoM	No records	India	1	0	0	0
156	<i>Pseudopterogorgia pandiani</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
157	<i>Pseudopterogorgia philippi</i> Antony Fernando, 2011	Kodiakkarai, Palk Bay	No records	India	1	0	0	0
158	<i>Pseudopterogorgia rubra</i> Antony Fernando, 2011	Kodiakkarai, Palk Bay	No records	India	1	0	0	0
159	<i>Pseudopterogorgia undulata</i> Antony Fernando, 2011	Vedalai, GoM	No records	India	1	0	0	0
160	<i>Pseudopterogorgia vedalaiensis</i> Antony Fernando, 2011	Vedalai, GoM	No records	India	1	0	0	0
161	<i>Pseudopterogorgia williamsi</i> Antony Fernando, 2011	Vedalai, GoM	No records	India	1	0	0	0
162	<i>Trimuricea cuddalorensis</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
163	<i>Trimuricea indica</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
164	<i>Trimuricea longispinosa</i> Antony Fernando, 2011	Pondicherry	No records	India	1	0	0	0
165	<i>Trimuricea robusta</i> Antony Fernando, 2011	Uvari	No records	India	1	0	0	0
166	<i>Verrucella balasubramaniani</i> Antony Fernando, 2011	bw Cuddalore and Pondicherry	No records	India	1	0	0	0
167	<i>Verrucella bicolor</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
168	<i>Verrucella ixoboloides</i> Antony Fernando, 2011	bw Cuddalore and Pondicherry	No records	India	1	0	0	0
169	<i>Verrucella pambanensis</i> Antony Fernando, 2011	Pamban	No records	India	1	0	0	0
170	<i>Verrucella pinnata</i> Antony Fernando, 2011	Nagapattinam	No records	India	1	0	0	0
171	<i>Verrucella pondicheriensis</i> Antony Fernando, 2011	Pondicherry	No records	India	1	0	0	0

	Systematic position	Type locality	Current status as per WoRMS	Current distribution	EI	WI	A&N	LK
172	<i>Viminella dissimilis</i> Antony Fernando, 2011	Cuddalore	No records	India	1	0	0	0
173	<i>Acabaria cinquemiglia</i> Grasshoff, 1999 / <i>Melithaea cinquemiglia</i> (Grasshoff, 1999)	New Caledonia	Not accepted	New Caledonia, India	0	0	1	0
174	<i>Acabaria ouvea</i> Grasshoff, 1999/ <i>Melithaea ouvea</i> (Grasshoff, 1999)	New Caledonia	Not accepted	New Caledonia, India	0	0	1	0
175	<i>Acanella robusta</i> Thomson & Henderson, 1906	Indian Ocean	Accepted	India, Australia	0	0	1	0
176	<i>Astromuricea stellifera</i> Thomson & Crane, 1909	Kiu, Beyt Harbour	Accepted	India	0	0	1	0
177	<i>Bebryce mollis</i> Phillipi, 1842	Mediterranean Sea	Accepted	Italy, Morocco, Portugal, Spain, India, Maldives, Tunisia, Japan	0	0	1	0
178	<i>Cactogorgia alciformis</i> Thomson & Simpson, 1909	Andamans	No records	India, Andamans, Indonesia	0	0	0	1
179	<i>Calicogorgia tenuis</i> Thomson & Simpson, 1909	Andamans	Accepted	India	0	0	1	0
180	<i>Callogorgia indica</i> Versluys, 1906		Accepted	India	0	0	1	0
181	<i>Clathraria maldivensis</i> van Ofwegen, 1987/ <i>Melithaea maldivensis</i> (van Ofwegen, 1987)	Imma Island, Maldives	Not accepted	Maldives, India	0	0	0	1
182	<i>Echinogorgia flabellum</i> (Esper, 1791)	Maluku island	Accepted	Australia, Papua New Guinea, India	0	0	1	1
183	<i>Echinogorgia flora</i> (Nutting, 1910)/ <i>Menella flora</i> (Nutting, 1910)				0	0	1	0
184	<i>Echinogorgia longispinosa</i>		No records		1	0	0	0
185	<i>Echinogorgia multispinosa</i> Thomson & Henderson, 1905	Ceylon seas	Accepted	Sri Lanka, India	0	0	1	0
186	<i>Echinogorgia ramulosa</i> (Gray, 1870)	Philippines	Accepted	Pakistan, India	0	0	1	0
187	<i>Echinomuricea andamanensis</i> Thomson & Simpson, 1909	Andamans	Accepted	India	0	0	1	0
188	<i>Echinomuricea indica</i> Thomson & Simpson, 1909	Arakan coast	Accepted	Thailand, India	0	0	1	0
189	<i>Echinomuricea ochracea</i> Thomson & Simpson, 1909	Indian Ocean	Accepted	India	0	0	1	0
190	<i>Echinomuricea splendens</i> Thomson & Simpson, 1909	Indian Ocean	Accepted	India	0	0	1	0
191	<i>Echinomuricea uliginosa</i> Thomson & Simpson, 1909	Lakshadweep	Accepted	Myanmar, India	0	0	1	0
192	<i>Echinomuricea uliginosa</i> Thomson & Simpson, 1909	Kalpeni Bank, Laccadives.	Accepted	India, Myanmar	0	0	1	1
193	<i>Echinomuricea uliginosa</i> var. <i>tenerior</i> Thomson & Simpson, 1909		No records		0	0	1	0
194	<i>Elasmogorgia flexilis</i> Hickson, 1905	Suvadiva	Accepted	Maldives, India	0	0	1	0
195	<i>Fanellia fraseri</i> (Hickson, 1915)	Gulf of Alaska	Accepted	United States, India	0	0	1	0
196	<i>Gorgonella rubra</i> (Thomson and Henderson, 1905)	Gulf of Mannar	No records	Indo-Australian	1	0	0	0
197	<i>Gorgonella umbella</i> (Esper, 1798)/ <i>Verrucella umbella</i> (Esper, 1798)	Bay of Bengal	No records		1	0	0	0
198	<i>Gorgonella umbraculum</i> Ellis & Solander, 1786 / <i>Verrucella umbraculum</i> (Ellis & Solander, 1786)	Batavia	Not Accepted		1	0	1	0
199	<i>Keratoisis gracilis</i> (Thomson & Henderson, 1906)	Andamans	Accepted	Indo-Pacific	0	0	1	0
200	<i>Leptogorgia australiensis</i> (Ridley, 1884)/ <i>Pseudopterogorgia australiensis</i> (Ridley, 1884)				1	0	0	0

	Systematic position	Type locality	Current status as per WoRMS	Current distribution	EI	WI	A&N	LK
201	<i>Lophogorgia lutkeni</i> Wright & Studer / <i>Leptogorgia lütkeni</i> (Wright & Studer, 1889)	Prince Edward Island	Not accepted	Prince Edward Island, Zanzibar, India	1	0	1	0
202	<i>Melithaea ornata</i> (Thomson & Simpson, 1909)	Andaman Sea	Accepted	No occurrence in GBIF	0	0	1	0
203	<i>Melithaea philippinensis</i> (Wright & Studer, 1889)	Samboangan	Accepted	Indonesia, India	0	0	1	0
204	<i>Menacella gracilis</i> Thomson & Simpson, 1909	Andamans	Accepted	India	0	0	1	0
205	<i>Mopsella rubeola</i> (Wright & Studer, 1889)/ <i>Melithaea rubeola</i> (Wright & Studer, 1889)	Arafura Sea	Not accepted	Australia, Philippines, Singapore, China, Indonesia, Malaysia, United States, India	1	0	1	0
206	<i>Muricella bengalensis</i> Thomson & Henderson, 1906	Bay of Bengal, Andamans	Accepted	India	0	0	1	0
207	<i>Muricella robusta</i> Thomson & Simpson, 1909	Andamans	Accepted	India	0	0	1	0
208	<i>Nicella pustulosa</i> (Thomson & Simpson, 1909)	Andamans	Accepted	India	0	0	1	0
209	<i>Nicella reticulata</i> Thomson & Simpson, 1909/ <i>Verrucella reticulata</i> (Thomson & Simpson, 1909)	Indian Ocean	Not Accepted		0	0	0	1
210	<i>Paramuricea indica</i> Thomson & Henderson, 1906	Andamans	Accepted	India	0	0	1	0
211	<i>Perisceles ceylonensis</i> (Thomson and Henderson)		No records	Indian Ocean	1	0	0	0
212	<i>Placogorgia indica</i> Thomson & Henderson, 1906	Andamans	Accepted	India	0	0	1	0
213	<i>Placogorgia orientalis</i> Thomson & Henderson, 1906	Andamans	Accepted	India	0	0	1	0
214	<i>Plexauroides praelonga</i> (Ridley)		No records		1	0	0	0
215	<i>Plexauroides praelonga</i> (Ridley)		No records	Indo-Australian	1	0	0	0
216	<i>Plexauroides praelonga</i> var. <i>cinerea</i> (Ridley)		No records	Indo-Australian	1	0	0	0
217	<i>Scirpearia filliformia</i> Toeplitz		No records	Andamans, Australia	1	0	0	0
218	<i>Solenocaulon tortuosum</i> Gray, 1862	North Australia	Accepted	Singapore, Madagascar, Somalia, Australia, Maldives, India	1	0	1	0
219	<i>Subergorgia ornate</i> Whitelegge ??/ <i>Subergorgia ornata</i> Thomson and Simpson, 1909	Indian Ocean	Not accepted		0	0	0	1
220	<i>Subergorgia reticulata</i> Ellis & Solander, 1786/ <i>Annella reticulata</i> (Ellis & Solander, 1786)	Philippines	Not accepted	Papua New Guinea, Comoros, Madagascar, Australia, Palau, Indonesia, Mauritius, Singapore, Guam, India, Northern Mariana Island	1	0	1	1
221	<i>Villogorgia rubra</i> Hiles, 1899	Ceylon seas	Accepted	Thailand, Indonesia, New Caledonia	0	0	1	0
222	<i>Wrightella braueri</i> Kükenthal, 1919 / <i>Melithaea braueri</i> (Kükenthal, 1919)	Seychelles??	Not accepted	Seychelles, Madagascar, India	0	0	1	0
223	<i>Pseudopterogorgia lutkeni</i> (Wright & Studer, 1889)		No records		1	0	0	0

EI—East coast of India | WI—West coast of India | A&N—Andaman & Nicobar Islands | LK—Lakshadweep Islands.



www.threatenedtaxa.org

PLATINUM
OPEN ACCESS



The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/) unless otherwise mentioned. JoTT allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

October 2019 | Vol. 11 | No. 13 | Pages: 14631–14786

Date of Publication: 26 October 2019 (Online & Print)

DOI: 10.11609/jott.2019.11.13.14631-14786

Communications

Camera trap survey of mammals in Cleopatra's Needle Critical Habitat in Puerto Princesa City, Palawan, Philippines

– Paris N. Marler, Solomon Calago, Mélanie Ragon & Lyca Sandra G. Castro, Pp. 14631–14642

Habitat suitability modeling of Asian Elephant *Elephas maximus* (Mammalia: Proboscidea: Elephantidae) in Parsa National Park, Nepal and its buffer zone

– Puja Sharma, Hari Adhikari, Shankar Tripathi, Ashok Kumar Ram & Rajeev Bhattarai, Pp. 14643–14654

Current population status of the endangered Hog Deer *Axis porcinus* (Mammalia: Cetartiodactyla: Cervidae) in the Terai grasslands: a study following political unrest in Manas National Park, India

– Alolika Sinha, Bibhuti Prasad Lahkar & Syed Ainul Hussain, Pp. 14655–14662

A food spectrum analysis of three bufonid species (Anura: Bufonidae) from Uttarakhand region of the western Himalaya, India

– Vivekanand Bahuguna, Ashish Kumar Chowdhary, Shurveer Singh, Gaurav Bhatt, Siddhant Bhardwaj, Nikita Lohani & Satyanand Bahuguna, Pp. 14663–14671

Moulting pattern and mortality during the final emergence of the Coromandel Marsh Dart Damselfly *Ceriatagion coromandelianum* (Zygoptera: Coenagrionidae) in central India

– Nilesh R. Thaokar, Payal R. Verma & Raymond J. Andrew, Pp. 14672–14680

Diversity of parasitic Hymenoptera in three rice-growing tracts of Tamil Nadu, India

– Johnson Alfred Daniel & Kunchithapatham Ramaraju, Pp. 14681–14690

Mapping octocoral (Anthozoa: Octocorallia) research in Asia, with particular reference to the Indian subcontinent: trends, challenges, and opportunities

– Ghosh Ramvilas, Kannan Shalu, Rajeev Raghavan & Kutty Ranjeet, Pp. 14691–14721

SEM study of planktonic chlorophytes from the aquatic habitat of the Indian Sundarbans and their conservation status

– Gour Gopal Satpati & Ruma Pal, Pp. 14722–14744

Is cultivation of *Saussurea costus* (Asterales: Asteraceae) sustaining its conservation?

– Chandra Prakash Kuniyal, Joel Thomas Heinen, Bir Singh Negi & Jagdish Chandra Kaim, Pp. 14745–14752

Short Communications

A first photographic record of a Yellow-bellied Weasel *Mustela kathiah* Hodgson, 1835 (Mammalia: Carnivora: Mustelidae) from western Nepal

– Badri Baral, Anju Pokharel, Dipak Raj Basnet, Ganesh Bahadur Magar & Karan Bahadur Shah, Pp. 14753–14756

Mammal diversity in a montane forest in central Bhutan

– Tashi Dhendup, Kinga Thinley & Ugyen Tenzin, Pp. 14757–14763

Notes

First record of Otter Civet *Cynogale bennettii* (Mammalia: Carnivora: Viverridae) kept as a pet in Indonesia, representing a possible new threat to the species

– Jamie Francis Bernard Bouhuys, Pp. 14764–14766

An observation of the White-bellied Sea Eagle *Haliaeetus leucogaster* preying on Saltwater Crocodile hatchlings *Crocodylus porosus* in Bhitarkanika Wildlife Sanctuary, India

– Nimain Charan Palei, Bhakta Padarbinda Rath & Bimal Prasanna Acharya, Pp. 14767–14769

Elusive, rare and soft: a new site record of Leith's Softshell Turtle *Nilssonia leithii* (Reptilia: Testudines: Trionychidae) from Bhadra Tiger Reserve, Karnataka, India

– H.S. Sathya Chandra Sagar, M. Mrunmayee, I.N. Chethan, Manish Kumar & D.V. Girish, Pp. 14770–14772

A new distribution record of the Pentagonal Sea Urchin Crab *Echinoecus pentagonus* (A. Milne-Edwards, 1879) (Decapoda: Brachyura: Pilumnidae) from the Andaman Islands, India

– Balakrishna Meher & Ganesh Thiruchitrabalam, Pp. 14773–14776

First records of the ghost moth genus *Palpifer* Hampson, [1893] (Lepidoptera: Hepialidae) from the Indian subcontinent south of the Himalaya

– Siyad A. Karim & John R. Grehan, Pp. 14777–14779

First record of longhorn beetle *Calothyrsa margaritifera* (Cerambycidae: Lamiinae: Phrynetini) from western India

– Vishwas Deshpande & Hemant V. Ghatge, Pp. 14780–14783

Extended distribution of *Ceropegia mahabalei* Hemadri & Ansari (Apocynaceae) to the state of Gujarat, India

– Mukta Rajaram Bhamare, Hemantkumar Atmaram Thakur & Sharad Suresh Kambale, Pp. 14784–14786

Partner



صندوق محمد بن زايد
للمحافظة على
الكائنات الحية
The Mohamed bin Zayed
SPECIES CONSERVATION FUND

Member



Publisher & Host

