



D.6.2

Report on the Essential Ocean Ecosystem Variables and on the Adequacy of Existing Observing System Elements to Monitor Them

Work Package:	WP6	Ecosystem SBA Application development and new GCI components integration.
Task:	T6.1 T6.2	Definition of Essential Ocean Ecosystem Variables; and Assessment of Adequacy of eEOV monitoring efforts.
Author(s):	S. Grimes	IOC-UNESCO
Authorized by	Joost van Bemmelen	ESA
Doc Id:	GEOWOW-WP6-IOU-D6.2	
Reviewer	Michael Utecht	Kisters
Reviewer	Richard Swinbank	UK Met Office
Dissemination Level	Public	

Abstract:

This report of the GEOWOW project (www.geowow.eu) Work Package 6 led by IOC-UNESCO responds to Objective 6.2: 'to identify requirements for and monitor implementation of key ocean ecosystem observations'. It also strengthens input for another WP6 Objective (6.4): 'to support research and development of marine assessments, through availability of information from ocean data and combination with model data to feed decision-support systems.'

Priority ecosystem Essential Ocean Variables (eEOVs) have been identified in this report. These were proposed through a process of definition and discussion with internationally renowned marine scientists and ocean modelers. Knowledge of the priority eEOVs and understanding the existing adequacy of the observing system elements used to monitor them contributes to the improved development of ocean information products that are useful to combat threats to ocean ecosystems and to society from changes in the ocean environment.

This report provides a solid starting point from which the global ocean observing community of scientists and modelers can begin and/or strengthen efforts for sustained monitoring of eEOVs. Ultimately, ongoing observations of eEOVs and subsequent storage and access to data will provide the most relevant and 'essential' information useful to policy and decision-makers for best practice management of the marine ecosystems. GEOWOW's efforts to improve data discovery, interoperability, computation, and information display infrastructures, based on the existing GEOSS Common Infrastructure will assist storage and accessibility of the eEOVs and related ocean models and indicator 'products'.

Document Log

Date	Author(s)	Changes	Version	Status
15/09/2014	S. Grimes	New document	1.0	Delivered

Executive Summary

GEOWOW is a co-funded FP7 EC project, whose main objective is to:

- 1) improve EO data discovery, accessibility and exploitability; and
- 2) evolve GEOSS in terms of interoperability, standardisation and functionality.

This report of Work Package 6 (WP6) led by IOC-UNESCO responds to the particular objective 'to identify requirements for and monitor implementation of key ocean ecosystem observations'. It also strengthens input for another WP6 Objective (6.4): 'to support research and development of marine assessments, through availability of ocean and model data to feed decision-support systems.'

Identified in this report are the ecosystem Essential Ocean Variables (eEOVs) deemed priority for monitoring, from which data will be used to support marine management decisions. These were proposed through a process of definition and discussion with internationally renowned marine scientists and ocean modelers over the course of several years. Discussions culminated in a Workshop of Marine Technical Experts (November 2013), held to identify the priority 10 biology eEOVs and 10 biogeochemistry eEOVs, all of which – once sustained monitoring is in place – will provide ocean data necessary to inform scientists and decision-makers about the 'health' of marine ecosystems. Knowledge of the priority eEOVs and understanding the existing adequacy of the observing system elements used to monitor them also improves the opportunity to develop ocean information products relevant for combatting threats to:

- 1) ocean ecosystems; and
- 2) society from changes in the ocean environment.

Direct contributions by IOC-UNESCO (WP6) and other partners for the identification of eEOVs were examined in the context of an overall vision of a *healthy ocean for prosperity and sustainability*. This vision steered the selection of priority candidate eEOVs ranked with high impact / high feasibility status for monitoring.

The priority eEOVs identified at the Workshop and documented in this Report, provides a solid base from which the global ocean observing community of scientists and modelers can begin and/or strengthen efforts for sustained monitoring of them. Ultimately, ongoing observations of eEOVs and subsequent storage and access to this data will provide the information considered 'essential' to policy and decision-makers for best practice management and sustainable use of marine ecosystems. GEOWOW's efforts to improve data discovery, interoperability, computation, and information display infrastructures, based on the existing GEOSS Common Infrastructure (GCI) will assist storage and accessibility of these eEOVs and related ocean models and indicator 'products', now and into the future.

Table of Contents

1.	Introduction	6
1.1	PURPOSE AND SCOPE.....	6
2.	What is an EOVS?.....	8
3.	Towards Identification of EOVS	10
3.1	IDENTIFICATION OF eEOV METHODOLOGY	10
	PRELIMINARY WORKING GROUPS 2010 TO 2013.....	10
	TECHNICAL EXPERTS WORKSHOP FOR DEFINITION OF eEOVS, NOVEMBER 2013	11
	TRANSBOUNDARY WATERS ASSESSMENT PROGRAMME, 2013 - 2015	11
4.	Key EOVS, 'pilot projects' and adequacy of the monitoring systems for eEOVS	13
4.1	OVERVIEW	13
4.1.1	Biological eEOVS and Pilot Projects	13
4.1.2	– Biogeochemistry eEOVS and Pilot Projects.....	15
5.	Next Steps.....	16
	COMMENCEMENT OF MONITORING AND REFINING FURTHER THE PRIORITY eEOVS	16
	eEOVS USED IN THE TRANSBOUNDARY WATERS ASSESSMENT PROGRAMME	16
6.	Conclusions.....	17
	Annex A: References.....	18
	Annex B: Figures and Tables	19
	Annex C: Acronyms and Abbreviations	20
	Annex D: Report of the First Workshop of the Technical Experts for the GOOS Biology and Ecosystems Panel: Identifying eEOVS (2014).....	22
	Annex E: Report of the First Technical Workshop of the GOOS Biogeochemistry Panel: Defining EOVS for Biogeochemistry (2014).....	107

1. Introduction

1.1 Purpose and Scope

One of four related objectives of Work Package 6 (WP6) in GEOWOW is 'to identify requirements for and monitor implementation of key ocean ecosystem observations'. This also strengthens input for another WP6 Objective (6.4): 'to support research and development of marine assessments, through availability of ocean and model data to feed decision-support systems.' WP6 is led by the Intergovernmental Oceanographic Commission of UNESCO (IOC-UNESCO), whose mission is to promote international cooperation and to coordinate programmes in research, services, and capacity building, to learn more about the nature and resources of the ocean and coastal areas, and to apply this knowledge to improved management, sustainable development and protection of the marine environment and the decision-making processes of Member States. It is the host agency for the UN's Global Ocean Observing System (GOOS) which coordinates ocean observing networks for global and regional missions. GOOS is a contributing organization of the Group of Earth Observations (GEO) and one of the 'systems' within the Group's 'System of Systems' (GEOSS).

Until recently, there has been no standardised approach to understanding and co-ordinating marine biodiversity and ecosystem observations [1]. In recognition, Member States for IOC-UNESCO and scientists working in the GOOS community have requested in recent years, an enhanced understanding and monitoring of the biological and ecological components of the ocean. Improvement allows for better-informed decisions for marine ecosystem management through a 'proactive' approach rather than the current method of 'reactive management' to loss of marine biodiversity and ecosystem services.

The underlying structure of marine ecosystems and how they are changing are fundamental parameters required for identifying rates of change in the marine ecosystem. An initial step in this process of understanding these characteristics is the definition and identification of Essential Ocean Variables (EOVs). EOVs are a concept adopted by GOOS that identifies those sustained ocean observations and variables with high impact in delivering societal and scientific value, balanced with the feasibility of their sustained monitoring (further described below and in Annex D).

Identifying the EOVs associated with ocean ecosystem-related societal issues, and in particular identifying the biological / ecosystem EOVs (eEOVs) and related biogeochemistry eEOVs (that directly impact on the state of marine ecosystems), assists understanding the status of the marine ecosystem and how changes to it in the future can be recorded through sustained monitoring. eEOV data forms the backbone of the ocean data being used to support research and development of many marine indicators and more broad marine assessments underway worldwide, including the Global Environment Facility (GEF) funded Transboundary Water Assessment Programme (TWAP) and the UN directed World Ocean Assessment (WOA). eEOVs will be fed to the decision-support system also being created under GEOWOW's WP6, which will facilitate the access of this 'essential' data needed by scientists and policy-makers in their modelling and decisions.

This Report documents the process thus far in the identification and definition of the eEOVs required to address ocean ecosystem-related societal and scientific issues. It also comments on the adequacy of the observing systems to monitor them. Knowledge of the priority eEOVs provides the basis for collecting the necessary ocean data for informing marine policy and management issues. The identification and subsequent monitoring and collation of data

associated with these eEOVs requires data discovery, interoperability, computation, and information display infrastructures, which will be based on the existing GEOSS Common Infrastructure (GCI) and developments under GEOWOW. As well, it establishes a solid ground for further expansion of the capabilities of GOOS and GEO, linked together with the GEOSS and in particular via the GEO Task *Blue Planet*.

The WP6 GEOWOW activity to identify eEOVs also includes the delivery of the co-financed Transboundary Waters Assessment Programme (TWAP) (outlined in WP6 Deliverable 6.1) Open Ocean Assessment. This combined output and its toolset will be a significant contribution to the GEO Ecosystem Strategic Target to "establish...a wide-ranging monitoring capability for all ecosystems and the human impacts on them, to improve the assessment, protection and sustainable management of terrestrial, coastal and marine resources and the delivery of associated ecosystem services."

The identification of eEOVs and ultimate availability of data will leave a legacy for future research work and use in global and regional assessments related to ocean ecosystems and their interaction with human systems.

2. What is an EOVS?

An Essential Ocean Variable (EOV) is a concept adopted by the Global Ocean Observing System (GOOS) to organize and describe ocean variables that have a high feasibility of sustained observation, and high impact in responding to stated scientific and societal issues (see Figure 1).




Figure 1. ***Essential Ocean Variables (EOVs)** are those deemed 'essential' for understanding the ocean, having high impact in their contribution to understanding the ocean, and high feasibility to measure whilst addressing key scientific and societal issues [1]. This report focuses on the identification of ecosystem EOVS (eEOVs) that have high impact, although in most cases, further work is required to address the 'Readiness' of the monitoring system to ensure their sustained observation.*

The expression of requirements around EOVS and the management of EOVS data streams are an organizing principle of GOOS's Framework for Ocean Observations (FOO) [1]. This Framework organizes the observing system around the expression of requirements for different societal issues, the coordination of observing networks and satellite missions, the management of data streams, and the development of ocean information.

'Variables' are an intrinsic way of describing the natural system of the ocean and its physical, chemical, and biological properties (see Figure 2). Describing the variables that are 'essential' to address societal issues and major scientific questions (rather than particular essential observing systems) allows for innovation and evolution of the observing techniques, while maintaining a constant output of the system. In particular, **ecosystem EOVS (eEOVs)** focus on collecting information about the biotic aspects of the marine environment, enabling scientists to comment on the present status of marine habitats and ecosystems.




Figure 2. A Conceptual Overlap of Essential Ocean Variables (EOVs), including the physics, ecosystem and biogeochemistry EOVs, related to other Essential Variables (climate, weather and biodiversity). [Source: Annex D]

EOVs are being ‘community-designated’ through the consultation processes of GOOS. In reality, measurements of EOVs will be made by specific platforms, networks and programs (‘observing elements’ in the language of the Framework), within particular regions or geographical areas. For robust and continuous monitoring, the variables need to be technically and economically feasible for ongoing systematic observation, and flexible enough for the international exchange of both historical and current data. Some monitoring of EOVs can commence immediately through the use of ocean observation instruments and methods that are already mature. The GOOS Steering Committee has also been encouraging innovation and capacity building so that new EOVs for societal benefit – especially eEOVs - can be identified and monitored as soon as practical. Particularly, data stemming from the eEOV observations can be used to reveal changes to the global marine ecosystem over time and therefore prove critical to informing marine-related management decisions to assist society.

The EOVs build on a similar concept developed by the Global Climate Observing System (GCOS) with the definition and identification of Essential Climate Variables (ECVs) that could be observed in the various climate themes or ‘domains’ (eg atmospheric, ocean and terrestrial) [2]. Since then, the collection of data from these ECVs has led to the creation of climate products that provide useful tools for both climate scientists and policy-makers to improve decisions related to climate. More recently, the Group on Earth Observations Biodiversity Observation Network (GEOBON) has concentrated on identifying any changes in the earth’s ecosystems (including marine ecosystems) through the emergence of Essential Biodiversity Variables (EBVs) [3]. Ideally, these ‘Essential Variables’ (e.g. ocean, climate and biodiversity) should adopt a consistent approach for definition; identification and longer-term monitoring of change. Also, they should each contribute to the overall goal of GEOSS: to ensure the longer-term monitoring of the earth’s systems to improve data used to support decision making for sustainable development.

Further detail about eEOVs, and in particular those focused on biological and biogeochemistry is provided in Annex D and E, respectively.

3. Towards Identification of EOVS

The IOC-UNESCO and GEOWOW along with partners (including GEOWOW) have coordinated several meetings and working groups that have resulted in the identification of a set of eEOVs for both the biological and biogeochemistry domains, 20 of which have been prioritized for urgent continuation and/or development.

3.1 Identification of eEOV Methodology

The process for identifying EOVS commenced in 2010 and subsequently gathered momentum throughout the GEOWOW Project as WP6 worked in partnership with GOOS to determine the 20 priority eEOVs. The following section is organised around the methodology to refine the preliminary definition of eEOVs prior to a dedicated Technical Workshop to define biological and biogeochemistry eEOVs, held in Australia, November 2013. The Workshop is outlined thereafter. A complementary process of marine data acquisition via the Transboundary Waters Assessment (TWA) Programme, and that relates to some of these eEOVs is also described.

Preliminary Working Groups 2010 to 2013

The definition of eEOVs builds on several past activities of GOOS, including for a targeted workshop in May 2010 on *'Attaining Operational Marine Biodiversity Observations: A Workshop to Determine the Status of Current Abilities and Scope Future Solutions'*, funded by the US Government [4]. The outcome report identified the best options for implementing a local, national and global marine biodiversity observing network and was presented to GOOS as a US national contribution. The GOOS Panel for Integrated Coastal Observation (PICO) produced a comprehensive report *'Requirements for Global Implementation of the Strategic Plan for Coastal GOOS'* in February 2012 that set out an initial identification of EOVS useful for improving management of global coastal ecosystems [5].

Subsequently, in May 2012, a Workshop in Yeosu (Korea) co-ordinated by the IOC-UNESCO specifically discussed the GOOS Framework for Ocean Observations (FOO) and candidate ecosystem EOVS. Participants recommended priority EOVS – and especially eEOVs – for monitoring. Definition of the EOVS for biological and ecosystem observations are not as simple for physical and chemical properties, as the biological and ecological characteristics of the ocean are more complex, and their interactions less well-understood and observed. However, a number of suggestions converged around biological 'variables' that were reductive, and depended on direct sampling, such as:

- size structure of organisms [within a trophic level];
- taxonomic diversity; and
- delimitation of biogeographic boundaries.

The sustained monitoring of these somewhat synthetic EOVS would allow for a great expansion of the knowledge on the global human impact on ocean ecosystems, which was the main topic of the symposium in which the workshop was embedded (PICES-ICES-IOC Effects of Climate Change on the World's Oceans, Yeosu, Republic of Korea, May 2012).

After then, the new GOOS Steering Committee met in June 2012, Paris (France) and continued discussions on the definition of EOVS as well as the immediate need for the integration of biological and biogeochemical ocean data with the acquisition of physical data. A plan was devised to further refine the definition of the EOVS with the recommendation for a special GOOS Panel for ecosystems/biology to be developed as soon as possible. GEOBON also committed to working in partnership with this special GOOS panel. In collaboration with the GOOS Panel, a Scientific Committee on Oceanic Research (SCOR) Working Group to identify eEOVs for measuring change in the biological properties of marine ecosystems was

proposed. The WP6 Leader – IOC-UNESCO – subsequently worked closely with GOOS to refine the definition of eEOVs as well as further define the adequacy of monitoring efforts through preparations for the *‘Joint Workshop of Technical Experts for the Identification of Ecosystem Essential Ocean Variables’* which was jointly funded by GEOWOW, IOC-UNESCO and the Australian Government.

Technical Experts Workshop for definition of eEOVs, November 2013

The first *Workshop of Technical Experts for the Identification of Ecosystem Essential Ocean Variables* brought together internationally renowned taxonomic specialists in marine biology, biogeochemistry and marine ecosystem modelling and monitoring to discuss and specifically identify the priority biology and biogeochemistry eEOVs. As well, representatives from GEOBON were also present.

In preparing for this Workshop, GEOWOW WP6 gathered the information from the community discussions (explained above) into a preliminary List of EOVs, broadly split into four categories (Physical, Chemical, Biological and Socio-Economic/Human Impact) and compiled in the Table shown in Annex D (pp 93-99). These candidates were identified as those essential to observe in order to address a series of societal and scientific issues that have resonance with numerous GEO Societal Benefit Areas (SBAs) (see Annex D, p92). Also, they show the inter-linkages between ocean domains with human systems.

Using this material as a basis, a search was then conducted for other existing literature on EOVs. This was distilled into a Review Paper *‘Candidate Essential Ocean Variables for GOOS Biology and Ecosystems and GOOS Biogeochemistry’* [6] and shown in Annex D (pp 60-91). The synthesis provided the background and discussion points from which the Technical Experts at the Workshop could refine the preliminary List of EOVs into a priority set for biological and biogeochemical eEOVs, and from which potential pilot projects for monitoring these eEOVs were recommended. Throughout this process, the experts were also able to comment on the adequacy of monitoring systems in place.

The 3-day Workshop was arranged with joint sessions covering the common themes and issues, and separate meetings focused on the characteristics of eEOVs for biology and biogeochemistry. Details and results from the meeting are in Annex D and E respectively – and which forms the bulk of the work carried out for Deliverable 6.2.

Transboundary Waters Assessment Programme, 2013 - 2015

In tandem with the GEOWOW and GOOS activities, the 2-year GEF funded Transboundary Waters Assessment Program (TWAP) has been underway since early 2013¹. The TWAP is conducting a global assessment of the various aspects of the inter-connected hydrological cycle in five different types of transboundary water systems, two of which include the Open Ocean and Large Marine Ecosystems, and which are being led by the IOC-UNESCO [7]. The Open Ocean information brings valuable ocean ecosystem data mostly from areas beyond

¹ TWAP is an official co-financed partner to GEOWOW

national jurisdiction. As well, it looks at the impacts of global ocean processes on local and regional human populations in coastal zones.

The Large Marine Ecosystem assessment is focused on those designated 'marine ecosystems' mostly in coastal zones worldwide. These LMEs form management units that correlate with a holistic marine biota, where management practices and sustainable use is encouraged whilst maintaining as much as possible an 'intact' ecosystem.

A common thread in much of the ocean ecosystem-related aspects of these assessments is a lack of data globally to compute indices and indicators. The TWAP marine assessments are significant to the GEOWOW WP6 in that they will provide the major pool of ocean data and marine indicators (building on some of the priority eEOVs) for exposure to the GEOSS Common Infrastructure (GCI).²

² These data and indicators were previously outlined in GEOWOW Deliverable 6.1.

4. Key EOVs, 'pilot projects' and adequacy of the monitoring systems for eEOVs

4.1 Overview

The culmination of the Workshop in Australia led to a priority listing of 10 biological eEOVs, and 10 biogeochemistry eEOVs – some of which are complementary in supporting the same marine and societal issues. By definition, eEOVs are those that have high feasibility and impact – with the assumption that the monitoring system is either already in place or easy to establish. Through discussions at the Workshop, it was clear that some pilot projects could commence imminently due to an already established monitoring system. However, it was also clear that there is still some way to go before monitoring systems are in place for the full monitoring of these priority eEOVs, notwithstanding the other eEOVs identified in the wider list.

4.1.1 Biological eEOVS and Pilot Projects

As detailed in Annex D, biological eEOVs were selected in the context of an overall vision of *a healthy ocean for prosperity and sustainability*. This vision steered the selection of priority eEOVs, and which led to 4 scientific themes under which potential eEOVs were categorised:

- A. Productivity (primary and food web),
- B. Biodiversity;
- C. Ecosystem Services; and
- D. Human activities and pressures.

Experts at the Workshop considered 43 candidate biological eEOVs under the first 3 themes, noting that each of these can be impacted by the 4th theme. As well, a preliminary assessment ranked 10 candidates with high impact / high feasibility status for monitoring, as follows:

Table 1: Priority List of 10 biological eEOVs defined at the Workshop

Potential eEOV in order of ranking (1= Highest Impact/Highest feasibility)	eEOV Theme
1. Chlorophyll	A. Productivity (Primary) D. Human/Climate impacts
2. Coral Cover	B. Biodiversity C. Ecosystem Services (food supply for human populations in tropical latitudes, ecological buffer) D. Human/Climate impacts
3. Mangrove Area	A. Productivity (Primary) C. ES (Carbon sequestration, ecological buffer-flooding) D. Human/Climate impacts
4. Harmful Algal Blooms (HABs)	C. Ecosystem Services D. Human/Climate impacts
5. Zooplankton (biomass/abundance)	A. Productivity (Food Web) D. Human/Climate impacts
6. Salt Marsh Area	A. Productivity (Primary) C. ES (ecological buffer) D. Human/Climate impacts
7. Large marine vertebrates: abundance/distribution	B. Biodiversity D. Human/Climate impacts
8. Seagrass Area	A. Productivity (Primary) D. Human/Climate impacts

9. Tags and Tracking of species of value/large marine vertebrates	A. Productivity (Food Web) C- Ecosystem Services (related to fisheries) D. Human/Climate impacts
10. Zooplankton (Krill)	A. Productivity Food Web D. Human/Climate impacts

From this list, a preliminary set of candidate pilot projects were drafted, considering the availability of known monitoring systems and datasets, feasibility of continued or new monitoring infrastructure, and potential availability of funds to execute the projects (see Table 2). These are detailed in Annex D. Of the projects selected only 3 were deemed 'mature' in 'Readiness' and therefore possible with an immediate start and with little funds required. 3 other pilot projects were considered feasible within 3- 5 years either with improvements to the current observation systems and potential to access funds. Given the prioritization of 10 eEOVs from which only 3 projects are possible immediately, there is a clear indication that more effort and/or funding is required to establish and/or improve the adequacy of ocean observation systems to monitor the priority eEOVs now and in the long-term.

Table 2: Priority List of 7 Candidate Pilot/Concept Projects for eEOVs

Candidate Pilot Project	eEOV Theme/s	eEOV	FOO Readiness	Platforms
<i>Developing syntheses of abundance and distribution of Large Marine Vertebrates as a signal of the health of the marine ecosystem (via tagging and tracking techniques)</i>	A. Productivity (Food Web) B. Biodiversity. D. Human / Climate impacts	Movement patterns / hotspots / habitat use of Top Predators + Species of Value (eg whales)	Mature	Tags and Tracking
<i>Standardising Cal/Val for chlorophyll and primary productivity through coordination of the Chlorophyll / ocean colour community</i>	A. Productivity (Primary) D. Human / Climate Impacts	Chlorophyll	Mature	Satellite <i>in situ</i> sampling for calibration and fluorometric measurements at existing permanent mooring sites.
<i>Developing a synthesis product of Continuous Plankton Recorder (CPR) records to produce eEOV time series for ocean biomes (zooplankton); as well as developing zooplankton sampling using standardised emerging genetic technologies</i>	A. Productivity (Food Web) D. Human / Climate Impacts	Zooplankton *Potential EOS	Feasible within 2-3 years?	CPRs + genetic techniques + optical and classic taxonomy identification
<i>Developing purpose built environment DNA system for EOVs in collaboration with biodiversity observation networks (e.g. USA: MarineBON) [longer time horizon]</i>	B. Biodiversity.	*Potential EOS	Feasible within maybe >5 years?	Ship sampling
<i>Human activity data for oceanographers: develop an operating basis for making this information widely available for research.</i>	D. Human / Climate impacts	?	Feasible within 2-3 years?	
<i>Promoting universality/integration of the tagging/tracking/historic archive (already underway in Southern Ocean)</i>	A. Productivity (Food Web) B. Biodiversity.	Tags and Tracking + Species of Value (eg whales) and Top Predators	Mature	Tags and Tracking
<i>Using an area with 60 years of high-resolution data to ask: Can</i>	A. Productivity (Food Web)	?	?	?

<i>we invert the CALCOFI ? e.g. if we had to re-construct it, what variables would we target? Perhaps some indicator species rather than all fish indicators? (given the known 60 years of data)</i>	C. Ecosystem Services			
	D. Human / Climate impacts			

4.1.2 Biogeochemistry eEOVs and Pilot Projects

Through discussions with the biogeochemistry experts, the following 10 eEOVs were deemed priority to monitor:

Table 3: Priority List of 10 biogeochemistry eEOVs defined at the Workshop

Potential Biogeochemistry eEOV in order of ranking (1= Highest Impact/Highest feasibility)
1. Oxygen
2. Macro Nutrients
3. Carbonate System
4. Transient Tracers
5. Suspended Particulates
6. Particulate Matter Export
7. Bio-Optics ³
8. Nitrous Oxide
9. Carbon – 13
10. Dissolved Organics

Many of these inform the very pressing societal questions that relate to the impacts of pollution, dead zones, increased carbon, ocean acidification, biomass fluctuations and eutrophication to marine ecosystems and the resultant effects to marine ecosystem services and human health.

From this listing, technical experts proposed 2 potential pilot projects:

1. Global Oxygen Profiling Array; and
2. Net Community Production and Material Export.

Both aim to build on existing infrastructure, however work is still required to fully realize the adequacy of the observing systems in place for gathering the eEOVs within these projects. Similar to the discussions for the biology eEOVs, much work is needed to improve the ocean observation systems to carry out sustained monitoring of eEOVs in the biogeochemistry domains. An example includes the urgent need for a co-ordinated observation system for Ocean Acidification. At present there is an international drive to establish a Global Ocean Acidification Observing Network, but time and resources are required to do so.

The full details and discussion for the selection of biogeochemistry eEOVs and proposed pilot projects is in Annex E.

³ This EOV is still under discussion and may be shifted to the Biology eEOVs

5. Next Steps

Commencement of monitoring and refining further the priority eEOVs

With a solid list of priority eEOVs, and potential pilot projects, it is imperative now that a commitment is made to carry out the proposed work beyond the life of GEOWOW. Annex D sets out the Recommendations to progress this initiative. The IOC-UNESCO and GOOS are currently in the process of setting up a Panel of Experts to drive these recommendations, in particular ensuring that the proposed biological eEOV monitoring projects are initiated as soon as possible. A Panel to drive the biogeochemistry proposals has already been formed. Additionally, SCOR, GEOBON and the more broad GEO community have agreed to collaborate in this endeavor, through their efforts in progressing EOVs, Essential Biodiversity Variables (EBVs) and Essential Variables (EVs), respectively.

eEOVs used in the Transboundary Waters Assessment Programme

The themes and related societal issues by which the eEOVs were categorized correlate strongly with the 4 themes for the TWAP marine assessment (climate, ocean ecosystems, fisheries and pollution). This reinforces the impetus to collect the 'essential' ocean data for appropriate management of those global marine issues of key concern to address. Indicators being developed for the TWAP marine assessments – and which contain new information regarding some of these eEOVs are being developed by the tools for calculation and mapping, used in GEOWOW WP6 and created in partnership with WP2 and WP3. The resulting data and indicators will be made available via the onesharedocean.org web portal, which will be exposed to the GCI. Ultimately, the eEOVs and preliminary data (currently being gathered by the TWAP) will see essential ocean information being used in marine policy decisions by early 2015. The first major policy uptake will be by the Global Environment Facility, who will use the combined results from GEOWOW and TWAP to prioritise the marine issues in dire need of attention, and thereby funding support. Ultimately, identifying where interventions should take place will depend on good monitoring and knowledge of the natural system side as well as the human system side.

The eEOVs that are being collected via the TWAP marine assessments require data discovery, interoperability, computation, and information display infrastructures, which will be based on the existing GCI and developments under GEOWOW. By the end of 2014, these will be available via the onesharedocean.org web portal.

6. Conclusions

This report has outlined the Deliverable 6.2 relating to the identification of priority eEOVs and the adequacy of eEOV monitoring efforts. Through this work, a baseline knowledge has been established for those ecosystem variables 'essential' for providing the relevant data to inform and support marine management decisions for a healthy marine ecosystem with sustainable use of marine ecosystem services. Complementary to this process, the ocean ecosystem data - most of which are classified eEOVs - being collected, collated and developed into model-based ocean information products through the co-financed TWAP will be 'discoverable' and 'accessible' through exposure to the GCI. This will be achieved by their availability on the onesharedocean.org web portal being developed for GEOWOW Deliverables 6.3 & 6.4.

The definitions of eEOVs over the past 4 years and in particular via the efforts of the WP6 are a significant first stage of an evolving process that will continue beyond the life of GEOWOW. The work has instigated further activities that will be progressed in particular by a new GOOS Biology and Ecosystems Panel, the GOOS Biogeochemistry Panel, GEOBON and SCOR Working Groups. In addition, the overall GEO impetus to progress the Blue Planet Task and definition of Essential Variables will support this process.

Annex A: References

- [1] UNESCO, Task Team for an Integrated Framework for Sustained Ocean Observing (2012) *A Framework for Ocean Observing*. IOC/INF-1284, doi: 10.5270/OceanObs09-FOO see http://www.oceanobs09.net/foo/FOO_Report.pdf
- [2] UNEP and ICSU (2003). *The Second Report on the Adequacy of the Global Observing Systems for Climate in support of the UNFCCC*. GCOS – 82. (WMO/TD No. 1143), (see http://www.wmo.int/pages/prog/gcos/Publications/gcos-82_2AR.pdf)
- [3] GEO BON (2011). *Adequacy of Biodiversity Observation Systems to support the CBD 2020 Targets*. A report prepared by the Group on Earth Observations Biodiversity Observation Network (GEO BON) for the Convention on Biological Diversity. See http://www.earthobservations.org/documents/cop/bi_geobon/2011_cbd_adequacy_report.pdf
- [4] BON Steering Committee (2010). *Attaining an Operational Marine Biodiversity Observation Network (BON) Synthesis Report* (unpublished).
- [5] UNESCO IOC, February (2012). *Requirements for Global Implementation of the Strategic Plan for Coastal GOOS (PICO-I)*. GOOS Report 193 at <http://ioc-goos.org/goos-193>
- [6] McKinnon, D. 2013) *Candidate Essential Ocean Variables for GOOS Biology and Ecosystems and GOOS Biogeochemistry: A Discussion Paper for the First Joint Workshop of Technical Experts for the Identification of Ocean Ecosystem Variables November 2013*, Australia Institute of Marine Science (AIMS).
- [7] UNEP (2011). L. Jeftic, P. Glennie, L. Talaue-McManus, and J. A. Thornton (Eds.). *Methodology for the GEF Transboundary Waters Assessment Programme. Volume 1. Methodology for the Assessment of Transboundary Aquifers, Lake Basins, River Basins, Large Marine Ecosystems, and the Open Ocean*, UNEP, x+60 pp.

Annex B: Figures and Tables

Figure 1. Essential Ocean Variables *are those deemed ‘essential’ for understanding the ocean, having high impact in their contribution to understanding the ocean, and high feasibility to measure whilst addressing key scientific and societal issues [1]. This report focuses on the identification of ecosystem EOVS (eEOVs) that have high impact, although in most cases, further work is required to address the ‘Readiness’ of the monitoring system to ensure their sustained observation.*

Figure 2. A Conceptual Overlap of Essential Ocean Variables *including the physics, ecosystem and biogeochemistry EOVS, related to other Essential Variables (climate, weather and biodiversity). [Source: Annex D, p 6]*

Table 1. Priority List of 10 Biological EOVS defined at the Workshop.

Table 2. Priority List of 7 Candidate Pilot/Concept Projects for eEOVs.


Table 3. Priority List of 10 Biogeochemistry eEOVs defined at the Workshop.

Annex C: Acronyms and Abbreviations

Abbreviation	Name
BON	Biodiversity Observation Network
EBVs	Essential Biodiversity Variables
ECVs	Essential Climate Variables
eEOVs	ecosystem Essential Ocean Variables
EOVs	Essential Ocean Variables
EVs	Essential Variables
FOO	Framework for Ocean Observing
FP7 EC	Seventh Framework Programme of the European Commission
SBAs	Societal Benefit Areas
GCI	GEOSS Common Infrastructure
GCOS	Global Climate Observing System
GEF	Global Environment Fund
GEO	Group on Earth Observations
GEOBON	Group on Earth Observations Biodiversity Observation Network
GEOSS	Global Earth Observation System of Systems
GEOWOW	GEOSS interoperability for Weather, Ocean and Water
GOOS	Global Ocean Observing System
HABs	Harmful Algal Blooms
ICES	International Council for the Exploration of the Sea
ICSU	International Council for Science
IOC	Intergovernmental Oceanographic Commission
LMEs	Large Marine Ecosystems
PICES	North Pacific Marine Science Organization
PICO	GOOS Panel for Integrated Coastal Observation

SBAs	Societal Benefit Areas
SCOR	Scientific Committee on Oceanic Research
TWAP	Transboundary Waters Assessment Project
UNEP	United Nations Environment Programme
UNESCO	United Nations Education, Science and Cultural Organization
UNFCCC	UN Framework Convention on Climate Change
WP6	Work Package 6

Annex D: Report of the First Workshop of the Technical Experts for the GOOS Biology and Ecosystems Panel: Identifying eEOVs (2014).



IOC/GOOS-Biol-1/1

Paris, July 2014

Original: English

INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION (of UNESCO)

Report of the First Workshop of Technical Experts for the Global Ocean Observing System (GOOS) Biology and Ecosystems Panel: Identifying Ecosystem Essential Ocean Variables (EOVs)

Held at the Australian Institute of Marine Science (AIMS) Laboratories at Cape Cleveland, Townsville, Australia

13 - 15 November 2013

www.ioc-goos.org/GOOSBio2013

SPONSORS:

European Commission FP7 GEOWOW Project; Australian Institute of Marine Science (AIMS), IOC-UNESCO and the GOOS



GOOS Report No. 207

Contents

1. EXECUTIVE SUMMARY	24
2. INTRODUCTION	25
3. BACKGROUND – THE NEED FOR ECOSYSTEM ESSENTIAL OCEAN VARIABLES	26
3a. A FRAMEWORK FOR OCEAN OBSERVING (FOO)	26
3b. WHAT IS AN ECOSYSTEM ESSENTIAL OCEAN VARIABLE (eEOV)?	27
3c. DRIVING NEEDS: CONVENTIONS	29
4. DEFINING REQUIREMENTS AND NEEDS	30
4a. PRODUCTIVITY	31
4b. BIODIVERSITY	32
4c. ECOSYSTEM SERVICES	32
4d. HUMAN ACTIVITIES AND PRESSURES	33
4e. OTHER	34
4f. MEASURABLE TRAITS	34
5. MODELLING NEEDS	35
Table 1. Key Measures Required for Biological Models	35
6. DEFINING eEOVs	37
Table 2. List of 43 Potential eEOVs Defined at the Workshop	37
Table 3: Priority List of 10 eEOVs Defined at the Workshop	39
7. POTENTIAL PILOT PROJECTS	40
Table 4: Priority List of 7 Candidate Pilot/Concept Projects for eEOVs	14
8. SCIENTIFIC SYNERGIES WITH THE GOOS BIOGEOCHEMISTRY PANEL	42
9. FUNDING OPPORTUNITIES	43
10. POTENTIAL CANDIDATES FOR THE GOOS BIOLOGY AND ECOSYSTEMS PANEL	44
11. CONCLUSION	45
12. IMPLEMENTATION – RECOMMENDED NEXT STEPS	46
APPENDIX 1: WORKSHOP AGENDA	48
APPENDIX 2: LIST OF PARTICIPANTS	53
APPENDIX 3: EOVS LITERATURE SUMMARY (MCKINNON 2013)	56
APPENDIX 4: PRELIMINARY LIST OF EOVS (AS DEFINED BY GEOWOW, 2012)	88
APPENDIX 5: VARIOUS CONVENTIONS AND POLICY THAT DRIVE A NEED FOR UNDERSTANDING MARINE ECOSYSTEMS	96
APPENDIX 6: EXCERPT FROM THE OCEANS COMPACT (2012)	973
APPENDIX 7: RESULTS OF RANKING 49 eEOVS	98
APPENDIX 8: POTENTIAL GOOS BIOLOGY AND ECOSYSTEMS CANDIDATE PILOT PROJECTS	101
APPENDIX 9: EXAMPLE TABLE FOR INDICATING KNOWN OBSERVATION PLATFORMS AND HOW THEY RELATE TO THE GOOS PHYSICS, BIOGEOCHEMISTRY AND BIOLOGY/ECOSYSTEM EOVS	103
APPENDIX 10: ACRONYMS AND ABBREVIATIONS	104
APPENDIX 11: BIBLIOGRAPHY	106

1. EXECUTIVE SUMMARY

A group of marine experts was brought together for the **First Workshop on the Identification of Ecosystem Essential Ocean Variables (EOVs)** (13-15 November 2013, Townsville, Australia), jointly with the International Ocean Carbon Coordination Project (IOCCP) and their focus on biogeochemical EOVs. The Workshop, co-sponsored by the European Commission FP7 Project 'GEOSS Interoperability for Weather, Ocean and Water (GEOWOW)'; the Australian Institute for Marine Science (AIMS) and the Intergovernmental Oceanographic Commission of UNESCO (IOC-UNESCO) contributed jointly to the goals of the new Global Ocean Observing System (GOOS) Panel's for 'Biology and Ecosystems', and 'Biogeochemistry', and GEOWOW.

Identifying and defining ecosystem Essential Ocean Variables (eEOVs) builds on the work underway for defining and monitoring EOVs within the ocean physics and biogeochemistry fields, guided by the principles within the *Framework for Ocean Observing* (FOO). A significant portion of the present day changes in marine biology and ecosystems are occurring as a direct result of changes in physics and biogeochemistry. Therefore, whilst the Biology and Ecosystem, Biogeochemistry and Physics Panels have their own focus, overlapping questions and observing strategies are evident and therefore EOVs should not be considered as mutually exclusive from each other.

Workshop aims were to solicit advice in the identification of:

- major scientific and societal challenges that require sustained ocean biology and ecosystem variable observations;
- candidate ecosystem EOVs (e EOVs);
- the role of GOOS in regional co-ordination of data collection; and
- monitoring activities & projects to practically implement the biological and, biogeochemistry recommendations in the *The Framework for Ocean Observing* (FOO) and the *Panel for Integrated Coastal Observation (PICO) Plan*.

This report summarises the outcomes from the GOOS Biology and Ecosystems discussions. From initial identification of eEOVs, 43 were prioritised from which 10 were selected for high impact / high feasibility status (as guided by the concept of 'Readiness' outlined in the FOO). These were grouped into 4 themes relating to various drivers that influence the health of marine ecosystems, including: productivity; biodiversity, ecosystem services, and human activities. Candidate 'pilot' and 'concept' projects for monitoring eEOVs were proposed, considering the availability and 'Readiness' of known monitoring systems and datasets, feasibility of continued or new monitoring infrastructure, and potential availability of funds to support the activities. Of these, 7 were prioritised, relating to all 4 themes. The concept for Essential Ocean Samples (EOS) was raised and requires further discussion. Understanding the critical eEOVs to assist modelling ecosystem state (present and future) also requires further discussion to influence the prioritization of eEOVs and the design of ocean observation infrastructure for operational monitoring of biological components in ocean observing systems.

Six Working Groups were suggested to continue detailed discussions in the process of defining eEOVs, explore the potential for EOS, understand modeling requirements and in particular to instigate the commencement of the prioritized pilot/concept projects. Through the work of the full GOOS Biology and Ecosystems Panel (once formed) and the proposed Working Groups, the goal is for at least 6 eEOVs to fully defined and being monitored within 5 years.

The major challenge is identifying human and financial resources to support a credible and strategic work plan for a GOOS Biology and Ecosystems Panel, so that it can be communicated to relevant stakeholders, and implemented.

A corresponding report detailing the outputs from the GOOS Biogeochemistry EOV discussions is available separately.

2. INTRODUCTION

The First Workshop of Technical Experts for the Identification of Ecosystem Essential Ocean Variables (EOVs) took place from 13-15 November 2013 in Townsville, Australia. The experts were invited to assist both the Global Ocean Observing System (GOOS) Steering Committee and the European Commission funded 'GEOSS Interoperability for Weather, Ocean and Water' (GEOWOW) Program to identify and prioritise ecosystem Essential Ocean Variables (eEOVs).

Following the model successfully employed by GOOS to develop and coordinate global ocean physics observations over the last two decades, the GOOS Steering Committee is in the process of forming two new Panels - GOOS Biology and Ecosystems (entirely new), and GOOS Biogeochemistry (led by the SCOR-IOC International Ocean Carbon Coordination Project IOCCP). The role of these panels will be guiding extension of global ocean observation systems to include essential biological, ecosystem and biogeochemistry variables. An enhanced information base of these Essential Ocean Variables (EOVs) is required to support critical policy development and management decisions on ocean and coastal resource sustainability and health.

Complementary to this effort, the IOC-UNESCO – through leading the Ocean Ecosystem component of the GEOWOW Project – seeks to identify and gather data on eEOVs, forming the basis for new marine ecosystem data registered as GEOSS DataCORE, and useful for informing global, regional and local marine policy decisions.

As GOOS develops the two new Panels and as GEOWOW progresses the ocean ecosystems work, advice was sought from technical experts at the Workshop to assist with:

- identification of major scientific and societal challenges that require sustained ocean biology and ecosystem variable observations;
- identification of candidate ecosystem, biological and biogeochemical EOVs;
- clarification of the role of GOOS in developing consensus requirements, coordinating observing networks, and promoting development of a data management system;
- monitoring activities and projects to practically implement the biological, ecosystem and biogeochemistry recommendations in the GOOS Framework for Ocean Observing (FOO) and the Panel for Integrated Coastal Observation (PICO) Plan.

The concept of EOVs adopted by GOOS as a lens for viewing and evaluating the observing system identifies those sustained observations with high impact in the delivery of societal and scientific value, balanced with the feasibility of their sustained monitoring. Identifying the EOVs associated with ocean ecosystem-related societal issues, and in particular identifying the biological / ecosystem EOVs, will assist in evaluating the status of the ocean 'health' and in monitoring any future changes. This has been prioritized for action by the FOO and at the last two Sessions of the GOOS Steering Committee. The Technical Workshop was the first opportunity to bring together leading global experts to work towards this goal and the complementary goal within GEOWOW. A discussion of potential candidates for these new GOOS Panels also formed part of the Workshop.

3. BACKGROUND – THE NEED FOR ECOSYSTEM ESSENTIAL OCEAN VARIABLES

3a. A FRAMEWORK FOR OCEAN OBSERVING (FOO)

Monitoring ocean ecosystems and services will assist our understanding of them, and hence improve their management, for societal benefit, through a proactive approach. This requires an understanding of the holistic ‘marine ecosystem’ –with observations of oceanic variables beyond the traditional physical measurements and integrating across the physics, biogeochemistry and biology.

A Framework for Ocean Observing (FOO) (2012) [1] sets out the principles for the co-ordinated and sustained effort to observe and monitor the world’s ocean, with free and open data exchange. Recognising that monitoring is already underway globally, and mostly for physical ocean variables, it states that it is impossible practically and financially to monitor everything in the ocean. Consequently, there is a need to establish what is necessary or ‘essential’ to observe, dependant on the societal benefit of improved understanding of any given ocean ‘variable’ and also considering the scale of maturity or ‘Readiness’ of an observing system. Determining the ‘Readiness’ is driven by the societal requirements and negotiated with the feasibility of monitoring, as demonstrated in the following diagram:




Figure 1: Conceptual model used to determine priority observations based on the impact of the observation (in terms of societal benefit) and the feasibility of monitoring (in terms of infrastructure and funding). The higher the impact, and the higher the feasibility of monitoring increase the ‘Readiness’. [Source: GOOS 2013]

In addition, determining the ‘Readiness’ from concept phase to mature (highest level of readiness) is outlined in the FOO, as shown in Figure 2. Part of this process includes examining the end-to-end system, moving through a spectrum from societal requirements, required observations to data information management. Using this as a guide, the ocean science community is able to organize an approach to determining the essential ocean variables to monitor, and how to do so. This process guided discussions at the Workshop to identify and define eEOVs and to test their ‘readiness’ to inform the known and predicted state of the marine ecosystem.




Figure 2: Framework Processes and Readiness Levels

Each eEOV will require rigorous review, vetting and approval by the community before reaching the highest level of readiness. This process will allow for innovation while protecting the system from inadequate or duplicative solutions. [Source: FOO (2012): 10]

3b. WHAT IS AN ECOSYSTEM ESSENTIAL OCEAN VARIABLE (eEOV)?

Adopted by the GOOS and the FOO (2012), an Essential Ocean Variable (EOV) is a concept to organise and describe ocean variables that have both a high impact in responding to known scientific and societal issues and a high feasibility of sustained observation. The concept has been summarised in both the FOO (2012) and the GEOWOW Report **WP6-IOU-16.1.1** “Definition of Ecosystem Essential Ocean Variables” [2]. Notably, ecosystem EOVs were adopted from a concept already in use by the weather, climate and biodiversity monitoring communities, as shown in the following diagram:




Figure 3: A Conceptual Overlap of Essential Ocean Variables (EOVs), including the physics, ecosystem and biogeochemistry EOVs, related to other Essential Variables (climate, weather and biodiversity). Essential Variables defined by the WMO for Weather Forecasting inspired the Essential Climate Variables later defined by GCOS. The concept has been adopted for Essential Biodiversity Variables on land by GEOBON. [Source: FOO (2012:7)]

Through the FOO (2012), EOVS have been further subdivided by attributes (e.g. physical, chemical, biogeochemical and ecosystem). Being at various stages of development (eg – definition and monitoring of physical EOVS are the most advanced), this report outlines the results of discussions focused on the identification and prioritization of ecosystem (especially biological) EOVS – for which little is currently known. Ecosystem EOVS (eEOVS), as the name suggests, focusses on the EOVS that will indicate the state of marine ecosystem – mostly linked to biological variables, but not exclusively as they can also include the drivers of ecosystem change. Taking an ecosystem-based approach improves the understanding of the state of the marine ecosystem. Ensuring sustained observations of the ‘essential’ variables provides a mechanism to monitor changes to the ecosystem and services.

A preliminary review of the known literature and information regarding eEOVS, was gathered prior to the Workshop (McKinnon 2013) [3] and is attached in Appendix 3. This provided a backbone for the discussions to identify and prioritize eEOVS. Part of this review included an analysis of the preliminary list and table of eEOVS, as identified by GEOWOW (2012) and shown in Appendix 4. These are a composite of information drawn from several sources including discussions from the:

- May 2010 Workshop on ‘Attaining Operational Marine Biodiversity Observations: A Workshop to Determine the Status of Current Abilities and Scope Future Solutions’, funded by the US Government [4]
- Panel for Integrated Coastal Observations (PICO) synthesised into a report: *The Requirements for Global Implementation of the Strategic of the Panel for Integrated Coastal Observations (PICO) (2012)* [5];
- May 2012 Workshop in Yeosu (Korea) co-ordinated by the UNESCO-IOC to discuss the FOO (2012) and candidate ecosystem EOVS.

These discussions set the groundwork for definition of eEOVS and the need to integrate biological and biogeochemical ocean data with the acquisition of physical data. The GEOWOW Report defines several categories of variables (eg physical, chemical, biological)

that are essential to monitor for the improved understanding of marine ecosystems and their services to society. They are organized around the Societal Benefit Areas (SBAs) as defined by the Group on Earth Observations (GEO). The SBAs relate to specific themes by which the Global Earth Observation System of Systems (GEOSS) concentrates observing efforts. There is no specific marine SBA. However since the GEOWOW Report was written, a new GEO Task 'Blue Planet' acknowledges that marine observations bring societal benefit across the 9 SBAs.

Recently, and also using the SBA categories, the GEO Biodiversity Observation Network (GEOBON) have been defining Essential Biodiversity Variables (EBVs), within which there is a dedicated marine task. In tandem to these processes, the Canadian Government has progressed identifying eEOVs for the Arctic Ocean (see www.Caff.is/marine; and www.dfo-mpo.gc.ca/science/oceanography-oceanographie/cbmp-psbc/index-eng.html). Currently, the Southern Ocean Observing System (SOOS) via the SCOR (Scientific Committee on Oceanic Research) is also carrying out a similar initiative for eEOVs in the Southern Ocean (www.soos.aq/). Representatives from each of these initiatives were invited to the Workshop.

It is clear from McKinnon's review and the other initiatives that the definition of eEOVs for biological and ecological observations are more complex and less well understood and observed than for the physics and chemical properties. McKinnon suggests eEOVs could be arranged around biological variables that relate to direct sample of size structure (within trophic level); taxonomic diversity and biogeographic boundaries. Also clear is that the marine observing communities are at the beginning of a complex process to define and prioritize eEOVS, and should collaborate to ensure their strong development and understanding without duplication of efforts. The GOOS Biology and Ecosystems Panel has a pivotal role in ensuring collaboration.

3c. DRIVING NEEDS: CONVENTIONS

In addition to the recent push from the scientific community to understand the state of the marine ecosystems, there are numerous legal instruments, conventions and/or policy guides that 'call' for a need to understand, monitor and maintain healthy marine ecosystems to ensure sustainable development of the world's population. Some (but not all) are listed in Appendix 5. Consistency with these legal frameworks and principles is crucial when considering the identification of feasible and relevant eEOVs to ensure both the practicality of monitoring, and the potential to attract funding.

Recommendation: The GOOS Biology and Ecosystems Panel should investigate the relevant conventions/frameworks that provide the basis for developing eEOVs. With this knowledge, it will be possible to design an observing system that supports the assessment tools/management aims of the various frameworks.

4. DEFINING REQUIREMENTS AND NEEDS

As prescribed by the FOO (2012), the GOOS Biology and Ecosystems Panel recognised that a first step in this process was to define the major societal challenges and scientific questions requiring sustained global observations of ocean biological and ecosystem variables. Some work has already been carried out in the PICO Plan (2012) and GEOWOW Report (2012) to help define some of these societal benefit areas, organised around the GEO SBAs. These should also be considered in combination with the Convention on Biological Diversity (CBD) 2020 Biodiversity Aichi Targets and the Report written by GEOBON investigating the adequacy of observations to support the Targets [6].

Further to this, several points were raised at the Workshop to focus discussion on EO definition:

- Is the Group interested in only societal pressures?
- How will the Group prioritise when there are multiple questions to answer and multiple measures?
- How will success be measured for GOOS Biology and Ecosystem observations?

Some key questions to drive the Group's method to identify eEOVs were raised:


What is a healthy ocean? This overarching question is a significant motivator for understanding marine ecosystems and establishing sustainable use of them. However, it was recognised that any definition of a 'healthy ocean' is subjective and that there is no globally 'accepted' term. For the Workshop, this question was a determining factor for defining and prioritising eEOVs.

In defining a healthy ocean, participants agreed with the first three paragraphs of the *Ocean's Compact (2013)* [7] (see Appendix 6), where it is emphasised that 'the world's oceans are key to sustaining life on the planet', however impact of human activities is a serious threat to these ecosystems, resulting in a 'loss of biodiversity, decreased abundance of species, damage to habitats and loss of ecological functions' (Ban Ki Moon 2013:1). The Workshop added loss of ocean productivity and loss of ecosystem services to this list. Reversing these threats and rapid losses is only possible with a deeper understanding of the marine ecosystem, through sustained monitoring. As outlined in the FOO (2012), sustained monitoring of marine ecosystems is an urgent but mammoth task at a global scale. As such, the concept of monitoring those variables of the marine ecosystem that are 'essential' to understand and feasible to monitor, provide the starting point for establishing a priority list of eEOVs. Another consideration, which requires further exploration, is how to measure the success of monitoring an eEOV – and importantly, its role in contributing to a 'healthy ocean'.

It was agreed that an accepted 'Statement of Ocean Health' was required for the GOOS Biology and Ecosystems Panel to help define requirements for eEOVs.

Recommendation: The GOOS Biology and Ecosystems Panel agrees on an interpretation of 'Ocean Health' (including an indication of the needs of society) that will help define requirements for EOVs, measure their success (eg maintaining ocean productivity) and attract funding.

With the notion that society wants a 'healthy /productive ocean' now and in the future, participants devised the following **vision** to guide the identification of sustained ocean ecosystems and services required for this, and which also guided the selection of eEOVs at the Workshop:



Four Themes were considered to comprise a 'healthy and productive ocean' for human needs: Productivity, Biodiversity, Ecosystem Services, Human Activities and Pressures.

4a. PRODUCTIVITY

A 'productive' ocean is one that can provide humans with the food security required now and in the long-term. This was linked directly to the Food and Agricultural Organisation of the United Nations (FAO) targets for ensuring sustainable productive global fisheries, as an example. Measurements of productivity might be through 'loss of...'; 'recovery of...' indicator species and habitats. Attribution was also considered an important variable to measure, that is: attributing a change in a productive ecosystem to a particular cause (eg anthropogenic and/or natural).

Several key questions in relation to measuring ocean productivity were considered by the Workshop:

1. Can we determine whether ocean productivity (and its distribution) is changing and if so, in which direction?

In particular, changes in primary productivity can be measured through time (eg seasonality, annual, decadal) and via functional groups distribution (e.g. microbial/phytoplankton/plants). The IPCC Report (2013) [8] noted that half the productivity of world is from phytoplankton, a large proportion of which is in the world ocean. Production of protein and sequestration of carbon should also be considered.

2. How do changes in productivity influence changes in the structure of food webs? And can these eventual changes influence the human use of ocean resources (including impacts of fishing across the food chain)?

3. What is the impact of habitat modification on primary, secondary and tertiary productivity?

4. How can humans boost ocean and food productivity whilst keeping the ocean 'healthy'?

(Related to this question, participants also asked whether determining that this goal was met was possible with observation systems in place)

5. What is the influence of decreasing oxygen and increasing carbon on ocean productivity?

6. A Reverse Question to No.2: How will the changes in food web structure influence (global? primary?) ocean productivity? (Potentially a question to consider with the GOOS Biogeochemistry Panel)

For the purpose of identifying ecosystem EOVs, importance was placed on productivity (primary) and carbon flows through the food web.

4b. BIODIVERSITY

Biodiversity in the ocean is considered an important contributor to a productive and healthy marine state, essential to define ecosystems structure and a warranty to maintain the services they provide to humans. Within the frameworks of the CBD and the 2020 Aichi Biodiversity Target and the Intergovernmental science-policy Platform on Biodiversity and Ecosystem Services (IPBES), there is global recognition that biodiversity and ecosystem services must be conserved for their sustainable use by humans in the future. Currently, 'loss of' and 'shifts in' marine biodiversity, ecosystem structure and function, and habitats threaten their resilience to and increase their vulnerability to human impact. However, it is also possible that present and future climate impacts may increase biodiversity but decrease productivity (e.g. for fisheries). The situation is complex and for the moment, not well understood. Considering these factors and the need to monitor biodiversity EOVs, the Group raised the critical question: ***'How is marine biodiversity changing (globally and regionally)?'*** Without a simple answer, the Group noted that rates of change (natural or anthropogenically induced) at global and regional scales (e.g. extinctions, invasions, population decline, habitat loss/shift and community structure); and range of changes (especially due to impacts from climate change) are critical variables for understanding, monitoring and maintaining optimum marine biodiversity.

Several other major questions of concern for maintaining marine biodiversity and ecosystems structure for a 'healthy and productive ocean' were raised:

1. **How do we measure biodiversity/quantify biodiversity especially when so little is known? Will there be lost opportunities from lack of knowledge? How do we measure what we don't know?**
2. **What is the relationship between species biodiversity and functional biodiversity?**
3. **What is meant by community structure⁴? How can this be measured?**
4. **What is the relationship between biodiversity and resilience? Why do we care about biodiversity? Can we define and measure resilience?**
5. **What is the scope for genetic/behavioural adaptation?**
6. **Why does society appreciate biodiversity? (GOOS needs to be able to respond to this) [e.g. through food security, decline of bio-resources is detrimental to human society, decline in genetic diversity].**

Whilst these questions were noted as important, they fell short of highlighting the significant ongoing research and observations around these issues that will over time inform the eEOV selection. Further investigation is required by the Panel.

4c. ECOSYSTEM SERVICES

Ecosystem Services are defined as those attributes of an ecosystem that provides, directly or indirectly, a valued 'service' or benefit for society. Examples in the marine environment

⁴ Noting the complexities of 'Community structure' where:

- Community has a function
- Assemblage has a structure
- There are Functional groups
- Sentinel / indicator species exist; and
- The species 'pool' can change over space and time

include ecosystems that provide physical protection for human populations living on the coast (e.g. mangrove and coral reef ecosystems), the ocean's role in sequestration of carbon and food productivity (e.g. fisheries). Given the societal need to maintain a 'productive ocean' – with full use of marine ecosystem services, it is clearly important to consider the sustained maintenance of these services as essential for humans. This can range from protection and/or to exploitation of marine ecosystem services. Establishing the ecosystem base-line 'health' or functioning productivity of these services will require monitoring selected eEOVs, and will be intricately linked to monitoring biodiversity, productivity and climate change impacts. Also, a main effort should be addressed to maintain and/or increase observations in the coastal areas, given that 44% of the world population lives within 150km of the coast [9].

The Group identified several ecosystem services other than food, and raised questions to help determine how to identify the eEOVs required for monitoring the 'health' of marine ecosystem services and their eventual changes:

- 1. Particulate Carbon, Nutrients and Oxygen** (overlaps with the GOOS Biogeochemistry Panel)
 - What is the likely impact of rates of change of these parameters on Ecosystem Services?
 - What is the capability of the system to deal with pollution (limits to bioremediation – space and time dimension)?
 - How does increased nutrient availability and particulate carbon levels modulate ecosystem services?
- 2. Genetics**
 - What are genetic resources from the ocean?
 - What are the spatial and temporal variations in genetic resources?
 - What are the realised and potential values of genetic resources?
- 3. Coastal Protection and Habitat Loss**
 - What is the role of coastal habitat communities (e.g. saltmarshes/mangroves)?
 - Can roles and resilience services provided by coastal habitats be improved (and quantified)?
- 4. Bioproducts**
 - What are the spatial and temporal variations in bio-resources of the ocean?
 - What is the realised and potential value of the ocean's bio-resource?
- 5. Recreation/Tourism/Cultural values**
 - What are the threats to the high value coastal tourism assets?
 - What is the impact of tourism on the ocean ecosystem? [linked to pressures]

4d. HUMAN ACTIVITIES AND PRESSURES

Human impact and pressures on the marine ecosystem state is a theme that requires special attention. Pressures on the ecosystem result from interference with the natural functioning state of the ocean. Mostly, these are the result of direct human impact and can be cumulative. Building on Halpern et al (2008) [10] participants identified the following key pressures/human activities:

- Climate change related (e.g. ocean acidification, warming, de-oxygenation);
- Fishing (pelagic/demersal, artisanal/industrial, illegal);

- Pollution
 - Micro and macro plastics, noise, shipping; fishnets; inorganic, non-point organic (oil), nutrient input
 - Freshwater runoff (river input, damming, land-use changes, environmental flows, agriculture, eutrophication)
- Structures (e.g. physical alteration, mining platforms, benthic structures, sustainable energy/development, dredging);
- Species invasion;
- Human population growth;
- Bio-prospecting;
- Transportation (e.g. shipping, ballast water discharge)
- Recreational use; and
- Aquaculture.

4e. OTHER

National *State of the Environment Reports* (e.g. in Australia, New Zealand) may form a basis for locating further information on the pressures on marine ecosystems under national jurisdiction. Additionally, the *World Ocean Assessment* is currently underway with expected completion at the end of 2014. The Assessment is investigating the range of pressures on the marine ecosystem with a view to making a statement on the current health of the global ocean. Beyond this Workshop, it is worth the GOOS Biology and Ecosystems Panel contacting the lead co-ordinators to discuss any relevant data required for collection to inform societal issues, and help identify and refine the relevant eEOVs required.

Recommendation: A sub panel of GOOS Biology and Ecosystems Panel to peruse known National State of Environment Reports, and contact the facilitators of the World Ocean Assessment and other international initiatives e.g. Blue Planet, GEO BON to discuss the relevant data already collected (and still required) to inform societal issues and their monitoring needs.

4f. MEASURABLE TRAITS

Determining the relevant eEOVs for these four themes involves identifying the factors essential for their measurement and for establishing a baseline 'health' against which changes can be detected. Ecosystem EOVs may vary in type, spanning from individual variables (e.g. for measuring a change in an ecosystems service) to suites of variables that in sum, or through integration with other information, may provide 'indicators' as a measure of health. Related to some of the questions above, much thought is still required to determine how measurements can be made for the following:

- Change in key Societal Benefit Areas (SBAs);
- Rates of change in community structure;
- Protection and exploitation of ecosystem services (considering multiple drivers and impacts); and
- Pressures (especially cumulative stress); and
- The reversibility of negative marine ecosystem changes.

Further consideration needs to be given to the science questions that can inform these measurements.

Recommendation: Determining the measurable traits and how they can be measured needs serious consideration in the definition process, beyond the realms of the Workshop.

5. MODELLING NEEDS

Data extracted from observed eEOVs are most likely to be used by models for indicating trends in the state of particular ocean variables and/or ecosystems now and in the future. Additionally, models are able to produce a global diagnostic (forecast and hind-cast for gaps in observations in the past) and connect disparate data from different observation systems (integrating and interpolating across elements). Even if models are imperfect, and measuring dynamic relationships can be complex, models can indicate useful trends. As well, reporting on model uncertainties is also very useful to frame the predictions. This supports the idea in the FOO (2012) that we cannot measure everything; however, ‘essential’ ocean variables can inform trends via models that may show if elements in an ecosystem are changing. Given this, it is particularly important to understand the needs of the modelling community so that eEOVs are identified for the collection of data that is both adequate and suitable for developing the most accurate ecosystem models possible. Critically, modellers need data for the ‘present state’ modelling, to inform the ‘future state models’

For the biological and ecosystem models, a useful approach is to use ‘end to end’ ecosystem models, which test hypotheses about the interactions between habitats (especially connectivity and forcings between the physical and biological components); productivity (especially nutrient imports, recycling and export); and functional qualities (including spatial scale). For habitat modelling, there is a need to relate physical and biological variables, and in some cases, habitats can be simulated if certain variables are known. Ecosystem and habitat modelling can inform the priority areas of change in a marine ecosystem, and subsequently, may prove an important signal for pursuing other monitoring needs. Currently, many ocean observation systems are not set up to measure variables that will demonstrate connectivity within the ecosystem. Understanding the observational requirements, indicators and eEOVs required for the modellers to successfully model ecosystem state now and in the future is a critical task for the GOOS Biology and Ecosystems Panel. For example, ecosystem models are more accurate with system state variables, rather than estimated rates. Additionally, Constable (2013) demonstrated at the Workshop the key measures for biological models:

Table 1. Key Measures Required for Biological Models

	Scale [Space]	*- Time	Size Composition	functional composition
Microbes (phytoplankton)	Intra-annual [Satellite – regional/basin to global scales]		Cell size	Class
Secondary producers	Annual [habitat/ regional/basin to global scales]		Mass	Order
Mesopelagic	2-5 years [habitat]		Mass	Family
Top predators	10 years [foraging areas]		Mass	Dominant prey type (Family)!
* [relative] Abundance measured at scales identified				
! diet is used to integrate this data				

Source: Andrew Constable, *Australian Antarctic Division Ecosystems Program, ACE CRC* [11]

Along with these measures, discussions elaborated that seasonal cycle may influence models. As well, when modelling food webs, it is useful to know the species/functional group pool, so that it can be switched 'on' and 'off' within modelling parameters to test potential future ecosystem states according to a given scenario. With advice from the modelling community, the GOOS Biology and Ecosystems Panel should be able to select the key variables to measure when describing e.g. food webs, ecosystems structure and function and showing drivers of change. For this, it will be important to know the functional groups that characterize the system locally and regionally. To test the strength of this type of modelling, a clear concept on the extent to which a system is open ended, with clear inputs and outputs (interactions) is required.

Based on the development of eEOVs for the Southern Ocean Observing System, modellers are using the SOKI (Southern Ocean Knowledge and Information wiki www.soki.ag) as a tool to organise and access disparate eEOV data for modelling the Southern Ocean ecosystem.

Recommendation: SOKI wiki is a useful tool for the GOOS Biology and Ecosystems Panel to guide ideas for developing global eEOVs.

Whilst further discussion is required to understand how the essential variables will be useful for modelling ocean ecosystem state, it is clear that the design of the observation infrastructure for the GOOS Biology and Ecosystem EOVS should be influenced by modelling needs. Gaps in observation data can be reduced if the relevant observation systems are set up as soon as possible, to provide data for the best possible models. As well, as time series increases so does confidence in a model using the time series data. Observation systems need to be adaptive to accommodate the changing variables required for various ecosystem models.

It was also emphasised that models can be an important communication tool for scientists to inform policy guidance and decision makers, especially in the politically sensitive topic of managing predicted future marine ecosystem changes. For the development of eEOVs and expanding the GOOS with biological and ecosystem observations, model trends will be crucial to convince potential funders to support the initiative.

Recommendation: The GOOS Biology and Ecosystems Panel in collaboration with the modelling community should identify a short list of 'backbone' measurable ecosystem indicators that be incorporated into regional and global models. Additionally, it would be useful for the GOOS Biology and Ecosystems Panel to encourage the GOOS Regional Alliances (GRAs) and National Ocean Observing Systems to consider the needs for modellers when designing ocean observation infrastructure for monitoring marine ecosystem state.

6. DEFINING eEOVs

Having agreed on the need for EOVS, the Workshop participants discussed criteria that could be used to identify a list of potential eEOVs. For each of the four themes (productivity, biodiversity, ecosystem services and human impacts) and their key questions, participants prioritized the questions and discussed potential eEOVs. The process for identifying potential eEOVs was guided by the concept of 'Readiness' levels outlined in *A Framework for Ocean Observing (FOO) (UNESCO 2012)* including what datasets and/or observation platforms already existed (eg a high maturity in 'Readiness'); to eEOVs that provided a good signal of information in a 'noisy system'; and eEOVS that would be simple to implement at a global level whilst being cost efficient. Generally, eEOVs were categorized via biological issues or 'phenomena' that drive the perceived 'health' of the ocean (following a similar method to the PICO Plan, GEOWOW and GEOBON EBVs) rather than being species' specific (unless warranted, for example an 'indicator' species). Keeping in mind the CBD Aichi Targets, eEOVs related to food security for humans were also given attention. Taking these into account and the expertise present in the room, for the four themes, 49 eEOVs were listed, demonstrating the complexity of the biological system. These were further condensed to **43 eEOVs** through grouping some with similar attributes:

Table 2. List of 43 Potential eEOVS Defined at the Workshop

eEOVs – PRODUCTIVITY
eEOVs – PRIMARY PRODUCTIVITY
Chlorophyll (signalling global change in primary productivity in the ocean surface)
Mangrove Area
Salt Marshes
Seagrass (Kelp and Macroalgae)
eEOVs – FOOD WEB
Zooplankton: • Biomass/Abundance (including sub-set of populations, or size spectrum) • Species (Key) • Groups (e.g. copepods) • Ranging from Ichthyoplankton to Species Level (100s of species or just key commercial species; and a proxy for adult fish abundance) • Krill • Jellyfish • Pteropods
Abundance and Distribution of Apex Predators
Nitrogen/Carbon Stable Isotope (an indicator of shifts in Trophic Level)
Higher Trophic Level Abundance / Biomass (Predators as an integrator of Productivity)
Copepod Indicator (important exploitable species relevant to fisheries - restricted to temperate and tropical environments).
Average Trophic Level
Biomass of <i>K Strategists</i>
Age Spawning and Length of Maturity of Top Predators.
Movement patterns / hotspots / habitat use of Top Predators + Species of Value (e.g. whales) via Tags and Tracking
eEOVS – BIODIVERSITY
Coral Cover
Genetic Composition

Extinctions/endangered species
Community Structure and Changes Over Time (as an indication of species composition)
Charismatic Species (eg marine mammals) – Quantifying their Change in Global Abundance as an important indicator of Health and Biodiversity ('integrated ocean health')
Abundance, Distribution and Size of Upper Trophic Levels (e.g. Large Marine Vertebrates)
Habitat Loss (especially Key Living Benthic Habitats e.g. Seagrass; Mangroves) ⁵
Habitat Loss (Structural e.g. Rocky Shore, Coral Reef etc) ⁶
Deep Sea Benthic Habitat Loss
Changes in Pelagic Habitat defined by Oceanographic Boundaries

eEOVS – ECOSYSTEM SERVICES
Impacts of Nutrients / Sediment etc on Coastal Water Quality ⁷ : - Pathogens (including E.coli bacteria, HABs, Vibrio) - Jellyfish Abundance Area - Eutrophication indicators (eg Oxygen depletion areas)
Coastal: - Corals - Seagrasses - Macroalgae biomass
Open Ocean: Tracking the shifts in the structure of the food web (pico- and nanoplankton)
De-calcification for Bivalves and Mollusks Ocean Acidification – an indicator of ocean acidification

eEOVS – HUMAN ACTIVITIES
Plastics Density/Biomass (in both space and time)
Soundscape (ideally measuring the sound spectrum every 15 minutes ⁸)
Footprint of Fishing (especially Benthic, 'Swept Area' x 'Time' / Longline /Purse Seine /Dynamite Area)
Dredge Area (in cubic metres)
Impacts of Oil and Gas Wells & Pipelines
Seabed Mining Footprint
Hardened Coastlines (measured in kilometres)
Mercury Levels in Apex Predators (Change over Time)
Commercial Shipping Route Destiny
Coastal Aquaculture Footprint

⁵ See [5] for more information

⁶ See [5] for more information

⁷ Potential connection to biogeochemical EOVS

⁸ The US NMFS-NOAA *Soundscape Initiative* could be used to help inform development of this eEOV. See also [12].

Desalinization Plant Number and Capacity
Freshwater Input/Budget
Sustainable Energy Structures 'Footprint' (Wind/Tide/Wave/Current)

The concept for Essential Ocean Samples (EOS)—collecting and preserving the present state of the ocean through water samples to create raw material for future analytic techniques (such as meta-genomic techniques) to detect change from today's baselines—was raised and requires further discussion.

Workshop participants did an initial ranking of the impact and feasibility of monitoring each eEOV using a scale of 1-10. Results, whilst not statistically viable and hence should only be considered as a very preliminary assessment, indicate the majority of eEOVs were viewed to have medium to high feasibility and impact (with a mean score greater than 5) (see Appendix 7). Ten eEOVs were considered to be both high impact and high feasibility (with a mean score greater than 7) (Table 3). The workshop noted that the 'Human Impact/Pressures' theme was not represented in the ten however it relates to first 3 themes in some aspect.

Table 3: Priority List of 10 eEOVs Defined at the Workshop

Potential eEOV	eEOV Theme
1. Chlorophyll	A. Productivity (Primary) D. Human/Climate impacts
2. Coral Cover	B. Biodiversity C. Ecosystem Services (food supply for human populations in tropical latitudes, ecological buffer) D. Human/Climate impacts
3. Mangrove Area	A. Productivity (Primary) C. ES (Carbon sequestration, ecological buffer-flooding) D. Human/Climate impacts
4. Harmful Algal Blooms (HABs)	C. Ecosystem Services D. Human/Climate impacts
5. Zooplankton (biomass/abundance)	A. Productivity (Food Web) D. Human/Climate impacts
6. Salt Marsh Area	A. Productivity (Primary) C. ES (ecological buffer) D. Human/Climate impacts
7. Large marine vertebrates: abundance/distribution	B. Biodiversity D. Human/Climate impacts
8. Seagrass Area	A. Productivity (Primary) D. Human/Climate impacts
9. Tags and Tracking of species of value/large marine vertebrates	A. Productivity (Food Web) C- Ecosystem Services (related to fisheries) D. Human/Climate impacts
10. Zooplankton (Krill)	A. Productivity Food Web D. Human/Climate impacts

7. POTENTIAL PILOT PROJECTS

A candidate 'pilot project' was defined by an opportunity to create a 'project' that develops an eEOV through the following criteria:

- 1-2 years to develop;
- Local to regional scale but with an opportunity to expand to the global scale;
- Potentially led by 3 countries (encouraging global collaboration).

Potential pilot projects were also categorized into 'concept' or 'pilot' projects (Figure 4) using the concept of 'Readiness' Levels outlined in *A Framework for Ocean Observing (FOO)* [1].

FRAMEWORK PROCESSES BY READINESS LEVELS

Readiness Levels	Requirements Processes	Coordination of Observational Elements	Data Management & Information Products
Mature			
Level 6 'Sustained'	Essential Ocean Variables: • Adequate sampling specifications • Quality specifications	System in Place: • Globally • Sustained indefinitely • Periodic review	Information Products Routinely Available: • Product generation standardized • User groups routinely consulted
Level 5 'Mission qualified'	Requirements 'Mission Qualified': • Longevity/stability • Fully scalable	System 'Mission Qualified': • Regional implementation • Fully scalable • Available specifications and documentation	Data Availability: • Globally available • Evaluation of utility
Level 4 'Fitness for purpose'	Validation of Requirements: • Consensus on observation intent • Satisfaction of multiple user needs • Ongoing international community support	Fitness-for-Purpose of Observation: • Full-range of operational environments • Meet quality specifications • Peer review certified	Validation of Data Policy: • Management • Distribution
Pilot			
Level 3 'Operational'	Requirement Refined: • Operational environment • Platform and sensor constraints	Implementation Plans Developed: • Maintenance schedule • Servicing logistics	Demonstrate: • System-wide availability • System-wide use • Interoperability
Level 2 'Verification'	Sampling Strategy Verified: • Spatial • Temporal	Establish: • International commitments and governance • Define standardized components	Verify and Validate Management Practices: • Draft data policy • Archival plan
Level 1 'Test'	Measurement Strategy Verified at Sea	Pilot project in an operational environment	Agree to Management Practices: • Quality control • Quality assurance • Calibration • Provenance
Concept			
Level 3 'Proof of concept'	Proof of Concept via Feasibility Study: • Measurement strategy • Technology	Proof of Concept Validated: • Technical review • Concept of operations • Scalability (ocean basin)	Verification of Data Model with Actual Observational Unit
Level 2 'Documentation'	Measurement Strategy Described: • Sensor • Sensitivity • Dependencies	Proof of Concept: • Technical capability • Feasibility testing • Documentation • Preliminary design	Socialization of Data Model: • Interoperability strategy • Expert review
Level 1 'Idea'	Environment Information Need and Characteristics Identified: • Physical • Chemical • Biological	System Formulation: • Sensors • Platforms • Candidate technologies • Innovative approaches	Specify Data Model: • Entities, Standards • Delivery latency • Processing flow

Figure 4: Framework Processes By Readiness Levels [Source: FOO (2012): 11]

A preliminary set of candidate pilot projects were drafted, considering the availability of known monitoring systems and datasets, feasibility of continued or new monitoring infrastructure, and potential availability of funds to execute the projects. The full listing is in Appendix 8. Additional Projects were also identified that may inform the design of the GOOS Biology System (also in Appendix 8). The Workshop undertook a preliminary prioritisation of the projects for further consideration noting the need to ensure at least one project related to each of the 4 eEOV themes. An extra 2 were selected based on the ability to start immediately with a mature system and little funds required (Table 4).

Table 4: Priority List of 7 Candidate Pilot/Concept Projects for eEOVs

Candidate Pilot Project	eEOV Theme/s	eEOV	FOO Readiness	Platforms
<i>Developing syntheses of abundance and distribution of Large Marine Vertebrates as a signal of the health of the marine ecosystem (via tagging and tracking techniques)</i>	A. Productivity (Food Web) B. Biodiversity. D. Human / Climate impacts	Movement patterns / hotspots / habitat use of Top Predators + Species of Value (eg whales)	Mature	Tags and Tracking

<i>Standardising Cal/Val for chlorophyll and primary productivity through coordination of the Chlorophyll / ocean colour community</i>	A. Productivity (Primary) D. Human / Climate Impacts	Chlorophyll	Mature	Satellite <i>in situ</i> sampling for calibration and fluorometric measurements at existing permanent mooring sites.
<i>Developing a synthesis product of Continuous Plankton Recorder (CPR) records to produce eEOV time series for ocean biomes (zooplankton); as well as developing zooplankton sampling using standardised emerging genetic technologies</i>	A. Productivity (Food Web) D. Human / Climate Impacts	Zooplankton *Potential EOS	Feasible within 2-3 years?	CPRs + genetic techniques + optical and classic taxonomy identification
<i>Developing purpose built environment DNA system for EOVs in collaboration with biodiversity observation networks (e.g. USA: MarineBON) [longer time horizon]</i>	B. Biodiversity.	*Potential EOS	Feasible within maybe >5 years?	Ship sampling
<i>Human activity data for oceanographers: develop an operating basis for making this information widely available for research.</i>	D. Human / Climate impacts	?	Feasible within 2-3 years?	
<i>Promoting universality/integration of the tagging/tracking/historic archive (already underway in Southern Ocean)</i>	A. Productivity (Food Web) B. Biodiversity.	Tags and Tracking + Species of Value (eg whales) and Top Predators	Mature	Tags and Tracking
<i><u>Using an area with 60 years of high-resolution data to ask: Can we invert the CALCOFI? e.g. if we had to re-construct it, what variables would we target? Perhaps some indicator species rather than all fish indicators? (given the known 60 years of data)</u></i>	A. Productivity (Food Web) C. Ecosystem Services D. Human / Climate impacts	?	?	?

The proposed projects will need to be advanced with support and direction from the GOOS Biology and Ecosystems Panel once it is constituted. Noting that technical expertise relevant to each of the eEOV themes will be required to progress the projects and that the overall list of eEOVs covers several 'groupings' of expertise, 6 Working Groups were proposed and Workshop participants identified potential experts who may be interested in participating in a working group:

- **Trophic – Primary Producers**
- **Trophic – Zooplankton**
- **Trophic - Large Marine Vertebrates**
- **Habitats**
- **Human Impacts**
- **Water Quality**

It is envisaged that the Working Groups will progress the process of defining eEOVs and facilitate the implementation of pilot and concept projects. Working Groups will report to the GOOS Biology and Ecosystems Panel. Further expectations on the Working Groups are listed in the recommendations at the end of the report.

8. SCIENTIFIC SYNERGIES WITH THE GOOS BIOGEOCHEMISTRY PANEL

Throughout the Workshop, GOOS Biology and Ecosystems and Biogeochemistry Panel cross-cutting issues were identified and there were some preliminary discussions about them in joint sessions of the two panels. Both Panels agreed these require further discussion and integration to ensure synthesis between the two groups. This is especially the case with definition and monitoring of eEOVs associated with 'ecosystem services' and 'habitats'. Some topics for joint discussion were identified and include 'will changes in the ocean impact on habitats/trophic levels in general, or impact on the physiology of species?' It would also be useful to facilitate collaboration between the Panels through some of the Candidate Pilot Projects.

In terms of modelling, the challenge for the GOOS Biology and Ecosystems Panel is to contribute the relevant biological variables for the Biogeochemistry models. In the past, with little biological information at hand, this has not been satisfactory for biogeochemistry models. There is the possibility that biological data may help better regionalise/localise the closure term for biogeochemistry models. However, the overall question remains for modellers to close the gaps between the requirements for both the biology and biogeochemistry needs. How this will be accomplished needs further discussion with the modelling community and representatives from both GOOS Biology and Ecosystems and Biogeochemistry Panels.

9. FUNDING OPPORTUNITIES

Funding is required to advance the development and monitoring of the proposed eEOVs and candidate pilot/concept projects, and to progress the activities of the GOOS Biology and Ecosystems Panel. One suggestion was to establish a sub-committee within the GOOS Biology and Ecosystems Panel to focus on communicating the benefits of developing and monitoring EOVs, and as well to secure the funds necessary to support these activities. However, in the interim, strategic suggestions by participants included:

- Define some eEOVs with explicit questions that relate to climate change impacts on ocean health, or anthropogenic (e.g. ocean acidification) impacts on ocean health.
- Investigate the potential for the development of eEOVs to be 'branded' or linked to the GEO Blue Planet initiative, which may identify opportunities involving the GEOSS, GEO and GOOS.
- That the GOOS Biology and Ecosystems Panel and Working Groups should collaborate closely with GEOBON, in their development of marine EBVs, in order to reduce duplication of effort in developing eEOVs and join forces in funding proposals.
- The GOOS Biology and Ecosystems Panel and Working Groups should consider seriously the key modelling needs for the development and monitoring of eEOVs, and subsequently use the modelling 'products' to communicate any ecosystem changes, thereby promoting the use of eEOV data acquisition specifically relevant to national governments and/or international agencies.
- Target national (eg Australian IMOS, US IOOS) and GRA observing networks (eg EuroGOOS) to learn of any opportunities that may assist the development of eEOVs and observation platforms specific to a country or region.
- Investigate opportunities to assist ecosystem monitoring and improved marine management in regions of developing countries.
- Consider the priorities in the European Commission Funds in the upcoming round of Horizon 2020.

10. POTENTIAL CANDIDATES FOR THE GOOS BIOLOGY AND ECOSYSTEMS PANEL

Participants discussed the potential candidature requirements for the full GOOS Biology and Ecosystems Panel. A selection of skills was suggested, falling into various categories that, in combination, will comprise a strong team of people prepared to progress the expansion of the biological component of GOOS. Representatives with the following expertise were suggested:

- Molecular genetics;
- Already connected to existing programs (eg CALCOFI, GEOBON, GRAs, National Observation Systems such as IMOS, US IOOS, and major conventions such as CBD) to integrate all the experience;
- Data / Information Systems;
- One person connected across the other two GOOS panels;
- The Chair from each of the 6 proposed Working Groups;
- Ecosystem modelling capability (for both science and policy development);
- Statistician;
- Chair of the Sub-Committee on Technology;
- Citizen Science;
- Chair from Sub-Committee on Funding/Communications;
- International Community Representatives (including a disciplinary mix e.g. from fisheries, benthos, large marine vertebrates, plankton and remote sensing [e.g. Chair International Ocean Colour Coordinating Group (IOCCG)]);
- Social Science;
- Coastal and oceanic expertise;
- Policy – Science Integrated experience

The suggestion was also made to consider the use of Sub – Committees within the GOOS Biology and Ecosystems Panel including:

1. **Technology and Instrumentation:** To address setting up the relevant technological marine biological instruments required for expanding the GOOS Biology and Ecosystems observations component, and filling the gaps in observation and data requirements. Representatives might include technical and instrumentation experts in:
 - In-situ
 - Bio-optics;
 - Remote sensing
 - IOCCG (eg Chair) ; and
 - Modeler
2. **Communications and Funding:** To focus on the communication efforts to promote the goal of the GOOS Biology and Ecosystems Panel and as well, secure funding for the proposed activities. Representatives might be from/include:
 - GRAs
 - National Observation Systems (e.g. IMOS/US IOOS)
 - Social Scientist
 - Someone with expertise in the major conventions (e.g. CBD)

11. CONCLUSION

This Report sets out the results of discussions from *The First Workshop of Technical Experts for the Identification of Ecosystem Essential Ocean Variables (EOVs)*. It is clear that the definition of eEOVs is in an early phase and requires further consideration and development. This Workshop built on known efforts and refined the identification of eEOVs to help strengthen and expand the GOOS for monitoring marine ecosystems. The results of the Workshop will be used to progress the formation of the GOOS Biology and Ecosystems Panel to guide continued development of eEOVs critical for the maintenance and sustained development of a healthy and productive ocean. The GOOS Biology and Ecosystems Panel will work in collaboration with the other GOOS Panels to achieve this.

12. IMPLEMENTATION – RECOMMENDED NEXT STEPS

Subject to the available resources it is recommended that:

- A 1 – 2 year vision and work plan for the GOOS Biology and Ecosystems Panel is developed.
- Nominations for a full GOOS Biology and Ecosystems Panel occur immediately and once formed it will implement the work plan and advise the date for a Panel meeting in 2014.
- Six Working Groups, with the Chair of each a member of the GOOS Biology and Ecosystems Panel, are formed to continue detailed discussions in the process of defining eEOVs, and in particular to instigate the commencement of the prioritized pilot projects:
 - **Trophic – primary producers**
 - **Trophic – Zooplankton**
 - **Trophic - Large Marine Vertebrates**
 - **Habitats**
 - **Human Impacts**
 - **Water Quality**
- The GOOS Biology and Ecosystems Executive will develop the Terms of References for each Working Group which could include:
 - Working Groups to seriously consider the measurable traits of an eEOV;
 - Working Groups to determine the most critical eEOVs required for modellers to model changes to ecosystem, and determine if these eEOVs are feasible with the known observations infrastructure in place.
- Through the work of the full GOOS Biology and Ecosystems Panel (once formed) and the Working Groups, the goal is for at least 6 eEOVs to be underway (fully defined and being monitored) within 5 years.
- The GOOS Biology and Ecosystems Panel (which should include modelling representatives), devise a list of 'backbone' measurements in general, and when feasible, useful for indicators and able to be synthesised and fed into regional models, and which could be fed into global models. For each eEOV, it would be useful to devise a list of the most important measurements that would inform biological observations (e.g. 'collect at any cost' or 'absolutely fundamental measurements').
- *The issue of "backbone measurements" is critical to any GOOS biology. The GOOS Biology Panel should come up with a list of the most important measurements that would inform biological observations. This would be the collect at any cost or absolutely fundamental measurements. Something that is required for all eEOVs.*
- The GOOS Biology and Ecosystems Panel consults with the GRA Chair and National Observing System representatives to discuss longer-term design of observation infrastructure, taking into account eEOV data required for modelling ocean ecosystem state/change.
- Once formed the GOOS Biology and Ecosystems Panel should consider:
 - Dates are selected for writing workshops (for funding applications and pilot projects)
 - A Review of Pilot Projects is conducted in 2-3 years.

- The development of an eEOV Template in alignment with the templates being prepared for the GOOS Physics and Biogeochemistry Panels.
 - How to link with and collaborate with the relevant activities of PICO, GEOWOW, GEOBON (marine EBVs), SOOS (for Southern Ocean eEOVs) and also the Canadian Government (for Arctic EOVs), and the investigation by GEOBON on the adequacy of observation systems to support the CBD Aichi 2020 Targets [6]. Collaboration with these initiatives will strengthen the imperatives to set up relevant ecosystem EOV monitoring infrastructure, reduce duplication of effort and improve opportunities for funding.
 - Collaborate with IODE/OBIS in establishing open access data system infrastructures, and developing standards, guidelines/best practices and training in data management (collection, processing, describing, quality control, storing and redistribution/publishing/sharing).
 - Investigate the relevant conventions/frameworks that provide the basis for developing eEOVs. With this knowledge, target specific funding avenues that may support the development of particular eEOVs.
 - A sub panel of GOOS Biology and Ecosystems Panel to peruse known National State of Environment Reports, and contact the facilitators of the World Ocean Assessment to discuss the relevant data already collected (and still required) to inform societal issues.
- The GOOS Biology and Ecosystems Panel Chair maintains close communication with the Chairs of the GOOS Physics and Biogeochemistry Panels to ensure harmonized development of eEOVs and an integrated observing system.



APPENDIX 1: WORKSHOP AGENDA

JOINT WORKSHOP OF TECHNICAL EXPERTS FOR THE IDENTIFICATION OF ECOSYSTEM ESSENTIAL OCEAN VARIABLES

SPONSORS: GEOWOW & GOOS (BIOLOGY AND BIOGEOCHEMISTRY PANELS)

Wednesday to Friday, November 13 -15, 2013

**At the Australian Institute of Marine Science (AIMS) Laboratories at Cape Cleveland
Townsville, Australia**

Optional Extra: Fieldtrip to the Great Barrier Reef, Saturday November 16, 2013.

***This Workshop is jointly funded by the European Commission's FP7 GEOWOW Project,
IOC/UNESCO and the Australian Government.***

Wednesday, 13 November

08:00 – 10:30 Opening - Joint Session

- **INTRODUCTION/ WELCOME / EXPECTATIONS** [Albert Fischer (GOOS Secretariat/ GEOWOW); Toste Tanhua (Chair, GOOS Biogeochem Panel) and, Ian Poiner (Chair GOOS Biology and Ecosystems)]
- **CONTEXT - SETTING THE SCENE** [John Gunn – Co-Chair, GOOS Steering Committee; and Albert Fischer] :
- GOOS/ FOO/ OOPC/ EOVS/ Readiness/ New GOOS Biology and Ecosystems and Biogeochemistry Panels / Pilot Projects + GOOS Regional Alliances / Coastal and Open Ocean/ PICO Plan /International Conventions and Assessments needing sustained ocean observations/ Modelling Needs / GEOWOW, GEO and GEOSS.
- **INTRODUCTION FROM EACH PARTICIPANT** – their role, their research and how it may fit in

10:30 – 11:00 Coffee Break

11:00 – 12:30 Joint Discussion Items

- **CONTEXT – INTRODUCING THE KEY CONCEPTS UNDERPINNING THE WORKSHOP** (which will be explored further in separate Panel sessions)
 - Essential Climate Variables/ Essential Biodiversity Variables – Introduce the concept of requirement driven design of the observing system, guiding the selection of EOVS. [John Gunn / OOPC?]
 - Biology Ecosystem Synthesis Report – brief summary of findings [Dave McKinnon, AIMS]
 - Biogeochemistry Synthesis Report – brief summary of findings [Maciej Telszewski, IOCCP]
 - What are the main scientific questions (or answers) that will provide significant scientific benefit / address societal challenges (that require sustained global ocean observations of biogeochemical and biological variables?) [As background for each Panel to devise a list of requirements eg societal or science driven questions that need sustained monitoring of EOVS to answer].
 - What long term global biology, biogeochemistry and observation systems are already in place, what variables do they measure and why do we need these variables? [keeping in mind the question – **why do we need a time series on EOVS ?**]
 - Global, regional and local existing data systems and information products.

12:30 – 13:30 Lunch [+ National Sea Simulator (Group 1)]

13:30 – 15.30 BGC Panel Separate Session 1 - Defining Requirements / Needs

- Define the **societal needs** for ocean biogeochemical observations (motivate why we should spend time and money on measuring these variables for decades), e.g. climate change, fisheries, health of ecosystems, healthy ocean, tourism, transport etc.
- Define the **science needs** for ocean biogeochemical observations.
- Define requirements for EOVs based on societal and science needs. Come up with a list of requirements, i.e. societal or science driven questions that needs sustained monitoring of biogeochemical variables to answer.

13:30 – 15:30 Biology Panel Separate Session 1 - Defining Requirements / Needs

- Understanding what we are trying to achieve – planned outcomes from the Workshop:
 - List of major societal challenges and scientific questions requiring sustained global observations of ocean biological variables.
 - Define and prioritise EOVs including measurement requirements (frequency and resolution)
 - Evaluation of 'readiness' of observation systems.
 - For each EOV – what is required to improve current observations?
 - Priority list of potential observation systems for ecosystem EOVs.
 - Candidate pilot projects.

Requirements:

- State of knowledge - Biology Ecosystem Synthesis Report – presentation of findings [Dave McKinnon]
- Define the societal needs for biology/ecosystem observations (why we should spend time and money on measuring these variables for decades), e.g. climate change, fisheries, health of ecosystems, healthy ocean, industry (e.g. tourism, transport etc).
- Define requirements for EOVs based on societal and science needs. Come up with a list of requirements, i.e. societal or science driven questions that needs sustained monitoring of biogeochemical variables to answer.
- What are the types of variables needed for modelling [Andrew Constable ACE CRC]
- What long term global/regional biology observation systems are already in place, what variables do they measure and why?

15:30 – 16:00 Coffee break

16:00 – 18:00 BGC Panel Separate Session 2 - Defining Requirements / Needs - Continued....

16:00 – 18:00 Biology Panel Separate Session 2 - Defining Requirements / Needs - Continued....

- Including initial prioritisation of requirements and define the EOVs that are needed (1st cut)

19:00 Group Dinner – On-site provided by AIMS

Thursday, 14 November 2013

08:00 – 8.30 Recap of Day 1 - Joint Discussion/ Cross-Fertilization

08.30 - 10:30 BGC Panel Separate Session 3 - Defining EOVs 1st Take

- What are the types of variables needed for modelling [Modellers to lead a discussion].
- Go through the requirements and define EOVs that are needed for those.

08.30 - 10:30 Biology Panel Separate Session 3 - Defining EOVs 1st Take

- Priority list of requirements and define the EOVs that are needed taking into consideration:
 - Redundancies; and,
 - Likely spatial and temporal resolution.
- EOV observational requirements and an assessment of existing observing system.

- Review the agreed list of EOVs and define spatial and temporal resolution observational requirements.
 - E.g. Spatial resolution: Surface or interior ocean? Coastal or open ocean? At what spatial resolution in those realms?
 - Temporal resolution: Decadal, annual, seasonal, weekly, diurnal?
 - Accuracy and/or precision requirements.
- Ensure the temporal and spatial resolution needs to be tied to the requirements already defined.
- Existing long term global/regional biology observation systems – can they meet any of the identified requirements?
- Evaluate the ‘readiness’ to observe each EOV and recommendations for improvement and/or development.

10:30 – 11:00 Coffee Break

11:00 – 12:30 BGC Panel Separate Session 4 – Priority EOVs

- Assess the EOVs identified. Reduce redundant ones. Make sure EOV spatial and temporal resolution requirements are really needed. Produce a slim list of EOVs, without missing important variables capable of monitoring important processes or trends.

11:00 – 12:30 Biology Panel Separate Session 4 - Priority EOVs

- Priority list of requirements and define the EOVs that are needed taking into consideration:
 - Redundancies; and,
 - Likely spatial and temporal resolution.

12:30 – 13:30 Lunch [+ National Sea Simulator (Group 2)]

13:30 – 15:30 BGC Panel Separate Session 5 - EOVS Observational Requirements, and assessment of existing observing systems

“Readiness table”

Go through the identified EOVs and define spatial and temporal resolution requirements.

- Spatial resolution: Surface or interior ocean? Coastal or open ocean. At what spatial resolution in those realms?
- Temporal resolution: Decadal, annual, seasonal, weekly, diurnal?
- Accuracy and/or precision requirements.

The temporal and spatial resolution needs to be tied to the requirements already defined.

Draw on already formulated resolution requirements from existing program plans, e.g. GO-SHIP, Oxygen on Argo, SOCAT

13:30 – 15:30 Biology Panel Separate Session 5 – ‘Readiness’

- EOVS observational requirements and an assessment of existing observing system.
- Review the agreed list of EOVs and define spatial and temporal resolution observational requirements.
 - E.g. Spatial resolution: Surface or interior ocean? Coastal or open ocean. At what spatial resolution in those realms?
 - Temporal resolution: Decadal, annual, seasonal, weekly, diurnal?
 - Accuracy and/or precision requirements.
- Ensure the temporal and spatial resolution needs to be tied to the requirements already defined.
- Existing long term global/regional biology observation systems – can they meet any of the identified requirements?
- Evaluate the ‘readiness’ to observe each EOVS and recommendations for improvement and/or development.

15:30 – 16:00 Coffee break



16:00 – 18:00 BGC Panel Separate Session 6 - EOVS Observational Requirements, and assessment of existing observing systems – Continued.....

16:00 – 18:00 Biology Panel Separate Session 6 - Review of EOVS, Readiness and existing observing system.

- Finalise the “Readiness table” - for each EOVS agree on:
 - the ‘readiness’ of observation systems
 - what is required to improve current observations.
 - priority list of potential observation systems for ecosystem EOVS

19:00 Group Dinner – On-site provided by AIMS

Friday, 15 November 2013

08:00 – 8.30 Recap of Day 2 - Joint Discussion / Cross-Fertilization

08:30 – 10:30 BGC Panel Separate Session 7 - Reduction of the number of EOVS

- Assess the EOVS identified. Reduce redundant ones. Make sure EOVS spatial and temporal resolution requirements are really needed. We want to produce a slim list of EOVS, without missing important variables capable of monitoring important processes or trends.

08:30 – 10:30 Biology Panel Separate Session 7 – Review of EOVS, Readiness and existing observing systems – Continued....

10:30 – 11:00 Coffee Break

11:00 – 12:30 BGC Panel Separate Session 8 – Pilot Projects

- Potential pilot projects – based on the devised list of priority EOVS, what already exists (eg readiness of observation systems, GRA networks) and what monitoring systems could be established if there was funding?
- Selection of proposals based on the priority candidate EOVS and potential pilot projects.

11:00 – 12:30 Biology Panel Separate Session 8 – Pilot Projects

- Potential pilot projects – based on the devised list of priority EOVS, what already exists (eg readiness of observation systems, GRA networks) and what monitoring systems could be established if there was funding?
- Selection of proposals based on the priority candidate EOVS and potential pilot projects.

12:30 – 13:30 Lunch [+ National Sea Simulator (Group 3)]

13:30 – 15.30 Joint Discussions on Identified EOVS from each Panel

- Sharing the list of EOVS between Panels
- Sharing the ideas for Pilot Projects between Panels
- Discussion on overlap, synergy, redundancy etc.

15:30 – 16:00 Coffee break

16:00 – 18:00 Joint Session - Workshop Summary and Further Steps

- Discussion on overlap, synergy, redundancy, feasibility etc.
- Formulate a 10 year plan for the two GOOS Panels (envisioning a 70% cut in funding, or a 500% increase).
- Funding Discussion to implement the proposed Panel activities: what funding is available, and what are the potential funding bodies/rounds to approach for the funding of the potential proposals based on the list of Candidate EOVS and Pilot Projects.
- Writing the Workshop Report – next steps and due date.
- Next Panel Meetings?

19:00 Group Dinner – On-site provided by AIMS

ANTICIPATED WORKSHOP OUTCOME

For GOOS Biogeochemistry Panel

- Define Essential Ocean Variables (EOVs) for biogeochemistry.
- Define societal relevance for ocean biogeochemical observations (motivate why we should spend time and money on measuring these variables for decades).
- Define requirements for frequency and resolution of measurements.
- Present a list of EOVs appropriate for each of the frequency and resolution requirement. These lists can have different EOVs, and specify different accuracy demands.
- Define the state of readiness for EOVs on the various frequency and resolution levels. Matrix of readiness for all EOVs and frequency and resolution; requirements, observations, data streams.
- Recommendation for each EOVS / level on how to improve the observational network from the current state.

For GOOS Biology and Ecosystems Panel

- A Report stating:
- List of major societal challenges and scientific questions requiring sustained global observations of ocean biological and biogeochemical variables,
- Priority List of ecosystem EOVS prepared for GEOWOW and GOOS,
- Evaluation of 'readiness' of observation systems
- Priority list of potential observation systems for ecosystem EOVS,
- Candidate pilot projects (at least 3);
- Identified funding opportunities;
- Identified pilot projects for endorsement by the GOOS Steering Committee; and
- Nominations for GOOS Biology and Ecosystems Panel Members / potential Date for a Panel Meeting; and
- Identification of dates for 'writing workshops' for writing the funding proposals for the pilot projects.

FIELDTRIPS

The Workshop will be held at the AIMS in Townsville over 3 days. One afternoon and in between the Agenda items, there will be a **mini tour of the AIMS Laboratories at Cape Cleveland including the recently commissioned National Sea Simulator**. In addition, for those staying beyond the Workshop, there will be an optional **tour to the Great Barrier Reef on Saturday November 16 (weather dependent)**.



APPENDIX 2: LIST OF PARTICIPANTS

Mr Ward APPELTANS

Programme Specialist

UNESCO/IOC Project Office for IODE

Wandelaarkai 7 - Pakhuis 61

B-8400 Oostende, Belgium

Email: w.appeltans@unesco.org

Dr Nic BAX

CSIRO Marine and Atmospheric Research,
Tasmania

Marine Laboratories, Castray Esplanade

Hobart 7001 Australia

Email: Nic.Bax@csiro.au

Dr Elisa BERDALET

Assistant Director of the ICM

Institut de Ciències del Mar - Consejo Superior de
Investigaciones Científicas

08003 Barcelona, Catalunya, Spain

Email: berdalet@icm.csic.es

Dr. Lev BODROSSY

Science Leader, OCE Fellow

CSIRO Marine and Atmospheric Research,
Tasmania

Marine Laboratories, Castray Esplanade

Hobart 7001 Australia

Email: lev.bodrossy@csiro.au

Dr. Francisco CHAVEZ

Senior Scientist

Monterey Bay Aquarium Research Institute

7700 Sandholdt Road, Moss Landing California CA
95039

United States

Email: chfr@mbari.org

Dr. David CHECKLEY

Professor of Oceanography

GEOWOW EC Grant Agreement no. 282915

Deliverable D6.2

University of California, San Diego, Scripps
Institution of Oceanography

9500 Gilman Drive, La Jolla CA 92093

United States

Email: dcheckley@ucsd.edu

Dr Sanae CHIBA

Team Leader, Senior Scientist, JAMSTEC

Japan Agency for Marine-Earth Science and
Technology, Research Center for Global Change,
Yokohama

3173-25 Showamachi, Kanazawaku, Japan

Email: chibas@jamstec.go.jp

Dr Andrew CONSTABLE

Southern Ocean Ecosystems Change Program

Australian Antarctic Division

Hobart, Australia

Email: andrew.constable@aad.gov.au

Prof Daniel COSTA

Director, Costa Lab

University of California Santa Cruz

United States

Email: costa@ucsc.edu

Prof Carlos DUARTE

Spanish National Research Council (CSIC) at the
Mediterranean Institute for Advanced Studies
(IMEDEA) Mallorca, Spain

Email: carlos.duarte@uwa.edu.au

Dr Martin EDWARDS

Deputy Director

Sir Alister Hardy Foundation for Ocean Science

United Kingdom

Email: maed@sahfos.ac.uk

Dr Albert FISCHER



Head, Ocean Observations and Services / GOOS
Programme Office

Intergovernmental Oceanographic Commission of
UNESCO

1 rue Miollis, 75732 Paris cedex 15, France

Email: a.fischer@unesco.org

Dr Sarah GRIMES

Programme Specialist

Intergovernmental Oceanographic Commission of
UNESCO

1 rue Miollis, 75732 Paris cedex 15, France

Email: s.grimes@unesco.org

Mr. John GUNN

CEO, Australian Institute of Marine Science

Co-Chair, GOOS Steering Committee

Australian Institute of Marine Science, Townsville
Australia

Email: j.gunn@aims.gov.au

Dr Katherine HILL

GOOS/GCOS Programme Specialist

World Meteorological Organization

7bis, avenue de la Paix, Geneva

Switzerland

Email: khill@wmo.int

Dr Nicolas HOEPFFNER

European Joint Research Centre (JRC)

Ispra, Italy

Email: nicolas.hoepffner@jrc.ec.europa.eu

Dr. Kwame KORANTENG

EAF-Coordinator, EAF-Nansen Project

The Food and Agriculture Organization of the United
Nations (FAO)

Marine and Inland Fisheries Service (FIRF)
Fisheries and Aquaculture Resources Use and
Conservation Division

Fisheries and Aquaculture Department

Viale delle Terme di Caracalla, 00153 Rome, Italy

GEOWOW EC Grant Agreement no. 282915

Deliverable D6.2

Email: kwame.koranteng@fao.org

Dr Anthony KOSLOW

University of California, San Diego

United States

Email: jkoslow@ucsd.edu

Dr David McKinnon

Senior Scientist,

Australian Institute of Marine Science,

Townsville, Australia

Email: d.mckinnon@aims.gov.au

Mr Tim MOLTSMANN

Director, Integrated Marine Observing System

University of Tasmania

Hobart 7001 Australia

Email: tim.moltmann@imos.org.au

Prof Jose MUELBERT

Doctor en Oceanografia

GOOS Steering Committee Member

Universidade Federal do Rio Grande, Instituto de
Oceanografia

Rio Grande, 96201-900, RS, Brazil

Email: docjhm@furg.br

Dr Jamie OLIVER

Research Director

Australian Institute of Marine Science

Townsville, Australia

Email: j.oliver@aims.gov.au

Dr Ian POINER

Chair, GOOS Biology and Ecosystems Panel

Brisbane, Australia

Email: ian.poiner@me.com

Dr Isabel SOUSA PINTO

GEOBON Steering Committee Member;



Professor, Dept of Biology, University of Porto,
Portugal

Email: ispinto@ciimar.up.pt

Dr Fred WHORISKEY

OTN Director

Dalhousie University, Life Sciences Centre

1355 Oxford St., POB 1500

Halifax B3h 4R2, Canada

Email: FWhoriskey@dal.ca

Mrs Zdenka WILLIS

Director, U.S. Integrated Ocean Observing System
Program Office

GRA Representative, GOOS Steering Committee

National Oceanic and Atmospheric Administration,
Washington

Integrated Ocean Observing System (IOOS)

Silver Spring Maryland 20910, United States

Email: Zdenka.S.Willis@noaa.gov

Dr Xiaoxia SUN

Institute of Oceanology,

Chinese Academy of Sciences

7 Nanhai Road, Qingdao, 266071

China

Email: xsun@qdio.ac.cn

APPENDIX 3: EOVS LITERATURE SUMMARY (MCKINNON 2013)

CANDIDATE ESSENTIAL OCEAN VARIABLES FOR GOOS
BIOLOGY AND ECOSYSTEMS AND GOOS
BIOGEOCHEMISTRY

A discussion paper

for the

First Joint Workshop of Technical Experts

For the Identification of Ecosystem Ocean Variables

13-15 November 2013

Townsville

Australia

David McKinnon

Australian Institute of Marine Science

5 November 2013

About this document

This document is an attempt to collate what has already been done to help participants address the following:

Problem: *The degradation of coastal habitats, pollution, over-exploitation of fisheries, biodiversity decline, bleached and dying coral reefs, receding polar ice sheets, sea level rise, and ocean acidification are all raising awareness and concern among the public and policymakers, and threaten the well-being of the great numbers of the human population (over 40%) that live in coastal areas worldwide. There is a growing need for more systematic ocean information at local, national, regional, and global scales to support efforts to manage our relationship with the ocean. (Lindstrom et al. 2012)*

Vision: *Provision of routine and sustained global information on the marine environment sufficient to meet society's needs for describing, understanding and forecasting **marine variability** (including physical, biogeochemical, ecosystems and **living marine resources**), weather, seasonal to decadal climate variability, climate change, **sustainable management of living marine resources**, and assessment of **longer term trends**. (from The OceanObs'09 conference vision)*

Goal: *To identify candidate ecosystem and biogeochemical Essential Ocean Variables (EOVs)*

These will include essential biological variables, essential ecosystem variables, and essential biogeochemistry variables.

Method: Potential EOVS should be evaluated on the basis of the GOOS Framework for Ocean Observing (**FOO**) <http://www.oceanobs09.net/fool/> (Lindstrom et al. 2012)

Welcome to a Pantheon of Acronyms!

The FOO document lists 82 acronyms, but here are the ones you need to get started:

GEOWOW: *Group on Earth Observations (GEO) started implementing the Global Earth Observation System of Systems (GEOSS). GEOWOW, is short for "GEOSS interoperability for Weather, Ocean and Water".*

PICO: *Panel for Integrated Coastal Observations, part of the GOOS Scientific Steering Committee.*

GEOBON: *Group on Earth Observations (GEO) Biodiversity Observation Network (BON) .*

IOCCP: *International Ocean Carbon Coordination Project.*

Table of Contents


ABOUT THIS DOCUMENT	57
WHAT IS AN ESSENTIAL OCEAN VARIABLE?	59
SOCIETAL BENEFIT AREAS	60
GEOOWOW BIOLOGICAL EOVS.....	61
PANEL FOR INTEGRATED COASTAL OCEAN OBSERVATIONS (PICO) EOVS.....	61
CONVERGENCE OF BIOLOGICAL EOVS SELECTED BY PICO AND GEOOWOW.....	63
SUMMARY OF FOO ANALYSIS OF FOCAL ECOSYSTEM COMPONENTS (FROM PAGE 25)	64
OBSERVING BIODIVERSITY.....	64
OBSERVING BIOGEOCHEMICAL CYCLES.....	70
MARINE MONITORING PROGRAMS AND OBSERVATORIES	67
Coral Reefs.....	67
Europe	67
The OSPAR approach.....	69
Spain.....	71
Canada.....	71
Australia.....	72
UK.....	80
USA.....	80
SUMMARY: AGGREGATED FOCAL ECOSYSTEM COMPONENTS OCCURRING IN INTERNATIONAL MONITORING PROGRAMS, BUT NOT IN GEOOWOW OR PICO.....	78
FOO ANALYSIS BY FOCAL ECOSYSTEM COMPONENT	79
1. Bacteria and Phytoplankton	79
2. Zooplankton.....	79
3. Shallow-water Benthos	80
4. Deep- water Benthos	81
5. Fish and Fisheries	82
6. Ecosystem	90
BIBLIOGRAPHY	86

What is an Essential Ocean Variable?

GEOWOW-WP6-IOU-16.1.1 “Definition of ecosystem Essential Ocean Variables” lays the framework for identification of EOVS, summarised below:

An **Essential Ocean Variable** (EOV) is a concept adopted by the **Global Ocean Observing System** (GOOS) to organize and describe ocean variables that have a high feasibility of sustained observation, and high impact in responding to stated scientific and societal issues.

EOV's overlap with Essential weather variables, essential climate variables, and essential biodiversity variables as shown in the following diagram (from GEOWOW-WP6-IOU-16.1.1):



EOV's Physical include water temperature/ocean heat content, water temperature stratification, sea ice, salinity, currents, surface wave height and direction, absolute sea level, shoreline position, bathymetry, total suspended matter, seamounts.

EOV's Chemical includes dissolved inorganic nutrient concentration, dissolved oxygen, pH, fCO₂ & total alkalinity, coloured dissolved organic matter.

Societal Benefit Areas

The Framework for Ocean Observing emphasises that EOVS should be selected on the basis of scientific and societal issues.

GEOOWOW identified the following GEO **Societal Benefit Areas**, here tabulated with respect to their relevance to different ocean biomes.

SBA's	Coastal	Pelagic Ocean	Benthic Ocean
Coastal eutrophication and hypoxia	x	x	
Human exposure to water-borne infections and microbes	x		
Toxic Harmful algal blooms	x	?	
Loss and modification of biologically structured benthic habitats	x		x
Distribution and condition of calcareous organisms affected by ocean acidification	x	x	?
Abundance of exploitable fish stocks related to food security	x	x	x
Understanding the impact of anthropogenic global change on ocean ecosystems and ecosystem services	x	x	x
Management and policy responses	x	x	x

GEOWOW Biological EOVS

GEOWOW 16.1.1* “Definition of ecosystem essential ocean variables” presented a full interpretation of societal needs and of the process for the identification of these based on the intersection of ocean domains and human systems. In that document, Biological EOVS, were tabulated by relevance to open ocean or coastal, and to **GEO Societal Benefit Areas** (SBA's):

- Eutrophication and hypoxia (Ecosystems, agriculture and biodiversity)
- human exposure to pathogens (health)
- harmful algal blooms (health)
- habitat loss and modification (ecosystems and biodiversity)
- vulnerability to coastal flooding (disaster)
- ocean acidification (ecosystems and biodiversity)
- food security (agriculture)
- understanding impact of anthropogenic change on ecosystem services (ecosystems, biodiversity, agriculture, climate)

The Candidate EOVS Biological were:

1. Phytoplankton (pigments and size)
2. Primary productivity / phytoplankton biomass (chl-a)
3. Toxic phytoplankton abundance
4. Calcareous phytoplankton abundance
5. Diatoms/non-diatom ratio
6. Abundance of copepod indicator species
7. Abundance of waterborne pathogens
8. Bacterial communities
9. Zooplankton (abundance, size structure, composition and timing)
10. Extent of living benthic habitats
11. Species diversity of communities associated with living benthic habitats
12. Coral skeletal density
13. Abundance of eggs, larvae and size classes of exploited fish stocks
14. Fish stocks
15. Bycatch
16. Diet of exploitable fish species
17. Abundance and size of apex predators
18. Food webs and trophic changes
19. Geographic distribution of taxa (biodiversity)

*<http://www.geowow.eu/resources/deliverables/GEOWOW-WP6-IOU-I6.1.1-v1.0.pdf>

Panel for Integrated Coastal Ocean Observations (PICO) EOVS

Ecosystem-based approaches (EBA's) to sustainable development require:

1. frequent, routine and integrated ecosystem assessment (IEAs)
2. continuous provision of data and information on meteorological, geophysical, biogeochemical and biological states (indicators) needed for timely IEAs that inform decision makers.

Priority indicators of ecosystem states (health):

1. Surface phytoplankton biomass and subsurface oxygen fields
2. Distribution and abundance of waterborne pathogens and toxic phytoplankton,
3. Spatial extent of living benthic habitats (coral reefs, seagrass beds, mangrove forests and tidal marshes) and ecological buffers to coastal flooding,
4. Distribution and condition of calcareous organisms (cold and warm water corals, coccolithophores and pteropods)
5. Distribution and abundance of exploitable fish stocks.

Monitoring needs to include external pressures and ecosystem states. Of the latter, **the biological states are:**

1. phytoplankton biomass
2. toxic phytoplankton
3. waterborne pathogens
4. calcareous plankton
5. copepod indicator species
6. fish eggs and larvae
7. extent of living benthic habitats
8. coral skeletal density
9. species diversity
10. abundance and diet of exploitable fish stocks
11. bycatch
12. abundance and size of apex predators

Convergence of Biological EOVS selected by PICO and GEOWOW

The FOO task team recommended that the development of EOVS for biogeochemical and ecosystem variables build upon the work of IOCCP and PICO to mediate among observing networks and determine an agreed-to set of EOVS.

For groups of organisms that may form observation units for EOVS, I have adopted the Canadian terminology "Focal Ecosystem Component" (DFO 2012).

Focal Ecosystem Component	PICO	GEOWOW
Bacteria		Bacterial communities
	Waterborne pathogens	Abundance of waterborne pathogens
Phytoplankton	Phytoplankton biomass	Phytoplankton (pigments and size)
		Primary productivity / phytoplankton biomass (chl-a)
	Toxic phytoplankton	Toxic phytoplankton abundance
		Diatoms/non-diatom ratio
	Calcareous plankton	Calcareous phytoplankton abundance
Zooplankton	Copepod indicator species	Abundance of copepod indicator species
	Fish eggs and larvae	Abundance of eggs, larvae and size classes of exploited fish stocks
		Zooplankton (abundance, size structure, composition and timing)
Benthos	Extent of living benthic habitats	Extent of living benthic habitats
	Species diversity	Species diversity of communities associated with living benthic habitats
	Coral skeletal density	Coral skeletal density
Fish & Fisheries	Abundance and diet of exploitable fish stocks	Diet of exploitable fish species
		Fish stocks
	Bycatch	Bycatch
	Abundance and size of apex predators	Abundance and size of apex predators
Ecosystem		Food webs and trophic changes
		Geographic distribution of taxa (biodiversity)

Summary of FOO Analysis of Focal Ecosystem Components (from Page 25)

This is intended as a framework for discussion only.

Focal Ecosystem Component	Requirements			Observations	Data & Products
	Biodiversity	Ecosystem Structure	Ecosystem Function		
Microbes & Phytoplankton	Genetic structure, pathogens, calcareous phytoplankton	Microbial function, Phytoplankton biomass, size structure and composition	Primary Production. Biogeochemical processes for models	Satellite imagery, Molecular and flow cytometric observations required	Ocean colour and NPZ and biogeochemical models
Zooplankton	Species composition, Indicator species	Size structure, Community structure, including jellies.	Microbial vs "Classical" food chains	CPR program, development of new tools required to span all the pelagic	GACS COPEPOD
Shallow Benthos	Benthic cover, species composition	Removal of species by human activities	Resilience	Composition and condition of benthos	Local databases, but no global co-ordination
Deep Benthos	Recognized as very high diversity, but poorly known	Poorly known	Driven by Chemo-synthesis and detrital fall. Poorly understood, but characterised by episodic events linked to surface layers.	ROV's and some cabled observatories.	Not yet standardised or integrated.
Fish & Fisheries	Fisheries supported by biodiversity, and negatively affected when biodiversity is lost.	Stock structure important for management.	Debate over removal of specific trophic levels.	Still need to determine the most appropriate indices to monitor fishing effects.	Many global databases.
Ecosystem	Biodiversity not completely documented – apex predators may be indicators.	Changes in community size spectrum	Implications of warming, acidification and deoxygenation on ecosystem energetics	Need indices of vigor, organisation and resilience.	Regional databases and global LME's.

Observing Biodiversity

GEOBON (Group on Earth Observations (GEO) Biodiversity Observation Network (BON)), define the term "Essential Biodiversity Variables" (http://www.earthobservations.org/geobon_ebv.shtml), and reported in Pereira et al. 2013 (*Science* 339:277-278). **Essential Biodiversity Variables** (EBVs) are measurements required for study, reporting, and management of biodiversity change. These EBV's are *general enough for use across taxa and terrestrial, freshwater and marine realms* i.e. **are not restricted to marine**.

EBVs facilitate the harmonization of existing monitoring schemes and guide the implementation of new monitoring schemes, especially in gap areas where information on biodiversity change is still very sparse. Examples of essential variables are the allelic diversity of selected wild and domestic species, the population abundances for groups of species representative of some taxa (e.g. birds), the three-dimensional structure of habitats, and the nutrient retention rate in sensitive ecosystems. These variables can be measured or modelled globally, by combining satellite remote sensing observations with local observations obtained by citizens, scientists, and local, national and regional organizations. EBVs are crucial for robust estimation of the indicators to assess progress towards the 2020 targets of the **Convention on Biological Diversity**. They can also provide the foundation for developing scenarios of the future of biodiversity under different policy and management options. <http://www.earthobservations.org/geobon.shtml>

- EBVs are sensitive to change over time
- EBVs are focused on 'state' variables
- EBVs are defined at a level of specificity intermediate between that of low-level (primary) observations and high-level indicators of biodiversity change
- EBVs should be of relevance to the broader biodiversity community (incl. scientists/researchers, governments, decision/policy makers, assessment bodies, conservation professionals and conventions)
- EBVs should be feasible in terms of monitoring (e.g. if the technology for monitoring it is unlikely to be available in the near future, the EBV isn't feasible)"

These overarching principles for the selection of GEOBON's "essential biodiversity variables" may equally well apply to our search for EOVS

Pereira et al. (2013) refine that definition to: *We define an EBV as a measurement required for study, reporting and management of biodiversity change. The EBV framework emphasises repeated measurements for the same taxa at the same locations or regions at short time intervals, rather than a species inventory approach.*

With this approach, GEOBON steers away from community indicators and toward selecting key species for continuous monitoring. Can we identify keystone species in the marine environment?

Observing Biogeochemical Cycles

The IOCCP (International Ocean Carbon Coordination Project) aims to establish a sustained global observation network for marine biogeochemistry. Activities include:

1. **Underway CO₂ observations** - for the past several decades, surface water partial pressure of carbon dioxide (pCO₂) has been measured from research and volunteer observing ships (VOS) to quantify the spatial and temporal (seasonal, inter-annual, decadal) patterns of carbon uptake and release.
2. **GO-SHIP** (Global Ocean Ship-based Hydrographic Investigations Program) which aims to develop a globally coordinated network of sustained hydrographic sections as part of the global ocean/climate observing system.
3. Time Series Efforts, which aim to develop a web-based global network of biogeochemical time-series.

4. Synthesis Activities, both for the surface ocean and the ocean interior, focussing on carbon-relevant data.
5. **Ocean Acidification, toward the development of a Global Ocean Acidification Observing Network** (GOA-ON), in strong collaboration with the [NOAA Ocean Acidification Program](#), the [Global Ocean Observing System](#), the [Ocean Acidification International Coordination Center](#) and other institutional and programmatic partners worldwide.
6. Nutrients, toward establishing comparable and accurate nutrient data globally.
7. Oxygen (in development)
8. Data management of ocean carbon observations
9. Facilitating sensor development.

Claustre et al. (2010) list the core “bio-variables” needed for ecosystems and biogeochemical cycles, primarily selected because they are amenable to non-intrusive and automatic measurement:

1. Nitrate
2. Oxygen
3. Variables of the CO₂ system
4. Chlorophyll a
5. Optically resolved Particulate Organic Carbon
6. Plankton or particulate functional types

The platforms for these measurements potentially include Bio-profiling floats, Bio-gliders, animal based sampling platforms, ship-based, fixed-point (Eulerian) time-series, and remotely sensed variables such as ocean colour.

Biogeochemical data can be assimilated into operational models such as Dynamic Green Ocean Models (le Quere and Harrison 2005). This modelling approach is being progressed by the Marine Ecosystem Model Intercomparison Project (MAREMIP: <http://pft.ees.hokudai.ac.jp/maremip/index.shtml>). These models use “Plankton Functional Types (PFT’s)” requiring a wide range of observations. Ten PFTs have been identified that need to be simulated explicitly in order to capture important biogeochemical processes in the ocean:

1. Pico-heterotrophs (bacteria that remineralise dissolved and particulate organic matter)
2. Pico-autotrophs (bacteria that contribute to primary production but not to export of carbon)
3. N₂-fixers (bacteria that control the total amount of reactive N)
4. Calcifying phytoplankton (produce more than half the marine carbonate flux, sensitive to pH)
5. DMS-producing phytoplankton (influence atmospheric sulphur cycle)
6. Mixed phytoplankton (the background biomass of phytoplankton)
7. Silicifiers (phytoplankton that contribute to export of carbon to deep ocean)
8. Protozooplankton (graze on small phytoplankton, control blooms)
9. Mesozooplankton (graze on all sizes of plankton, produce fast-sinking faecal pellets which export carbon)
10. Macrozooplankton (graze on all sizes of phyto-plankton and produce fast-sinking faecal pellets)

Marine Monitoring Programs and Observatories

This section reviews some of the recent reports that synthesise information on monitoring programs established in various countries of the world, with emphasis on the variables that have been selected as meaningful for detecting change in marine ecosystem status or biodiversity. Though not specifically oriented toward EOVS, the monitoring variables established may be candidates.

Coral Reefs

Goal The **International Coral Reef Initiative** of 1995 called on nations to commit to increasing research and monitoring of coral reefs in order to provide the data needed to inform policies of nations to sustain coral reefs and to strengthen management. The **Global Coral Reef Monitoring Network** (GCRMN) was established to support ICRI's Call to Action and Framework for Action.

Approach The GCRMN works through a global network of stakeholders to support management and conservation of coral reefs, and is focused on strengthening understanding of status and trends of coral reefs, and strengthening communication and capacity. The GCRMN publishes periodic reports on the coral reefs of the world, the last of which was published in 2008. In addition, **ReefBase** <http://www.reefbase.org/main.aspx> acts as a data repository for information on location, status, threats, monitoring and management of coral reefs in over 120 countries.

Live coral cover is the primary metric reported for coral reefs, and is certainly a potential EOVS. Data on reef fish, reef fisheries and biodiversity (numbers of species, species lists) are also available.

Europe

Goal To establish and implement coordinated monitoring programmes in order to assess the environmental status of marine waters.

Approach The **Marine Strategy Framework Directive** (MSFD: 2008/56/EC) requires that Member States take measures to achieve or maintain Good Environmental Status (GES) by 2020. However, EU legislation has already established a number of monitoring frameworks. The MSFD aims to ensure consistency, coherence and comparability within marine regions and subregions by coordination of monitoring methods in the framework of Regional Seas Conventions, taking also into account transboundary features and impacts. **OSPAR** (Oslo and Paris Conventions for the protection of the marine environment of the North-East Atlantic), **HELCOM** (Helsinki Commission: Baltic Marine Environment Protection Commission), **Barcelona Convention – Mediterranean Action Plan**, **Bucharest Convention – Black Sea Commission** are all Regional Seas Conventions covering European Seas.

EUR 25187 EN
(<http://publications.jrc.ec.europa.eu/repository/bitstream/11111111/23169/1/lbna25187enn.pdf>) compares monitoring requirements of the following EU legislation:

Acronym	Policy Directive
MSFD	Marine Strategy Framework Directive
WFD	Water Framework Directive
EQS	Environmental Quality Standards Directive
HD	Habitats Directive
BD	Birds Directive
CFP	Common Fisheries Policy

Biological Monitoring Parameters of the MSFD and WFD compared.

MSFD Annex III	WFD
Angiosperms biomass and its annual/seasonal variability	Angiosperms abundance
Angiosperms species composition and its annual/seasonal variability	Angiosperms composition Angiosperms cover Angiosperms depth distribution Angiosperms presence of sensitive taxa
Fish abundance	
Fish age / size structure	
Fish distribution	
Genetically distinct forms of native species abundance	
Genetically distinct forms of native species occurrence	
Genetically distinct forms of native species spatial	
Habitats'(predominant, special, protected and endangered) characteristics	
Introduction of microbial pathogens	
Introduction of non- indigenous	
Invertebrate bottom fauna biomass and its annual/seasonal variability	Benthic Invertebrate fauna – presence of sensitive taxa Benthic invertebrate fauna abundance
Invertebrate bottom fauna species composition and its annual/seasonal variability	Benthic invertebrate fauna composition Benthic invertebrate fauna diversity
Macro- algae biomass	Macro-algae abundance Macro-algae cover Macro-algae depth distribution
Macro- algae species composition	Macro- algae species composition Macro-algae presence of sensitive taxa
Marine mammals actual range	
Marine mammals natural range	
Marine mammals population dynamics	

Marine mammals status
Non- indigenous or exotic species abundance
Non- indigenous or exotic species occurrence
Non- indigenous or exotic species spatial distribution
Other protected species actual range
Other protected species natural range
Other protected species population dynamics
Other protected species status
Phytoplankton species compositions and its geographical and seasonal variability
Phytoplankton abundance
Phytoplankton biomass
Phytoplankton bloom frequency/intensity
Reptiles actual range
Reptiles natural range
Reptiles population dynamics
Reptiles status
Seabirds actual range
Seabirds natural range
Seabirds population dynamics
Seabirds species' status
Selective extraction of species
Translocations of non- indigenous species
Zooplankton species compositions and its geographical and seasonal variability
Biological effects of contaminants

The **EQS** addresses only synthetic and non-synthetic pollutants. The **HD** addresses habitat types and plant and animal species of “community interest”, and appears therefore to be more oriented toward terrestrial habitats. Similarly, the **BD** is only of limited application to marine environments, though most points relating to threatened species are included in **MSFD**. The **CFP** includes 26 fisheries parameters; there is little overlap, and only 4 of the **MSFP** parameters apply.

The OSPAR approach

The OSPAR Convention is the current legal instrument guiding international cooperation on the protection of the marine environment of the North-East Atlantic. Work under the Convention is managed by the OSPAR Commission, made up of representatives of the Governments of 15 Contracting Parties and the European Commission, representing the European Union.

Abbreviations and categories of the 33 proposed biodiversity OSPAR “common indicators” that were described in the ICG-COBAM (Intersessional Correspondence Group - Coordination of Biodiversity Assessment and Monitoring)

Part C: Technical Specifications document available to WGBIODIV (ICES Working Group on Biodiversity Science).

Mammals

M-1 Distributional range and pattern of grey and harbour seal haul-outs and breeding colonies

M-2 Distributional range and pattern of cetaceans species regularly present

M-3 Abundance of grey and harbour seal at haul-out sites

M-4 Abundance at the relevant temporal scale of cetacean species regularly present

M-5 Harbour seal and Grey seal pup production

M-6 Numbers of individuals within species being taken as bycatch in relation to population

Marine birds

Species-specific trends in relative abundance of non-breeding and breeding

B-1 marine bird species

B-2 Annual breeding success of kittiwake

B-3 Breeding success/failure of marine birds

B-4 Non-native/invasive mammal presence on island seabird colonies

B-5 Mortality of marine birds from fishing (bycatch) and aquaculture

B-6 Distributional pattern of breeding and non-breeding marine birds

Fish and cephalopods

FC-1 Population abundance/ biomass of a suite of selected species

FC-2 OSPAR EcoQO for proportion of large fish (LFI)

FC-3 Mean maximum length of demersal fish and elasmobranchs

FC-4 Bycatch rates of Chondrichthyes

Benthic habitat

BH-1 Typical species composition

BH-2 Multimetric indices

BH-3 Physical damage of predominant and special habitats

BH-4 Area of habitat loss

BH-5 Size-frequency distribution of bivalve or other sensitive/indicator species

Pelagic habitat

PH-1 Changes of plankton functional types (life form) index Ratio

PH-2 Plankton biomass and/or abundance

PH-3 Changes in biodiversity index (s)

Foodwebs

FW-1 Reproductive success of marine birds in relation to food availability

FW-2 Production of phytoplankton

FW-3 Size composition in fish communities (LFI)

FW-4	Changes in average trophic level of marine predators (cf MTI)
FW-5	Change of plankton functional types (life form) index Ratio
FW-6	Biomass, species composition and spatial distribution of zooplankton
FW-7	Fish biomass and abundance of dietary functional groups
FW-8	Changes in average faunal biomass per trophic level
FW-9	Ecological Network Analysis indicator (e.g. trophic efficiency, flow diversity)

**Helcom_coreset_biovariables.pdf (provided by Nic Hoepffner) compares Helcom biovariables to OSPAR. The Helcom list is shorter, and where variables align there have been minor edits to accommodate regionally specific fauna.*

Spain has recently implemented a sophisticated real-time observation system (Bahamon et al. 2011), primarily biogeochemical in nature.

Canada

Goal To detect and understand long-term change in Arctic marine ecosystems and key biodiversity elements to address the marine plan of the **Circumpolar Biodiversity Marine Program**. The intent is to develop and recommend a suite of indicators that can be used to monitor changes in Canadian Arctic biodiversity based on current or existing information and monitoring programs where possible.

Approach Indicators for a biodiversity monitoring program were chosen on the basis that they should be: 1) relevant, 2) simple and easily understood, 3) scientifically sound, 4) quantitative, and 5) cost effective (DFO 2012).

Focal Ecosystem Components (FECs) are biological categories of major importance to Arctic residents and/or considered central to the functioning of an ecosystem and likely to be good proxies of any changes in the environment. FEC categories will be monitored according to key biological parameters and indicators in the appropriate Arctic Marine Areas. Marine FEC categories are microbes, phytoplankton, ice flora, ice fauna, macroalgae, zooplankton, benthic meio- macro- and mega fauna, benthic/demersal fish, pelagic fish, seabirds and marine mammals.

Key biodiversity parameters and indicators were chosen for a number of FEC's.

Table 1: Key parameters and indicators for microbes, metazoan zooplankton and sympagics and the rationale for their use in Canadian marine biodiversity monitoring.

Key Parameter	Indicator	Rationale
Species Richness	- Number of species observed in a sample using taxonomic and/or molecular genetics - Diversity indices	- A measure of biodiversity - As new species are 'discovered' using new identification techniques, the list will continue to grow and therefore there may be a false impression of an increase in biodiversity
Abundance	Abundances of key species and total abundance of key taxonomic or functional groups	Abundance indicates standing stocks and is useful for comparing among years provided standard caveats are followed. These include time of year or stage of annual production cycle, depth or integrated depths of the samples
Biomass	- Biomass of key species - Total biomass of trophic levels, which provides a food web health indicator	Same comments and caveats as for abundance, this can provide an overall indication of standing stock of different trophic levels
Community Composition	- Size composition (plankton and sea-ice biota) - Small versus large - Assemblage structure - Ratio diatoms/dinoflagellates - Ratio pennates/centrics - Ratio Arctic/sub-arctic species	Proportion of species and population sizes relative to total within and among functional trophic levels in a given area
Biogeography	Loss of species or changes in relative dominance of species within geographical regions	- Biogeographical representation of key species or species complexes - Indicate changes in habitat type or structural properties
Boundary Shifts	- Presence of colonizers, vagrants, and invaders - Change in species range	As the Arctic climate continues to change there will likely be shifts in species ranges

For benthos, corals and sponges and fishes similar core indicators (species richness, abundance, and biomass) were adopted. Subsequent indicators for those groups differed, to include physiological stress, reproductive stress and anthropogenic disturbance in the case of corals and sponges, and health, condition and diet, habitat use, genetics, unusual events (e.g. die-offs), biogeography, and harvest statistics in the case of fishes. For seabirds, colony size, survivorship, reproductive success, chick diet, harvest statistics and phenology were selected as indicators.

Australia

IMOS Australia's Integrated Marine Observing System (IMOS) is designed to be a fully-integrated national array of observing equipment to monitor the open oceans and coastal marine environment around Australia, covering physical, chemical and biological variables. IMOS observations are guided by societal needs for improved ocean information, and focused through science planning undertaken collaboratively across the Australian marine and climate science community.

Goals

1. To provide sustained ocean observations that meet the broad needs of the Australian marine and climate research communities
2. To provide the marine and climate research community with free and timely access to quality assured observational data
3. To involve the marine and climate research community in defining future needs and to strengthen the technical and operational capability of the marine and climate community and hence sustain the ocean observing paradigm into the longer term.

Approach There are five major research themes that unify IMOS science plans and related observations:

- Multi-decadal ocean change
- Climate variability and weather extremes
- Major boundary currents and interbasin flows
- Continental shelf processes
- Ecosystem responses.

Biological data for IMOS are collected via Ships of Opportunity (the **Australian Continuous Plankton Recorder Survey**), **Animal Tracking and Monitoring** and the **National Reference Stations** (of which there are currently 7 around the country). Chlorophyll is measured routinely in conjunction with technologies primarily designed for physical oceanography such as the use of gliders and floats.

In addition to a suite of physico-chemical variables, the National Reference Stations collect water samples for phytoplankton composition via pigment analysis, and zooplankton species composition. I believe that one or more has also trialled the collection of samples for microbial community analysis.

SOOS The Southern Ocean Observing System (SOOS) is an international initiative to enhance, coordinate and expand the strategic observations of the Southern Oceans that are required to address key scientific and societal challenges.

Goal To implement a *sustained, multidisciplinary, and internationally coordinated* observing system for the Southern Ocean.

Approach SOOS will address 6 overarching challenges:

1. The role of the Southern Ocean in the planet's heat and freshwater balance
2. The stability of the Southern Ocean overturning circulation
3. The role of the ocean in the stability of the Antarctic Ice Sheet and its future contribution to sea-level rise
4. The future and consequences of Southern Ocean carbon uptake
5. The future of Antarctic sea ice
6. Impacts of global change on Southern Ocean ecosystems

SOOS recognises the need to identify EOVS to address these challenges. The table below summarises the likely variables required.

Key science challenges		Freshwater balance	Overturning circulation	Ice sheet stability and sea-level rise	Future of sea ice	Carbon and biogeochemistry	Impact on ecosystems
Variables required to be measured	Stratification ($T(z), S(z)$)						
	Velocity						
	Tracers						
	Inorganic Carbon						
	Total alkalinity						
	pH						
	Nutrients						
	Oxygen						
	Sea ice						
	Wind						
	Air-sea flux (heat, FW)						
	Sea surface height						
	Seabed pressure						
	Particulates						
	Phytoplankton						
	Zooplankton						
	Benthos						
	Fish						
	Birds						
	Mammals						

Southern Ocean Sentinel is an international program to assess climate change impacts on marine ecosystems of the Southern Ocean.

Goal To detect and assess early warning signals of climate change impacts on marine ecosystems of the Southern Ocean.

Approach In 2009 an international workshop on 'Monitoring climate change impacts: establishing a Southern Ocean Sentinel' was held in Hobart Australia to develop a long-term monitoring and assessment capability for Southern Ocean ecosystems as a whole. The workshop considered what "indicators" (effectively EOVS) would best meet their goals, and agreed that components of the ecosystem will be used to assess climate change impacts. Indicators will be chosen either to signal the state of particular components of the ecosystem (structural indicators) or to determine if ecosystem dynamics (process indicators) are suitably represented in models for correctly predicting ecosystem dynamics under future,

as yet untested, climate change. Some indicators may have coarse biological resolution in what they are measuring but are monitored easily and cheaply with the intent of signalling when more detailed sampling might be undertaken. Good indicators will be easily:

1. measured and understood
2. cost effective
3. sensitive to the drivers of interest
4. based on an understandable relationship to the ecosystem
5. easily communicable

UK

The **Western Channel Observatory** (WCO) is an oceanographic time-series and marine biodiversity reference site in the Western English Channel.

Goal Integrating observational disciplines with ecosystem modelling and satellite remote sensing will mean “we can begin to disentangle the complexity of the marine ecosystem”.

Approach *In situ* measurements are undertaken weekly at coastal station L4 and fortnightly at open shelf station E1. Station L4 has some of the longest time-series in the world for zooplankton and phytoplankton, and fish trawls have been made by the MBA for a century. Station E1 has a hydrographic series dating from 1903 using the research vessels of the Plymouth Marine Laboratory and the Marine Biological Association.

A microbial observatory operated at L4 for a short period (Gilbert et al. 2010).

Biological/Biogeochemical measurements made at L4

Measurement	Method
Chlorophylla	Fluorometric Analysis
Pigments	High Performance Liquid Chromatography (HPLC)
Phytoplankton	Microscopy and Flow Cytometry (
Mesozooplankton abundance	Net tows, microscopy
Calanus egg production	Incubations

USA

U.S. IOOS (Integrated Ocean Observing System <http://www.ioos.noaa.gov>) is a tool for tracking, predicting, managing, and adapting to changes in the U.S. ocean, coastal and Great Lakes environments. Ecosystems, fisheries, and water quality have been identified as priority issues. U.S. IOOS supports ecosystem, fisheries and water quality observing.

Goal: To deliver the data and information needed so that decision-makers can take action to improve safety, enhance the economy, and protect the environment.

Approach: Regional Associations are involved with observing the following ecosystem, fisheries and water quality variables:

1. Ocean acidification
2. Hypoxia
3. Tagging studies of marine animals
4. Water quality monitoring
5. HAB phytoplankton

6. Acoustic studies e.g. the Hawaii Tuna Tracking Project

The Joint Global Ocean Flux Study (JGOFS) aims to understand the controls on the concentrations and fluxes of carbon and associated nutrients in the ocean.

Goal: The objectives of the time-series studies within JGOFS are:

1. to observe and interpret the annual and interannual variability in the biology and chemistry of the mixed layer and euphotic zone as forced by physical processes
2. to observe and interpret the annual and interannual variability in the rates of particle flux and the apparent rates of particle remineralization over the entire water column
3. to understand the interrelationships between the biological, chemical and physical processes involved in (1) and (2) above
4. to provide data on global trends of selected oceanic properties over seasonal and interannual time scales.

Approach: JGOFS supports 2 ocean time series stations, each of which has been making repeated measurements since 1988.

The Bermuda Atlantic Time-series Station (BATS)

BATS was established in early 1988. The station is located at the **Ocean Flux Program (OFP)** site (3150N, 6410W) 80 km southeast of Bermuda with a water depth of 4,800m.

The Hawaii Ocean Time-series (HOT)

The Hawaii Ocean Time Series (HOT) is a long time-series of physical and biochemical observations in the North Pacific subtropical gyre. The physical oceanographic component of HOT provides CTD/rosette sampling support for the biogeochemistry & ecology (**BEACH**) time-series sampling program, and supports development of new instrumentation for hydrographic observations.

The objectives of HOT specific to the BEACH program are to:

- Document and understand seasonal and interannual variability in the rates of primary production, new production and particle export from the surface ocean.
- Determine the mechanisms and rates of nutrient input and recycling, especially for nitrogen (N) and phosphorus (P) in the upper 200m of the water column.
- Measure the time-varying concentrations of dissolved inorganic carbon (DIC) in the upper water column and estimate the annual air-to-sea CO₂ flux.

Biological/Biogeochemical measurements made at HOT and BATS

Measurement	Depth range	Method
Biomass		
Chlorophyll a & Pheopigments	0-175	Fluorometric Analysis using 10-AU
Chlorophyll a, b & c	0-175	Fluorometric Analysis using TD-700 (discontinued)
Pigments	0-175	High Performance Liquid Chromatography (HPLC)
Phycocyanin	0-175	Fluorometric Analysis using TD-700 (discontinued)
Adenosine 5'-Triphosphate *	0-350	Firefly Bioluminescence
Bacteria and Cyanobacteria	0-175	Flow Cytometry (HOT), Direct Count (BATS)

Nanoplankton and Microplankton	0-175	Epi-fluorescence Microscopy
Mesozooplankton abundance and biomass	0-175	Net tows, elemental analysis
Carbon Assimilation and Particle Flux		
Primary Production	5-125	¹⁴ C Incubations
Carbon, Nitrogen, Phosphorus & Silica Flux	150	Free-Floating Particle Interceptor Traps

*ATP concentration reflects the total abundance of microbiota

CALCOFI/CCE

The California Oceanic Cooperative Fisheries Investigation (CalCOFI) is a partnership of the California Department of Fish and Game, the NOAA Fisheries Service and the Scripps Institution of Oceanography founded in 1949. The California Current Ecosystem Long Term Ecological Research program (CCE-LTER) (<http://cce.lternet.edu/>) is part of the NSF funded LTER network and was started in 2004.

Goal: CALCOFI: To study of the marine environment off the coast of California to facilitate management of its living resources

CCE: To study the mechanisms leading to temporal transitions between different states of the California Current ecosystem. It is an extension of the CalCOFI program and consists of four parts:

1. augmentations to the CalCOFI program to further characterize the biogeochemistry and ecology of the ecosystem
2. a series of process studies to characterize and quantify system processes
3. A modelling program to integrate observations and test hypotheses

Approach: CalCOFI conducts quarterly cruises off southern & central California, collecting a suite of hydrographic and biological data on station and underway. Data collected at depths down to 500 m include: temperature, salinity, oxygen, phosphate, silicate, nitrate and nitrite, chlorophyll, transmissometer, PAR, C14 primary productivity, phytoplankton biodiversity, zooplankton biomass, and zooplankton biodiversity.

Variable	Method
Primary production (particulate C)	¹⁴ C uptake
Primary production (DOC)	¹⁴ C uptake
Bacterial production	
Mesozooplankton C, N, mass	Displacement volume/Size fractionated C, N, DW
Chlorophyll a	Fluorometer (CTD profiles, discrete)
Taxon--- specific phyto--- pigments	HPLC
Heterotrophic bacteria	Flow cytometry
Picophytoplankton	Flow cytometry
Nano- and microplankton	Epifluorescence microscopy
Mesozooplankton, sentinel species	Microscopy
Mesozooplankton, size composition	ZooScan
Mesozooplankton, size distributions	Laser OPC
Fish egg distributions	Nets and underway pumping

Ichthyoplankton (~400 species)	Microscopy
Krill & small pelagic fish	Acoustical survey
Seabird abundance, distribution	Visual survey
Marine mammal census	Visual & acoustic survey

How did CALCOFI determine sentinel species?

The USC Microbial Observatory focuses on exploratory investigation of prokaryotic and unicellular eukaryotic diversity in the San Pedro Channel, California, with a focus on time-dependent changes in community composition in relation to environmental parameters. The project has been running since 2000 with the site visited monthly for sampling to 890 m depth. Routine sampling includes oceanographic as well as microbial data and sample collection. In addition to basic oceanographic parameters measured by the Wrigley Institute for Environmental Studies as part of the **San Pedro Ocean Time Series** (temperature, salinity, chlorophyll, inorganic nutrients and dissolved oxygen), the abundance of the microbial assemblages were monitored by flow cytometry (*Synechococcus*, *Prochlorococcus*, total prokaryotes, phototrophic picoeukaryotes), microscopical analysis (phototrophic and heterotrophic nanoplankton, microplankton, prokaryotes), prokaryotic activity by incorporation of labeled leucine and thymidine, and the diversity by an array of molecular-based techniques. These techniques provide abundance and biomass estimates of the entire microbial community, including bacteria, archaea and eukaryotes. Molecular biological analyses of these samples provide culture-independent estimates of microbial diversity.

Summary: Aggregated Focal Ecosystem Components occurring in International monitoring programs, but NOT in GEOWOW or PICO

Monitoring Program	FEC
European Union	Seagrasses (as Angiosperms)
	Macroalgae
	Reptiles
	Protected species
Western Channel Observatory	Copepod egg production (=zooplankton growth rate)
CALCOFI	Seabirds
	Marine Mammals

In some legislation, the issue of population genetic structure arises. This is probably only of regional interest (i.e. relevant to specific problems) at this stage. There is also the question of how to identify indicator species, or keystone species, that might provide some synoptic insight into ecosystem state. In the FOO analysis below there is brief discussion on the use of higher trophic level “charismatic” organisms to achieve these goals.

FOO Analysis by Focal Ecosystem Component

1. Bacteria and Phytoplankton

There is a clear overlap between bacteria and phytoplankton, since photosynthetic bacteria account for over 80% of the primary production of the oceans. The abundance and role of both autotrophic and heterotrophic microbes is critical for understanding biodiversity and ecosystem function in the ocean.

6.1.1.1 Requirements

PICO and GEOWOW suggest EOVS in the bacterial and phytoplankton domains, as do most other monitoring programs reviewed here. Harmful algal blooms and pathogenic bacteria are concerns in coastal environments.

Biodiversity issues include bacterial community structure, abundance of pathogens, calcareous phytoplankton abundance.

Ecosystem structure issues include phytoplankton biomass, phytoplankton pigments and size, diatom/non-diatom ratio. The size structure of phytoplankton communities (e.g. ratio of picoplankton to microplankton) is a key determinant of food chain structure.

Ecosystem function issues include primary productivity. Proponents of Dynamic Green Ocean Models claim to be able to model biogeochemical processes on the basis of plankton functional types, most of which lie in the bacterial and phytoplankton domains.

6.1.1.2 Observations

An overall consideration of microbial community structure would address all of the articulated EOVS. Emerging technologies based upon flow-cytometric and molecular approaches (most of which are reviewed in (Gunn et al. 2010) make the quantification of both the abundance and role of microbes a possibility, though at present these are at a low state of Readiness – somewhere between “concept” and “pilot”.

6.1.1.3 Data and Products

There is a clear overlap between remotely sensed data (ocean colour – chl a etc), and the direct measurement of autotrophic biomass identified as EOVS, and for which data management structures exist. These technologies are at a “mature” state of readiness. However, this is not the case for data that would result from flow-cytometric and molecular approaches, and would be challenging to implement. Once achieved, however, inclusion of these data into biogeochemical models would go a long way to achieving the GOOS objectives of describing, understanding and forecasting ocean processes.

2. Zooplankton

The **Continuous Plankton Recorder** (CPR) survey, originally conceived in the 1920's, is the longest continuous time series in the world's ocean, and is proof-positive of the value of zooplankton as sentinels of climate change. A large volume of literature based on the CPR survey in the North Sea and Atlantic has very convincingly demonstrated distributional and community changes in near-surface zooplankton. As a result, CPR surveys have begun in other regions of the globe, including the Antarctic, the North Pacific and Australia.

6.1.1.4 Requirements

Zooplankton EOVS are included in all monitoring programs reviewed in this document, as the CPR surveys have established their value. However, the emergence of new and sophisticated zooplankton sampling equipment such as the video-plankton recorder,

Biomapper and the use of laser holography begs the question of how the 1920's technology of the CPR will endure into the future, especially in an age where expertise in conventional taxonomy is diminishing.

Biodiversity issues CPR surveys are confined to surface waters, and sample organisms whose size and biology allow them to be captured by the narrow aperture and coarse mesh of the CPR. The comparatively simple taxonomic approach taken in the more established surveys is not necessarily appropriate to more diverse communities of smaller organisms, such as occur in the tropics. Epipelagic waters comprise <6% of the volume of the ocean, and there is a need to develop enduring technologies that allow observation of zooplankton in all ocean realms.

SAHFOS and the CPR survey have also developed a discreet water sampler that is housed in the rear of the CPR. This new technology is known as the Water and Microbial Sampler (WaMS) and was specifically developed to address the issue of sampling pico and nano plankton. Usually the water samples are analysed using a flow cytometer and molecular analysis (Edwards 2014 pers.comm).

Ecosystem structure issues include changes in the size-structure of zooplankton communities and flow-on trophic effects, potential changes in the contribution of gelatinous zooplankton to community structure,

Ecosystem function issues include changes in the link between primary production and fish recruitment via microbial vs classical food chains.

6.1.1.5 Observations

For zooplankton, there is a strong argument to be made to continue the CPR approach and to build on the time series available. These technologies are fully mature. However, observations are required in environments not easily sampled by CPR's but emerging technologies currently at a low state of Readiness – somewhere between “concept” and “pilot” will be required to develop a whole of ocean approach.

6.1.1.6 Data and Products

The **Global Alliance of Continuous Plankton Recorder Surveys** <http://www.globalcpr.org/> has been established *to understand changes in plankton biodiversity at ocean basin scales through a global network of CPR surveys*, to serve as a data repository and to standardise methodology. The **Coastal & Oceanic Plankton Ecology, Production & Observation Database** (COPEPOD) <http://www.st.nmfs.noaa.gov/plankton/> is a global repository of plankton data that includes atlases and time series.

3. Shallow-water Benthos

Shallow water benthos bears the brunt of anthropogenic disturbance, since by definition it is mostly coastal and accessible to human use. Seagrass beds, macroalgal forests and coral reefs are all iconic shallow water ecosystems.

EOV's differ depending on the specific environment in which they occur. For instance, coral cover is an excellent indicator of coral reef health, but is inappropriate to soft bottom communities

6.1.1.7 Requirements

Knowledge of distribution patterns of live cover (coral reefs, oyster reefs, kelp beds, seagrass beds, salt marshes, and mangrove forests) is essential information for fisheries management, conservation of species diversity, and assessing vulnerability to coastal

flooding. These habitats are also being lost and modified (e.g., fragmented) at an alarming rate due to coastal development (e.g., urbanization, agriculture, hardening shorelines), land-based inputs of sediments and nutrients, aquaculture, over fishing, destructive fishing (dynamiting, dredging), channelization (e.g., flood “control” and channels for marine commerce), sea level rise, ocean warming and ocean acidification

Biodiversity issues Overfishing, pollution, eutrophication and coastal development (to name a few) threaten biodiversity of shallow water benthos.

Ecosystem structure issues include disruptions to trophic structure by selective removal of taxa.

Ecosystem function issues include loss of resilience as a consequence of biodiversity loss.

6.1.1.8 Observations

Spatial extent of the composition and condition of benthic biota are required. Requirements change depending on the specific habitat, and concerns of the local community. Remote sensing methods can be combined with direct estimation using diving techniques, video and line transects, drop cameras, etc. Most observation technologies are fully mature, but not necessarily effectively co-ordinated.

6.1.1.9 Data and Products

Only two mature networks are global in scope: the **Global Coral Reef Monitoring Network** (GCRMN) and the **SeaGrass Monitoring Network** (SeagrassNet). AIMS’ Long Term Monitoring Project (LTMP) of the Great Barrier Reef is a good example of a regional monitoring system that incorporates directly-observed field data into a modern database structure, including web-based data delivery <http://www.aims.gov.au/docs/data-centre/reef-monitoring-surveys.html>.

4. Deep- water Benthos

Most benthos occurs below the euphotic zone (~200m), on the shelf, seamounts and abyssal plains. Even in the deep sea anthropogenic effects are taking their toll (Ramirez-Llodra et al. 2011) and in the last decade 30% of ocean warming has occurred in depths >700m (Balmaseda et al. 2013).

6.1.1.10 Requirements

Biodiversity issues The biodiversity of the deep sea is now recognized as among the highest on the planet (Ramirez-Llodra et al. 2010), yet is greatly undersampled.

Ecosystem structure issues are poorly understood because of lack of data.

Ecosystem function issues are poorly understood, but increased human use of the deep sea requires that this knowledge gap be filled to ensure sustainable use and effective management.

6.1.1.11 Observations

While ship-based sampling has enabled snapshots of the ecology of deep-sea communities, longer term and continuous sampling is required to capture the highly episodic events that are so important in driving these communities (Larkin et al. 2010). A number of observatories have been established around the world, including sites that are driven by detrital fall from the euphotic zone and by chemosynthetic processes on the sea-floor itself (see map below, from Larkin et al. 2010). Note that there are currently no observatories in the Southern Hemisphere.




Figure 1. Location map of selected key Long-term reference stations for seafloor biological observations.

Observations include biogeochemical variables, abundance of infauna and photographic studies of macrofauna. The technology required to establish deep-water observatories is somewhere between “pilot” and “mature”.

6.1.1.12 Data and Products

The existing research is uncoordinated and the data collected are not integrated or standardised, but many observatories plan infrastructure to facilitate autonomous long-term observations that could be facilitated within GOOS (Larkin et al. 2010). Data products for deep-sea observation are between “concept” and “pilot”.

5. Fish and Fisheries

6.1.1.13 Requirements

Overfishing is the primary cause of biodiversity loss in the ocean (Pitcher and Cheung 2013), and so the selection of appropriate EOVS to observe and monitor fishing effects is a critical requirement of an effective observing system, but it is also the most complex. At present, ocean observing is not presently widely applied to fisheries management, but this is likely to change as a result of the additive effects of climate change and increased resource usage (Checkley 2010). The need for ecosystem-based management of fisheries is generally accepted, in which case observations of biogeochemical and lower trophic level biology are implicit. The issue of which higher level variables should be incorporated in observing systems is more problematic.

Ecosystem based management of fisheries requires **Integrated Ecosystem Assessment**. (Koslow et al.) outline the 5 step process adopted by NOAA for IEA:

1. Initial scoping of management objectives, ecosystem attributes of concern, and relevant stressors
2. Development and testing of indicators that reflect these, and which are linked to decision criteria
3. Risk analysis to determine susceptibility and resilience of indicators
4. Integration of risk analyses into an ecosystem assessment
5. Evaluation of management options to influence ecosystem status.

Biodiversity issues Loss of biodiversity, primarily through fishing effects, is compromising the provision of ecosystem services (Worm et al. 2006).

Ecosystem structure issues The most widely adopted marine indicator of fishing effects on marine biodiversity is mean trophic level (MTL) from catches, intended to measure removal of larger high-trophic-level fishes “fishing down marine food webs”. However, (Branch et al. 2010) dispute the utility of this approach since catches from all trophic levels appear to be increasing, and conclude that catch MTL does not reliably measure the magnitude of fishing impacts or the rate at which marine ecosystems are being altered by fishing. Instead, they recommend tracking trends in abundance of species vulnerable to fishing and the development of more sophisticated trend detection methods. Checkley (2010) suggests that it is useful to resolve age structure of fish stocks – eggs, larvae, juveniles, adults; and predator prey relationships (from gut contents).

Ecosystem function issues result from biodiversity loss - (Worm et al. 2006) claim that restoration of lost biodiversity resulted in a four-fold increase in productivity.

6.1.1.14 Observations

(Fulton et al. 2005) performed a modelling study to determine which environmental indicators best detected fishing effects, and concluded indicators at the community level of organization are the most reliable, and that it is necessary to use a variety of indicators simultaneously to detect the full range of impacts from fishing. Several key functional groups provide a good characterization of ecosystem state, or indicate the cause of broader ecosystem changes in most instances.

(Pitcher et al. 2009) consider that information and monitoring systems necessary for EBM should include an efficient and effective fishery information system that provides data and information on stock and ecosystem performance (additional to information needed for stock management), and that identifies specific effects of fishery strategies on ecosystem values. This could include:

- Periodic mapping of important habitat distributions
- Population census of important protected species
- Species diversity in fished habitats
- Distribution of fishing effort by gear types and fine spatial scale
- Size/age classes in harvested species
- Species diversity in closed areas

Information needs and priorities should embrace comprehensive research programmes targeted at resolving key ecosystem and stock issues in the fishery. These could include:

- habitat mapping; impact of fishing on specific habitat types
- effects of coastal development on recruitment of harvested species
- design of monitoring programmes to resolve important changes in habitats
- biological data of key species (both utilised and nonutilised)
- determining the dietary preferences of harvested species and their major predators
- species composition of bycatch with different gear types used in the fishery

(Nicol et al. 2012) highlight the potential of fisheries observer programs for documenting not only the details of the target species, but also to collect spatially explicit and long-term time-series of distribution, abundance, size, composition and biological information on target and non-target species and mid trophic level organisms. Specifically, the collection of gonads, otoliths and stomachs could provide information relating to life history, growth and diet.

6.1.1.15 Data and Products

There are many databases relating to fish and fisheries; the largest probably the FAO data <http://www.fao.org/fishery/en>. Other resources include the Sea Around Us database <http://www.seaaroundus.org/> and FishBase <http://www.fishbase.org/>.

6. Ecosystem

6.1.1.16 Requirements

(Rapport et al. 1998) highlight the need for measurements of ecosystem vigor, organisation and resilience (see Text Box) as indicators of “ecosystem health”.

Biodiversity issues One way of simplifying the ecological complexity implicit in these requirements might be by observations of apex predators, since these are linked to biodiversity by means of resource facilitation, trophic cascades, dependence on ecosystem productivity, sensitivity to dysfunctions, selection of heterogeneous sites and links to multiple ecosystem components (Sergio et al. 2008).

Examples of potential EOVS based on top predators come from:

- Seabird breeding success reflects the availability of prey such as forage fish and mid-trophic level organisms (Cury et al. 2011)
- Breeding participation by terns reflecting the long-line catch per unit effort (Devney et al. 2009)

Ecosystem structure issues include changes in size structure arising from the removal of certain size classes by human activity, or climate-driven change in size class e.g. temperature effects on plankton, micronekton and forage fishes.

Ecosystem function issues include changes in trophic transfer and energetics that may occur in a warming ocean (e.g. increases in respiration) and changes in community calcification rates. Warming effects are compounded by those of increasing oxygen minimum zones (Stramma et al. 2008) and acidification (Fabry et al. 2008).

Indicators of ecosystem health

Ecosystem health can be assessed using measures of resilience, vigor and organization:

- **Vigor** is measured in terms of ‘activity, metabolism or primary productivity’.
- **Organization** can be assessed as the diversity and number of interactions between system components.
- **Resilience** (counteractive capacity), is measured in terms of a system’s capacity to maintain structure and function in the presence of stress. When resilience is exceeded, the system can ‘flip’ to an alternate state.

(Rapport et al. 1998)

6.1.1.17 Observations

Vigor might be accommodated by the biogeochemical EOVS, e.g. primary production.

The identification of EOVS that address the concepts of organisation and resilience is non-trivial.

Organisation requires observation of community structure and of the trophic links between ecosystem components.



Resilience would be best measured by repeated observations of EOVS relating to community structure before and after disturbance, but is compromised by “shifting baselines” e.g.(Duarte et al. 2009).

Observations appropriate to gauge ecosystem health are still in the “concept” stage of readiness.

6.1.1.18 Data and Products

Large Marine Ecosystems (LME's) data is compiled at <http://www.lme.noaa.gov/>

Bibliography

- Bahamon, N., J. Aguzzi, R. Bernardello, M.-A. Ahumada-Sempoal, J. Puigdefabregas, J. Cateura, E. Muñoz, Z. Velásquez, and A. Cruzado. 2011. The new pelagic Operational Observatory of the Catalan Sea (OOCs) for the multisensor coordinated measurement of atmospheric and oceanographic conditions. *Sensors* (Basel). **11**: 11251–72.
- Balmaseda, M. a., K. E. Trenberth, and E. Källén. 2013. Distinctive climate signals in reanalysis of global ocean heat content. *Geophys. Res. Lett.* **40**: 1754–1759.
- Branch, T. a, R. Watson, E. a Fulton, S. Jennings, C. R. McGilliard, G. T. Pablico, D. Ricard, and S. R. Tracey. 2010. The trophic fingerprint of marine fisheries. *Nature* **468**: 431–5.
- Checkley, D. M. 2010. Fisheries management and ocean observations. <http://www.oceanobs09.net/proceedings/pp/5A3-Checkley-OceanObs09.pp.13.pdf>
- Claustre, H., and M. Others. 2010. Guidelines towards an integrated ocean observation system for ecosystems and biogeochemical cycles. <http://www.oceanobs09.net/proceedings/pp/pp14/index.php>
- Cury, P. M., I. L. Boyd, S. Bonhommeau, T. Anker-Nilssen, R. J. M. Crawford, R. W. Furness, J. a Mills, E. J. Murphy, H. Osterblom, M. Paleczny, J. F. Piatt, J.-P. Roux, L. Shannon, and W. J. Sydeman. 2011. Global seabird response to forage fish depletion—one-third for the birds. *Science* **334**: 1703–6.
- Edwards, M 2014 Sir Alister Hardy Foundation for Ocean Science (SAHFOS)
- Devney, C. a., M. Short, and B. C. Congdon. 2009. Cyclonic and anthropogenic influences on tern populations. *Wildl. Res.* **36**: 368.
- DFO. 2012. Science Advice for Identifying Indicators for Monitoring Arctic Marine Biodiversity in Canada. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2012/053.
- Duarte, C. M., D. J. Conley, J. Carstensen, and M. Sánchez-Camacho. 2009. Return to Neverland: Shifting Baselines Affect Eutrophication Restoration Targets. *Estuaries and Coasts* **32**: 29–36.
- Fabry, V. J., B. A. Seibel, R. A. Feely, and J. C. Orr. 2008. Impacts of ocean acidification on marine fauna and ecosystem processes. *ICES J. Mar. Sci.* **65**: 414–432.
- Fulton, E., A. Smith, and A. Punt. 2005. Which ecological indicators can robustly detect effects of fishing? *ICES J. Mar. Sci.* **62**: 540–551.
- Gilbert, J. a, D. Field, P. Swift, S. Thomas, D. Cummings, B. Temperton, K. Weynberg, S. Huse, M. Hughes, I. Joint, P. J. Somerfield, and M. Mühling. 2010. The taxonomic and functional diversity of microbes at a temperate coastal site: a “multi-omic” study of seasonal and diel temporal variation. *PLoS One* **5**: e15545.
- Gunn, J., A. Rogers, and E. Urban. 2010. Observation of Ocean Biology on a Global Scale: Implementing Bio-GOOS. <http://www.oceanobs09.net/proceedings/pp/4A3-Gunn-OceanObs09.pp.20.pdf> 364–384.
- Koslow, J. A., K. Brander, M. Fogarty, F. Schwing, L. Jolla, N. Fisheries, W. Hole, S. Fisheries, and P. Grove. Integration of ocean observations into an ecosystem approach to resource management. <http://www.oceanobs09.net/proceedings/pp/3C2-Koslow-OceanObs09.pp.26.pdf>
- Larkin, K. E., H. A. Ruhl, P. Bagley, and A. Benn. 2010. Benthic biology time-series in the deep sea: Indicators of change. <http://www.oceanobs09.net/proceedings/cwp/cwp52/index.php>
- Lindstrom, E., J. Gunn, A. Fischer, A. McCurdy, L. K. Glover, and T. T. Members. 2012. A Framework for Ocean Observing. *By the Task Team for an Integrated Framework for Sustained Ocean Observing, UNESCO 2012, IOC/INF-1284*. 1–28.
- Nicol, S. J., V. Allain, G. M. Pilling, J. Polovina, M. Coll, J. Bell, P. Dalzell, P. Sharples, R. Olson, S. Griffiths, J. M. Dambacher, J. Young, A. Lewis, J. Hampton, J. Jurado Molina, S. Hoyle, K. Briand, N. Bax, P. Lehodey, and P. Williams. 2012. An ocean observation system for monitoring the affects of climate change on the ecology and sustainability of pelagic fisheries in the Pacific Ocean. *Clim. Change* **119**: 131–145.
- Pereira, H., S. Ferrier, and M. Walters. 2013. Essential biodiversity variables. *Science* (80-.). **339**: 277–278.
- Pitcher, T. J., and W. W. L. Cheung. 2013. Fisheries: Hope or despair? *Mar. Pollut. Bull.* 1–11.
- Pitcher, T. J., D. Kalikoski, K. Short, D. Varkey, and G. Pramod. 2009. An evaluation of progress in implementing ecosystem-based management of fisheries in 33 countries. *Mar. Policy* **33**: 223–232.
- Le Quere, L., and S. Harrison. 2005. Ecosystem dynamics based on plankton functional types for global ocean biogeochemistry models. *Glob. Chang. ...* 2016–2040.



- Ramirez-Llodra, E., a. Brandt, R. Danovaro, B. De Mol, E. Escobar, C. R. German, L. a. Levin, P. Martinez Arbizu, L. Menot, P. Buhl-Mortensen, B. E. Narayanaswamy, C. R. Smith, D. P. Tittensor, P. a. Tyler, a. Vanreusel, and M. Vecchione. 2010. Deep, diverse and definitely different: unique attributes of the world's largest ecosystem. *Biogeosciences* **7**: 2851–2899.
- Ramirez-Llodra, E., P. a Tyler, M. C. Baker, O. A. Bergstad, M. R. Clark, E. Escobar, L. a Levin, L. Menot, A. a Rowden, C. R. Smith, and C. L. Van Dover. 2011. Man and the last great wilderness: human impact on the deep sea. *PLoS One* **6**: e22588.
- Rapport, D. J., R. Costanza, and a J. McMichael. 1998. Assessing ecosystem health. *Trends Ecol. Evol.* **13**: 397–402.
- Sergio, F., T. Caro, and D. Brown. 2008. Top predators as conservation tools: ecological rationale, assumptions, and efficacy. *Annu. Rev. Ecol. Evol. Syst.* **39**: 1–18.
- Stramma, L., G. C. Johnson, J. Sprintall, and V. Mohrholz. 2008. Expanding oxygen-minimum zones in the tropical oceans. *Science* **320**: 655–8.
- Worm, B., E. B. Barbier, N. Beaumont, J. E. Duffy, C. Folke, B. S. Halpern, J. B. C. Jackson, H. K. Lotze, F. Micheli, S. R. Palumbi, E. Sala, K. a Selkoe, J. J. Stachowicz, and R. Watson. 2006. Impacts of biodiversity loss on ocean ecosystem services. *Science* **314**: 787–90.

APPENDIX 4: PRELIMINARY LIST OF EOVS (AS DEFINED BY GEOWOW, 2012)

These candidate EOVS were identified as those being essential to observe in order to address a series of societal and scientific issues that have resonance with numerous GEO Societal Benefit Areas (SBAs). While all of these issues have connection to ocean ecosystems, the required candidate EOVS cover physical, chemical, biological, and socioeconomic variables, showing the inter-linkages between ocean domains and with human systems. These issues are:

1. **Coastal eutrophication and hypoxia**, which can lead to changes in coastal ecosystem food webs, potentially fish and invertebrate kills and the loss of biologically structured benthic habitats and biodiversity;
2. **Human exposure to waterborne infections microbes**, triggered by land-based wastes and marine water warming, and which through contact by recreational use and shellfish contamination has human health impacts;
3. **Toxic Harmful Algal Blooms (HABs)**, besides those that occur as natural events, they can also be driven by anthropogenic forcing like land-based nutrient input, ocean warming, ballast water discharge, commercial fishing, alteration of coastal habitats and water circulation patterns. They can endanger human health in fish and shellfish consumers as well as direct recreational contact with the ocean, and cause environmental damage (e.g. hypoxia, coral bleaching);
4. **Loss and modification of biologically structured benthic habitats**, which support high species diversity and economically important living marine resources;
5. **Distribution and condition of calcareous organisms affected by ocean acidification**, driven by global anthropogenic carbon emissions, and having potentially profound effects on the capacity of marine ecosystems to support living marine resources;
6. **Abundance of exploitable fish stocks related to food resources and availability**. These food resources are under pressure from fishing, loss of habitats and species diversity, ocean warming and acidification. Loss of fish stocks has obvious economic and livelihood impacts;
7. More generally, **Understanding the impact of anthropogenic global change on ocean ecosystems and ecosystem services**, which will help inform policy decisions on global matters, as well as help identify regions where local pressures will need additional managing to adapt to global change; and
8. Developing **Management and policy responses** to the issues above. This requires information about the natural system, and human impacts /vulnerabilities to changes in ocean ecosystem services.

Broadly, the candidate EOVS are split into four categories (Physical, Chemical, Biological and Socio-Economic/Human Impact) and compiled in the table below.



Table : Preliminary List of Essential Ocean Variables

(Note: Symbol 'x' denotes a link between Societal Issues & EOVs; and symbols 'o' and '#' denote where EOVs are relevant to Open Ocean & Coastal Margins, respectively)

GEO SBA			Ecosystems, Agriculture, Biodiversity	Health	Health	Ecosystems, Biodiversity	Disaster	Ecosystems, Biodiversity	Agriculture	Ecosystems, Biodiversity, Climate
SOCIETAL ISSUE			Eutrophication & Hypoxia	Human Exposure to Waterborne Pathogens	Harmful Algal Blooms	Habitat Loss & Modification	Vulnerability to Coastal Flooding	Ocean Acidification	Food Security	Understanding impact of anthropogenic global change on ecosystem services
CANDIDATE EOVS	Open Ocean	Coastal								
EOVs Physical										
Water temperature/Ocean Heat Content	o	#	x	x	x	x (especially to corals).	x (in addition to coastal flooding, it may also be linked to rainfall changes and drought on land)		X	x



GEO SBA			Ecosystems, Agriculture, Biodiversity	Health	Health	Ecosystems, Biodiversity	Disaster	Ecosystems, Biodiversity	Agriculture	Ecosystems, Biodiversity, Agriculture, Climate
SOCIETAL ISSUE			Eutrophication & Hypoxia	Human Exposure to Waterborne Pathogens	Harmful Algal Blooms	Habitat Loss & Modification	Vulnerability to Coastal Flooding	Ocean Acidification	Food Security	Understanding impact of anthropogenic global change on ecosystem services
Water temperature stratification	o	#	x	x	x	x (especially impacts to primary productivity.			X	x
Sea Ice	o	#				x (especially loss of sea ice can leading to increased shipping activity and marine pollution)	x		X	x
Salinity	o	#				x			X	x
Currents	o	#	x	x	x				X	x



GEO SBA			Ecosystems, Agriculture, Biodiversity	Health	Health	Ecosystems, Biodiversity	Disaster	Ecosystems, Biodiversity	Agriculture	Ecosystems, Biodiversity, Agriculture, Climate
SOCIETAL ISSUE			Eutrophication & Hypoxia	Human Exposure to Waterborne Pathogens	Harmful Algal Blooms	Habitat Loss & Modification	Vulnerability to Coastal Flooding	Ocean Acidification	Food Security	Understanding impact of anthropogenic global change on ecosystem services
Surface wave height & direction	o	#			x (dispersion or confinement)		x			
Absolute sea level	o	#				x	x			x
Shoreline Position		#			x (benthic HABs, ciguatera, clupeism, <i>Ostreopsis</i> <i>blooms in the</i> <i>Mediterranean</i> <i>beaches</i>)	x	x			x
Bathymetry	o	#			x (as above)		x			
Total suspended matter	o	#	x		x	x			X	
Seamounts	o					x				x
<u>EOVs Chemical</u>										



Dissolved inorganic nutrients (N, P, Si) concentrations	o	#	x	x	x	x			X	x
Dissolved organic nutrients (C, N and P forms)		#	x		x					x
GEO SBA			<i>Ecosystems, Agriculture, Biodiversity</i>	<i>Health</i>	<i>Health</i>	<i>Ecosystems, Biodiversity</i>	<i>Disaster</i>	<i>Ecosystems, Biodiversity</i>	<i>Agriculture</i>	<i>Ecosystems, Biodiversity, Agriculture, Climate</i>
SOCIETAL ISSUE			Eutrophication & Hypoxia	Human Exposure to Waterborne Pathogens	Harmful Algal Blooms	Habitat Loss & Modification	Vulnerability to Coastal Flooding	Ocean Acidification	Food Security	Understanding impact of anthropogenic global change on ecosystem services
Dissolved oxygen concentration	o	#	x		X	x			X	x
pH, fCO ₂ & total alkalinity (calcarous plankton/Aragonite saturation state)	o	#			x (to be explored)	x		x	X	x
Colored dissolved organic matter	o	#				x			X	x



GEO SBA			Ecosystems, Agriculture, Biodiversity	Health	Health	Ecosystems, Biodiversity	Disaster	Ecosystems, Biodiversity	Agriculture	Ecosystems, Biodiversity, Agriculture, Climate
SOCIETAL ISSUE			Eutrophication & Hypoxia	Human Exposure to Waterborne Pathogens	Harmful Algal Blooms	Habitat Loss & Modification	Vulnerability to Coastal Flooding	Ocean Acidification	Food Security	Understanding impact of anthropogenic global change on ecosystem services
<i>EOVs Biological</i>										
Phytoplankton (pigments and size)	o	#	x		x	x			X	x
Primary Productivity / Phytoplankton biomass (chlorophyll-a)	o	#	x		x	x			X	x
Toxic phytoplankton abundance	o	#	x	x	x	x			X	x
Calcareous plankton abundance	o	#				x		x	X	x
Diatoms/non-diatom ratio	o	#		x	x					x
Abundance of copepod indicator species	o	#						x	X	x



Abundance of waterborne pathogens		#		x	x				X	
Bacterial communities	o	#								x
Zooplankton (including abundance, size structure, composition and timing)	o	#	x			x			X	x
Extent of living benthic habitats	o	#	x		x (coral bleaching due to benthic dinoflagellates outbreaks)	x				
Species diversity of communities associated with living benthic habitats	o	#			x (as above)	x			X	
Coral skeletal density		#			x (as above)	x		x	X	x
Abundance of eggs, larvae & size classes of exploited fish stocks	o	#							X	x
Fish stocks	o	#	x			x			X	x
Bycatch	o	#							X	x
Diet of exploitable fish species	o	#								
Abundance & size of apex predators	o	#				x			X	x



GEO SBA			Ecosystems, Agriculture, Biodiversity	Health	Health	Ecosystems, Biodiversity	Disaster	Ecosystems, Biodiversity	Agriculture	Ecosystems, Biodiversity, Agriculture, Climate
SOCIETAL ISSUE			Eutrophication & Hypoxia	Human Exposure to Waterborne Pathogens	Harmful Algal Blooms	Habitat Loss & Modification	Vulnerability to Coastal Flooding	Ocean Acidification	Food Security	Understanding impact of anthropogenic global change on ecosystem services
Food Webs and trophic changes	o	#	x		x (at microbial level)	x		x	X	x
Geographic distribution of taxa (Biodiversity)	o	#			x (spread distribution of harmful taxa, e.g. Gambierdiscus, ciguatera)	x		x	X	x
Complementary Variables (Non Ocean) for Socioeconomic/Human Impact										
Pollution (including Hg, oil spills, plastics)	o	#			x	x			X	x
Fish catch value	o	#							X	
Destructive fishing practices	o	#								
Seabed mining activity	o	#				x	x			
Population distribution		#	x	x	x	x	x	x	X	x
Dependence on ocean ecosystem services	o	#			x (aquaculture, beach use)				X	

APPENDIX 5: VARIOUS CONVENTIONS AND POLICY THAT DRIVE A NEED FOR UNDERSTANDING MARINE ECOSYSTEMS

- Convention on Biological Diversity (CBD) Aichi Targets
- GEOBON Essential Biodiversity Variables (EBVs)
- Rio+20 '*The Future We Want*' (2012)
- *Oceans Compact* (2012)
- United Nations Convention on the Law of the Sea (UNCLOS) & the 2009 UN Session on Oceans
- Agreement on the Conservation & Management of Straddling & Highly Migratory Fish Stocks
- Global Program of Action for the Protection of the Marine Environment from Land Based Sources
- UNCED Agenda 21, Program of Action for Sustainable Development
- Implementation Plan of the World Summit on Sustainable Development
- International Convention for the Prevention of Pollution From Ships
- Ramsar Convention
- Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES)
- World Heritage Convention (WHC)
- Convention on the Conservation of Migratory Species of Wild Animals
- Other Regional Conventions

APPENDIX 6: EXCERPT FROM THE *OCEANS COMPACT (2012)*

First three paragraphs of the ***Oceans Compact ‘Healthy Oceans for Healthy Prosperity – an initiative by the UN Secretary General (2012)*** states that:

‘The world’s oceans are key to sustaining life on the planet. The ocean constitutes a conduit for ninety per cent of the world trade, and for connecting people, markets and livelihoods. In light of the ocean’s interconnectedness, all nations of the world should strive to make the oceans places of safety and sustainability of maritime activities for all humankind.

They provide a range of benefits for human well-being and prosperity – food production, employment creation, temperature moderation, carbon sequestration, nutrient cycling, habitats and biodiversity, tourism, an energy source, and others. Humans, however, have put the oceans under risk of irreversible damage by over-fishing, climate change and ocean acidification (from absorbed carbon emissions), increasing pollution, unsustainable coastal area development, and unwanted impacts from resource extraction, resulting in loss of biodiversity, decreased abundance of species, damage to habitats and loss of ecological functions.

We need to reverse these trends by using the vast potential wealth of the oceans to build a society that uses ocean resources wisely and is less vulnerable to ocean-related hazards. We need to adopt a more proactive vision for the oceans and establish a new understanding of their capacity. We need to create new partnerships while strengthening key existing ones, and develop ways of sharing the wealth of the oceans to benefit all.’


APPENDIX 7: RESULTS OF RANKING 49 eEOVS

TABLE OF THE TOP 20 eEOVS ESTIMATED BY MEAN IMPACT /FEASIBILITY (>7)


- ♦ HUMAN ACTIVITIES REMOVED
- ♦ SORTED BY (INTEGRATED TERM)

	MEAN (IMPACT+FEASIBILITY) >7	MEAN (IMPACT) > 7	MEAN (FEASIBILITY) > 7
1	Chlorophyll	Chlorophyll	Chlorophyll
2	Coral cover	Coral cover	Coral cover
3	Mangrove Area	Mangrove Area	Mangrove Area
4	HABs	HABs	HABs
5	Zooplankton biomass/abundance (Zp):	Zooplankton biomass/abundance (Zp):	Zooplankton biomass/abundance (Zp):
6	Salt Marsh area	Salt Marsh area	Salt Marsh area
7	Large marine vertebrates: abundance/distribution	Large marine vertebrates: abundance/distribution	Large marine vertebrates: abundance/distribution
8	Sea grass area	Sea grass area	Sea grass area
9	Tags and tracking of species of value / large marine vertebrates	Tags and tracking of species of value / large marine vertebrates	Tags and tracking of species of value / large marine vertebrates
10	Zp: krill	Extinctions and endangered species (from CITES/IUCN and other existing sources)	Zp: krill
11		Kelp + macroalgae area	
12		Coastal benthic habitat loss	
13		Zp: krill	
14		Pathogens	
15		Pelagic habitat shifts (defined by oceanographic boundaries)	
17		Zp: key species	
18		Upper trophic level: abundance, distribution, size	
19		Community structure - changes over time	
20		Genetic composition	

ECOSYSTEM EOVS RANKINGS: SCATTER PLOT ESTIMATED IMPACT/FEASIBILITY



ECOSYSTEM EOVS– ESTIMATED IMPACTS AND FEASIBILITY



APPENDIX 8: POTENTIAL GOOS BIOLOGY AND ECOSYSTEMS CANDIDATE PILOT PROJECTS

A **preliminary set of candidate pilot projects** drafted at the Workshop are below. Participants considered the availability of known monitoring systems and datasets, feasibility of continued or new monitoring infrastructure, and potential availability of funds (prioritized projects are in bold italics):

Candidate Pilot Project	eEOV Theme/s	eEOV	FOO Readiness
Global mapping of mangroves by satellite	A. Productivity (Primary) B. Biodiversity. D. Human / Climate impacts	Mangroves Habitat Extent and Loss	Mature
<i>Abundance & Distribution of Large Marine Vertebrates as a signal of the health of the marine ecosystem (via tagging and tracking techniques)</i>	A. Productivity (Food Web) D. Human / Climate impacts	Tags and Tracking Species of Value (eg whales) and Top Predators	Mature
Abundance, distribution and size of upper trophic levels	B. Biodiversity. D. Human / Climate impacts		Mature
Coral Cover (in collaboration with GCRMN)	B. Biodiversity. C. Ecosystem Services		Mature ?
Zooplankton sampling using standardised emerging genetic technologies		*Potential EOS	Feasible within 2-3 years?
Ocean Acidification and impact on shellfish and molluscs (food) – increasing de-calcification of bivalves (in collaboration with Global Ocean Acidification Observing Network [GOA-ON].	C. Ecosystem Services D. Human / Climate impacts		
<i>Co-ordination of the Chlorophyll community to standardise Cal/Val for productivity</i>	A. Productivity (Primary) D. Human / Climate impacts		
<i>Product: Synthesis of Continuous Plankton Recorder (CPR) records to produce EOVS time series for ocean biomes (zooplankton) = zooplankton sampling using standardised emerging genetic technologies</i>	A. Productivity (Food Web) D. Human / Climate impacts		Feasible within 2-3 years?
<i>Develop purpose built environment DNA system for EOVS in collaboration with the biodiversity observation network (e.g. USA: MarineBON)</i>	B. Biodiversity.	*Potential EOS	
CALCOFI/genomics: test/validate efficacy (ichthyoplankton)	A. Productivity (Food Web) D. Human / Climate impacts		
Global High Resolution Ocean Colour Project (w/ existing initiatives). Validation/calibration for productivity	A. Productivity (Primary) D. Human / Climate impacts * also relevant to		

	BGC Panel		
Temperate coral reef surveys: standardisation/inter-comparison (with existing initiatives, e.g. GCRMN, Reef Life Survey)	B. Biodiversity. C. Ecosystem Services D. Human / Climate impacts		
Mangrove surveys: standardisation/inter-comparison (with existing initiatives)	A. Productivity (Primary) B. Biodiversity. D. Human / Climate impacts		
Human activity data for oceanographers: develop an operating basis for this information	D. Human / Climate impacts		
Universality of tagging/tracking/historic archive (already underway in Southern Ocean)			
Promote the use of animal data in ocean physical analysis+forecasting (e.g. GODAE OceanView, CLIVAR)			
Develop bio-acoustics for mid-trophic mesopelagic EOVS (with existing communities).			

Additional Pilot Projects were also selected based on a 'concept' to inform the design of the GOOS Biology and Ecosystems System:

Concept Pilot Project	eEOV Theme
<i>Can we invert the CALCOFI ? e.g. if we had to re-construct it, what variables would we target? Perhaps some indicator species rather than all fish indicators? (given the known 60 years of data)</i>	A. Productivity (Food Web) D. Human / Climate impacts
Review of the literature around design of an ocean observation system, which is then peer reviewed. Or utilise the programs in existence to do the review.	all
Develop a global system with traditional techniques that can be transitioned to emerging techniques (on the basis that this will provide significant advances to the specified EOVS).	all

APPENDIX 9: EXAMPLE TABLE FOR INDICATING KNOWN OBSERVATION PLATFORMS AND HOW THEY RELATE TO THE GOOS PHYSICS, BIOGEOCHEMISTRY AND BIOLOGY/ECOSYSTEM EOVS.

	Physics, BGC	Biology & Ecosystems
Satellite Oceanography • Altimetry • SST • Salinity • Ocean Colour • Sea Ice • Winds		
Volunteer Observing Ships		
Surface Drifters		
Tide Gauges		
XBT		
Argo		
Repeat Hydrography		
Tropical Moored Buoys – TAO, PIRATA, RAMA		
Time Series (OceanSITES)		
Transport Monitoring		
Tsunami Warning Buoys		
Gliders (EGO/GROOM)		
CPR (GACS)		
Animal Tagging, acoustic and satellite (OTN)		
Aircraft Oceanography		

APPENDIX 10: ACRONYMS AND ABBREVIATIONS

Abbreviation	Name
AIMS	Australian Institute of Marine Science
CalCOFI	California Cooperative Oceanic Fisheries Investigations
CBD	Convention on Biological Diversity
CO ₂	Carbon dioxide
EBVs	Essential Biodiversity Variables
ECVs	Essential Climate Variables
eEOVs	ecosystem Essential Ocean Variables
EOS	Essential Ocean Samples
EOVs	Essential Ocean Variables
EuroGOOS	The European GOOS
EVs	Essential Variables
FAO	Food and Agriculture Organisation of the United Nations
FOO	A Framework for Ocean Observing
FP7 EC	Seventh Framework Programme of the European Commission
GCOS	Global Climate Observing System
GEF	Global Environment Facility
GEO	Group on Earth Observations
GEOBON	Group on Earth Observations Biodiversity Observation Network
GEOSS	Global Earth Observation System of Systems
GEOSS DataCORE	GEOSS Data Collection of Open Resources for Everyone
GEOWOW	GEOSS interoperability for Weather, Ocean and Water
GOOS	Global Ocean Observing System
GRA	GOOS Regional Alliances
HABs	Harmful Algal Blooms
ICES	International Council for the Exploration of the Sea
ICSU	International Council for Science
IPBES	Inter-governmental Science-Policy Platform on Biodiversity and Ecosystem Services
IMOS	Australian Integrated Marine Observing System
IOC	Intergovernmental Oceanographic Commission
IOCCG	International Ocean Colour Co-ordinating Group

IOCCP	International Ocean Carbon Co-ordination Project
IODE	International Oceanographic Data and Information Exchange
IPCC	Intergovernmental Panel on Climate Change
O ₂	Oxygen
OBIS	Ocean Biogeographic Information System
PICES	North Pacific Marine Science Organization
PICO	GOOS Panel for Integrated Coastal Observation
SBAs	Societal Benefit Areas
SCOR	Scientific Committee on Oceanic Research
SOKI	Southern Ocean Knowledge and Information wiki
SOOS	Southern Ocean Observing System
UNESCO	United Nations Education, Science and Cultural Organization
UNCLOS	United Nations Convention on the Law of the Sea
US IOOS	United States Integrated Ocean Observing System
US NMFS-NOAA	United States National Marine Fisheries Service of the National Oceanic and Atmospheric Administration
WMO	World Meteorological Organisation
WP6	Work Package 6

APPENDIX 11: BIBLIOGRAPHY

- [1] UNESCO, Task Team for an Integrated Framework for Sustained Ocean Observing (2012) *A Framework for Ocean Observing*. IOC/INF-1284, doi: 10.5270/OceanObs09-FOO see http://www.oceanobs09.net/foo/FOO_Report.pdf
- [2] UNESCO IOC (2012) GEOWOW Report **WP6-IOU-16.1.1** *Definition of Ecosystem Essential Ocean Variables*
- [3] David McKinnon, Aims (2013) *Candidate Essential Ocean Variables for GOOS Biology and Ecosystems and GOOS Biogeochemistry: A Discussion Paper for the First Joint Workshop of Technical Experts for the Identification of Ocean Ecosystem Variables November 2013, Australia*.
- [4] BON Steering Committee (2010). *Attaining an Operational Marine Biodiversity Observation Network (BON) Synthesis Report* (unpublished).
- [5] UNESCO IOC, February (2012). *Requirements for Global Implementation of the Strategic Plan for Coastal GOOS (PICO-I)*. GOOS Report 193 at <http://ioc-goos.org/goos-193>
- [6] GEO BON (2011). *Adequacy of Biodiversity Observation Systems to support the CBD 2020 Targets*. A report prepared by the Group on Earth Observations Biodiversity Observation Network (GEO BON) for the Convention on Biological Diversity. See http://www.earthobservations.org/documents/cop/bi_geobon/2011_cbd_adequacy_report.pdf
- [7] UN (2012) *Oceans Compact 'Healthy Oceans for Healthy Prosperity – an initiative by the UN Secretary General*
- [8] IPCC (2013) *Climate Change 2013 The Physical Science Basis*
- [9] UN (2013) *UN Atlas of the Ocean* www.oceansatlas.org
- [10] Halpern, B. S et al (2008) *A global map of human impact on marine ecosystems*. Science 319, 948–952..
- [11] Constable, A. (2013) *Presentation to the GOOS Workshop – biological variables important to modelling* (Australian Antarctic Division Ecosystems Program, ACE CRC)
- [12] Pijanowski, B. C., L. J. Villanueva-Rivera, S. L. Dumyahn, A. Farina, B. L. Krause, B. M. Napoletano, S. H. Gage, and N. Pieretti. (2011) *Soundscape Ecology: The Science of Sound in the Landscape*. Bioscience 61:203-216.

Annex E: Report of the First Technical Workshop of the GOOS Biogeochemistry Panel: Defining EOVs for Biogeochemistry (2014).



REPORT

First Technical Experts Workshop of the GOOS Biogeochemistry Panel: *Defining Essential Ocean Variables for Biogeochemistry*

**13-16 November 2013
Townsville, Australia**



Contents

I.	Table of contents.....	107
II.	Participants List.....	108
III.	Report.....	109
	1. Background and rationale.....	109
	2. Societal needs and scientific requirements for the global ocean observing system.....	110
	3. Observable variables – information needed to answer societal and scientific questions.....	111
	4. Essential Ocean Variables for Biogeochemistry – the core set of observations.....	112
	5. Proposed Essential Ocean Variables for Biogeochemistry.....	116
	i. Oxygen	
	ii. Macro Nutrients (NO ₃ , PO ₄ , Si, NH ₄ , NO ₂)	
	iii. Carbonate System	
	iv. Transient Tracers	
	v. Suspended Particulates (including inorganics)	
	vi. Particulate Matter Export (organic and inorganic)	
	vii. Nitrous Oxide	
	viii. Carbon-13	
	ix. Dissolved Organic Matter (DON, DOP, DOC)	
	6. Pilot projects – testing field.....	122
IV.	Meeting Agenda.....	124

Support for this work was jointly provided by the European Commission's FP7 GEOWOW Project, GOOS of IOC/UNESCO and the Australian Government.

Participants List

Name (Gender)	Home Institution	Country of residence	Main Expertize
Dr Matthew Church (M)	University of Hawaii	USA	Defining how ocean biology couples or decouples carbon and nitrogen cycles in the ocean
Dr Katja Fennel (F)	Dalhousie University	Canada	Development of coupled physical-biogeochemical models
Prof. Christoph Heinze (M)	University of Bergen	Norway	Three-dimensional modelling and quantification of marine biogeochemical cycles
Dr Masao Ishii (M)	JMA-MRI	Japan	Understanding of the natural and anthropogenic changes in ocean carbon and oxygen cycles based on observations
Dr Iris Kriest (F)	GEOMAR	Germany	Parameterization of marine biogeochemical processes in local and large-scale models
Dr Andrew Lenton (M)	CSIRO	Australia	Reanalysis and parameterization of carbon and biogeochemistry variables. Data-model fusion.
Dr Keith Rodgers (M)	Princeton University	USA	Using models to identify and understand dynamical controls on seasonal to inter-annual to decadal variability in the marine carbon cycle
Dr Toste Tanhua (M)	GEOMAR	Germany	Cycling and transport of biogeochemical properties within the ocean interior. Measurements of transient tracers, such as CFC-12 and SF ₆ , in the interior ocean and deliberate tracer release experiments.
Dr Bronte Tillbrook (M)	CSIRO	Australia	Observationalist binding the physical, chemical and biological processes that drive the carbon cycle
Dr Rik Wanninhof (M)	NOAA - AOML	USA	Ocean biogeochemistry observations and parameterization of ocean carbon variables
Dr Maciej Telszewski (M)	IOCCP	Poland	Ocean biogeochemistry observations and parameterization of ocean carbon variables

Report

1. Background and rationale

The ocean observing community has realized that quantifying the simultaneous impacts of multiple stressors on ocean ecosystems and biogeochemistry cannot be achieved without a truly multidisciplinary approach to observing. This requires a re-thinking of many observing strategies, and some compromises (within and across- disciplines) will have to be made in order to achieve a fit-for-purpose global ocean observing system.

A key recommendation from the OceanObs'09 Conference held in Venice in September 2009 (www.oceanobs09.net) was for international integration and coordination of interdisciplinary ocean observations. The Conference was sponsored by many international and national ocean agencies, and attended by representatives of ocean observation programs worldwide. Based on impressive agreement among the many groups present and their strong desire to work collectively, the sponsors commissioned a Task Team to develop an Integrated Framework for Sustained Ocean Observing (hereafter referred to as the FOO).

One of the initial tasks set by the FOO (published in May 2012) is for the three Ocean Observing System Panels (Physics, Biology/Ecology and Carbon/Biogeochemistry), interacting through virtual and in-person meetings and workshops, to propose a set of Essential Ocean Variables (EOVs) which would then be promoted as fundamental measurements needed to address the current scientific and societal ocean/climate-related issues. This list would enable funding of the interdisciplinary, integrated global ocean observing network (the improved, multidisciplinary GOOS). Each panel has a lead organization, which is tentatively tasked to consult the community and create a loose consortium of relevant and interested experts and/or organizations, helping to justify and negotiate the inclusion of certain parameters in the final list of EOVs.

The IOCCP was asked by the Task Team to lead the Biogeochemistry Panel. The IOCCP SSG agreed to follow a 4-step work plan leading to the initial assessment of the existing observing network. This work plan includes the following: (i) compile (and update as needed) the available information on societal and scientific requirements regarding marine biogeochemistry parameters necessary for inclusion into the FOO as EOVs; (ii) consult with programmatic and institutional partners on their requirements for the multidimensional feasibility assessment of the proposed parameters. It is important that observing, modeling and sensor/instrument developing communities are involved; (iii) lead a multidimensional feasibility assessment of the proposed parameters built on the FOO recommendations and summarize the results for inclusion into the Global Climate Observing System; (iv) produce a summary publication of the multidimensional feasibility assessment of the marine biogeochemistry parameters necessary for inclusion into the FOO as EOVs.

To kick-start the process and aid steps (ii) and (iii) of the work plan, the Global Ocean Observing System (GOOS) sponsored, through IOCCP, an expert meeting which was carried out side by side with the Biology and Ecosystem Panel meeting.

The First Technical Workshop for Biology and Ecosystem and Biogeochemistry Panels was held in Townsville, Australia 13-16 November 2013. During this workshop the GOOS Biogeochemistry Panel sought advice from technical experts to assist with:

- identification of major scientific and societal challenges that require sustained observations of ocean biogeochemistry variables;
- identification of candidate biogeochemical Essential Ocean Variables (EOVs);
- defining the state of readiness of set requirements, existing observing system elements and existing data streams for all proposed EOVs on the various frequency and resolution levels
- clarification of the role of GOOS, IOCCP, OOPC and the biology panel in developing consensus requirements, coordinating observing networks, and promoting development of a data management system;
- identifying monitoring activities and projects to practically implement the biogeochemistry recommendations in the GOOS Framework for Ocean Observing (FOO), the Panel for Integrated Coastal Observation (PICO) Plan and the upcoming update of the Global Climate Observing System's Implementation Plan.

This report summarizes the work accomplished in Townsville by the experts of the Biogeochemistry Panel. A parallel document describes the work of Biology and Ecosystem Panel experts.

2. Societal needs and scientific requirements for the global ocean observing system.

Authors of the FOO specifically point out to the fact that a large part of the current global ocean observing system is driven by climate observing requirements. The reality is that there are more societal and scientific drivers for ocean observations than climate (and weather).

Guided by the FOO, discussions about additional scientific questions and societal benefits that require sustained ocean observations were the first step in the EOV defining process. The following three overarching requirements, each divided into two main questions were agreed upon and became the baseline for further considerations.

1. The role of ocean biogeochemistry in climate

The oceans play a critical role in the cycling of many greenhouse gases. Most notably the ocean is responsible for taking up and storing about 50% of the anthropogenic emissions of carbon dioxide since the pre-industrial, thereby buffering (or mitigating) the rate of climate change.

Key Questions:

1.1. How is the ocean carbon content changing?

As the biggest mobile reservoir of carbon in the earth system, any change in the oceans ability to take up and store anthropogenic carbon will have a direct impact on rates of atmospheric CO₂ concentrations, and hence on climate. Therefore an observing framework that allows quantification and detection of change of both anthropogenic and total ocean carbon storage and uptake is critical (e.g. for setting emission targets, carbon accounting, model predictions, etc.). Additionally, understanding ocean oxygen fluxes and inventories are important indicators of ocean ventilation and respiration, which are needed for more accurate carbon budgets.

1.2. How does the ocean influence cycles of non-CO₂ greenhouse gases?

The ocean is a key unknown in the cycling of many other non-CO₂ greenhouse gases, such as ozone depleting e.g. halocarbons (e.g. methyl bromide, bromoform etc.), CH₄, N₂O, and DMS. Ocean measurements are essential for closing the budgets of these gases, which are potentially strong amplifiers of climate change. Furthermore, an ocean observing system that allows for early detection would serve as a warning system alerting us to the risk of passing key tipping points in the climate system.

2. Human impacts on ocean biogeochemistry

Human activities like fossil fuel burning and industrial fertilizer production have perturbed the global elemental cycles of carbon and nitrogen and significantly impact ocean chemistry. For example, shifts in the carbon chemistry of seawater have been widely recorded, as well as changes in nitrogen and oxygen in both coastal and open ocean waters. These induce a variety of shifts in marine resources of which we still don't understand the full impact. The rates at which these changes occur often exceed the recent geological record, and highlight the need for a more comprehensive, multivariable approach to ocean biogeochemical analyses in order to better track and predict changes and impacts on marine ecosystems.

Key Questions:

2.1. How large are the ocean's "dead zones" and how fast are they changing?

The oxygen content of the ocean is decreasing in many areas and in particular oxygen minimum zones (OMZ) are growing, likely due to combined effects of changes in circulation

and rates of biological oxygen consumption. Oxygen is a strong habitat constraint for most marine animals, and OMZs are areas of highly reduced animal diversity. Low oxygen concentration leads to significant changes in biogeochemistry such as reduction of available nitrate, which can impact ocean productivity.

2.2. What are rates and impacts of ocean acidification?

Ocean acidity (i.e. the activity of protons, H^+) has increased by 30% since the pre-industrial period. This acidification will likely have significant effects on all levels of the trophic chain (e.g. reproduction, ecosystem structure, physiology) directly impacting future food security. Changes and impacts are expected to be heterogeneous and more severe in the coastal ocean.

3. Ocean ecosystem health

Changes in ocean chemistry will directly impact the health of marine ecosystems and in consequence affect humans that rely on marine resources for ecosystem services (e.g. food security, aquaculture).

Key Questions:

3.1. Is the biomass of the ocean changing?

Quantifying the magnitude of changes in ocean biomass and productivity and separating natural variability and secular trends is crucial for understanding and mitigating future impacts on fisheries. Changes in nutrient supply and distribution of macro- and micronutrients are key drivers of primary productivity, which will be impacted by changes in the nitrogen cycle (e.g. N_2 fixation, denitrification). Understanding biogeochemistry changes is key to predicting potential impacts on food webs.

3.2. How does eutrophication and pollution impact ocean productivity and water quality?

Land-based sources of nutrients (macro and micro) and carbon (organic and inorganic) into the coastal ocean increasingly lead to eutrophication and hypoxia directly impacting productivity and leading to deleterious effects such as harmful algal blooms (HAB). Furthermore, human pollution (POPs, Plastics, dioxins) can adversely impact ecosystem health.

3. Observable variables – information needed to answer societal and scientific questions

In the second step, the workshop participants focused on listing the necessary measurements needed to address each question. Unless specifically mentioned, during this phase the attention focused on the variable itself and not as much on the required

frequency or resolution of the measurement. The readiness of the measurement was also taken into account. The FOO specifically requires to include all measurements considered critical, even those that are not feasible for implementation at the moment due to technical obstacles. By doing so, the FOO process seeks to trigger innovation by advocating development of technologies needed for the fit-for-purpose observing system. Also, no division between coastal and open ocean was made.

Experts from modelling and observing communities were equally active during this phase of the workshop. It is envisaged that future EOVS consultation process will also include both communities.

Following this phase of the workshop the following measurements needed to answer each question (section 2 of this report) were identified.

1.1. How is the ocean carbon content changing?

- Carbonate system
- Transient Tracers
- O₂
- Macronutrients (NO₃, PO₄, Si, NH₄, NO₂)
- ¹³DIC, ¹⁴DIC

1.2. How does the ocean influence cycles of non-CO₂ greenhouse gases?

- CH₄ (regional)
- DMS
- N₂O
- Halocarbons/O₃-depleting substances
- O₂

2.1. How large are the ocean's dead zones and how fast are they growing?

- O₂
- Macronutrients (NO₃, PO₄, Si, NH₄, NO₂)
- Transient Tracers
- Material Export and/or Ar/O₂
- Carbonate system

2.2. What are rates and impacts of ocean acidification?

Question 2.2a: Detection

- Carbonate system (saturation state as derived variable)
- O₂
- Macronutrients (NO₃, PO₄, Si, NH₄, NO₂)
- Atmospheric deposition of anthropogenic sulfates
- Transient Tracers
- ¹³DIC
- PON, POP, DON, DOP
- Ra isotopes (coastal)

Question 2.2b: Impact

- Carbonate System (saturation state as derived variable)
- Dissolution Rates
- PIC, POC
- Phytoplankton Functional Groups
- Benthic and Pelagic Species
- ²³¹Pa, ²³⁰Th

3.1. Is the biomass of the ocean changing?

Question 3.1a: Is production changing

- Macronutrients (NO₃, PO₄, Si, NH₄, NO₂)
- Micronutrients (eg. Fe)
- O₂
- Carbonate System
- O₂/Ar
- O₂ isotopes
- Opal, POC, CaCO₃

Question 3.1b: Is biomass changing

- POM (POC, PON, POP) (turbidity & beam attenuation)
- Chlorophyll from remote sensing products
- Macronutrients (NO₃, PO₄, Si, NH₄, NO₂)
- Particle size spectra

3.2. How does eutrophication and pollution impact ocean productivity and water quality?

Question 3.2a: Eutrophication

- Macronutrients (NO_3 , PO_4 , Si, NH_4 , NO_2)
- O_2
- POC, DOC
- $^{18}\text{O}/^{16}\text{O}$
- Ra isotopes (coastal)

Question 3.2b: Pollution

Although the importance of this issue is recognized, this panel defers to the expertise of specialized communities, for example toxicologists, to suggest relevant related variables for implementation into the sustained global observing system. Some suggestions that arose were:

- Dioxin
- POPs (particulate organic pollutants)
- Plastics
- Heavy Metals

In addition to the above measurements, a whole suite of physical and biological climate variables need to be measured in parallel to put biogeochemical observations into context. These additional observations are at times fundamental measurements needed to address questions listed in section 2 of this report. As efforts of three Ocean Observing System Panels of GOOS will converge, the biogeochemistry community will be an eager consumer of (list definitely not exhaustive):

Physical Climate

- Temperature and salinity along with isopycnal and diapycnal mixing rates
- Mixed Layer Depth and stratification as derived variables from temperature and salinity
- Sea Surface Height
- Light (3D)

Biology

- Chlorophyll, ocean color (perhaps bio-optics rather than biology), and associated derived variables

4. Essential Ocean Variables for Biogeochemistry – the core set of observations.

The group proposed Essential Ocean Variables (EOVs) from all variables listed in section 3, based on expert discussions and as a results of a scoring exercise. Two scoring methods were exercised and the nine highest scoring variables are proposed in section 5.

First, each of the variables listed in each separate question from section 3 obtained a ranking on a scale from 5 (most effective variables) to 1 (less effective variable) points. In those cases where more than 5 variables were listed for a given question, no points were assigned to variable that ranked sixth and under. The points were then summed over the various questions, leading to a quantification of the priority of the variables.

Next, each variable was discussed and ranked in terms of its impact (how many questions can this EOv provide information for?) and feasibility (how easy or difficult is it to obtain this data?) with (1,1) assigned to variable with lowest impact and feasibility and (10,10) assigned to variables with highest impact and feasibility. Important discussions among the participants were held during this phase of the meeting until consensus amongst experts was reached.

Figure 1 summarizes these efforts. Most of the proposed EOv's fall into the high-feasibility high-impact quarter. Material export with high assessed impact and relatively high score on "responsiveness" to set requirements was accepted as a proposed EOv. On the other hand ¹⁴C was not accepted by the group despite its relatively high impact assessment, mainly due to it's very low responsiveness to set requirements.




Figure 1. Multi-dimensional assessment of proposed variables leading to selection of Essential Ocean Variables for Biogeochemistry. Feasibility assessment on x axis and impact assessment on y axis. In brackets, number of points summed over 9 ranked questions is given for 11 highest ranked variables. Based on our assessment EOVS plotted in green are proposed as 1st tier EOVS. ** Bio-optics (in red) may be switched to the GOOS Biology Panel.

5. Proposed Essential Ocean Variables for Biogeochemistry

The FOO proposes assessing each EOVS according to its readiness level in three categories: Requirements Processes, Coordination of Observational Elements and Data Management and Information Products. All these, plus some more meta-data type of information divided into several subcategories, are included in the newly developed EOVS Specification Sheet.

Specification sheets for each Biogeochemical EOVS described in this report are attached as annexes.

In this chapter we provide a short justification for each proposed EOVS. Additional comments and discussions related to technicalities and measurements' logistics for each EOVS are (supposed to be) presented at the beginning of relevant Specification Sheet.

i. Oxygen (Rik Wanninkhof, Bronte Tilbrook)

Oceanic measurements of dissolved oxygen have a long history, and oxygen is the third-most oft-measured water quantity after temperature and salinity. The implementation of a full-fledged observatory of oxygen in the ocean is critical to measure and understand the large (mostly) decreasing trends in the concentrations of dissolved oxygen in the ocean over the last few decades. These trends have important implications for our understanding of anthropogenic climate change. Sub-surface oxygen concentrations in the ocean everywhere reflect a balance between supply through circulation and ventilation and consumption by respiratory processes, the absolute amount of oxygen in a given location is therefore very sensitive to changes in either process.

ii. Macro Nutrients (Masao Ishii, Iris Kriest)

No information at present.

iii. Carbonate System (Andrew Lenton, Keith Rodgers)

The ocean is a major component of the global carbon cycle, exchanging massive quantities of carbon in natural cycles driven by the ocean circulation and biogeochemistry. Since seawater has a high capacity for absorbing carbon, the ocean also is a significant modulator of the rate of accumulation of carbon in the atmosphere, and thus slows the rate of global warming. The net carbon uptake of the ocean is approximately 25% of each year's anthropogenic emissions. Due to the chemistry of carbon in water, this uptake is causing a decline in ocean pH, also known as ocean acidification. The ecological consequences of ocean acidification are a focus for much of the present research. Understanding current carbon uptake by the ocean is critical for understanding how the carbon cycle and climate are evolving under the impact of human activities, and the mechanistic understanding developed is needed in the interest of improved prediction of the state of the climate system. Understanding and predicting rates of ocean acidification are also fundamental to understanding the ocean's biogeochemical evolution. The observations required to constrain the carbon system at a point in space and time are any two of DIC, Total Alkalinity, $p\text{CO}_2$ and pH, and associated physical variables (temperature and salinity). The carbon system is in a delicate balance such that high quality observations will continue to be required.

iv. Transient tracers (Toste Tanhua)

Transient tracers are a group of (chemical) compounds that can be used in the ocean to quantify ventilation, transit time distribution and transport time-scales. These compounds are all conservative in sea-water, or have well-defined decay-functions, and a well-established source function over time at the ocean surface. Measurement of transient tracers in the interior ocean thus provides information on the time-scales since the ocean was ventilated, i.e. in contact with the atmosphere. Knowledge of the transit time distribution (TTD) of a water-mass allows for inference of the concentrations or fates of other transient compounds, such as anthropogenic carbon or nitrous oxide. Commonly measured transient tracers are the chlorofluorocarbons (CFCs) 11 and 12, although in the past also CFC-113 and CCl_4 has been measured. More recently also the related compound SF_6 is regularly measured since it provides information on ventilation of the fast ventilated parts of the ocean. The radioactive isotopes ^{14}C and tritium (that decays to the stable ^3He) are commonly used, and have a natural decay time in addition to anthropogenic input during the 1950s. The tritium- ^3He couple adds unique, additional information in that whereas the other transient tracers trace pathways into the ocean from the surface, tritiogenic- ^3He traces the reverse pathway back out. That is, it is a nutrient-like tracer, being generated at a known rate by tritium decay and escaping to the surface ocean where it is “zeroed out” by gas exchange with the atmosphere. Although strictly not a transient tracer, since it is produced naturally by cosmic rays in the atmosphere. The isotope ^{39}Ar has a half-life in the right order of magnitude to characterize global ocean ventilation and have an impeccable inertness. However difficult measurement techniques have hampered its use. Recently new technologies are emerging that might allow for a global survey of ^{39}Ar in the near future.

v. Suspended particulates (Katja Fennel, Matt Church, Masao Ishii)

Suspended particulates include the variables Particulate Organic Carbon (POC) and Particulate Organic Nitrogen (PON); sometimes they are referred to more generally as Particulate Organic Matter (POM). Although it represents a combined measurement of living cells and detrital matter, POM concentration in the surface ocean co-varies with living biomass and thus provides quantitative information on spatial gradients and temporal variations in biomass. Below the euphotic zone, measurement of POM can provide information on organic matter export fluxes and rates of microbial respiration. Another variable included in suspended particulates is Particulate Inorganic Carbon (PIC), which primarily represents calcareous shells of calcifying organisms. Observation of POM within a global observing system would directly address the question of whether the ocean’s biomass and productivity are changing. Changes in POM could be important indicators of deteriorating water quality due to eutrophication in coastal regions, and of declines in primary production that could potentially translate up the food chain negatively impacting fisheries. Observation of PIC would directly address the question of what impacts ocean acidification has on calcareous organisms and thus community structure. When combined with traditional ship-based measurements for calibration and validation POC, PON and PIC can be measured autonomously using bio-optical sensors and from space.

vi. Particulate Matter Export (Matt Church, Christoph Heinze, Iris Kriest)

This EOVS constitutes fluxes of particulate organic as well as inorganic matter (particulate organic carbon POC, calcium carbonate CaCO_3 , particulate organic nitrogen PON, particulate organic phosphorus POP, biogenic silica BSi, and fairly inert clay minerals of continental origin) sinking out of the ocean surface layer. Surface layer is primarily defined here as the euphotic zone, where photosynthetic activity is possible. Plant production comes first in the food chain, and all subsequent trophic levels depend mostly on this primary production. Export supplies the deep aphotic ocean with carbon and other elements, while removing these from immediate contact with the atmosphere and the seasonal cycle. On its way downwards, particulate organic matter will be consumed and remineralised through heterotrophic activity by bacteria and animals, while particulate inorganic carbon and biogenic silica partially dissolve, depending on the respective saturation levels of ambient seawater. The remainder of the particle flux is deposited onto the ocean floor. The degradation of POC and CaCO_3 change the CO_2 partial pressure, the pH value, and the alkalinity in seawater. Remineralisation of organic matter reduces the oxygen content and releases inorganic nutrients back to the water column.

Variations in the export of POC and CaCO_3 contribute critically to changes in atmospheric CO_2 concentration as these export fluxes are key for the functioning of the biological carbon pumps. For quantifying correct transient and steady state budgets of CO_2 in the climate system, knowledge of the export fluxes of POC and CaCO_3 is key, though the uptake of anthropogenic carbon from the atmosphere is dominated by inorganic buffering. From process studies, clear indications have been derived which suggest a change in the export rain ratio $\text{CaCO}_3\text{:POC}$ in a high CO_2 world with progressing ocean acidification. It is expected that the kinetics of POC production increase, and that the formation of CaCO_3 decreases under low pH/high CO_2 partial pressure. So far, we have no valid reference export map especially for CaCO_3 . Hence, without producing such a map based on high quality measurements it will be impossible to track changes in global marine biocalcification rates over the coming decades.

Recording changes in BSi export would be needed to filter out what part of alteration in CaCO_3 export may be due to changes in BSi production or silicic acid availability for diatoms and radiolarians. As BSi export is an excellent proxy for upwelling strength, BSi export can also be used to underpin changes in overturning strength as expected under global warming trends. Changes in overturning, in general would lead to a decrease in export rates of biogenic particulate matter. These combined processes presumably also lead to a decrease in new production, i.e., nutrient supply to the surface ocean for producing new biomass. A tracking of trends in export rates, therefore, is vital for identifying the cause for changes in marine biomass production, also for food supply. Organic matter export is the foundation for subsequent degradation of organic matter *in situ* and respective oxygen consumption. Quantification of the organic matter export is therefore important for explaining trends in regional changes of dissolved oxygen in the water column within the context of widespread de-oxygenation and potential changes in greenhouse gas sources of N_2O and CH_4 . Export of mostly inert clay material of continental origin can constrain marine dust deposition fields and shed important information of trends of micronutrient supply to the ocean surface layer (the mobilisation of trace metals from continental inputs would not change the mass flux

significantly).

vii. Nitrous Oxide (Hermann Bange)

Nitrous oxide (N_2O) is an important climate-relevant trace gas in the Earth's atmosphere. In the troposphere it acts as a strong greenhouse gas and in the stratosphere it acts as an ozone depleting substance because it is the precursor of ozone depleting nitric oxide radicals. Because of the on-going decline of chlorofluorocarbons and the continuous increase of N_2O in the atmosphere the contributions of N_2O to both the greenhouse effect and ozone depletion will be even more pronounced in the 21st century. The oceans - including its coastal areas such as continental shelves, estuaries and upwelling areas - are a major source of N_2O and contribute about 30% to the atmospheric N_2O budget. Oceanic N_2O is mainly produced as a by-product during archaeal nitrification (i.e. ammonium oxidation to nitrate) whereas bacterial nitrification seems to be of minor importance as source of oceanic N_2O . N_2O occurs also as an intermediate during microbial denitrification (nitrate reduction via N_2O to dinitrogen, N_2). Nitrification is the dominating N_2O production process, whereas denitrification contributes only 7-35% to the overall N_2O water column budget in the ocean. The amount of N_2O produced during both nitrification and denitrification strongly depends on the prevailing dissolved oxygen (O_2) concentrations and is significantly enhanced under low (i.e. suboxic) O_2 conditions. N_2O is usually not detectable in anoxic waters because of its reduction to N_2 during denitrification. Thus, significantly enhanced N_2O concentrations are generally found at oxic/suboxic or oxic/anoxic boundaries. The strong O_2 sensitivity of N_2O production is also observed in coastal areas characterised by seasonal shifts in the O_2 regime. A biological source of N_2O in the well-oxygenated mixed layer/euphotic zone seems to be unlikely. Global maps of N_2O in the surface ocean show enhanced N_2O anomalies (i.e. supersaturation of N_2O) in equatorial upwelling regions as well as N_2O anomalies close to zero (i.e. near equilibrium) in large parts of the open ocean. The MEMENTO (The Marine MethanE and NiTrous Oxide database: <https://memento.geomar.de>) project has been launched with the aim to collect and archive N_2O data sets and to provide actual fields of surface N_2O for emission estimates.

viii. Carbon-13 (Bronte Tilbrook)

Oceanic measurements of the $^{13}\text{C}/^{12}\text{C}$ of dissolved inorganic carbon (DIC), referred to as $\delta^{13}\text{C}$, serve two main purposes. First, seasonal $\delta^{13}\text{C}$ changes in the surface ocean indicate the magnitude of organic matter (OM) export rate, the foundation of the ocean's biological pump. Second, decadal changes in ocean $\delta^{13}\text{C}$ depend on the accumulation rate of anthropogenic CO_2 in the ocean. The ratio of anthropogenic signal to background variability for $\delta^{13}\text{C}$ is four times that for DIC, making anthropogenic $\delta^{13}\text{C}$ change in the ocean easier to detect than the associated DIC change. Thus, measured $\delta^{13}\text{C}$ inventory changes over time can be used to estimate anthropogenic CO_2 uptake in the ocean. The ratio of decadal changes in the concentration and $\delta^{13}\text{C}$ of CO_2 in the atmosphere, coupled with the air-sea gradients in pCO_2 and $\delta^{13}\text{C}$ of dissolved CO_2 , yield estimates of the fraction of anthropogenic CO_2 taken up by the ocean and terrestrial biota.

ix. Dissolved Organic Matter (Craig Carson, Dennis Hansell)

Dissolved organic matter (DOM) represents one of the largest exchangeable reservoirs of organic material on earth. At $\sim 662 \pm 32 \text{ Pg}$ (10^{15} g) C, dissolved organic carbon (DOC) exceeds the inventory of organic particles in the oceans by 200 fold, making it one of the largest of the bioreactive pools of carbon in the ocean, second only to dissolved inorganic carbon (38,100 Pg C) (Hansell et al. 2009). The size of the reservoir (comparable to that of atmospheric CO_2), as well as its role as a sink for autotrophically fixed carbon (Hansell and Carlson, 1998), as a substrate to heterotrophic microbes (Carlson and Hansell 2014), and as a sink/source of carbon involved in climate variations over long time scales (Sexton et al. 2011), highlights its importance in the ocean carbon and nitrogen cycles. DOC is exported from the epipelagic zone at 1.9 PgC yr^{-1} , contributing $\sim 20\%$ to the biological pump via meridional overturning circulation (Hansell et al. 2009). The allochthonous supply of dissolved organic nitrogen (DON) from gyre margins into the interior of the ocean's oligotrophic subtropical gyres provides an important source of new N to gyre surface waters (Letscher et al., 2013). The flux of dissolved organic phosphorus (DOP) can support up to 25% of annual primary production and up to 100% of phosphorous export in some oceanic systems (Lomas et al., 2010).

6. Pilot projects – testing field

One session of the workshop was devoted to developing ideas for potential pilot projects. Based on preliminary pre-meeting suggestions from GOOS SC on pilot project characteristics, a couple of pilot projects were relatively briefly discussed. Their overall aim would be to allow for a better-informed and fit-for-purpose future development of two elements of the observing system.

Pilot Project: Global O_2 profiling array

This project aims at determining the feasibility of a full-scale ARGO array equipped with O_2 sensors by using data already available on profiling floats with O_2 to formulate a modelling effort (approximately 200 floats with O_2 sensors). Also, work on quality controlling of these measurements and advancing the data stream would have to be incorporated in the project. Several working questions could be addressed under this initiative:

- Based on model state, what level of change can you detect using float measurements?
- What percentage of the ARGO network would you need O_2 sensors to constrain fluxes with sufficient precision to observe decadal scale trends and annual fluctuations?
- Can you use a model to optimize the appropriate scales of sampling for a

distributed network?

- What can these existing data tell us about short-term variability in O₂?
- Can you use the other floats to inform our understanding of the O₂ floats?
- How can we make the float data ARGO compliant?

Pilot Project: Net community production and material export

This pilot project aims at evaluating relationships and limitations in methodologies for estimating net community production (NCP) and material export to the ocean's interior. A global array of sensors measuring oxygen, carbon, and nitrogen will provide measurements useful for estimating NCP. At the moment, we do not have sufficient understanding of limitations inherent to different approaches. Also there is no agreement on suitable models (e.g. mixed layer oxygen and carbon exchange, entrainment from base of mixed layer, etc.) needed for specific methodologies. A general three-step approach was drafted during the Panel discussions:

- Gather data based on different measurements of export (O₂, C, traps, etc.) to constrain NCP and methodologies for assessing NCP.
- Agreement on best practices, comparison of models required to constrain NCP.
- Evaluate relationships between particle fluxes and NCP. Convergence of global estimates of NCP.

Meeting Agenda

Wednesday, 13 November

08:00 – 10:30 Opening - Joint Session

- **INTRODUCTION/ WELCOME / EXPECTATIONS** [Albert Fischer (GOOS Secretariat/GEOWOW); Toste Tanhua (Chair, GOOS Biogeochem Panel) and, Ian Poiner (Chair GOOS Biology and Ecosystems)]
- **CONTEXT - SETTING THE SCENE** [John Gunn – Co-Chair, GOOS Steering Committee; and Albert Fischer] :
 - GOOS/ FOO/ OOPC/ EOVs/ Readiness/ New GOOS Biology and Biogeochemistry Panels / Pilot Projects + GOOS Regional Alliances / Coastal and Open Ocean/ PICO Plan /International Conventions and Assessments needing sustained ocean observations/ Modelling Needs / GEOWOW, GEO and GEOSS.
- **INTRODUCTION FROM EACH PARTICIPANT** – their role, their research and how it may fit in

10:30 – 11:00 Coffee Break

11:00 – 12:30 Joint Discussion Items

- **CONTEXT – INTRODUCING THE KEY CONCEPTS UNDERPINNING THE WORKSHOP** (which will be explored further in separate Panel sessions)
 - Essential Climate Variables/ Essential Biodiversity Variables – Introduce the concept of requirement driven design of the observing system, guiding the selection of EOVs. [John Gunn / OOPC?]
 - Biology Ecosystem Synthesis Report – brief summary of findings [Dave McKinnon, AIMS]
 - Biogeochemistry Synthesis Report – brief summary of findings [Maciej Telszewski, IOCCP]
 - What are the main scientific questions (or answers) that will provide significant scientific benefit / address societal challenges (that require sustained global ocean observations of biogeochemical and biological variables?) [As background for each Panel to devise a list of requirements eg societal or science driven questions that need sustained monitoring of EOVs to answer].
 - What long term global biology, biogeochemistry and observation systems are already in place, what variables do they measure and why do we need these variables? [keeping in mind the question – **why do we need a time series on EOVs ?**]
 - Global, regional and local existing data systems and information products.

12:30 – 13:30 Lunch [+ National Sea Simulator (Group 1)]

13:30 – 15.30 BGC Panel Separate Session 1 - Defining Requirements / Needs

- Define the **societal needs** for ocean biogeochemical observations (motivate why we should spend time and money on measuring these variables for decades), e.g. climate change, fisheries, health of ecosystems, healthy ocean, tourism, transport etc.
- Define the **science needs** for ocean biogeochemical observations.
- Define requirements for EOVs based on societal and science needs. Come up with a list of requirements, i.e. societal or science driven questions that needs sustained monitoring of biogeochemical variables to answer.

13:30 – 15:30 **Biology Panel Separate Session 1 - Defining Requirements / Needs**

- Understanding what we are trying to achieve – planned outcomes from the Workshop:
 - List of major societal challenges and scientific questions requiring sustained global observations of ocean biological variables.
 - Define and prioritise EOVs including measurement requirements (frequency and resolution)
 - Evaluation of ‘readiness’ of observation systems.
 - For each EOv – what is required to improve current observations?
 - Priority list of potential observation systems for ecosystem EOVs.
 - Candidate pilot projects.

Requirements:

- State of knowledge - Biology Ecosystem Synthesis Report – presentation of findings [Dave McKinnon]
- Define the societal needs for biology/ecosystem observations (why we should spend time and money on measuring these variables for decades), e.g. climate change, fisheries, health of ecosystems, healthy ocean, industry (e.g. tourism, transport etc).
- Define requirements for EOVs based on societal and science needs. Come up with a list of requirements, i.e. societal or science driven questions that needs sustained monitoring of biogeochemical variables to answer.
- What are the types of variables needed for modelling [Andrew Constable ACE CRC]
- What long term global/regional biology observation systems are already in place, what variables do they measure and why?

15:30 – 16:00 **Coffee break**

16:00 – 18:00 **BGC Panel Separate Session 2 - Defining Requirements / Needs - Continued....**

16:00 – 18:00 **Biology Panel Separate Session 2 - Defining Requirements / Needs - Continued....**

- Including initial prioritisation of requirements and define the EOVs that are needed (1st cut)

19:00 **Group Dinner – On-site provided by AIMS**

Thursday, 14 November 2013

08:00 – 8.30 Recap of Day 1 - Joint Discussion/ Cross-Fertilization

08.30 - 10:30 BGC Panel Separate Session 3 - Defining EOVs 1st Take

- What are the types of variables needed for modelling [Modellers to lead a discussion].
- Go through the requirements and define EOVs that are needed for those.

08.30 - 10:30 Biology Panel Separate Session 3 - Defining EOVs 1st Take

- Priority list of requirements and define the EOVs that are needed taking into consideration:
 - Redundancies; and,
 - Likely spatial and temporal resolution.
- EOv observational requirements and an assessment of existing observing system.
- Review the agreed list of EOVs and define spatial and temporal resolution observational requirements.
 - E.g. Spatial resolution: Surface or interior ocean? Coastal or open ocean? At what spatial resolution in those realms?
 - Temporal resolution: Decadal, annual, seasonal, weekly, diurnal?
 - Accuracy and/or precision requirements.
- Ensure the temporal and spatial resolution needs to be tied to the requirements already defined.
- Existing long term global/regional biology observation systems – can they meet any of the identified requirements?
- Evaluate the ‘readiness’ to observe each EOv and recommendations for improvement and/or development.

10:30 – 11:00 Coffee Break

11:00 – 12:30 BGC Panel Separate Session 4 – Priority EOVs

- Assess the EOVs identified. Reduce redundant ones. Make sure EOv spatial and temporal resolution requirements are really needed. Produce a slim list of EOVs, without missing important variables capable of monitoring important processes or trends.

11:00 – 12:30 Biology Panel Separate Session 4 - Priority EOVs

- Priority list of requirements and define the EOVs that are needed taking into consideration:
 - Redundancies; and,
 - Likely spatial and temporal resolution.

12:30 – 13:30 Lunch [+ National Sea Simulator (Group 2)]

13:30 – 15:30 BGC Panel Separate Session 5 - EOv Observational Requirements, and assessment of existing observing systems

“Readiness table”

Go through the identified EOVs and define spatial and temporal resolution requirements.

- Spatial resolution: Surface or interior ocean? Coastal or open ocean. At what spatial resolution in those realms?
- Temporal resolution: Decadal, annual, seasonal, weekly, diurnal?
- Accuracy and/or precision requirements.

The temporal and spatial resolution needs to be tied to the requirements already defined.

Draw on already formulated resolution requirements from existing program plans, e.g. GO-SHIP, Oxygen on Argo, SOCAT

13:30 – 15:30 Biology Panel Separate Session 5 –‘Readiness’

- EOV observational requirements and an assessment of existing observing system.
- Review the agreed list of EOVs and define spatial and temporal resolution observational requirements.
 - E.g. Spatial resolution: Surface or interior ocean? Coastal or open ocean. At what spatial resolution in those realms?
 - Temporal resolution: Decadal, annual, seasonal, weekly, diurnal?
 - Accuracy and/or precision requirements.
- Ensure the temporal and spatial resolution needs to be tied to the requirements already defined.
- Existing long term global/regional biology observation systems – can they meet any of the identified requirements?
- Evaluate the ‘readiness’ to observe each EOV and recommendations for improvement and/or development.

15:30 – 16:00 Coffee break

16:00 – 18:00 BGC Panel Separate Session 6 - EOV Observational Requirements, and assessment of existing observing systems – Continued.....

16:00 – 18:00 Biology Panel Separate Session 6 - Review of EOVs, Readiness and existing observing system.

- Finalise the “Readiness table” - for each EOV agree on:
 - the ‘readiness’ of observation systems
 - what is required to improve current observations.
 - priority list of potential observation systems for ecosystem EOVs

19:00 Group Dinner – On-site provided by AIMS

Friday, 15 November 2013

08:00 – 8.30 Recap of Day 2 - Joint Discussion / Cross-Fertilization

08:30 – 10:30 BGC Panel Separate Session 7 - Reduction of the number of EOVS

- Assess the EOVS identified. Reduce redundant ones. Make sure EOVS spatial and temporal resolution requirements are really needed. We want to produce a slim list of EOVS, without missing important variables capable of monitoring important processes or trends.

08:30 – 10:30 Biology Panel Separate Session 7 – Review of EOVS, Readiness and existing observing systems – Continued....

10:30 – 11:00 Coffee Break

11:00 – 12:30 BGC Panel Separate Session 8 – Pilot Projects

- Potential pilot projects – based on the devised list of priority EOVS, what already exists (eg readiness of observation systems, GRA networks) and what monitoring systems could be established if there was funding?
- Selection of proposals based on the priority candidate EOVS and potential pilot projects.

11:00 – 12:30 Biology Panel Separate Session 8 – Pilot Projects

- Potential pilot projects – based on the devised list of priority EOVS, what already exists (eg readiness of observation systems, GRA networks) and what monitoring systems could be established if there was funding?
- Selection of proposals based on the priority candidate EOVS and potential pilot projects.

12:30 – 13:30 Lunch [+ National Sea Simulator (Group 3)]

13:30 – 15.30 Joint Discussions on Identified EOVS from each Panel

- Sharing the list of EOVS between Panels
- Sharing the ideas for Pilot Projects between Panels
- Discussion on overlap, synergy, redundancy etc.

15:30 – 16:00 Coffee break

16:00 – 18:00 Joint Session - Workshop Summary and Further Steps

- Discussion on overlap, synergy, redundancy, feasibility etc.
- Formulate a 10 year plan for the two GOOS Panels (envisioning a 70% cut in funding, or a 500% increase).
- Funding Discussion to implement the proposed Panel activities: what funding is available, and what are the potential funding bodies/rounds to approach for the funding of the potential proposals based on the list of Candidate EOVS and Pilot Projects.
- Writing the Workshop Report – next steps and due date.
- Next Panel Meetings?

19:00 Group Dinner – On-site provided by AIMS