

KUNGL. FISKERISTYRELSENS
FYRSKEPPSUNDERSÖKNING
ÅR 1950



P120

KUNGL. FISKERISTYRELSSENS
FYRSKEPPSUNDERSÖKNING

ÅR 1950



—

BETRÄFFANDE den plan och metodik, efter vilken observationerna bedrivits, må följande nämnas:

Samtliga observationer äro utförda kl. 8 f. m.

Vindens riktning, angivande den (missvis.) riktning, *varifrån* vinden kommer, iakttages på hela och halva streck, dess styrka uppskattas efter Beauforts 12-gradiga skala.

Mätning av lufttemperaturen sker medelst en lufttermometer, graderad i halva grader (C) av den typ, som användes vid meteorologiska stationer av II. klass.

Vattnets strömhastighet vid ytan och nära botten mätes genom loggning med en i 2-meterslängder uppstucken lina fastsatt vid en mindre flottör i ytan från vilken ett strömkors nedhänger i en tunn lina. Den längd av mätlinan, som löper ut över fartygets reling under 3 min. observeras. Vid större strömhastigheter antecknas tiden för löpning av 100 m lina. Strömhastigheten uträknas i cm/sek. Riktningen observerad vid mätningens avslutande angiver (missvis.) riktning, *varifrån* strömmen kommer.

Vattentemperaturen bestämmes å Östersjöfyrskuppen med användande av omvändningstermometer monterad i svängbar ram och förbunden med en liten oisolerad vattenhämtare för tagning av vattenproven (i allmänhet typ Witting). Å västkustfyrskuppen upptagas vattenprov från de olika observationsdjupen medelst en isolerande vattenhämtare (typ Knudsen), varvid vatt-

nets temperatur avläses å en medföljande djupvattens-termometer (skyddad för vattentrycket).

För att ernå garantier mot användande av felaktiga termometrar insändas alla termometrar med jämna mellanrum för kontroll.

Vattenprov från observationsdjupen tagas på numerade glasflaskor, som insändas för analys. Vattenprovtagning utföres, om vädret tillåter, å västkustfyrskuppen varje dag, å östersjöfyrskuppen den 1, 11 och 21 i varje månad eller intilliggande dagar. Alla salthalter äro titrerade med undantag av dem från Bornö, Svinbådan och de tre övre djupen (0, 5, 10 m) från Vinga och Fladen, som bestämmes ombord med hjälp av Petterssons kedjeareometer.

Samtliga observationer, utförda vid ett fyrskupp, äro sammanförda i en månadstabell. Tabellen innehåller följande uppgifter: vindens riktning och styrka, lufttemperaturen, strömmens riktning och styrka i ytan och nära botten, vattnets temperatur vid de olika djupen samt vattnets salthalt vid samma djup. Vissa extremvärden äro tryckta med fet stil, nämligen vindstyrkan 7 och däröver, minimum och maximumvärden av lufttemperatur varje månad, maximum-värden av strömmen varje månad, minimum och maximum-värden av vattnets temperatur och salthalt varje månad och varje djup.

Göteborg den 10 maj 1951.

F. F. KOCZY

AS to the methods and plans after which observations are carried out, it should be mentioned that:

All observations are made at 8 a. m.

The direction from which the wind comes is observed at whole and half points, its strength being estimated after Beaufort's scale of 12 degrees.

All measurements of the air temperature are made by means of an air thermometer (graduated in half centigrades) of the type being used at meteorological stations class No. 2.

The speed of current at the surface and near the bottom is measured by logging with a line marked every 2 meters. The length of the line which is payed out over the ship's railing during 3 minutes is observed. In case of greater current speeds, the time for paying out 100 meters of rope is recorded. The current speed is given in cm/sec. The direction observed at the end of the measurement shows the direction from which the current comes.

The water temperature at the light-vessels in the Baltic is determined by reversing thermometers mounted in a rotating frame and connected to a small unisolated water-bottle for taking the water samples (generally type Witting). At the light-vessels of the West Coast, water samples from the different observation depths are taken with the aid of an isolated water-bottle (type Knudsen) provided with a deep-sea thermometer (protected against the water pressure) on which the water temperature is read.

In order to control the accuracy of the thermometers, they are checked at frequent intervals.

Water samples from the observation depths are put into numbered glass bottles which are sent to the laboratory for analysis. The taking of water samples is carried out according to the weather, on the light-vessels of the West Coast each day, on the light-vessels in the Baltic the 1st, 11th and 21st of each month if possible. All examinations concerning salinity are made by titration, that is with the exception of samples from Bornö, Svinbådan and the upper three depths (0, 5, 10 m) from Vinga and Fladen, which are examined by areometer.


All observations carried out on a light-vessel are put together in a monthly table, containing the following specifications:

Direction and strength of wind,
temperature of air,
direction and strength of the current at the surface and near the bottom,
water temperature at the different depths as well as the salinity at the same depths.

Certain extreme values are printed in bold types, e. g. the strength of wind 7 or more, the minimum and maximum value of air temperature each month, the maximum value of current each month, the minimum and maximum value of the water temperature and salinity each month and at each depth.

Göteborg, May 10th, 1951.

F. F. KOCZY



Positioner för svenska observerande fyrskepp.

SYDOSTBROTEN

63° 19' 00" N

20° 11' 00" E

Januari

Observatör: Sven W. Ståhl

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
				0 m		45 m		0 m	5 m	10 m	20 m	30 m	45 m	0 m	5 m	10 m	20 m	30 m	45 m
	Riktn.	Styrka		Riktn.	cm/sek.	Riktn.	cm/sek.												
1	ENE	1	—3,0	ENE	6	N	6	3,7											
2	ESE	6	—8,8	NE	7	NW	7	3,2											
3	E	5	—9,6	ENE	12	N	9	2,7											
4	NNE	4	—11,3	SE	11	SE	8	2,5											
5	N	3	—12,9	S	4	SSE	5	2,5											
6	E	2	—15,6	SW	4	—	0	2,0											
7	ESE	3	—11,5	NE	3	ENE	3	2,0											
8	SSE	6	—7,0	NE	9	N	8	1,8											
9	ENE	4	—12,6	SSE	6	ENE	7	1,7											
10	NNE	1	—15,8	NNE	3	—	0	1,5											
11																			
12																			
13																			
14																			
15																			
16																			
17																			
18																			
19																			
20																			
21																			
22																			
23																			
24																			
25																			
26																			
27																			
28																			
29																			
30																			
31																			
Medeltal																			

SYDOSTBROTEN

63° 19' 00" N

20° 11' 00" E

Maj

Observatör: Sven W. Ståhl

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
				0 m		45 m		0 m	5 m	10 m	20 m	30 m	45 m	0 m	5 m	10 m	20 m	30 m	45 m
	Riktn.	Styrka		Riktn.	cm/sek.	Riktn.	cm/sek.												
1																			
2																			
3																			
4																			
5	NE	3	4,3	NE	11	ENE	7	4,2	4,0	1,5	1,0	1,0	1,0						
6	SW	1	5,2	SW	4	S	3	4,6											
7	ENE	4	8,0	SE	25	SSE	14	5,0	4,6	1,2	1,0	1,0	1,0						
8	ENE	1	6,0	WSW	6	SW	7	5,0											
9	N	2	8,4	SW	4	—	0	5,2	4,2	1,2	1,0	1,0	1,0						
10	NNW	2	10,0	NE	7	ESE	4	5,4											
11	NW	2	11,2	N	13	N	5	5,4	5,6	2,8	1,4	1,0	1,0	4,54	5,10	5,48	5,84	5,93	5,93
12	W	3	9,8	NE	19	NE	10	5,6											
13	W	3	9,2	WSW	11	SW	8	6,0	6,0	4,4	1,6	1,0	1,0						
14	W	4	6,3	SSE	6	S	4	6,0											
15	N	3	9,2	E	32	SE	22	6,2	6,4	5,8	1,4	1,4	1,4						
16	WSW	3	6,2	NE	5	E	4	6,2											
17	ENE	3	5,0	ESE	10	E	7	5,8	5,8	5,0	1,3	1,3	1,4						
18	NNE	1	10,0	NE	6	—	0	6,0											
19	NE	4	7,6	ENE	7	NE	5	6,4	5,6	5,6	1,4	1,3	1,3						
20	NE	1	9,3	ESE	4	—	0	6,6											
21	N	1	13,0	NNE	12	E	6	6,8	6,0	5,6	2,6	1,6	1,4	3,82	4,00	4,16	5,68	5,79	5,86
22	NE	1	8,0	—	0	—	0	7,1											
23	SW	2	9,5	SW	4	SSW	4	5,8	5,4	5,4	4,2	1,8	1,6						
24	WNW	4	6,4	SW	7	W	8	6,2											
25	WNW	3	7,0	WNW	5	W	3	6,2	6,8	6,0	2,2	1,6	1,6						
26	S	2	6,9	—	0	S	5	6,8											
27	WNW	5	5,2	S	23	SW	9	7,0	7,0	7,0	2,2	1,4	1,6						
28	SE	5	7,7	SW	8	SW	10	7,0											
29	SE	2	8,0	—	0	SSE	3	7,2	7,2	7,0	2,0	1,6	1,6						
30	SE	3	6,2	SE	12	ESE	11	7,0											
31	NNW	6	6,8	SSE	42	SE	24	6,8	6,6	6,5	5,3	3,6	2,8						
Medeltal																			

SYDOSTBROTEN

63° 19' 00" N

20° 11' 00" E

Juni

Observatör: Sven W. Ståhl

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰						
			0 m		40 m		0 m	5 m	10 m	20 m	30 m	40 m	0 m	5 m	10 m	20 m	30 m	40 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.													
1	NW	6	8,0	S	22	S	14	6,8	6,8	6,6	5,4	3,4	2,8	4,57	4,57	4,65	5,31	5,69	5,83
2	SW	3	7,3	S	6	ESE	8	7,0											
3	WSW	2	8,4	ENE	11	E	8	7,4	7,0	6,5	5,6	3,3	2,3						
4	—	0	10,6	SW	11	SE	9	7,9											
5	WSW	2	10,5	WNW	9	SW	6	8,3	8,0	6,0	3,6	3,0	1,8						
6	WNW	3	12,0	SE	6	S	5	8,2											
7	SSE	2	11,8	—	0	S	4	8,0	8,0	6,0	3,8	3,0	2,0						
8	WSW	4	10,9	WSW	18	SSW	10	8,3											
9	NNW	2	9,4	N	4	—	0	8,3	8,4	8,0	4,0	2,8	2,2						
10	NW	6	8,3	SSE	22	SE	15	8,6											
11	N	3	10,2	ENE	30	NE	17	8,4	8,4	8,4	4,6	2,6	1,2	4,20	4,20	4,30	5,73	5,84	5,92
12	NNW	3	11,4	N	12	NW	9	8,4											
13	N	1	13,8	—	0	NNW	5	9,0	8,6	8,4	4,4	2,7	2,0						
14	NE	2	11,5	ESE	4	NNE	6	9,2											
15	ENE	2	11,5	SE	6	S	5	9,6	9,6	8,8	3,8	2,6	1,9						
16	NE	2	13,0	ENE	16	SE	11	9,8											
17	SSE	2	9,4	SE	22	SE	18	10,6	10,6	9,8	3,8	2,0	2,0						
18	SSW	2	11,0	SE	9	SSW	12	11,0											
19	S	2	13,2	SW	21	WSW	17	11,6	10,4	10,4	3,6	2,0	1,9						
20	SW	4	11,2	SSW	15	SW	6	12,4											
21	SW	1	13,4	SW	23	SW	7	13,6	11,2	9,8	5,0	2,0	1,9	4,06	4,91	5,00	5,66	5,83	5,93
22	—	0	15,3	S	11	SE	5	13,4											
23	ESE	2	16,0	SE	6	SE	13	13,4	11,6	10,6	3,6	2,0	1,9						
24	S	4	12,5	S	15	S	9	13,4											
25	NNE	2	15,0	NE	23	ENE	13	13,2	13,2	10,6	4,0	2,2	2,0						
26	NE	2	15,4	ESE	7	ENE	6	13,6											
27	N	1	17,0	SSE	13	E	8	14,2	14,0	10,8	3,8	2,2	1,9						
28	ENE	2	21,0	—	0	S	4	14,5											
29	NNE	3	17,6	S	6	SW	4	14,6	14,6	11,6	3,2	2,0	1,9						
30	SSE	1	15,4	SW	21	SW	14	14,6											
31																			
Medeltal			12,4					10,6	10,0	8,8	4,1	2,5	2,0						

SYDOSTBROTEN

63° 19' 00" N

20° 11' 00" E

Juli

Observatör: Sven W. Ståhl

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰						
			0 m		40 m		0 m	5 m	10 m	20 m	30 m	40 m	0 m	5 m	10 m	20 m	30 m	40 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.													
1	SSE	4	14,6	S	42	SSW	33	15,2	15,2	10,2	3,4	2,2	2,1	4,89	4,89	4,96	5,60	5,81	5,81
2	W	3	14,8	N	13	WNW	9	14,9											
3	N	3	17,4	S	6	SW	6	14,4	14,4	13,9	3,6	2,3	2,1						
4	N	5	15,2	SE	7	SE	6	14,4											
5	N	3	14,2	NE	21	ESE	15	14,4	14,2	14,0	3,8	2,3	2,0						
6	NNE	3	15,2	NE	12	ENE	11	14,2											
7	NNE	4	15,0	NNW	10	NNE	7	14,2	14,2	14,2	4,8	2,0	2,0						
8	N	7	8,4	SW	17	SE	9	14,2											
9	NNW	5	11,0	S	23	SSE	15	14,0	14,2	13,8	4,6	2,3	2,0						
10	N	4	12,4	NW	10	W	8	13,0											
11	NE	4	13,6	ENE	8	E	6	12,2	12,2	11,4	4,8	2,8	2,2	3,88	3,88	4,26	5,41	5,67	5,84
12	NE	2	13,7	ENE	4	NW	6	12,2											
13	S	1	13,2	S	28	SW	21	12,8	13,8	13,2	5,0	2,8	2,4						
14	NE	2	17,3	SSE	21	SE	11	14,8											
15	NE	2	17,4	ENE	12	N	9	15,8	15,0	13,8	4,6	2,8	2,2						
16	NE	2	17,0	SE	5	S	4	15,4											
17	SE	1	16,5	S	6	—	0	15,4	14,6	14,0	4,6	3,2	2,2						
18	S	1	16,6	S	11	SSW	4	15,4											
19	SE	1	16,0	S	3	—	0	16,4	14,8	12,6	5,6	3,8	2,2						
20	NNW	2	15,6	SSW	6	SSW	5	16,4											
21	NNE	2	19,8	SSW	7	SSW	7	16,6	14,8	13,8	6,0	3,2	2,4	4,04	4,22	4,49	5,58	5,79	5,90
22	S	1	16,5	—	0	SW	3	16,8											
23	S	3	17,4	W	15	SSW	7	17,0	15,8	15,2	3,8	3,0	2,2						
24	EtS	4	17,0	SE	27	SW	18	16,8											
25	NE	1	16,2	WSW	19	W	14	17,0	17,0	16,4	4,4	3,4	2,2						
26	WNW	3	16,2	WSW	11	SW	8	17,0											
27	ENE	4	15,0	WSW	16	S	11	16,6	16,6	16,6	4,9	3,5	2,2						
28	E	3	15,0	S	13	S	9	16,4											
29	NE	3	17,3	NW	27	WSW	17	16,4	16,4	16,4	7,0	2,8	2,4						
30	NE	2	18,0	NW	10	SW	6	16,8											
31	NE	2	19,0	ENE	11	NNW	8	17,0	16,8	16,4	7,8	2,6	2,4						
Medeltal			15,6					15,3	15,0	14,1	4,9	2,8	2,2						

SYDOSTBROTEN

63° 19' 00" N

20° 11' 00" E

Augusti

Observatör: Sven W. Ståhl

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰						
			0 m		40 m		0 m	5 m	10 m	20 m	30 m	40 m	0 m	5 m	10 m	20 m	30 m	40 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.													
1	SE	1	17,4	ESE	5	—	0	17,4	16,2	16,4	9,0	2,8	2,4	4,03	4,03	4,06	5,36	5,81	5,97
2	NNE	1	22,4	NNE	4	SE	3	17,8											
3	WNW	1	18,4	NW	3	—	0	18,2	17,4	16,8	5,8	2,8	2,4						
4	NNE	2	20,4	ENE	7	E	6	18,0											
5	NE	3	18,0	ENE	8	NE	4	18,2	17,8	17,6	7,0	2,7	2,4						
6	ENE	1	17,0	—	0	ENE	3	18,4											
7	SSE	2	18,2	—	0	NW	5	18,4	18,2	18,0	6,8	2,8	2,5						
8	ENE	2	18,0	NE	7	WNW	6	18,2											
9	—	0	24,6	SW	4	ENE	4	18,4	18,2	18,0	7,0	2,8	2,5						
10	SSW	3	19,0	SW	11	SW	6	19,0											
11	SSE	5	19,0	SW	9	NW	6	19,0	18,8	17,5	7,2	2,8	2,5	3,75	3,75	4,02		5,85	5,91
12	S	5	19,2	WSW	11	WNW	6	19,3											
13	SSE	5	17,2	SW	12	NW	7	18,9	18,6	18,0	10,0	3,5	3,0						
14	S	6	16,1	S	8	S	4	18,2											
15	NE	1	17,0	ESE	6	ENE	3	18,2	18,0	17,8	10,5	3,5	3,0						
16	S	4	18,0	W	3	NNW	3	18,2											
17	SE	3	18,6	NNW	17	N	14	18,4	18,2	18,0	7,4	3,2	3,0						
18	N	3	19,1	S	3	—	0	18,4											
19	ESE	3	19,1	—	0	NE	3	18,8	18,6	18,4	8,2	3,4	3,0						
20	SSE	2	19,0	—	0	NE	3	18,9											
21	NNE	7	16,8																
22	NNE	5	15,1	NNE	11	NNW	7	18,0	17,9	17,8	7,8	3,3	2,8	3,97	3,97	4,10	5,41	5,77	5,82
23	N	5	14,6	NE	13	SE	6	17,8	17,6	17,4	9,0	3,5	3,0						
24	N	4	15,0	NE	11	E	7	17,4											
25	SE	3	13,8	SE	17	S	6	17,3	17,2	17,0	7,0	3,8	3,2						
26	SSE	3	15,3	SE	5	S	4	17,0											
27	SSW	4	15,6	SW	6	NW	3	17,0	17,0	16,8	7,0	3,7	3,1						
28	S	5	16,2	SSW	33	SSW	14	16,4											
29	N	5	15,0	SW	10	S	4	16,6	16,5	16,4	11,0	3,5	2,8						
30	NNE	3	19,3	—	0	SW	4												
31	NNW	7	14,1	NNW	18	N	7	16,5	16,4	16,6	11,3	3,8	3,3						
Medeltal			17,7					18,0	17,7	17,4	8,3	3,2	2,8						

SYDOSTBROTEN

63° 19' 00" N

20° 11' 00" E

September

Observatörer: H. Nordin o. Sven W. Ståhl

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰						
			0 m		40 m		0 m	5 m	10 m	20 m	30 m	40 m	0 m	5 m	10 m	20 m	30 m	40 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.													
1	NNE	7	13,0	NNE	17	N	8	15,6	15,6	15,4	11,5	3,8	3,3	4,20	4,20	4,20	4,25	5,51	
2	NNE	7	12,6	NE	7	—	0	15,6											
3	ENE	2	13,2	NE	4	—	0	15,6	15,6	15,6	12,2	3,4	3,0						
4	ESE	2	13,6	—	0	—	0												
5	SE	3	13,4	SW	3	NW	5	15,2	15,0	15,0	9,8	4,0	2,8						
6	SE	5	11,3	SSE	28	SW	11	15,0											
7	ESE	7	10,9																
8	SE	8	12,6																
9	NE	7	9,9																
10	NW	3	9,8	ENE	5	NW	4	12,8	12,8	12,6	7,4	5,0	3,4						
11	W	2	11,6	WSW	8	WSW	6	13,4	13,2	12,8	8,0	4,6	3,0	4,33	4,34	4,37	4,91	5,68	5,93
12	NW	2	11,4	NE	9	E	6	13,0											
13	W	2	11,2	NE	12	ENE	7	12,0	11,8	11,8	8,2	3,4	2,8						
14	WSW	3	11,2	NE	6	SE	8	12,4											
15	WSW	3	15,3	ENE	37	ENE	28	12,4	12,4	12,4	9,8	4,0	3,2						
16	SE	3	12,0	NNE	10	ENE	11	12,2											
17	WNW	7	11,1	ENE	11	NNE	10	12,0	12,0	11,8	10,0	4,6	2,8						
18	SSE	3	12,0	ESE	18	E	12	12,0											
19	SSE	2	12,1	SE	6	SE	4	12,2	12,2	12,0	9,8	4,0	3,0						
20	N	3	10,6	E	4	NE	6	12,2											
21	WSW	2	11,2	N	12	NNW	5	12,4	12,4	12,2	11,0	4,2	3,2	4,72	4,71	4,71	5,31	5,75	5,84
22	S	2	12,0	—	0	NNW	4	12,0											
23	NE	1	11,6	ENE	17	E	8	11,6	11,6	12,0	11,4	3,8	3,2						
24	N	5	10,0	NNE	24	NNE	16	11,8											
25	N	3	9,3	NE	8	NE	11	11,8	11,8	11,6	11,8	4,2	3,0						
26	E	2	10,8	W	5	N	6	11,9											
27	NNE	5	9,4	NE	9	NNW	6	11,6	11,4	11,4	10,0	4,0	3,0						
28	SSW	3	9,0	WSW	11	WNW	9	11,2											
29	W	4	8,4	W	10	WNW	4	11,2	11,4	11,4	9,8	3,8	3,0						
30	W	7	9,2	NNE	26	ENE	18	10,8											
31																			
Medeltal		11,3						12,7	12,8	12,7	10,1	4,1	3,1						

SYDOSTBROTEN

63° 19' 00" N 20° 11' 00" E 1950
 Oktober Observatör: Sven W. Ståhl

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰						
			0 m		40 m		0 m	5 m	10 m	20 m	30 m	40 m	0 m	5 m	10 m	20 m	30 m	40 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.													
1	SSE	2	10,2	—	0	WSW	4	10,2	10,2	10,2	10,2	3,8	3,4	4,82	4,81	4,83	5,23	5,79	5,86
2	SSE	7	10,2	S	12	SW	9	10,2											
3	S	8	10,8																
4	WNW	4	9,6	ENE	12	ENE	8	10,0	10,1	10,1	10,1	6,6	4,2						
5	NW	5	6,9	NW	4	N	6	10,0	10,2	10,2	9,8	5,8	4,0						
6	SSW	8	11,2																
7	S	8	10,9																
8	SSW	8	10,8																
9	StE	5	10,9	SSE	11	S	12	10,0	10,0	10,0	10,0	9,6	9,2						
10	SW	5	8,0	SW	9	WNW	6	10,0											
11	SW	5	8,4	WSW	20	S	5	10,0	10,2	10,2	10,2	10,4	10,4	5,40	5,38	5,40	5,40	5,40	5,41
12	NW	4	6,2	SW	7	SE	5	10,2											
13	NNE	5	6,8	ESE	9	SE	7	10,2	10,2	10,2	10,0	10,0	10,0						
14	NE	5	6,2	SW	9	S	5	10,1											
15	SSE	8	7,5																
16	SSE	6	9,7	N	12	N	12	9,8											
17	S	7	9,0	NW	11	NW	6	9,8	9,8	9,8	9,8	10,4	10,2						
18	SSW	2	8,2	NE	13	NNE	12	9,2											
19	S	1	6,3	NE	4	NW	6	9,0	9,0	9,0	10,4	10,4	10,2						
20	SE	7	7,8	S	7	SW	6	9,4											
21	NNW	4	5,0	SE	24	ESE	11	9,4	9,4	9,4	9,5	9,4	9,8	5,36	5,36	5,41	5,36	5,40	5,46
22	NNW	8	4,5	ENE	7	E	4	9,2											
23	N	3	3,2	NNE	5	E	3	9,2	9,2	9,2	9,4	9,3	9,2						
24	NNW	4	3,0	—	0	NW	4	9,0											
25	SE	1	5,0	ENE	6	N	4	8,8	9,0	9,2	9,4	9,4	9,6						
26	SSE	2	5,0	ESE	8	E	5	8,2											
27	SSE	4	4,4	SW	10	SW	6	8,0	8,0	8,2	8,6	8,4	8,8						
28	NE	2	4,8	S	21	ESE	10	7,8											
29	ENE	4	3,0	SSE	12	S	9	7,8	8,0	8,0	8,0	8,0	8,2						
30	SE	3	4,0	SE	11	SE	7	7,8											
31	SE	4	4,3	SSE	6	SSE	4	7,8	8,0	8,0	8,0	8,5	8,7						
Medeltal			7,2					9,3	9,4	9,4	9,5	8,6	8,3						

SYDOSTBROTEN

63° 19' 00" N 20° 11' 00" E 1950
 November Observatörer: Sven W. Ståhl o. H. Nordin

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
				0 m		40 m		0 m	5 m	10 m	20 m	30 m	40 m	0 m	5 m	10 m	20 m	30 m	40 m
	Rikt. n.	cm/sek.		Rikt. n.	cm/sek.														
1	SE	1	5,4	SSW	6	S	4	7,8	7,6	7,6	7,8	8,3	8,5	5,10	5,10	5,10	5,15	5,41	5,49
2	NW	1	5,7	NW	4	S	3	7,6											
3	ENE	2	5,4	ESE	8	SE	4	7,5	7,6	7,6	7,8	8,4	8,7						
4	ENE	3	4,5	ENE	8	E	6	7,4											
5	SW	2	5,0	WNW	4	N	3	7,5	7,6	7,6	7,8	8,1	8,3						
6	N	1	0,9	S	12	S	8	7,3											
7	NE	8	2,2																
8	ENE	9	2,4																
9	SE	4	1,2	SSE	32	S	19	7,0	7,0	7,1	7,1	7,1	7,1						
10	SE	2	2,2	SE	28	SSE	13	6,2											
11	SE	4	4,2	SE	22	S	9	6,0	6,0	6,0	6,6	7,2	7,2	5,01	5,01	5,01	5,04	5,30	5,75
12	NW	6	3,1	N	30	NNE	18	6,4											
13	ESE	7	2,6	SE	8	SSE	6	6,2	6,2	6,2	6,4	6,8	6,6						
14	SE	3	4,5	SE	11	ESE	6	6,2											
15	W	1	2,8	NNE	6	E	5	6,0	6,0	6,2	6,4	6,4	6,2						
16	SW	1	2,8	NW	4	N	3	5,8											
17	NW	2	1,2	NW	6	N	4	5,8	6,0	6,0	6,2	6,2	6,0						
18	WSW	1	1,2	W	9	NW	6	5,6											
19	—	0	1,0	N	3	ENE	4	5,1	5,3	6,0	5,8	5,2	4,8						
20	S	3	3,4	SW	4	W	3	5,4											
21	SE	6	2,0	SE	12	SSE	7	5,6	5,6	6,0	6,0	6,0	5,2	5,65	5,65	5,66	5,74	5,75	5,75
22	E	8	1,6																
23	SSE	5	5,0	SSE	17	S	11	5,6	5,6	5,6	5,6	5,8	5,8						
24	SSE	8	3,8																
25	SW	4	3,2	NW	9	NNE	8	5,6	5,6	5,6	5,6	5,2	5,2						
26	WSW	3	2,5	NW	6	N	4	5,4											
27	W	3	2,5	NNW	13	NNE	7	5,4	5,4	5,4	5,4	5,2	5,2						
28	W	5	5,0	N	14	NE	8	5,0											
29	N	5	0,0	NNE	15	NE	10	4,8	4,9	5,0	5,2	5,2	5,2						
30	NNE	5	5,0	NNE	9	NE	6	5,0											
31																			
Medeltal			2,9					6,1	6,2	6,3	6,4	6,5	6,4						

SYDOSTBROTEN

63° 19' 00" N

20° 11' 00" E

December

Observatörer: H. Nordin o. Sven W. Ståhl

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
			0 m		40 m		0 m	5 m	10 m	20 m	30 m	40 m	0 m	5 m	10 m	20 m	30 m	40 m
			Rikt. Rikt.	cm/sek.	Rikt. Rikt.	cm/sek.												
1	SE	8	—0,4															
2	WSW	2	1,4	NW	6	NE	4	4,6	4,6	4,8	4,8	5,2	5,0	5,64	5,65	5,71	5,71	5,72
3	WSW	3	—0,8	SW	4	SE	4	4,6	4,6	4,7	4,7	5,0	5,0					
4	SSW	3	1,0	SSW	7	SE	6	4,4										
5	SW	3	0,8	NE	4	ENE	6	4,3	4,5	4,5	4,7	4,9	5,0					
6	—	0	0,0	NE	9	NE	7	4,2										
7	NE	3	—4,5	NNE	12	N	4	4,2	4,4	4,4	4,6	4,8	4,8					
8	ENE	2	—5,4	—	0	E	6	4,0										
9	SW	7	3,6	NE	11	ENE	8	4,0	4,2	4,5	4,6	4,7	4,8					
10	S	5	3,6	SW	8	NW	7	4,2										
11	SSW	8	4,5															
12	SSE	7	3,0	N	12	NE	9	4,2	4,2	4,4	4,6	4,8	4,8	5,65	5,65	5,69	5,89	5,90
13	S	8	3,5															
14	StW	6	3,4	ENE	21	NE	13	4,2										
15	SE	6	2,2	NE	18	NE	10	4,4	4,4	4,4	4,5	4,4	4,4					
16	ESE	3	3,2	ENE	8	NE	9	4,2										
17	SE	3	2,5	SE	6	ESE	5	4,2	4,2	4,3	4,4	4,4	4,2					
18	SE	4	3,8	SW	6	SE	4	4,0										
19	SSE	5	3,6	WNW	10	NW	7	3,5	4,2	4,2	4,3	4,3	4,3					
20	SW	4	2,0	NNE	8	NNW	7	3,3										
21	SW	1	—3,4	WSW	11	SW	6	2,2	3,8	4,2	4,2	4,2	4,2	5,38	5,66	5,68	5,86	5,91
22	NE	2	—1,0	WNW	16	W	12	2,4										
23	NW	2	—4,7	NW	8	NNW	5	3,0	3,8	4,0	4,0	4,2	4,2					
24	—	0	—3,2	—	0	SE	4	3,7										
25	NE	3	—3,8	ENE	10	NE	6	3,2	3,7	4,0	4,0	4,0	4,0					
26	NE	6	—3,8	N	12	N	7	3,4										
27	NW	2	—5,4	NNW	24	N	12	3,6	3,8	3,6	3,8	3,8	3,8					
28	NNE	3	—3,8	NNE	6	NE	4	3,0										
29	NNE	7	—7,4	WNW	11	N	7	2,5	2,6	2,6	3,6	3,6	3,6					
30	NNW	3	—8,0	N	8	NNW	5	2,2										
31	—	0	—8,0															
Medeltal								3,7	4,1	4,2	4,3	4,5	4,4					

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

Januari

Observatör: K. A. Engdahl

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m
			Rikt. Rikt.	cm/sek.	Rikt. Rikt.	cm/sek.												
1	S	1	0,2	—	0	—	0	2,7	2,7	2,8	2,8	2,8	2,8	5,88	5,88	5,88	5,88	5,88
2	SE	5	1,5	S	12	—	0	2,7										
3	NE	6	—4,4	S	4	S	7	2,6	2,6	2,6	2,6	2,6						
4	E	4	—8,4	NE	6	NE	7	2,5										
5	NtE	6	—9,2	NE	21	NE	14	2,3	2,4	2,4	2,4	2,0	1,4					
6	ENE	4	—10,9	NE	18	NE	14	2,2										
7	ESE	3	—5,1	—	0	—	0	2,1	2,1	2,2	2,2	2,2	2,2					
8	SSW	6	—3,6	SSW	30	SSW	18	1,8										
9	ENE	6	—6,6	N	17	N	16	1,7	1,6	1,6	1,6	1,4	1,4					
10	ENE	3	—11,2	NE	9	NE	6	1,8										
11	SWtS	6	—4,0	SW	21	SW	19	1,8	1,8	1,8	1,8	0,9	0,9	5,81	5,84	5,81	5,81	5,84
12	SW	7	—4,2	WSW	28	WSW	20	0,2										
13	WtS	3	0,8	NW	16	NNW	16	1,2	1,2	1,2	1,2	1,3						
14	NtW	3	1,9	NNW	16	NNW	12	1,4										
15	WSW	1	0,0	—	0	—	0	1,8	1,7	1,7	1,7	1,7	1,9					
16	E	8	—4,8															
17	EtS	2	—8,4	ENE	14	—	0	1,2	1,2	1,2	1,2	1,2	1,2					
18	ESE	1	—7,6	—	0	—	0	0,9										
19	WSW	8	—6,3															
20	NW	2	1,5	NNW	28	NNW	30	0,9										
21	NNW	3	3,0	N	12	N	13	1,0	1,2	1,2	1,2	1,1	1,1	5,80	5,80	5,80	5,81	5,81
22	SSW	1	0,8	—	0	—	0	1,2										
23	SSW	1	1,2	—	0	—	0	1,3	1,4	1,4	1,4	1,4	1,5					
24	NWtW	1	0,0	—	0	—	0	1,2										
25	SWtW	6	0,2	SW	8	SW	7	1,3	1,4	1,4	1,4	1,4	1,4					
26	ENE	3	1,2	NNE	18	NNE	23	1,1										
27	NE	3	0,4	E	4	—	0	1,2	1,2	1,2	1,2	1,4	1,4					
28	NNE	2	—0,2	N	14	N	4	1,2										
29	N	7	—1,0	N	28	N	18	1,2	1,2	1,2	1,2	1,2	1,4					
30	E	6	—5,8	ENE	22	ENE	23	1,3										
31	NE	2	—3,5	—	0	—	0	1,0	1,0	1,0	1,2	1,2	1,2					
Medeltal			—3,0					1,5	1,6	1,7	1,7	1,6	1,6					

FINNGRUNDET

61° 04' 00" N
Februari
Observatör: K. A. Engdahl
18° 41' 00" E
1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m
			Rikt. Rikt.	cm/sek.	Rikt. Rikt.	cm/sek.												
1	ESE	3	—	0	NNE	10	1,0	1,0	1,0	1,2	1,2	1,2	5,70	5,70	5,70	5,70	5,70	5,73
2	S	4	—	10	—	0	1,1	—	—	—	—	—	—	—	—	—	—	—
3	StW	6	—	18	S	9	0,6	0,6	0,6	0,6	0,8	0,8	—	—	—	—	—	—
4	SW	6	0,6	WSW	19	W	0,6	—	—	—	—	—	—	—	—	—	—	—
5	SW	3	1,2	NW	16	NW	0,6	0,6	0,6	0,6	0,6	0,6	—	—	—	—	—	—
6	SW	3	0,8	SW	8	SW	0,6	—	—	—	—	—	—	—	—	—	—	—
7	NW	1	0,3	—	0	—	0,5	0,5	0,5	0,6	0,6	0,6	—	—	—	—	—	—
8	W	3	0,8	—	0	N	0,4	—	—	—	—	—	—	—	—	—	—	—
9	SE	3	—	7	—	0	0,6	0,7	0,7	0,8	0,8	0,8	—	—	—	—	—	—
10	E	1	0,4	NNE	6	—	0,5	—	—	—	—	—	—	—	—	—	—	—
11	ESE	3	0,2	N	14	NNE	0,8	0,8	0,8	0,8	0,8	0,8	5,66	5,66	5,63	5,63	5,66	5,66
12	NEtE	3	—	0	—	0	0,9	—	—	—	—	—	—	—	—	—	—	—
13	SE	2	—	0	—	0	0,9	0,9	0,9	0,9	0,9	1,1	—	—	—	—	—	—
14	NNE	7	—	29	NE	19	0,9	—	—	—	—	—	—	—	—	—	—	—
15	NW	3	—	27	E	23	0,7	0,7	0,7	0,7	0,7	0,8	—	—	—	—	—	—
16	SWtS	1	—	0	—	0	0,5	—	—	—	—	—	—	—	—	—	—	—
17	StE	6	0,4	S	14	SSW	0,7	0,7	0,7	0,7	0,7	0,7	—	—	—	—	—	—
18	SWtW	1	1,2	—	0	—	0,6	—	—	—	—	—	—	—	—	—	—	—
19	SWtS	4	0,3	SW	21	SW	0,8	0,8	0,8	0,8	0,8	0,8	—	—	—	—	—	—
20	WSW	3	0,2	SW	12	—	0,8	—	—	—	—	—	—	—	—	—	—	—
21	NtW	4	0,4	N	15	N	0,7	0,7	0,7	0,7	0,7	0,7	5,59	5,59	5,59	5,59	5,59	5,61
22	SW	6	—	13	—	0	0,6	—	—	—	—	—	—	—	—	—	—	—
23	NWtW	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	WNW	6	0,2	NW	18	NW	0,4	—	—	—	—	—	—	—	—	—	—	—
25	W	5	—	21	N	33	0,5	0,5	0,4	0,4	0,5	0,5	—	—	—	—	—	—
26	N	5	—	23	N	21	0,6	—	—	—	—	—	—	—	—	—	—	—
27	WtS	1	—	0	—	0	0,4	0,4	0,4	0,4	0,4	0,5	—	—	—	—	—	—
28	SSW	4	—	0	—	0	0,3	—	—	—	—	—	—	—	—	—	—	—
29																		
30																		
31																		
Medeltal			—1,0				0,7	0,7	0,7	0,7	0,7	0,8						

FINNGRUNDET

61° 04' 00" N
Mars
Observatör: K. A. Engdahl
18° 41' 00" E
1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m
			Rikt. Rikt.	cm/sek.	Rikt. Rikt.	cm/sek.												
1	NEtE	3	—	0	—	0	0,2	0,2	0,2	0,4	0,4	0,4	5,59	5,59	5,59	5,59	5,61	5,63
2	EtS	1	—	0	—	0	0,2	—	—	—	—	—	—	—	—	—	—	—
3	SSW	6	—	41	SSW	6	0,2	0,2	0,2	0,2	0,2	0,2	—	—	—	—	—	—
4																		
5																		
6																		
7																		
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		
16																		
17																		
18																		
19																		
20																		
21																		
22																		
23																		
24	SSW	4	1,9	SW	10	SW	0,3	—	—	—	—	—	—	—	—	—	—	—
25	NNW	1	0,8	—	0	—	0,4	0,4	0,4	0,5	0,5	0,6	—	—	—	—	—	—
26	SWtS	1	1,6	—	0	—	0,4	—	—	—	—	—	—	—	—	—	—	—
27	WtN	4	2,8	W	6	—	0,6	0,6	0,6	0,6	0,6	0,6	—	—	—	—	—	—
28	NNW	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29	W	4	1,7	—	0	N	0,7	0,7	0,7	0,7	0,7	0,7	—	—	—	—	—	—
30	NW	4	1,0	NW	10	N	0,7	—	—	—	—	—	—	—	—	—	—	—
31	WSW	4	2,0	NW	9	—	0,8	0,8	0,8	0,8	0,8	0,8	—	—	—	—	—	—
Medeltal																		

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

April

Observatör: K. A. Engdahl

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m
				Riktn.	cm/sek.	Riktn.	cm/sek.												
1	SW	5	3,0	W	14	WSW	12	0,8	0,8	0,8	0,8	0,8	0,8		5,41	5,41	5,41	5,48	5,45
2	SSW	4	2,1	—	0	—	0	0,8											
3	StW	4	2,6	WNW	5	—	0	1,0	1,0	1,0	0,9	0,9	0,9						
4	SSW	2	2,1	—	0	N	3	1,0											
5	NNW	4	1,4	N	16	NNE	18	1,0	1,0	1,0	0,9	0,8	0,8						
6	WNW	1	1,4	—	0	NNE	7	1,2											
7	SSE	1	3,0	—	0	—	0	1,3	1,2	1,2	1,2	1,2	0,9						
8	S	5	1,6	—	0	—	0	1,0											
9	StE	8	2,6	—															
10	S	5	2,6	NNW	11	NNW	21	1,1											
11	SSE	5	1,8	S	10	SSW	18	1,1	1,1	1,1	1,1	1,1	1,1	5,30	5,34	5,34	5,34	5,34	5,34
12	SSE	5	2,4	S	11	SSW	13	1,2											
13	S	4	2,3	SW	8	NW	4	1,4	1,4	1,4	1,4	1,4	1,4						
14	ENE	2	1,8	—	0	—	0	1,4											
15	W	4	2,4	N	12	N	13	1,4	1,4	1,4	1,4	1,4	1,5						
16	ESE	1	2,6	—	0	—	0	1,2											
17	NEtN	3	3,0	—	0	—	0	1,2	1,2	1,2	1,2	1,3	1,3						
18	E	2	3,2	—	0	—	0	1,4											
19	SSE	6	2,8	S	12	SW	11	1,4	1,4	1,4	1,4	1,3	1,3						
20	WNW	4	3,0	W	14	NNW	12	1,4											
21	SSW	2	4,0	—	0	—	0	1,4	1,4	1,4	1,4	1,4	1,4	5,30	5,30	5,30	5,30	5,34	5,34
22	SSW	3	3,8	S	7	SSW	5	1,6											
23	WSW	1	3,6	—				1,7	1,7	1,7	1,7	1,6	1,6						
24	NtE	3	3,0	—	0	SSW	7	2,1											
25	N	3	2,4	N	12	N	11	2,0	2,0	2,0	2,0	1,9	1,9						
26	ENE	4	2,0	NE	23	NE	21	1,8											
27	NWtW	3	1,6	NW	14	NW	16	1,7	1,7	1,7	1,7	1,7	1,7						
28	NWtW	3	1,6	—	0	—	0	1,8											
29	—	0	2,6	—	0	—	0	1,9	1,9	1,9	1,9	1,9	1,9						
30	SW	2	0,6	—	0	—	0	1,8											
31																			
Medeltal			2,4					1,4	1,4	1,4	1,4	1,3	1,3						

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

Maj

Observatör: K. A. Engdahl

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m
				Riktn.	cm/sek.	Riktn.	cm/sek.												
1	—	0	4,8	—	0	—	0	1,8	1,8	1,8	1,8	1,8	1,8	5,59	5,59	5,59	5,59	5,59	5,59
2	S	1	4,0	—	0	—	0	2,0											
3	S	4	5,0	S	16	S	13	2,2	2,2	2,2	2,2	2,2	2,2						
4	NNE	3	4,3	—	0	—	0	2,3											
5	NEtN	3	4,6	N	5	N	4	2,4	2,4	2,4	2,4	2,4	2,5						
6	NtE	3	4,4	—	0	—	0	2,5											
7	W	1	5,2	—	0	—	0	2,9	2,8	2,8	2,8	2,8	2,8						
8	N	1	3,6	—	0	—	0	2,6											
9	NNW	1	4,3	—	0	—	0	3,1	3,1	3,0	2,9	2,8	2,8						
10	NNW	3	6,0	—	0	—	0	3,1											
11	NNW	4	6,2	N	11	N	7	3,0	3,0	2,9	2,9	2,9	2,9	5,59	5,59	5,59	5,59	5,59	5,59
12	NNW	3	5,4	—	0	—	0	3,0											
13	WNW	3	7,1	—	0	—	0	3,4	3,4	3,3	3,2	3,0	3,0						
14	NNW	3	5,3	NW	3	NW	2	3,3											
15	NNW	6	3,8	NNW	29	NNW	21	3,7	3,7	3,7	3,7	3,7	3,9						
16	WNW	1	4,9	—	0	—	0	3,2											
17	NW	2	4,4	N	7	N	4	3,3	3,2	3,2	3,2	3,4	3,4						
18	EtN	2	5,0	—	0	—	0	3,5											
19	NtW	3	4,8	—	0	—	0	3,8	3,8	3,8	3,8	3,6	3,3						
20	NtE	1	5,4	—	0	—	0	4,2											
21	ENE	1	5,3	—	0	—	0	4,3	4,1	4,1	3,8	2,9	2,9	5,59	5,59	5,59	5,59	5,59	5,59
22	NNE	2	5,6	—	0	—	0	4,2											
23	—	0	5,3	—	0	—	0	4,4	4,3	4,2	4,1	4,1	2,7						
24	NNW	5	4,8	—	0	—	0	4,1											
25	WtN	2	6,2	—	0	—	0	4,2	4,1	4,0	3,9	3,9	3,8						
26	SW	2	6,6	NW	8	—	0	4,5											
27	NW	2	5,4	—	0	—	0	4,2	4,2	4,2	4,3	4,3	4,3						
28	SE	2	6,5	—	0	—	0	4,5											
29	—	0	5,9	—	0	—	0	4,6	4,5	4,5	4,5	4,5	4,5						
30	WSW	5	7,4	WSW	6	W	4	4,9											
31	NW	8	5,0	—															
Medeltal			5,2					3,4	3,4	3,3	3,3	3,2	3,1						

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

Juni

Observatör: K. A. Engdahl

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m
			Riktn.	cm/sek.	Riktn.	cm/sek.												
1	NNW	4	5,2	N	18	N	24	4,2	4,2	4,2	4,1	4,1	4,1	5,59	5,61	5,59	5,59	5,59
2	W	3	6,0	WNW	17	NW	13	4,4										
3	—	0	9,4	—	0	—	0	5,4	5,0	4,4	4,4	4,4						
4	StW	2	9,5	—	0	—	0	6,0										
5	—	0	9,2	—	0	—	0	5,8	5,6	5,2	4,8	4,6	4,2					
6	NWtN	3	7,5	SSW	14	SSW	13	4,9										
7	SSW	3	9,3	—	0	—	0	6,2	6,0	5,8	5,9	5,9	4,3					
8	SW	3	10,6	SW	7	—	0	6,4										
9	NtW	5	6,8	NNE	20	NNE	14	6,2	6,2	5,9	5,9	5,9	4,3					
10	NW	5	6,6	NNW	22	NE	13	5,8										
11	NNW	6	7,0	NW	11	NW	8	5,8	5,8	5,8	5,6	5,6	5,3	5,59	5,59	5,59	5,59	5,59
12	NNW	4	7,0	N	10	N	9	5,9										
13	NWtN	1	7,6	—	0	—	0	5,8	5,6	5,3	5,2	5,2	5,2					
14	NEtN	1	8,1	—	0	—	0	5,7										
15	SE	1	10,4	W	4	—	0	5,9	5,8	5,8	5,7	5,7	5,7					
16	S	2	8,9	S	9	—	0	6,8										
17	SSW	2	10,0	—	0	—	0	7,2	7,2	6,9	6,8	6,4	5,9					
18	SSW	1	11,4	—	0	—	0	8,4										
19	SWtS	1	13,2	—	0	—	0	9,2	8,2	6,2	5,8	5,8	5,8					
20	SW	3	11,2	W	16	—	0	9,2										
21	SW	1	13,0	—	0	—	0	9,6	9,2	8,8	6,4	6,0	5,4	5,54	5,50	5,52	5,52	5,52
22	SEtE	5	12,6	SE	8	—	0	9,8										
23	S	3	11,4	SSW	10	SSW	13	9,4	9,4	8,2	6,2	5,6	5,2					
24	StE	3	12,0	SW	4	—	0	10,3										
25	NtE	1	12,0	—	0	—	0	10,8	10,6	8,8	6,0	5,6	4,8					
26	NW	3	12,3	NE	9	NE	7	10,8										
27	NNE	1	13,2	NE	2	N	7	11,1	11,0	9,0	6,2	5,8	4,8					
28	StE	3	13,6	—	0	—	0	11,0										
29	NNW	3	13,6	N	10	N	8	12,1	11,0	8,6	6,2	6,2	5,3					
30	SWtS	4	14,2	W	8	—	0	13,0										
31																		
Medeltal			10,1					7,8	7,4	6,6	5,7	5,5	5,0					

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

Juli

Observatör: R. Welander

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m
			Riktn.	cm/sek.	Riktn.	cm/sek.												
1	WSW	5	14,0	ESE	30	SE	18	12,8	12,7	11,6	5,9	5,8	5,4	5,59	5,63	5,63	5,69	5,71
2	NW	7	11,8															
3	NWtN	8	8,0															
4	NtW	6	10,1	N	32	N	39	7,6										
5	NNW	2	10,9	NtW	3	N	2	8,6	8,5	8,5	8,1	7,2	4,4					
6	NtE	1	10,8	—	0	—	0	9,3										
7	NtE	2	10,9	NE	9	NNE	6	9,7	9,6	9,6	8,3	7,7	5,2					
8	W	2	11,6	—	0	—	0	9,9										
9	NW	5	11,4	NW	10	N	11	10,4	10,4	10,2	7,8	7,2	5,9					
10	NNW	2	13,2	N	4	N	2	11,2										
11	NNE	4	11,8	—	0	—	0	11,0	11,0	9,8	8,1	5,3	4,5	5,78	5,81	5,78	5,70	5,74
12	NE	3	12,2	W	3	—	0	11,6										
13	NNE	2	12,8	—	0	N	3	11,8	11,7	11,4	9,5	7,8	6,2					
14	NNE	2	13,4	N	13	N	3	12,2										
15	N	1	14,6	—	0	—	0	12,6	12,5	11,0	9,4	6,8	5,0					
16	—	0	16,4	—	0	—	0	13,1										
17	WNW	1	14,8	—	0	—	0	13,8	11,9	11,0	10,6	10,4	5,4					
18	S	3	15,6	N	8	—	0	14,7										
19	W	3	14,2	NNW	12	NW	11	14,7	11,0	10,4	9,2	7,4	4,2					
20	NNW	5	15,4	NNW	21	NNW	17	15,0										
21	NNE	1	15,8	S	3	—	0	15,4	15,4	11,8	10,2	6,9	4,9		5,81	5,75	5,68	5,66
22	EtS	2	16,4	S	12	S	2	16,1										
23	SE	4	15,6	SE	11	SE	9	15,6	15,6	12,0	9,4	6,3	5,0					
24	SE	6	16,8	SE	27	ENE	21	15,6										
25	SEtS	2	16,0	N	4	—	0	15,4	15,4	10,8	8,4	6,4	5,3					
26	ESE	3	16,8	—	0	—	0	16,0										
27	ESE	3	14,8	SE	14	—	0	16,2	16,2	11,8	9,4	5,8	5,2					
28	ENE	4	15,6	N	11	N	13	15,8										
29	NtE	2	16,8	N	6	—	0	16,0	16,0	9,8	7,5	5,2	4,9					
30	NNE	3	17,4	N	6	NW	4	16,3										
31	N	3	17,4	—	0	NNE	13	16,6	14,6	10,2	8,0	5,6	4,7					
Medeltal			14,0					13,3	12,8	10,7	8,7	6,8	5,1					

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

Augusti

Observatör: K. A. Engdahl

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰						
			0 m		35 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.													
1	ENE	2	17,6	NE	13	—	0	17,1	17,0	10,0	8,8	6,4	4,8	5,78	5,78	5,74	5,68	5,74	5,74
2	NtE	2	18,1	NNW	11	NNW	3	17,7											
3	ENE	3	19,0	—	0	—	0	18,1	17,5	9,8	7,4	5,2	5,2						
4	NE	3	18,8	—	9	—	0	18,2											
5	NtE	3	18,2	NE	12	—	0	18,3	18,2	10,2	14,4	5,6	4,8						
6	E	3	18,3	NNW	10	—	0	18,5											
7	ENE	3	17,8	SW	19	SW	16	18,5	18,4	11,2	8,8	7,0	5,0						
8	ENE	3	18,4	S	10	—	0	18,4											
9	N	3	18,8	—	0	—	0	18,4	18,4	10,2	8,9	7,1	4,9						
10	SWtW	3	18,7	WNW	12	—	0	18,6											
11	SW	3	18,5	—	0	SSW	13	18,8	18,6	10,8	8,6	6,5	4,9	5,78	5,78	5,78	5,74	5,68	5,67
12	StW	5	18,7	SW	21	SSW	18	18,8											
13	StE	3	18,8	—	0	—	0	18,8	18,6	10,7	9,0	7,1	4,9						
14	WNW	3	17,2	N	8	—	0	16,4											
15	S	3	17,8	NW	6	—	0	17,4	17,4	16,4	10,0	8,8	5,6						
16	SW	3	17,6	NW	13	NW	3	17,3											
17	StE	3	18,4	S	13	S	6	17,6	17,6	17,0	10,0	7,8	5,2						
18	EtN	3	18,4	—	0	—	0	18,0											
19	ESE	4	19,0	SE	12	SE	4	18,4	18,4	17,0	10,6	8,6	5,8						
20	W	3	17,8	W	18	W	9	18,1											
21	NW	6	16,7	NW	4	NW	3	18,3	18,3	18,1	10,3	8,5	5,4	5,48	5,48	5,50	5,63	5,66	5,66
22	NE	3	16,0	NE	12	NE	4	18,3											
23	W	2	15,8	N	11	—	0	18,4	18,2	18,2	9,8	7,6	6,0						
24	NE	4	13,9	NNE	7	—	0	17,9											
25	StE	2	15,6	—	0	—	0	17,8	17,8	17,6	10,2	7,5	5,1						
26	SSW	6	15,0	SW	33	—	0	17,2											
27	SSW	3	16,4	WNW	3	—	0	16,8	16,8	16,8	12,7	7,4	5,3						
28	W	5	15,5	NW	3	—	0	16,3											
29	WtS	4	15,4	—	0	S	9	16,8	16,7	16,7	16,7	7,4	5,8						
30	NE	6	15,6	NNE	14	NNE	9	16,6											
31	NNW	7	15,0	NNE	31	N	17	16,2	16,2	16,2	15,0	8,8	5,4						
Medeltal			17,3					17,8	17,8	14,2	10,7	7,3	5,3						

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

September

Observatör: K. A. Engdahl

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰						
			0 m		35 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.													
1	NtW	7	14,2	NNW	36	N	17	15,7	15,7	15,7	13,8	5,7	5,7	5,55	5,55	5,55	5,55	5,66	5,66
2	NE	3	15,1	NW	4	SW	4	15,1											
3	NE	3	15,4	NE	18	NWtW	12	15,2	15,2	15,2	13,9	6,7	5,5						
4	NE	1	15,7	NNE	20	NNE	13	15,4											
5	S	1	16,0	—	0	—	0	15,4	15,2	14,8	10,6	6,6	5,4						
6	SSE	5	15,2	—	0	—	0	14,8											
7	StE	4	14,8	—	0	—	0	15,3	15,2	15,2	15,2	15,2	6,2						
8	SW	5	14,5	—	0	SE	4	14,4											
9	NW	6	11,3	NWtN	36	NWtN	28												
10	NW	3	11,1	NNW	16	N	20	14,4											
11	SSW	3	13,4	StE	8	S	3	13,4	13,4	13,4	13,4	7,2	5,0	5,45	5,43	5,43	5,43	5,66	5,72
12	NNW	3	12,6	NE	9	NNW	16	12,9											
13	StW	2	12,6	NNW	4	NNW	2	13,1	13,1	13,1	10,1	7,4	5,0						
14	NW	2	12,2	NW	20	N	11	13,1											
15	W	5	13,2	WSW	12	WSW	17	13,0	13,0	13,0	13,0	10,8	5,0						
16	ESE	6	13,8	E	10	—	0	13,0											
17	WtN	4	12,0	N	33	N	36	12,7	12,6	12,6	12,4	12,3	5,4						
18	S	4	13,4	W	12	—	0	12,7											
19	SWtS	1	12,0	S	5	—	0	12,9	12,9	12,8	12,4	10,4	4,9						
20	N	1	12,1	—	0	—	0	13,1											
21	SW	4	12,2	NNE	17	NE	7	13,2	13,2	13,2	11,6	9,9	5,0	5,28		5,35	5,46	5,50	5,72
22	StE	2	12,0	N	4	N	6	12,8											
23	NE	2	12,0	—	0	—	0	12,6	12,6	12,6	12,4	10,3	5,0						
24	NtE	4	11,9	N	16	N	14	12,4											
25	NW	2	11,8	NE	10	NE	3	12,5	12,5	12,5	12,4	8,5	5,1						
26	E	3	11,5	—	0	—	0	12,2											
27	NNW	6	10,7	NNW	44	NW	21	11,2	11,2	11,2	11,2	6,8	4,9						
28	SW	6	10,3	WNW	14	N	16	11,2											
29	W	7	9,3	—	—	—	—												
30	W	7	10,0	NWtN	27	N	21	10,5											
31																			
Medeltal			12,7					13,4	13,5	13,5	12,5	9,1	5,2						

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

Oktober

Observatörer: R. Welander o. K. A. Engdahl

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰						
			0 m		35 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.													
1	WSW	3	10,0	SW	7	NE	3	10,0	10,0	10,0	10,0	9,8	4,8	5,36	5,33	5,34	5,34	5,36	5,70
2	S	4	11,6	—	0	—	0	10,3											
3	S	6	11,6	S	17	S	12	11,0	10,8	10,8	10,8	10,8	4,6						
4	NW	2	11,0	NW	12	NNW	16	10,9											
5	NNW	4	8,6	NNW	21	NNW	17	10,2	10,2	10,2	10,2	10,1	6,1						
6	SSW	5	11,6	SSW	20	SSW	16	10,6											
7	SSW	6	11,6	NW	32	NW	17	10,6	10,6	10,6	10,2	9,6	4,9						
8	SSW	6	11,6	SSW	14	W	13	10,2											
9	S	5	11,9	S	16	S	8	10,6	10,6	10,6	10,4	10,4	4,6						
10	SWtS	5	9,2	W	16	WNW	22	10,2											
11	SW	5	8,8	NW	12	NW	9	9,9	9,9	9,9	9,9	9,9	9,9	5,28	5,29	5,31	5,32	5,32	5,61
12	N	5	8,5	N	22	N	22	9,7											
13	N	5	8,6	N	28	N	31	9,6	9,6	9,6	9,6	9,2	5,2						
14	NEtN	3	7,1	N	13	N	16	9,5											
15	S	7	9,6	S	21	S	12	9,3	9,3	9,3	9,2	9,2	4,9						
16	SSW	3	9,4	NW	9	N	11	9,4											
17	S	5	9,2	S	11	S	9	9,2	9,2	9,2	9,2	9,2	5,4						
18	SWtW	3	7,7	NW	16	NW	12	9,0											
19	NWtW	2	7,9	N	3	N	8	9,0	9,0	9,0	9,0	8,9	5,4						
20	SW	4	9,0	W	19	NW	10	9,0											
21	N	8	7,2																
22	NtW	7	5,0																
23	N	3	5,8	NE	13	NE	14	7,9	7,9	7,9	7,9	7,2	4,5	5,50	5,49	5,50	5,49	5,54	5,78
24	N	3	4,5	—	0	—	0	7,8											
25	N	2	6,4	—	0	—	0	7,8	7,8	7,8	7,7	7,7	4,9						
26	SE	3	5,0	—	0	—	0	7,6											
27	ESE	4	5,2	ESE	8	—	0	7,4	7,4	7,4	7,4	7,4	5,2						
28	EtN	7	3,4	W	12	WSW	10	7,1											
29	E	7	4,9																
30	SE	5	5,7	SSE	10	S	6	6,8											
31	SE	9	6,2	—	0	—	0	6,8	6,8	6,8	6,7	6,7	6,6						
Medeltal			8,2					9,2	9,2	9,2	9,2	9,0	5,5						

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

November

Observatör: K. A. Engdahl

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰						
			0 m		35 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.													
1	S	2	6,5	—	0	—	0	6,6	6,5	6,5	6,5	6,5	6,5	5,43	5,43	5,47	5,47	5,49	5,55
2	W	1	6,6	—	0	—	0	6,6											
3	ESE	2	6,3	NtW	9	NtW	9	6,5	6,5	6,5	6,5	6,5	6,5						
4	E	2	3,4	N	4	N	8	6,3											
5	ENE	4	3,8	E	12	E	11	6,8	6,3	6,4	6,4	6,4	6,4						
6	NEtE	4	2,3	SSW	7	SSW	6	6,1											
7	EtN	6	2,1	S	23	S	18	6,2	6,2	6,2	6,2	6,1	6,0						
8	NEtE	6	1,6	NEtE	12	NNE	11	6,0											
9	E	2	3,1	NE	3	—	0	5,9	5,9	5,9	5,9	5,9	5,7						
10	W	2	3,4	NE	6	NE	11	5,9											
11	SE	5	6,2	E	10	—	0	5,9	5,9	5,8	5,8	5,8	5,8	5,49	5,48	5,48	5,48	5,48	5,48
12	NW	4	4,5	NNW	16	NNW	12	5,7											
13	SE	7	5,4	—															
14	—	0	5,2	—	0	—	0	5,6											
15	SW	5	2,7	NW	15	NNW	13	5,6	5,6	5,6	5,6	5,6	5,6						
16	NW	3	3,2	—	0	—	0	5,6											
17	NWtN	2	0,2	—	0	NW	4	5,3	5,3	5,3	5,3	4,2	4,2						
18	W	1	0,8	—	0	S	1	5,2											
19	WNW	3	1,0	NNW	9	NNW	10	5,2	5,2	5,2	5,2	5,2	5,2						
20	S	3	0,6	—	0	—	0	5,2											
21	SE	7	3,8	SSE	16	SW	11	5,1	5,1	5,1	5,1	5,1	5,1	5,51	5,58	5,60	5,60	5,60	5,60
22	ESE	8	1,6	—															
23	SSE	5	5,3	S	7	S	14	5,1	5,1	5,1	5,1	5,1	5,1						
24	S	6	5,8	NE	6	—	0	5,0											
25	WtS	6	3,2	W	18	WNW	17	4,8	4,8	4,8	4,8	4,8	4,8						
26	WNW	3	3,2	—	0	N	7	5,0											
27	NNW	4	4,2	NW	9	NW	7	4,9	4,9	4,9	4,9	4,9	4,9						
28	WtS	3	3,8	—	0	NW	6	4,9											
29	NE	3	3,2	—	0	N	7	4,8	4,9	4,9	4,9	4,9	4,9						
30	N	5	—0,2	NNE	17	NE	9												
31																			
Medeltal			3,4					5,6	5,6	5,6	5,6	5,5	5,5						

FINNGRUNDET

61° 04' 00" N

18° 41' 00" E

December

Observatör: R. Welander

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C						Vattnets salthalt i ‰					
			0 m		35 m		0 m	5 m	10 m	15 m	20 m	30 m	0 m	5 m	10 m	15 m	20 m	30 m
			Rikt. cm/sek.	Rikt. cm/sek.	Rikt. cm/sek.	Rikt. cm/sek.												
1	SSE	8	3,6															
2	W	6	1,2	N	26	N	37	4,1										
3	SSW	1	1,6		0		0	3,8	3,8	3,8	3,8	3,6	5,58	5,61	5,59	5,59	5,60	5,59
4	WSW	5	-0,8	NW	3	NW	4	3,6										
5	W	1	1,2	NNW	12	NW	7	3,4	3,4	3,3	3,5	3,5						
6	NWtW	1	-1,4		0	N	4	3,3										
7	NNW	6	-0,4	NNW	32	NNW	29	3,4	3,4	3,4	3,3	3,2						
8	SWtW	4	-1,2	N	3	N	6	3,2										
9	SW	6	3,1	S	24	S	20	3,2	3,2	3,2	3,2	3,1						
10	SW	4	2,8	N	10	N	16	3,2										
11	S	6	4,0	S	18	S	16	3,3	3,3	3,3	3,3	3,3	5,60	5,60	5,60	5,61	5,61	5,61
12	SSW	2	3,6	NNW	7	NNW	13	3,3										
13	StW	6	2,6	S	23	S	20	3,2	3,2	3,2	3,2	3,2						
14	SW	4	2,0	N	19	N	12	3,2										
15	ESE	4	3,4	S	9	S	16	3,2	3,2	3,2	3,2	3,2						
16	ESE	3	4,3		0	N	4	3,2										
17	ESE	3	4,2		0		0	3,3	3,3	3,2	3,2	3,3						
18	SWtS	3	2,8	NW	8	NW	6	3,2										
19	SSE	4	3,8		0		0	3,2	3,2	3,2	3,2	3,2						
20	WtN	2	-0,2		0		0	3,0										
21	SW	2	-0,4		0		0	3,0	3,0	3,0	3,0	3,0	5,59	5,59	5,59	5,59	5,57	5,57
22	ENE	4	0,6		0		0	3,0										
23	EtN	4	0,2		0	N	18	2,8	2,8	2,8	2,8	2,8						
24	ENE	3	-0,2	ENE	8	ENE	10	2,6										
25	ESE	4	1,8		0		0	2,7	2,8	2,8	2,8	2,8						
26	N	8	-0,8															
27	NW	3	-1,2		0		0	2,4	2,5	2,5	2,5	2,5						
28	WNW	3	0,6	NW	4	NNW	8	2,4										
29	NNE	5	-3,0	NNW	44	NNW	33	2,4	2,4	2,4	2,4	2,5						
30	NW	3	-4,5	NtW	19	NtW	18	2,4										
31	SSE	3	-3,6		0		0	2,3	2,4	2,4	2,4	2,5						
Medeltal			1,0					3,1	3,1	3,0	3,1	3,1						

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

Januari

Observatör: G. H. Wahlberg

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Rikt.	cm/sek.	Rikt.	cm/sek.																
1	W	2	—1,5	NW	8	—	0	2,3	2,4	2,6	2,7	2,7	2,9	2,8	5,84	5,85	5,85	5,87	5,88	5,90	5,92	
2	SE	3	1,4	W	7	NW	4	2,2														
3	ENE	4	—4,4	—	0	—	0	2,1	2,2	2,2	2,2	2,2	2,4	2,7								
4	ENE	6	—9,0	—	0	—	0	1,9														
5	ENE	5	—11,0	NE	2	S	9	2,0	2,0	2,0	2,0	2,0	2,2	2,4								
6	ENE	2	—11,0	—	0	S	4	1,8														
7	ESE	4	—5,4	—	0	—	0	1,7	1,7	1,7	1,7	1,7	1,8	1,8								
8	S	5	—3,6	—	0	—	0	1,7														
9	E	5	—6,5	E	7	—	0	1,6	1,4	1,5	1,5	1,4	1,4	1,5								
10	ENE	2	—11,0	—	0	—	0	1,0														
11	S	5	—4,6	—	0	—	0	1,2	1,2	1,2	1,2	1,2	2,0	2,0	5,77	5,77	5,78	5,80	5,81	5,81	5,81	
12	SSW	7	—4,1	S	3	—	0	0,8														
13	W	3	—0,2	—	0	—	0	1,7	1,7	1,7	1,7	1,7	1,9	2,6								
14	NNW	4	1,4	NW	8	NW	10	1,2														
15	NNW	2	—0,5	—	0	NW	5	1,4	1,6	1,6	1,6	1,7	1,5	1,7								
16	E	8	—4,5	—																		
17	ENE	3	—9,0	N	3	—	0	1,2	1,2	1,2	1,2	1,2	1,3	1,4								
18	SE	1	—7,0	—	0	—	0	0,7														
19	SW	7	—8,5	W	27	W	17	0,9	0,9	0,9	1,0	1,0	1,0	1,1								
20	NW	3	0,9	NW	3	NW	12	0,8														
21	NW	2	2,0	N	13	N	15	0,7	0,7	0,8	0,9	1,0	1,0	1,1	5,76	5,76	5,76	5,76	5,75	5,75	5,79	
22	SSW	1	0,6	—	0	—	0	0,8														
23	S	1	0,6	—	0	—	0	0,6	0,6	0,5	0,5	0,6	0,7	0,8								
24	WNW	2	0,5	N	2	—	0	0,5														
25	SW	4	—2,2	WSW	21	WSW	14	0,5	0,5	0,5	0,5	0,5	0,6	0,7								
26	ENE	3	—0,2	—	0	—	0	0,4														
27	NE	2	—0,1	N	6	—	0	0,4	0,4	0,4	0,5	0,6	0,6	0,8								
28	NNE	2	—1,1	NW	3	NW	4	0,3														
29	N	7	—1,1	—																		
30	E	6	—9,0	S	8	SE	3	0,2														
31	ENE	2	—5,2	—	0	—	0	—0,1	—0,1	—0,1	0,3	0,3	0,3	0,5								
Medeltal			—3,7					1,1	1,2	1,2	1,3	1,3	1,4	1,6								

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

Februari

Observatör: G. H. Wahlberg

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	SE	2	—2,2	—	0	S	7	0,0	0,0	0,0	0,1	0,3	0,4	0,6	5,61	5,61	5,61	5,61	5,61	5,70	5,70	
2	SSE	4	—0,5	—	0	—	0	0,2														
3	S	7	1,4	SW	6	SW	4	0,1	0,1	0,1	0,2	0,2	0,4	0,4								
4	S	6	0,8	—	0	—	0	0,2														
5	SW	3	1,7	W	4	N	10	0,5	0,5	0,5	0,5	0,6	0,5	0,9								
6	SW	3	0,2	W	7	—	0	0,3														
7	NW	2	—0,2	—	0	—	0	0,2	0,2	0,2	0,3	0,4	0,5	0,5								
8	W	4	—0,5	WNW	3	NW	2	0,1														
9	ESE	2	—1,3	—	0	—	0	0,0	0,0	0,0	0,1	0,1	0,3	0,8								
10	E	1	—0,1	—	0	—	0	—0,1														
11	E	2	—0,5	NW	2	—	0	—0,1	—0,1	—0,1	—0,1	—0,1	0,3	0,3	5,61	5,57	5,57	5,57	5,59	5,63	5,66	
12	ENE	3	—1,8	—	0	—	0	0,0														
13	ESE	4	—3,0	SE	6	SE	4	—0,1	—0,1	0,0	0,0	0,1	0,3	0,3								
14	NE	7	—3,8	—		—																
15	NW	3	—4,5	NNW	3	NNW	4	0,1	0,1	0,1	0,1	0,1	0,1	0,2								
16	ESE	1	—2,3	—	0	—	0	—0,2														
17	SSE	6	0,0	—	0	—	0	0,0	0,0	0,0	0,0	0,0	0,0	0,3								
18	SSE	1	1,0	N	6	—	0	—0,1														
19	SSW	2	—0,2	—		—																
20	SW	5	—2,0	—		—																
21																						
22																						
23																						
24																						
25																						
26																						
27																						
28																						
29																						
30																						
31																						
Medeltal			—0,9					0,1	0,1	0,1	0,1	0,2	0,3	0,5								

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

Mars

Observatör: G. H. Wahlberg

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek.	Riktn.	cm/sek.																
1																							
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							
21																							
22																							
23																							
24																							
25																							
26																							
27	WNW	4	2.1	NW	15	NW	11	0,6	0,6	0,6	0,6	0,6	0,6	0,6									
28	NNW	8	—0,3																				
29	W	3	1,0	NW	4	NW	3	0,5	0,5	0,5	0,5	0,5	0,5	0,5									
30	NW	2	0,6	NE	3	NE	4	0,6															
31	WSW	3	1,5	NW	8	NW	8	0,6	0,6	0,6	0,6	0,6	0,6	0,6									
Medeltal																							

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

April

Observatörer: G. H. Wahlberg o. P. W. Söderlund

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek.	Riktn.	cm/sek.																
1	SW	3	2,8	NW	4	NW	9	0,8	0,8	0,8	0,8	0,8	0,8	0,8	5,66	5,66	5,64	5,66	5,66	5,70	6,00		
2	WSW	4	1,0	NW	11	NW	7	0,6															
3	SE	4	1,7	—	0	E	3	1,0	1,0	1,0	1,0	1,0	1,0	0,8									
4	SSW	2	1,5	NW	7	NW	6	0,9															
5	NNW	2	1,0	N	14	N	11	1,0	1,0	0,9	0,9	0,8	0,8	0,8									
6	NW	2	1,7	NW	7	NW	8	1,0															
7	SE	2	1,7	NW	4	NW	3	1,0	1,0	1,0	1,0	1,1	1,1	1,0									
8	S	5	1,5	SSW	8	SSW	6	1,0															
9	SSE	8	2,4	—																			
10	SSE	4	2,0	—	0	NW	2	1,0															
11	SE	4	1,2	NW	9	NW	5	1,2	1,2	1,2	1,2	1,2	1,2	1,1	5,55	5,55	5,55	5,55	5,55	5,63	6,00		
12	SSE	7	2,4	—																			
13	SSE	4	2,3	—	0	—	0	1,5	1,5	1,5	1,5	1,5	1,5	1,4									
14	ENE	2	1,9	—	0	—	0	1,5															
15	W	2	2,5	NW	20	NW	13	1,5	1,5	1,5	1,5	1,5	1,5	1,6									
16	—	0	6,8	—	0	—	0	2,0															
17	E	3	2,7	—	0	—	0	1,8	1,8	1,8	1,7	1,4	1,2	1,5									
18	ENE	2	2,6	S	7	S	8	1,7															
19	SSE	8	2,7	—																			
20	WNW	2	3,1	E	4	—	0	2,1															
21	S	1	2,7	NW	4	NW	2	2,0	1,8	1,8	1,8	1,8	1,8	1,6	5,64	5,64	5,64	5,66	5,70	5,70	5,77		
22	S	1	2,7	—	0	—	0	2,1															
23	WSW	3	3,5	—	0	—	0	2,2	2,2	2,2	2,2	1,8	1,6	1,5									
24	ENE	2	2,4	E	14	E	8																
25	N	3	2,5	N	5	N	3	2,5	2,4	2,4	2,6	2,6	1,8	1,6									
26	ENE	3	1,3	—				2,4															
27	NW	3	1,5	NW	4	—	0	2,2	2,2	2,2	2,2	2,1	1,4	1,4									
28	SSE	6	3,2	—	0	—	0	2,2															
29	SSE	1	3,0	—	0	—	0	2,0	2,0	2,0	2,0	2,0	1,5	1,3									
30	SSW	2	0,5	—	0	—	0																
31																							
Medeltal			2,3					1,6	1,6	1,6	1,6	1,5	1,3	1,3									

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

Maj

Observatörer: P. W. Söderlund o. G. H. Wahlberg

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m																	
				Riktn.	cm/sek.	Riktn.	cm/sek.	0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
1	W	1	3,2	—	0	—	0	2,6	2,6	2,6	2,5	2,4	2,4	1,8	5,66	5,59	5,63	5,63	5,63	5,66	5,72		
2	SSE	2	4,6	—	0	—	0	3,0															
3	SSE	2	4,6	—	0	—	0	3,0	2,9	2,9	2,9	2,9	2,4	1,9									
4	—	0	5,5	—	0	—	0	3,4															
5	NE	2	4,7	NE	16	NE	7	3,2	3,2	3,0	3,0	2,9	2,4	1,9									
9	N	1	4,3	—	0	—	0	3,2															
7	—	0	7,2	—	0	—	0	3,9	3,6	3,2	2,6	2,4	2,2	1,8									
2	N	2	4,4	N	2	N	10	3,8															
9	N	1	6,0	N	6	—	0	4,0	4,0	3,2	2,7	2,6	2,6	2,0									
10	NNW	3	5,0	N	26	NW	7	4,4															
11	NNW	2	5,6	NE	12	—	0	3,6	3,6	3,2	2,7	2,6	2,6	2,2	5,59	5,55	5,55	5,57	5,59	5,63	5,66		
12	NNW	2	5,5	—	0	—	0	4,2															
13	NW	1	7,5	N	16	—	0	5,0	4,4	3,5	3,6	3,6	3,1	3,0									
14	N	3	4,8	NE	6	NE	8	4,8															
15	N	7	3,8	—																			
16	W	1	7,2	NW	17	NW	6	4,9															
17	NW	1	5,0	NW	10	—	0	3,8	3,6	3,6	3,4	3,4	3,0	2,9									
18	ENE	2	5,0	ENE	6	ENE	2	4,0															
19	N	2	4,7	N	14	N	10	4,2	4,2	4,1	4,0	3,9	3,4	2,4									
20	NE	1	7,2	—	0	—	0	5,3															
21	ENE	1	6,3	W	8	—	0	5,1	5,1	4,0	4,0	3,1	2,2	2,0	5,59	5,63	5,63	5,63	5,63	0,66	5,77		
22	NE	2	6,5	—	0	NNW	4	5,4															
23	NNE	1	6,0	S	10	S	7	6,0	5,8	5,0	3,8	3,5	2,0	1,8									
24	N	6	5,0	NNE	22	NNE	11	5,0															
25	W	2	5,3	W	14	NW	7	5,1	5,0	5,0	4,9	4,6	3,7	2,9									
26	SW	2	7,8	SW	8	SW	8	5,1															
27	N	2	5,8	—	0	—	0	5,3	5,3	5,3	5,2	4,8	4,3	3,2									
28	SE	1	6,1	WNW	6	WNW	6	5,0															
29	SW	2	6,6	W	15	W	6	5,6	5,6	5,5	5,4	4,8	3,4	2,8									
30	SW	5	7,0	WSW	34	WSW	16	5,8															
31	NNW	9	4,7	—																			
Medeltal			5,6					4,4	4,2	3,9	3,6	3,4	2,8	2,3									

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

Juni

Observatör: G. H. Wahlberg

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	NNW	5	4,7	NNW	14	NNW	16	4,6	4,6	4,5	4,5	4,4	4,4	4,1	5,55	5,59	5,55	5,59	5,57	5,59	5,73	
2	W	3	8,0	NW	18	NW	10	4,8														
3	WSW	1	8,1	NE	3	N	7	5,3	5,2	4,9	4,6	4,5	4,5	3,9								
4	SW	3	10,5	—	0	NW	8	5,8														
5	NNW	1	8,7	NNW	10	NNW	12	6,0	6,0	5,8	5,4	4,8	4,0	3,8								
6	NNW	4	8,2	N	10	N	12	6,8														
7	S	4	8,8	W	9	W	16	6,6	6,4	6,3	5,7	4,7	3,8	3,4								
8	SW	2	12,8	NW	13	NW	12	7,2														
9	WSW	3	9,8	NW	4	W	9	7,8	7,6	7,4	6,1	5,2	4,5	3,2								
10	NNW	6	6,7	NW	4	NW	8	7,6														
11	NNW	6	6,5	NNW	21	NNW	16	6,8	6,8	6,8	6,6	6,4	5,2	4,0	5,66	5,66	5,66	5,64	5,64	5,66	5,82	
12	NNW	4	7,0	N	18	NW	18	6,2														
13	NW	1	8,8	—	0	—	0	6,4	6,2	6,2	5,7	5,6	5,0	4,6								
14	—	0	8,4	—	0	—	0	7,3														
15	E	1	10,4	—	0	—	0	8,6	7,9	7,0	6,7	6,4	5,8	4,2								
16	SE	4	8,8	NW	8	N	10	8,1														
17	SSW	2	12,7	N	33	N	27	10,6	10,0	7,4	7,2	5,0	4,8	4,0								
18	—	0	16,3	NW	19	NW	14	11,4														
19	S	1	13,7	NW	3	NW	5	10,6	8,3	7,9	6,4	5,8	5,2	4,3								
20	SW	4	13,5	NNW	27	—	0	11,3														
21	S	1	14,0	W	2	—	0	11,8	8,6	6,2	5,6	5,3	4,8	4,6	4,92	5,37	5,54	5,55	5,59	5,59	5,72	
22	ENE	6	13,3	S	17	—	0	12,4														
23	S	3	12,5	—	0	—	0	12,2	12,0	6,2	6,0	6,0	5,4	4,8								
24	SE	4	12,4	N	10	NW	4	12,4														
25	W	1	11,5	—	0	—	0	13,2	13,1	7,8	6,4	6,2	5,7	4,2								
26	NNW	5	12,8	SE	14	—	0	12,7														
27	NNE	1	12,5	NE	7	—	0	12,6	12,6	7,4	6,0	5,1	4,8	4,0								
28	SSE	2	13,4	SW	11	—	0	12,6														
29	NW	2	14,0	WSW	4	W	3	13,2	12,2	11,0	7,0	6,4	4,4	4,2								
30	SW	2	14,2	W	2	WNW	3	13,8														
31																						
Medeltal			10,8					9,2	8,5	6,9	6,0	5,5	4,8	4,1								

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

Juli

Observatör: E. A. Stefanson

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek.	Riktn.	cm/sek.																
1	WSW	6	14,5	W	5	N	13	13,2	13,2	12,8	7,8	7,6	5,2	4,2	5,39	5,39	5,45	5,82	5,82	5,88	5,88		
2	WNW	8	10,5																				
3	NW	8	8,4																				
4	NNW	7	8,8																				
5	NNW	4	10,0	NNW	12	NNW	7	9,2	9,2	9,2	8,8	8,0	7,0	6,6									
6	NNE	5	11,3	NE	3	NE	8	9,8															
7	NNE	3	10,6	N	14	N	12	10,0	10,0	9,9	9,8	7,2	6,5	6,3									
8	WNW	3	12,1	NW	19	NW	11	10,8															
9	NNW	5	11,5	NNW	4	NNW	6	10,9	10,9	10,9	8,4	8,4	6,9	6,9									
10	N	1	12,5	NW	11	NW	13	10,2															
11	ENE	5	11,5	NNE	2	NNE	1	11,6	11,6	10,8	10,0	9,6	6,2	6,0	5,71	5,71	5,76	5,74	5,75	5,76	5,81		
12	E	4	13,0	NE	7	N	5	11,8															
13	ESE	2	13,2	N	4	N	3	11,8	10,4	9,6	9,6	7,8	6,4	4,6									
14	NNE	3	13,5	NE	8	NE	6	12,4															
15	NNE	1	15,3	N	13	N	11	12,8	12,8	12,4	9,0	8,4	6,3	5,0									
16	NE	1	15,3	—	0	—	0																
17	NW	3	16,5	N	21	N	18	15,4	13,8	13,6	9,8	10,0	9,0	7,0									
18	SE	4	15,4	NW	13	NW	8	15,6															
19	WNW	3	15,0	N	17	NW	14	15,5	15,1	11,3	8,9	8,3	6,6	6,1									
20	NW	6	15,2	NW	12	NW	10	16,0															
21	NE	1	17,2	S	3	NW	9	15,2	15,0	12,0	10,2	9,3	6,4	5,0	5,79	5,79	5,81	5,81	5,81	5,74	5,76		
22	SSE	3	17,0	S	11	S	10	16,5															
23	SE	7	15,5	—	0	—	0	16,2	15,8	15,6	9,8	8,9	7,8	5,2									
24	SE	11	17,2	S	16	N	4	16,2															
25	SE	2	16,2	SE	6	SE	5	16,4	16,4	16,2	16,2	9,8	6,0	5,2									
26	E	3	17,5	N	11	N	9	16,8															
27	SSW	3	12,5	WNW	16	NW	10	16,2	16,2	14,2	9,9	8,9	6,7	5,0									
28	—	0	14,9	—	0	NW	6	16,6															
29	NNE	3	16,5	—	0	—	0	15,0	15,0	15,2	12,6	9,6	6,4	5,3									
30	NE	4	17,2	NE	16	N	8	17,2															
31	NNW	1	19,0	WNW	10	WNW	12	17,4	17,4	14,0	12,0	9,3	8,0	5,8									
Medeltal			14,0					14,0	13,5	12,5	10,2	8,7	6,8	5,6									

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

Augusti

Observatörer: E. A. Stefanson o. G. H. Wahlberg

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	N	1	17,2	—	0	—	0	18,0	17,8	14,0	9,9	8,6	8,3	6,2	5,18	5,18	5,18	5,30	5,68	5,80	5,75	
2	N	1	18,7	N	11	N	7	18,2														
3	ESE	2	19,0	—	0	—	0	18,4	18,3	12,0	10,4	8,3	6,2	7,2								
4	NE	4	18,8	W	6	N	4	18,4														
5	NNE	4	18,6	—	0	—	0	18,8	18,6	11,0	9,2	8,3	6,6	5,6								
6	ENE	1	19,6	NNW	10	NNW	8	18,8														
7	ENE	5	17,2	W	12	W	10	18,8	17,8	11,0	9,0	7,9	6,8	6,2								
8	ESE	3	17,8	WNW	6	WNW	4	18,5														
9	—	0	20,6	—	0	—	0	18,6	18,6	12,1	8,2	7,7	5,8	5,4								
10	WSW	4	18,7	NNW	15	NNW	9	18,9														
11	S	2	17,0	WSW	10	—	0	18,8	18,7	12,2	9,0	8,2	6,3	6,1	5,16	5,18	5,41	5,41	5,54	5,63	5,74	
12	S	3	18,3	S	18	S	17	18,6														
13	S	2	17,3	N	12	N	10	18,2	18,0	10,0	8,9	8,0	6,8	6,1								
14	W	2	17,5	NNW	17	NNW	8	17,3														
15	S	2	17,2	—	0	—	0	17,8	17,7	13,4	8,6	7,1	6,2	5,7								
16	SW	2	18,0	NW	14	NW	7	17,4														
17	SSE	4	18,5	NW	5	—	0	17,8	17,8	13,8	8,8	8,6	6,5	5,3								
18	E	2	18,7	S	3	E	9	18,0														
19	E	2	19,2	—	0	—	0	18,2	18,2	18,0	9,3	8,0	5,6	5,2								
20	W	2	17,5	NW	16	NW	14	18,3														
21	WNW	5	17,0	NW	17	NW	11	18,2	18,2	16,6	8,5	6,2	5,5	5,3	5,31	5,32	5,37	5,73	5,68	5,68		
22	NE	2	15,4	—	0	—	0	18,2														
23	—	0	16,8	—	0	—	0	18,4	18,4	18,3	11,0	9,2	5,8	4,8								
24	NE	5	13,0	N	10	NE	3	18,0														
25	SSE	2	16,2	W	9	—	0	17,9	17,8	17,8	14,2	9,5	5,7	4,8								
26	S	6	15,2	S	19	—	0	17,2														
27	SSE	2	16,7	E	9	—	0	17,2	17,2	11,3	9,4	6,3	4,8									
28	SW	2	17,0	—	0	—	0	17,0														
29	SW	3	14,0	SW	8	N	10	17,2	17,2	17,2	10,7	7,8	5,4	4,8								
30	NE	7	15,0	ENE	2	ENE	3	17,0														
31	NNW	7	15,5	—	—	—	—	—	—	—	—	—	—	—								
Medeltal			17,3					18,1	18,0	14,3	9,8	8,2	6,3	5,6								

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

September

Observatörer: G. H. Wahlberg o. E. A. Stefanson

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	N	8	14,8																			
2	NNE	2	15,2	—	0	NNW	9	16,0	16,0	16,0	15,9	10,0	6,7	6,1	5,73	5,74	5,75	5,75	5,75	5,75	5,93	
3	NNE	2	15,0	NNE	10	—	0	16,0	16,0	16,0	12,4	8,8	6,9	6,4								
4	ENE	2	15,0	NE	3	N	4	16,0														
5	SE	1	16,5	N	13	N	7	16,4	16,4	16,2	15,4	10,0	6,8	5,0								
6	SE	3	14,7	—	0	W	4	16,3														
7	SE	3	15,8	NW	9	NW	14	16,1	16,1	16,1	16,0	13,0	5,8	4,0								
8	SW	6	12,3	N	7	N	8	15,6														
9	NW	9	10,5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	NW	2	11,2	WNW	12	WNW	10	13,5														
11	SW	2	10,5	WSW	13	WSW	7	14,0	13,8	13,8	12,8	11,8	10,6	7,0	5,48	5,48	5,48	5,40	5,46	5,61	6,50	
12	NNW	2	12,7	NW	4	NW	7	12,9														
13	SW	3	10,6	—	0	WNW	8	12,4	12,4	12,4	12,1	11,9	9,0	7,9								
14	WSW	2	11,5	NW	14	NW	9	12,6														
15	SW	2	12,7	W	6	W	4	12,4	12,3	12,3	12,3	10,4	8,4	6,6								
16	SSE	4	13,0	ENE	19	SE	11	13,1														
17	W	6	11,3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18	SSE	2	13,0	NW	7	NW	4	12,2	12,2	12,2	12,2	11,6	7,8	6,2								
19	—	0	10,1	—	0	NNW	8	12,4	12,3	12,1	11,9	10,8	6,7	4,7								
20	WNW	1	12,4	—	0	—	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21	SW	4	11,0	W	8	W	6	12,6	12,6	12,5	12,5	11,6	8,0	6,0	5,39	5,39	5,39	5,40	5,50	5,66	5,88	
22	SSE	3	10,6	W	6	SW	8	12,3														
23	W	1	11,8	N	7	N	10	12,4	12,4	12,4	12,4	11,6	7,8	5,8								
24	N	2	11,7	NE	12	NW	10	12,6														
25	NW	1	12,2	—	0	—	0	11,9	11,9	11,9	11,2	8,7	7,2	4,8								
26	ESE	3	11,4	SE	7	SE	8	12,0														
27	NW	6	10,6	W	6	WNW	7	12,0	12,0	12,0	11,8	11,8	7,4	6,9								
28	SW	4	10,0	SW	12	WSW	24	11,4														
29	W	8	9,0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30	W	8	8,8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31																						
Medeltal			12,2					13,5	13,6	13,5	13,0	10,9	7,6	5,9								

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

Oktober

Observatör: G. H. Wahlberg

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	S	3	9,3	—	0	—	0	11,2	11,2	11,2	11,2	11,2	11,2	4,6	5,43	5,42	5,42	5,44	5,48	5,49	5,70	
2	SSE	2	11,4	NE	4	—	0	11,2														
3	S	6	11,3	S	4	SE	3	11,2	11,2	11,2	11,2	11,1	11,0	5,1								
4	WSW	3	8,0	W	3	—	0	11,0														
5	NNW	2	9,0	N	8	N	11	10,8	10,8	10,8	10,7	10,7	9,4	6,8								
6	S	3	11,0	SSW	4	SSW	6	10,5														
7	S	5	11,2	SW	10	—	0	10,6	10,6	10,6	10,6	10,6	10,0	6,0								
8	SSW	5	11,6	NW	8	NW	7	10,8														
9	S	7	11,4	W	3	W	6	10,8	10,8	10,8	10,8	10,4	8,7	7,3								
10	SSW	6	9,6	W	9	NW	5	10,4														
11	SW	5	8,7	NW	18	NNW	12	10,2	10,2	10,2	10,2	10,1	10,1	6,9	5,51	5,50	5,53	5,53	5,57	5,59		
12	N	5	8,7	N	8	N	9	9,8														
13	N	6	8,3	NE	13	N	16	9,7	9,7	9,7	9,7	9,7	9,5	6,8								
14	NNE	3	7,3	NW	7	NW	8	9,8														
15	S	6	9,0	SW	13	SW	8	9,6	9,6	9,6	9,6	9,6	7,2	6,2								
16	SSW	3	9,0	NNW	14	NNW	8	9,7														
17	SSE	6	8,5	—	0	—	0	9,5	9,5	9,5	9,5	9,5	9,5	4,9								
18	SW	2	7,1	NE	12	NE	8	9,5														
19	W	2	7,6	—	0	—	0	9,6	9,6	9,6	9,6	9,6	9,6	7,2								
20	SSW	3	8,3	S	8	S	7	9,6														
21	N	9	6,9																			
22	N	8	5,0																			
23	N	3	5,6	—	0	—	0	8,0	8,0	8,0	8,0	8,0	8,0	7,4	5,45	5,45	5,45	5,45	5,45	5,48	5,96	
24	NE	4	4,8	NE	18	ENE	14	8,3														
25	ENE	2	6,2	E	5	E	3	8,4	8,4	8,4	8,5	8,6	8,1	6,4								
26	ESE	2	3,7	SE	9	SE	8	8,6														
27	ESE	5	3,8	SE	17	SE	14	8,3	8,3	8,3	8,3	8,4	8,5	7,7								
28	E	8	3,6																			
29	ENE	9	5,2																			
30	ESE	5	4,8	E	6	ENE	10	7,6														
31	ESE	6	5,8	NE	3	W	4	7,6	7,6	7,6	7,7	7,6	7,4	7,0								
Medeltal			7,8					9,7	9,7	9,7	9,7	9,7	9,2	6,5								

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

November

Observatörer: G. H. Wahlberg o. E. A. Stefanson

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰											
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m						
				Riktn.	cm/sek.	Riktn.	cm/sek.																				
1	S	2	6,2	N	9	—	0	7,0	7,0	7,0	7,0	7,0	6,8	5,8	5,66	5,66	5,63	5,62	5,66	5,66	5,82						
2	S	1	6,2	S	2	—	0	7,1																			
3	E	3	5,5	NE	8	NE	6	7,2	7,2	7,2	7,2	7,2	7,0	6,8													
4	ENE	3	2,9	NE	3	NE	9	6,9																			
5	ENE	3	3,4	—	0	—	0	6,8	6,8	6,8	6,8	7,0	7,0	7,0													
6	NE	5	1,5	NE	11	NE	4	6,8																			
7	NE	7	2,5																								
8	NE	7	1,7																								
9	ESE	1	2,8	S	11	S	7	6,4	6,4	6,5	6,4	6,4	6,4	6,5													
10	W	3	3,0	WNW	4	WNW	6	6,2																			
11	SSE	6	6,2	—	0	—	0	6,2	6,2	6,2	6,2	6,2	6,4	6,4	5,66	5,66	5,67	5,66	5,72	5,80	5,86						
12	WNW	6	5,0	NNW	37	NNW	44	6,0																			
13	SE	7	5,0	SE	10	—	0	6,2	6,2	6,2	6,2	6,2	6,2	6,2													
14	S	1	5,0	—	0	—	0	6,2																			
15	SW	5	2,2	W	8	W	6	6,0	6,0	6,0	6,0	6,0	6,0	6,0													
16	WSW	1	2,5	—	0	—	0	6,0																			
17	W	4	1,0	—	0	NW	3	6,0	6,0	6,0	6,0	6,0	6,0	6,0													
18	ENE	1	1,3	N	7	N	8	5,8																			
19	W	2	0,8	—	0	—	0	5,7	5,7	5,7	5,7	5,7	5,6	5,8													
20	S	1	0,2	N	4	N	7	5,4																			
21	SE	8	1,8																								
22	ESE	8	2,0																								
23	SE	2	4,5	—	0	—	0	5,6	5,6	5,5	5,4	5,5	5,5	5,4	5,67	5,69	5,69	5,69	5,69	5,69	5,67						
24	S	5	5,8	S	10	S	8	5,8																			
25	SW	4	2,6	S	8	—	0	5,5	5,5	5,5	5,5	5,6	5,5	5,5													
26	W	2	0,6	W	4	—	0	5,6																			
27	W	4	2,6	W	8	NW	7	5,2	5,2	5,2	5,2	5,2	5,4	5,4													
28	W	2	1,5	W	11	W	6	5,0																			
29	ENE	4	2,1	S	5	S	4	4,5	4,5	4,5	4,4	4,4	4,2	4,5													
30	N	6	0,3																								
31																											
Medeltal			3,0					6,9	6,9	6,9	6,9	6,9	6,9	5,9													

GRUNDKALLEN

60° 34' 00" N

18° 58' 00" E

December

Observatör: G. H. Wahlberg

1950

Datum	Vind Riktn.Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	SSE	10	3,6																			
2	WSW	6	0,9	—	0	NE	15	4,8	4,8	4,5	4,5	4,5	4,6	5,0	5,65		5,67	5,66	5,67	5,67	6,12	
3	W	1	1,2	—	0	NW	2	4,6	4,5	4,5	4,4	4,5	5,0	5,2								
4	W	4	—1,0	WNW	8	WNW	9	4,4														
5	—	0	2,0	NE	5	NE	3	4,4	4,4	4,4	4,4	4,4	4,2	3,8								
6	NE	1	—0,5	—	0	—	0	4,4														
7	NW	6	—0,2	NW	21	NNW	18	4,2	4,2	4,2	4,2	4,2	4,0	3,8								
8	SW	2	—2,5	W	7	W	9	4,2														
9	SW	7	1,5	SSW	12	—	0	4,2	4,2	4,2	4,2	4,1	4,3	4,4								
10	S	3	2,5	SW	7	SW	9	4,1														
11	SSE	7	4,5	SSE	10	SSE	12	4,2	4,2	4,2	4,2	4,2	4,2	5,0	5,53	5,53	5,53	5,53	5,54	5,63	6,09	
12	S	2	4,0	—	0	S	6	4,0														
13	S	5	3,1	S	10	S	8	4,0	4,0	4,0	4,0	4,0	4,0	4,4								
14	SSW	3	1,9	NW	4	NW	2	3,9														
15	ESE	5	2,9	—	0	NW	6	3,8	3,7	3,7	3,6	3,6	3,5	4,4								
16	E	2	4,0	—	0	NE	6	3,9														
17	ESE	4	4,2	—	0	—	0	3,8	3,8	3,8	3,8	3,8	4,0	4,0								
18	S	2	2,5	NNW	3	—	0	3,8														
19	SSE	5	4,0	SW	12	SW	10	3,7	3,7	3,7	3,7	3,8	3,8	3,8								
20	NW	1	0,5	—	0	—	0	3,2														
21	—	0	0,5	—	0	—	0	3,1	3,1	3,3	3,5	3,9	3,9	4,0	5,43	5,40	5,48	5,61	5,69	5,77	5,90	
22	ENE	3	1,0	—	0	—	0	3,3														
23	E	2	0,0	—	0	—	0	3,2	3,2	3,2	3,2	3,2	3,4	3,8								
24	E	3	1,0	—	0	—	0	2,8														
25	ESE	4	1,8	—	0	NW	4	3,2	3,2	3,2	3,2	3,2	3,6	3,8								
26	N	7	—1,2	—																		
27	NNW	3	—1,3	W	7	W	2	2,6	3,0	3,0	3,0	3,0	3,0	3,2								
28	WNW	3	—2,1	W	5	W	3	3,0														
29	NNE	7	—2,2	NNE	6	NNW	11	2,6	2,6	2,6	2,6	2,6	2,6	2,8								
30	WNW	3	—5,0	NNW	14	WNW	19	2,2														
31	SE	4	—4,3	S	3	S	2	2,3	2,3	2,3	2,3	2,3	2,4	2,8								
Medeltal			0,9					3,7	3,7	3,7	3,7	3,7	3,8	4,0								

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

Januari

Observatörer: G. E. Söder o. C. Cederquist

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Rikt.	cm/sek.	Rikt.	cm/sek.																
1	NW	2	—0,5	N	8	N	7	4,2	4,2	4,2	4,2	4,4	4,4	6,60	6,61	6,58	6,61	6,53	6,54			
2	S	3	2,7	—	0	—	0	4,2														
3	E	7	—1,0	W	7	—	0	4,2	4,2	4,2	4,2	4,2	4,4									
4	NNE	7	—10,0	NE	17	NE	13	4,0														
5	NE	5	—10,5	NE	17	NE	17	4,0	4,0	4,0	4,0	4,2										
6	NE	2	—9,5	N	20	N	13	3,6														
7	SE	4	—6,0	—	0	—	0	3,6	3,8	3,8	3,8	4,0	4,0									
8	S	5	—3,5	SW	22	SW	17	3,6														
9	E	7	—4,5	NE	27	NE	22	3,6	3,6	3,6	3,8	3,8	3,9									
10	NE	4	—12,0	NE	11	NE	10	3,6														
11	S	5	—4,8	W	11	W	11	3,4	3,4	3,4	3,4	3,5	3,6	6,78	6,80	6,84	6,82	6,82	6,84			
12	SW	7	—0,5	SW	12	W	17	3,2														
13	SW	4	—0,5	NW	14	NW	19	3,0	3,0	3,0	3,2	3,2	3,2									
14	NW	6	1,5	N	23	N	48	2,0														
15	W	1	0,0	W	12	W	6	3,0	3,0	3,0	3,0	3,0	3,2								3,2	
16	SE	9	—1,5	—																		
17	NE	4	—9,5	N	9	—	0	2,8	2,8	2,8	2,8	2,9	2,9								3,0	
18	SE	2	—6,0	W	8	NE	7	2,6														
19	SW	5	—4,3	W	17	W	13	2,6	2,5	2,5	2,5	2,6	2,6								2,8	
20	NW	5	0,0	NW	11	NW	19	2,3														
21	N	2	2,5	N	3	N	3	2,3	2,3	2,3	2,3	2,3	2,5	2,7	6,52	6,53	6,53	6,53	6,53	6,61	6,61	
22	S	3	1,5	—	0	—	0	2,2														
23	SW	3	1,8	—	0	—	0	2,4	2,3	2,2	2,2	2,2	2,3	2,4								
24	SW	3	1,5	N	17	—	0	2,0														
25	SW	4	—0,5	W	33	W	20	2,0	2,0	2,0	2,0	2,0	2,2	2,6								
26	E	4	0,5	—	0	S	3	2,0														
27	NE	2	—0,5	—	0	—	0	2,0	2,0	2,0	2,0	2,0	2,1	2,4								
28	NE	4	—1,0	N	11	—	0	1,8														
29	N	6	—0,5	N	33	N	27	1,8	1,8	1,8	1,7	2,0	2,3	2,4								
30	E	8	—5,0	—																		
31	E	4	—5,0	E	7	—	0	1,0	1,8	1,8	1,8	1,8	1,8									
Medeltal			—2,7					2,9	2,9	2,9	2,9	3,0	3,1									

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

Februari

Observatör: C. Cederquist

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	E	2	—1,5	E	10	SE	15	1,7	1,7	1,6	1,7	1,8	1,7		6,62	6,62	6,62	6,62	6,62	6,65		
2	SE	5	—1,2	S	8	—	0	1,5														
3	S	7	0,5	SW	19	SW	14	1,4	1,3	1,3	1,3	1,3	1,6	1,6								
4	SSW	9	1,5																			
5	WSW	2	1,0	N	15	N	8	1,2	1,2	1,2	1,2	1,3	1,4	1,5								
6	SW	4	0,5	N	19	N	27	1,4														
7	WSW	2	1,0	N	14	N	30	1,4	1,2	1,2	1,2	1,2	1,4	1,5								
8	W	4	0,5	NW	23	NW	17	1,6														
9	SE	2	2,0	—	0	—	0	1,2	1,2	1,2	1,2	1,4	1,5	1,6								
10	S	2	1,7	—	0	—	0	1,2														
11	SSE	2	0,5	—	0	—	0	1,2	1,1	1,1	1,1	1,2	1,6	1,7	6,13	6,13	6,17	6,26	6,33	6,49	6,56	
12	NE	3	—1,5	E	7	SE	6	1,3														
13	ESE	3	—0,7	—	0	S	7	1,6	1,2	1,2	1,2	1,2	1,3	1,5								
14	NE	8	—2,5	NE	33	NE	22	1,4														
15	N	5	—3,5	N	5	—	0	1,0	0,9	1,0	1,0	1,0	1,0									
16	ESE	3	—1,0	—	0	NE	7	0,8														
17	S	3	2,2	S	8	W	9	1,0	1,0	1,0	1,0	0,9	0,9	0,9								
18	SW	2	2,8	N	7	—	0	1,2														
19	SSW	3	1,8	SW	6	SW	4	1,2	1,1	1,0	1,0	1,0	1,1	1,2								
20	SW	2	—0,7	—	0	SW	7	0,9														
21	E	1	1,0	NE	11	NE	14	0,8	0,9	0,9	1,0	1,0	1,1	1,2	6,17	6,17	6,31	6,42	6,42	6,46	6,55	
22	SW	4	0,0	SW	13	SW	22	0,8														
23	NW	8	—1,5	N	11	N	18	1,0	0,9	0,9	0,9	0,9	1,0	1,1								
24	WNW	8	—2,0																			
25	NW	6	—2,6	N	19	NW	17	0,8	0,7	0,7	0,7	0,7	0,7									
26	NNE	5	—2,0	—	0	—	0	0,6														
27	NNE	1	—2,0	—	0	—	0	0,7	0,6	0,6	0,6	0,8	1,1	1,2								
28	ENE	3	—3,5	SE	4	S	11	0,5														
29																						
30																						
31																						
Medeltal			—0,3					1,1	1,1	1,1	1,1	1,1	1,2	1,4								

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

Mars

Observatör: C. Cederquist

1950

Datum	Vind		Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	34 m	0 m	5 m	10 m	15 m	20 m	30 m	34 m	
	Riktn.	cm/sek.		Riktn.	cm/sek.																	
1	NE	5	—4,0	NE	11	NE	16	0,5	0,4	0,4	0,4	0,7	0,9		6,47	6,47	6,47	6,47	6,47	6,55		
2	NE	2	—4,5	—	0	E	3	0,5														
3	SSW	6	—0,5	SW	29	SW	10	0,4	0,3	0,3	0,4	0,4	0,4	0,7								
4	SW	3	1,5	NW	8	N	28	0,5														
5	WSW	6	3,0	W	18	W	23	0,6	0,5	0,5	0,5	0,5	0,5	0,7								
6	WNW	3	3,2	NW	10	N	5	0,5														
7	NW	3	3,0	NW	4	NE	14	0,4	0,4	0,4	0,4	0,5	0,5									
8	NW	8	—0,5																			
9	N	5	—0,5	N	9	NNW	11	0,5	0,4	0,4	0,4	0,4	0,5	1,1								
10	NW	6	—0,5	NW	10	NW	19	0,4														
11	SSW	3	0,2	W	4	NW	20	0,4	0,4	0,4	0,4	0,4	0,5	1,2	6,35	6,29	6,29	6,29	6,35	6,51	6,80	
12	NE	9	—3,0																			
13	N	6	—3,2	N	5	N	6	0,4	0,4	0,4	0,4	0,4	0,4									
14	NW	4	—2,0	N	20	N	32	0,4														
15	NNW	1	—1,2	N	7	—	0	0,1	0,1	0,4	0,4	0,4	0,4									
16	WSW	2	0,0	—	0	—	0	0,2														
17	S	9	1,5																			
18	S	2	2,0	N	13	N	12	0,5														
19	SSW	6	3,0	—	0	—	0	0,6	0,6	0,6	0,6	0,6	0,6	0,6								
20	S	4	2,0	—	0	—	0	0,6														
21	WSW	1	2,5	N	10	N	13	0,7	0,6	0,6	0,6	0,6	0,6		6,20	6,19	6,19	6,20	6,24	6,49		
22	—	0	2,0	—	0	NW	7	0,7														
23	—	0	2,5	—	0	—	0	1,0	0,9	0,8	0,7	0,7	0,9	0,1								
24	S	3	2,5	—	0	W	7	0,8														
25	S	4	2,0	N	7	N	4	1,0	0,9	0,9	0,8	0,6	0,7									
26	SW	2	0,5	—	0	—	0	0,9														
27	SW	3	2,5	N	11	N	20	1,0	0,9	0,9	0,8	0,8	1,0	1,1								
28	NNW	10	0,0																			
29	WSW	6	1,0	W	20	W	17	1,0	1,0	0,9	0,9	0,9	0,9									
30	NW	3	1,3	NW	10	NW	10	0,9														
31	SW	5	2,0	—	0	NW	13	1,2	1,0	1,0	1,0	0,9	1,1									
Medeltal			0,6					0,6	0,6	0,6	0,6	0,6	0,7									

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

April

Observatör: G. E. Söder

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek.	Riktn.	cm/sek.																
1	SSW	6	3,5	W	20	W	20	1,1	1,1	1,1	1,1	1,1	1,1	2,1	6,11	6,11	6,11	6,11	6,11	6,29	7,21		
2	SSW	7	2,5	W	13	—	0	1,2															
3	SSW	4	3,0	W	17	—	0	1,2	1,2	1,2	1,2	1,2	1,7	2,3									
4	SSW	2	3,1	—	0	W	3	1,4															
5	N	2	1,6	—	0	NE	10	1,6	1,5	1,4	1,4	1,3	1,5	2,2									
6	SW	1	3,0	—	0	—	0	1,5															
7	SW	2	2,5	—	0	—	0	1,7	1,7	1,6	1,4	1,3	1,4	2,4									
8	SSE	2	1,5	SW	6	SW	6	2,0															
9	S	10	4,0																				
10	S	4	2,5	N	13	NE	26	1,6															
11	SE	3	2,7	NE	8	—	0	2,1	1,7	1,6	1,6	1,7	1,7	1,8		6,08	6,08	6,08	6,15	6,33	6,53		
12	SSE	7	3,0	SSE	8	SSE	17	1,8															
13	SSE	5	3,0	SE	8	—	0	2,2	1,8	1,7	1,7	1,7	1,7	1,9									
14	ENE	3	3,0	SE	23	N	4	2,2															
15	SW	3	3,5	W	10	SW	9	2,5	1,9	1,9	1,8	1,8	1,8	1,8									
16	E	2	4,5	—	0	NE	4	2,0															
17	E	3	3,3	E	15	SSE	7	2,1	2,1	2,1	2,1	2,1	1,9	1,9									
18	E	3	3,5	—	0	E	4	2,2															
19	S	3	3,5	S	13	S	10	2,2	2,2	2,2	2,2	2,2	2,0	1,9									
20	WNW	3	4,0	—	0	—	0	2,2															
21	—	0	5,0	—	0	—	0	2,6	2,4	2,3	2,2	2,0	1,9	1,9	6,08	6,08	6,08	6,08	6,15	6,33	6,44		
22	—	0	5,5	—	0	—	0	2,8															
23	SW	2	4,8	—	0	—	0	2,9	2,8	3,0	2,2	2,2	1,9	1,9									
24	NE	3	4,3	N	12	NNE	13	3,0															
25	NW	2	3,0	NE	13	NE	10	3,4	2,8	2,8	2,8	2,6	2,2	2,0									
26	E	5	3,0	SE	7	NE	7	2,9															
27	NW	6	2,5	N	25	N	20	2,9	2,8	2,8	2,8	2,8	2,3	2,1									
28	SSE	3	4,0	N	20	N	11	3,0															
29	S	3	4,0	SE	9	N	11	3,0	2,9	2,8	2,8	2,7	2,4	2,2									
30	W	2	0,5	—	0	SW	4	3,0															
31																							
Medeltal			3,3					2,2	2,1	2,0	2,0	1,9	1,8	2,0									

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

Maj

Observatör: C. Cederquist

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek.	Riktn.	cm/sek.																
1	SW	2	5,0	—	0	—	0	3,1	3,1	3,0	3,0	3,0	2,4	2,2	6,11	6,11	6,11	6,11	6,19	6,26	6,67		
2	SSW	3	4,7	—	0	—	0	3,2															
3	S	6	7,0	S	13	S	9	3,4	3,4	3,3	3,3	3,2	2,6	2,2									
4	—	0	6,5	—	0	NW	4	3,4															
5	—	0	7,8	—	0	—	0	3,9	3,6	3,5	3,2	3,0	2,7	2,4									
6	NE	2	8,0	N	7	—	0	3,8															
7	N	1	8,0	—	0	—	0	4,4	4,2	3,4	3,1	3,0	2,8	2,6									
8	—	0	10,0	—	0	—	0	4,8															
9	N	2	8,5	—	0	—	0	5,7	4,6	4,4	3,4	3,0	2,9	2,8									
10	WNW	2	7,5	W	4	NW	7	6,0															
11	NNW	5	7,5	N	17	N	26	5,7	5,6	5,2	3,4	3,4	3,1	2,5	5,86	5,90	5,90	5,99	5,99	6,08	6,51		
12	NNW	3	7,5	N	5	N	4	5,8															
13	—	0	10,0	—	0	—	0	6,0	5,9	5,7	3,5	3,0	3,0	2,5									
14	NNE	3	7,5	NE	20	NE	13	6,0															
15	NNW	6	6,1	N	18	N	13	5,5	5,4	5,2	3,0	2,7	2,9	2,4									
16	SW	2	7,0	W	20	W	17	5,1															
17	E	1	5,5	SW	10	—	0	5,4	5,4	5,1	4,8	4,1	3,6	2,5									
18	NE	3	5,5	NE	7	—	0	5,4															
19	NNW	3	7,0	W	6	W	6	6,2	5,7	4,7	4,4	3,6	2,9	2,6									
20	—	0	8,5	W	10	W	13	5,6															
21	ESE	1	7,2	SW	10	W	4	6,6	6,6	6,0	4,4	5,0	4,8	2,6	5,86	5,90	6,22	6,22	6,29	6,44	7,23		
22	NNE	3	8,0	—	0	NW	4	6,8															
23	NE	1	9,0	SW	7	SW	7	7,5	6,6	5,6	5,2	5,2	5,0	2,9									
24	NNW	5	8,0	NE	20	N	17	6,8															
25	W	2	7,5	WNW	11	WNW	15	6,2	6,2	6,2	5,9	5,4	4,6	2,8									
26	SSW	5	9,0	W	15	W	23	5,7															
27	N	1	10,0	N	13	—	0	6,3	6,2	6,0	5,4	5,1	3,2	2,6									
28	SE	1	8,0	—	0	—	0	5,4															
29	SSW	4	8,0	—	0	—	0	6,8	6,8	6,2	5,5	5,0	4,1	2,9									
30	W	7	9,5	W	14	—	0	6,9															
31	NNW	9	6,5	—																			
Medeltal			7,6					5,4	5,3	4,9	4,1	3,8	3,4	2,6									

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

Juni

Observatör: C. Cederquist

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m	
			Rikt. n.	cm/sek.	Rikt. n.	cm/sek.															
1	NNW	6	6,2	N	25	N	20	5,5	5,6	5,5	5,5	5,4	5,4	2,9	5,97	5,93	5,97	5,93	5,93	6,08	7,12
2	SW	5	8,2	NW	20	NW	13	6,2													
3	—	0	10,0	—	0	—	0	7,0	6,4	6,4	6,2	5,6	4,2	3,0							
4	SW	3	11,0	N	15	N	10	7,8													
5	WSW	1	11,0	N	15	N	10	7,5	7,4	5,6	5,4	5,2	5,4	3,1							
6	NNW	5	9,0	N	17	NE	17	6,9													
7	SSW	3	10,5	NW	17	NW	17	6,8	6,8	6,8	6,6	5,2	5,0	3,0							
8	SW	3	12,0	NW	17	NW	12	7,1													
9	SW	5	11,0	W	10	W	12	7,6	7,6	7,6	6,6	5,2	4,0								
10	N	6	8,5	N	25	N	20	7,2													
11	NNW	7	8,6	N	22	N	20	7,4	7,4	7,3	5,4	5,4	4,8	3,0	5,86	5,82	5,82	5,82	5,82	6,28	7,47
12	NNW	4	8,5	N	33	NW	31	7,0													
13	NNW	2	9,5	NW	13	NW	12	6,8	6,8	6,8	6,8	6,4	4,5	3,1							
14	—	0	10,5	—	0	—	0	6,5													
15	SE	2	11,5	SE	13	SE	8	8,4	8,4	7,6	7,2	7,2	6,4	3,7							
16	S	1	10,5	—	0	NW	7	9,2													
17	S	1	11,5	N	13	N	10	9,0	8,6	6,8	6,4	6,4	6,0	3,2							
18	—	0	12,5	NW	7	NW	10	9,6													
19	—	0	14,2	N	11	N	6	11,6	8,4	7,6	6,6	5,7	5,4	3,2							
20	SW	2	15,5	—	0	—	0	10,8													
21	—	0	15,0	—	0	N	19	11,4	8,8	7,5	7,4	6,6	6,0	3,2	5,41	5,48	5,63	5,63	5,90	6,17	7,50
22	SE	4	13,0	W	7	N	6	10,9													
23	SSW	2	12,5	—	0	—	0	11,2	10,6	9,0	6,2	6,0	6,2	3,6							
24	SSE	3	12,5	—	0	—	0	11,4													
25	NE	1	12,5	N	9	NE	7	12,1	12,0	7,4	6,6	6,4	6,2	3,4							
26	NNW	4	13,0	N	13	N	11	11,5													
27	—	0	12,5	—	0	—	0	12,2	12,0	7,6	6,8	6,4	5,6	3,4							
28	SW	1	12,0	SW	7	SW	6	12,9													
29	NNW	2	13,0	W	11	NW	6	12,2	12,0	10,0	6,4	6,0	5,2	3,6							
30	SW	1	13,5	W	6	W	6	12,4													
31																					
Medeltal			11,3					9,1	8,6	7,3	6,4	5,9	5,4	3,2							

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

Juli

Observatör: C. Cederquist

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m	
			Rikt. n.	cm/sek.	Rikt. n.	cm/sek.															
1	WSW	6	14,0	W	12	W	33	13,4	13,4	11,8	6,6	6,1	5,8	3,4	5,79	5,79	6,06	6,24	6,51		7,51
2	WNW	7	13,5	NW	10	NW	14	12,4													
3	NW	8	10,5																		
4	NNW	5	12,0	NW	33	NW	30	11,1													
5	NNW	2	12,0	N	28	N	23	10,6	10,2	9,0	8,4	5,7	3,6	3,4							
6	N	1	13,5	N	12	N	22	9,4													
7	NNE	3	13,0	NE	8	NE	20	11,6	10,2	10,0	7,2	6,6	6,2	4,6							
8	SW	2	13,5	—	0	—	0	11,2													
9	N	2	12,0	N	33	N	42	10,8	10,8	10,8	10,4	10,2	6,8	3,5							
10	—	0	13,0	—	0	—	0	11,4													
11	NNE	1	12,5	N	13	N	14	11,8	10,8	8,8	8,8	8,4	7,6	3,7	5,76	5,65	5,73	5,88	5,98	6,33	7,42
12	ENE	2	13,5	NE	16	NE	17	12,2													
13	ENE	4	13,7	NE	10	N	6	11,7	11,7	11,0	10,0	9,1	7,8	3,8							
14	NNE	2	15,5	NW	12	N	7	12,8													
15	NE	2	16,5	—	0	—	0	13,6	12,4	11,2	10,0	8,6	6,8	4,0							
16	ENE	1	15,5	—	0	—	0	14,2													
17	NW	2	17,5	NW	8	NW	8	15,4	12,4	10,2	9,4	8,6	6,2	5,4							
18	S	2	15,0	W	8	—	0	14,2													
19	WSW	4	15,0	NE	23	NE	30	14,6	14,6	11,2	9,4	9,4	8,0	4,0							
20	NNW	4	15,5	—	0	—	0	14,8													
21	NW	1	16,5	N	27	N	12	15,2	14,6	12,1	11,6	10,8	8,8	3,7	5,50	5,50	5,50	5,58	5,59	6,31	7,59
22	SSE	2	18,6	—	0	—	0	16,2													
23	SE	2	17,5	—	0	—	0	16,2	16,2	14,6	12,8	11,0	8,5	3,8							
24	S	2	17,2	W	23	NW	13	16,2													
25	SSE	2	17,5	S	10	—	0	15,8	15,8	13,4	11,4	10,9	9,0	3,7							
26	W	7	15,5	NW	23	NW	11	15,8													
27	SW	6	14,0	SW	10	W	14	15,3	15,3	13,0	10,6	10,2	8,2								
28	WSW	3	14,0	SW	19	W	9	15,1													
29	E	2	16,0	—	0	—	0	15,3	15,3	13,1	11,0	10,2	8,3								
30	NE	2	16,0	N	8	—	0	15,4													
31	N	2	17,0	—	0	—	0	16,2	15,1	13,4	10,8	9,8	7,8								
Medeltal			14,7					13,7	13,3	11,6	9,9	9,0	7,3	3,9							

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

Augusti

Observatör: G. E. Söder

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰									
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m				
			Rikt. Rikt.	cm/sek. cm/sek.	Rikt. Rikt.	cm/sek. cm/sek.																		
1	—	0	21,2	—	0	—	0	17,0	15,4	14,2	10,8	9,5	6,2	5,58	5,59	5,68	5,80	6,33	6,85					
2	NE	2	21,2	NE	10	—	0	17,8																
3	E	3	18,0	E	25	NE	13	17,8	17,7	11,2	9,4	7,2	6,1											
4	NNE	4	18,1	—	0	—	0	17,0																
5	—	0	23,0	S	13	S	15	18,5	18,5	15,6	9,8	8,0	6,6											
6	E	2	17,0	—	0	—	0	17,4																
7	ENE	6	17,0	NE	25	NE	20	17,2	17,2	9,6	9,4	8,9	7,9											
8	ENE	4	18,5	NE	25	N	13	17,2																
9	—	0	18,0	N	17	N	12	17,4	16,9	9,8	8,9	8,4	8,5											
10	NW	2	18,2	NNW	6	—	0	18,4																
11	SW	4	17,6	WSW	6	WSW	8	17,5	17,5	10,8	10,4	9,9	8,8	5,44	5,44	5,66	5,68	6,04						
12	SSE	6	19,2					18,0																
13	SE	2	19,1	N	13	N	10	18,2	18,2	12,8	11,0	10,0	8,2											
14	W	2	18,0	NW	17	NW	8	18,1																
15	SE	2	20,2	—	0	—	0	18,6	18,4	17,3	10,7	9,4	7,6						5,6					
16	N	1	19,3	—	0	NW	7	18,5																
17	SE	4	19,2	—	0	NW	10	18,4	18,4	18,2	10,2	8,1	7,4						6,5					
18	ESE	4	19,8	—	0	NE	17	18,4																
19	ESE	5	19,0	N	10	N	8	18,6	18,6	17,5	12,0	8,2	7,8						6,2					
20	NW	3	17,0	N	25	N	20	18,4																
21	WNW	4	16,0	N	30	N	25	18,4	18,3	13,6	10,4	9,6	8,6	5,4	5,50	5,50	5,63	5,64	5,80	6,06	7,16			
22	NNE	5	17,0	W	20	W	17	18,8																
23	N	2	15,0	NW	23	NW	17	18,8	18,8	16,8	10,0	9,8	8,0	6,0										
24	NE	3	13,0	N	17	N	13	18,3																
25	SSE	4	16,0	SW	10	—	0	17,6	17,6	17,2	9,6	8,8	8,6	6,9										
26	S	5	15,0	—	0	—	0	17,4																
27	SE	1	18,0	—	0	NE	13	17,4	17,3	17,5	11,2	9,0	8,4	6,5										
28	WSW	3	17,0	NW	17	NW	15	16,8																
29	SSW	2	16,0	—	0	—	0	16,5	15,6	14,6	9,2	8,4	8,2	5,6										
30	WSW	8	15,0																					
31	NW	7	13,0	NE	13	—	0	15,2	15,2	15,2	10,4	8,2	8,6	5,0										
Medeltal			17,7					17,8	17,5	14,5	10,2	8,8	8,8	6,0										

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

September

Observatör: C. Cederquist

1950

Datum	Vind Rikt. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Rikt. Rikt.	cm/sek. cm/sek.	Rikt. Rikt.	cm/sek. cm/sek.																
1	NW	5	13,0	NW	18	NW	22	15,2	15,2	15,2	11,5	9,8	8,8	5,0									
2	NNE	3	16,0	—	0	—	0	15,2															
3	N	2	15,0	N	17	N	17	15,0	15,2	15,6	15,6	10,0	8,6	4,9									
4	—	0	16,0	N	6	NW	8	15,2															
5	SE	1	16,5	N	6	—	0	15,1	14,9	15,0	15,0	9,4	8,0	5,0	5,63	5,61	6,19	6,68	5,93	6,25	7,19		
6	SSE	1	15,5	W	8	—	0	15,0															
7	SSE	1	16,5	—	0	NW	3	15,4	15,4	15,1	8,3	8,2	7,8	5,0									
8	SW	8	13,7	W	10	N	20	13,9															
9	NW	8	12,0																				
10	NW	5	11,5	W	20	W	17	12,6															
11	W	3	13,0	NW	6	N	7	13,0	12,9	12,9	12,8	10,3	7,4	4,2	5,78	5,77	5,75	5,78	6,08	6,67	7,67		
12	W	1	13,0	W	8	N	14	13,2															
13	SW	5	13,0	W	25	W	17	12,8	12,8	12,7	12,2	9,8	6,6	4,5									
14	NW	3	11,5	NE	13	NE	10	12,6															
15	SW	2	13,6	N	10	N	10	12,8	12,8	12,8	12,5	10,0	6,6	4,4									
16	ESE	4	14,5	N	9	N	10	12,8															
17	WNW	4	12,5	N	10	N	10	12,8	12,8	12,6	12,0	10,4	7,1	4,5									
18	SSE	2	13,5	—	0	—	0	12,6															
19	—	0	12,5	—	0	—	0	12,9	12,8	12,7	12,4	11,2	7,1	5,0									
20	WSW	1	13,0	—	0	—	0	12,6															
21	SSW	3	13,0	NW	3	NW	3	12,7	12,6	12,6	12,4	11,5	6,8	5,0	5,88	5,84	5,85	5,99	6,10	6,97	7,58		
22	SSE	2	14,0	—	0	—	0	12,8															
23	E	2	12,5	ENE	11	E	4	12,8	12,7	12,6	12,4	12,0	8,0	5,2									
24	NNW	5	12,5	NE	20	NE	15	12,6															
25	NW	3	12,0	N	6	—	0	12,6	12,5	12,4	12,4	12,3	8,8	4,8									
26	SE	6	10,0	S	25	S	17	12,4															
27	WSW	4	12,0	SW	4	—	0	12,3	12,2	12,2	12,3	12,2	8,0	4,5									
28	SW	7	11,5	SW	25	SW	33	12,0															
29	WSW	8	11,0																				
30	W	8	10,5																				
31																							
Medeltal			13,2					13,4	13,4	13,4	12,4	10,5	7,7	4,8									

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

Oktober

Observatör: G. E. Söder

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
	Riktn.	cm/sek.		Riktn.	cm/sek.																		
1	S	2	11,5	W	13	W	10	10,9	10,9	10,9	11,0	8,5	6,0	4,4	5,93	5,93	5,97	6,00	6,63	7,34	7,85		
2	SW	4	12,0	NW	13	—	0	11,0															
3	S	6	12,2	S	9	SW	6	11,1	11,0	11,0	11,0	9,7	6,0	5,6									
4	S	5	9,1	W	12	W	7	11,0															
5	NNW	4	9,8	NE	7	NE	9	10,3	10,4	10,2	8,2	7,5	6,3	5,4									
6	SSW	4	12,2	W	22	WNW	35	10,5															
7	S	7	12,5	SW	28	W	30	10,8	10,8	10,8	10,7	10,5	7,0	6,1									
8	SSW	6	11,5	SW	22	W	20	10,6															
9	SSW	7	12,2	S	20	SW	8	10,5	10,5	10,5	10,3	10,0	7,2	6,0									
10	SSW	4	10,5	W	3	—	0	10,4															
11	SW	3	10,2	SW	7	WSW	6	10,4	10,4	10,4	10,3	8,5	6,5	5,6	6,04	6,06	6,05	6,12	6,61	7,20	7,44		
12	NNE	7	9,5	N	18	NW	10	10,2															
13	N	5	9,5	N	7	N	20	9,8	9,7	9,6	9,6	9,2	7,4	6,6									
14	NE	1	8,3	—	0	NE	3	9,4															
15	S	6	10,2	S	17	S	22	9,3	9,4	9,4	9,4	9,0	6,4	6,2									
16	S	4	10,0	ESE	5	E	3	9,5															
17	S	3	9,8	—	0	—	0	9,8	9,8	9,6	9,6	9,2	7,3	6,0									
18	WNW	3	8,5	NE	10	NE	17	9,8															
19	NNW	3	8,5	W	3	NW	7	9,8	9,8	9,8	9,8	9,4	9,0	7,3									
20	SW	5	9,8	W	13	W	25	9,8															
21	N	5	7,5	NE	20	WNW	33	9,4	9,4	9,4	9,4	9,2	9,1	6,0	5,88	5,87	5,87	5,87	6,04	6,50	7,34		
22	NNW	9	7,5	W	13	NW	10	8,7															
23	NNW	2	6,1	ENE	5	ENE	13	8,6	8,7	8,7	8,7	8,7	8,6	6,3									
24	NNE	1	5,2	N	22	NNE	8	8,4															
25	NNW	2	6,5	N	7	N	8	8,3	8,3	8,3	8,4	8,4	8,0	7,8									
26	NNE	3	5,0	NE	13	NE	3	8,2															
27	ESE	7	5,2	NE	10	ENE	7	8,0	8,0	8,0	8,2	8,2	8,2	7,6									
28	E	10	5,0																				
29	ESE	8	5,2																				
30	ESE	6	5,5	E	7	NE	17	8,4															
31	SE	5	7,5	SSW	20	S	17	8,4	8,4	8,4	8,2	8,2	8,0	7,6									
Medeltal			8,8					9,7	9,7	9,7	9,5	8,9	7,4	6,3									

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

November

Observatör: G. E. Söder

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
	Riktn.	cm/sek.		Riktn.	cm/sek.																		
1	SSW	3	6,5	—	0	—	0	8,4	8,4	8,4	8,4	8,4	8,1	7,6	6,94	6,94	6,94	6,94	6,94	6,94	6,94	6,94	
2	SE	1	7,4	—	0	—	0	8,3															
3	ESE	4	5,2	ESE	13	S	8	8,2	8,2	8,2	8,2	8,2	7,4	7,6									
4	ENE	5	6,0	N	17	N	13	7,6															
5	E	6	5,5	NE	27	NE	20	7,2	7,2	7,2	7,2	7,2	7,4	7,6									
6	NE	6	4,0	NE	10	N	7	7,3															
7	NE	6	2,2	E	17	N	13	7,3	7,3	7,3	7,3	7,4	7,4	7,6									
8	NE	8	2,0	E	12	NE	10	7,3															
9	ENE	2	4,5			E	7	7,2	7,2	7,2	7,1	7,3	7,3	7,6									
10	W	3	4,5	N	13	N	17	7,1															
11	SE	8	7,1	NE	5	N	7	7,0	7,0	7,0	7,0	7,0	7,0	7,0	6,94	6,93	6,93	6,94	6,94	6,94	6,94		
12	W	6	5,5	NW	43	NW	35	6,8															
13	SE	8	7,2	SE	25	SW	30	6,8	6,8	6,8	6,8	6,8	6,8	6,9									
14	SSW	3	5,5	S	5	S	7	6,7															
15	SW	4	5,0	W	9	W	15	6,7	6,7	6,7	6,6	6,6	6,8	6,8									
16	—	0	3,0	—	0	NW	13	6,2															
17	W	2	2,4	—	0	—	0	6,4	6,4	6,4	6,4	6,5	6,7	6,8									
18	SE	2	2,8	—	0	—	0	6,2															
19	NW	4	2,5	NW	15	NW	13	6,2	6,2	6,4	6,4	6,7	6,8	6,8									
20	SE	1	2,0	N	3	—	0	6,0															
21	ESE	8	2,0																				
22	ESE	8	3,5																				
23	ESE	6	5,0	ENE	13	—	0	6,3	6,2	6,2	6,2	6,2	6,2	6,3		6,64	6,64	6,64	6,66	6,72	6,76		
24	S	7	6,5	SW	25	SW	13	6,4															
25	WSW	6	6,5	NW	12	N	23	6,0	6,0	6,0	6,0	6,2	6,2	6,3									
26	NW	2	1,0	NW	10	N	18	5,8															
27	WNW	2	2,8	NW	16	N	16	5,6	5,6	5,6	5,6	5,6	6,0	6,2									
28	WNW	4	4,0	NW	12	N	11	5,7															
29	E	6	2,5	E	17	S	13	5,6	5,6	5,6	5,6	5,6	6,1	6,2									
30	N	7	1,5	N	20	N	15	5,6															
31																							
Medeltal			4,2					6,7	6,8	6,8	6,8	6,8	6,9	7,0									

SVENSKA BJÖRN

59° 36' 00" N

19° 36' 00" E

December

Observatör: G. E. Söder

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰								
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m			
			Riktn.	cm/sek.	Riktn.	cm/sek.																	
1	S	9	4,5																				
2	S	8	3,0																				
3	SW	5	4,2	W	15	—	0	5,4	5,4	5,4	5,4	5,4	5,4	6,32	6,31	6,30	6,30	6,32	6,41	6,41			
4	WNW	4	2,3	W	25	W	12	5,3															
5	SW	1	2,5	W	7	—	0	5,4	5,2	5,2	5,2	5,2	5,4										
6	SSW	2	2,8	W	17	W	7	5,2															
7	NW	6	—1,1	NW	25	NW	19	4,8	4,8	4,8	4,9	5,0	5,1	5,3									
8	W	1	—1,0	—	0	—	0	4,7															
9	SW	7	2,8	W	15	W	17	4,9	4,9	4,9	4,9	4,9	5,0										
10	SW	3	2,6	—	0	—	0	4,4															
11	S	8	4,5																				
12	SSE	5	4,0	—	0	—	0	4,6	4,6	4,7	4,7	4,7	5,2	5,2	6,32	6,32	6,31	6,31	6,31	6,54	6,65		
13	SSW	5	4,3	W	17	W	20	4,7	4,7	4,7	4,7	4,8	5,1	5,2									
14	SSW	2	4,5	—	0	—	0	4,6															
15	SE	3	4,2	SE	13	SE	5	4,4	4,4	4,4	4,4	4,6	4,9	5,1									
16	SE	2	5,0	S	12	—	0	4,4															
17	ESE	4	5,0	E	8	—	0	4,4	4,4	4,4	4,4	4,4	4,7	5,0									
18	SSW	1	3,6	—	0	—	0	4,4															
19	SSE	5	5,0	S	13	S	10	4,4	4,4	4,4	4,4	4,6	4,8	5,1									
20	NNE	2	3,0	NW	7	—	0	4,2															
21	E	2	4,2	—	0	—	0	4,2	4,2	4,3	4,4	4,5	4,6	4,6	6,22	6,24	6,21	6,21	6,28	6,27	6,33		
22	E	6	2,0	NE	17	NE	13	4,2															
23	E	3	1,2	NE	13	NE	8	4,2	4,2	4,2	4,4	4,5	4,5	4,6									
24	ESE	4	2,0	—	0	—	0	4,2															
25	SSE	4	3,5	—	0	—	0	4,2	4,2	4,2	4,3	4,3	4,5	4,6									
26	N	7	1,0	N	33	N	25	4,2															
27	NNW	5	—0,5	—	0	—	0	4,2	4,2	4,2	4,3	4,4	4,5	4,5									
28	W	4	—2,0	W	7	—	0	4,3															
29	NNW	4	0,0	—	0	—	0	3,8	3,8	3,8	4,1	4,4	4,4	4,5									
30	ENE	2	—4,5	NE	20	NE	10	3,8															
31	SE	6	—4,5	N	15	NE	8	3,8	3,8	3,8	3,8	3,7	4,2	4,5									
Medeltal			2,2					4,5	4,5	4,5	4,6	4,6	4,8	4,9									

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

Januari

Observatörer: Gustav Ohlsson o. E. G. R. Peltersson

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	WNW	2	0,0	E	27	NE	111	5,2	5,2	5,2	5,2	5,2	5,2	7,41	7,39	7,39	7,40	7,40	7,48	7,44		
2	WSW	9	4,8	N	30	NE	20	5,2														
3	NE	5	2,2	NE	67	NE	74	5,1	5,0	5,0	5,0	5,0	5,0									
4	NE	6	—0,5	N	42	NE	80	4,9														
5	NE	5	—7,7	N	67	N	118	4,6	4,6	4,7	4,7	4,7	4,7									
6	NE	6	—2,5	E	50	NE	87	4,5														
7	E	3	—3,1	NE	43	N	33	4,4	4,4	4,4	4,4	4,5	4,5	4,5								
8	NW	3	3,2	NE	33	NE	50	4,2														
9	NE	4	2,8	NE	65	E	80	3,6	3,6	3,8	3,8	4,2	4,3	4,4								
10	ENE	7	—4,5	NE	37	NE	33	4,1														
11	SE	8	—5,8																			
12	S	7	—2,0																			
13	WNW	2	1,0	—	0	NW	7	3,7	3,7	3,7	3,8	3,9	3,9	7,40	7,40	7,40	7,41	7,42	7,43	7,42		
14	W	8	4,0	NW	10	—	0	3,9														
15	WNW	4	2,5	—	0	NE	17	3,6	3,6	3,6	3,7	3,7	3,7	3,8								
16	W	8	4,2	NE	37	NE	53	3,9														
17	NE	6	—1,5	NE	67	N	65	3,7	3,8	3,9	3,9	3,9	3,9	3,9								
18	NE	5	—3,2	NE	23	NE	43	3,8														
19	SE	4	—3,0	NE	17	NE	20	3,8	3,8	3,8	3,7	3,7	3,8	3,8								
20				—	0	—	0	3,7														
21	NNE	3	2,0	—	0	—	0	3,8	3,7	3,7	3,8	3,8	3,4	3,6	7,40	7,40	7,39	7,39	7,42	7,40		
22	ENE	2	0,8	NE	20	N	7	3,7														
23	S	2	0,0	NW	7	—	0	3,3	3,3	3,6	3,6	3,6	3,6	3,6								
24	S	3	—2,0	SE	33	S	10	3,5														
25	ESE	3	—1,0	S	3	SW	13	3,2	3,2	3,2	3,2	3,2	3,0	3,0								
26	SE	4	1,0	SE	43	S	33	2,8														
27	E	5	1,1	—	0	SW	10	2,8	2,8	2,8	2,8	2,8	3,2	3,4								
28	NE	8	0,8	NE	7	—	0	3,0														
29	NW	4	—1,5	SW	37	SW	23	2,7	2,7	2,7	2,7	2,7	2,8	3,5								
30	NE	9	—3,1																			
31	E	5	—2,0	NE	57	N	77	2,5	2,5	2,5	2,5	2,6	2,6	2,6								
Medeltal			—0,4					3,8	3,7	3,8	3,8	3,8	3,9									

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

Februari

Observatörer: E. G. R. Pettersson o. Gustav Ohlsson

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek.	Riktn.	cm/sek.																
1	ESE	4	—3,0	NE	17	NE	23	1,8	1,8	1,8	1,8	1,9	2,2	2,3		7,32	7,32	7,36	7,34	7,39	7,38		
2	SE	6	—1,4	W	37	—	0	2,0															
3	SSE	9	—1,4																				
4	S	6	0,5	SW	40	SW	37	1,6															
5	S	3	1,6	SE	10	S	3	1,6	1,6	1,7	1,7	1,7	2,0	2,3									
6	S	5	1,8	—	0	E	20	1,7															
7	SW	5	2,1	NW	15	—	0	1,8	1,9	1,9	1,9	2,1	2,2	2,4									
8	WSW	6	2,2	N	3	N	4	1,9															
9	SSW	6	2,0	N	13	—	0	2,1	2,1	2,1	2,2	2,2	2,2	2,4									
10	SW	8	2,0	N	7	—	0	2,2															
11	S	8	3,4	WSW	40	—	0	2,2	2,2	2,2	2,2	2,2	2,2	2,2	7,38	7,38	7,34	7,38	7,36	7,45	7,48		
12	W	6	2,4	NE	13	NE	43	2,5															
13	WSW	4	1,6	ENE	43	NE	69	2,6	2,5	2,5	2,5	2,5	2,6	2,8									
14	SW	8	3,0	NNW	20	NE	13	2,7															
15	NW	2	0,0	NNE	33	NE	53	2,5	2,5	2,5	2,5	2,5	2,5	2,6									
16	W	6	3,8	NE	53	NE	80	2,7															
17	WSW	8	4,8	N	25	N	33	2,6	2,6	2,6	2,6	2,6	2,6	2,6									
18	WSW	4	4,0	N	13	NNE	37	2,8															
19	WSW	4	3,4	NE	20	NE	30	2,7	2,7	2,7	2,7	2,7	2,7	2,7									
20	SW	3	2,0	—	0	NE	13	2,8															
21	NNE	5	2,9	NE	40	NE	37	2,8	2,8	2,8	2,7	2,7	2,6	2,6	7,27	7,27	7,27	7,27	7,27	7,32	7,34		
22	WNW	3	0,3	—	0	—	0	2,6															
23	WSW	9	3,0																				
24	NW	6	0,4	N	33	NNE	40	2,5															
25	W	5	0,6	—	0	—	0	2,3	2,3	2,3	2,3	2,3	2,4	2,4									
26	NNE	4	—1,6	NE	30	NE	15	2,4															
27	NE	7	0,4	—	0	SSW	20	2,3	2,3	2,3	2,3	2,3	2,3	2,2									
28	NNE	7	—2,0	NNE	12	SW	13	2,5															
29																							
30																							
31																							
Medeltal			1,4					2,3	2,3	2,3	2,3	2,3	2,4	2,5									

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

Mars

Observatörer: E. G. R. Pettersson o. Gustav Ohlsson

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek.	Riktn.	cm/sek.																
1	NNE	6	—2,0	NNE	20	N	13	2,4	2,4	2,4	2,4	2,4	2,4	2,4	7,30	7,32	7,32	7,29	7,25	7,29	7,29		
2	N	4	—1,5	NE	30	NE	20	2,2															
3	SW	5	1,0	SW	10	—	0	2,2	2,2	2,2	2,2	2,2	2,2	2,3									
4	WSW	5	2,1	SW	18	—	0	2,0															
5	WSW	8	3,4	N	20	NNE	40	2,2	2,2	2,1	2,1	2,1	2,1	2,1									
6	W	6	4,0	—	0	—	0	2,2															
7	WNW	4	3,5	NNE	10	NNE	23	2,3	2,3	2,3	2,3	2,3	2,2	2,2									
8	N	3	2,0	N	17	—	0	2,4															
9	NW	4	1,5	N	8	—	0	2,3	2,3	2,3	2,3	2,3	2,3	2,3									
10	W	5	1,0	N	8	—	0	2,3															
11	SW	7	1,9	SW	47	SW	23	2,3	2,4	2,3	2,3	2,3	2,3	2,3	7,21	7,25	7,23	7,21	7,25	7,25	7,27		
12	N	10	0,5	—	0	—	0	2,2	2,2	2,2	2,2	2,3	2,3	2,4									
13	SE	1	1,2	—	0	—	0	2,2	2,2	2,2	2,2	2,3	2,3	2,4									
14	NW	4	—1,8	N	10	—	0	2,2															
15	NW	2	0,5	N	47	NE	50	2,1	2,1	2,1	2,1	2,1	2,1	2,3									
16	SSE	4	1,2	NE	23	NE	40	2,1															
17	S	6	2,4	S	7	—	0	2,1	2,1	2,1	2,1	2,1	2,1	2,2									
18	SW	7	4,2	—	0	—	0	2,2															
19	SSW	5	4,4	—	0	—	0	2,2	2,2	2,2	2,2	2,2	2,2	2,2									
20	WSW	2	3,6	—	0	—	0	2,4															
21	—	0	3,1	—	0	—	0	2,4	2,4	2,4	2,4	2,4	2,2	2,1	7,27	7,23	7,23	7,25	7,25	7,27	7,29		
22	—	0	4,2	—	0	—	0	2,5															
23	E	3	3,0	ENE	15	NE	5	2,4	2,4	2,3	2,3	2,3	2,3	2,3									
24	SSE	2	3,0	—	0	—	0	2,4															
25	SSE	3	3,5	—	0	—	0	2,5	2,5	2,5	2,5	2,6	2,3	2,3									
26	NNE	3	2,3	NNE	15	—	0	2,7															
27	W	4	3,2	NW	13	W	10	2,6	2,6	2,6	2,5	2,5	2,5	2,3									
28	N	4	3,6	N	37	NE	53	2,8															
29	W	4	2,6	SW	13	SW	23	2,8	2,8	2,8	2,7	2,7	2,5	2,5									
30	NW	2	4,5	—	0	—	0	2,8															
31	SW	8	2,8	—																			
Medeltal			2,2					2,4	2,4	2,3	2,3	2,3	2,3	2,3									

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

April

Observatörer: E. G. R. Pettersson o. Gustav Ohlsson

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.															
1	SW	8	4,2																		
2	SW	8	4,3																		
3	SSW	2	4,0	SW	23	S	30	2,8	2,8	2,8	2,8	2,8	2,9	2,9	7,34	7,32	7,32	7,32	7,32	7,34	7,36
4	SW	4	2,4	—	0	SW	20	2,8													
5	SW	3	3,8	—	0	SW	17	2,7	2,7	2,7	2,7	2,8	2,6								
6	—	0	5,8	SE	7	—	0	2,8													
7	W	1	3,8	—	0	SW	3	3,4	3,3	3,0	3,0	2,9	2,8								
8	SW	3	2,6	S	33	S	20	3,4													
9	S	9	6,0																		
10	SW	4	4,0	SW	17	WSW	20	3,4	3,4	3,3	3,3	3,4	3,2	2,8							
11	SSE	9	3,9																		
12	SW	3	4,3	SW	17	WSW	20	3,5	3,4	3,4	3,4	3,3	3,4	2,8	7,47	7,47	7,50	7,50	7,47	7,50	7,61
13	SE	2	4,6	SSE	17	S	20	3,2	3,2	3,2	3,2	3,2	3,1	2,9							
14	W	6	4,2	SSE	30	S	27	3,2													
15	—	0	4,4	—	0	ESE	23	3,3	3,3	3,3	3,3	3,2	3,1	3,0							
16	ENE	6	5,2	ESE	30	ESE	37	3,3													
17	ESE	1	4,4	SE	13	—	0	3,3	3,3	3,3	3,3	3,2	3,1	3,1							
18	SW	2	4,5	SE	13	ESE	17	3,3													
19	S	3	5,4	—	0	SE	13	4,0	4,0	4,0	4,0	3,9	3,2	3,2							
20	ENE	2	8,4	—	0	—	0	4,3													
21	NE	6	5,2	SE	7	SE	10	4,5	4,5	4,5	4,4	4,2	3,7	3,0	7,57	7,61	7,61	7,61	7,65	7,72	7,72
22	NE	4	5,0	SE	20	SE	17	4,4													
23	NW	2	7,2	—	0	NW	7	4,4	4,4	4,4	4,4	3,8	3,8	3,2							
24	—	0	6,2	NNW	7	NNW	10	5,0													
25	ESE	3	5,8	SSW	33	NNE	33	4,8	4,8	4,8	4,5	4,0	3,8	3,2							
26	W	2	4,8	NE	17	NE	37	5,0													
27	ESE	4	6,2	SE	20	E	30	4,9	4,9	4,9	4,6	4,4	3,8								
28	SSW	7	4,0																		
29	SW	7	4,6	SE	27	SE	37	4,4	4,4	4,4	4,2	4,2	4,2	4,2							
30	W	4	5,6	NW	16	N	27	4,4													
31																					
Medeltal			4,8					3,8	3,7	3,7	3,7	3,5	3,4	3,1							

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

Maj

Observatörer: E. G. R. Pettersson o. E. Ström

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.															
1	S	2	5,0	NE	16	N	27	4,4	4,4	4,4	4,4	4,4	4,2	4,0	7,52	7,38	7,45	7,45	7,41	7,48	7,54
2	SSE	3	8,0	—	0	—	0	4,4													
3	SSE	2	6,5	SW	7	S	8	4,4	4,4	4,4	4,4	4,3	4,3	4,2							
4	N	5	7,4	NNW	18	NNW	8	5,0													
5	ENE	3	8,2	NW	17	N	25	5,1	5,2	5,2	5,2	4,4	4,1	3,9							
6	NE	6	8,3	ENE	33	ENE	27	5,2													
7	NNE	6	7,2	NE	27	NE	43	5,2	5,2	5,2	5,2	5,2	5,0	4,1							
8	NE	5	7,8	NE	13	NE	17	5,1													
9	NNE	3	8,8	NE	8	SE	7	5,3	5,3	5,2	5,1	5,1	5,0	4,4							
10	N	1	8,2	—	0	—	0	5,2													
11	SW	1	10,7	—	0	—	0	7,0	7,0	6,3	6,0	5,4	5,4	5,2	7,34	7,27	7,27	7,30	7,27	7,29	7,38
12	—	0	11,3	NW	17	NW	27	7,3													
13	W	1	13,1	NW	13	NW	30	8,1	7,9	5,9	5,8	5,8	5,8	5,2							
14	SW	3	10,6	NW	8	NW	27	8,1													
15	N	1	7,8	NE	19	NE	33	7,0	7,0	7,0	7,0	6,8	5,2	4,2							
16	—	0	13,0	NE	7	—	0	7,4													
17	SSE	4	9,4	—	0	—	0	7,2	7,2	7,2	7,1	7,0	5,6	5,4							
18	N	2	12,5	NE	10	—	0	7,6													
19	NNW	2	9,2	NNE	8	NNE	13	8,0	8,0	8,0	7,6	6,8	5,6	4,4							
20	E	2	8,7	—	0	NE	7	8,0													
21	NE	1	11,8	ENE	33	ENE	33	8,0	8,0	7,8	7,8	7,2	6,2	5,0	7,28	7,23	7,30	7,45	7,45	7,45	7,56
22	NE	4	9,4	NE	40	NE	47	8,4													
23	W	1	10,2	NNE	33	NNE	50	8,4	8,4	8,3	7,8	7,2	5,8	5,0							
24	W	1	10,6	NE	8	NE	10	8,8													
25	—	0	13,4	—	0	—	0	8,8	8,8	8,6	8,4	7,4	6,0	4,9							
26	SSW	2	9,6	—	0	N	7	9,0													
27	—	0	11,2	—	0	—	0	9,6	9,2	9,0	8,6	7,1	5,9	5,1							
28	SSE	4	8,4	NE	27	N	23	9,4													
29	SW	6	10,2	NE	18	NE	14	9,1	9,1	9,1	9,0	8,4	6,4	6,0							
30	SW	7	10,3	SW	25	SW	18	8,6													
31	SW	1	10,0	NE	30	NE	40	8,2	8,2	8,2	8,0	8,0	5,4	4,8							
Medeltal			9,6					7,1	7,1	6,9	6,7	6,3	5,4	4,7							

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

Juni

Observatörer: E. G. R. Pettersson o. E. Ström

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.															
1	N	2	13,3	NE	41	NE	43	8,5	8,4	8,1	7,9	7,2	4,6	4,5	7,20	7,20	7,20	7,20	7,20	7,57	7,57
2	SW	2	10,0	—	0	—	0	8,4													
3	W	2	10,6	—	0	—	0	8,6	8,4	8,2	7,6	5,2	5,0								
4	—	0	12,8	SW	20	SW	8	10,0													
5	—	0	15,0	—	0	—	0	10,2	9,8	9,1	8,0	5,8	4,6								
6	W	2	14,0	—	0	—	0	10,4													
7	SE	2	13,4	SSE	17	SSE	10	12,2	11,4	8,2	7,8	5,4	5,4	5,4							
8	SW	5	14,8	SE	25	SE	22	12,4													
9	W	6	12,8	SW	33	SW	27	10,8	10,8	10,6	9,0	7,4	4,0	3,9							
10	W	6	11,0	NNE	17	NNE	20	9,8													
11	N	7	12,8	NNE	33	NNE	40	10,6	10,6	10,4	10,3	7,6	4,9	4,4	7,23	7,27	7,27	7,27	7,43	7,57	7,76
12	W	3	11,2	—	0	—	0	11,0													
13	—	0	16,4	NE	13	E	30	11,0	10,9	10,9	10,8	9,6	5,0	4,3							
14	SE	3	14,0	NW	7	NW	8	11,6													
15	SW	2	12,0	SW	7	SW	8	11,6	11,6	11,4	11,4	7,6	5,0	4,4							
16	WSW	5	12,3	NNW	25	NNW	13	11,9													
17	—	0	14,4	SW	20	SSW	30	11,8	11,8	11,7	11,6	10,2	5,8	4,1							
18	—	0	14,0	—	0	—	0	13,1													
19	SW	2	15,2	SW	10	S	13	13,4	13,2	12,0	10,0	8,8	5,9	4,0							
20	SW	2	15,6	SW	17	SW	23	13,6													
21	SE	9	15,2	—	0	—	0	13,6	13,6	13,4	12,8	9,6	5,9	4,2	7,39	7,39	7,39	7,39	7,39	7,43	7,60
22	SE	2	14,2	SE	17	SSE	10	13,6													
23	SW	7	14,8	SW	17	SW	13	13,2	13,2	13,2	13,0	9,0	5,4	3,9							
24	SW	4	13,4	SW	33	SW	25	12,8													
25	SW	4	13,4	SSW	23	SSW	15	13,6	13,6	13,6	13,4	10,4	5,7	4,3							
26	SW	4	13,8	NW	23	WSW	17	13,4													
27	W	5	14,2	W	21	W	13	13,2	13,2	13,0	12,6	8,6	5,2	3,8							
28	W	4	14,0	WNW	27	—	0	13,2													
29	WSW	7	13,0	WNW	17	NNW	7	11,6	11,6	11,6	9,0	6,0	4,4	4,4							
30	SSW	3	15,4	NW	19	N	23	11,8													
31																					
Medeltal			13,6					11,7	11,5	11,0	10,3	7,9	5,1	4,3							

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

Juli

Observatörer: E. G. R. Pettersson o. E. Ström

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.															
1	WSW	6	13,2	W	13	NW	17	10,8	10,8	10,8	8,4	6,3	4,8	4,0	7,44	7,44	7,45	7,56	7,63	7,84	7,94
2	W	6	11,0	NW	17	NNE	10	10,8													
3	WNW	3	15,2	NE	27	NE	27	12,2	12,2	11,5	5,2	4,8	4,6	4,2							
4	NE	3	14,6	NE	13	NE	20	12,5													
5	NNE	2	15,0	ESE	3	ENE	7	14,0	13,6	9,0	7,8	5,4	5,0	4,0							
6	ENE	6	14,2	E	23	NE	20	13,4													
7	NE	4	14,0	NE	20	NE	3	13,2	13,2	10,7	8,0	6,6	4,2	4,0							
8	SE	3	14,4	N	6	NE	6	14,2													
9	SW	2	15,2	W	3	WNW	3	14,2	14,1	14,0	11,4	6,8	5,0	4,1							
10	—	0	16,4	E	5	NE	8	14,4													
11	SW	4	16,0	—	0	NE	20	14,9	14,9	13,6	9,2	8,0	6,7	5,7	7,27	7,28	7,28	7,35	7,44	7,56	7,49
12	E	2	17,2	E	2	NE	1	15,2													
13	ENE	3	17,5	NE	13	N	11	15,5	15,4	14,9	10,5	8,2	6,0	5,2							
14	ENE	5	16,2	NE	13	N	7	15,6													
15	NE	3	18,4	NE	10	NNE	13	15,8	15,7	15,5	15,5	11,3	5,0	4,5							
16	ENE	2	18,6	NE	5	NNE	12	15,8													
17	ESE	4	18,0	E	7	NE	10	16,4	16,3	15,0	14,8	11,6	5,5	4,2							
18	WSW	2	18,4	NE	3	NE	3	16,4													
19	WSW	5	17,4	NW	13	NNW	5	16,5	16,5	16,4	14,2	8,3	5,2	4,2							
20	W	6	16,2	NNE	17	NNE	23	16,8													
21	NW	2	18,8	N	21	NNE	21	17,1	17,0	16,9	13,4	6,2	4,8	4,2	7,21	7,23	7,23	7,54	7,56	7,87	8,03
22	SE	4	17,4	SE	8	SE	7	17,4													
23	SE	1	17,2	NNE	10	NNE	17	17,4	17,4	15,8	8,3	4,8	4,6	4,6							
24	SW	6	17,6	NNW	27	NNE	23	17,4													
25	WSW	7	16,6	ENE	50	ENE	53	17,4	17,4	15,8	8,0	6,0	5,0	4,8							
26	W	5	15,4	ENE	13	ENE	10	16,0													
27	W	5	14,8	NNW	20	NNW	13	12,4	12,2	11,4	8,6	5,6	4,2	4,0							
28	W	7	13,4	NE	11	NE	13	11,2													
29	WSW	3	13,4	NNE	21	NNE	33	10,8	10,8	10,4	5,0	4,4	4,0	3,9							
30	NNW	4	13,6	NE	50	NE	53	16,0													
31	N	2	19,0	NNE	20	NNE	36	16,3	16,2	15,6	10,5	4,6	3,8	3,6							
Medeltal			15,9					14,8	14,6	13,6	9,9	6,8	4,9	4,3							

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

Augusti

Observatörer: E. G. R. Pettersson o. E. Ström

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	—	0	19,2	NNE	33	NNE	33	17,3	16,4	15,6	10,8	7,1	4,2	4,2	7,11	7,11	7,14	7,14	7,26	7,51	7,63	
2	ESE	5	16,5	E	20	NNE	33	17,3														
3	ENE	3	17,2	E	27	E	37	16,7	16,6	16,6	16,0	7,2	6,0	4,6								
4	NNE	3	17,3	ENE	43	ENE	53	16,6														
5	NNE	7	17,8	NE	40	NE	53	15,8	15,8	15,6	15,4	14,8	12,6	5,6								
6	NNE	6	17,6	NE	33	NNE	27	16,8														
7	N	8	16,4	NE	40	NE	43	17,0	17,0	17,0	17,0	17,0	17,0	16,1								
8	NE	6	16,0	NE	40	NNE	54	17,0														
9	NE	3	17,2	N	27	N	43	17,0	17,0	17,0	17,0	17,0	17,0	16,8								
10	ESE	1	17,5	E	20	ENE	27	17,2														
11	SSE	2	19,0	NW	20	NW	13	17,8	17,8	17,4	17,2	17,2	17,0	16,6	6,99	6,99	6,99	7,01	7,01	7,05	7,01	
12	W	3	17,6	—	0	—	0	17,8														
13	SSW	3	17,9	NE	13	NE	13	18,0	18,0	18,0	17,6	17,0	16,8	14,9								
14	WSW	2	17,9	NW	20	W	13	17,8														
15	NW	3	18,0	ENE	9	ENE	13	17,6	17,6	17,6	17,6	17,4	16,1	6,6								
16	S	2	18,6	—	0	WSW	10	17,6														
17	SE	5	18,4	WNW	8	NW	13	17,8	17,8	17,8	17,8	17,8	12,2	5,9								
18	E	6	18,8	NW	7	NW	10	17,0														
19	WNW	2	16,5	WNW	17	W	13	18,0	17,8	17,8	17,0	16,0	6,2	5,3								
20	WNW	2	17,0	W	13	W	16	17,9														
21	WSW	1	17,3	SW	27	SW	33	17,8	17,8	17,8	17,8	16,4	8,0	6,4	7,07	7,07	7,07	7,18	7,50	7,58	7,72	
22	SSW	1	18,9	SW	20	SW	27	18,0														
23	—	0	20,8	S	27	S	13	18,4	18,4	18,2	17,6	16,1	7,0	5,0								
24	ESE	7	17,3	SE	27	S	33	18,1														
25	SE	8	16,5	SSW	27	SSW	40	17,2	17,2	17,2	17,2	17,1	12,1	4,6								
26	NW	1	17,8	W	12	W	27	16,8														
27	SE	6	17,4	S	23	SW	13	17,6	17,6	17,6	17,4	16,8	7,8	4,7								
28	SW	2	17,8	S	11	NW	26	17,7														
29	E	3	18,4	SW	23	—	0	18,0	18,0	18,0	17,4	13,5	5,4	5,2								
30	SW	6	16,2	SSW	47	SSW	71	17,6														
31	WSW	6	15,3	NW	13	NE	40	17,0	17,0	17,0	16,8	16,1	5,8	5,1								
Medeltal			17,6					17,4	17,4	17,3	16,7	15,3	10,7	8,0								

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

September

Observatörer: E. G. R. Pettersson o. E. Ström

1950

Datum	Vind		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
	Rikt. n	cm/sek.		Rikt. n	cm/sek.																		
1	NW	1	15,4	NE	3	NE	13	17,0	16,8	16,8	16,8	13,0	5,6	4,6	7,24	7,25	7,23	7,23	7,25	7,78	8,12		
2	N	2	18,4	—	0	—	0	17,0															
3	S	2	17,4	WSW	7	—	0	17,1	17,1	16,9	16,6	11,6	6,2	5,2									
4	SSE	2	16,0	SSW	13	—	0	17,4															
5	SSE	2	16,6	—	0	—	0	17,3	17,3	17,1	16,1	10,8	7,0	5,8									
6	W	6	15,4	NW	8	NW	7	17,3															
7	S	8	16,2	S	15	S	11	17,2	17,2	17,2	17,1	17,1	5,8	5,8									
8	SW	7	14,9	SW	23	SW	33	16,2															
9	WSW	9	12,8	SW	25	SW	22	14,0	14,0	14,0	14,0	13,8	5,4	5,0									
10	W	4	13,2	SE	11	SE	16	14,8															
11	WSW	4	14,2	SW	8	SSW	7	14,8	14,7	14,6	13,2	6,8	5,0	5,0	7,42	7,43	7,45	7,44	7,86	8,24	8,36		
12	SW	4	14,4	ENE	20	ENE	17	14,2															
13	WSW	6	14,0	NE	20	NE	22	12,8	12,7	12,6	10,4	6,0	5,0	4,8									
14	—	0	15,0	ESE	33	NE	40	12,8															
15	SSE	1	14,8	SE	13	SE	10	14,4	14,4	14,2	13,6	8,0	5,6	4,6									
16	SE	5	16,0	SW	20	SSE	20	13,8															
17	WSW	1	14,2	ESE	20	SE	13	12,6	12,6	12,1	10,2	6,0	5,2	4,9									
18	SW	2	12,0	WSW	6	WSW	7	12,6															
19	SW	2	12,0	SW	40	SW	38	15,2	15,2	15,2	14,4	14,2	6,2	5,4									
20	SW	5	13,0	SE	6	SE	7	14,8															
21	SW	2	13,0	NW	23	NW	15	10,8	10,8	10,4	7,6	5,4	5,0	4,8	7,68	7,68	7,68	7,73	7,86	8,09	8,04		
22	SSW	1	12,0	—	0	—	0	13,2															
23	WSW	3	12,0	N	12	N	10	11,7	11,6	9,4	6,4	5,5	5,0	4,8									
24	WNW	3	11,0	—	0	NE	24	13,3															
25	SSW	2	12,0	SE	13	ESE	17	13,4	12,2	9,1	6,4	5,7	5,0	4,2									
26	ESE	2	12,0	S	13	NNW	19	10,6															
27	SW	6	11,0	NW	23	NW	17	11,6	11,4	10,8	5,4	5,2	4,8	4,2									
28	WSW	10	10,0	—	—	—	—	—															
29	W	6	9,0	NE	20	NE	32	6,4	6,4	6,3	6,2	6,2	4,8	4,4									
30	WSW	4	9,0	W	17	NW	10	6,2															
31																							
Medeltal			13,6					13,8	13,6	13,1	11,6	9,0	5,4	4,9									

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
	Riktn.	cm/sek.		Riktn.	cm/sek.																		
1	SSE	5	11,0	S	7	S	8	11,2	11,2	10,0	8,8	8,4	5,6	4,4	7,81	7,80	7,89	7,89	7,91	7,89	8,79		
2	WSW	5	11,0	S	7	S	9	9,6															
3	SW	4	9,0	NE	13	NE	23	9,8	9,8	9,8	9,2	6,8	4,8	4,2									
4	SW	8	9,0	NE	10	NE	16	6,8															
5	WNW	1	8,0	N	29	N	54	6,8	6,8	6,7	6,7	6,4	4,6	4,1									
6	ESE	1	10,0	NNE	10	NE	20	7,0															
7	SW	5	10,0	NW	7	NW	14	6,4	6,2	6,2	6,1	5,8	4,2	4,0									
8	SSW	3	10,0	NNW	10	NNW	7	7,8															
9	SSW	5	10,0	SW	27	SW	20	7,6	7,6	7,4	7,1	6,8	5,0	4,2									
10	S	2	8,0	NE	7	NE	10	7,8															
11	SSW	2	9,0	NE	4	NE	3	7,8	7,8	7,0	7,0	7,0	5,2	4,9	7,61	7,44	7,61	7,79	7,62	7,68	7,98		
12	WNW	9	8,0	NE	7	NE	6	6,1															
13	N	2	8,0	NE	10	NE	13	8,4	8,4	8,4	7,6	6,8	4,1	4,0									
14	N	2	8,0	NE	7	NE	10	9,8															
15	E	4	9,0	NW	4	NNW	7	9,4	9,4	9,3	8,7	8,0	6,7	4,4									
16	S	3	8,0	ESE	8	ESE	18	9,8															
17	—	0	9,0	NE	17	NE	43	9,0	8,6	8,0	7,6	7,2	4,6	4,1									
18	WSW	5	8,0	NE	20	NE	18	9,2															
19	N	4	7,0	NNE	11	NNE	10	9,0	9,0	9,0	9,0	9,0	8,0	5,0									
20	SW	7	9,0	NW	10	NW	7	9,6															
21	NW	8	9,0	ENE	43	ENE	40	8,4	8,4	8,4	8,3	7,0	4,6	4,1	7,33	7,25	7,33	7,34	7,40	7,73	8,24		
22	N	7	5,0	NE	33	NE	32	7,6															
23	N	2	6,0	—	0	—	0	8,8	7,8	7,8	7,8	7,8	6,4	4,8									
24	WNW	2	7,0	NW	12	NW	17	8,2															
25	NE	4	7,0	NE	10	NE	17	7,6	7,6	7,6	7,4	7,1	6,0	4,4									
26	ESE	6	6,0	E	17	E	20	7,8															
27	ESE	9	3,0																				
28	ESE	9	4,0																				
29	E	3	5,0	NE	30	NE	53	8,4	8,4	8,4	8,4	8,2	8,2	7,6									
30	ESE	6	5,0	NE	23	NE	27	8,6															
31	ESE	5	6,0	E	20	E	50	8,4	8,4	8,4	8,2	8,2	7,8	7,6									
Medeltal			7,8					8,4	8,4	8,2	7,9	7,4	5,7	4,8									

Datum	Vind Rktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek.	Riktn.	cm/sek.																
1	S	1	7,0	E	23	E	53	8,4	8,6	8,6	8,6	8,2	8,2	8,2									
2	ESE	3	8,0	NE	30	NE	33	8,8															
3	ESE	7	5,0																				
4	E	6	6,0	E	30	E	23	8,0	8,0	8,0	8,0	8,0	7,8	7,6									
5	E	6	5,0	E	27	E	26	8,2	8,1	8,1	8,1	8,0	7,6	7,4									
6	NE	8	5,0																				
7	NE	7	4,0	NE	100	NE	105	8,0	8,1	8,1	8,1	8,2	8,2	8,3									
8	NW	6	2,0	N	95	N	100	8,0															
9	—	0	2,0	NE	33	NE	71	7,5	7,5	7,5	7,6	7,6	7,6	7,6									
10	WNW	4	8,0	NE	50	NE	54	7,8															
11	S	9	6,0																				
12	S	2	6,0	NE	33	NE	36	7,8	7,8	7,8	7,8	7,8	7,6	7,4									
13	SSW	4	7,0	NE	12	NE	16	7,8	7,7	7,7	7,7	7,7	7,6	7,4									
14	WSW	8	6,0																				
15	NW	1	5,0	ENE	31	ENE	27	7,6	7,6	7,6	7,6	7,6	7,4	7,3									
16	W	6	4,0	NE	14	NE	19	7,5															
17	W	3	4,0	NE	33	NE	40	7,5	7,5	7,5	7,5	7,4	7,3	7,2									
18	W	5	5,0	ENE	13	ENE	17	7,0															
19	NE	2	1,8	NE	10	NE	16	6,8	7,0	6,9	6,9	6,9	6,9	6,9									
20	ESE	7	4,0	NE	37	NE	33	6,8															
21	SE	11	3,2																				
22	S	3	8,0	NE	10	NE	11	6,4	6,4	6,4	6,4	6,4	6,3	6,1									
23	ESE	8	6,4	SE	34	SE	32	6,4	6,4	6,4	6,4	6,4	6,3	6,2									
24	SSW	6	7,6	NE	17	NE	14	6,3															
25	SW	2	5,4	NE	5	NE	7	6,4	6,4	6,4	6,4	6,4	6,3	5,4									
26	NW	3	3,6	ENE	7	ENE	8	6,1															
27	W	6	5,8	NNW	7	ENE	8	6,2	6,1	6,1	6,2	7,0	7,2	7,2									
28	WSW	6	5,9	N	7	NE	10	6,1															
29	SW	10	7,3																				
30	NE	8	4,5	NE	47	NE	57	6,1	6,1	6,2	6,2	6,2	6,2	6,2									
31																							
Medeltal			5,3					7,2	7,3	7,3	7,3	7,3	7,2	7,1									

ÖLANDSREV

56° 07' 00" N

16° 34' 00" E

December

Observatör: E. G. R. Pettersson

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	SW	9	7,4																			
2	WSW	6	6,3	NNW	3	NNE	23	6,1	6,1	6,1	6,1	6,1	6,0	5,5	7,32	7,32	7,32	7,32	7,32	7,38	7,69	
3	SSW	5	5,8	NE	30	NE	61	6,1	6,1	6,1	6,1	6,0	6,0									
4	SW	2	4,0	NE	7	NE	9	6,0														
5	WSW	6	2,6	NW	20	NNW	30	5,9	5,9	5,9	5,9	5,8	4,8									
6	W	9	3,0	NNW	33	NNE	40	5,8														
7	W	2	1,2	NNE	27	NNE	61	5,6	5,6	5,6	5,6	5,6	5,4	5,3								
8	ESE	2	4,2	ENE	27	NE	61	5,6														
9	—	0	4,3	—	0	—	0	5,6	5,6	5,6	5,6	5,6	5,4	4,8								
10	ESE	2	4,6	E	13	ENE	33	5,2														
11	S	7	3,8	—	0	—	0	5,2	5,2	5,2	5,2	5,2	5,0	4,8	7,31	7,32	7,31	7,31	7,30	7,37		
12	WSW	7	4,4	NW	13	NW	33	5,2														
13	SSW	5	4,7	—	0	SW	20	5,4	5,4	5,4	5,4	5,3	5,1	4,4								
14	SSW	6	3,7	SE	13	SE	20	5,2														
15	SE	3	5,2	S	13	—	0	5,2	5,2	5,2	5,2	5,2	5,1	4,6								
16	SSE	4	4,8	—	0	NE	20	5,4														
17	SSW	2	3,6	WNW	13	NW	20	5,2	5,2	5,2	5,2	5,2	5,1	4,6								
18	SSW	2	2,3	—	0	—	0	5,0														
19	ENE	3	2,4	ENE	17	ENE	30	5,2	5,2	5,2	5,2	5,2	5,2	4,6								
20	NE	6	4,4	NE	10	NNE	40	5,0														
21	ENE	7	3,0	NE	11	NE	17	5,2	5,2	5,2	5,2	5,2	5,0	4,6	7,19	7,19	7,20	7,20	7,21	7,20	7,30	
22	ENE	6	0,8	ENE	33	ENE	67	5,2														
23	E	3	2,4	NE	33	NE	50	5,0	5,0	5,0	5,0	5,0	4,9	4,5								
24	E	8	2,6	E	20	E	27	4,8														
25	NNW	3	2,4	N	18	NNE	57	4,8	4,8	4,8	4,8	4,8	4,7	4,4								
26	N	2	—0,6	NNE	30	NE	67	4,8														
27	NNE	4	—1,6	NE	33	NE	37	4,6	4,6	4,6	4,6	4,6	4,7	4,7								
28	NNE	2	—2,2	NNW	11	N	18	4,5														
29	NW	4	—1,5	NNE	23	NE	47	4,2	4,2	4,4	4,4	4,4	4,4	4,5								
30	ESE	7	1,2	N	23	NE	65	4,1														
31	WSW	7	1,3	NE	20	E	52	4,3	4,3	4,3	4,4	4,5	4,5	4,6								
Medeltal		2,9						5,2	5,2	5,2	5,2	5,2	5,1	4,8								

FALSTERBOREV

55° 17' 30" N

12° 47' 00" E

Januari

Observatörer: B. H. Nilsson o. E. E. Franzén

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰			
			0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.							
1	WSW	3	1,0	—	0	—	0	5,5	5,5	5,6	8,13	9,26	9,36
2	W	8	5,0	W	29	W	27						
3	N	3	3,0	E	6	E	5	5,0					
4	N	4	—1,0	ESE	38	ESE	35						
5	ENE	2	—6,0	ENE	17	ENE	15	4,7					
6	ESE	8	—2,0	ESE	29	E	24						
7	SE	6	0,0	ESE	24	ESE	19	4,4					
8	S	3	4,0	S	5	SE	3						
9	W	1	5,0	E	5	E	4	3,6					
10	ESE	6	0,0	ESE	32	ESE	15						
11	SE	7	—2,0	ESE	14	ESE	14	4,0	4,0	4,0	8,62	8,69	8,69
12	S	7	—2,0	S	16	S	4						
13	WNW	3	3,0	—	0	—	0	3,6					
14	W	5	4,0	W	11	W	3						
15	WSW	2	4,0	W	9	W	4	3,0					
16	W	3	4,0	W	15	W	9						
17	ENE	7	0,0	E	21	E	16	3,4					
18	NE	4	—3,0	ENE	13	ENE	11						
19	E	3	—2,0	E	19	E	13	3,1					
20	NNE	1	—2,0	E	13	E	11						
21	NE	1	1,0	E	14	E	12	2,8	2,8	2,4	8,55	8,52	8,75
22	NE	1	3,0	E	4	E	4						
23	SSE	1	1,0	E	5	E	4	3,0					
24	SE	3	—3,0	ESE	12	ESE	10						
25	ESE	5	—1,0	ESE	21	ESE	16	2,6					
26	ESE	5	0,0	ESE	29	ESE	21						
27	ESE	2	—1,0	E	13	E	11	2,2					
28	ENE	4	0,0	E	8	E	4						
29	ENE	2	0,0	ENE	8	ENE	6	2,3					
30	NE	5	—2,0	ENE	8	ENE	6						
31	ENE	5	—4,0	ENE	16	ENE	12	1,5					
Medeltal		2,3						3,4					

FALSTERBOREV

55° 17' 30" N

12° 47' 00" E

Februari

Observatörer: B. H. Nilsson o. E. E. Franzén

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	ESE	8	—4,0	E	20	E	13	2,0	2,0	1,8	7,94	7,94	8,39
2	SE	8	—3,0	ESE	20	ESE	13						
3	SE	9	—2,0	SE	21	SE	20	1,7					
4	S	3	2,0	S	2	—	0						
5	SSE	2	2,0	SE	12	SE	9	1,8	1,8	1,8			
6	SSE	4	1,0	SSE	5	SSE	2	1,6					
7	WSW	1	2,0	W	2	—	0	1,7	1,7	1,7			
8	SSW	3	3,0	S	8	S	5	1,8					
9	WSW	4	3,0	SE	10	SE	16	1,5	1,5	1,0			
10	WSW	2	2,0	SW	6	SW	5	1,4					
11	W	9	2,0	WNW	16	WNW	14	1,2	1,2	1,2	8,46	8,46	8,46
12	SSW	4	2,0	W	16	W	12	1,2					
13	SSE	3	0,0	SE	20	SE	13	1,2	1,2	1,2			
14	W	7	2,0	W	37	W	33	1,2					
15	SSW	2	2,0	SSE	9	SSE	11	1,1	1,2	1,2			
16	WSW	5	4,0	—	0	—	0	1,4					
17	WSW	7	5,0	W	22	W	14	1,6	1,6	1,5			
18	SW	5	4,0	W	31	W	14	1,8					
19	SW	1	4,0	—	0	—	0	1,8	1,8	1,8			
20	S	2	1,0	S	2	S	4	1,8					
21	NNE	4	2,0	NW	11	NW	10	1,9	1,9	1,9	8,50	8,53	8,53
22	WNW	4	1,0	WNW	26	WNW	12	1,8					
23	WSW	6	2,0	WSW	11	WSW	9	1,9	1,9	1,9			
24	NW	4	2,0	WNW	19	WNW	15	1,8					
25	WNW	3	1,0	W	5	W	7	1,8	1,8	1,8			
26	NNE	5	—1,0	—	0	—	0	1,7					
27	NNE	5	—2,0	—	0	—	0	1,4	1,4	1,4			
28	NNE	1	—2,0	—	0	—	0	1,2					
29													
30													
31													
Medeltal			1,3					1,6	1,8	1,7			

FALSTERBOREV

55° 17' 30" N

12° 47' 00" E

Mars

Observatörer: O. Olin o. E. E. Franzén

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	N	2	—1,0	—	0	—	0	1,2	1,2	1,2	8,60	8,60	8,50
2	—	0	—1,0	—	0	—	0	1,2					
3	S	2	0,0	W	3	W	3	1,2	1,2	1,2			
4	WSW	1	3,0	WSW	3	WSW	3	1,4					
5	WSW	3	3,0	W	23	W	17	1,6	1,6	1,6			
6	WSW	2	3,0	W	4	W	2	1,7					
7	W	4	4,0	W	3	—	0	1,8	1,8	1,8			
8	E	1	1,0	WNW	6	W	8	2,0					
9	E	1	2,0	—	0	—	0	1,9	1,9	2,0			
10	ENE	2	1,0	ENE	11	ENE	4	2,0					
11	WSW	4	2,0	W	15	W	7	2,0	2,0	2,0	8,50	8,50	8,50
12	NNW	8	2,0	E	7	E	14	2,0					
13	W	3	1,0	WNW	17	WNW	17	2,1	2,1	2,1			
14	WSW	6	—1,0	W	7	W	6	2,0					
15	WNW	2	1,0	WNW	9	WNW	4	1,8	1,8	1,8			
16	SE	3	2,0	S	13	S	3	1,8					
17	S	3	4,0	S	4	S	3	2,0	2,0	2,0			
18	SW	4	5,0	WSW	7	WSW	6	2,2					
19	SSE	5	5,0	SE	12	SE	9	2,2	2,2	2,2			
20	SSW	2	6,0	—	0	—	0	2,4					
21	SE	1	5,0	SE	3	SE	2	2,6	2,6	2,6	8,42	8,35	8,57
22	—	0	3,0	—	0	—	0	2,5					
23	SSE	2	4,0	SE	9	SE	3	3,0	2,8	2,8			
24	—	0	5,0	—	0	—	0	2,8					
25	—	0	4,0	—	0	—	0	2,9	2,9	2,9			
26	E	2	3,0	E	9	E	7	2,9					
27	W	1	5,0	WNW	6	WNW	5	3,1	3,1	3,1			
28	NE	1	5,0	E	7	E	12	3,2					
29	WNW	1	6,0	NW	3	NW	3	3,2	3,2	3,2			
30	N	1	7,0	—	0	—	0	3,4					
31	W	3	5,0	W	13	W	11	3,9	3,9	3,9			
Medeltal			3,0					2,3	2,3	2,3			

FALSTERBOREV

55° 17' 30" N

12° 47' 00" E

April

Observatörer: O. Oltin o. E. E. Franzén

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	SW	4	5,0	W	12	W	11	3,7	3,7	3,7	7,95	7,95	7,95
2	SW	8	6,0	WSW	27	W	18	3,6					
3	SW	2	6,0	WSW	3	—	0	4,0	4,0	4,0			
4	SW	3	6,2	WSW	8	—	0	4,0					
5	—	0	7,0	—	0	—	0	4,8	4,8	4,6			
6	NNW	3	4,2	W	7	W	4	4,6					
7	WNW	1	4,0	ESE	13	ESE	13	3,7	3,7	3,2			
8	SE	3	6,0	ESE	21	ESE	19	4,2					
9	SSW	4	7,0	W	14	NW	9	4,6	4,6	4,6			
10	SW	3	7,0	SE	10	ESE	10	4,3					
11	SSW	8	5,0	SW	20	WSW	17	4,2	4,2	4,1	8,26	8,26	8,26
12	SSW	3	6,0	SW	3	SW	3	4,5					
13	S	1	5,0	SW	3	SW	3	4,2	4,2	4,2			
14	W	2	5,0	NW	20	NW	14	4,4					
15	NNE	1	6,0	—	0	—	0	4,6	4,6	4,6			
16	NE	4	5,0	E	21	E	14	4,8					
17	SW	2	5,0	ESE	14	ESE	8	4,6	4,6	4,6			
18	SSW	1	6,0	—	0	—	0	4,6					
19	—	0	8,0	—	0	—	0	4,8	4,8	4,8			
20	—	0	8,0	—	0	—	0	5,4					
21	NNE	1	7,0	E	6	—	0	5,2	5,2	5,2	8,19	8,15	8,19
22	—	0	7,0	—	0	—	0	5,2					
23	NNW	1	7,0	E	7	E	6	5,5	5,5	5,4			
24	E	1	7,0	—	0	—	0	5,8					
25	SSW	2	7,0	SSE	3	SSE	3	5,4	5,4	5,4			
26	S	2	7,0	—	0	—	0	5,6					
27	SSE	3	7,0	SSE	6	SSE	6	5,6	5,6	5,6			
28	W	5	5,0	W	7	NW	6	5,6					
29	W	4	3,0	W	10	WNW	11	5,6	5,6	5,6			
30	W	2	6,0	WNW	5	NW	3	5,6					
31													
Medeltal			6,0					4,8	4,7	4,6			

FALSTERBOREV

55° 17' 30" N

12° 47' 00" E

Maj

Observatörer: O. Oltin o. E. E. Franzén

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	SSW	1	8,0	WNW	3	NW	1	5,6	5,7	5,6	8,15	8,30	8,30
2	SE	2	11,0	—	0	—	0	5,8					
3	E	1	10,0	—	0	—	0	5,8	5,8	5,8			
4	NNW	1	8,0	—	0	—	0	6,2					
5	E	2	10,0	SSE	8	E	4	6,4	6,4	6,4			
6	E	4	10,3	SSE	7	E	4	6,8					
7	E	5	10,2	SSE	8	E	6	7,4	7,4	7,8			
8	E	6	10,0	E	22	E	20	7,8					
9	E	3	9,5	E	7	E	9	7,5	7,8	7,5			
10	E	1	9,0	—	0	—	0	8,0					
11	NE	1	15,0	—	0	—	0	8,4	8,1	7,8	7,02	7,02	7,04
12	NW	1	15,0	—	0	—	0	8,6					
13	SSE	1	13,0	SSE	3	—	0	9,2	8,6	8,2			
14	W	2	13,0	W	5	W	4	10,1					
15	N	1	10,0	E	4	E	3	10,2	10,2	9,8			
16	N	1	10,0	E	2	—	0	10,2					
17	WSW	1	10,0	W	3	W	3	10,2	10,2	8,0			
18	N	1	14,0	N	3	N	3	10,6					
19	NW	1	11,0	—	0	—	0	10,2	9,6	8,0			
20	ESE	1	11,0	—	0	—	0	10,6					
21	E	1	11,0	E	11	E	11	9,6	9,2	9,2	7,74	7,74	7,74
22	ENE	3	12,0	ENE	15	ENE	9	10,0					
23	WNW	1	12,0	W	6	W	4	10,6	10,6	10,6			
24	W	1	13,0	—	0	—	0	11,2					
25	ESE	2	10,0	SE	3	SE	3	10,4	10,4	10,4			
26	S	1	12,0	—	0	—	0	10,2					
27	W	3	11,0	W	6	—	0	10,6	10,6	10,6			
28	SW	4	10,0	WSW	11	WSW	4	9,8					
29	W	6	11,0	W	18	WNW	15	10,4	10,4	10,4			
30	W	6	12,0	W	21	W	18	11,2					
31	NW	7	10,0	NW	15	NW	7	11,8	11,8	11,6			
Medeltal			11,0					9,1	8,9	8,6			

FALSTERBOREVI

55° 17' 30" N

12° 47' 00" E

Juni

Observatörer: O. Oltin o. E. E. Franzén

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	NW	1	13,4	ESE	9	ESE	6	10,4	11,8	11,8	8,37	9,15	9,39
2	SSW	1	13,0	WNW	6	WNW	3	11,2					
3	E	1	13,4	ESE	7	ESE	9	12,0	11,4	11,2			
4	E	1	14,4	E	9	E	7	11,8					
5	SE	1	20,0	SE	3	SE	3	13,0	9,8	9,8			
6	NW	1	17,3	NW	2	—	0	14,1					
7	W	1	19,2	—	0	—	0	15,6	11,2	10,1			
8	SW	2	18,2	WNW	10	WNW	3	15,0					
9	W	3	18,0	NW	5	NW	3	15,5	12,1	12,0			
10	WNW	6	12,4	WNW	31	WNW	17	11,9					
11	NW	3	13,0	WNW	41	WNW	34	11,2	11,2	11,2	8,30	8,30	8,39
12	NW	2	12,6	WNW	21	WNW	11	11,8					
13	NW	1	15,3	WNW	34	WNW	26	12,2	12,2	11,6			
14	WSW	4	15,2	W	28	WNW	21	12,9					
15	S	2	14,4	NW	29	NW	22	13,1	13,1	13,1			
16	WSW	2	13,2	WNW	34	WNW	29	13,6					
17	N	1	14,3	NW	17	NW	13	13,4	13,4	13,0			
18	—	0	16,8	—	0	—	0	14,4					
19	WSW	1	18,8	W	3	—	0	14,4	13,2	11,8			
20	—	0	18,2	—	0	—	0	15,0					
21	ESE	3	16,4	SE	10	SE	9	15,4	15,4	12,2	7,99	7,99	8,30
22	S	3	16,2	SSE	11	SE	9	15,4					
23	SW	7	14,5	WSW	26	W	9	13,2	13,1	10,0			
24	SW	5	14,3	W	12	WNW	6	12,8					
25	W	2	15,2	NW	12	NW	10	13,2	13,2	10,4			
26	WNW	2	14,4	WNW	18	WNW	16	14,6					
27	WSW	1	15,2	W	16	WNW	17	14,8	14,8	10,4			
28	SW	1	15,2	NW	19	NW	19	13,6					
29	WNW	3	16,3	WNW	27	WNW	18	15,0	15,0	15,0			
30	SW	2	19,0	WNW	24	WNW	19	14,0					
31													
Medeltal			15,6					13,4	12,7	11,6			

FALSTERBOREVI

55° 17' 30" N

12° 47' 00" E

Juli

Observatörer: E. E. Franzén o. O. Oltin

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	WSW	6	15,8	W	49	W	40	13,0	13,0	11,8	8,20	8,21	8,26
2	NW	3	13,2	WNW	19	—	0	13,6					
3	NW	3	13,1	SE	43	SE	49	14,3	14,3	8,4			
4	E	2	15,2	ESE	50	ESE	41	14,3					
5	E	3	15,0	ESE	8	ESE	6	14,7	14,7	10,7			
6	ENE	8	13,2	E	23	E	18	14,3					
7	NE	1	15,8	ENE	11	ENE	9	13,4	13,4	13,4			
8	WSW	1	15,8	—	0	—	0	14,4					
9	WSW	1	18,3	—	0	—	0	14,8	14,8	13,6			
10	SE	3	19,2	WSW	6	NW	3	15,2					
11	SW	2	17,4	WNW	25	WNW	20	15,2	14,8	13,8	8,30	8,31	8,38
12	NNE	1	16,2	N	9	N	5	15,8					
13	—	0	17,2	—	0	—	0	16,1	15,2	13,7			
14	E	2	17,6	E	3	E	3	16,4					
15	E	7	16,2	E	12	E	9	16,0	16,0	15,8			
16	E	1	15,2	ESE	15	ESE	13	15,8					
17	WSW	1	16,3	S	6	—	0	16,0	16,0	16,0			
18	SSW	3	17,5	WSW	5	—	0	16,1					
19	N	2	15,6	—	0	—	0	16,0	16,0	16,0			
20	WSW	2	17,2	WSW	2	—	0	16,4					
21	—	0	19,2	—	0	—	0	17,2	16,8	16,0	8,30	8,30	8,30
22	SSW	2	19,0	—	0	—	0	17,2					
23	E	3	18,2	E	7	—	0	17,0	16,7	16,7			
24	WSW	4	17,0	S	6	S	4	17,0					
25	W	9	16,2	W	25	W	25	16,8	16,8	16,8			
26	W	3	16,2	W	22	W	21	16,4					
27	W	3	16,1	S	12	S	3	17,4	17,2	17,1			
28	W	5	15,0	WSW	16	SW	13	17,1					
29	WNW	3	15,1	—	0	E	11	17,4	17,5	17,4			
30	NW	4	17,0	NE	19	SE	3	17,4					
31	WNW	1	19,0	W	4	SSE	7	17,4	17,4				
Medeltal			16,4					15,8	15,7	14,5			

FALSTERBOREVI

55° 17' 30" N

12° 47' 00" E

Augusti

Observatörer: O. Oltin o. E. E. Franzén

1950

Datum	Vind Rikt. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Rikt. n.	cm/sek.	Rikt. n.	cm/sek.						
1	ESE	2	17,0	W	6	W	4	16,4	16,4	16,2	8,26	8,34	8,82
2	E	2	17,0	S	7	—	0	16,4	—	—			
3	SE	1	16,0	E	17	SE	3	16,4	16,4	16,2			
4	NNE	3	16,0	E	13	E	9	16,4	—	—			
5	NNE	2	17,0	E	10	E	13	16,2	16,2	16,2			
6	—	0	17,0	—	0	—	0	16,3	—	—			
7	E	1	16,0	E	10	N	4	16,3	16,2	16,2			
8	NE	2	19,0	E	8	N	7	16,9	—	—			
9	E	2	15,0	E	10	N	7	16,7	16,8	16,7			
10	SE	4	18,0	E	7	NE	8	17,1	—	—			
11	SSE	2	19,0	E	8	N	4	17,6	17,7	17,6	8,08	8,08	8,08
12	W	2	18,0	WSW	6	W	7	17,6	—	—			
13	SW	2	18,5	—	0	—	0	17,4	17,4	17,4			
14	NNW	3	19,0	NNW	8	NW	7	17,2	—	—			
15	NW	1	19,8	—	0	—	0	17,4	17,3	17,4			
16	S	3	21,0	E	4	—	0	17,7	—	—			
17	SSE	1	18,0	—	0	—	0	17,9	17,4	17,4			
18	SE	6	19,0	E	9	E	3	17,6	—	—			
19	SW	1	18,0	SW	22	SW	8	18,2	18,0	18,0			
20	E	1	19,0	—	0	—	0	18,0	—	—			
21	SSE	1	20,5	—	0	—	0	18,3	18,0	17,9	8,08	8,08	8,08
22	S	1	21,0	WNW	7	WNW	8	18,6	—	—			
23	ESE	2	20,2	E	6	E	6	18,8	18,8	18,6			
24	E	7	18,6	E	21	E	16	18,6	—	—			
25	SW	2	19,8	NW	3	NW	3	18,8	18,8	18,7			
26	SE	1	19,2	—	0	—	0	18,8	—	—			
27	SSW	2	19,3	WSW	4	W	3	18,8	18,6	18,6			
28	SE	1	17,8	—	0	—	0	19,0	—	—			
29	SE	3	19,2	E	13	E	9	18,8	18,8	18,7			
30	W	10	15,4	WNW	34	WNW	29	18,6	—	—			
31	W	4	15,2	W	13	W	9	18,4	18,4	18,6			
Medeltal			18,2					17,7	17,6	17,5			

FALSTERBOREVI

55° 17' 30" N

12° 47' 00" E

September

Observatörer: E. E. Franzén o. O. Oltin

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	WNW	2	16,2	WNW	32	WNW	23	18,0	18,1	18,1	9,11	9,19	9,33
2	SSW	1	18,2	WNW	19	WNW	18	18,4					
3	SSE	3	16,2	SE	12	SE	10	17,8	17,8	18,0			
4	—	0	15,7	—	0	—	0	18,0					
5	S	3	16,2	SE	8	SE	4	17,8	17,8	17,8			
6	WNW	2	16,2	WNW	9	WNW	7	17,8					
7	S	9	17,2	SSE	21	SSE	18	17,5	17,5	17,5			
8	W	6	15,3	W	29	WNW	28	17,2					
9	W	4	14,2	W	4	—	0	16,8	16,8	16,8			
10	W	8	14,2	E	23	E	18	16,6					
11	WSW	1	14,8	E	49	E	43	16,4	16,4	16,1	9,11	9,61	10,27
12	SW	4	16,8	W	54	WNW	48	16,5					
13	WSW	5	15,2	WSW	34	W	18	16,5	16,5	16,5			
14	S	3	16,2	SSW	23	SSW	20	16,4					
15	NE	1	15,2	W	39	W	29	16,3	16,3	16,2			
16	W	8	14,2	WSW	34	W	32	16,4					
17	SSW	3	15,8	W	29	WNW	18	16,0	16,0	16,0			
18	SW	4	15,2	—	0	—	0	16,1					
19	WSW	5	13,4	W	19	WSW	24	15,9	15,9	15,9			
20	WSW	2	13,8	W	83	W	48	15,7					
21	WSW	4	13,2	W	43	WNW	34	15,6	15,6	15,6	9,76	9,76	10,57
22	WSW	4	12,0	W	40	WNW	32	15,6					
23	W	1	11,0	W	27	W	17	15,4	15,4	15,4			
24	WNW	5	12,3	WNW	17	NW	18	15,2					
25	SSE	6	12,0	SE	17	SE	13	14,9	15,0	15,0			
26	SSW	4	14,0	WNW	13	WNW	23	14,7					
27	W	4	12,8	W	13	WNW	16	14,8	14,8	14,8			
28	WSW	10	13,0	W	20	WNW	17	14,4					
29	W	4	13,8	W	17	WNW	15	14,3	14,4	14,4			
30	WSW	2	13,8	W	9	W	10	14,1					
31													
Medeltal			14,6					16,2	16,3	16,3			

FALSTERBOREV

Oktober 55° 17' 30" N Observatörer: O. Oltin, B. H. Nilsson o. E. E. Franzén 12° 47' 00" E 1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	SE	3	13,9	SSW	13	S	10	14,2	14,2	14,1	9,67	9,70	10,63
2	WSW	5	12,0	W	23	WSW	13	14,1					
3	W	5	12,0	W	25	WSW	22	14,0	14,0	14,0			
4	WSW	8	12,0	W	44	WSW	40	14,0					
5	W	1	13,8	W	10	WSW	13	13,7	13,8	14,4			
6	SSE	3	14,0	S	27	SSE	9	13,6					
7	SSE	3	14,4	E	6	—	0	13,7	13,8	13,8			
8	WSW	2	13,8	NNW	17	—	0	13,8					
9	W	6	11,0	WNW	27	W	20	13,7	13,8	13,8			
10	SW	1	12,0	S	26	—	0	13,7					
11	SSW	5	12,0	S	20	—	0	13,4	13,4	13,4	10,35	10,38	10,34
12	NW	7	11,2	NW	20	N	7						
13	NW	1	12,0	—	0	—	0	12,4	12,4	12,5			
14	SE	3	12,2	SE	23	SE	19	13,0					
15	SE	2	11,3	E	23	E	19	12,6	12,6	12,9			
16	—	0	12,8	ESE	23	ESE	21	12,6					
17	SW	4	11,4	SW	9	SW	4	12,6	12,6	12,6			
18	W	4	9,8	WNW	16	WNW	12	12,4					
19	NW	3	11,4	NW	8	NW	7	12,0	12,0	12,0			
20	WNW	5	11,8	NW	29	NW	22	12,2					
21	NNW	6	11,4	NE	18	NE	3	11,6	11,6	11,8	10,91	10,96	11,11
22	NNE	2	7,2	ESE	27	ESE	24	11,5					
23	—	0	7,4	E	3	E	3	11,3	11,3	11,4			
24	W	1	8,8	—	0	—	0	11,3					
25	NE	3	5,5	E	21	E	16	10,9	10,9	10,9			
26	E	4	5,2	E	22	E	18	10,2					
27	NE	4	3,2	ENE	22	ENE	16	10,0	10,0	10,0			
28	NE	5	3,8	ENE	15	ENE	12	9,8					
29	SSE	2	4,7	SSE	6	SSE	4	9,7	9,7	9,7			
30	ESE	2	6,2	E	18	E	16	9,6					
31	N	1	7,2	E	9	E	7	9,4	9,4	9,6			
Medeltal			10,2					12,3	12,2	12,3			

FALSTERBOREV

November 55° 17' 30" N Observatörer: B. H. Nilsson o. J. A. Söder 12° 47' 00" E 1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	—	0	7,2	—	0	—	0	9,2	9,2	9,2	8,03	8,03	8,08
2	ENE	3	7,2	W	8	W	6	9,1					
3	ESE	5	7,3	E	23	E	21	8,2	8,5	8,5			
4	NE	4	6,8	SE	15	S	14	7,8					
5	NNE	4	5,1	NE	9	NE	8	8,9	9,0	9,0			
6	NNE	4	5,0	NE	7	NE	7	8,5					
7	N	4	4,0	E	11	E	5	8,2	8,2	8,2			
8	NW	3	3,5	NW	8	NW	7	6,2					
9	SW	3	7,8	SW	12	W	11	7,8	6,5	6,5			
10	WSW	2	7,8	N	6	NE	4	6,5					
11	SSW	6	11,1	SSW	10	SSW	9	7,6	7,7	7,7	8,33	8,33	8,33
12	ESE	2	8,1	SE	7	SE	6	8,4					
13	S	7	6,9	S	16	S	14	8,9	8,4	8,4			
14	WSW	7	7,2	W	25	W	22	8,1					
15	WSW	3	6,3	W	6	W	4	8,1	8,2	8,2			
16	W	3	5,6	W	13	SW	10	7,4					
17	W	1	5,7	W	6	W	8	6,2	6,2	6,2			
18	NW	3	5,0	NW	11	W	9	7,2					
19	SSE	3	5,3	SE	11	SE	9	7,9	7,9	7,7			
20	SE	8	5,0	ESE	33	ESE	28	7,7					
21	SE	4	6,0	SE	19	SE	17	7,5	7,4	7,4	9,08	9,08	9,09
22	SSE	3	7,0	SE	11	SE	9	7,4					
23	ESE	2	7,5	E	7	E	5	7,2	7,2	7,2			
24	SW	4	7,0	NW	11	W	9	7,5					
25	WSW	2	7,5	SW	6	SW	8	7,4	7,4	7,4			
26	NW	1	4,5	NW	4	—	0	7,2					
27	W	4	8,2	W	14	W	11	7,3	7,3	7,3			
28	SSW	3	6,0	S	14	S	13	7,4					
29	WSW	4	8,7	W	11	W	11	7,4	7,4	7,4			
30	N	5	4,5	E	8	SE	18	7,2					
31													
Medeltal			6,5					7,7	7,8	7,8			

FALSTERBOREV

55° 17' 30" N

12° 47' 00" E

December

Observatörer: B. H. Nilsson o. J. A. Söder

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C			Vattnets salthalt i ‰		
				0 m		10 m		0 m	5 m	10 m	0 m	5 m	10 m
				Riktn.	cm/sek.	Riktn.	cm/sek.						
1	SW	8	8,0	SW	19	W	22	7,2	7,2	7,2	8,71	8,71	8,71
2	SW	6	6,5	SW	14	SW	9	7,0					
3	SSW	2	6,0	SW	11	SW	9	7,3	6,9	6,9			
4	SE	4	6,0	SE	28	SE	26	7,0					
5	SW	6	6,2	SW	17	SW	16	7,1	6,9	6,9			
6	W	7	3,0	NW	17	NW	6	5,7					
7	SSW	3	4,0	S	18	S	16	6,3	6,2	6,2			
8	SSE	2	5,0	S	11	S	10	6,6					
9	N	2	2,0	N	9	N	7	6,2	6,3	6,5			
10	SSE	2	6,0	N	17	N	13	6,1					
11	S	5	3,0	S	22	S	26	5,9	5,9	5,8	9,34	9,39	9,39
12	SW	4	3,5	NE	8	N	10	5,6					
13	SSW	3	5,0	S	11	S	14	5,8	5,7	5,7			
14	S	4	3,0	SE	47	SE	48	5,6					
15	SSE	2	4,0	SE	28	SE	31	5,4	5,4	5,2			
16	SE	3	5,0	SE	19	SE	22	6,0					
17	S	3	3,0	SE	18	SE	21	5,8	5,9	5,9			
18	S	2	3,0	S	2	S	3	5,6					
19	S	1	2,0	S	6	—	0	5,1	5,1	5,1			
20	NE	3	4,6	NE	14	NE	11	4,9					
21	E	5	3,0	E	13	E	14	4,0	4,9	5,0	8,59	8,51	8,51
22	ESE	6	3,0	SE	20	SE	22	4,4					
23	E	5	3,0	E	19	E	14	4,7	4,8	4,8			
24	SW	2	3,0	S	2	S	1	4,2					
25	NW	3	2,0	NW	6	N	5	4,4	4,7	4,7			
26	NE	3	—3,0	NE	19	NE	21	4,0					
27	E	3	—2,0	E	15	E	17	3,9	4,0	4,0			
28	NE	2	—2,0	NE	7	NE	6	4,0					
29	W	4	0,5	W	8	W	4	3,6	3,7	3,7			
30	WSW	3	1,0	W	13	W	10	4,4					
31	WSW	4	—1,5	W	6	W	6	4,5	4,6	4,6			
Medeltal			3,1					5,4	5,5	5,5			

OSKARSGRUNDET

55° 36' 00" N

12° 51' 00" E

Januari

Observatör: Ernst Westerlind

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
				0 m		8 m		0 m	2,5 m	5 m	8 m	0 m	2,5 m	5 m	8 m
				Riktn.	cm/sek.	Riktn.	cm/sek.								
1	WSW	2	0,0	SW	71	SW	59	4,7	4,7	4,7	4,7	10,19	10,73	10,73	10,73
2	WSW	5	5,0	NE	28	NE	19	5,8							
3	N	2	3,0	SW	22	SW	25	4,2	4,2	4,2	4,2				
4	N	3	0,0	SW	93	SW	91	4,6							
5	ENE	3	—6,8	SW	87	SW	71	3,6	3,2	3,5	3,6				
6	ESE	7	—2,2	SW	118	SW	111	4,0							
7	SE	4	—2,0	SW	105	SW	100	3,8	4,0	3,8	3,8				
8	S	3	2,0	SW	93	SW	69	3,7							
9	W	1	4,0	SW	50	SW	44	3,8	3,8	3,8	3,8				
10	E	5	0,0	SW	118	SW	109	3,6							
11	SE	5	—2,0	SW	139	SW	120	3,1	3,2	3,2	3,2	8,91	8,82	8,82	8,82
12	S	8	—1,3	SW	75	SW	79	2,9							
13	W	2	2,5	NE	69	NE	60	2,6	2,6	2,5	2,5				
14	WNW	5	3,0	NE	125	NE	95	2,5							
15	SW	1	4,0	NE	69	NE	53	2,8	3,2	5,0	5,2				
16	WSW	4	4,0	NE	125	NE	105	3,1							
17	ENE	4	0,5	SW	154	SW	133	2,4	2,8	2,4	2,6				
18	ENE	2	—2,0	SW	111	SW	105	2,8							
19	E	2	—2,0	SW	80	SW	65	2,5	2,3	2,3	2,3				
20	NNE	1	—2,6	SW	53	SW	44	2,5							
21	ENE	1	2,0	SW	36	SW	25	2,5	2,8	2,5	3,3	9,13	9,13	9,09	9,10
22	NE	1	3,0	SW	47	SW	42	2,5							
23	SSE	2	0,5	SW	53	SW	47	2,5	2,8	2,8	2,7				
24	S	2	—1,2	SW	50	SW	53	2,4							
25	E	2	—2,5	SW	69	SW	53	2,0	2,0	2,1	2,0				
26	E	2	—1,0	SW	83	SW	75	2,0							
27	ESE	1	0,0	SW	44	SW	33	2,0	2,0	2,0	2,0				
28	ENE	4	0,8	SW	36	SW	39	1,9							
29	NE	1	0,0	—	0	—	0	1,7	1,7	1,7	1,7				
30	NE	6	—1,0	SW	60	SW	56	1,7							
31	NE	4	—3,2	SW	33	SW	31	1,0	1,1	1,2	1,2				
Medeltal			1,5					2,9	2,9	3,0	3,1				

OSKARSGRUNDET

55° 36' 00" N 12° 51' 00" E
 Februari Observatör: Ernst Westerlind 1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
			0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m
			Riktn.	cm/sek.	Riktn.	cm/sek.								
1	ESE	7	—4,2	SW	118	SW	105	1,1	1,1	1,5	1,5	7,52	7,52	7,50
2	ESE	5	—2,5	SW	111	SW	105	0,7	0,7	0,7	0,7			
3	SSE	7	—1,5	SW	80	SW	71	1,0						
4	S	2	1,0	NE	33	NE	31	1,0	1,0	1,0	1,0			
5	ESE	2	1,5	NE	56	NE	53	0,7						
6	S	3	1,0	NE	63	NE	47	0,5	0,7	5,0	5,0			
7	W	1	2,5	NE	143	NE	111	1,2						
8	SSW	2	2,0	NE	61	NE	39	1,8	1,9	5,0	4,7			
9	SW	4	1,5	NE	91	NE	69	1,8						
10	SW	3	2,0	NE	74	NE	53	1,3	1,3	3,0	3,0			
11	WSW	8	2,0	SW	77	SW	65	1,8	1,8	1,8	2,0	13,21	13,21	13,22
12	SSW	4	2,5	—	0	—	0	3,1	3,1	3,8	3,8			
13	S	4	1,0	NE	31	—	0	2,2						
14	WSW	7	2,0	NE	83	NE	57	2,2	2,2	4,2	4,4			
15	SSW	3	2,0	SW	77	SW	39	2,0						
16	SW	2	4,0	NE	59	NE	53	1,8	1,9	2,5	2,6			
17	SW	3	4,3	NE	95	NE	77	2,5						
18	SW	4	4,3	SW	25	—	0	2,5	2,5	2,8	2,9			
19	WSW	1	4,5	SW	53	SW	39	4,0						
20	S	3	1,0	SW	87	SW	56	2,4	2,5	2,5	2,5			
21	NNE	3	2,2	SW	33	SW	35	2,0	2,0	2,0	2,0	9,69	9,54	9,58
22	WSW	3	1,5	SW	33	SW	31	1,8	1,8	1,8	2,0			
23	SW	4	3,5	NE	83	NE	63	2,0						
24	NNW	2	0,0	NE	80	NE	59	2,2	1,6	2,5	2,8			
25	WSW	2	1,2	NE	50	NE	38	1,8						
26	N	4	—0,2	SW	56	SW	56	1,4	1,4	2,2	2,4			
27	N	2	—1,0	SW	63	SW	58	1,5						
28	NE	2	—1,8	SW	61	SW	56	1,5	1,5	1,5	1,5			
29														
30														
31														
Medeltal			1,3					1,8	1,7	2,6	2,6			

OSKARSGRUNDET

55° 36' 00" N 12° 51' 00" E
 Mars Observatör: Ernst Westerlind 1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
			0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m
			Riktn.	cm/sek.	Riktn.	cm/sek.								
1	N	2	—2,2	SW	50	SW	44	1,4	1,2	1,0	1,4	17,43	17,41	17,36
2	—	0	—1,2	SW	69	SW	62	1,6	1,3	1,2	1,4			
3	SW	3	—0,5	SW	77	SW	69	1,4						
4	W	2	2,0	NE	83	NE	80	1,4	1,5	1,5	1,5			
5	SW	4	4,0	NE	59	NE	44	1,6						
6	WSW	2	4,0	—	0	—	0	2,0	2,0	2,0	2,8			
7	WNW	2	6,5	NE	56	NE	39	2,4						
8	SSW	1	3,0	SW	125	SW	118	2,3	2,7	2,7	2,7			
9	ESE	1	2,0	SW	80	SW	80	2,2						
10	NE	2	1,5	SW	74	SW	67	2,2	2,0	2,0	2,0			
11	WSW	7	2,4	NE	28	NE	22	2,2	2,2	2,4	2,6	19,24	19,27	19,33
12	N	8	2,0	NE	74	NE	69	2,5	2,4	2,4	2,4			
13	WSW	2	0,5	NE	28	NE	25	2,4						
14	WSW	3	0,2	SW	39	SW	36	2,3	2,3	2,2	2,2			
15	W	2	1,5	SW	25	SW	17	2,2						
16	S	4	2,4	SW	102	SW	59	2,3	2,2	2,2	2,2			
17	S	2	4,0	SW	50	SW	36	2,2						
18	SW	3	5,0	—	0	—	0	2,4	2,3	2,3	2,3			
19	S	4	6,0	SW	71	SW	67	2,8						
20	SW	3	5,0	—	0	—	0	2,9	2,6	2,6	2,6			
21	—	0	5,2	SW	11	SW	10	3,0	2,9	2,8	2,8	18,01	18,03	18,15
22	—	0	5,0	SW	39	SW	31	3,0	2,9	2,9	2,9			
23	—	0	8,5	SW	65	SW	57	2,8						
24	ESE	2	4,0	SW	74	SW	71	2,8	2,8	2,8	2,8			
25	—	0	5,3	—	0	—	0	3,0						
26	ENE	1	4,2	SW	67	SW	50	3,0	3,0	3,0	3,0			
27	NW	1	5,2	NE	31	NE	28	3,2						
28	NE	2	3,2	NE	14	—	0	3,6	3,6	3,5	3,5			
29	W	1	3,2	NE	17	NE	14	3,5						
30	NNW	1	2,8	SW	19	SW	11	3,6	3,6	3,6	3,6			
31	SW	3	5,5	NE	58	NE	41	3,9						
Medeltal			3,2					2,5	2,4	2,4	2,5			

OSKARSGRUNDET

55° 36' 00" N

12° 51' 00" E

April

Observatör: Ernst Westerlind

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰				
			0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.									
1	SW	5	5,4	NE	60	NE	50	4,4	4,3	4,0	4,0	9,40	11,35	21,94	22,07
2	S	5	6,0	—	0	—	0	4,7	4,4	4,3	4,3				
3	SSW	3	6,0	NE	89	NE	59	5,0							
4	WSW	3	5,9	—	0	—	0	5,2	5,0	5,0	4,8				
5	WSW	4	3,3	SW	39	SW	27	4,8							
6	WNW	2	4,4	SW	62	SW	43	4,4	4,6	4,8	5,0				
7	WNW	2	4,5	SW	80	SW	63	4,5							
8	S	5	6,5	SW	105	SW	95	4,4	4,4	4,4	4,4				
9	SSW	5	6,8	—	0	—	0	4,5							
10	SW	3	6,8	NE	39	NE	33	5,2	5,2	5,2	5,2				
11	SSW	8	4,6	SW	118	SW	116	5,2	5,2	5,2	5,0	10,63	10,55	10,48	10,48
12	SSW	4	5,0	—	0	NE	12	5,4	5,4	5,5	5,6				
13	SSW	1	5,2	SW	61	SW	44	5,0							
14	WSW	1	5,5	—	0	SW	28	4,8	4,8	4,8	4,9				
15	NNE	1	6,8	—	0	—	0	5,5							
16	NE	4	5,4	SW	63	SW	47	5,4	5,4	5,4	5,4				
17	SSW	3	6,2	SW	56	SW	39	5,2							
18	SSW	1	6,6	SW	33	SW	22	4,9	4,9	4,9	4,9				
19	—	0	7,5	—	0	—	0	5,6							
20	—	0	7,4	SW	65	SW	54	5,5	5,4	5,3	5,5				
21	NE	2	7,0	SW	63	SW	50	5,2	5,2	5,1	5,2	8,55	8,55	8,55	8,55
22	N	1	8,0	SW	31	SW	28	6,0	5,8	5,8	5,8				
23	N	4	7,0	NE	25	NE	19	5,8							
24	—	0	8,8	SW	42	SW	36	6,2	6,1	6,1	6,1				
25	SSW	2	7,7	SW	57	SW	56	6,1							
26	S	2	6,5	SW	39	SW	33	5,9	5,8	5,8	5,8				
27	S	2	7,5	SW	39	SW	36	7,2							
28	W	1	4,5	—	0	—	0	5,8	5,8	5,8	5,8				
29	WSW	7	2,0	NE	59	NE	44	6,4							
30	W	3	6,0	NE	44	NE	39	7,4	6,8	6,8	6,8				
31															
Medeltal		6,0						5,4	5,3	5,2	5,3				

OSKARSGRUNDET

55° 36' 00" N

12° 51' 00" E

Maj

Observatör: Ernst Westerlind

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰				
			0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.									
1	SW	1	9,5	SW	65	SW	53	9,6	7,5	7,2	7,1	8,80	8,80	8,77	8,80
2	S	1	13,0	SW	57	SW	44	7,0	7,2	7,2	7,2				
2	—	0	9,5	—	0	—	0	7,6							
4	N	1	10,0	SW	39	SW	33	7,6	7,3	7,3	7,3				
5	ENE	2	11,0	SW	70	SW	61	7,4							
6	E	5	12,0	SW	83	SW	80	7,0	7,1	7,1	7,0				
7	ENE	5	12,0	SW	87	SW	71	7,2							
8	ENE	4	11,5	SW	80	SW	67	7,2	7,3	7,2	7,2				
9	ENE	2	10,0	SW	47	SW	39	7,2							
10	—	0	11,0	—	0	—	0	7,9	7,9	7,8	7,8				
11	WNW	1	12,5	—	0	—	0	8,5	8,7	8,7	8,4	8,17	8,39	8,37	8,42
12	—	0	12,2	—	0	—	0	9,2	9,1	9,1	9,1				
13	—	0	12,2	—	0	—	0	9,8							
14	WSW	2	10,4	NE	33	NE	31	10,9	10,7	10,7	10,7				
15	NNE	2	11,2	—	0	—	0	10,8							
16	—	0	9,0	—	0	—	0	10,8	10,7	10,6	10,6				
17	WSW	1	9,2	NE	17	NE	11	11,1							
18	N	1	9,5	NE	11	—	0	10,8	10,7	10,6	9,5				
19	—	0	14,5	—	0	—	0	11,1							
20	S	1	15,5	SW	33	SW	28	11,6	11,5	11,3	9,8				
21	—	0	15,0	SW	74	SW	53	10,8	10,9	11,2	11,2	8,35	8,35	8,35	8,35
22	NE	2	13,0	SW	48	SW	43	10,6	10,6	10,7	10,7				
23	W	2	12,2	—	0	—	0	11,6							
24	NNW	1	12,2	NE	39	NE	29	12,4	12,4	12,2	10,8				
25	SE	1	12,0	—	0	—	0	12,4							
26	SSW	1	14,4	—	0	—	0	11,3	11,2	11,2	11,3				
27	WSW	3	11,0	NE	67	NE	43	12,2							
28	SSW	5	11,1	SW	40	SW	18	12,0	12,0	11,4	10,8				
29	W	6	11,5	NE	118	NE	96	12,2							
30	WSW	7	11,7	NE	116	NE	110	12,2	11,8	11,7	11,7				
31	WNW	8	11,8	NE	110	NE	101	11,4							
Medeltal			11,7					10,0	9,7	9,6	9,3				

OSKARSGRUNDET

55° 36' 00" N

12° 51' 00" E

Juni

Observatör: Ernst Westerlind

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
				0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m
				Riktn.	cm/sek.	Riktn.	cm/sek.								
1	—	0	10,5	—	0	—	0	11,7	11,2	11,3	11,2	12,79	17,25	19,05	19,43
2	WSW	1	12,7	SW	56	SW	39	11,8	12,3	12,4	12,5				
3	—	0	15,5	SW	61	SW	56	12,5							
4	—	0	16,0	SW	72	SW	59	12,2	12,1	12,0	12,0				
5	—	0	15,5	SW	50	SW	39	11,7							
6	—	0	18,0	—	0	—	0	14,4	14,1	13,3	13,8				
7	WSW	1	15,0	SW	28	SW	17	12,8							
8	SSW	1	15,7	NE	39	NE	25	13,8	13,6	13,6	13,8				
9	W	5	14,0	NE	125	NE	105	14,7							
10	NW	6	12,0	NE	100	NE	91	14,2	14,0	14,0	14,0				
11	N	1	12,0	NE	59	NE	56	13,7	13,5	13,4	13,4	16,78	17,83	17,89	18,03
12	NNW	1	13,0	SW	42	SW	36	14,4	14,4	14,4	14,4				
13	SW	1	12,3	SW	33	SW	28	14,6							
14	SSW	2	15,0	SW	47	SW	56	14,4	14,4	14,4	14,4				
15	S	1	15,6	—	0	—	0	15,0							
16	WSW	2	13,0	—	0	—	0	13,8	13,3	13,4	13,3				
17	N	1	14,0	—	0	—	0	13,5							
18	WNW	1	15,0	—	0	—	0	14,1	14,1	15,2	15,0				
19	WSW	2	15,2	SW	65	SW	47	14,6							
20	WSW	1	15,0	NE	25	NE	17	15,8	15,7	15,2	15,0				
21	SE	4	17,0	SW	80	SW	71	16,1	15,6	15,5	16,0	9,24	9,33	9,29	9,18
22	S	3	16,0	SW	19	SW	14	15,6	15,3	15,5	15,4				
23	SW	5	14,6	SW	67	SW	52	15,0							
24	SW	3	15,0	NE	33	NE	25	16,4	17,2	18,0	17,8				
25	W	3	14,5	NE	74	NE	50	17,0							
26	NW	2	14,0	NE	61	NE	42	18,0	18,0	16,4	15,5				
27	W	2	15,0	NE	56	NE	44	15,8							
28	SW	2	15,5	NE	57	NE	42	16,4	15,6	16,2	16,2				
29	WNW	5	15,0	NE	83	NE	71	16,0							
30	SW	3	17,0	SW	71	SW	63	11,7	13,1	15,3	12,5				
31															
Medeltal			14,6					14,4	14,3	14,4	14,2				

OSKARSGRUNDET

55° 36' 00" N

12° 51' 00" E

Juli

Observatör: O. A. Johansson

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
				0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m
				Riktn.	cm/sek.	Riktn.	cm/sek.								
1	W	5	15,5	NE	57	NE	44	16,3	17,3	17,5	17,5	17,60		18,69	18,97
2	WNW	4	13,2	NE	82	NE	74	16,0	17,2	15,4	15,4				
3	NW	2	14,5	SW	19	SW	14	18,5							
4	NE	3	17,0	SW	120	SW	96	17,0	16,9	17,0	17,0				
5	SSE	2	15,4	SW	90	SW	65	15,3							
6	E	4	12,5	NE	92	NE	89	15,0	14,6	14,9	15,1				
7	NNE	1	13,3	SW	48	SW	43	14,5							
8	SE	1	15,4	—	0	—	0	14,5	14,5	14,5	14,4				
9	SW	1	17,6	—	0	—	0	14,9							
10	S	2	19,2	SW	12	SW	11	15,0	14,5	14,5	14,4				
11	WSW	2	15,8	NE	31	NE	22	15,5	15,6	15,6	15,6	8,62	8,50	8,50	8,48
12	N	1	16,0	—	0	—	0	15,6	15,6	15,6	15,6				
13	—	0	17,0	SW	22	SW	19	16,0							
14	S	2	17,0	SW	65	SW	57	16,0	16,0	16,0	16,0				
15	E	5	16,0	SW	75	SW	67	16,0							
16	ESE	1	16,8	SW	49	SW	42	15,6	15,6	15,6	15,5				
17	S	3	16,6	SW	50	SW	48	16,0							
18	SW	4	16,4	—	0	—	0	16,1	16,4	16,4	16,3				
19	NE	1	14,1	—	0	—	0	15,5							
20	SW	2	16,0	—	0	—	0	16,0	16,0	16,0	16,0				
21	—	0	19,6	—	0	—	0	17,1	17,0	17,0	16,5	9,19	9,26	9,72	13,89
22	S	1	18,5	SW	53	SW	44	17,2	17,3	17,4	17,5				
23	SE	2	18,4	—	0	—	0	17,2							
24	SW	3	16,0	NE	56	NE	39	17,4	17,5	17,5	17,5				
25	WSW	9	16,0	NE	147	NE	130	18,4							
26	WSW	5	15,2	NE	109	NE	89	17,5	18,0	18,2	17,9				
27	W	2	14,6	NE	95	NE	77	16,6							
28	W	5	15,0	NE	71	NE	74	18,8	17,2	17,6	17,5				
29	W	3	15,4	NE	19	NE	16	17,6							
30	NNE	2	17,0	SW	11	SW	14	16,8	16,8	16,8	16,8				
31	W	1	17,0	SW	105	SW	75								
Medeltal			16,1					16,3	16,3	16,3	16,2				

OSKARSGRUNDET

55° 36' 00" N

12° 51' 00" E

Augusti

Observatör: O. A. Johansson

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
				0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m
				Riktn.	cm/sek.	Riktn.	cm/sek.								
1	SSW	1	17,4	SW	59	SW	58	17,4	17,0	17,0	17,0	10,42	10,40	10,48	10,39
2	—	0	17,4	SW	77	SW	64	17,4	16,7	16,9	16,9				
3	—	0	15,0	SW	57	SW	53	17,5							
4	NE	4	16,0	SW	31	—	0	17,9	17,9	17,0	16,8				
5	NNE	1	15,5	SW	19	SW	22	16,0							
6	NE	1	16,5	—	0	—	0	16,1	16,0	16,0	16,0				
7	NNE	1	15,0	SW	17	SW	14	16,1							
8	N	1	16,0	—	0	—	0	16,8	16,9	17,0	17,0				
9	NE	1	14,8	—	0	—	0	16,2							
10	S	2	17,8	SW	42	SW	36	16,8	17,0	17,0	17,0				
11	SSE	2	18,0	—	0	—	0	17,1	17,0	17,2	17,2	8,27	8,26	8,26	8,26
12	WSW	1	16,0	NE	46	NE	42	17,1	17,1	17,2	17,2				
13	SSW	2	18,0	—	0	—	0	17,8							
14	NNW	1	16,4	NE	85	NE	57	17,7	18,0	18,2	18,2				
15	WSW	1	16,6	—	0	—	0	17,8							
16	S	3	18,8	SW	64	SW	74	18,2	18,0	18,0	18,1				
17	S	1	20,0	SW	25	SW	17	17,9							
18	E	7	19,5	SW	105	SW	91	18,0	18,2	18,2	18,2				
19	SW	2	16,8	—	0	—	0	17,4							
20	—	0	17,4	—	0	—	0	18,6	18,8	18,8	18,6				
21	S	1	18,5	NE	39	NE	42	19,0	19,0	19,0	19,0	8,53	8,74	11,89	11,89
22	SE	1	19,0	NE	44	NE	42	19,0	19,0	19,0	19,0				
23	SE	1	18,0	—	0	—	0	19,1							
24	ESE	6	17,5	SW	59	SW	47	18,9	19,0	18,9	18,8				
25	SW	2	19,2	—	0	—	0	18,1							
26	S	1	18,0	—	0	—	0	18,7	18,6	18,6	18,5				
27	S	1	19,2	SW	36	SW	32	18,9							
28	SSW	1	17,8	NE	33	NE	19	18,8	18,9	18,2	16,9				
29	S	3	18,0	—	0	—	0	18,8							
30	WNW	6	13,8	NE	81	NE	51	17,6	17,4	15,3	12,1				
31	WNW	3	14,2	NE	49	NE	31	16,1							
Medeltal			17,2					17,7	17,8	17,6	17,4				

OSKARSGRUNDET

55° 36' 00" N

12° 51' 00" E

September

Observatör: J. A. Fogelberg

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
				0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m
				Riktn.	cm/sek.	Riktn.	cm/sek.								
1	WNW	1	14,9	—	0	—	0	16,2	16,1	15,9	14,8	17,85	19,89	22,13	23,04
2	S	1	15,0	SW	65	SW	53	17,6	18,0	16,8	15,6				
3	SE	2	17,2	SW	74	SW	53	17,9							
4	E	1	14,5	NE	47	NE	28	15,8	16,4	16,8	17,0				
5	S	2	17,5	SW	22	—	0	16,8							
6	W	2	14,2	NE	125	NE	92	17,2	17,0	16,9	16,8				
7	S	8	15,5	SW	118	SW	95	17,1							
8	WSW	9	14,4	NE	167	NE	139	15,9	15,6	15,1	14,9				
9	W	5	12,6	NE	152	NE	116	14,6							
10	WSW	4	13,2	NE	81	NE	59	15,0	14,8	14,7	14,7				
11	SW	1	14,5	NE	23	—	0	15,5	15,5	15,3	15,2	20,14	20,85	21,50	22,01
12	SW	3	15,5	SW	81	SW	19	16,0	15,8	15,3	15,1				
13	SW	5	16,0	NE	31	NE	28	15,2							
14	SSW	4	15,8	SW	56	SW	56	15,2	15,4	15,3	15,2				
15	—	0	14,5	NE	80	NE	57	16,0							
16	WSW	8	14,0	SW	47	SW	42	14,5	15,5	15,5	15,4				
17	SSE	1	14,6	NE	8	—	0	15,3							
18	SW	3	14,0	SW	74	SW	72	15,9	15,9	15,8	15,7				
19	SW	4	13,4	—	0	—	0	15,8							
20	WSW	3	13,7	NE	88	NE	77	15,0	14,9	14,9	14,9				
21	WSW	3	12,9	SW	37	SW	25	14,0	13,9	13,6	13,5	12,90	12,84	14,02	18,26
22	SW	3	11,8	—	0	SW	25	15,4	15,4	15,2	15,2				
23	W	2	11,6	—	0	NE	19	14,8							
24	WNW	3	10,8	SW	33	SW	28	14,2	14,4	14,4	14,5				
25	SSE	5	11,8	SW	79	SW	88	14,6							
26	WSW	4	11,8	SW	47	SW	50	14,7	14,7	14,7	14,7				
27	WNW	2	12,4	—	0	—	0	14,6							
28	WSW	9	11,6	NE	36	NE	36	13,9	13,8	13,9	13,8				
29	W	7	12,6	NE	108	NE	79	14,5							
30	WSW	3	12,0	NE	38	NE	36	13,2	13,2	13,3	13,3				
31															
Medeltal			13,8					15,4	15,4	15,2	15,0				

OSKARSGRUNDET

55° 36' 00" N 12° 51' 00" E
 Oktober Observatörer: J. A. Fogelberg o. O. A. Johansson 1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
				0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m
				Rikttn.	cm/sek.	Rikttn.	cm/sek.								
1	SSE	3	14,0	SW	131	SW	116	13,7	13,6	13,7	13,7	12,78	12,78	12,78	12,80
2	SW	5	13,0	—	0	—	0	13,8	13,8	13,8	13,5				
3	W	6	10,6	NE	89	NE	69	13,3							
4	WSW	6	13,0	NE	78	NE	61	12,8	12,8	12,9	12,9				
5	WSW	1	13,2	SW	25	SW	23	12,8							
6	S	1	13,2	SW	42	SW	42	13,6	13,6	13,6	13,6				
7	SW	1	13,6	—	0	—	0	13,6							
8	SW	3	14,1	NE	89	NE	61	13,2	13,2	13,2	13,2				
9	WSW	6	10,9	NE	22	NE	23	12,8							
10	SSW	2	11,4	SW	19	—	0	12,6	12,6	12,8	13,1				
11	WSW	6	13,0	SW	74	SW	61	13,0	13,0	13,0	12,7	12,34	12,34	12,19	12,20
12	NW	7	10,5	NE	118	NE	118	12,1	12,2	12,2	12,2				
13	WSW	1	11,2	SW	65	SW	68	12,0							
14	S	3	10,5	SW	108	SW	102	12,4	12,4	12,5	12,6				
15	—	0	10,9	SW	31	SW	29	12,5							
16	SSE	1	13,0	SW	53	SW	51	12,7	12,8	12,7	12,7				
17	S	3	11,0	SW	51	SW	44	12,6							
18	WSW	5	9,0	NE	79	NE	69	12,3	12,2	12,2	12,2				
19	WSW	3	9,0	NE	67	NE	43	11,6							
20	WNW	9	11,6	NE	110	NE	98	11,9	11,9	11,8	11,8				
21	NNW	9	9,5	NE	66	NE	78	11,5	11,4	10,8	11,3	20,54	20,55	21,11	20,86
22	NNE	5	6,2	SW	106	SW	88	10,8	10,8	10,8	10,8				
23	—	0	7,0	SW	71	SW	65	10,9							
24	SSW	1	7,8	SW	64	SW	63	11,1	11,1	11,0	11,0				
25	ENE	5	4,6	SW	93	SW	69	10,9							
26	ENE	6	4,4	SW	89	SW	82	10,7	10,7	10,7	10,7				
27	ENE	8	3,6	SW	85	SW	83	10,4							
28	NE	6	3,4	SW	65	SW	61	9,8	9,8	9,8	9,8				
29	E	2	5,0	SW	77	SW	71	9,6							
30	E	2	4,0	SW	59	SW	48	9,3	9,3	9,3	9,3				
31	WNW	1	6,3	SW	47	SW	44	9,2							
Medeltal			9,6					11,9	12,1	12,0	12,1				

OSKARSGRUNDET

55° 36' 00" N 12° 51' 00" E
 November Observatör: J. A. Fogelberg 1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
				0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m
				Rikttn.	cm/sek.	Rikttn.	cm/sek.								
1	—	0	7,5	—	0	—	0	9,2	9,4	9,4	9,4	8,44	8,45	8,45	8,45
2	NE	1	6,0	—	0	—	0	9,2	9,2	9,3	9,3				
3	E	5	6,0	SW	77	SW	51	9,1							
4	ENE	6	4,5	SW	17	SW	29	8,9	8,9	8,9	8,7				
5	NE	5	5,4	SW	31	SW	28	8,8							
6	NNE	4	4,9	—	0	—	0	8,4	8,4	8,4	8,0				
7	N	2	3,5	—	0	—	0	8,0							
8	NW	1	3,0	—	0	—	0	7,8	7,7	7,7	6,4				
9	SW	1	8,0	SW	22	—	0	7,2							
10	SW	2	6,8	NE	109	NE	79	7,1	7,2	11,4	11,4				
11	SSW	1	9,5	SW	119	SW	91	7,8	7,8	8,0	8,0		10,16	10,65	10,93
12	SE	3	7,0	NE	56	NE	52	7,4	9,0	10,8	11,1				
13	S	4	7,0	SW	80	SW	65	7,8							
14	W	7	5,0	NE	125	NE	109	8,1	8,2	8,6	8,7				
15	WSW	3	6,0	NE	18	NE	25	8,2							
16	W	5	5,3	NE	85	NE	62	8,2	8,4	8,7	8,6				
17	W	1	4,2	NE	38	NE	38	7,8							
18	WNW	3	3,9	NE	100	NE	75	7,2	7,6	7,8	7,7				
19	ENE	4	2,1	SW	130	SW	100	6,8							
20	ESE	8	4,6	SW	133	SW	106	7,0	6,9	6,9	6,9				
21	E	6	4,2	SW	98	SW	87	7,0	7,0	7,0	7,0	9,63	9,54	9,55	9,55
22	S	2	6,4	SW	69	SW	58	7,0	7,0	7,0	7,0				
23	ENE	1	7,0	SW	56	SW	50	7,0							
24	SW	2	7,0	—	0	SW	16	7,0	7,0	7,0	7,0				
25	WSW	2	7,0	NE	28	NE	21	6,8							
26	WSW	2	3,8	—	0	—	0	6,2	6,2	6,1	7,0				
27	W	5	6,2	NE	118	NE	89	6,0							
28	S	3	5,1	NE	22	NE	14	6,4	6,4	6,1	8,1				
29	SW	4	7,8	NE	81	NE	65	6,8							
30	N	4	4,2	NE	44	NE	50	6,5	6,5	6,5	6,7				
31															
Medeltal			5,6					7,6	7,7	8,1	8,2				

OSKARSGRUNDET

55° 36' 00" N

12° 51' 00" E

December

Observatörer: J. A. Fogelberg o. O. A. Johansson

1950

Datum	Vind		Luft- temp.	Ström från				Vattnets temperatur i °C				Vattnets salthalt i ‰			
				0 m		8 m		0 m	2.5 m	5 m	8 m	0 m	2.5 m	5 m	8 m
				Riktn.	cm/sek.	Riktn.	cm/sek.								
1	SW	9	7,2	—	0	—	0	6,8	6,8	7,6	7,7	12,43	12,51	21,26	22,00
2	SSE	6	5,4	NE	44	NE	36	6,4	6,4	6,2	6,2				
3	SSE	2	5,6	SW	26	—	0	6,5							
4	SSE	3	1,5	SW	54	SW	31	5,8	6,0	5,8	6,0				
5	SW	6	2,2	SW	106	SW	75	5,9							
6	WSW	7	2,5	NE	79	NE	53	5,6	5,7	6,0	6,2				
7	SSW	4	5,3	SW	66	SW	79	5,3							
8	ENE	2	2,2	SW	74	SW	66	5,2	5,2	5,2	5,2				
9	NNE	2	0,2	SW	60	SW	56	5,2							
10	ESE	3	2,3	SW	66	SW	61	5,9	6,0	6,0	6,0				
11	S	6	2,8	SW	111	SW	100	5,8	5,4	5,8	5,7	9,22		18,22	18,20
12	SW	6	3,3	NE	56	NE	56	5,5	5,1	5,1	5,2				
13	SW	2	3,2	SW	43	SW	36	5,2							
14	S	3	2,2	SW	57	SW	42	3,6	3,8	5,0	6,1				
15	SSE	2	3,2	SW	86	SW	85	4,8							
16	ESE	3	4,4	SW	77	SW	57	4,8	4,8	4,3	4,9				
17	S	2	2,5	SW	61	SW	63	4,8							
18	S	2	2,2	SW	39	SW	36	5,2	5,2	5,2	5,0				
19	—	0	1,2	SW	39	SW	42	4,9							
20	NE	5	2,0	SW	52	SW	42	4,6	4,6	4,5	4,2				
21	E	7	3,0	SW	91	SW	77	4,8	4,8	4,8	4,6	9,42	9,43	9,43	9,43
22	ENE	5	2,0	SW	72	SW	69	2,6	4,6	4,6	4,6				
23	ENE	5	2,6	SW	53	SW	49	4,4							
24	—	0	2,2	SW	44	SW	37	4,4	4,3	4,1	4,3				
25	NW	1	1,8	—	0	—	0	4,2							
26	NNE	2	—3,0	—	0	—	0	3,8	3,5	3,5	3,5				
27	NE	3	—2,8	SW	28	SW	24	3,6							
28	ENE	1	—3,3	SW	47	SW	39	3,2	3,2	3,2	3,2				
29	WSW	3	0,3	NE	21	NE	11	3,0							
30	SW	3	1,2	SW	28	SW	31	3,0	3,0	3,0	3,0				
31	SW	2	0,6	—	0	—	0	3,0							
Medeltal			2,1					4,8	4,9	5,0	5,1				

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

Januari

Observatörer: E. J. Glifberg o. O. B. Olin

1950

Datum	Vind	Luft- temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰					
			0 m		18 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.											
1	SW	4	3,0	SE	111	SE	90	4,3					14,17				
2	W	6	6,9	WNW	23	NE	8	4,1					13,67				
3	N	1	4,1	NNE	14	SE	20	4,5					22,83				
4	NE	3	—0,2	SSE	44	SSE	22	3,9	4,9	5,2	5,1	5,5	20,30	23,30	25,05	25,70	26,40
5	E	3	—7,8	SSE	48	SSE	33	3,1	4,2	5,2	5,4	5,4	15,35	19,00	23,85	26,35	26,30
6	ESE	7	—4,2	SSE	57	—	0	2,9	3,2	4,6	5,3	5,5	13,50	15,40	21,50	23,95	24,15
7	E	4	—2,6	SE	19	—	0	2,5	2,5	4,4	6,0	7,4	12,45	12,70	20,55	24,50	28,70
8	S	3	3,0	S	30	—	0	2,6	2,5	2,5	7,3	7,3	11,25	11,45	11,80	29,30	29,90
9	WNW	1	4,2	SSW	41	SSW	18	3,1	3,0	3,3	3,4	8,3	10,50	10,65	10,85	31,80	31,80
10	ESE	7	—1,5	SE	53	SE	23	2,6	1,2	4,9	6,2	4,7	11,05	11,20	21,55	25,85	28,50
11	SE	6	—2,8	E	32	—	0	2,4	2,4	2,1	6,5	7,5	13,18	13,18	15,22	27,54	30,72
12	S	6	—0,2	SSW	38	WSW	11	1,9	1,6	3,5	7,5	8,1	10,90	11,20	14,15	31,40	31,90
13	WNW	2	4,1	NW	26	—	0	2,2	1,8	6,3	6,4	7,1	18,00	19,80	21,70	27,40	29,30
14	W	6	4,2	NW	33	NNW	14	2,1	2,1	2,7	3,0	3,3	19,10	19,15	21,50	22,50	22,85
15	SW	3	4,2	SSE	42	SSE	34	2,5	2,5	4,2	6,8	8,2	18,85	19,45	25,15	30,40	32,50
16	W	5	4,9	WNW	33	S	18	2,6	2,6	3,0	3,2	4,4	20,25	20,45	24,20	25,00	26,85
17	E	3	0,0	SE	53	SSE	48	2,8	2,9	3,5	3,6	3,9	21,40	22,35		22,50	24,75
18	E	2	—4,0	—	0	—	0	2,2	2,4	2,8	4,7	5,5	21,75	21,80	22,10	26,60	27,70
19	E	2	—3,0	S	52	SSE	60	1,8	2,5	3,2	5,5	6,8	15,00	15,55	20,60	26,95	29,55
20	—	0	—3,0	SSE	53	SSE	38	1,5	2,4	3,4	6,4	6,8	12,70	15,70	21,35	29,15	29,80
21	E	1	2,0	SSE	86	SSE	53	1,5	2,1	3,1	4,9	5,3	11,40	15,72	23,19	26,31	27,15
22	NE	1	2,5	SSW	90	SE	33	1,7	1,8	2,3	3,5	3,8	10,35	11,85	24,20	24,35	24,60
23	SSE	1	1,2	SSE	44	S	12	1,6	1,7	2,8	3,0	5,0	10,60	10,90	22,30	25,50	26,75
24	SE	2	—1,0	SSE	71	SSE	40	1,6	1,9	2,4	4,1	5,0	9,85	12,00	24,30		27,20
25	SE	2	—3,0	SE	19	—	0	1,1	1,4	3,2	4,4	6,0	10,05	11,50	23,45	26,50	28,70
26	E	2	—1,2	SSE	30	S	18	0,8	1,2	3,5	6,5	7,1	10,05	11,70	23,70	29,50	30,95
27	E	1	0,0	S	19	—	0	0,8	1,1	3,2	7,5	7,3	9,85	11,30	17,00	31,85	32,45
28	ENE	2	0,0	NE	14	—	0	0,5	2,1	6,3	7,3	7,4	10,20	15,80	29,25	32,30	32,50
29	E	2	—2,0	NE	18	NNE	8	0,4	0,9	6,6	7,3	7,2	10,30	12,05	30,05	32,25	32,70
30	NE	3	—1,5	S	26	S	22	1,0	1,8	5,7	7,2	7,2	9,20	13,10	27,60	31,70	32,40
31	ENE	4	—2,0	S	44	S	21	0,8	3,7	6,1	6,8	7,1	9,85	22,00	30,00	31,50	31,85
Medeltal		1,4						1,9	2,3	3,9	5,5	6,2	13,80	15,54	22,07	26,95	28,89

56° 10' 00" N

SVINBÅDAN

12° 31' 00" E

Februari

Observatörer: E. J. Glifberg o. O. B. Oltin

1950

Datum	Vind	Luft-temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰					
			0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.											
1	ESE	6	—1,6	SE	42	—	0	1,1	1,0	4,6	6,5	6,6	11,74	11,72	26,52	30,99	31,37
2	SE	6	—1,5	ESE	47	—	0	0,6	0,7	2,0	6,5	6,8	11,70	12,25	19,20	31,10	31,60
3	SE	7	—2,4	S	51	NW	17	0,3	0,4	1,3	6,9	7,0	11,45	12,45	17,30	31,80	32,25
4	S	4	0,8	W	23	NW	20	0,3	0,3	6,8	6,7	6,7	13,40	13,50	32,15	32,45	32,45
5	ESE	2	1,0	SSE	31	—	0	0,5	0,3	6,2	6,0	6,0	15,00	17,60	32,35	32,60	32,60
6	SE	4	1,0	SSE	33	—	0	0,3	1,1	6,1	6,0	6,0	16,75	21,30	32,50	33,15	33,35
7	WSW	2	1,0	NE	7	N	22	0,6	0,5	5,8	5,8	5,8	15,00	18,80	32,65	33,10	33,40
8	S	2	1,5	S	31	—	0	0,6	0,8	3,8	5,8	5,6	18,40	20,10	25,80		30,35
9	SW	2	1,0	SW	19	—	0	0,5	0,5	6,0	5,7	5,7	17,90	19,65			33,60
10	SW	4	1,0	WSW	25	NW	23	0,4	0,4	0,5	5,8	5,3	20,55	20,60	20,65	33,35	
11	WSW	7	2,6	NNW	31	—	0	0,7	0,7	3,7	5,7	5,7	20,90	20,73	27,97	33,20	33,37
12	S	2	1,1	S	34	S	24	0,7	0,7	2,8	5,6	5,7	20,65	20,90	25,70	32,80	33,45
13	SSE	3	0,0	S	37	SSE	29	0,7	0,7	4,2	5,8	5,8	20,55	20,60	30,50	33,70	33,95
14	W	7	0,6	NW	40	N	18	1,3	1,4	1,8	5,0	5,3	21,85	21,85	23,00	31,80	32,55
15	E	3	—1,0	SSE	40	SSE	31	0,9	1,1	1,2	4,7	5,7	22,25		23,50	32,85	
16	WSW	2	3,2	N	34	N	31	1,1	1,3	2,1	3,7	4,8	21,10	21,70	24,45	28,20	31,10
17	WSW	6	5,7	NNW	42	NW	18	1,5	1,5	1,5	1,5	2,7	21,55	21,85	21,65	21,75	25,10
18	WSW	5	5,7	W	24	—	0	1,4	1,4	1,5	2,0	5,5	21,20	21,25	21,50	22,65	32,85
19	W	3	3,4	S	31	SSE	19	1,8	1,8	1,8	5,6	5,7	21,20	21,20	21,30	33,05	33,60
20	SSE	2	2,5	SE	22	SSE	28	1,6	1,7	1,8	5,6	5,6	21,20	21,30	21,95	33,00	33,15
21	NNE	4	1,8	NNW	11	NW	24	2,0	2,3	4,6	5,2	5,5	21,47	22,46	30,37	32,03	32,63
22	W	4	2,4	N	31	—	0	2,2	2,3	4,1	5,0	5,1	22,30	22,40	28,30	31,00	31,40
23	WSW	7	3,5	W	36	N	24	2,0	2,1	2,2	2,0	2,2	21,90	21,90	21,95	22,05	
24	NW	4	0,5	E	21	SSE	18	2,1	2,2	2,1	2,3	2,2	22,00	22,00		22,30	22,70
25	WNW	3	1,2	W	21	S	14	1,9	1,9	2,0	3,3	3,1	21,90	21,90	21,80	26,65	
26	NE	3	—1,4	E	20	SE	32	1,9	2,0	3,9	4,3	5,6	22,00	22,05	27,95	29,60	32,50
27	NE	2	—1,3	SW	17	SSE	13	1,5	1,9	2,9	4,9	5,2	23,20	23,30	25,50	31,40	31,20
28	—	0	—0,9	SSE	91	SSE	69	0,3	1,2	2,9	4,1	5,1	11,75	14,50	20,70	27,45	30,30
29																	
30																	
31																	
Medeltal			1,1					1,1	1,2	3,2	4,9	5,3	18,96	19,62	25,28	30,15	31,70

SVINBÅDAN																	
56° 10' 00" N																	
12° 31' 00" E																	
Mars																	
Observatör: E. J. Glifberg																	
1950																	
Datum	Vind	Luft-temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰					
			0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.											
1	NNE	2	—2,0	SSE	53	SSE	47	0,8	1,4	1,7	3,6	5,1	11,40	15,20	19,65	27,80	31,15
2	ENE	1	—3,2	SSE	110	SSE	48	0,8	1,7	2,4	3,9	5,6	10,57	17,90	22,29	27,40	32,22
3	S	3	—0,5	S	106	S	67	1,1	1,1	2,8	5,1	5,3	10,00	10,65	24,25	30,40	31,55
4	W	3	2,2	NW	48	NNW	29	1,1	1,1	2,8	4,9	6,3	11,30	11,40	24,05	30,40	34,35
5	W	5	4,0	NW	22	NW	11	1,4	1,6	1,8	3,4	5,6	15,00	18,40	22,10	27,35	32,25
6	W	4	3,0	W	17	—	0	1,7	1,6	2,0	3,4	5,2	16,60	18,90	23,15	30,00	32,30
7	WNW	4	4,0	—	0	—	0	2,0	2,0	2,1	2,7	6,0	17,50	23,15	23,85	24,85	33,40
8	SE	2	—0,2	SSE	29	SSE	44	2,1	1,9	2,1	2,4	3,7	19,30	22,50	23,20	23,80	27,40
9	E	1	0,0	S	34	NE	13	2,3	2,6	3,0	3,6	4,4	19,20	20,40	24,00	26,20	28,90
10	N	1	2,4	SSE	88	SSE	77	2,5	2,9	3,0	3,8	4,8	13,70	17,40	21,60	26,05	29,80
11	W	6	3,1	SW	20	—	0	2,5	2,8	3,0	3,4	3,8	13,23	18,21	21,03	23,61	26,18
12	N	7	1,4	NNE	63	NNE	36	2,4	2,4	2,3	2,4	2,3	19,85	20,35	22,20	22,70	23,50
13	WNW	3	1,0	WNW	33	N	23	2,2	2,3	2,3	3,1	2,5	20,10	20,30	22,00	23,35	23,65
14	WNW	4	1,0	N	23	—	0	2,1	2,1	2,2	2,7	3,8	20,25	20,25	21,70	23,30	27,25
15	WNW	3	1,5	N	35	NNE	13	2,0	2,0	2,4	2,8	2,9	20,35	20,40	20,95	23,15	23,40
16	SSE	4	1,6	SSE	56	E	19	2,2	2,2	2,2	2,2	4,3	18,60	18,70	19,00	20,45	28,80
17	SSE	4	3,5	S	36	—	0	2,4	2,4	2,4	5,6	5,9	15,75	15,85	18,35	32,20	33,15
18	SW	4	5,2	SE	34	—	0	2,5	2,5	4,0	6,2	6,4	11,55	11,60	24,40	33,50	33,95
19	S	4	5,0	SSE	96	SSE	44	2,7	2,8	3,7	6,5	6,5	12,50	13,75	24,25	34,15	34,15
20	SW	3	5,5	SSE	83	SSE	46	2,9	3,3	3,6	6,2	6,5	10,50		11,00	33,00	34,30
21	SE	1	4,9	S	16	—	0	3,1	3,2	3,5	6,2	6,4	11,08	23,19	23,35	33,37	34,09
22	—	0	5,1	—	0	—	0	3,4	3,2	4,1	6,5	6,4	10,60	15,30	27,15	34,20	34,10
23	—	0	4,5	SSE	33	SSE	26	3,5	3,2	3,1	5,7	6,0	10,35	12,40	24,10	32,00	32,90
24	SSE	4	4,2	SSE	92	SSE	47	3,4	3,4	3,7	5,6	6,0	10,30	11,85	24,45	31,85	32,95
25	NW	1	4,0	—	0	—	0	3,6	3,7	3,2	3,8	6,2	9,90	10,90	16,60	26,50	33,55
26	SSE	1	4,2	SSE	100	SSE	59	3,4	3,3	3,7	3,5	6,3	9,45	11,60	21,15	24,50	33,88
27	WNW	3	4,4	—	0	—	0	3,7	3,6	3,6	3,5	5,1	9,75	12,10	20,85	24,20	30,10
28	NE	2	5,0	ESE	17	NNE	17	3,6	3,8	3,7	3,1	5,2	15,35		15,60	23,75	30,10
29	WNW	2	3,8	S	39	—	0	3,8	3,9	3,9	4,0	5,5	10,10	13,40	21,55	27,15	31,40
30	NNE	2	5,6	SSE	53	SSE	18	3,9	4,2	3,6	4,2	6,1	9,55	18,65	22,30	26,40	33,15
31	W	6	5,4	WNW	23	—	0	4,2	4,1	3,8	3,4	3,6	10,20	18,75	22,25	23,80	24,40
Medeltal			2,9					2,6	2,7	3,0	4,1	5,2	13,67	16,67	21,67	27,46	30,72

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

April

Observatör: E. J. Glifberg

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰				
				0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m
				Riktn.	cm/sek.	Riktn.	cm/sek.										
1	WSW	4	5,7	W	19	—	0	4,6	4,5	4,4	3,6	3,6	11,53	19,54	21,49	22,79	23,64
2	SW	6	6,9	SSE	37	—	0	4,6	4,7	4,6	4,5	4,1	18,10	19,44	19,92	20,25	22,12
3	SW	3	5,0	WNW	18	N	25	4,7	4,6	4,6	4,7	6,4	19,19	20,05	20,20	24,26	33,86
4	W	4	5,0	NW	34	—	0	4,8	4,9	4,8	6,4	6,4	19,56	19,59	21,92	34,18	34,35
5	W	2	4,9	SW	36	S	17	4,8	4,9	4,9	5,0	5,9	18,50	19,31	24,07	32,62	32,97
6	—	0	8,5	ESE	11	S	12	5,2	5,2	4,8	5,7	6,0	17,90	19,07	20,20	30,90	32,50
7	W	2	5,1	S	20	SE	8	5,4	5,4	5,1	5,6	5,8	14,57	14,66	26,92	30,87	31,52
8	SSE	5	5,2	SSE	119	SSE	83	5,2	5,3	5,2	5,9	5,5	11,76	14,03	26,90	31,82	32,94
9	SW	7	7,6	S	100	SSE	72	5,5	5,5	5,5	5,9	6,1	14,63	17,18	20,19	30,55	32,35
10	WSW	4	5,0	WNW	20	N	8	5,5	5,5	5,5	5,5	6,2	14,50	21,05	21,15	25,20	32,35
11	S	8	3,5	SE	47	SE	34	5,5	5,5	5,6	5,8	6,0	18,46	18,55	21,13	25,14	33,82
12	SW	4	5,2	SSW	32	S	23	5,5	5,5	5,5	5,7	5,8	20,60	20,68	21,35	26,85	31,50
13	S	1	4,5	S	67	S	22	5,5	5,5	5,6	5,4	5,4	16,40	17,40	18,90	32,10	32,70
14	W	2	5,7	S	36	S	17	5,6	5,6	5,6	5,4	5,4	15,60	17,00	18,20	32,45	33,10
15	WSW	2	5,2	SW	19	—	0	5,8	5,8	5,8	5,4	5,4	14,60	14,85	20,65		33,50
16	E	2	7,0	S	22	—	0	6,0	6,1	5,6	5,4	5,3	13,40	14,60		32,25	32,65
17	SE	3	5,4	SSE	33	SSE	13	5,8	5,8	5,7	5,3	5,3	12,10	12,95	29,90	32,80	33,30
18	SW	2	5,5	SSE	42	SSE	27	5,7	5,8	5,7	5,7	5,4	10,55	12,15	21,10	29,85	32,95
19	WSW	2	6,9	S	32	—	0	5,7	5,8	5,8	5,7	5,7	10,25				
20	—	0	7,2	SSE	69	SSE	22	5,9	6,0	5,9	5,5	5,5	10,25	14,50	20,45	32,55	33,25
21	NE	2	7,0	—	0	SSE	21	6,6	6,5	5,8	5,5	5,3	10,91	11,49	20,93	31,06	33,03
22	—	0	8,5	S	77	S	44	6,1	6,0	5,8	5,5	5,4	9,15	12,05	21,00	25,20	32,90
23	NNW	3	7,3	NE	18	N	14	6,5	6,5	6,1	5,3	5,6	11,95	20,20	20,50	24,05	29,45
24	NNW	1	8,5	SSE	50	SSE	28	7,1	6,6	6,4	5,6	5,5	14,60	20,00	21,65	29,40	32,40
25	SSE	2	6,6	SSW	11	SSE	19	6,6	6,9	6,6	5,8	5,3	10,75	11,80	22,10	32,65	33,10
26	SSE	3	5,5	SSE	89	SSE	75	6,6	6,5	5,8	5,7	5,4	9,85	14,55	27,80		32,50
27	SSE	3	7,0	SSE	87	SSE	53	6,7	6,7	5,8	5,4	5,2	9,85	10,35	24,05	32,05	33,45
28	WNW	6	4,2	S	67	SSE	44	6,8	6,7	6,1	5,6	5,4	9,95	12,35	23,65	28,80	32,05
29	W	5	3,1	WSW	31	—	0	6,8	7,5	7,0	6,1	5,9	12,75	18,40	20,35	22,30	24,90
30	WNW	5	6,5	NW	31	—	0	7,5	7,5	7,6	6,5	6,0	16,60	16,50	23,65		24,40
31																	
Medeltal			6,0					5,8	5,8	5,6	5,5	5,5	13,96	16,35	22,15	28,88	31,50

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

Maj

Observatörer: E. J. Glifberg o. O. B. Oltin

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰				
				0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m
				Riktn.	cm/sek.	Riktn.	cm/sek.										
1	SSE	2	8,2	SSE	32	SSE	22	7,7	7,8	7,6	6,0	5,4	16,05	16,06	17,68	27,77	30,82
2	SSE	3	11,0	SSE	102	SSE	88	7,8	7,6	6,6	5,6	5,2	10,25	12,25	22,90	30,20	32,55
3	SW	2	8,1	S	50	—	0	8,0	8,3	7,4	5,8	5,2	9,35	10,25	19,25	30,00	32,65
4	N	1	13,0	S	36	SSE	11	8,1	7,9	8,5	5,8	5,3	9,75	12,10	16,55	31,60	32,60
5	E	3	12,8	SSE	36	SSE	30	8,2	7,6	6,8	6,2	5,5	10,25	13,25	22,25	27,10	31,50
6	E	4	16,0	SE	19	S	21	8,6	7,9	6,9	5,6	5,2	9,70	13,55	21,25	31,70	32,90
7	E	4	11,6	S	69	S	43	8,8	8,1	7,1	5,6	5,1	9,80	12,00	19,75	31,30	32,90
8	E	3	12,4	SE	57	SSE	47	8,5	8,3	7,5	6,2	5,5	9,55	10,25	12,40	25,05	32,25
9	ESE	2	10,5	SE	65	SSE	50	8,6	8,4	6,6	6,3	5,7	9,00	9,85	21,90	25,15	28,30
10	—	0	10,6	SE	47	SSE	46	8,8	8,7	7,4	6,3	5,6	8,90	9,60	19,05	23,40	30,45
11	WNW	1	11,2	SSE	69	SSE	36	9,0	8,6	8,1	6,3	5,6	8,87	12,46	18,69	21,43	31,33
12	NW	2	13,5	SSE	39	NW	17	9,6	9,8	9,7	5,8	5,2	8,65	15,20	18,70	26,78	33,60
13	—	0	11,1	S	44	N	14	9,6	10,5	8,3	6,2	5,4	8,35	13,90	18,65	24,85	30,70
14	W	3	11,6	SW	23	—	0	10,0	10,0	9,0	5,9	5,5	8,60	12,60	18,50	28,55	33,20
15	NE	2	12,0	—	0	—	0	12,0	10,1	8,3	5,8	5,3	12,70	17,50	19,50	28,80	33,50
16	—	0	15,2	N	32	—	0	11,4	10,1	6,5	5,3	5,2	14,65	17,05	24,25	32,90	33,75
17	W	3	9,5	—	0	NE	8	11,6	11,7	10,4	5,9	5,4	15,25	15,40	17,35	30,15	32,90
18	NW	1	10,4	N	26	N	10	12,1	12,0	12,0	5,7	5,4	14,40	14,50	18,35	31,60	33,25
19	N	2	12,2	NNW	17	—	0	12,0	12,0	6,9	5,4	5,4	14,70	14,75	25,55	31,35	32,45
20	SSE	2	11,7	SSE	24	SE	13	12,3	12,2	6,3	5,3	5,2	14,80	15,15	29,45	33,15	33,20
21	SE	2	12,0	SSE	32	SSE	14	12,5	12,0	8,1	5,5	5,2	11,91	14,60	24,27	32,29	33,03
22	ESE	3	13,5	ESE	46	SE	14	12,7	12,0	7,9	5,2	5,1	10,75	12,85	24,15	33,30	33,55
23	W	3	11,5	SSW	47	SSW	13	12,3	12,1	9,3	5,1	5,0	9,60	10,85	20,55	33,05	33,45
24	WNW	1	12,0	N	25	—	0	12,6	12,4	8,9	5,3	5,2	10,65	13,70	20,85	33,30	33,60
25	SSE	2	10,5	S	36	S	17	12,6	12,6	8,5	5,4	5,2	12,25	13,25	23,40	32,55	33,45
26	WNW	1	13,2	S	64	SSE	36	12,6	12,4	8,0	5,1	5,0	10,80	12,10		31,40	33,45
27	WNW	3	11,0	—	0	—	0	12,7	13,0	7,1	5,1	5,1	11,65	13,15			33,80
28	SSE	2	10,0	S	22	SE	17	13,1	13,1	13,3	5,1	5,1	14,80	14,75	15,15		33,75
29	W	6	11,8	—	0	S	7	13,1	13,1	13,1	11,8	11,8	14,75	14,45	14,75	15,00	15,70
30	W	6	11,6	NNW	38	N	36	12,9	12,9	12,9	12,9	12,5	15,05	15,10	15,55	15,70	16,15
31	NW	8	10,2	NW	39	N	23	12,5	12,5	12,4	12,2	12,2	15,90	15,80	16,00	16,20	16,15
Medeltal			11,6					10,7	10,5	8,6	6,3	6,0	11,67	13,49	20,27	28,01	30,99

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

Juni

Observatörer: O. B. Oltin o. E. J. Glifberg

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰				
				0 m		18 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m
				Riktn.	cm/sek.	Riktn.	cm/sek.										
1	W	1	10,5	NW	21	SSE	12	12,7	12,3	12,3	6,5	6,8	15,70	16,51	16,78	30,80	31,13
2	W	1	16,0	NNW	24	—	0	12,7	12,4	9,8	8,5	6,3	16,20	16,75	25,55	26,05	34,65
3	SSE	1	13,6	SW	11	—	0	13,1	12,9	11,2	6,8	5,3	16,50	16,55	19,85	33,70	33,50
4	—	0	16,8	WSW	18	WNW	7	13,4	12,9	12,0	6,3	5,2	16,05	16,05	18,75	30,45	33,75
5	SSE	2	15,0	SSE	69	SSE	33	13,8	13,6	12,8	5,8	5,2	11,55	13,25	17,55	33,65	33,65
6	W	1	16,2	S	51	S	21	14,4	14,2	12,2	7,6	6,2	16,05	15,10	17,40	28,40	33,60
7	WNW	2	16,0	S	42	S	21	14,8	13,7	13,1	5,5	5,4	9,95	13,45	16,40	32,80	33,70
8	SW	2	19,2	SE	41	SSE	9	15,2	15,9	12,2	5,5	5,4	11,20	15,80	19,25	33,90	33,70
9	NW	5	13,5	N	50	N	17	16,0	15,9	12,2	7,8	5,2	12,80	13,10	18,50	28,50	33,55
10	NW	8	11,6	WNW	27	—	0	14,2	14,3	14,1	13,6	12,3	16,25	16,45	17,85	18,00	19,10
11	NNE	2	13,2	NE	24	N	18	14,2	14,2	14,1	13,8	7,0	16,00	17,23	17,46	17,97	31,21
12	W	2	12,5	SW	10	N	21	14,3	14,2	13,6	9,2	8,3	17,05	17,20	17,80	31,95	31,95
13	W	3	13,0	N	20	—	0	14,5	14,4	14,2	13,6	11,5	17,15	17,50	17,35	19,80	25,75
14	SSE	2	16,0	SSE	23	SSE	20	14,8	14,8	14,4	11,7	5,9	17,30	17,30	18,05	22,15	32,80
15	SSE	1	15,8	S	43	S	21	15,2	15,2	15,0	12,6	5,8	14,80	16,00	17,00	21,35	32,85
16	W	2	13,5	S	46	S	33	15,2	15,3	14,9	13,3	9,2	13,50	13,85	16,70	19,75	27,10
17	NNW	1	13,8	N	8	SSW	34	15,5	15,4	15,3	15,3	5,1	12,15	12,35	13,70	14,55	33,00
18	W	1	15,5	S	6	NE	7	15,9	15,5	15,3	8,1	6,7	12,65	13,70	15,25	33,30	33,00
19	WSW	2	16,2	S	39	S	27	16,1	16,0	15,5	7,1	5,8	12,60	17,40	17,40	33,05	33,05
20	WSW	1	15,5	—	0	S	7	16,3	16,7	15,1	7,0	6,1	12,50	15,55	18,00	32,70	32,70
21	SE	3	18,5	SSE	51	SSE	31	16,6	16,5	16,4	9,4	6,5	12,70	13,42	15,07	27,84	32,01
22	SSE	2	15,4	S	39	SSW	27	16,6	16,3	13,7	7,1	6,1	11,40	12,90	19,55	31,75	33,15
23	SSW	6	14,9	SSW	100	SSW	60	16,0	16,0	16,0	8,7	6,5	10,95	11,05	10,95	29,45	32,80
24	SW	5	12,2	W	28	N	26	15,8	15,8	15,0	8,8	6,0	11,15	11,55	15,15	30,15	33,45
25	W	6	14,6	NW	28	—	0	15,8	15,8	15,2	8,3	5,9	11,70	11,80	16,65	30,75	33,75
26	WNW	3	13,8	SSW	36	S	22	15,8	15,5	15,5	7,0	5,9	14,00	19,30	20,35	32,20	33,75
27	W	3	15,0	W	11	—	0	16,1	15,5	15,5	12,1	6,4	13,60	19,30	20,25	26,10	32,90
28	SW	2	14,9	W	19	W	10	16,4	15,7	15,2	8,0	5,8	14,45	18,85	19,75	31,90	33,50
29	W	6	14,5	NW	36	—	0	16,2	16,2	15,5	14,4	13,3	17,40	17,45	19,85	21,25	25,30
30	SW	3	17,5	S	17	SSE	28	16,5	16,2	14,9	10,6	8,2	18,05	18,20	27,35	31,65	31,65
31																	
Medeltal			14,8					15,1	15,0	14,1	9,3	6,8	14,12	15,30	18,05	27,11	31,75

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

Juli

Observatörer: E. J. Glifberg o. E. B. Ternström

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰				
				0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m
				Riktn.	cm/sek.	Riktn.	cm/sek.										
1	W	8	15,5	WNW	22	NW	28	16,2	16,2	16,2	14,0	10,1	18,34	18,42	18,55	22,34	29,01
2	W	6	13,0	NW	24	—	0	15,8	15,9	15,8	15,8	15,7	18,75	18,90	20,35	20,70	20,75
3	NW	3	14,2	N	17	SE	11	15,8	15,8	15,7	15,4	14,8	19,15	20,00	21,35	21,70	22,80
4	ENE	2	16,5	NE	30	N	22	15,9	15,8	15,1	12,2	9,6	19,50	20,15	21,15	25,40	29,25
5	S	1	16,2	S	69	S	83	16,2	15,9	15,6	15,3	14,3	19,25	19,60	19,95	20,45	21,80
6	ENE	3	14,2	SSE	71	SSE	69	15,3	15,2	15,5	14,8	13,2	13,40	13,45	18,00	20,60	25,40
7	NE	2	15,3	SSW	11	SSE	41	14,6	14,9	14,7	14,3	9,0	11,90	14,75	19,35	22,20	30,90
8	NW	2	16,2	SSE	80	SSE	56	15,3	15,5	15,0	13,8	13,7	10,40	14,35	19,80	24,95	26,70
9	WSW	2	16,8	SSE	63	SSE	63	15,5	15,3	15,5	14,9	13,8	9,60	10,75	22,55	25,70	25,70
10	SE	2	18,1	SSW	48	—	0	16,1	15,8	15,7	14,1	13,9	9,75	12,80	20,45	23,85	26,45
11	WSW	5	16,5	NNE	36	—	0	16,3	16,4	15,6	14,5	16,1	10,48	10,48	16,83	23,47	25,05
12	—	0	18,2	SE	12	—	0	16,5	16,5	16,6	16,5	14,0	9,70	11,80	15,35	26,80	26,80
13	—	0	17,0	SSE	56	SSE	38	16,4	16,4	16,4	16,1	15,2	9,40	12,50	18,15	20,60	23,15
14	SE	2	17,1	SW	22	S	28	16,6	16,6	16,6	16,6	16,5	10,05	11,80	15,20	16,50	20,10
15	E	4	15,0	—	0	NNE	29	16,7	16,4	15,1	12,9	11,4	10,05	15,20	21,60	27,55	29,35
16	E	2	15,1	N	30	—	0	16,5	17,0	14,5	13,0	11,5	10,35	11,75	23,45	26,35	29,10
17	SSE	3	16,2	—	0	—	0	16,7	16,8	14,8	12,4	10,0	9,85	10,40	21,50	27,70	30,65
18	SW	3	16,9	WNW	19	S	11	16,5	16,5	16,4	13,5	12,3	9,60	9,65	13,30	26,20	28,00
19	W	2	16,0	NW	47	N	25	16,6	16,6	17,6	14,3	11,7	11,15	11,60	17,75	25,00	29,00
20	SW	2	16,1	W	14	—	0	17,0	17,7	17,4	15,3	11,4	11,90	17,80	20,20	24,35	29,45
21	—	0	18,2	SE	8	—	0	17,7	17,8	17,5	14,5	9,1	14,83	19,22	20,92	27,30	31,59
22	SE	1	17,2	—	0	—	0	18,0	17,8	16,2	10,9	9,6	14,35	14,55	26,20	31,30	31,30
23	S	2	19,0	SSE	33	SSE	11	18,0	18,0	15,5	11,7	8,9	11,50	11,70	28,05	31,85	31,85
24	SW	2	16,8	N	26	—	0	18,2	17,6	15,9	14,1	10,2	11,80	14,05	25,40	30,05	30,90
25	NW	8	18,0	NW	44	NW	28	17,7	17,7	18,2	17,8	17,7					
26	WNW	4	16,0	NNW	28	NW	22	17,8	17,5	17,8	17,8	17,4					
27	WNW	4	15,8	NW	24	—	0	17,5	17,5	17,6	16,6	13,6					
28	WNW	7	16,0	WNW	36	—	0	17,4	17,4	17,4	17,4	16,6					
29	W	4	16,0	NW	20	—	0	17,5	17,5	17,3	17,2	17,1					
30	N	2	17,5	NNE	19	—	0	17,6	17,5	17,5	17,4	12,4					
31	NW	2	17,2	W	20	SSW	22	17,6	17,6	17,4	17,0	15,1					
Medeltal			16,3					16,7	16,7	16,3	14,9	13,1	12,71	14,56	19,92	23,42	27,29

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

Augusti

Observatörer: E. B. Ternström o. A. Bengtsson

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰				
				0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m
				Riktn.	cm/sek.	Riktn.	cm/sek.										
1	SE	1	18,0	NE	28	ENE	17	17,6	17,4	17,0	15,8	15,0	18,72	18,99	16,67	21,38	23,19
2	SE	1	18,0	S	85	S	77	17,7	17,6	17,7	16,9	16,4					
3	SE	2	15,2	SSE	91	SSE	68	17,4	17,6	17,3	16,2	13,9					
4	NE	3	16,0	SE	24	SSE	23	17,4	17,4	17,3	14,2	11,6					
5	NE	1	19,0	S	39	S	20	17,4	17,5	16,7	14,8	12,8	10,85	12,85	19,60	24,45	29,40
6	SSE	2	20,8	S	81	S	54	17,6	17,6	16,8	16,4	14,7	9,45	12,30	20,20	22,25	24,15
7	E	2	17,8	SSE	59	SSE	46	17,5	17,5	16,8	16,5	15,4	9,05	9,75	18,85	21,40	
8	N	1	18,2	SSW	19	—	0	17,5	17,4	16,6	16,4	13,0	9,50	12,25	25,25	28,75	29,20
9	ENE	1	14,5	SE	23	SSE	18	17,7	17,2	16,5	17,1	14,6	9,70	11,20	20,20	25,80	26,15
10	SSE	4	19,5	SSW	23	—	0	17,4	17,4	16,8	16,3	10,6	9,45	10,05	17,20	20,90	30,95
11	SSE	3	19,5	SW	19	S	8	17,6	17,6	16,3	13,6	9,5	9,92	10,04	23,12	28,93	32,12
12	WNW	2	17,5	W	6	SW	8	17,8	17,8	17,2	14,5	12,5	10,85	11,00	18,80		30,15
13	SW	2	18,0	NW	23	W	9	18,4	18,5	17,0	14,0	11,5	11,40	13,00	24,95		30,85
14	NW	3	17,0	W	30	SW	18	18,5	18,7	17,5	11,3	8,1	12,35	16,75	24,45		33,20
15	W	2	16,5	SSW	39	S	37	18,4	18,6	15,7	12,0	8,1	14,05	17,35	28,85		33,15
16	S	4	19,5	SSE	59	S	36	18,2	18,2	15,8	11,7	10,4	14,40	14,70	29,70		31,35
17	WSW	1	17,0	W	12	NW	10	18,0	18,0	13,7	10,7	11,1	14,20	14,50	31,75		31,10
18	E	8	19,5	SSE	57	SSE	47	18,0	18,0	14,2	9,4	8,6	13,10	13,85	30,35		32,85
19	SSW	3	17,1	S	52	S	13	17,8	17,8	17,1	12,6	9,3	12,30	14,85	18,60	31,15	32,40
20	SSE	1	19,0	S	7	—	0	18,1	18,1	18,3	11,6	9,1	11,25	12,75	17,40		32,20
21	SE	1	18,0	SE	19	N	18	18,2	18,2	18,3	10,6	8,3	11,07	12,24	17,77	31,37	32,86
22	SE	1	17,6	E	16	E	5	18,4	18,3	17,9	10,3	9,7	11,15	11,75	19,35		32,00
23	SE	1	20,0	SE	44	SE	23	18,6	18,3	17,9	10,3	9,7	11,50	13,40	19,10		32,10
24	ESE	5	18,0	SE	31	S	32	18,6	18,4	13,6	10,2	9,5	11,20	11,60	31,35		31,90
25	WSW	1	18,8	E	16	NNE	20	18,3	18,0	10,4	8,2	7,8	11,90	13,20			32,90
26	SE	2	17,8	SE	63	SE	20	18,6	17,8	17,2	10,1	7,7	10,50	14,60	19,05		32,95
27	S	3	18,0	NNE	23	—	0	18,2	17,9	11,2	9,4	8,0	12,20	13,75	32,20		32,75
28	SW	1	18,0	NW	46	NNW	18	18,2	18,2	10,1	9,0	7,2	13,35	14,35	33,80		33,20
29	SE	4	17,5	SW	27	—	0	18,0	18,3	9,9	8,2	7,5	14,00	17,50			32,90
30	WNW	6	15,2	SW	36	—	0	17,5	17,7	18,0	13,2	9,0	16,15	16,10	17,70	28,90	32,40
31	WNW	5	16,0	WNW	34	S	14	17,5	17,5	17,8	17,5	17,1	17,45	17,65	18,45	19,25	19,70
Medeltal			17,8					17,9	17,9	16,0	12,9	10,9	12,18	13,65	22,99		30,67

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

September

Observatör: A. Bengtsson

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰				
				0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m
				Riktn.	cm/sek.	Riktn.	cm/sek.										
1	—	0	18,8	NE	20	SSW	21	16,8	17,6	17,7	9,4	9,3	16,83	18,59	18,77	32,86	33,05
2	E	1	13,4	SE	21	S	39	17,3	17,5	15,5	11,0	10,2	18,55	18,45	24,95		30,95
3	ESE	2	15,6	SSW	17	—	0	17,3	17,2	17,0	12,2	9,9	18,60	18,50	19,05	30,75	31,50
4	E	1	14,0	—	0	—	0	17,0	16,7	13,8	9,8	9,0	18,35	18,45	26,75		32,85
5	S	2	16,0	SE	13	—	0	16,9	17,0	13,9	9,3	8,9	14,60	15,75	28,55		32,80
6	W	3	15,8	N	46	NNE	23	16,7	16,5	14,0	8,9	8,9	14,85	16,50	26,95		33,10
7	S	8	15,7	SE	53	SE	21	16,3	16,3	14,4	9,4	8,8	16,90	16,95	21,65	32,45	34,60
8	W	9	13,0	S	25	—	0	16,2	16,2	16,2	13,5	9,0	18,60	18,45	18,30	28,60	32,75
9	W	6	14,2	NW	38	NNW	31	15,6	15,6	15,8	16,0	15,8	18,80	18,70	19,40	20,15	20,60
10	W	4	14,8	—	0	—	0	15,9	15,9	16,0	15,6	12,3	19,30	19,20	19,40	21,20	30,40
11	SW	2	13,9	SW	18	SSW	6	15,6	15,7	15,5	9,7	9,7	19,32	19,24	20,75	32,97	33,08
12	SW	3	16,0	SW	18	SSW	10	15,8	15,7	16,0	9,9	9,9	19,30	19,30	21,95	33,30	33,45
13	SW	4	15,8	W	17	SSW	12	15,6	15,6	15,8	11,4	10,0	19,60	19,90	22,40	31,15	32,85
14	SSE	2	15,4	S	44	SSE	34	15,5	15,7	15,6	14,6	10,2	19,85	20,75	21,70	24,50	33,05
15	S	1	14,2	E	11	NE	22	15,6	15,7	14,8	11,1	10,6	20,30	20,85	24,30	31,30	32,45
16	W	10	13,0	SW	52	S	34										
17	SSE	2	12,5	WNW	46	NW	18	15,1	15,3	15,4	11,2	11,2	21,35	22,30	23,20	31,90	31,85
18	SSW	3	13,6	SSW	36	NNE	19	15,1	15,1	15,1	15,2	11,7	21,15	21,55	21,95	21,80	28,95
19	SW	3	12,2	N	22	NNW	20	14,9	14,8	14,8	14,9	11,0	20,70	20,70	20,80	20,90	32,00
20	SW	3	13,3	WSW	27	—	0	14,9	14,9	14,9	14,9	15,1	23,70	23,80	23,95	24,10	25,25
21	SW	3	12,0	S	77	E	13	14,5	14,7	14,8	13,8	10,2	21,88	22,73	23,28	28,56	32,63
22	ESE	3	11,6	SE	36	SE	18	14,2	14,6	14,6	11,6	10,3	17,95	20,60	22,00	31,60	32,55
23	WNW	2	13,0	E	6	—	0	13,9	14,5	14,5	14,0	11,5	18,45	21,50	23,50	25,70	30,45
24	WNW	2	13,0	—	0	SSW	30	13,6	13,9	14,4	14,5	12,8	18,95	19,90	22,75	25,05	27,80
25	SE	5	10,5	SSE	56	SSE	30	13,9	13,8	13,8	12,5	11,5	17,00	18,25	19,30	28,50	31,05
26	SW	3	12,9	S	53	SSE	47	13,8	13,8	13,7	12,9	11,4	14,05	16,35	19,00	28,00	31,00
27	WNW	3	12,0	SW	6	ENE	22	13,8	13,9	13,9	13,8	13,5	13,10	15,00	20,10	22,75	23,05
28	WSW	7	12,8	NNW	40	N	38	13,5	13,6	13,6	13,6	13,6	18,25	18,25	18,45	18,45	18,30
29	WNW	8	12,9	NNW	44	N	27	13,6	13,6	13,6	13,9	14,1	19,95	20,10	19,95	21,10	22,40
30	WSW	3	11,5	SW	22	S	30	13,3	13,4	14,0	14,0	13,8	20,00	20,40	23,80	24,50	25,65
31																	
Medeltal			13,8					15,2	15,3	14,9	12,5	11,2	16,63	19,35	21,96	26,89	30,01

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

Oktober

Observatör: A. Bengtsson

1950

Datum	Vind Rikt. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰				
				0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m
				Rikt.	cm/sek.	Rikt.	cm/sek.										
1	SE	3	13,3	—	0	—	0	13,2	13,2	13,7	13,5	13,5	20,37	20,44	23,66	26,05	29,95
2	SW	5	11,0	S	37	S	10	12,8	12,8	13,0	13,0	13,1	17,20	17,65	18,69	29,65	
3	WNW	5	12,1	NW	11	NNW	13	12,9	12,9	13,2	13,0	12,2	17,75	17,75	22,65	29,40	32,90
4	SW	9	12,0	SW	30	S	32	13,0	13,0	13,0	13,1	13,1	18,75	22,00	22,55	22,75	26,90
5	SW	4	13,2	S	13	S	16	13,0	13,1	13,2	13,2	13,2	23,35	25,25	25,30	26,15	27,55
6	S	4	13,8	SSE	100	SSE	63	12,7	12,7	13,0	13,0	13,0	17,00	17,60	22,60	25,30	27,90
7	SW	4	13,0	SSE	32	SSE	36	12,7	12,9	13,0	13,0	13,0	17,70	19,40	22,60	27,35	30,80
8	SW	3	12,2	SE	27	N	18	12,9	13,0	13,1	13,1	13,0	18,90	20,90	23,30	25,95	27,25
9	W	5	9,0	SSW	24	—	0	12,8	12,8	12,9	12,9	12,9	21,40	21,85	22,30	23,10	32,00
10	SSW	3	9,1	S	39	S	34	12,5	12,5	12,6	12,9	13,2	23,45	23,65	23,80	24,85	28,20
11	S	5	10,0	S	63	SE	56	12,3	12,3	12,9	13,8	13,9	18,28	18,12	23,63	31,38	32,00
12	NW	9	12,0	N	53	NW	36										
13	WNW	1	11,0	SW	24	S	26	12,2	12,3	12,5	12,7	12,9	22,50	22,80	24,30	25,40	26,45
14	SE	2	11,5	SSE	83	SSE	63	11,8	12,1	12,3	12,7	12,7	19,50	20,90	23,30	25,00	25,25
15	S	1	11,1	SSE	91	SSE	71	11,9	11,8	12,2	12,6	12,4	16,30	18,70	21,45	22,85	23,70
16	SSW	1	11,1	SSE	111	SSE	91	12,0	12,0	12,1	12,4	12,8	12,15	16,40	21,20	24,65	26,90
17	SSW	4	10,0	S	91	S	71	12,1	12,1	12,5	12,7	12,9	13,75	14,15	24,20	25,70	27,55
18	WNW	8	10,8	N	63	N	21	11,7	12,0	12,4	12,5	12,6	15,30	18,30	26,25	26,55	27,20
19	WNW	4	10,0	S	22	—	0	11,6	11,5	11,9	12,0	12,3	21,40		24,30	24,45	25,75
20	NW	10	10,0	NW	53	N	31	11,5	11,5	11,6	11,9	12,5	21,75	21,55	21,40	24,15	26,25
21	N	7	9,0	N	23	N	16	11,8	11,8	11,8	11,8	12,1	25,18	25,09	25,08	25,13	25,97
22	NNE	2	6,0	WNW	18	NNW	9	11,4	11,4	11,6	11,6	11,7	24,10	24,20	24,45	24,35	24,45
23	SW	1	6,0	SW	22	SSE	24	11,1	11,1	11,1	11,1	11,1	23,75	23,60	23,90	24,20	24,50
24	NE	4	6,0	SSE	56	S	46	10,2	10,2	11,0	11,1	11,3	14,90	18,60	22,05	22,75	23,55
25	E	2	2,8	SE	42	SSE	18	9,8	10,0	10,7	11,5	11,5	15,50	16,00	19,95	21,50	24,05
26	E	2	3,0	SSE	26	ESE	11	9,5	9,5	11,0	11,4	11,5	14,20	13,90	21,90	23,60	24,15
27	ENE	4	4,0	ESE	16	E	9	8,8	9,5	11,1	11,3	11,8	12,80	16,80	22,00	23,40	25,75
28	NE	5	3,0	SE	22	—	0	8,8	8,9	8,7	11,9	12,0	13,45		13,45	27,60	27,80
29	ESE	3	3,5	ESE	39	SE	33	9,1	9,3	10,3	12,3	12,3	11,85	12,25	20,40	28,30	28,25
30	E	2	4,2	SE	13	ESE	17	8,6	9,1	10,9	12,2	12,4	11,05	13,35	22,00	28,25	28,80
31	WSW	1	6,0	—	0	S	11										
Medeltal			9,0					11,5	11,6	12,0	12,4	12,5	18,05	19,67	22,50	24,84	27,21

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

November

Observatörer: A. Bengtsson o. O. B. Ölin

1950

Datum	Vind Rikt. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰				
				0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m
				Rikt.	cm/sek.	Rikt.	cm/sek.										
1	WSW	1	6,0	WSW	26	SE	23										
1	E	2	3,2	SSE	29	—	0										
3	E	6	6,4	SSE	32	SE	11										
4	ENE	5	5,7	SSE	7	—	0										
5	ENE	4	6,9	S	33	—	0										
6	NE	3	4,5	E	22	—	0										
7	NE	2	4,2	WNW	22	—	0										
8	N	2	4,0	—	0	—	0										
9	S	2	8,0	SE	26	SSE	43										
10	SW	2	7,6	N	32	N	24										
11	SSW	7	11,0	S	63	S	24	8,9	7,8	9,3	11,9	12,6	14,69	15,27	22,02	28,85	30,62
12	SSE	2	6,5	SW	8	—	0										
13	SSW	5	7,0	NNW	6	SW	10										
14	WNW	6	7,8	N	44	N	44										
15	WSW	3	6,2	W	26	—	0										
16	W	5	6,5	NW	26	—	0										
17	WSW	3	4,5	SW	11	SW	6										
18	NW	3	5,0	NNW	22	—	0										
19	E	2	0,5	NE	11	E	8										
20	ESE	7	5,1	ESE	46	W	19										
21	ESE	6	4,1	S	36	—	0	6,1	6,3	6,5	11,0	11,0	14,92	16,18	18,48	29,15	30,76
22	SE	3	7,0	S	32	SW	10										
23	E	2	7,8	S	17	—	0										
24	SW	4	6,2	S	41	S	42										
25	SW	3	5,6	S	33	NNW	18										
26	WNW	4	5,8	N	31	NW	13										
27	SW	5	7,1	N	33	N	32										
28	SSW	4	5,3	W	42	WNW	16										
29	SW	5	8,1	S	33	S	12										
30	NNW	4	3,4	N	20	NNE	18										
31																	
Medeltal			5,9														

SVINBÅDAN

56° 10' 00" N

12° 31' 00" E

December

Observatörer: O. B. Oltin o. A. Bengtsson

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C					Vattnets salthalt i ‰					
			0 m		17 m		0 m	5 m	10 m	14 m	17 m	0 m	5 m	10 m	14 m	17 m	
			Riktn.	cm/sek.	Riktn.	cm/sek.											
1	SW	7	8,0	SW	29	SE	6	6,3	6,3	6,3	6,4	9,7	21,88	21,92	21,94	22,11	30,87
2	SW	5	5,0	S	17	—	0	6,1	6,1	6,2	6,3	9,4	22,45	22,45	22,50	22,70	32,05
3	SSW	3	5,0	S	42	SSW	27	6,1	6,2	6,2	6,3	9,9	22,45	22,90	23,05	23,55	33,45
4	ESE	3	2,9	ESE	28	SE	30	5,5	5,7	5,9	9,5	9,8	22,40	22,80	23,10	31,70	33,65
5	SW	5	2,0	S	54	S	47	5,5	5,5	5,6	5,7	5,8	22,95	22,95	23,05	23,20	23,30
6	WNW	7	3,5	NW	63	NNW	51	5,5	5,5	5,5	5,5	5,5	22,65	22,55	22,60	22,60	22,65
7	S	2	2,6	S	40	S	33	5,0	5,0	5,3	5,5	6,1	22,85	23,05	23,60	23,90	24,70
8	E	2	3,1	SSE	53	SSE	28	4,5	4,7	4,7	8,2	8,3	19,05	20,10	21,90	28,65	29,25
9	—	0	—1,3	S	20	SE	21	4,3	5,3	5,5	7,2	9,2	14,70	19,75	20,95	26,00	31,60
10	SE	1	0,2	SE	21	SE	22	4,2	5,3	5,4	5,1	9,3	13,60	19,50		19,70	32,30
11	S	8	3,0	S	105	SSE	67	4,9	4,9	6,7	9,5	9,5	13,94	14,17	21,62	34,30	34,24
12	SW	5	3,8	W	33	—	0	4,5	8,8	9,2	9,0	8,8	12,65	30,95	33,65	34,10	34,05
13	SW	4	3,2	SSE	77	SSE	41	4,9	5,0	5,1	8,2	8,6	16,30		16,20	30,15	33,30
14	SSW	3	2,0	S	77	S	37	4,2	4,4	6,3	8,1	8,7	11,55	14,35	22,00	28,85	34,45
15	ESE	2	4,0	S	38	S	31	4,4	5,2	8,7	8,8	8,8	11,45	19,10	32,80	33,85	34,30
16	E	2	4,4	E	22	—	0	4,2	4,4	6,8	8,4	8,6	11,80	13,20	25,20	32,05	33,70
17	SE	2	2,2	SSW	21	—	0	4,1	4,1	4,5	7,5	8,6	11,05	11,15	14,10	27,60	33,50
18	SE	1	1,0	S	20	SE	14	4,0	4,0	5,1	8,1	8,6	11,25	11,35	16,50	30,15	33,15
19	E	1	—1,3	NE	22	—	0	3,7	3,8	5,3	8,4	8,7	11,35	11,85	18,80	31,65	33,45
20	ENE	1	1,6	E	17	—	0	3,4	4,2	5,0	7,5	8,8	11,75	13,90	19,25	28,80	33,50
21	E	2	3,0	S	20	S	11	4,0	4,1	5,7	8,0	8,7	10,52	13,55	18,96	29,98	33,05
22	E	3	1,8	S	30	SE	9	3,8	4,2	5,4	6,6	8,6	11,10	13,80	18,70	23,60	33,10
23	E	2	2,6	SSE	19	E	6	3,8	4,2	5,6	8,2	8,8	10,95	12,50	27,75	31,00	33,85
24	NE	2	1,5	ENE	20	N	21	3,8	3,9	6,2	7,5	8,7	11,60	13,60	23,00	28,55	34,50
25	N	3	2,0	S	6	S	39	3,5	3,9	5,0	6,1	8,5	10,85	14,90	23,00	26,50	32,80
26	E	3	—3,0	S	20	NNE	21	2,5	4,5	4,5	4,9	6,5	12,05	21,75	24,30	25,00	25,90
27	ENE	3	—3,2	S	71	S	18	2,6	4,1	5,2	6,0	7,9	10,45	16,50	24,90	26,85	32,10
28	E	1	—3,0	S	40	S	22	2,1	3,2	4,6	5,8	6,9	10,50	14,75	23,40	26,70	30,00
29	NW	1	2,1	NE	26	—	0	2,4	3,2	3,4	4,5	5,2	11,25	15,90	16,50	24,30	25,85
30	SW	3	1,7	S	56	S	9	2,3	2,4	3,7	4,5	5,5	10,25	10,65		25,20	28,55
31	SW	4	0,2	S	143	S	41	2,0	2,1	3,0	3,3	3,7	6,95	9,90	17,65	22,85	23,50
Medeltal		2,0						4,1	4,7	5,5	6,9	8,1	14,34	17,19	22,10	27,29	31,12

FLADEN

57° 13' 00" N

11° 51' 00" E

Januari

Observatörer: J. H. Bergström o. T. Hermansson

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	SW	2	3,0	—	0	SE	33	5,5	5,6	6,1	6,2	6,3	6,4	6,8	27,43		28,12	28,30	29,60	32,14	32,18	
2	WNW	8	6,0	NNW	26	SW	27															
3	N	1	2,0	N	15	N	10	4,5	4,8	5,5	6,6	6,6	7,4	7,4	26,01	27,94	28,93	29,95	31,53	32,58	32,76	
4	NE	4	—3,0	NW	36	NW	31	4,3	4,3	4,6	5,7	5,7	6,6	7,1	27,20	27,40	28,30	29,00	30,14	31,81	32,81	
5	E	3	—8,0	NW	30	NW	20	3,4	3,4	5,3	5,7	5,8	6,6	7,6	25,95	26,00	27,50	28,85	29,69	31,58	33,17	
6	SE	8	—6,0	SE	21	S	11															
7	SE	6	—3,0	S	21	NW	25	3,3	3,3	3,4	3,6	3,8	5,7	6,8	26,45	26,55	26,80	27,10	27,54	30,03	32,36	
8	S	4	4,0	NW	26	W	18	3,8	3,8	3,9	3,9	4,3	5,8	6,9	26,55	26,80	26,80	26,85	27,83	30,18	32,70	
9	NE	3	3,0	NE	22	N	36	3,2	3,4	4,0	4,1	4,4	6,1	6,7	26,21	27,00	27,40	28,00	28,35	31,86	32,73	
10	SSE	7	—2,0	S	18	SE	11	2,4	2,5	2,6	3,7	3,7	4,3	6,8	25,00	25,10	25,55	27,10	27,79	28,40	33,04	
11	SE	6	—3,0	N	9	NW	26	2,6	2,6	2,8	2,9	3,0	3,0	6,7	26,04	26,06	26,08	26,13	26,22	26,24	32,30	
12	S	8	0,0	S	29	SW	20															
13	W	3	4,0	S	16	SE	12	1,8	2,4	3,2	3,4	4,4	6,3	6,7	25,20	25,85	26,50	27,65	28,86	32,30	33,03	
14	W	5	5,0	NW	27	NW	27	3,1	3,1	3,1	3,3	3,8	4,4	6,9	27,15	27,20	27,25	27,85	28,58	29,23	33,30	
15	SW	1	4,0	SW	14	SE	10	2,4	2,8	3,1	3,4	3,8	6,8	6,9	25,95	26,45	27,20	27,71	28,69	33,09	33,52	
16	WNW	6	5,0	NE	13	—	0	2,3	2,5	3,0	4,2	5,1	6,8	6,8	26,05	26,15	27,40	29,25	28,95	33,46	33,61	
17	ESE	4	—1,0	SE	13	NW	20	1,9	2,2	2,6	3,8	5,6	6,8	6,9	25,00			28,85	31,89	33,52	33,82	
18	ESE	2	—4,0	S	13	S	13	2,4	2,3	2,8	3,1	4,6	6,6	7,0					30,35	33,11	33,58	
19	SE	2	—5,0	S	10	WSW	10	1,6	2,0	3,1	3,0	4,4	5,6	6,6	25,65	26,20	26,70	26,95	29,42	31,78	33,32	
20	W	2	—2,0	SW	17	SE	42	1,7	2,3	3,3	3,3	3,5	5,2	6,6	24,65	24,55	26,15	26,45	27,63	32,10	33,35	
21	E	1	1,0	—	0	N	7	1,6	1,6	2,4	3,4	4,8	6,3	6,6	23,61	24,29	24,80	26,25	29,62	32,62	33,46	
22	SE	1	0,0	SW	9	S	10	0,7	1,6	2,7	3,7	4,5	6,7	6,7		24,75	25,50	26,65	29,58	33,14	33,86	
23	S	3	2,0	SW	11	SW	4	1,7	1,7	2,5	3,0	4,4	5,8	6,7	23,65	23,70	25,55	26,85	28,12	32,83	33,73	
24	SE	3	0,0	SW	16	—	0	1,4	2,0	3,1	3,5	4,5	6,4	6,7		23,75	25,70	26,95	29,18	33,37	34,05	
25	E	3	4,0	SE	13	N	7	1,3	1,7	2,8	3,7	4,9	6,4	6,7	21,61	21,39	24,75	26,80	29,54	33,35	34,05	
26	SE	3	2,0	S	8	W	18	0,8	0,7	1,5	3,5	5,0	6,7	6,4			24,35	26,65	29,93	33,71	34,04	
27	ESE	3	1,0	SE	20	SE	26	0,8	0,8	2,5	3,7	5,5	6,5	6,7			24,70	27,65	31,67	33,35	33,95	
28	E	3	—2,0	S	43	S	36	0,7	0,7	3,3	4,8	6,2	6,7	6,3			25,85	29,30	32,26	33,87	34,09	
29	NE	1	—2,0	—	0	—	0	0,7	1,3	1,8	4,4	6,2	6,6	6,5	18,55	21,27	24,15	28,80	31,73	33,99	34,10	
30	NE	6	—2,0	NE	9	N	22	0,4	0,4	3,3	5,5	5,8	6,4	6,1	21,07	21,38	26,85	30,70	32,17		33,97	
31	E	7	—2,0	NE	12	E	20	0,4	0,5	0,9	4,8	5,9	5,9	5,7	19,69	19,48	24,75	29,60	32,68	33,98	34,18	
Medeltal			0,3					2,0	2,1	2,9	3,7	4,4	5,5	6,1	24,76	24,97	26,29	27,86	29,63	32,13	33,40	

FLADEN

57°13' 00" N

11° 51' 00" E

Februari

Observatör: J. H. Bergström

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Rikttn.	cm/sek.	Rikttn.	cm/sek.																
1	SE	6	—3,0	SE	18	E	9	—0,4	—0,2	—0,4	1,1	5,7	5,9	5,9	18,78	18,29			32,04	33,89	34,10		
2	SSE	6	—2,0	S	19	SE	22																
3	SE	8	0,0	NE	12	N	10																
4	SSE	5	1,0	N	51	NW	30	0,4	0,4	0,4	0,4	0,5	6,2	6,4	20,19	20,15	20,15	20,25	20,41	32,90	33,88		
5	SE	2	2,0	N	46	NE	32	1,1	1,1	1,1	1,8	2,4	2,5	2,5		23,35	23,40	23,50	25,06	33,68	34,04		
6	SE	4	1,0	N	12	N	9	0,5	0,5	0,8	0,8	1,2	6,4	6,8	21,15	21,02	21,03	23,50	24,51	34,05	34,34		
7	W	3	2,0	WNW	39	WNW	34	0,7	0,8	0,8	0,8	5,4	6,4	6,6	19,96	20,64		23,45	31,95	34,05	34,42		
8	SW	6	2,0	SW	51	SW	27	1,0	1,1	1,1	1,6	6,3	6,6	6,6	21,29			24,60	34,14	34,42	34,51		
9	SW	3	2,0	WSW	29	—	0	0,6	1,3	5,5	6,4	6,6	6,7	6,7	21,19	23,50	31,90	33,83	34,19	34,49	34,58		
10	W	3	2,0	SW	22	SW	22	0,7	0,7	2,6	6,5	6,6	6,7	6,7	23,20	23,20	26,90	34,18	34,33		34,60		
11	W	3	2,0	WSW	25	SE	10	1,0	1,3	1,4	5,8	6,7	7,0	7,0	21,38	21,38	22,38	32,72	34,55	34,70	34,76		
12	S	3	3,0	SW	8	NW	24	1,4	1,5	6,0	6,4	6,7	6,7	6,7			33,48		34,40	34,58	34,71		
13	SSE	3	2,0	SSE	27	SW	18	0,8	1,4	6,5	6,6	6,7	6,9	6,9	21,58	23,25	33,98	34,45	34,60	34,69	34,76		
14	NNW	5	1,0	NNE	46	S	18	0,7	1,3	6,0	6,3	6,3	6,6	6,4		23,35	33,42	34,23	34,34	34,60	34,67		
15	ESE	2	—1,0	SE	10	—	0	0,6	2,8	4,5	5,2	5,5	5,3	5,2	21,78	27,40			34,42	34,49	34,51		
16	S	2	3,0	E	18	—	0	0,6	1,3	4,5	5,2	5,2	5,0	4,8	21,74				34,05	34,38	34,49		
17	WSW	6	4,0	NE	26	S	14	1,0	1,7	2,2	4,3	5,5	5,8	6,2		25,20	26,75		33,82	34,45	34,45		
18	SW	7	3,0	NNE	34	NNW	40	1,3	1,3	4,2	4,5	4,5	4,4	4,4	23,75	23,75	31,20	33,84	33,82	34,23	34,20		
19	W	3	4,0	NE	24	ENE	22	1,3	1,8	2,5	3,8	3,8	4,5	4,6	23,80	24,25	26,25	32,97	33,87	34,22	34,31		
20	S	3	1,0	SW	16	—	0	2,0	2,3	3,4	3,5	4,2	4,3	4,3	24,35	24,65	27,50	31,85	33,75	33,91	34,09		
21	N	4	2,0	N	10	NNW	15	2,3	2,8	3,0	3,4	3,7	3,8	4,3	24,88	25,72	28,37	33,06	33,78	33,77	33,86		
22	W	4	3,0	NW	16	NW	6	1,5	3,0	3,2	3,4	3,3	3,3	5,6		24,85	27,40	33,24	33,55	33,82	34,38		
23	WSW	7	4,0	NW	52	—	0																
24	NW	3	2,0	NW	23	SE	12	1,6	2,8	2,7	4,3	4,3	3,7	5,4	23,70	29,50	31,25	33,82	33,83	33,87	34,16		
25	W	2	0,0	NW	21	SE	17	1,6	2,9	3,1	4,2	4,4	5,2	5,3	24,10	26,65	29,95	31,50	33,60	34,29	34,42		
26	NE	3	—3,0	NW	20	SE	15	1,8	2,6	3,7	3,4	4,1	5,9	4,7	24,80	29,70	33,10	33,69	34,07	34,04	34,38		
27	NE	2	—1,0	SSE	10	S	17	1,0	1,8	2,6	3,5	4,4	4,7	4,9	24,80	26,10	30,05	33,19	33,91	34,23	34,36		
28	SE	1	—1,0	SE	11	—	0	0,7	2,7	3,5	3,8	3,9	4,7	5,0		24,95	28,10	32,92	33,69	33,96	34,38		
29																							
30																							
31																							
Medeltal			1,3					1,0	1,5	2,7	3,5	4,2	4,8	5,0	22,44	24,13	28,33	31,69	32,59	34,15	34,41		

FLADEN

57°13' 00" N

11° 51' 00" E

Mars

Observatör: J. H. Bergström

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Rikttn.	cm/sek.	Rikttn.	cm/sek.																
1	NE	2	—3,0	NE	8	—	0	1,0	2,1	3,4	4,0	3,8	4,3	4,7	25,14	26,82	30,91	33,55	33,87	34,20	34,43		
2	ESE	2	—3,0	SSE	17	—	0	0,6	1,3	2,4	3,0	3,5	4,3	4,5	23,15	24,10	27,15	30,45	33,24	34,05	34,33		
3	S	7	0,0	SW	21	S	8																
4	W	6	2,0	NE	17	W	26	1,0	1,0	2,3	3,1	3,2	3,8	4,3		23,45	26,50	30,85	31,55	33,42	33,87		
5	W	6	3,0	N	4	N	15	1,5	1,5	2,2	3,2	3,7	4,0	4,3			26,45	31,25	33,21	33,73	34,00		
6	W	4	4,0	WSW	22	NNW	21	1,5	1,8	2,0	2,4	3,4	4,0	4,5	23,75	24,60	26,60	28,55	32,38	33,80	34,02		
7	W	4	5,0	W	17	W	16	2,3	2,3	2,5	2,8	3,9	4,0	4,5			26,30	31,00	32,65	33,82	34,23		
8	E	2	2,0	S	36	SW	10	1,7	2,2	2,5	3,0	3,8	4,4	4,5		24,50	28,45	30,50	33,33	33,93	34,25		
9	E	2	1,0	S	16	—	0	1,6	2,3	2,4	3,0	3,7	4,5	4,5		24,60	25,85	30,80	32,90	33,98	34,18		
10	NNE	3	2,0	N	14	NE	9	1,7	2,3	2,5	3,5	3,8	4,4	4,6	21,47	24,45	25,00	31,85	33,10	34,00	34,18		
11	WSW	3	4,0	—	0	S	16	2,3	2,3	2,4	3,5	4,0	4,3	4,5	22,77		24,29	32,54	33,73	34,00	34,14		
12	NNW	6	2,0	—	0	—	0	2,1	2,1	3,3	3,8	3,8	3,7	3,7	24,05	24,00	30,25	33,57	33,64	33,73	33,78		
13	N	3	3,0	N	13	SW	13	2,3	2,4	3,4	3,7	3,7	3,8	4,3	25,25	25,45	32,48	33,28	33,35	33,68	33,91		
14	W	3	4,0	NE	13	W	10	1,8	1,8	3,4	3,7	3,7	4,0	4,3	24,90	24,75	31,75	33,10	33,35	33,73	33,96		
15	N	2	0,0	SE	19	—	0	1,8	1,8	3,4	3,6	3,8	4,2	4,3	23,85	24,80	31,35	32,95	33,28	33,80	34,04		
16	SE	5	2,0	S	27	SSE	3	1,8	1,8	2,5	3,6	3,7	4,0	4,4			24,70	31,35	33,17	33,69	33,96		
17	S	5	5,0	SSE	23	—	0	2,5	2,5	2,5	2,6	3,3	3,8	4,0	24,55	24,30	24,65	24,80	30,75	33,21	33,62		
18	SSW	4	5,0	SSE	42	SE	20	2,6	2,7	3,0	3,3	3,7	3,8	4,0	23,70	23,85	24,45	24,85	32,92	33,28	33,39		
19	S	6	6,0	S	17	N	8	2,5	2,6	2,6	3,3	3,7	4,1	4,3			24,85	31,15	32,00	33,51	33,96		
20	SSW	5	5,0	SSW	47	SSW	39	3,0	3,0	3,2	3,3	3,7	3,8	4,2	24,10	24,20	25,60	25,85	32,23	33,22	33,64		
21	SE	8	4,0	NW	25	W	19	2,8	3,0	3,3	3,7	4,0	4,0	4,2	21,73	24,70		25,50	32,50	33,44	33,62		
22	SE	2	4,0	NE	14	NE	36	3,2	3,0	3,3	3,8	4,0	4,2	4,2		25,45	25,85	31,60	33,17	33,66	33,77		
23	SSE	2	4,0	SW	19	—	0	3,5	3,3	3,3	3,8	3,8	4,2	4,3		23,65	25,40	31,25	32,48	33,64	33,87		
24	SSE	6	4,0	SSE	14	SE	15	3,3	3,3	3,4	3,4	3,8	4,2	4,4		23,65	25,30	26,10	32,45	33,44	33,82		
25	N	5	5,0	SE	33	N	7	3,4	3,3	3,5	3,8	4,1	4,3	4,3		23,75	25,20	26,15	33,13		33,66		
26	SSE	2	5,0	S	8	—	0	3,7	3,4	3,8	4,0	4,2	4,1	4,1		25,35	27,85	32,40	33,10	33,10	33,49		
27	W	4	5,0	S	6	S	29	3,8	3,7	3,7	3,8	3,9	4,2	4,3	23,70	25,65	26,70	32,15	33,21	33,66	33,77		
28	NE	3	4,0	S	10	NW	18	3,8	3,9	4,0	4,0	4,0	4,1	4,2	23,80	25,75	26,75	31,90	33,29	33,57	33,73		
29	W	2	4,0	E	25	W	8	4,5	3,7	3,8	3,8	4,0	4,2	4,3	23,85	25,85	26,85	31,70	33,30	33,68	34,56		
30	N	2	7,0	—	0	SW	9	4,2	3,8	3,7	4,0	4,1	4,1	4,1		23,50	25,90	32,30	33,33	33,59	33,68		
31	W	5	6,0	—	0	SE	10	4,2	4,2	3,8	3,8	4,0	4,1	4,1	22,14	22,03	25,25	32,30	33,09	33,58	33,80		
Medeltal			3,3					2,5	2,5	3,0	3,4	3,7	4,0	4,2	23,64	24,53	26,85	30,52	32,92	33,66	33,92		

FLADEN

57° 13' 00" N

11° 51' 00" E

April

Observatör: J. H. Bergström

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	W	4	6,0	WNW	22	SW	7	4,2	4,2	4,1	4,1	4,1	4,2	4,2	22,91	23,77	24,16	32,14	33,68	33,49	33,68	
2	SSW	7	6,0	SW	26	SW	18															
3	SSW	5	5,0	SW	16	SSE	9	4,6	4,7	4,7	4,2	4,2	4,2	4,3	24,65	24,75	24,55	31,85	32,79	33,47	33,55	
4	WNW	2	6,0	—	0	—	0	4,7	4,7	4,3	4,3	4,3	4,3	4,3	24,25	24,10	24,40	31,85	33,42	33,70	33,80	
5	W	2	6,0	SE	12	S	9	5,0	4,7	4,1	4,1	4,2	4,2	4,4			28,80	32,35	33,33	33,78	33,95	
6	W	1	6,0	—	0	—	0	4,9	4,9	4,5	4,1	4,3	4,3	4,5	24,05	24,20	25,45	32,40	33,23	33,71	33,95	
7	WNW	2	7,0	—	0	—	0	5,2	5,0	4,8	4,3	4,2	4,3	4,3	23,95	24,10	25,10	32,40	32,88	33,80	33,95	
8	S	6	5,0	SSE	30	NW	17	5,7	4,8	4,2	4,2	4,3	4,4	4,5	23,60	23,60	25,20	31,80	33,36	33,77	33,91	
9	SW	7	7,0	S	30	SW	11															
10	SSW	3	7,0	SW	19	SW	7	5,5	5,4	5,4	5,3	4,4	4,4	4,4	26,05	25,95	26,30	27,00	33,01	33,50	34,02	
11	ESE	7	7,0	SSW	33	SSW	19															
12	SW	7	6,0	SW	17	S	40	5,3	5,3	5,3	4,7	4,9	4,3	4,7	23,55	24,17	24,44	30,48	33,12	33,49	33,68	
13	S	2	6,0	SW	10	SSE	12	5,1	5,4	5,3	4,7	4,6	4,6	4,6					32,85	33,42	33,88	
14	WNW	2	8,0	S	16	W	13	5,8	5,7	5,4	5,0	4,3	4,4	4,6	22,11	22,77	24,18	27,65	32,54	33,44	33,78	
15	W	2	8,0	NW	16	—	0	5,9	5,9	5,7	5,0	4,5	4,4	4,7	21,83	21,76	23,55	28,37	32,92	33,68	33,89	
16	ENE	3	7,0	SE	23	—	0	6,3	6,0	5,5	4,7	4,9	4,9	4,7	20,03	22,48	24,45	30,79	32,48	33,42	33,86	
17	SE	4	6,0	E	13	—	0	6,3	6,0	5,8	5,0	4,8	4,8	4,8	21,35	22,18	24,14	29,94	32,52	33,63	33,87	
18	NW	2	6,0	NNE	17	SW	6	6,3	5,9	5,3	5,1	4,9	4,8	4,7	20,46	22,20	23,42	30,01	33,13	33,51	33,62	
19	W	4	9,0	NNE	16	—	0	6,0	6,0	5,8	5,0	5,0	4,9	4,9	21,64	22,05	22,94	31,62	32,92	33,62	33,80	
20	ESE	1	8,0	SE	16	—	0	6,8	6,2	5,3	5,2	5,2	5,0	4,8	21,22	21,78	22,50	30,91	33,24	33,64	33,80	
21	ENE	2	10,0	NE	10	—	0	7,0	6,5	6,2	5,0	5,2	4,9	4,8	21,71	22,11	23,13	32,65	33,53		33,87	
22	—	0	10,0	E	22	—	0	7,4	7,2	5,5	4,8	5,2	5,0	4,8	20,30	21,85	28,30	32,86	33,51	33,82	33,84	
23	NW	4	9,0	NNE	14	N	4	7,4	6,7	5,2	5,2	5,2	5,1	5,1	20,81	22,50	29,49	33,22	33,64	33,73	33,80	
24	ESE	3	7,0	—	0	N	7	7,6	6,2	5,3	5,3	5,3	5,2	5,1	20,07	22,79	32,88	33,19	33,64		33,84	
25	SE	5	6,0	SSE	42	SSE	32	8,0	5,7	4,9	5,4	5,2	5,2	5,1	21,47	22,75	30,66	32,65	33,75	33,69	33,80	
26	S	3	9,0	S	40	SSE	40	7,8	7,8	5,4	5,4	5,4	5,5	5,2	21,44	21,31	27,05	32,25	33,35	33,69	33,69	
27	SE	4	8,0	SE	39	SE	27	7,8	7,8	7,2	5,4	5,4	5,3	5,1	21,71	21,71	28,85	32,55	33,30	33,73	33,96	
28	WNW	3	5,0	SE	8	SE	7	7,7	7,7	6,8	5,5	5,4	5,4	5,2	20,12	19,98	25,35	31,15	32,79	33,58	33,86	
29	N	1	8,0	SSE	10	S	10	7,7	7,7	6,8	5,6	5,5	5,4	4,9	19,65	20,05	25,15	32,10	33,06	33,73	33,78	
30	NW	6	8,0	N	22	SW	18	7,6	7,7	5,8	5,6	5,6	5,0	5,6	21,40		27,50	32,60	33,28	33,60	33,77	
31																						
Medeltal		7,1						6,3	6,0	5,4	4,9	4,8	4,8	4,8	22,02	22,70	25,77	31,41	33,16	33,63	33,82	

FLADEN

57° 13' 00" N

11° 51' 00" E

Maj

Observatör: J. H. Bergström

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	S	3	9,0	—	0	—	0	7,9	7,9	6,4	5,6	5,6	5,6	4,9	21,18	21,87	25,93	32,36	33,41	33,65	33,92	
2	SSE	4	11,0	SE	33	SE	19	8,3	8,2	6,5	5,7	5,7	5,4	5,0	20,37	20,75	22,85	31,15	33,03	33,69	33,89	
3	SW	2	9,0	NNE	19	N	9	8,7	8,2	7,3	5,7	5,7	5,5	5,4	19,56	20,37	22,53	32,10	33,08	33,70	33,77	
4	N	2	11,0	—	0	—	0	8,8	7,8	6,7	5,7	5,6	5,6	5,6	19,47	20,11	23,31	31,65	33,22	33,70	33,78	
5	ENE	3	12,0	—	0	—	0	9,1	8,0	7,3	5,7	5,7	5,4	5,3	18,66	20,07	23,00	31,55	32,96	33,78	33,85	
6	ENE	4	15,0	SSW	31	S	13	9,4	9,4	6,8	5,6	5,4	5,4	5,3	18,14	18,06	22,50	30,75	32,73	33,68	33,81	
7	ENE	2	12,0	SSE	17	—	0	10,2	8,8	7,7	5,6	5,6	5,3	5,3		19,42	20,61	31,70	32,79	33,68	33,93	
8	ENE	3	14,0	SSE	22	S	10	10,3	8,6	7,3	5,4	5,4	5,4	5,2	16,41	19,60	22,12	31,93	33,06	33,72	33,86	
9	ESE	1	15,0	S	25	S	31	10,8	8,9	6,5	5,7	5,6	5,4	5,3	15,84	20,78	23,72	32,83	33,25	33,68	33,81	
10	N	1	14,0	S	40	SSE	31	10,8	7,0	5,8	5,6	5,6	5,4	5,4	14,46	21,45	30,36	33,24	33,33	33,64	33,75	
11	NNE	3	14,0	S	22	SE	10	11,3	11,3	5,7	5,5	5,4	5,4	5,4	15,01	22,38	31,46	32,95	33,31	33,64	33,71	
12	NNE	2	18,0	SSE	23	E	3	11,8	6,3	5,6	5,6	5,4	5,4	5,3	15,01	24,16	32,05	33,15	33,42	33,60	33,69	
13	W	1	13,0	SE	19	—	0	12,3	9,2	6,1	5,7	5,5	5,5	5,4		18,98	21,85	31,69	33,01	33,39	33,68	
14	—	0	16,0	—	0	—	0	12,3	9,9	6,4	5,7	5,7	5,7	5,4	15,37	19,09	23,98	32,36	33,17	33,57	33,77	
15	NE	3	12,0	SE	11	—	0	12,2	12,2	6,2	5,3	5,2	5,4	5,4				33,26	33,38	33,73	33,80	
16	SW	2	13,0	NNW	12	—	0	11,9	11,0	6,4	5,7	5,7	5,3	5,8	16,19	20,74	27,94	33,12	33,44	33,73	33,94	
17	SW	3	10,0	W	30	—	0	11,7	11,3	6,3	6,1	5,7	5,7	5,9	17,23	17,47	29,67	33,03	33,38	33,86	34,11	
18	WNW	3	12,0	NW	10	—	0	12,5	9,4	6,6	6,5	6,3	5,9	5,9	18,86	22,46	26,87	32,83	33,77	33,95	34,13	
19	N	1	12,0	NW	16	—	0	11,8	11,7	6,8	6,8	6,7	6,3	6,0	17,86	19,10	29,95	33,67	33,86			
20	SSE	3	13,0	W	13	—	0	12,4	12,0	6,0	5,7	5,6	5,4	5,4	17,02	18,71	32,07	33,27	33,59	33,95	34,17	
21	SSE	3	14,0	W	6	—	0	12,6	12,4	8,2	6,3	6,3	6,1	6,0	16,88	17,28	25,57	33,29	33,71	33,77	34,13	
22	SE	1	15,0	SE	13	SSE	6	13,3	11,3	9,7	6,7	6,7	5,7	5,9	16,91	17,38	22,34	32,99	33,68		34,28	
23	WSW	4	12,0	W	10	—	0	13,3	13,2	7,5	6,9	6,5	5,7	5,9	16,33	16,86	25,02	32,80	33,58	33,71	34,05	
24	N	3	12,0	S	13	SSE	22	12,9	11,4	6,3	6,6	6,4	6,4	6,3	16,55	16,50	32,61	33,28	33,49	33,86	33,95	
25	S	2	17,0	S	19	SE	16	13,5	12,8	6,4	6,5	6,3	5,3	5,3	16,29	16,89	32,47	33,49	33,50	33,77	34,05	
26	WSW	5	11,0	S	7	SSW	20	13,6	13,5	7,0	6,5	6,5	5,8	6,1	15,21	16,09	29,09	33,14	33,42	34,04	34,05	
27	W	3	12,0	SE	13	E	7	13,7	13,7	11,6	6,6	5,7	5,7	5,9	16,11	16,02	31,18	33,28	33,59	33,98	34,09	
28	S	5	10,0	SE	15	SE	10	13,3	11,3	6,7	6,7	6,7	5,6	6,3	15,98	18,93	32,64	33,60	33,69	33,58	34,21	
29	W	7	13,0	N	20	SW	3	13,1	12,3	6,7	6,4	6,4	6,5	6,0	18,39	18,74	32,90	33,33	33,53	33,87	34,13	
30	WSW	9	12,0	NE	22	NNE	8															
31	NW	6	12,0	N	19	—	0	11,8	10,6	7,1	6,9	6,5	6,3	6,3	20,86	27,22	32,74	33,53	33,74	34,23	34,40	
Medeltal			12,7					11,5	10,3	6,9	6,0	5,9	5,7	5,6	17,26	19,57	27,22	33,02	33,37	33,76	33,96	

11° 51' 00" E

Juni

Observatörer: J. H. Bergström o. A. J. Martinsson

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		40 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek.																
1	SW	2	11,0	WSW	20	—	0	12,4	12,0	10,4	6,4	5,9	5,9	6,3	19,29	21,87	29,74	32,84	33,60	33,53	34,25	
2	WSW	3	13,0	W	7	—	0	11,9	11,8	11,3	10,8	6,8	6,3	6,1	20,53	20,44	21,55	31,26	32,90	33,68	34,1	
3	SW	1	15,0	SW	3	—	0	12,6	12,8	11,5	11,3	9,0	6,1	6,1	19,13	19,65	25,37	30,88	31,94	33,69	34,14	
4	SSE	1	16,0	—	0	—	0	13,0	12,8	12,7	11,6	8,1	6,6	6,1	18,13	18,99	27,32	30,70	32,65	33,96		
5	SSE	2	16,0	SW	51	NE	9	14,4	14,2	13,3	11,2	10,8	6,3	6,3	16,31	19,09	25,19	30,21	31,58	33,53	33,97	
6	—	0	17,0																			
7	W	3	16,0	WNW	9	—	0	15,5	12,5	11,8	11,4	10,9	6,5	6,3	16,45	20,42	28,77	30,08	31,48	33,69	34,01	
8	SW	3	17,0	WSW	27	—	0	15,8	14,4	11,3	10,9	7,7	7,6	6,6	17,94	20,88	30,17	31,14	33,39	33,52	33,96	
9	W	7	15,0	N	26	—	0	15,4	15,6	11,4	9,0	7,9	6,9	6,3	20,19	21,68	29,72	32,73	33,39	33,87	34,05	
10	WNW	6	14,0	N	43	—	0	13,7	12,3	11,0	9,7	8,5	6,8	6,5	22,00	27,22	30,51	32,24	32,91	33,78	34,01	
11	N	3	14,0	—	0	—	0	14,4	12,6	11,0	9,8	8,6	6,9	6,3	21,17	28,27	31,47	32,00	32,94	33,79	34,09	
12	NW	3	12,0	NE	23	—	0	14,2	13,2	11,7	10,8	6,2	6,3	6,1	22,52	27,05	29,69	31,22	32,81	33,79	34,01	
13	WSW	2	15,0	N	19	NNW	4	14,4	14,3	12,2	11,2	10,8	7,9	6,1	22,54	22,60	29,07		31,26	33,08	33,95	
14	NNW	2	15,0	N	17	NW	17	14,8	15,0	13,1	11,3	10,8	7,9	6,3	23,58	23,89	28,93	30,70		32,99	34,02	
15	ESE	1	15,0	S	33	—	0	14,9	14,0	13,9	12,8	11,0	8,0	6,3	18,79	25,99	28,59	29,99	31,37	33,20	33,60	
16	WSW	3	13,0	SW	16	NW	7	15,3	15,3	14,5	12,9	11,7	11,4	6,7	17,38	18,10	18,88	28,03	30,79	32,37	33,68	
17	SSW	3	15,0	SSE	32	—	0	15,4	15,5	14,7	12,5	11,6	8,5	6,5								
18	S	2	15,0	ESE	20	—	0	15,5	15,3	14,7	12,8	11,3	7,2	6,6				26,35	30,90			
19	SW	4	15,0	SW	13	—	0	15,5	15,5	14,7	13,9	9,2	7,1	6,9				27,70	32,40	33,35	33,65	
20	SW	2	15,0	—	0	—	0	15,4	15,2	14,0	13,4	9,2	7,0	6,4				28,15	32,15	33,35	33,45	
21	SE	6	17,0	S	42	S	17	15,7	15,6	14,3	13,4	10,6	6,9	6,2					27,55	31,71	33,45	33,76
22	S	2	16,0	S	16	S	7	15,8	15,3	11,4	11,2	9,5	7,4	6,5	20,07		22,32	25,30	32,00	33,24	33,68	
23	SSW	8	13,0	SW	9	SW	8															
24	S	3	13,0	SE	32	SE	6	15,2	14,7	14,3	13,6	11,3	7,4	7,3	20,20	21,78	22,36	26,40	30,66	33,06	33,30	
25	WNW	2	15,0	—	0	—	0	15,3	14,4	14,3	13,0	10,6	11,3	7,2	20,55	23,72	24,15	28,20	31,27	32,71	33,42	
26	SW	2	16,0	—	0	—	0	15,7	15,1	14,2	13,3	9,7	7,8	6,6	18,87	21,36		28,40	31,06	32,97	33,61	
27	NW	4	15,0	NW	7	—	0	15,7	15,7	15,5	12,0	10,8	8,4	6,7	20,41	20,50	22,85	29,75	31,31	32,82	33,51	
28	SSW	2	15,0	WNW	43	WNW	41	15,9	15,5	15,3	13,9	12,7	9,8	6,7	21,76	24,26	26,40	29,80	30,72	32,14	33,59	
29	WNW	6	16,0	NW	32	SW	7	15,5	15,0	13,0	12,9	12,4	10,2	6,6	22,30			30,50	30,75	31,04	32,29	33,66
30	SW	4	17,0	SW	19	NW	8	16,0	16,0	13,8	13,7	13,4	11,3	6,6	22,20			30,15	30,15	30,52	31,66	
31																						
Medeltal			14,9					14,8	14,3	13,0	11,8	9,9	7,8	6,5	20,09	22,39	26,99	29,73	31,88	33,20	33,8	

11° 51' 00" E

Juli

Observatör: O. Karlsson

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰								
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m			
			Riktn.	cm/sek.	Riktn.	cm/sek.																	
1	WSW	8	15,0	SW	23	SE	7																
2	WNW	7	13,0	NW	12	NW	11																
3	NW	3	17,0	NNW	19	NW	18	14,8	13,7	13,7	13,6	13,5	7,3	6,4	23,16	28,83	29,89	29,54	29,64	32,90	33,43		
4																							
5	NNE	1	15,0	S	25			15,8	15,7	15,0	14,7	14,1	11,1	7,4	23,12	26,55	27,10	27,50	28,88	32,42	33,20		
6	E	7	16,0	SE	67	SSE	43	16,4	15,6	14,6	13,9	13,2	10,9	7,7	21,32	24,95	28,46	29,31	30,53	31,55	33,01		
7	ENE	1	15,0	S	71	S	47	15,9	14,8	14,1	13,9	13,2	9,0	7,4		28,35	29,75	29,94	30,52	32,31	33,18		
8	NW	1	16,0	S	52	SW	24	16,5	15,7	14,8	13,9	11,5	8,4	7,2	21,65	24,35	28,27	30,24	31,33	32,66	33,19		
9	WSW	3	16,0	S	28	SE	14	16,5	14,7	13,6	12,1	11,1	8,2	7,7	20,52	24,51	28,89	30,89	32,74		32,92		
10	SE	2	18,0	SE	38	ESE	34	16,8	15,7	13,9	12,4	10,0	8,5	7,5	20,67	24,96	28,94	30,81	31,82	32,90	33,12		
11	SSW	5	15,0	S	40	SE	22																
12	SSE	3	15,0	SSE	26	—	0	17,1	16,0	14,4	13,5	11,3	8,0	7,4	21,64	24,69		29,47	31,21	32,96	33,19		
13	SE	2	17,0	SSE	16	—	0	17,5	15,3	14,4	13,6	11,6	7,7	7,2	22,74	26,40	28,15	29,22	31,17		33,32		
14				WSW	21	SW	12	17,6	17,0	15,5	13,4	12,2	7,6	7,1	20,60	22,66	26,01	29,38	30,80	33,17	33,44		
15	E	4	15,0	W	39	WSW	38	17,2	17,2	17,1	14,8	13,2	8,5	7,5	20,32	20,18	20,82	27,48	29,70	32,72	33,37		
16	ESE	3	17,0	W	10	NW	11	17,6	17,6	16,8	14,2	12,8	8,6	7,2	20,42	20,50	20,72	28,25	30,61	32,92	33,43		
17	SE	4	18,0	—	0	N	37	17,0	17,2	17,1	13,8	12,9	8,0	7,2	19,42	19,59	20,45	28,60	30,64	32,92	33,57		
18	SW	4	17,0	S	31	SSW	47	17,1	16,9	15,9	13,6	9,8	8,0	7,3	19,49	19,59	21,71	28,35	32,25	33,19	33,45		
19	WNW	3	16,0	—	0	—	0	16,8	16,8	15,9	14,0	11,3	7,6	7,5	19,47	19,17	21,69	30,25	32,23	33,38	33,61		
20	W	2	16,0	NW	22	NW	34	17,2	17,2	15,9	14,5	10,5	7,3	8,3	20,51	20,41	26,80	30,40	32,09	33,48	34,01		
21	WNW	2	17,0	W	39	WNW	41	17,7	17,2	15,9	11,2	7,6	7,8	8,6	21,47	21,57	25,59	30,70	32,98	33,98	34,18		
22	SE	4	17,0	NW	7	SE	21	17,8	17,7	15,6	13,2	10,4	7,0	8,0	21,52	21,40	27,15	30,25	32,00	33,45	34,28		
23	SE	2	18,0	S	53	S	67	17,8	17,8	15,3	13,7	8,7	7,2	8,0	18,15	20,86	27,75	30,55	32,48	33,51	33,98		
24	SW	6	17,0	N	11	SW	43	17,4	17,6	15,6	13,9	10,0	9,3	8,0	18,80	19,88	27,00	30,90	32,47		33,98		
25	WSW	9	16,0	NNW	31	S	26																
26	WNW	9	16,0	S	53	WSW	32																
27	WNW	4	15,0	NW	35	—	0	17,0	16,3	13,9	13,0	12,2	9,9	8,2	22,99	26,55	30,95	32,05	32,92	33,39	33,83		
28	W	6	16,0	N	48	NW	41																
29	WNW	2	16,0	WNW	65	WNW	54	16,3	16,5	15,4	15,1	14,9	8,7	7,8	26,15	28,00	30,25	31,65	32,24	33,18	33,76		
30	NW	1	16,0	W	26	W	23	17,1	16,8	15,2	14,0	13,2	10,8	9,2		29,50	31,65	32,20	32,87	33,19	33,63		
31	W	1	17,0	SE	47	—	0	17,5	16,7	15,6	15,5	13,5	10,5	8,0	22,43	28,20	29,85	31,15	32,55	33,52	33,46		
Medeltal			16,1					16,9	16,4	15,2	13,7	11,8	8,6	7,7	21,21	23,82	26,86	29,96	31,53	32,96	33,52		

FLADEN

57°13'00" N

11° 51' 00" E

Augusti

Observatörer: O. Karlsson o. J. H. Bergström

1950

Datum	Vind Riktn. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek.	Riktn.	cm/sek.																
1	SE	1	15,0	SE	39	SE	17	18,0	17,1	15,6	14,7	13,4	9,0	8,1		27,75	29,55	31,75	32,33	33,12	33,48		
2	SE	6	16,0	S	9	—	0	18,1	18,1	15,9	15,0	14,2	9,5	8,6	22,99	24,47	29,25	30,75	32,24	32,99	33,37		
3	E	6	17,0	SSE	16	—	0	17,6	17,6	16,5	14,6	14,2	11,0	9,8	19,45	23,17	25,65	30,90	32,11	32,96	33,18		
4	E	9	17,0	S	27	SSE	10	18,3	18,3	15,3	14,6	13,1	10,9	9,6	19,40	24,79	30,20	31,55	32,20	33,10	33,26		
5	ENE	2	18,0	SSW	33	S	16	17,8	17,8	15,6	15,2	13,8	10,1	8,0	19,30	19,85	30,15	32,00	32,59	33,00	33,57		
6	E	1	19,0	SW	28	S	11	18,2	17,6	15,5	14,7	14,6	12,2	8,0	19,26	20,57	30,50	31,70	32,47	33,01	33,63		
7	E	2	17,0	SW	21	—	0	18,3	16,6	15,4	15,2	14,8	12,0	8,7	18,86	24,71	30,10	31,40	32,53	32,83	33,31		
8	ESE	4	16,0	SW	22	S	6	18,2	18,2	15,1	14,8	14,2	12,0	9,0			31,20	31,75		32,91	33,30		
9	E	4	16,0	SSW	22	SW	38	18,3	16,6	15,7	15,2	12,6	12,3	9,0			29,20	30,90	32,05	32,20	32,35		
10	SE	8	17,0	SSW	47	S	20	18,3	18,1	16,8	15,7	15,0	11,2	9,8				30,20	31,40	32,35	32,55		
11	S	3	18,0	SW	22	S	10	18,3	18,3	15,5	15,0	14,3	11,3	9,6			29,95	31,15	31,75	32,35	32,75		
12	WSW	4	17,0	S	7	—	0	18,3	18,3	15,5	14,3	13,8	11,6	9,5			30,35	31,65	32,10	32,75	33,00		
13	SSW	7	18,0	S	28	SW	7																
14	NW	4	17,0	N	11	—	0	18,3	18,3	15,1	15,0	11,7	9,6	9,0	28,30	31,50	32,00	32,45	33,10	33,35			
15	W	3	16,0	N	18	N	15	18,4	18,4	18,5	16,0	14,9	10,8	9,2			30,35	31,65	32,65	33,00			
16	SSW	6	18,0	N	19	NNW	22	17,9	17,9	17,8	16,4	15,3	13,6	9,4			28,20	31,00	32,80	32,90			
17	W	3	17,0	WNW	27	WNW	27	18,1	18,1	18,1	16,8	16,4	13,7	11,4			28,90	30,95	32,90	33,00			
18	ESE	5	15,0	ESE	34	—	0	18,0	18,1	18,0	16,3	16,2	12,8	9,3			29,10	31,65	32,40	32,95			
19	SSW	4	18,0	SE	13	SE	10	17,8	17,8	17,7	17,3	15,8	12,3	9,9				31,45	32,75	33,90			
20	SW	1	19,0	—	0	—	0	17,8	17,8	17,8	16,0	15,7	14,2	10,2				31,00	32,15	33,05	32,85		
21	S	2	19,0	—	0	—	0	18,4	18,3	17,8	16,4	16,3	11,3	11,3				30,95	32,65	33,05	33,10		
22	SW	2	18,0	SSE	22	SSE	15	18,5	18,2	17,8	16,3	15,9	15,2	12,1				32,25	32,90	32,95	32,95		
23	SE	2	20,0	SSE	32	NNE	7	18,6	18,5	17,0	16,5	16,3	15,8	11,8			27,15	32,35	32,50	32,60	33,05		
24	ESE	6	17,0	S	39	NNW	8	18,8	18,5	17,7	17,2	16,5	15,5	11,8				31,30	31,65	32,50	32,95		
25	S	5	19,0	SE	7	—	0	18,1	18,0	18,2	18,2	17,1	15,2	13,7				27,90	32,65	33,00			
26	ESE	2	18,0	—	0	SE	10	18,4	18,4	18,4	18,7	16,6	14,8	14,8				31,20	32,70	33,00			
27	SE	5	18,0	—	0	—	0	18,4	18,4	18,3	18,3	17,0	14,4	12,8				28,30	32,75	32,95			
28	SW	3	18,0	NW	25	—	0	18,4	18,4	18,3	17,5	16,6	14,2	12,7				31,25	33,05	33,30			
29	E	3	15,0	NW	11	—	0	18,2	18,0	18,1	17,2	16,3	14,0	13,6			30,75	32,40	32,80	33,40			
30	WSW	6	15,0	—	0	—	0	17,9	18,0	17,8	16,2	15,9	15,0	13,6				30,35	31,90	32,60			
31	WNW	6	18,0	NW	25	WNW	32	17,5	17,5	16,5	15,8	15,7	14,2	12,5			29,25	32,00	32,40	33,20	33,20		
Medeltal			17,3					18,2	18,0	16,9	16,0	15,1	12,7	10,6				31,04	31,67	32,78	33,11		

FLADEN

57°13'00" N

11° 51' 00" E

September

Observatörer: Th. Ericson o. A. J. Martinsson

1950

Datum	Vind Rikt. Styrka		Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Rikt.	cm/sek.	Rikt.	cm/sek.																
1	NE	2	18,0	—	0	—	0	17,1	17,6	17,3	15,7	15,2	13,5	12,8		25,40	27,65	32,25	32,90	33,20	33,20		
2	SE	1	17,0	—	0	—	0	17,3	17,2	16,7	15,7	14,6	13,2	12,8			28,60	32,45	33,15	33,40	33,50		
3	ESE	3	16,0	SSE	21	S	8	17,3	17,3	16,5	15,8	15,5	13,6	12,2			27,90	31,00	33,15	33,20	33,40		
4	SE	2	15,0	S	16	—	0	17,2	17,5	17,4	16,3	15,4	13,8	13,5			28,05	31,05	33,00	33,65	33,70		
5	SSE	4	17,0	E	10	NW	23	17,8	17,6	17,2	16,5	15,5	14,7	13,2				30,00	32,80	33,25	33,20		
6	W	4	17,0	NW	20	—	0	17,6	17,2	17,2	16,6	15,4	15,2	14,6				31,70	32,65	32,80	33,50		
7																							
8																							
9	WNW	7	15,0	NNW	50	NNW	50	16,0	16,0	16,8	15,7	14,7	14,7	13,8	24,75	24,70	30,20	31,55	32,60	32,70	32,59		
10	W	6	15,0	N	60	N	77	15,8	16,1	16,1	16,4	16,3	14,0	13,8	27,65	28,95	29,50	31,55	32,10	32,00	33,30		
11	WSW	4	15,0	N	40	N	73	15,6	15,6	15,8	16,2	16,1	15,5	13,0	26,75	26,90	28,20	30,95	31,45	32,65	33,25		
12	SW	4	16,0	N	50	N	53	15,8	15,8	15,8	16,1	16,1	15,0	13,9	27,50	28,90	29,10	31,40	31,65	33,05	33,20		
13																							
14	S	4	16,0	NW	17	N	37	15,4	15,3	15,8	16,1	16,0	15,0	13,6	25,45	25,50	27,70	30,25	32,01	33,85	34,05		
15	SSW	2	15,0	N	17	N	7	15,3	15,5	15,9	16,1	16,3	15,1	14,1		26,25	28,50	30,10	32,20	33,60	33,90		
16																							
17	S	4	16,0	SSW	33	NW	10	15,3	15,8	15,4	16,0	16,2	15,2	14,4	25,20	25,20	25,35	31,85	33,33	33,77	33,99		
18	SSW	7	15,0	NW	37	N	67	15,3	15,6	15,8	15,9	15,8	14,8	13,6	25,25	27,25	29,50	30,15	31,95	33,76	34,04		
19	SSW	6	15,0	W	33	NNW	25	15,2	15,2	15,2	15,2	15,2	15,5	14,9	29,45	29,60	29,70	29,70	31,29	33,24	33,68		
20	W	4	14,0	NW	20	W	17	15,2	15,2	15,4	15,5	15,6	15,7	15,2	28,45	29,00	30,85	31,20	32,04	32,88	33,49		
21	SW	4	13,0	WSW	37	—	0	15,2	15,1	15,3	15,4	15,5	15,5	14,7	24,51	27,87	30,01	31,04	32,29	33,14	33,74		
22	S	3	13,0	SSW	7	—	0	14,6	15,4	15,2	15,4	15,6	15,6	14,5	26,10	29,55	30,25	30,75	32,08	33,24	33,95		
23	W	1	12,0	S	52	—	0	14,6	15,5	15,4	15,6	15,4	15,1	15,0	27,25	29,50	30,70	31,35	32,68	33,48	33,67		
24	WSW	3	12,0	SE	17	SSE	20	14,6	15,1	15,4	15,6	15,4	15,3	14,5*	26,70	27,55	27,25	31,80	32,83	33,41	33,74		
25	SE	5	11,0	SE	33	S	60	14,2	15,5	15,6	15,5	15,6	15,2	14,1	26,80	28,80	30,00	30,60	32,38	33,50	33,90		
26	NE	2	12,0	S	33	S	27	14,5	14,2	14,9	15,1	15,4	15,4	15,2		24,35	28,35	32,45	31,66	32,69	33,17		
27	NNW	4	12,0	S	17	—	0	14,0	14,6	14,9	15,2	15,3	15,3	14,2		25,15	28,15	30,35	31,47	32,59	33,76		
28																							
29																							
30	W	4	13,0	N	17	W	27	13,5	13,5	14,4	14,7	15,3	14,6	14,2	27,70	27,65	29,40	30,55	32,26	33,23	33,64		
31																							
Medeltal			14,6					15,6	15,8	15,9	15,8	15,6	14,9	14,0	26,63	27,27	28,86	31,09	32,33	33,18	33,58		

FLADEN

57°13' 00" N

11° 51' 00" E

Oktober

Observatörer: Th. Ericson o. J. H. Bergström

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
	Riktn.	cm/sek.		Riktn.	cm/sek.																		
1	SSE	5	14,0	SSE	43	SSE	27	13,9	14,0	14,2	14,5	14,7	14,6	14,6	27,78	27,97	29,10		31,19	31,36	33,57		
2	SW	8	13,0	SSW	23	SW	50	13,6	13,7	13,6	13,9	14,2	14,9	15,0	26,65	26,75	26,75	27,50	30,06	31,73	33,02		
3	W	6	12,0	W	20	WNW	40	13,7	13,8	14,1	14,2	14,2	14,6	15,1	28,45	28,50	28,80	29,00		30,59	32,54		
4	WSW	6	13,0	WSW	37	SSW	40	14,1	13,9	14,1	14,3	14,4	14,9	15,0	30,25	30,40	30,50	30,70	31,21	32,80			
5	SSW	1	14,0	NW	13	NE	23	13,2	13,9	14,1	14,1	14,2	14,5	14,8	28,90	30,15	30,40	30,75	31,14	32,14	33,18		
6	SSE	4	14,0	S	23	W	33	13,8	14,0	14,1	14,2	14,1	14,6	14,7	29,40	29,40	30,05	30,85	31,02	32,24	33,05		
7	SW	4	13,0	NNE	13	NW	27	13,6	13,6	13,8	13,8	13,8	14,2	14,6	29,34	29,69	29,78	29,69	30,00	31,48	33,06		
8	WSW	4	13,0	NNW	27	NNW	50	13,2	13,6	14,0	14,1	14,2	14,5	14,6		28,64	30,27	30,85	31,17	32,00	32,64		
9	SW	7	12,0	NW	18	NW	41																
10	SSW	6	12,0	SSW	17	WSW	33	13,6	13,6	13,7	13,8	13,7	13,9	14,4	30,51	30,41	30,60	30,84	30,85	30,93	32,84		
11	S	6	12,0	S	17	NE	10																
12	NNW	5	12,0	S	17	NNE	6	12,5	12,6	13,4	13,4	13,6	14,0	14,3	25,87	25,97	30,40	30,51	30,81	31,56	32,88		
13	W	2	12,0	N	10	WSW	17	12,3	12,7	13,0	13,1	13,5	14,2	14,5	26,63	28,10	29,07	29,39	30,73	32,27	32,99		
14	SE	12	10,0	SW	6	S	16																
15	S	2	12,0	SSW	7	WNW	17	12,8	12,8	12,8	12,7	13,1	13,6	14,1	28,01	27,84	27,84	27,94	28,53	30,41			
16	SW	2	11,0	WSW	17	WSW	17	12,3	12,3	12,5	12,8	12,9	13,5	14,3	26,98	26,91		27,47	28,14	32,40	30,47		
17	S	6	11,0	SSW	16	SW	16	12,4	12,4	12,2	12,6	12,7	13,8	14,2	26,56	26,65	26,70	27,82	28,37	31,21			
18	WNW	7	11,0	WNW	39	—	0	12,1	12,1	12,3	13,2	13,4	13,8	14,1	26,46	26,49	26,67	29,51	30,31	31,58	32,54		
19	NNW	3	12,0	—	0	—	0	11,8	11,8	12,1	12,6	13,8	13,8	14,2	26,50	26,76	27,31	30,65	31,76		32,99		
20	NW	9	11,0	NNW	33	NNW	31																
21	NNW	8	10,0	NW	32	NW	23	12,0	12,0	12,2	12,5	13,7	14,2	14,2	28,89	28,97	29,33	29,67	32,04		32,99		
22	NE	3	7,0	NW	21	NW	19	11,5	11,8	12,2	12,4	13,8	14,2	14,2	27,42	27,78	28,89	29,19	32,02	32,69	33,09		
23	W	3	10,0	NW	23	NNW	8	11,3	11,4	11,5	11,7	12,2	14,2	14,4	27,45	27,43	27,52	27,77	28,48		32,89		
24	NE	4	6,0	—	0	N	27	11,3	11,4	11,4	11,4	11,6	13,0	14,2	27,56	27,45	27,56	27,58	27,79	30,62	32,65		
25	ENE	4	5,0	—	0	NNW	16	10,8	10,8	11,2	11,3	11,5	12,6	13,7	27,89	27,81	27,80	27,90	28,30	29,73	31,73		
26	E	4	5,0	—	0	—	0	10,6	10,6	11,5	11,5	11,4	12,2	13,9	27,20	27,18	28,17	28,38	28,52		32,31		
27	ENE	6	3,0	NNE	7	NNW	9	10,6	10,6	10,8	11,4	11,4	13,0	13,7	27,27	27,28	27,37	28,34	28,62	30,90	32,47		
28	NNE	5	4,0	—	0	—	0	9,8	9,5	10,5	11,3	11,7	13,6	13,8	25,65	25,75	27,15	28,09	29,10	31,55	32,68		
29	E	3	5,0	S	24	NW	16	8,8	9,4	9,8	9,8	10,0	13,4	14,1	24,07	26,40	26,65	26,79	26,89	30,83	32,81		
30	SE	3	6,0	WNW	16	WNW	17	9,0	9,2	9,7	9,8	10,2	11,3	13,2	22,37	25,59	26,57	26,82	27,01	32,09	32,89		
31	ESE	3	7,0	—	0	—	0	8,5	8,7	9,6	9,8	11,2	13,3	13,6	21,92	22,47	26,31	26,69	28,11	30,52	32,97		
Medeltal			10,1					12,0	12,1	12,4	12,6	12,9	13,8	14,3	27,15	27,58	28,37	28,87	29,70	31,46	32,72		

FLADEN

57°13' 00" N

11° 51' 00" E

November

Observatör: J. H. Bergström

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
	Riktn.	cm/sek.		Riktn.	cm/sek.																		
1	W	3	7,0	SSE	8	—	0	8,6	8,9	9,5	9,8	10,9	13,8	13,5	21,61	25,67	26,30	26,71	28,19	32,19	33,36		
2	NE	3	4,0	—	0	—	0	8,0	8,5	9,7	10,3	10,8	13,1	12,8	23,17	26,01	26,73	27,85	28,20	31,69	33,59		
3	E	5	6,0	—	0	N	10	8,1	8,9	10,3	10,3	10,7	11,3	11,7	21,58	24,60	26,82	27,97	28,72	31,54	34,18		
4	NE	6	5,0	—	0	—	0	8,2	8,3	9,0	9,8	10,1	13,2	11,3	22,11	22,05	24,55	27,18	27,47	33,01	34,17		
5	NE	5	6,0	—	0	—	0	7,7	7,9	8,9	9,8	10,1	13,8	11,6	20,18	22,22	24,37	27,54	28,05	32,68	34,04		
6	NE	5	4,0	SE	31	—	0	6,9	7,3	10,0	9,8	11,3	11,4	11,1	19,42	19,94	26,47	27,29	29,58	34,01	34,34		
7	NNE	4	3,0	—	0	—	0	6,9	6,9	9,8	10,0	10,3	12,2	10,8	21,80	21,83	26,75	27,29	28,56	33,74	34,33		
8	N	2	3,0	WNW	13	—	0	6,4	7,7	8,5	10,1	11,3	11,8	10,8	21,83	23,78	25,05	28,92	29,42	33,65	34,44		
9	SSE	3	6,0	NNW	36	NNW	43	6,4	6,4	9,3	10,4	11,3	11,4	11,3	21,21	22,44	26,56	28,02	29,61	32,75	34,13		
10	SW	2	6,0	NW	9	—	0	6,2	7,1	9,6	11,3	11,6	11,2	10,8	22,01	23,63	26,94	29,88	29,26	34,15	34,60		
11	SSE	5	9,0	SE	18	SE	18	7,5	7,5	8,3	10,2	11,3	11,4	10,5	22,58	23,59	24,61	26,85	28,23	33,64	34,77		
12	S	3	7,0	SSW	16	NW	19	7,2	7,2	9,6	10,6	11,6	10,2	10,0	22,55	22,35	26,57	27,98	31,12	34,60	34,69		
13	SSW	6	8,0	NW	17	NW	17	8,2	8,2	8,2	8,2	9,7	10,8	9,1	24,04	23,95	24,07	24,39	27,12	33,05	34,77		
14	W	4	6,0	W	27	W	17	7,2	7,2	7,9	10,6	11,3	9,8	9,7	23,10	23,12	24,39	29,99	32,13	34,51	34,69		
15	W	3	6,0	NW	30	NW	40	6,8	7,0	7,2	11,3	10,6	9,7	8,6	23,95	24,43	24,51	30,92	33,39	34,58	34,80		
16	W	4	6,0	NW	8	NW	19	6,8	7,0	8,3	10,7	11,3	9,0	8,6	24,79	24,78	26,49	32,56	34,10	34,78	34,84		
17	WSW	2	6,0	W	13	NW	16	6,4	7,2	9,6	10,2	9,3	9,0	8,7	24,82	25,34	28,78	33,71					
18	NNW	4	3,0	NW	18	NW	18	6,5	7,1	9,0	10,2	9,3	9,1	8,7									
19	SE	4	2,0	SSE	31	—	0	6,5	7,6	8,9	9,6	9,5	9,5	8,9									
20	SE	7	5,0	SE	34	S	11	5,8	6,1	6,8	7,9	9,6	9,6	9,0									
21	SE	7	3,0	SE	18	S	18																
22	SSE	3	5,0	SE	18	SE	17	6,5	6,9	7,2	8,9	9,6	9,6	9,2									
23	NE	3	6,0	—	0	—	0	6,7	7,0	7,0	6,5	6,7	8,8	8,4									
24	WNW	5	6,0	N	17	NNW	32	6,3	6,2	6,3	6,3	6,4	8,4	8,4									
25	SW	3	6,0	N	20	—	0	5,8	6,3	6,3	9,9	8,3	8,5	8,4									
26	N	3	4,0	NW	31	NW	9	5,4	6,3	6,3	7,2	8,2	8,3	8,2									
27	W	5	7,0	N	50	N	40	6,2	6,2	6,4	7,4	8,3	8,3	8,3									
28	SW	5	6,0	N	37	NW	17	6,0	6,1	7,1	8,3	8,4	8,3	8,3									
29	NW	4	8,0	NNE	43	NNE	50	6,2	6,2	6,3	7,2	8,3	8,4	8,4									
30	NNE	4	1,0	NNW	11	—	0	5,8	5,8	6,7	7,4	8,4	8,5	8,7									
31																							
Medeltal			5,3					6,8	7,1	8,2	9,3	9,8	10,3	9,8									

FLADEN

57°13' 00" N

11° 51' 00" E

December

Observatör: J. H. Bergström

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Rikt. n.	cm/sek.	Rikt. n.	cm/sek.																
1	SW	5	5,0	NW	11	—	0	6,2	6,2	6,4	6,4	8,1	8,4	8,5								
2	SW	5	5,0	NW	7	NNW	40	6,1	6,1	6,2	6,6	8,3	8,4	8,5								
3	SW	3	4,0	NW	6	NNW	27	5,7	5,8	5,8	7,2	8,3	8,3	8,4								
4	SSE	2	3,0	WNW	17	NW	8	5,4	5,7	5,8	7,4	8,1	8,2	8,4	24,86	26,03	28,80	30,82	33,77	33,81	34,47	
5	SSW	7	3,0	SW	10	SW	10															
6	NNW	6	0,0	N	16	NW	8															
7	SE	3	1,0	S	16	S	8	4,3	5,6	6,5	7,9	8,0	8,2	8,2	23,74	26,38	28,75	33,73	34,03	34,27	34,34	
8	SE	2	3,0	SE	42	—	0	4,7	4,7	6,6	7,8	8,1	8,2	8,2	24,60	25,05	28,99	32,69	33,81	34,28	34,37	
9	SSW	3	3,0	SSE	19	SE	10	4,3	4,2	5,1	7,2	7,8	8,2	8,1	23,08	22,99	24,12	30,60	33,22	34,16	34,33	
10	SE	3	0,0	SE	16	SE	19	3,9	5,1	5,3	7,7	7,8	8,1	8,1	22,96	23,43	23,99	33,10	33,75	34,16	34,18	
11	S	9	3,0	S	18	S	10															
12	WSW	6	3,0	W	16	NW	16	4,8	4,8	4,9	5,3	7,2	7,8	8,1	24,79	24,78	24,78	28,59	31,35	33,47	34,17	
13	SW	4	4,0	SE	20	S	8	4,8	4,8	5,1	5,2	7,3	7,8	7,9	24,19	24,33	25,61	26,26	32,00	33,59	34,09	
14	S	10	2,0	S	18	S	12	4,7	4,7	4,8	5,1	6,9	7,5	7,8	23,65	23,60	23,75	34,50	31,17	33,64	42,01	
15	SE	3	3,0	S	39	S	32	4,3	4,4	4,4	5,5	7,4	7,8	8,8	23,45	23,75	24,20	25,85	32,71	33,67	34,17	
16	ESE	4	3,0	S	40	S	32	4,2	4,4	5,0	5,7	7,2	7,8	7,7	23,55	24,15	25,25	26,60	32,68		33,98	
17	SSE	3	2,0	S	27	S	17	4,3	4,8	5,0	5,4	6,3	7,7	8,1	23,20	23,20	24,20	25,80	30,11	33,59	34,27	
18	SSE	3	3,0	S	27	SSE	36	4,2	4,2	4,3	5,3	6,8	7,8	7,8	23,25	23,25	23,40	24,40	31,56	33,94	34,09	
19	SSE	2	1,0	S	49	S	25	4,0	4,2	4,4	6,1	7,4	7,8	7,9	23,40	23,45	23,70	25,95	32,83	33,72	33,95	
20	NE	4	0,0	S	29	S	19	3,4	3,7	4,8	7,0	7,6	7,7	7,9	23,15	23,40	24,15	28,15	33,29	33,77	33,74	
21	E	3	2,0	SE	20	—	0	3,6	3,7	4,4	5,4	7,3	7,8	7,8	23,69	23,69	24,33	27,60	32,88	33,95	34,04	
22	E	3	1,0	—	0	—	0	3,4	3,3	3,8	4,8	7,4	7,6	7,8	22,55	22,55	23,00	25,00	32,56	33,72	34,07	
23	E	3	2,0	SE	15	SE	7	2,7	2,8	3,2	6,3	7,1	7,5	7,6		22,55	26,80	32,62	33,74	33,77		
24	NNE	5	0,0	—	0	—	0	2,5	2,8	4,4	6,7	7,4	7,4	7,4	21,66	21,82	23,40	27,95	33,15	33,73	33,81	
25	NNW	3	0,0	—	0	—	0	2,2	4,2	5,3	7,2	7,3	7,4	7,4		23,30	25,00	28,55	33,42	33,73	33,83	
26	NNE	3	—3,0	NNW	16	NNW	16	2,5	4,4	5,6	7,0	7,4	7,5	7,7					33,50	33,82	33,98	
27	NE	2	—3,0	NNW	13	—	0	1,7	4,6	5,8	7,0	7,1	7,2	7,6		23,95	25,95	28,90	33,29	33,74	33,91	
28	WSW	2	—1,0	NW	10	—	0	1,2	2,4	4,5	6,8	7,1	7,2	7,4	20,35		23,40	28,10	33,10	33,68	33,79	
29	E	1	—4,0	SW	8	—	0	1,2	2,4	4,3	5,9	7,0	7,2	7,3	19,80		23,20	26,00	32,58	33,46	33,77	
30	SE	3	—3,0	SW	5	—	0	0,8	0,8	3,1	5,5	7,5	7,3	7,3	19,84	19,64	22,85	24,85	32,66	33,57	33,73	
31	NW	2	0,0	—	0	—	0	0,8	0,8	3,6	4,5	6,6	7,1	7,2	19,73	19,78			31,53	33,48	33,49	
Medeltal			1,4					3,6	4,1	4,9	6,3	7,4	7,7	7,9	22,99	23,64	24,67	27,86	32,75	33,79	34,04	

VINGA

57°34' 00" N

11° 36' 00" E

Januari

Observatörer: N. Pehrsson o. E. Garin

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Rikt. n.	cm/sek.	Rikt. n.	cm/sek.																
1	SW	5	3,0	S	67	S	24	5,3	5,3	5,6	6,1	6,5	6,6	6,7	28,33	28,39	29,42	30,99	31,44	31,85	32,18	
2	SW	9	7,0	—	0	—	0															
3	NNE	2	2,0	S	10	—	0	5,1	5,3	5,8	5,9	5,9	6,5	6,9	28,70	29,00	30,40		30,87	32,03	33,43	
4	NE	5	—4,0	SE	39	NW	24	4,4	4,4	5,7	6,0	6,3	6,5	7,4	28,00	28,60	30,10	30,70	31,82	32,82	33,92	
5	ESE	5	—8,0	SE	44	SE	34	4,0	4,0	4,6	5,7	5,8	6,4	7,1	28,20	28,30	28,50	30,00	30,61	31,62	33,67	
6	E	8	—7,0	SE	51	SE	31	3,5	3,5	3,5	3,7	5,7	6,1	7,0	27,80	27,90	27,90	28,00	30,27	31,46	33,39	
7	SE	6	—4,0	SE	28	W	22	3,2	3,3	3,3	3,3	4,5	6,5	7,4	27,30	27,50	27,60	27,60	29,07	32,32	34,04	
8	S	6	3,0	N	56	—	0	3,5	3,5	3,6	3,8	3,9	5,7	6,9	27,80	27,90	28,00		28,91	30,63	32,92	
9	ENE	4	2,0	E	17	—	0	3,3	3,3	3,6	3,9	4,1	5,8	7,0	27,70	27,60	28,30	28,60	28,96	30,49	34,15	
10	SE	8	—3,0	—	0	N	11	3,3	3,3	3,4	3,6	3,6	4,1	7,2	27,80	28,10	28,10		28,31	28,97	33,60	
11	SSE	5	—4,0	NW	7	NW	27	3,2	3,2	3,3	3,3	3,4	3,6	5,7	26,93	26,95	27,00	27,06	27,21	27,75	31,21	
12	S	9	0,0	—	0	—	0															
13	W	3	5,0	SE	17	NW	9	1,7	2,4	2,6	2,8	3,5	7,2	7,2	25,40	26,20	26,50	27,30	28,26	34,31	34,68	
14	WNW	6	5,0	NW	83	N	63	2,5	3,1	3,3	3,9	4,7	7,3	7,3	26,90	27,60	27,70	28,70	30,54	34,51	34,69	
15	S	3	4,0	SW	10	W	12	3,7	3,7	3,8	3,8	4,0	4,9	7,4	27,80	28,10	28,30	29,00	29,99	31,76	34,61	
16	W	7	6,0	SE	74	S	10	4,6	4,6	4,6	4,6	4,7	4,6	4,7	30,80	30,90	32,10	32,80	34,17	34,17	34,25	
17	NE	6	—2,0	SSE	67	SSE	34	3,2	3,4	4,2	6,1	4,8	4,9	4,9	28,00	28,10	30,70	33,50	33,94	34,20	34,23	
18	E	1	—4,0	—	0	SW	7	2,7	2,8	2,9	3,3	4,1	4,7	5,0	27,30	27,30	27,40	27,50	29,23	31,76	33,03	
19	SSE	2	—5,0	—	0	—	0	2,7	2,7	3,0	3,1	3,4	4,7	5,0	27,40	27,20	27,20	27,30	27,65	31,01	33,19	
20	WSW	2	—2,0	S	38	SW	13	1,4	1,8	2,6	2,8	3,4	4,6	5,1	24,20	25,00	26,60	27,60	28,27	31,15	34,13	
21	NE	2	2,0	S	6	N	9	1,3	2,0	3,0	3,4	3,7	5,1	5,3	24,15	25,95	26,64	27,60	28,25	32,63	34,23	
22	SE	2	1,0	—	0	—	0	1,6	1,8	3,1	3,2	3,8	5,7	5,9	24,00	25,50	27,10	27,50	28,95	33,69	34,39	
23	SSW	4	1,0	WSW	12	NW	8	1,5	1,7	2,0	3,2	3,5	5,4	5,4	24,70	25,10	26,30	27,40	27,87	33,53	34,05	
24	S	3	0,0	—	0	—	0	1,0	1,3	1,7	2,1	3,1	5,4	5,8	23,10	23,80	24,80	26,60	27,54	33,52	34,32	
25	E	4	—4,0	SE	10	SE	8	1,3	1,5	2,0	1,9	3,2	5,3	6,5	23,50	23,60	24,20	25,50	28,00	33,39	34,70	
26	ESE	4	—2,0	SW	7	—	0	1,0	1,1	1,2	1,5	2,0	5,5	6,5	22,90	23,80	23,90	24,30	26,01	33,38	34,71	
27	ESE	4	1,0	—	0	—	0	0,9	0,9	0,9	1,0	1,7	5,8	6,8	22,10	23,20	23,20	23,50	24,67	33,99	34,77	
28	E	5	—2,0	S	32	—	0	0,6	0,6	0,7	1,6	2,8	6,2	6,8	22,60	22,60	23,10	24,30	27,85	34,50	34,78	
29	NE	3	—3,0	SE	19	SE	11	0,6	0,7	0,9	1,6	3,5	6,1	6,7	22,70	22,90	23,50	24,70	28,78		34,74	
30	NE	5	—2,0	—	0	—	0	0,3	0,4	1,6	3,1	5,2	6,5	6,8	22,60	22,80	24,90	26,40	32,91	34,62	34,76	
31	NE	5	—4,0	SE	7	NW	10	0,1	0,1	0,3	4,6	5,9	6,7	6,8	22,50	22,50	22,70	30,80	34,06	34,76	34,77	
Medeltal			—5,8					2,5	2,6	3,0	3,5	4,2	5,7	6,4	25,90	26,30	27,00	27,70	29,46	32,64	33,90	

VINGA

Februari

57° 34' 00" N

Observatör: E. Garin

11° 36' 00" E

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek	Riktn.	cm/sek																
1	SE	6	—3,0	SE	18	SE	43	0,0	0,0	0,3	0,5	3,5	6,5	6,6	21,20	20,68	22,95	23,24	28,86	34,51	34,67	
2	SE	8	—3,0	SE	17	S	24															
3	SE	9	—2,0	NW	61	NW	21															
4	SSE	6	1,0	N	42	N	36	0,0	0,0	0,0	0,1	0,2	6,4	7,1	20,70	20,70	20,70	21,30	21,91	34,13	34,87	
5	ESE	1	1,0	N	24	NW	31	0,2	0,4	0,4	0,6	6,3	7,1	7,1	21,50	22,60	22,70	23,50	34,07	34,92	34,94	
6	SSE	5	2,0	—	0	SE	17	0,2	0,4	0,4	0,5	5,9	7,0	7,1	21,90	22,10	22,30	22,20	33,66	34,81	34,94	
7	WSW	2	2,0	NW	19	N	32	0,2	0,2	0,5	1,5	6,6	7,2	7,3	20,60	21,30	21,50	22,90	34,25	34,96	34,96	
8	SW	4	1,0	N	29	NW	33	0,3	0,4	0,6	2,5	6,8	7,2	6,9	21,00	21,20	21,60	24,70	34,58	34,92	34,99	
9	WSW	2	2,0	N	27	NNW	27	0,8	0,8	1,3	1,9	6,3	6,9	6,0	20,90	21,10	22,00	24,10	34,16	34,87	35,46	
10	NW	4	1,0	NE	30	NW	41	0,9	1,0	1,6	2,6	6,7	6,0	5,6	21,00	21,20	23,40	28,20	34,76	34,90	34,87	
11	ENE	1	0,0	NNW	22	NW	26	1,2	1,3	1,5	2,7	6,8	6,1	7,7	21,80	21,90	22,10	25,60	34,79	34,83	34,79	
12	S	2	3,0	SSW	10	—	0	1,1	1,5	1,5	3,3	6,6	5,9	5,7	21,40	22,90	23,20	28,60	34,43	34,83	34,83	
13	SE	3	0,0	—	0	S	21	1,4	1,5	1,9	2,0	3,0	3,2	3,2	22,30	22,60	23,40	23,90	34,05	34,25	34,25	
14	NNW	5	—1,0	—	0	—	0	1,3	1,3	2,7	2,9	3,3	3,0	3,3	22,20	22,10	25,30	29,90	33,80	34,16	34,16	
15	ESE	2	—1,0	W	7	SW	10	0,7	1,3	2,7	3,9	2,8	3,0	3,4	22,00	22,30	26,30	32,10	34,02	34,16	34,20	
16	SSW	1	2,0	—	0	NNW	46	1,1	1,4	2,6	3,4	2,7	3,8	3,3	22,30	23,30	27,70	30,80	33,77	34,25	34,27	
17	SW	7	5,0	SW	20	SSW	16	2,2	2,3	2,5	2,8	3,5	3,3	3,7	25,20	25,60	25,70	32,20	33,69	33,98	34,27	
18	SSW	5	5,0	W	26	N	33	2,0	2,1	2,5	4,1	4,4	3,8	3,6	24,10	24,10	26,50	32,40	33,84	34,09	34,13	
19	WSW	4	4,0	E	30	SE	24	1,7	1,7	2,6	2,7	2,7	3,0	3,5	23,40	23,50	28,90	32,50	33,62	33,91	34,16	
20	SW	2	2,0	SE	54	SE	41	2,0	3,1	2,8	4,0	2,7	2,8	3,5	24,10	27,40	29,50	32,30	33,53	33,69	33,95	
21	NNE	5	1,0	SE	34	SE	12	1,5	3,2	3,4	3,4	3,0	3,1	3,4	22,56	27,70	28,19	29,45	33,62	33,84	34,02	
22	WSW	4	3,0	E	9	E	11	1,4	1,8	3,2	3,0	2,9	3,4	3,4	21,90	23,20	27,10	31,30	33,35	33,77	33,98	
23	WSW	8	4,0	NE	6	NW	42	2,8	2,8	2,9	2,9	2,9	3,3	3,6	26,50	26,90	26,90	32,10	33,86	33,87	34,02	
24	WNW	4	2,0	E	17	—	0	1,6	2,9	2,8	2,9	3,3	3,2	3,4	24,00	30,80	31,10	31,70	33,55	33,80	33,84	
25	NNW	3	0,0	ESE	33	S	12	1,8	3,4	3,3	3,2	3,3	3,1	3,5	26,00	31,60	32,00	32,00	32,98	33,15	33,89	
26	NNE	4	—2,0	E	53	SE	23	1,0	2,8	2,9	3,1	3,2	3,5	3,3	24,50	31,60	32,10	32,30	33,12	33,37	33,73	
27	N	1	—1,0	SSW	20	S	8	1,2	2,4	2,8	3,0	3,2	3,4	3,3	26,00	30,00	30,90	31,90	32,92	33,39	33,58	
28	SSE	2	—1,0	SE	43	SE	37	0,6	1,7	3,0	3,1	3,2	3,3	3,4	23,10	25,10	31,10	31,60	32,94	33,40	33,57	
29																						
30																						
31																						
Medeltal		1,0						1,1	1,6	2,0	2,6	4,1	4,6	4,7	22,89	24,40	26,00	28,60	33,16	34,18	34,40	

VINGA

Mars

57° 34' 00" N

Observatör: E. Garin

11° 36' 00" E

1950

Datum	Vind		Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m	
	Rikt. cm/sek	Rikt. cm/sek		Rikt. cm/sek	Rikt. cm/sek																	
1	E	3	—3,0	SSE	56	SSE	29	0,8	1,3	2,8	3,2	3,4	3,3	3,4	23,81	25,45	28,59	31,84	33,39	33,57	33,74	
2	SSE	1	—3,0	S	22	S	18	1,0	1,1	2,0	2,7	3,6	3,7	3,8	23,30	23,30	27,00	30,40	33,58	33,64	33,90	
3	S	7	1,0	S	74	SW	40	1,5	1,5	1,4	2,5	3,1	3,5	3,8	24,60	24,80	24,90	27,00	30,96	33,50	33,75	
4	SW	7	3,0	—	0	NW	18	1,4	1,4	1,4	1,6	1,9	3,8	3,8	24,30	24,30	24,40	25,30	27,10	33,39	33,94	
5	W	7	5,0	—	0	E	7	1,5	1,5	1,5	3,0	3,3	4,1	4,0	23,90	23,90	24,40	31,30	32,46	33,66	34,04	
6	W	4	5,0	SSE	32	—	0	1,8														
7	W	7	5,0	ENE	27	W	17															
8	E	4	2,0	S	53	N	13															
9	—	0	1,0	S	33	N	10															
10	N	3	1,0	SE	6	—	0	1,9	2,5	2,6	2,8	3,7	4,1	3,9	23,10	25,20	27,60	28,80	32,95	33,31	33,66	
11	WNW	5	4,0	NE	9	—	0	2,2	2,2	2,7	2,8	3,6	3,8	3,9	23,50	23,70	27,60	28,80	32,39	33,37	33,70	
12	N	6	2,0	ESE	7	—	0	2,2	2,2	3,0	3,5	4,2	3,9	4,0	24,00	24,10	30,60	32,00	33,13	33,39	33,93	
13	NE	6	—3,0	ESE	10	S	8	2,1	3,0	3,7	4,0	4,1	4,2	4,4	21,71	28,97	31,54	33,05	33,29	33,61	33,94	
14	SSE	1	2,0	—	0	—	0	2,2	3,2	3,9	3,9	4,0	4,1	4,3	26,00	28,70	32,00	32,80	33,30	33,53	33,86	
15	NE	2	—1,0	S	4	S	7	2,2	2,3	2,4	3,8	4,1	4,1	4,2	26,50	27,00	27,60	32,20	33,27	33,48	33,72	
16	SSE	7	2,0	SSE	83	SSE	71	2,1	2,1	2,6	3,0	3,5	4,0	4,1	24,10	24,30	25,80	28,20	31,91	33,29	33,58	
17	SSE	6	5,0	SSE	91	SSE	13	2,2	2,4	2,4	2,4	3,0	4,1	4,5	23,10	23,10	23,10	23,50	29,51	33,24	34,00	
18	SSW	4	4,0	S	32	SE	21	2,4	2,3	2,5	2,7	2,8	4,2	4,6	22,20	22,40	25,30	26,50	28,02	33,65	34,21	
19	SSE	7	5,0	S	50	SW	28	2,5	2,4	2,5	2,7	4,0	4,5	4,7	22,10	22,00	22,70	24,10	33,18	33,93	34,09	
20	SSW	6	5,0	SSW	13	SSW	16	3,2	3,2	3,3	3,8	4,0	4,5	4,5	26,60	26,50	28,70	31,70	33,08	34,04	34,20	
21	ESE	3	5,0	WSW	33	—	0	3,3	3,5	3,4	3,5	4,1	4,5	4,7	25,00	26,89	29,16	30,44	33,22	33,86	34,21	
22	—	0	5,0	SE	83	SE	51	3,2	3,6	3,6	3,6	4,0	4,6	4,7	22,30	25,40	28,20	29,20	32,83	34,00	34,21	
23	SSE	3	5,0	SSE	50	SSE	16	3,9	3,5	3,5	3,6	4,2	4,5	4,6	24,30	25,50	27,20	29,30	33,03	33,93	34,09	
24	S	4	5,0	—	0	N	18	3,6	3,6	3,7	3,3	3,5	4,3	4,5	23,80	23,90	24,00	25,00	27,81	33,33	34,00	
25	N	3	5,0	E	13	N	22	3,5	3,6	3,6	3,7	3,6	4,4	4,6	22,80	23,60	23,70	25,00	27,45	33,83	34,16	
26	SE	2	5,0	—	0	—	0	3,6	3,5	3,4	3,9	3,8	4,6	4,7	21,70	22,80	24,20	25,40	28,50	34,33	34,22	
27	W	4	5,0	E	21	SSW	14	3,7	3,7	3,8	3,8	4,2	4,7	5,0	22,80	22,80	24,50	26,80	33,15	34,41	34,50	
28	ENE	3	3,0	S	31	S	27	3,7	3,9	3,9	4,2	4,3	4,8	5,0	22,20	23,10	27,60	32,60	33,61	34,33	34,50	
29	WSW	3	5,0	N	33	—	0	3,8	3,9	3,9	4,3	4,5	4,7	4,7	22,80	23,10	26,20	32,40	33,84	34,09	34,20	
30	N	2	7,0	NE	13	NE	11	4,1	4,0	4,2	4,1	4,3	4,8	4,9	21,30	23,70	26,20	31,40	33,36	34,25	34,35	
31	W	6	6,0	—	0	—	0	4,4	4,3	4,0	4,0	4,5	4,7	4,9	22,50	22,80	26,50	30,80	33,74	34,20	34,31	
Medeltal			3,6					2,6	2,8	3,0	3,3	3,8	4,2	4,4	23,50	24,50	26,60	29,10	31,93	33,75	34,0	

VINGA

57° 34' 00" N

11° 36' 00" E

April

Observatörer: N. Pehrsson o. E. Garin

1950

Datum	Vind Rikttn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Rikttn.	cm/sek	Rikttn.	cm/sek																
1	WSW	4	6,0	—	0	—	0	4,5	4,5	4,6	4,1	4,4	4,6	5,0	23,68	24,74	25,28	30,50	33,46	34,14	34,43	
2	SSW	8	6,0	N	16	—	0	4,4	4,6	4,2	4,4	4,2	4,5	5,2	23,90	23,80	24,20	28,20	31,55	33,78	34,47	
3	SSW	7	4,0	NW	11	—	0	4,7	4,7	4,5	4,6	4,8	4,8	5,1	26,80	26,90	27,10	28,40	31,53	33,82	34,43	
4	NW	2	6,0	SW	23	SW	19	4,8	4,8	4,6	4,5	5,0	5,1	5,1	25,70	26,00	27,10	29,20	32,41	33,89	34,16	
5	W	1	5,0	SW	11	—	0	4,6	4,6	4,6	4,8	5,5	5,2	5,3	24,50	24,70	25,80	29,80	33,44	33,46	34,16	
6	W	2	5,0	N	9	NE	6	4,6	4,6	4,7	5,4	5,6	5,9	5,7	20,47	21,38	21,50	23,17	32,70	32,84	33,89	
7	NW	2	6,0	NW	23	N	17	4,6	4,8	5,0	4,6	4,8	5,3	5,2	19,45	19,45	23,52	30,79	33,35	33,75	33,93	
8	SSE	7	6,0	—	0	S	16	5,1	5,1	4,8	4,8	4,3	4,8	5,2	23,40	23,80	25,40	27,40	31,83	33,39	34,05	
9	S	8	7,0	S	30	S	20															
10	SW	4	5,0	SW	10	N	18	5,4	5,4	5,0	4,5	4,4	4,5	5,1	23,30	23,40	25,00	30,10	24,45	33,30	34,51	
11	ESE	7	4,0	N	10	—	0	5,3	5,4	5,4	4,8	4,6	5,4	5,4	23,30	23,10	23,33	24,34	25,10	34,25	34,61	
12	SW	5	5,0	NE	10	—	0	5,4	5,5	5,5	5,6	5,9	5,7	5,7	23,50	23,50	25,00	28,20	33,04	34,29	34,40	
13	S	3	5,0	S	9	—	0	5,6	5,5	5,5	5,5	5,6	5,7	5,7	23,70	24,20	24,10	24,40	32,45	33,98	34,33	
14	W	2	6,0	—	0	—	0	5,7	5,7	5,7	5,7	5,8	5,8	5,8	23,40	23,70	24,00	25,00	29,22	33,84	34,29	
15	W	3	7,0	N	19	NW	23	6,1	6,1	5,9	5,7	5,7	5,6	5,8	23,30	23,60	23,70	24,80	33,87	33,89	34,22	
16	NE	3	7,0	N	16	NE	7	6,2	6,1	5,8	5,0	5,7	5,8	5,7	22,00	23,40	23,80	26,60	33,77	34,14	34,34	
17	SE	4	6,0	—	0	—	0	6,2	6,2	6,2	5,8	5,6	5,8	5,6	22,30	22,50	24,20	24,20	31,26	33,87	34,09	
18	W	3	6,0	—	0	—	0	6,2	6,3	6,2	5,4	5,4	5,7	5,6	22,50	22,80	23,40	26,40	32,12	33,82	34,04	
19	W	4	6,0	—	0	W	12	6,3	6,2	5,8	5,2	5,8	5,6	5,7	22,30	22,40	23,80	28,10	33,40	34,00	34,22	
20	SE	1	7,0	—	0	—	0	6,6	6,5	6,1	5,3	5,7	5,8	5,8	21,60	22,30	23,30	28,10	33,57	33,93	34,13	
21	E	1	9,0	—	0	—	0	7,3	6,4	6,1	5,6	5,4	5,8	6,0	21,00	21,56	22,61	25,64	31,74	33,77		
22	—	0	12,0	—	0	—	0	7,4	7,4	6,0	6,1	5,8	5,8	5,8	18,90	21,70	22,60	23,60	33,21	33,86	34,23	
23	NE	4	6,0	N	13	N	29	7,8	7,0	6,4	5,8	5,8	5,6	5,5	20,60	23,40	24,40	28,90	33,49	33,91	34,11	
24	NE	2	7,0	—	0	—	0	7,6	6,7	6,1	6,2	5,8	5,8	5,8	19,50	23,10	25,80	33,00	33,77	34,22	34,56	
25	SE	5	7,0	SW	7	SW	8	7,5	7,5	6,4	5,6	6,0	6,0	5,9	22,00	22,10	23,70	31,70	33,68	33,96	34,47	
26	SE	3	8,0	SW	7	SW	18	7,3	6,9	7,1	5,8	5,7	6,1	5,8	21,90	22,10	23,00	27,70	32,70	33,69	34,13	
27	SE	4	8,0	SSE	8	—	0	7,6	7,5	7,5	6,0	6,0	6,0	5,8	22,40	22,60	22,40	25,80	33,13	33,87	34,23	
28	NNE	3	5,0	—	0	—	0	7,5	7,5	7,6	5,9	5,5	5,9	5,9	22,20	22,20	22,30	27,40	32,79	34,00	34,51	
29	—	0	7,0	S	23	S	26	7,5	7,5	7,2	6,3	5,9	5,8	5,8	19,80	22,00	23,20	24,90	33,55	34,14	34,74	
30	WNW	7	7,0	N	32	NW	20															
31																						
Medeltal			6,4					6,1	6,0	5,7	5,3	5,4	5,5	5,6	22,40	23,10	24,10	27,40	32,16	33,85	34,28	

VINGA

57° 34' 00" N

11° 36' 00" E

Maj

Observatör: E. Garin

1950

Datum	Vind Rikttn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Rikttn.	cm/sek	Rikttn.	cm/sek																
1	S	3	8,0	N	34	NW	30	7,8	7,8	7,4	7,0	6,4	6,0	5,8	20,40	21,50	22,50	24,70	33,94	34,16	34,51	
2	SSE	4	11,0	S	43	SE	23	8,0	8,0	7,8	6,2	6,4	6,8	6,0	21,42	21,64	21,88	24,65	33,72	34,49	34,60	
3	—	0	8,0	S	20	S	21	8,4	8,3	7,7	6,8	5,4	5,7	5,9	20,60	20,70	21,10	23,50	32,60	33,99	34,37	
4	NNE	2	8,0	—	0	—	0	8,7	8,6	7,8	6,9	5,5	6,5	5,9	22,20	22,50	23,00	25,00	32,82	34,16	34,24	
5	E	3	12,0	—	0	—	0	9,0	8,7	8,2	6,9	6,1	6,6	7,0	21,00	21,00	21,50	24,50	33,35	34,26	34,42	
6	NE	4	12,0	—	0	W	13	9,2	9,0	7,7	6,7	5,5	5,6	5,6	20,00	20,00	21,00	25,00	32,96	34,07	34,24	
7	ENE	4	12,0	SE	13	SE	11	10,0	10,0	9,2	7,8	5,7	5,8	5,7	19,00	19,00	21,00	22,50	33,19	33,98	34,22	
8	NE	4	12,0	SSE	65	S	56	9,9	9,9	8,3	6,3	5,9	5,8	5,7	18,50	18,50	20,00	25,00	33,28	34,08	34,23	
9	—	0	12,0	SSE	23	S	37	10,6	10,1	9,2	5,9	5,9	5,7	5,8	16,93	19,00	20,50	30,00	33,09	34,00	34,23	
10	E	1	14,0	S	20	S	32	10,8	10,1	9,3	5,8	6,1	5,7	6,1		18,50	20,50	30,50	33,54	34,01	34,26	
11	NNW	2	14,0	NNW	9	—	0	11,9	10,5	8,8	5,8	5,7	5,9	6,1	16,94	18,52	19,81	31,50	33,40	34,03	34,40	
12	NE	3	13,0	NE	28	NE	15	11,9	11,9	7,5	6,7	6,6	6,4	6,2		20,50	25,00	33,00	33,69	34,26	34,75	
13	S	2	17,0	—	0	—	0	12,2	10,0	8,2	5,8	5,7	6,4	6,3	16,86	20,50	22,00	33,00	33,64	33,31	34,61	
14	NW	3	16,0	N	29	N	26	13,2	9,9	8,6	5,9	6,2	6,2	6,3	17,02	21,00	22,00	32,50	33,23	34,26	34,58	
15	NE	4	8,0	—	0	—	—	11,9	8,0	6,8	7,0	6,7	6,5	6,7		21,50	32,00	33,00	34,01	34,87	35,04	
16	WSW	3	11,0	N	17	N	20	11,0	10,3	6,3	5,8	6,2	6,3	6,6	16,09	19,50	31,00	32,50	33,62	34,48	34,97	
17	SW	3	10,0	—	0	—	0	11,4	8,5	7,0	6,5	6,7	6,5	6,5		22,00	24,00	33,00	33,90	34,60	34,90	
18	NW	3	10,0	N	20	N	13	11,8	10,2	7,2	6,7	6,6	6,4	6,5		20,50	29,50	32,50	33,74	34,41	34,89	
19	NW	1	11,0	NE	9	NE	13	12,0	11,9	9,7	6,5	6,7	7,0	6,7		19,00	20,00	30,00	33,67	34,45	34,98	
20	SSE	3	13,0	E	23	E	7	12,6	12,4	7,7	6,9	6,7	6,9	7,1	15,81		30,00	32,50	33,84	34,65	35,06	
21	SE	3	13,0	N	10	—	0	12,8	12,8	10,5	6,6	7,0	6,8	6,6	18,12	18,18	26,07	32,16	34,26	34,70	34,88	
22	SSE	2	16,0	—	0	—	0	13,3	12,8	8,9	6,6	7,0	6,8	6,6	19,50	19,50	26,00	32,50	34,18	34,81	34,98	
23	WSW	4	11,0	—	0	W	7	13,2	12,7	8,5	7,1	7,0	6,8	6,7	19,00	19,50	23,50	31,50	34,06	34,77	34,90	
24	NNE	3	12,0	—	0	—	0	13,1	13,1	7,8	9,2	7,2	7,0	6,8	19,00	19,50	25,00	33,00	33,79	34,33	34,86	
25	S	2	12,0	SSE	29	SSE	17	13,4	13,3	8,3	7,5	6,4	7,0	6,4		19,00	26,00	32,50	33,71	34,42	34,85	
26	WSW	7	11,0	W	54	W	56	13,6	13,6	8,8	9,2	7,2	6,8	6,7			22,00	32,00	33,26	34,32	34,78	
27	WSW	4	11,0	SE	17	SE	15	13,6	13,6	8,3	8,2	7,5	7,1	6,6	19,00	19,00	23,00	31,50	33,63	34,47	34,85	
28	SSW	3	10,0	S	28	S	26	13,8	13,3	8,1	11,3	8,5	6,9	6,7			21,00	29,00	33,81	34,42	34,69	
29	W	8	12,0	W	64	W	56															
30	WSW	8	10,0	W	56	W	37															
31	NW	7	10,0	N	40	SW	24	11,4	11,4	11,4	11,6	11,2	10,8	9,0	23,50	26,50	26,50	31,00	33,45	33,55	34,26	
Medeltal			11,6					11,4	10,7	8,3	7,1	6,6	6,6	6,4	19,00	20,30	23,70	29,80	33,56	34,29	34,6	

VINGA

57° 34' 00" N

11° 36' 00" E

Juni

Observatör: E. Garin

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek	Riktn.	cm/sek																
1	SW	3	14,0	NW	167	NW	42	12,5	11,6	11,6	11,6	10,8	9,0	8,0	22,84	29,69	30,20	32,43	33,11	34,04	34,29		
2	W	4	14,0	NE	34	NE	13	12,6	11,3	11,2	11,2	10,3	8,5	8,0	24,00	31,00	32,00	32,00	33,49	34,08	34,29		
3	SSW	3	13,0	S	50	S	23	12,5	11,7	10,4	9,7	8,4	8,4	7,5	21,00	22,50	26,00	31,00	32,91	34,04	34,21		
4	S	2	14,0	S	33	NW	10	13,2	12,2	9,0	10,2	8,2	8,1	7,2	19,51	21,50	32,00	27,50	32,99	34,13	34,20		
5	S	2	16,0	N	13	NNW	18	13,6	13,0	12,2	11,3	8,9	8,1	7,1	19,50	21,00	23,00	30,50	33,75	34,22	34,44		
6	NW	1	16,0	N	7	N	10	14,8	13,8	12,9	9,4	8,7	7,2	6,7	18,34	20,00	21,50	32,50	33,91	34,18	34,26		
7	WSW	2	17,0	—	0	—	0	15,7	14,1	13,1	10,5	9,0	7,0	7,0	18,19	21,00	21,50	31,50	33,76	34,04	34,13		
8	SW	3	16,0	SW	31	SW	18	15,1	13,3	12,3	11,6	9,4	7,2	7,0	—	21,00	23,50	29,00	33,24	33,95	33,99		
9	W	8	13,0	—	0	—	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10	NW	7	12,0	—	0	S	22	14,0	11,5	10,6	9,7	9,0	7,2	7,0	23,00	30,50	31,50	31,50	32,34	33,75	33,95		
11	NE	4	11,0	—	0	SE	23	13,8	13,7	11,8	10,4	8,8	8,0	7,2	22,00	29,00	30,50	31,50	32,78	33,49	33,81		
12	NNW	3	14,0	N	50	N	12	14,0	11,8	11,4	9,9	8,3	7,6	7,4	22,50	30,50	31,00	32,00	33,24	33,68	34,04		
13	W	2	19,0	N	33	N	18	14,5	12,3	11,5	10,4	9,1	8,0	7,5	23,02	29,87	31,11	32,22	32,81	33,46	33,62		
14	NE	2	15,0	SE	33	SE	23	15,2	13,8	12,3	10,7	10,1	8,8	7,9	23,51	29,00	30,00	30,50	32,01	33,06	33,31		
15	W	1	14,0	SSE	49	S	13	15,7	14,8	12,4	11,3	10,5	9,2	7,6	22,50	24,00	28,50	30,50	31,60	32,79	33,68		
16	SW	3	12,0	SW	33	S	10	14,8	14,8	14,9	14,5	11,1	8,7	7,7	22,00	22,00	23,00	23,00	31,11	33,06	33,77		
17	SW	4	13,0	SSE	30	W	10	14,8	14,8	14,7	13,4	10,8	8,3	7,3	21,50	21,50	24,50	29,00	31,31	—	33,93		
18	SW	3	14,0	NE	17	SE	7	15,0	15,1	14,6	14,6	9,5	8,1	7,9	20,00	20,50	24,50	26,00	32,46	33,46	33,70		
19	SSW	6	15,0	SE	50	SW	13	15,3	14,8	14,8	13,8	12,3	9,2	7,6	22,00	27,50	27,50	29,00	30,66	32,74	33,60		
20	WSW	4	13,0	SE	18	—	0	15,3	15,1	14,6	13,6	12,9	9,0	7,5	20,51	24,00	28,00	29,50	30,27	32,73	33,78		
21	SE	4	16,0	SSE	17	—	0	15,4	15,0	14,3	13,4	12,5	8,8	7,6	23,39	26,09	27,99	29,59	30,53	32,96	33,60		
22	SE	3	16,0	SSE	54	—	0	15,6	15,5	14,8	14,1	12,0	9,0	7,6	21,50	22,00	27,00	29,00	31,06	32,81	33,63		
23	S	8	13,0	SW	52	SW	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24	S	5	13,0	SW	24	N	40	15,3	15,3	15,1	15,0	14,8	9,0	7,4	21,00	21,00	22,50	24,50	24,92	33,06	34,13		
25	NW	1	16,0	SSE	29	SSE	19	15,3	15,2	15,0	14,8	10,0	7,8	7,2	21,00	21,50	26,00	26,00	32,19	33,67	33,96		
26	SSW	3	14,0	S	24	—	0	15,8	15,4	15,2	14,4	12,0	8,5	7,6	21,00	22,00	24,00	30,00	31,02	33,48	33,68		
27	WSW	4	15,0	WSW	12	—	0	15,9	15,9	15,0	13,5	10,4	8,4	7,7	20,50	21,00	26,00	28,50	32,05	33,39	33,51		
28	SSW	3	14,0	SW	23	SW	10	16,0	16,0	14,8	12,8	11,3	8,6	7,7	21,50	22,00	27,00	28,50	33,04	33,20	33,56		
29	WNW	5	15,0	NNW	67	NNW	45	15,0	14,5	13,9	13,8	13,2	8,9	8,1	27,00	29,00	30,00	30,50	30,68	33,04	33,34		
30	SW	4	16,0	WNW	69	NW	33	14,8	14,8	14,6	13,3	12,6	9,1	8,9	28,00	28,00	28,00	30,00	31,25	32,91	33,19		
31																							
Medeltal			14,4					14,7	14,0	13,2	12,2	10,2	8,3	7,5	21,90	24,60	27,10	29,60	31,95	33,51	33,84		

VINGA

57° 34' 00" N

11° 36' 00" E

Juli

Observatör: E. Garin

1950

Datum	Vind		Luft-temp.	Ström från				Vattnets temperatur i C°								Vattnets salthalt i ‰							
				0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
				Riktn.	cm/sek	Riktn.	cm/sek																
1	SW	8	14	WNW	71	W	11																
2	W	5	12	W	22	—	0	14,2	14,2	14,2	14,0	14,5	12,2	9,5	30,59	30,42	30,45	30,94	31,26	31,65	32,63		
3	NW	3	17	—	0	—	0	15,3	14,6	14,5	14,5	14,4	13,7	10,5	20,50	30,50	30,50	30,50	31,13	31,23	32,34		
4	NE	3	13	—	0	NNE	27	14,6	14,3	14,3	14,2	14,2	12,5	10,6	25,50	30,50	30,50	30,50	31,08	31,59	32,18		
5	NE	2	18	E	28	E	15	15,3	14,5	14,4	14,4	14,1	11,8	10,8	24,00	30,50	30,50	30,50	31,03	31,87	32,17		
6	E	3	16	ESE	50	ESE	27	16,2	14,6	14,1	14,0	13,9	13,5	11,0	25,00	29,00	30,00	30,00	30,76	31,06	31,64		
7	NNE	2	17	SSE	57	SSE	56	16,2	15,6	14,6	14,2	13,9	13,7	11,0	22,00	25,50	28,00	29,50	30,01	30,81	32,02		
8	W	2	16	SSE	43	SSE	38	16,3	15,3	14,8	14,5	14,0	14,0	8,2	23,00	27,00	27,50	28,50	29,85	30,72	33,70		
9	W	5	15	SSE	33	SSE	26	16,7	15,8	14,7	14,2	14,0	14,0	8,5	24,00	25,00	27,50	29,00	29,94	30,96	34,06		
10	ESE	2	17	SSE	18	SSE	26	17,0	16,7	15,4	14,5	13,9	13,7	8,7	24,50	25,00	28,00	29,00	30,16	31,04	33,53		
11	SW	4	16	SW	13	SSW	14	17,0	16,9	16,9	16,3	14,3	13,5	8,7	23,24	23,08	24,16	26,03	28,92	31,02	33,67		
12	ENE	3	16	W	26	—	0	16,8	16,8	16,4	16,1	15,0	12,8	8,6	22,50	22,50	23,00	26,00	28,32	31,58	34,22		
13	SE	4	17	—	0	—	0	17,4	17,4	16,7	14,4	14,3	10,4	8,8	21,50	21,50	24,50	27,50	30,07	33,26	34,68		
14	SE	4	17	S	13	—	0	17,6	17,5	16,4	15,4	15,1	11,9	9,4	22,00	22,00	22,00	26,00	28,93	32,67	34,53		
15	E	3	15	—	0	—	0	17,6	17,5	17,5	15,9	14,9	10,7	9,2	22,00	21,50	22,00	25,50	28,21	32,90	34,40		
16	ESE	3	16	S	8	S	8	17,6	17,6	17,5	17,4	14,4	10,5	8,6	21,00	21,00	21,50	23,00	29,21	33,42	34,35		
17	SE	4	16	—	0	S	8	17,4	17,4	17,4	17,4	14,9	11,1	8,8	20,50	20,50	21,50	22,00	28,00	33,42	34,41		
18	SW	4	17	SW	32	—	0	17,6	17,4	17,2	17,4	14,9	10,4	8,2	20,50	21,00	21,00	22,50	28,17	33,88	34,85		
19	WtN	6	15	NW	67	NW	55	17,5	17,4	17,4	17,4	14,6	10,1	8,1	22,00	22,00	22,00	22,00	29,61	33,98	34,94		
20	WSW	3	16	W	71	W	56	16,9	16,7	16,3	16,3	16,1	10,4	8,5	21,50	22,50	24,50	27,50	29,97	33,77	34,93		
21	W	4	17	E	67	E	47	17,1	16,6	16,2	15,8	14,5	10,8	9,2	22,25	25,93	29,59	31,55	32,62	33,88	34,24		
22	SSE	6	17	S	17	—	0	17,3	17,3	17,2	16,7	15,7	13,0	9,2	22,50	22,50	22,50	24,50	29,55	33,40	33,64		
23	SE	3	18	—	0	—	0	17,7	17,5	17,3	16,7	15,6	11,8	9,1	21,50	21,50	22,00	24,00	31,82	33,72	33,77		
24	WSW	5	16	—	0	—	0	17,9	17,8	17,4	17,1	14,4	11,5	9,1	21,00	21,00	21,50	22,50	30,39	33,58	33,84		
25	NW	8	16	—																			
26	W	5	16	—	0	N	13	16,9	16,9	15,8	15,8	15,8	12,3	10,0	24,00	24,00	30,00	31,50	32,53	33,22	34,30		
27	W	4	16	N	35	N	20	16,8	15,9	14,8	15,4	14,7	14,5	10,5	23,50	29,00	30,50	32,50	33,04	33,61	33,85		
28	W	7	16	N	77	N	43	16,6	15,9	16,5	16,4	16,3	16,1	12,0	25,00	31,50	32,50	32,50	33,12	33,14	33,75		
29	NNW	3	16	N	35	N	34	16,8	16,9	15,9	15,8	15,8	14,0	12,0	27,00	32,00	32,50	32,50	33,27	33,43	33,66		
30	NW	3	16	—	0	—	0	16,6	16,0	16,0	15,9	16,0	13,2	12,1	27,00	32,00	32,50	32,50	33,27	33,56	33,63		
31	NW	1	17	—	0	—	0	17,5	17,0	16,0	15,7	15,3	13,1	12,0	24,00	32,00	32,50	33,00	33,29	33,53	33,68		
Medeltal			16					16,8	16,4	16,0	15,6	14,8	12,5	9,7	23,20	25,60	26,70	28,10	30,40	32,62	33,7		

VINGA

57° 34' 00" N

11° 36' 00" E

Augusti

Observatör: N. Pehrsson

1950

Datum	Vind Rikttn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰						
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m
			Rikttn.	cm/sek.	Rikttn.	cm/sek.														
1	SSE	2	16	S	83	S	21	18,0	16,0	16,1	14,9	14,5	12,2	23,79	29,02	31,68	32,31	32,79	33,07	33,57
2	SE	4	16	S	47	S	23	17,7	17,4	17,2	14,8	14,0	12,3	25,00	26,00	28,50	31,00	32,31	32,56	33,55
3	E	6	16	SE	42	S	23	17,4	17,6	17,6	17,8	15,8	15,4	23,00	23,50	24,00	25,00	28,61	32,59	33,60
4	NE	5	17	S	19	NW	9	17,4	17,4	17,3	17,1	16,6	15,3	22,00	22,00	22,00	24,00	27,72	32,95	33,68
5	E	1	17	S	12	—	0	18,2	17,9	17,7	16,4	15,6	11,1	9,4	21,00	21,00	26,00	28,00	31,19	33,86
6	E	1	20	S	37	SW	23	18,4	18,4	18,0	17,3	16,5	14,8	10,1	21,00	21,00	23,00	26,00	28,12	32,61
7	S	3	17	SSE	50	SW	12	18,6	18,4	17,3	16,6	15,8	11,3	10,3	20,50	21,50	25,00	29,50	31,19	33,74
8	E	2	17	SSE	33	SW	27	18,5	18,6	16,8	16,5	16,4	11,9	10,2	19,41	20,50	24,50	29,50	31,54	33,68
9	SE	5	16	S	19	S	10	18,2	18,1	17,2	16,7	16,5	13,3	11,2	20,50	20,50	24,50	25,00	30,76	33,49
10	SW	5	17	S	16	—	0	18,4	18,4	18,2	18,4	17,2	15,3	12,2	20,50	20,50	20,50	20,50	26,79	32,76
11	S	3	17	S	13	—	0	18,4	18,4	18,5	18,6	17,4	10,8	8,2	18,69	18,90	18,82	19,04	25,05	33,96
12	SW	3	17	W	21	—	0	18,6	18,6	18,6	18,0	16,1	9,9	8,1	19,10		20,50	24,00	27,72	34,57
13	SW	7	18	S	16	SW	9	18,5	18,4	18,4	18,4	16,4	10,6	9,2	20,00	20,00	21,00	21,50	27,97	34,24
14	W	3	18	N	23	NW	18	18,3	18,2	18,2	18,5	14,6	10,9	9,8	20,50	21,00	23,00	23,00	32,65	34,19
15	W	5	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16	SSE	8	18	—	0	SSE	23	18,2	18,2	18,2	17,6	15,9	12,7	12,0	20,50	21,00	21,00	24,00	30,72	33,59
17	NW	3	16	—	0	NW	13	18,2	18,2	18,2	18,0	16,6	13,7	11,2	20,50	20,50	20,50	21,50	29,42	34,03
18	E	7	18	SE	9	NE	11	18,2	18,2	18,1	17,9	17,6	12,8	11,2	21,00	21,00	21,00	22,50	23,56	34,02
19	WSW	5	17	NW	27	N	18	18,0	17,8	17,8	18,0	18,2	14,3	11,9	21,50	21,50	20,50	21,00	20,59	33,72
20	SW	3	18	S	12	—	0	18,1	18,1	18,4	17,2	17,2	12,3	11,4	20,50	20,50	20,50	21,50	21,57	33,95
21	SW	3	18	NW	9	—	0	18,3	18,3	18,4	17,9	17,7	12,6	11,1	19,97	19,72	20,17	21,39	25,48	33,76
22	SW	2	19	—	0	—	0	18,3	17,8	17,5	17,2	16,7	12,6	11,9	21,50	22,00	22,50	25,00	32,76	33,86
23	SE	5	18	NE	18	—	0	18,6	18,6	18,3	17,4	15,6	12,2	11,4	20,50	20,50	23,00	23,50	31,56	33,91
24	ESE	6	14	SE	26	S	12	18,4	18,4	18,4	17,6	16,2	12,4	11,8	21,00	21,00	21,50	24,50	29,82	33,85
25	SE	6	18	SE	12	S	10	18,6	18,2	18,2	18,2	18,1	15,7	11,4	21,00	21,00	21,00	22,50	20,77	32,79
26	S	2	18	—	0	—	0	18,1	18,1	18,2	18,2	16,2	13,3	10,2	20,50	20,50	21,50	22,00	31,00	34,16
27	SE	7	17	N	19	NW	9	18,2	18,3	18,2	18,0	16,2	13,1	12,2	21,00	21,00	22,00	22,50	30,90	33,96
28	WSW	5	17	NW	38	N	20	18,1	18,1	18,2	18,2	16,7	14,6	12,4	21,00	21,00	21,50	21,50	31,17	34,39
29	E	4	14	NE	23	N	16	18,2	18,2	18,0	18,0	17,9	14,2	12,6			21,00	22,00	32,50	34,20
30	W	6	15	SW	34	SW	23													
31	W	6	16	N	42	NW	34	17,6	16,9	17,3	17,1	16,2	14,4	12,6	22,00	25,00	27,50	27,50	31,40	34,22
Medeltal		17						18,2	18,0	17,9	17,5	16,4	13,0	11,1	21,00	21,50	22,70	24,20	28,88	33,68

VINGA

57° 34' 00" N

11° 36' 00" E

September

Observatör: N. Pehrsson

1950

Datum	Vind Rikttn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C							Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m	
			Rikttn.	cm/sek	Rikttn.	cm/sek															
1	NE	3	15,0	E	11	NW	21	16,8	17,0	17,4	17,5	17,2	15,3	13,4	20,49	20,34	29,61	30,29	31,22	34,48	34,51
2	SE	3	15,0	SE	9	N	16	17,2	17,4	17,5	17,5	16,7	13,9	13,3	23,00	26,00	31,00	32,00	33,03	34,42	34,45
3	ESE	3	16,0	SE	9	—	0	17,4	17,4	17,6	17,8	17,6	14,6	13,3	23,00	23,50	25,00	29,00	32,98	34,27	34,43
4	S	2	15,0	S	17	SW	12	16,6	17,3	17,5	16,8	17,3	15,1	12,4	20,50	22,00	24,50	30,00	33,37	34,34	34,39
5	S	5	17,0	SE	26	N	9	16,8	17,0	17,3	16,4	16,2	15,3	13,6	20,50	21,00	23,00	30,50	32,80	34,35	34,40
6	W	5	16,0	—	0	—	0	17,0	16,8	17,0	16,7	17,0	14,4	12,4	21,00	21,00	22,50	27,50	31,56	34,36	34,34
7	S	10	16,0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	SW	8	14,0	NW	35	NW	12														
9	NW	9	14,0	N	18	—	0														
10	NW	6	13,0	N	34	N	26	15,8	15,8	16,5	16,4	16,5	16,5	15,80	27,00	27,00	33,00	33,00	33,58	33,74	34,07
11	WSW	5	14,0	—	0	—	0	15,7	16,3	16,5	16,6	16,6	16,5	16,3	29,50	32,00	32,50	33,00	33,35	33,48	33,80
12	SW	4	15,0	SW	18	S	12	15,5	16,2	16,4	16,4	16,5	16,4	15,9	29,76	31,75	32,50	32,98	33,24	33,63	33,99
13	W	7	15,0	SW	16	S	11	15,4	15,7	16,3	16,5	16,3	16,3	15,7	28,50	29,00	32,00	32,50	33,53	33,86	34,07
14	S	4	16,0	SE	12	NW	9	15,6	15,7	15,7	16,4	16,4	16,4	15,4	30,00	30,50	30,50	33,50	33,43	33,68	33,96
15	SW	2	14,0	SE	12	—	0	15,0	15,5	15,7	16,0	15,8	16,3	16,6	26,50	29,00	31,50	32,50	32,38	33,66	33,89
16	ESE	4	16,0	—	0	—	0	15,6	15,6	15,8	15,8	15,7	16,2	16,1	30,00	30,00	31,00	31,50	31,96	33,10	33,58
17	SSW	4	15,0	S	29	SE	23	15,3	15,4	15,7	15,9	15,9	16,1	15,7	29,50	29,50	30,50	31,50	31,73	33,19	33,79
18	SSW	7	15,0	SE	17	—	0														
19	SW	6	14,0	SW	14	N	18	15,2	15,4	15,8	16,0	15,9	15,4	15,4	25,50	30,00	30,50	31,00	32,24	33,58	33,62
20	W	7	13,0	SE	27	N	12														
21	S	2	13,0	SE	34	N	10	15,1	15,4	15,7	15,7	15,7	16,2	15,1	26,80	28,60	31,42	32,37	32,83	33,77	33,96
22	SSE	2	12,0	SE	27	—	0	14,2	15,4	15,8	15,8	16,1	16,2	15,1	24,50	29,50	32,50	32,50	33,41	34,00	34,04
23	—	0	14,0	SE	18	S	7	13,8	15,0	15,5	15,7	15,8	15,8	15,4	24,00	28,00	31,00	33,00	33,18	33,66	33,97
24	SW	2	13,0	—	0	—	0	13,9	14,5	14,6	14,9	15,8	15,4	15,3	24,50	27,50	30,50	32,50	33,12	33,86	33,77
25	SE	5	12,0	SE	34	SE	14	14,4	14,6	14,9	15,3	15,5	15,3	15,3	26,00	27,00	30,00	32,50	32,68	33,68	33,81
26	ESE	2	14,0	SE	14	E	8	14,3	14,5	14,6	14,6	15,5	15,3	15,4	26,00	27,00	29,50	32,00	32,53	33,38	33,64
27	WNW	5	12,0	SE	20	S	17	13,9	14,1	14,4	14,5	14,9	15,4	15,2	25,00	26,00	28,00	29,50	30,71	33,38	33,73
28	SE	7	13,0	SE	31	S	18														
29	W	9	12,0	W	12	NW	20	13,8	13,8	15,4	15,6	15,8	15,6	15,0	27,50	27,50	32,00	32,50	32,79	33,33	33,96
30	W	5	12,0	ESE	10	—	0	13,7	14,7	15,0	15,0	15,0	15,5	15,1	27,50	31,50	32,50	32,50	32,69	33,64	33,92
31																					
Medeltal			14,2					15,3	15,7	16,0	16,1	16,2	15,6	14,9	25,70	27,30	29,90	31,70	32,68	33,79	34,00

VINGA

Oktober

57° 34' 00" N

Observatörer: N. Pehrsson o. E. Garin

11° 36' 00" E

1950

Datum	Vind Rikt. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Rikt.	cm/sek.	Rikt.	cm/sek																
1	SSE	5	13,0	—	0	—	0	14,1	14,2	14,2	14,3	14,5	14,9	15,5	30,55	30,83	31,02	31,06	32,09	33,07	33,79	
2	SSW	9	13,0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	W	7	11,0	SE	7	N	30	13,8	13,8	14,0	14,3	14,4	14,6	14,8	29,50	29,50	30,50	31,50	31,97	32,42	33,12	
4	WSW	7	11,0	N	18	SW	10	13,3	14,3	14,4	14,3	14,4	14,4	14,5	28,00	32,00	32,50	32,50	32,68	32,63	32,85	
5	SSW	3	13,0	SSW	12	SSW	8	13,3	14,1	14,3	14,3	14,4	14,7	14,8	28,50	31,50	32,50	32,50	33,03	33,47	33,52	
6	S	6	14,0	S	50	—	0	14,0	14,2	14,4	14,4	14,5	14,6	14,7	31,00	31,00	32,00	32,00	32,64	32,77	33,39	
7	SW	5	13,0	SW	33	—	0	13,6	13,5	13,7	13,9	14,0	14,2	14,5	27,50	27,50	29,50	30,50	31,11	31,61	32,98	
8	SSW	5	12,0	SSW	50	N	10	13,2	13,2	13,9	13,9	14,0	14,1	14,0	26,50	27,00	31,00	31,50	31,50	32,57	33,67	
9	WSW	8	11,0	SW	29	—	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	SSW	6	11,0	SSW	53	SSW	8	13,6	13,8	13,9	13,8	13,8	13,9	14,1	31,50	31,50	31,50	32,00	32,56	32,84	32,74	
11	SSW	7	10,0	S	50	S	23	13,1	13,1	13,2	13,4	13,3	13,8	13,9	28,86	—	31,10	31,67	32,17	32,83	32,81	
12	NNW	5	11,0	NNW	22	—	0	12,4	12,6	13,8	13,8	13,4	13,4	13,7	26,00	26,50	32,00	32,00	33,07	33,12	33,49	
13	W	2	12,0	SW	25	—	0	12,1	12,6	13,0	13,6	13,6	13,4	13,6	27,00	—	31,00	31,00	32,54	33,04	33,39	
14	SSE	5	11,0	SSE	17	—	0	12,6	12,6	12,6	13,5	13,6	13,7	13,7	29,50	—	29,50	30,50	31,62	32,56	32,84	
15	SSW	3	12,0	SSW	25	—	0	12,5	12,6	12,6	12,6	12,6	13,5	13,7	29,00	29,00	29,00	29,00	29,90	31,17	33,12	
16	SW	3	11,0	SSW	10	—	0	12,5	12,6	12,5	12,5	12,5	12,9	13,7	29,00	29,00	—	—	28,94	30,14	32,79	
17	SW	8	11,0	SSW	10	—	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18	W	8	11,0	SW	12	S	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20	W	9	10,0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21	N	9	10,0	N	27	N	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	NE	3	6,0	NE	13	N	11	11,4	11,6	11,7	11,8	12,0	12,6	13,1	30,50	30,50	—	—	31,16	32,70	33,58	
23	WNW	4	9,0	W	16	W	10	11,4	11,5	11,5	11,6	11,8	12,4	12,8	30,00	30,00	30,50	31,00	31,31	32,20	32,76	
24	NE	5	6,0	—	0	—	0	11,5	11,5	11,6	13,2	13,3	13,2	13,0	30,00	30,00	30,00	31,50	31,92	32,02	32,27	
25	E	3	6,0	SE	12	—	0	10,7	11,0	11,2	11,4	12,1	12,6	12,9	29,50	29,50	30,00	30,50	30,49	31,20	31,67	
26	E	4	5,0	SE	19	S	12	10,4	10,4	11,7	11,8	11,9	11,6	12,2	28,00	28,00	—	—	30,10	30,24	31,28	
27	NE	5	4,0	E	19	SE	16	10,2	10,2	11,7	11,9	12,1	11,4	12,6	27,50	27,50	—	—	29,81	30,14	34,05	
28	NE	7	3,0	S	23	NW	16	10,1	10,2	10,2	10,4	11,0	12,2	11,8	27,50	28,00	—	—	28,50	29,76	31,93	
29	E	4	5,0	S	20	NE	10	10,2	10,3	10,4	10,9	10,8	11,8	11,9	28,00	28,00	30,50	31,00	—	—	34,17	
30	SE	4	6,0	N	36	NW	23	9,4	9,5	9,8	10,0	10,2	11,8	12,2	25,50	26,50	—	—	27,98	30,42	31,91	
31	SE	3	7,0	S	34	—	0	8,4	8,7	9,7	9,9	9,8	11,6	11,9	23,50	23,50	27,50	27,50	28,21	30,69	34,72	
Medeltal	—	9,6	—	—	—	—	—	12,0	12,2	12,5	12,7	12,8	13,2	13,5	28,40	28,90	30,65	30,93	31,04	31,97	33,15	

VINGA

November

57° 34' 00" N

Observatör: E. Garin

11° 36' 00" E

1950

Datum	Vind	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Rikt. n.	cm/sek	Rikt. n.	cm/sek																
1	W	3	7,0	NNW	44	NNW	22	9,0	9,4	9,5	9,7	9,7	11,6	11,0	23,98	26,04	27,46	27,85	28,28	30,68	34,86	
2	E	4	5,0	—	0	—	0	8,8	10,0	10,1	9,4	9,6	11,1	9,8	24,60	26,70	27,40	27,60	28,07	30,50	35,01	
3	ESE	7	6,0	SSE	37	SSE	18	8,1	8,6	9,2	9,2	9,7	11,8	11,4	24,40	24,50	26,30	27,50	28,25	31,16	35,01	
4	NE	5	4,0	ENE	56	NE	35	8,5	8,5	8,5	9,6	9,8	10,1	8,6	24,20	24,20	25,00	26,50	27,92	34,51	35,09	
5	NE	5	5,0	NE	33	NE	13	7,5	7,5	8,6	9,7	10,0	10,4	8,4	23,30	23,40	25,00	27,10	28,38	33,97	35,10	
6	NE	6	2,0	—	0	—	0	7,1	7,2	8,0	9,7	10,0	9,3	8,1	22,50	23,40	24,80	27,60	29,90	34,83	35,07	
7	NE	5	3,0	NE	29	NE	27	6,7	6,8	10,0	10,3	10,8	9,9	8,2	24,00	24,00	26,00	28,00	30,38	34,85	35,16	
8	NNE	3	3,0	—	0	NW	12	7,3	7,3	8,3	9,9	11,4	9,5	8,2	24,60	24,60	25,70	27,60	30,34	34,94	35,11	
9	SSE	3	7,0	NW	31	N	21	6,7	7,0	7,6	9,0	10,8	10,2	8,4	23,70	24,10	25,90	27,30	30,21	34,75	35,01	
10	SW	3	7,0	—	0	—	0	7,2	7,2	9,2	10,3	10,7	9,2	8,3	25,10	25,20	27,50	28,50	30,14	35,00	35,11	
11	SSE	6	7,0	—	0	—	0	7,0	7,0	7,0	9,4	10,5	11,6	8,2	24,33	24,25	24,36	27,21	29,66	34,56	35,10	
12	S	4	7,0	S	17	S	25	7,0	7,0	7,5	9,4	10,7	8,2	7,9	24,30	24,30	26,00	27,70	30,86	35,06	35,15	
13	SW	7	8,0	S	16	S	11	6,8	6,9	7,0	7,4	8,4	10,4	8,2	24,20	24,20	24,50	25,00	27,02	34,49	34,95	
14	WNW	5	7,0	N	65	N	56	7,0	7,0	7,4	8,2	8,4	8,6	8,0	24,50	24,60	25,20	28,00	—	34,71	34,90	
15	WSW	3	5,0	NNW	125	NNW	91	7,2	7,2	7,2	7,8	8,7	8,0	7,8	24,70	24,70	25,10	25,30	34,67	34,89	34,94	
16	W	5	6,0	NW	50	NW	59	7,0	7,2	8,3	9,7	9,1	8,3	8,1	26,50	26,30	28,80	29,70	33,94	34,91	34,94	
17	W	3	6,0	W	67	W	48	7,7	8,2	9,6	9,6	10,6	8,3	8,3	27,30	28,60	29,80	31,20	31,91	34,91	34,96	
18	NNW	3	2,0	—	0	—	0	7,4	7,5	8,2	9,7	9,6	8,6	8,2	25,80	25,80	27,80	29,90	32,08	34,06	34,93	
19	SE	4	1,0	S	16	S	10	7,5	7,3	7,3	8,8	9,2	8,7	8,3	25,80	25,80	27,60	29,80	32,19	33,79	34,95	
20	SE	8	3,0	S	15	—	0	6,8	6,7	6,7	6,4	6,5	9,6	8,4	25,30	25,40	25,40	25,70	25,84	32,80	34,72	
21	S	7	3,0	—	0	—	0	6,3	6,3	6,3	6,4	6,4	8,6	8,2	25,75	25,70	25,75	25,76	25,90	32,80	34,68	
22	ESE	5	4,0	—	0	—	0	6,1	6,1	6,1	6,2	6,2	6,4	8,1	25,50	25,60	25,70	25,70	25,72	34,24	34,69	
23	NE	3	6,0	—	0	—	0	5,7	5,7	5,8	6,5	6,5	8,2	8,1	24,70	24,70	24,90	25,80	26,17	34,08	34,74	
24	SW	7	5,0	S	13	S	11	5,8	5,8	6,0	6,0	6,5	8,2	8,2	24,70	24,70	24,90	24,90	25,63	34,49	34,76	
25	W	3	5,0	N	37	N	22	6,1	6,1	6,6	6,6	7,2	8,5	8,5	24,70	24,70	25,50	26,00	28,51	34,66	34,87	
26	E	2	2,0	—	0	E	11	5,0	5,1	6,5	6,5	8,1	8,3	8,5	23,80	23,80	24,90	25,80	33,25	34,79	34,96	
27	W	7	7,0	NW	80	NW	56	6,3	6,3	6,4	6,4	6,3	8,5	8,5	24,70	24,60	25,00	26,80	34,26	24,87	35,05	
28	SW	5	6,0	NW	27	NW	16	6,3	6,2	6,2	6,2	8,5	8,3	8,5	24,30	24,50	24,50	24,40	33,98	34,75	35,01	
29	NNW	3	4,0	N	56	N	37	5,8	5,8	5,9	7,6	8,1	8,6	8,5	24,40	24,40	24,70	—	32,27	32,34	34,82	
30	NNW	2	1,0	—	0	—	0	5,9	5,9	7,5	7,8	8,2	8,2	8,2	24,50	24,30	—	—	33,42	34,72	34,74	
31																						
Medeltal		4,8						6,9	7,0	7,6	8,3	8,9	9,2	8,5	24,70	24,90	25,90	27,40	29,82	34,04	34,95	

VINGA

57° 34' 00" N

11° 36' 00" E

December

Observatör: E. Garin

1950

Datum	Vind Riktn. Styrka	Luft- temp.	Ström från				Vattnets temperatur i °C								Vattnets salthalt i ‰							
			0 m		30 m		0 m	5 m	10 m	15 m	20 m	30 m	40 m	0 m	5 m	10 m	15 m	20 m	30 m	40 m		
			Riktn.	cm/sek.	Riktn.	cm/sek																
1	SSW	8	5,0	SW	53	SW	59															
2	SW	5	5,0	WSW	167	WSW	17	6,0	6,1	6,2	6,2	6,6	8,3	8,4	26,18	26,54	27,80	28,05	29,73	34,42	34,78	
3	WSW	5	4,0	SW	77	SW	54	6,0	6,0	6,2	6,2	6,3	8,4	8,3	25,80	25,80	27,40	27,60	31,22	34,67	34,87	
4	—	0	2,0	W	34	W	52	5,0	5,5	6,2	6,2	8,2	8,0	8,6	24,60	24,80			33,33	34,19	34,83	
5	SSW	4	3,0	W	21	—	0	5,2	5,5	5,5	6,0	6,8	8,2	7,8	24,60	24,80	25,10		32,34	34,02	34,29	
6	SE	4	0,0	SW	17	SW	16	4,2	5,0	5,4	6,0	6,6	6,9	7,8	24,70	24,90			33,23	33,60	33,57	
7	SE	3	2,0	S	60	S	25	4,7	4,7	4,6	5,0	6,0	6,6	8,0	24,50	25,50			33,24	33,69	33,68	
8	SE	3	2,0	S	63	S	21	4,7	5,0	4,7	4,6	5,8	6,6	8,1	25,30	25,40	25,70	26,50	30,80	33,54	34,47	
9	SW	5	3,0	SSW	83	SSW	56	4,6	4,7	5,0	4,3	6,8	7,9	8,1	24,35	24,30		26,47	33,39	34,20	34,48	
10	SSE	4	1,0	SSW	44	SSW	33	4,4	4,4	4,6	4,7	5,8	7,7	8,1	23,53	23,51	24,50	24,87	29,51	33,93	34,42	
11	S	9	3,0	SSW	50	SSW	28															
12	WSW	5	3,0	SW	36	S	12	4,4	4,6	4,6	5,0	5,0	7,2	8,0	23,78	23,74	23,86	24,13	25,75	33,48	34,29	
13	W	5	3,0	SE	18	SE	17	4,3	4,4	4,4	4,5	4,7	7,5	7,7	23,68	23,63	23,60	23,93	26,02	33,77	34,28	
14	S	5	0,0	—	0	N	22	4,1	4,1	4,4	4,4	4,5	6,8	7,7	24,04	24,33	24,33	24,74	25,86	33,32	34,12	
15	SE	4	3,0	S	11	S	15	3,7	3,7	4,1	4,2	4,2	7,3	8,0	22,56	22,49	23,53	24,06	25,41	33,68	34,20	
16	SE	4	3,0	—	0	—	0	3,7	3,7	4,1	4,3	4,3	7,2	6,9	22,77	22,67	23,79	24,26	25,37	33,61	34,05	
17	SSE	3	2,0	SE	17	S	9	4,0	4,2	4,5	4,8	5,2	7,1	7,6	23,80	23,76	24,23	24,81	30,23	32,07	32,37	
18	S	5	3,0	SW	17	—	0	4,0	4,0	4,0	4,3	6,5	7,5	7,5	23,83	23,72	23,77	23,91	24,96	24,71	34,06	
19	ESE	1	0,0	S	15	S	18	3,7	3,7	3,8	4,3	7,7	7,5	7,5	23,63	23,50	23,54	25,09	33,83	33,74	34,05	
20	NE	5	—1,0	—	0	—	0	3,1	3,1	3,5	4,0	6,0	6,5	7,4	22,63	22,56	23,58	24,81	32,36	33,68	34,04	
21	E	3	2,0	—	0	—	0	3,0	3,5	4,0	4,5	6,0	7,2	7,5	22,56	23,46	24,77	25,49	31,08	33,71	34,03	
22	E	4	2,0	—	0	—	0	3,0	3,0	4,0	4,1	5,2	7,3	7,8	22,83	22,94	24,79	24,87	28,89	33,77	34,00	
23	ENE	4	1,0	ENE	15	—	0	2,5	2,7	3,0	6,1	6,2	7,9	7,1	22,40	22,32	23,02	32,56	33,14	33,79	33,78	
24	NNE	5	1,0	S	18	SE	13	2,4	2,7	2,9	3,8	6,2	6,8	7,2	22,67	22,55	22,51	24,56	33,21	33,78	34,11	
25	NW	4	—1,0	N	12	NW	12	2,3	2,4	4,6	6,5	7,1	7,4	7,8	22,76	22,94	27,08	33,07	33,94	34,30	34,68	
26	NE	4	—3,0	SE	20	E	10	1,9	2,1	5,8	6,2	6,4	7,2	6,8	22,61	22,56	28,95	32,95	33,92	34,64	34,77	
27	ENE	3	—3,0	—	0	—	0	1,6	1,7	4,9	6,2	6,2	7,2	7,5	23,18	23,09	26,64	32,83	33,33	34,33	34,40	
28	SW	3	—1,0	SW	37	SW	16	1,2	1,2	4,1	5,2	5,6	7,2	7,2	23,24	23,39	27,64	31,82	32,79	33,74	33,80	
29	NE	1	—3,0	SW	10	—	0	1,0	1,5	4,8	5,0	5,5	6,5	7,2	21,80	22,89	25,93		32,65	33,42	33,92	
30	SE	4	—3,0	SE	12	N	17	0,7	1,0	4,9	5,0	5,5	6,7	7,5	20,40	21,15	25,93	29,86	32,16	33,83	34,68	
31	NE	1	—2,0	—	0	—	0	0,7	1,0	1,8	5,1	5,7	7,0	7,4	22,56	22,80	23,09	28,16	31,85	33,77	34,83	
Medeltal		1,2						3,5	3,6	4,5	5,1	6,0	7,3	7,8	23,53	23,63	25,90	27,06	30,81	33,50	34,20	

BORNÖ

58° 22' 51" N

11° 35' 03" E

Januari

Observatör: Oscar Åkermo

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1																
2	5,30	5,83	6,43	6,70	7,70	8,02	8,26	8,50	27,47	28,02	29,98	30,56	31,75	32,78	33,39	33,38
3	4,09	5,84	6,04	5,98	7,68	8,03	8,01	8,26	26,38	29,31	30,44	30,98	32,31	32,85	33,35	33,40
4	2,86	5,93	5,88	5,79	7,64	8,05	7,98	8,04	26,03	29,93	30,95	31,22	32,50	33,15	33,40	33,50
5	2,06	6,33	6,08	7,45	7,86	7,65	7,60	7,68	26,30	30,67	31,22	32,20	33,03	33,25	33,25	33,40
6																
7	1,63	5,91	7,07	7,90	7,69	7,53	7,50	7,60	28,56	30,69	31,88	32,90	33,12	33,25	33,35	33,37
8																
9	2,20	2,61	4,02	5,42	5,97	6,61	7,72	7,92	26,45	28,85	30,40	31,06	31,46	31,70	32,84	33,54
10	1,28	2,63	4,71	5,76	6,09	7,52	7,82	7,83	27,84	28,55	30,48	31,00	31,33	32,70	33,20	33,18
11	0,88	2,79	4,04	4,92	5,88	6,77	7,72	7,85	27,90	29,30	30,28	30,70	31,36	32,03	32,55	33,08
12	2,20	2,22	2,31	3,52	4,09	4,82	6,05	7,40	29,20	29,19	29,16	29,90	30,30	30,66	31,37	32,60
13	0,42	1,71	1,93	2,35	3,10	4,02	5,94	7,42	27,33	28,80	28,93	29,29	29,60	30,31	31,38	32,50
14									27,55	28,88	28,95	29,18	29,50	31,28	32,35	32,90
15																
16	1,75	1,87	1,88	1,89	2,03	6,62	7,63	7,72	28,22	28,75	28,80	29,00	29,05	31,91	32,92	33,25
17	1,57	1,59	1,66	6,51	7,42	7,53	7,40	7,26	27,72	28,00	28,20	32,15	33,06	33,50	33,00	33,80
18																
19	—1,88	1,88	6,60	7,61	7,50	7,36	7,01	7,02	27,32	28,94	32,05	33,16	33,65	33,80	33,76	33,86
20	—1,08	1,58	2,11	3,11	6,50	7,65	7,39	7,24	27,36	28,80	29,08	30,05	31,96	33,27	33,55	33,60
21	—0,30	1,00	1,32	1,80	2,70	5,03	7,52	7,48	14,43	28,53	28,72	29,01	29,58	31,00	33,94	33,95
22																
23	0,02	1,82	1,73	1,41	1,60	2,03	7,52	7,47	1,84							
24	—0,07	1,74	1,66	1,50	1,90	1,56	2,77	7,31	1,87	27,85	27,90	27,94	28,17	28,51	29,60	33,11
25	—0,11	1,76	1,80	1,92	2,00	2,00	4,09	7,46	3,30	27,30	27,75	27,89	28,04	28,30	30,45	33,30
26	—0,18	1,63	1,74	1,87	1,96	3,19	7,26	7,40	1,87	27,28	27,41	27,75	28,00	29,85	33,28	33,42
27	0,05	1,58	1,77	1,88	1,81	2,30	6,81	7,41	2,29	27,06	27,37	28,12	28,17	29,16	32,69	33,50
28	0,00	1,69	1,74	1,93	1,86	3,30	7,30	7,12	2,58	27,24	27,85	27,85	28,06	29,86	33,54	33,66
29																
30	1,19	1,49	1,80	1,90	1,79	6,94	7,01	6,92	26,21	27,00	27,33	27,70	28,12	33,12	33,56	33,95
31	1,13	1,65	1,91	4,39	7,33	7,11	6,99	6,83	26,31	27,01	27,73	30,56	33,95	33,75	33,82	33,80
Medeltal	1,09	2,74	3,31	4,07	4,79	5,72	7,01	7,53	20,51	28,56	29,25	30,01	30,70	31,74	32,81	33,38

BORNÖ

58° 22' 51" N

11° 35' 03" E

Februari

Observatör: Oscar Åkermo

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1	1,11	1,78	1,91	2,38	6,79	7,32	7,22	7,02	25,87	27,15	28,00	28,75	32,69	33,44	33,60	33,85
2	0,60	0,90	1,40	1,70	2,00	2,73	7,10	7,12	26,30	26,85	27,36	27,86	28,44	29,16	33,20	33,70
3	-0,43	-0,16	0,43	0,82	1,40	1,74	2,66	6,40	24,54	25,19	25,74	26,47	27,10	27,20	29,05	32,50
4	-0,37	-0,12	0,15	0,46	0,87	1,23	1,84	6,21	22,66	23,35	23,85	24,00	25,14	26,93	28,21	32,42
5																
6	-0,08	-0,09	-0,16	-0,18	-0,21	0,21	1,93	4,51	11,66	23,30	23,36	23,33	23,35	25,40	27,70	31,05
7	-0,13	-0,09	-0,11	-0,18	-0,12	1,88	4,53	6,63	14,68	23,24	23,26	23,45	24,54	25,87	30,78	33,15
8	-0,09	-0,08	-0,17	1,80	5,71	6,02	6,42	6,38	5,65	23,11	23,44	26,88	32,70	33,22	33,98	33,90
9	0,00	-0,08	0,08	6,00	6,58	6,56	6,42	6,36	4,76	23,20	24,90	33,19	33,61	33,82	33,98	33,95
10	-0,15	-0,10	-0,13	6,41	6,48	6,50	6,31	6,21	4,13	23,22	23,66	33,44	33,60	33,74	34,00	34,05
11	-0,09	-0,13	6,12	6,50	6,32	6,16	6,11	6,08	22,82	23,28	33,05	33,77	33,99	34,01	34,15	34,10
12																
13	-0,21	0,53	3,73	6,53	6,40	6,31	6,11	6,10	9,64	25,54	30,00	33,75		33,92	34,10	34,19
14	-0,10	2,18	6,43	6,34	6,20	6,11	6,10	6,10	22,88	28,46	33,66	33,95	34,00	34,12	34,35	34,25
15	-0,28	5,27	6,49	6,31	6,13	6,10	6,10	6,11	9,62	32,30	33,85	34,05	34,08	34,10	34,15	34,25
16	-0,30	0,78	3,87	6,47	6,44	6,15	6,10	6,12	21,45	25,25	30,45	33,48	33,85	34,09	34,15	34,28
17	0,11	0,63	0,95	1,71	5,80	6,51	6,30	6,12	9,48	23,90	24,99	26,85	32,75	33,94	34,05	34,10
18	-0,10	1,02	1,00	1,09	5,72	6,31	6,13	6,12	3,01	24,00	24,26	24,57	32,77	33,75	34,20	34,15
19																
20	0,82	1,18	1,18	5,09	5,92	6,16	6,34	6,20	11,28	23,80	24,57	33,00	33,52	33,71	33,90	34,05
21	0,62	1,19	4,72	5,87	6,11	6,10	6,22	6,18	11,38	24,05	32,53	33,35	33,66	33,90	34,05	34,20
22	1,18	4,48	5,20	5,10	5,82	6,18	6,30	6,27	23,07	31,55	33,09	33,45	33,70	33,95	34,01	34,03
23	1,10	1,62	1,84	2,20	2,81	5,73	6,20	6,29	20,17	24,09	25,50	26,40	27,63	33,05	33,75	33,95
24	0,29	1,81	2,22	5,20	5,22	5,40	6,00	6,12	15,04	25,01	26,23	33,30	33,55	33,70	33,90	34,05
25																
26	0,00	3,08	4,26	4,81	4,73	5,38	5,38	5,44	2,27	28,55	32,76	33,25	33,30	33,45	33,55	33,70
27	1,21	4,13	4,55	5,00	5,01	5,31	5,46	5,34	23,42	32,15	32,90	33,20	33,25	33,41	33,64	33,72
28	1,60	4,13	4,30	4,52	5,13	5,14	5,41	5,68	24,75	32,43	32,85	33,11	33,35	33,45	33,60	33,75
29																
30																
31																
Medeltal	0,26	1,41	2,51	3,83	4,72	5,14	5,61	6,10	15,44	25,96	28,09	30,28	31,50	32,31	33,08	33,72

BORNÖ

58° 22' 51" N

11° 35' 03" E

Mars

Observatör: Oscar Åkermo

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1	1,87	4,02	4,12	4,63	5,21	5,40	5,40	5,64	24,88	32,50	32,84	33,17	33,42	33,51	33,66	33,73
2	1,81	4,07	4,20	4,61	5,14	5,33	5,42	5,64	24,80	32,52	32,82	33,05	33,21	33,40	33,48	33,67
3	0,46	1,10	2,11	3,89	3,93	4,20	5,03	5,33	21,87	25,75	28,55	32,27	32,57	32,90	33,31	33,55
4	0,53	0,82	0,83	1,11	1,51	3,74	4,38	5,10	22,10	23,57	24,74	25,24	26,49	31,78	33,00	33,35
5																
6	1,13	0,70	0,86	1,12	3,72	4,37	4,68	5,04	20,79	24,03	24,66	25,70	32,12	33,01	33,14	33,50
7	1,00	0,70	0,91	2,22	3,64	4,03	4,30	4,63	20,48	24,08	24,73	28,70	31,89	32,32	32,75	32,98
8	0,91	1,58	2,41	3,32	3,86	4,06	4,36	4,71	21,75	27,36	28,50	31,80	32,21	32,35	32,85	33,02
9	0,88	2,71	3,80	3,80	4,06	4,25	4,55	4,82	23,43	29,90	32,27	32,27	32,73	32,78	32,83	33,10
10	0,94	2,94	3,86	3,87	4,08	4,31	4,68	4,97	23,47	29,65	32,35	32,57	32,73	32,79	32,79	33,13
11																
12																
13																
14	1,36	3,52	4,03	4,13	4,31	4,60	5,03	5,23	24,97	31,82	32,62	32,72	32,92	33,06	33,25	33,35
15	1,56	3,73	4,11	4,23	4,60	4,80	5,06	5,30	24,58	32,12	32,70	32,95	33,05	33,22	33,26	33,46
16	1,46	3,10	4,00	4,33	4,46	4,73	5,00	5,20	23,51	30,39	32,55	32,86	32,96	33,18	33,25	33,31
17	1,92	2,30	2,61	2,96	3,79	4,00	4,40	4,70	24,50	27,10	28,64	29,80	32,00	32,43	32,99	33,12
18	2,71	2,52	2,68	2,71	2,80	2,97	4,20	4,49	26,51	27,52	28,49	28,66	29,15	29,79	32,45	32,79
19																
20	3,12	3,01	2,96	2,83	2,72	2,71	3,76	4,40	26,78	27,20	27,40	27,65	28,00	28,59	31,50	32,95
21	3,18	3,01	2,94	2,91	3,16	3,94	4,38	4,61	23,52	27,22	27,48	28,86	31,39	32,18	32,48	33,02
22	3,80	3,02	2,90	3,82	4,32	4,50	4,60	4,71	8,95	27,11	27,43	32,20	32,84	32,98	33,07	33,17
23	3,63	3,03	2,86	3,68	4,10	4,21	4,50	4,51	23,10	27,20	27,78	31,70	32,65	32,80	32,96	33,05
24	3,60	3,30	3,19	2,80	3,90	4,23	4,45	4,53	23,86	25,78	26,25	28,01	32,21	32,77	32,92	33,16
25																
26																
27	3,83	3,50	3,40	3,22	2,85	3,50	4,42	4,60	19,24	24,60	25,65	26,15	28,26	31,05	32,85	33,10
28	2,43	3,52	3,18	2,84	3,92	4,22	4,51	4,72	20,06	24,19	26,37	28,40	32,34	32,76	33,07	33,28
29	5,08	3,87	3,22	3,24	4,03	4,17	4,36	4,42	19,78	23,82	26,30	30,12	32,44	32,76	32,95	33,00
30	4,41	3,50	3,15	3,98	4,20	4,21	4,45	4,63	15,26	25,55	29,73	32,40	32,75	32,94	33,16	33,17
31	4,56	3,62	3,31	3,21	4,19	4,21	4,48	4,68	15,62	24,64	29,15	32,16	32,65	32,90	33,09	33,25
Medeltal	2,34	2,80	2,99	3,31	3,85	4,20	4,60	4,86	21,83	27,32	28,75	30,39	31,79	32,43	32,96	33,22

BORNÖ

58° 22' 51" N

11° 35' 03" E

April

Observatör: Oscar Åkermo

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1	4,96	3,84	3,69	3,38	4,14	4,26	4,56	4,70	22,93	23,12		25,43	26,62	32,14	34,17	34,14
2																
3	5,26	4,33	4,10	3,49	4,12	4,38	4,63	4,73	17,80	24,23	24,97	30,48	32,76	33,10	33,35	33,47
4	4,49	4,11	4,01	3,71	4,12	4,33	4,59	4,64	12,96	24,71	27,72	30,99	33,13	33,25	33,50	33,53
5	5,27	4,10	3,82	3,90	4,12	4,30	4,52	4,67	6,76	25,10	30,42	32,05	32,80	32,86	33,21	33,25
6	6,22	4,23	3,72	3,94	4,12	4,32	4,58	4,67	11,11	24,55	29,11	32,20	32,78	33,05	33,17	33,18
7																
8	6,40	4,03	3,87	4,04	4,23	4,41	4,60	4,70		24,85	30,82	32,50	32,90	33,02	33,13	33,28
9																
10	5,61	5,00	4,95	5,02	4,78	4,00	4,32	4,57	21,06	24,25	24,75	25,34	26,95	31,64	32,82	33,08
11	6,03	5,00	5,12	5,03	3,82	4,31	4,52	4,62	9,95	24,20	25,20	25,51	29,28	32,85	33,00	33,09
12	5,12	5,11	4,60	4,30	4,53	4,30	4,31	4,39	15,40	25,35	28,78	31,61	32,25	32,51	32,90	33,90
13	5,40	5,23	5,17	4,41	4,40	4,23	4,26	4,27	17,71	23,68	24,85	30,65	31,87	32,31	32,45	32,72
14	5,79	5,30	5,26	4,54	4,50	4,44	4,32	4,40	14,69	24,16	25,08	28,22	31,85	32,46	32,73	32,95
15	5,10	5,30	5,15	4,45	4,46	4,38	4,42	4,53	13,81	24,18	25,05	31,04	32,17	32,45	32,70	32,95
16																
17	7,20	5,30	4,70	4,50	4,49	4,49	4,50	4,54	13,49	24,82	31,62	32,00	32,50	32,63	32,88	33,06
18	6,35	5,55	5,29	4,41	4,50	4,51	4,43	4,52	16,52	24,15	26,28	30,30	30,20	32,25	32,75	32,75
19	5,82	6,00	5,42	5,11	4,50	4,43	4,50	4,52	19,60	23,12	24,48	25,62	30,47	32,05	32,61	32,90
20	6,03	5,02	5,24	4,43	4,46	4,52	4,59	4,65	20,61	23,95	25,15	31,60	32,54	32,65	32,90	32,95
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																
31																
Medeltal	5,69	4,84	4,63	4,29	4,33	4,35	4,48	4,57	15,63	24,28	26,95	29,72	31,32	32,58	32,89	33,20

BORNÖ

58° 22' 51" N

11° 35' 03" E

Maj

Observatör: Oscar Åkermo

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1																
2																
3																
4																
5																
6																
7																
8	10,32	9,30	7,60	5,52	4,53	4,56	4,71	4,81	22,12	22,81	23,65	27,78	31,56	32,54	32,90	33,05
9																
10	11,06	10,52	9,34	4,50	4,80	4,68	4,79	5,87	21,45	22,30	22,75	24,02	31,65	32,62	33,08	33,14
11	12,11	11,00	9,50	6,50	4,55	4,68	4,84	4,92	21,16	21,92	22,68	26,00	31,90	30,90	33,02	33,25
12	13,44	11,00	9,13	4,70	4,63	4,88	4,86	4,96	20,58	22,00	22,95	33,04	32,55	33,06	33,10	33,11
13	13,70	11,48	8,57	4,60	4,63	4,70	4,43	4,49	20,43	21,97	23,32	31,70	32,77	33,13	33,32	33,30
14																
15	13,70	10,23	4,68	4,80	4,68	4,88	5,05	5,18	20,14	22,45	31,51	32,85	33,11	33,27	33,35	33,49
16	12,60	9,59	5,02	4,68	4,78	4,97	5,13	5,22	20,80	22,96	30,22	32,50	32,87	33,21	33,35	33,35
17	12,00	12,14	5,22	4,62	4,72	5,05	5,15	5,31	21,40	21,41	28,97	32,32	33,01	33,28	33,40	33,49
18																
19	11,77	11,91	9,30	4,69	4,80	4,98	5,20	5,41	21,12	21,55	23,07	31,90	32,99	33,10	33,30	33,48
20	14,08	12,43	10,12	4,72	4,92	5,12	5,29	5,45	21,10	21,52	22,83	33,29	33,01	33,25	33,37	33,42
21																
22	14,28	13,69	10,92	5,01	4,78	4,99	5,30	5,51	20,07	21,00	22,22	31,00	32,77	33,18	32,98	33,50
23	14,20	13,22	12,00	9,70	4,72	4,92	5,30	5,26	20,20	21,20	21,67	23,27	32,52	32,93	33,35	33,47
24	13,01	13,18	13,47	5,42	4,80	5,13	5,58	5,98	20,40	20,37	20,95	30,11	32,82	33,30	33,58	33,80
25																
26	13,70	13,56	13,60	13,10	4,99	4,92	5,20	5,53	20,40	20,62	20,71	21,27	32,23	33,00	33,21	33,47
27																
28	13,83	13,90	13,80	5,02	5,23	5,56	5,90	6,00	20,10	20,63	20,70	32,61	33,15	33,39	33,84	33,88
29																
30	13,50	13,50	13,50	13,22	5,11	5,20	5,50	5,72	20,29	23,94	25,16	31,53	32,50		33,04	33,19
31																
Medeltal	12,96	11,92	9,74	6,30	4,79	4,95	5,14	5,35	20,74	21,79	23,96	29,70	32,59	32,94	33,26	33,40

BORNÖ

58° 22' 51" N

11° 35' 03" E

Juni

Observatör: Oscar Åkermo

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1	14,00	13,02	8,50	7,11	5,40	5,00	5,09	5,22	20,77	21,00	32,23	33,47	33,02	33,30	33,18	33,39
2																
3	14,42	14,33	11,58	10,11	9,23	7,43	5,73	5,21	20,56	20,53	28,41	30,93	31,72	32,33	32,77	32,98
4																
5	15,30	12,48	11,88	11,50	10,34	10,30	7,89	5,64	20,59	22,65	27,88	28,94	30,82	30,92	31,45	32,75
6	16,02	12,83	12,22	11,92	11,30	10,02	8,41	6,40	20,51	26,18	27,45	28,09	29,35	31,32	32,10	32,47
7																
8	17,00	15,62	12,81	12,31	11,90	10,63	9,32	5,90	20,29	22,55	26,80	27,77	28,42	30,25	31,80	32,83
9	16,73	16,48	15,30	12,80	12,01	10,30	9,12	6,00	20,93	21,81	23,35	26,86	27,95	30,65	31,75	32,61
10	16,52	16,60	15,50	12,60	10,83	8,41	6,71	5,38	21,12	21,30	23,00	27,30	29,85	32,08	32,43	33,07
11																
12	16,16	15,07	11,33	8,98	7,17	6,31	5,70	5,55	21,67	24,04	29,55	32,03	32,43	32,88	33,25	33,22
13	16,66	15,27	11,21	9,35	7,54	5,95	5,62	5,54	22,32	24,01	29,95	31,95	32,68	32,74	32,82	33,20
14	16,38	16,47	12,60	10,09	8,28	6,59	5,49	5,57	22,18	22,64	27,82	31,47	32,29	32,65	33,18	33,38
15	16,80	15,53	11,13	9,18	8,45	6,99	6,04	5,88	22,21	24,18	30,39	32,00	32,50	32,83	32,96	33,20
16	16,05	16,20	13,01	10,88	8,89	8,00	6,40	5,99	22,42	22,87	27,28	30,32	31,94	32,50	32,85	33,00
17	16,22	16,10	15,23	13,98	11,91	10,50	8,00	8,61	22,73	23,02	24,67	26,66	28,99	30,57	31,58	32,00
18																
19	15,70	15,71	14,43	13,90	11,72	9,22	8,31	6,50	23,03	23,78	25,10	26,68	28,85	31,79	32,20	32,82
20	15,90	15,72	15,20	14,46	10,94	9,20	7,85	7,40	23,00	23,50	24,71	26,15	30,10	31,81	32,55	32,55
21																
22	16,50	15,19	12,66	11,45	10,98	10,58	9,68	8,63	21,95	24,74	28,97	30,06	30,77	31,18	31,73	32,02
23																
24	15,77	15,69	15,33	14,98	14,41	12,18	11,07	9,70		23,15	24,08	24,60	25,66	29,25	30,87	31,65
25																
26	17,52	15,91	13,07	11,95	16,60	11,19	10,73	10,04	22,49	24,32	28,43	30,07	30,55	30,66	31,03	31,30
27																
28																
29	18,08	15,98	15,67	12,30	11,71	11,10	10,67	10,22	23,45	24,47	24,52	29,52	30,60	30,95	31,36	31,36
30	16,51	16,04	14,59	12,51	11,68	11,21	10,91	10,31	23,79	24,22	25,41	29,20	30,70	30,97	31,17	31,32
31																
Medeltal	16,21	15,31	13,16	11,62	10,56	9,06	7,94	6,98	21,90	23,25	27,00	29,20	30,46	31,58	32,15	32,56

BORNÖ

58° 22' 51" N

11° 35' 03" E

Juli

Observatör: August Nilsson

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1	16,15	16,21	16,16	15,80	12,24	11,69	11,26	10,84	23,97	24,10	24,13	24,60	29,63	30,36	30,75	31,22
2																
3	16,20	16,12	15,83	12,94	12,02	11,71	11,22	10,89	24,26	24,36	24,85	30,01	30,51	30,48	30,79	30,98
4	15,73	15,57	13,51	12,87	12,21	11,80	11,38	10,50	24,39	25,33	29,88	30,10	30,27	30,41	30,61	31,16
5	16,91	13,70	12,90	12,10	11,80	11,37	10,50	10,07	24,20	29,28	30,22	30,36	30,55	30,80	31,44	31,48
6	17,00	13,01	12,43	11,98	11,60	11,60	10,53	10,34	24,19	30,12	30,20	30,37	30,95	31,08	31,29	31,41
7	15,87	13,68	12,90	12,25	11,92	11,20	10,90	10,83	26,20	30,14	30,30	30,50	30,84	31,03	31,41	31,46
8	15,20	13,60	12,80	12,31	11,66	11,20	10,98	10,46	27,07	30,33	30,43	30,62	30,94	31,02	31,25	31,51
9																
10																
11	16,70	16,21	15,75	15,22	14,24	12,72	11,82	11,37	28,88	29,56	29,54	29,59	29,94	30,17	30,88	31,08
12																
13	16,80	16,91	16,63	16,63	15,70	13,80	11,90	11,10	26,00	26,75	28,24	28,92	29,45	30,18	30,84	31,01
14	17,10	16,91	16,22	15,21	15,01	12,83	12,10	11,83	26,54	27,11	28,38	30,49	30,58	30,80	30,89	31,04
15	17,10	17,00	16,96	16,72	15,86	13,79	12,00	11,20	26,68	26,68			29,14	30,31	30,76	31,00
16	17,00	16,96	16,70	15,93	15,86	13,80	11,60	11,08	24,19	26,17	26,71	26,92	27,75	29,87	31,18	31,38
17	17,30	17,20	17,30	17,20	17,10	15,50	11,55	10,98	24,24	24,41	25,02	25,95	27,09	29,59	31,07	31,26
18	17,93	17,84	17,80	17,30	17,23	17,11	13,75	11,31	23,16	23,91	24,11	24,02	24,59	27,43	30,59	31,19
19	17,70	17,54	17,41	17,28	14,68	11,82	11,09	10,30	23,46	23,52	23,32	24,35	29,50	30,12	31,42	31,83
20	18,00	17,50	17,71	12,56	12,59	11,64	10,16	9,81	23,20	23,60	29,26	30,44	31,13	31,62	31,95	31,85
21	17,81	16,59	12,19	11,56	11,61	11,79	10,19	9,83	23,17	28,48	30,48	31,16	31,47	31,16	31,42	32,52
22																
23	18,36	15,91	13,28	11,68	11,60	11,19	10,78	10,05	21,64	29,28	30,39	31,19	31,68	31,88	31,95	32,22
24	18,30	18,30	17,40	15,30	12,29	11,92	11,00	10,43	19,09	23,44	25,33	29,09	30,92	30,65	31,16	31,36
25																
26	18,20	17,81	17,20	15,10	12,18	11,16	11,01	10,90	23,62	23,70	24,16	30,55	31,56	31,86	31,93	32,06
27	17,91	17,89	13,21	12,81	12,24	11,15	11,40	11,08	23,30	23,72	30,65	31,36	31,62	31,70	31,72	31,64
28	17,68	12,98	12,21	12,19	11,80	11,89	11,69	11,18	23,77	30,44	31,44	31,80	31,63	31,96	32,30	32,36
29																
30																
31	17,77	13,08	12,74	11,98	11,86	12,50	12,01	10,98	23,88	31,52	31,76	31,89	31,93	32,27	32,32	32,27
Medeltal	17,16	16,02	15,10	14,13	13,27	12,40	11,34	10,75	24,31	26,78	28,13	29,29	30,16	30,73	31,29	31,53

BORNÖ

58° 22' 51" N

11° 35' 03" E

Augusti

Observatör: Oscar Åkermo

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1	18,38	13,40	12,87	11,92	12,02	12,20	12,52	11,62	23,19	31,48	32,01	31,98	32,11	32,44	32,62	32,40
2																
3	18,10	13,80	13,32	12,52	12,14	11,74	11,22	10,99	23,52	31,30	31,88	31,79	32,13	32,19	32,36	32,30
4	17,60	17,06	14,70	13,61	13,49	12,67	12,38	11,70	24,69	29,36	30,96	31,47	31,86	32,18	32,20	34,08
5	17,19	17,70	17,35	16,39	13,92	15,65	12,73	12,14	25,48	27,79	28,50	30,38	30,76	31,35	32,16	32,10
6																
7	18,70	18,40	18,05	17,80	16,30	13,01	12,73	12,22	25,88	26,65	27,23	28,09	31,79	30,30	32,00	32,15
8	19,20	19,20	18,35	17,93	15,91	13,00	12,67	12,20	25,86	25,94	26,95	27,81	30,50	31,75	31,80	32,00
9	19,10	19,07	18,31	17,81	15,20	15,23	12,27	12,03	25,65	25,89	26,95	27,83	30,52	31,75	31,77	31,97
10	18,43	18,70	18,90	18,87	17,90	13,42	12,21	11,90	23,38	24,98	25,94	26,05	28,00	31,42	32,20	32,17
11	18,50	18,60	19,00	19,00	19,07	17,90	13,10	12,52	21,90	22,82	23,75	24,00	25,23	27,95	31,59	31,84
12	18,60	18,60	18,70	18,70	17,28	16,80	12,73	12,32	21,17	21,56	22,15	22,77	25,23	29,50	30,74	31,92
13																
14	18,10	18,40	18,30	17,31	13,02	13,07	12,61	11,52	21,32	21,30	21,64	28,72	31,49	31,88	32,38	32,50
15																
16	18,10	18,20	15,80	13,62	12,83	12,32	11,60	11,20	21,48	21,30	30,23	31,43	31,77	32,00	32,44	32,45
17	18,00	18,03	15,93	13,91	12,80	12,35	11,57	11,17	21,54	21,54	30,42	31,82	31,91	32,23	32,56	32,74
18	18,10	18,43	17,52	16,33	14,84	13,43	12,50	12,20	20,67	21,20	26,78	30,05	31,14	31,76	32,01	32,11
19	18,00	18,10	17,79	17,30	16,72	15,24	13,12	12,78	20,69	21,18	25,83	27,75	29,09	30,81	31,80	31,94
20																
21	18,62	18,20	17,91	17,60	16,90	15,50	13,80	12,62	20,95	21,37	22,61	26,26	29,25	30,86	31,87	32,15
22	18,21	18,28	17,90	17,53	16,54	14,58	12,43	11,99	20,88	21,61	23,16	26,43	29,67	31,18	32,09	32,20
23																
24	18,93	18,00	16,60	15,15	14,69	12,81	12,03	11,61	19,35	23,10	29,66	31,28	31,90	32,12	32,30	32,50
25	17,43	17,92	17,92	16,93	15,69	14,21	13,40	12,40	20,15	21,47	23,07	28,98	30,80	31,70	31,96	32,10
26	18,90	18,00	17,99	17,91	17,79	16,66	13,83	12,82	20,15	22,09	22,24	22,86	24,20	29,59	31,88	32,20
27																
28	17,66	17,93	17,91	17,87	17,42	15,36	14,18	13,50	20,89	22,15	22,24	22,48	27,25	30,96	31,73	31,88
29																
30	17,30	17,55	17,63	17,78	16,72	15,39	13,85	13,31	20,78	21,37	21,57	21,77	29,02	31,01	31,70	31,90
31	17,70	17,78	16,97	15,04	14,38	13,63	12,96	12,20	20,27	21,72	28,56	31,40	31,94	32,28	32,32	32,45
Medeltal	18,21	17,80	17,21	16,47	15,37	14,18	12,71	12,13	22,17	23,88	26,27	27,97	29,89	31,27	32,02	32,26

BORNÖ

58° 22' 51" N

11° 35' 03" E

September

Observatör: Oscar Åkermo

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1	17,21	17,71	15,85	14,80	14,06	13,80	13,00	12,50	20,45	21,75	30,52	31,73	31,92	32,08	32,23	32,48
2																
3																
4	16,60	16,79	15,41	14,61	13,62	13,40	12,61	11,80	15,26	29,18	31,14	31,70	32,20	32,31	32,60	32,37
5	16,80	17,66	17,11	16,03	14,64	13,54	12,67	12,00	16,15	23,03	28,29	30,27	30,65	32,01	32,37	32,49
6																
7	16,73	16,96	17,20	15,51	13,74	13,28	12,67	12,22	20,08	22,87	24,83	30,93	32,15	32,40	32,68	32,86
8																
9	14,63	16,64	16,71	17,01	14,22	13,37	12,63	12,24	19,77	22,77	23,91	26,80	31,78	32,28	32,51	32,71
10																
11																
12	14,40	16,43	14,26	14,22	13,48	14,02	14,31	13,20	15,69	22,85	31,93	31,67	32,34	32,83	32,94	32,73
13	16,11	16,18	14,71	13,96	14,13	14,10	14,22	13,60	22,23	22,47	31,50	32,27	32,62	32,78	33,00	32,71
14	14,31	15,80	15,51	14,07	14,00	14,11	14,00	13,90	18,01	24,18	26,92	32,18	32,37	32,73	32,82	32,81
15	14,80	15,49	15,30	14,90	14,44	14,92	14,90	14,14	17,29	25,71	30,10	32,44	32,47	32,69	32,98	32,85
16	15,10	15,27	15,49	15,29	14,60	14,36	14,62	14,62	16,83	28,71	31,45	32,58	32,67	32,74	32,97	33,01
17																
18																
19	14,27	14,82	14,86	15,29	15,30	14,92	14,28	14,14	21,94	25,43	28,10	30,11	31,36	32,01	32,31	32,45
20	12,90	14,90	15,06	15,06	15,27	15,87	14,49	14,25	13,01	28,12	29,28	29,83	31,39	32,21	32,48	32,58
21																
22																
23																
24																
25	11,40	14,80	15,10	14,80	14,50	14,36	14,43	13,98	9,49	28,98	29,86	32,13	32,47	32,69	32,88	32,95
26	12,51	14,94	15,11	14,81	14,60	14,60	14,27	13,87	13,26	29,16	30,13	32,31	32,68	32,75	32,92	32,89
27	12,41	14,63	15,13	14,98	14,60	14,36	14,30	14,01	16,31	26,62	29,23	30,63	32,41	32,70	32,82	33,02
28																
29	13,04	13,39	14,02	14,24	14,18	14,60	15,01	14,59	25,12	25,72	26,72	27,26	27,50	28,12	31,87	32,50
30																
31																
Medeltal	14,58	15,78	15,43	14,97	14,34	14,23	13,90	13,44	17,56	25,47	28,99	30,93	31,81	32,21	32,65	32,71

		BORNÖ																		
Oktober		58° 22' 51" N							Observatör: Oscar Åkermo								11° 35' 03" E		1950	
Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰											
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m				
1																				
2	11,66	13,92	13,90	14,60	14,85	14,73	14,61	14,40	18,81	25,90	26,90	27,35	31,14	32,42	32,41	32,82				
3																				
4																				
5	10,78	14,01	14,10	14,35	14,73	14,64	14,50	14,38	15,72	27,21	27,85	29,17	32,51	32,62	32,79	32,80				
6	13,69	13,69	13,90	14,69	14,74	14,70	14,67	14,55	26,64	26,67	27,55	27,74	32,36	32,78	32,75	32,89				
7																				
8																				
9	12,65	12,90	13,52	13,64	13,35	14,70	14,68	14,65	25,39	25,52	23,24	27,62	27,85	31,88	32,29	32,32				
10	11,42	13,32	13,60	13,52	13,70	14,64	14,56	14,50	20,06	26,87	27,07	27,30	28,36	32,25	32,60	32,67				
11	10,80	12,90	13,40	13,82	14,68	14,68	14,55	14,52	20,55	26,16	26,64	28,49	32,04	32,43	32,67	32,58				
12																				
13	10,80	13,40	14,51	14,68	14,64	14,59	14,37	14,21	20,69	27,72	31,05	32,47	32,55	32,69	32,78	32,83				
14																				
15	10,60	13,03	13,33	14,42	14,62	14,46	14,23	13,94	13,78	27,19	27,68	31,50	32,44	32,55	32,68	32,73				
16	11,52	13,30	13,50	13,73	14,65	14,48	14,11	13,92	19,39	27,12	27,81	29,85	32,15	32,66	32,76	32,84				
17																				
18	9,80	12,50	12,83	13,42	14,02	14,56	14,13	13,93	16,27	26,20	27,57	28,29	30,36	32,37	32,59					
19	9,91	12,72	13,00	13,42	14,49	14,43	14,07	13,90	15,55	20,22	27,76	29,05	31,82	32,57	32,78	32,85				
20	10,30	12,40	12,62	13,90	14,55	14,61	14,63	14,03	18,24	26,63	27,49	30,10	32,02	32,20	32,67	32,73				
21	11,70	11,80	12,42	14,31	14,51	14,40	14,18	13,82	25,73	25,66	27,39	31,43	32,05	32,42	32,55	32,65				
22																				
23	11,02	14,21	13,04	13,32	12,89	12,81	12,70	12,63	26,46	31,75	32,70	32,75	32,94	33,06	33,34	33,46				
24																				
25	9,65	13,62	13,11	12,72	12,64	12,72	12,72	12,73	25,85	32,62	32,90	33,42	33,45	33,54	33,70	34,23				
26	8,88	13,60	13,18	12,71	12,64	12,63	12,62	12,70	25,42	32,36	32,33	33,25	33,43	33,75	33,83	33,73				
27																				
28	10,50	11,00	13,10	12,82	12,62	12,55	12,55	12,55	29,95	30,80	32,98	33,15	33,00	33,42	33,70	33,60				
29																				
30																				
31	8,50	10,61	11,92	13,62	13,40	13,25	12,94	12,80	21,85	30,78	31,64	32,77	33,04	33,27	33,31	33,31				
Medeltal	10,79	12,94	13,28	13,74	13,98	14,09	13,93	13,79	21,46	27,63	28,81	30,32	31,86	32,72	32,90	33,00				

		BORNÖ														
November		58° 22' 51" N							11° 35' 03" E							
		Observatör: Oscar Åkermo							1950							
Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1	8,30	9,53	10,11	10,90	11,48	12,54	12,33	12,22	19,92	29,15	29,80	30,61	31,33	32,14	32,55	33,14
2	6,90	9,27	9,60	10,11	10,50	11,31	12,73	13,22	10,30	28,77	29,33	29,90	30,35	31,22	31,79	32,46
3	7,54	9,20	9,46	9,62	9,91	10,52	11,73	12,81	15,16	28,30	28,85	29,46	29,78	30,43	31,60	33,07
4	7,54	9,10	9,40	9,68	9,90	10,90	12,03	12,97	21,59	28,39	28,92	29,49	29,80	29,73	31,98	33,08
5																
6	8,02	8,83	9,62	9,92	11,11	12,44	12,53	12,62	27,63	28,22	29,44	29,88	30,90	32,14	32,74	33,20
7	7,90	8,91	9,89	10,72	12,60	12,80	12,75	12,40	28,13	28,89	29,79	30,64	32,40	33,36	33,31	33,53
8	7,58	8,82	10,01	11,00	12,46	12,80	12,63	12,40	28,00	29,33	29,78	31,03	32,20	33,12	33,34	33,50
9	7,72	9,14	9,82	10,70	12,32	12,74	12,63	12,40	27,42	29,47	29,78	30,59	32,00	33,14	33,41	33,65
10	5,70	8,10	8,90	9,40	9,90	12,00	12,13	12,32	24,55	24,27	28,68	29,41	29,98	32,69	32,25	33,48
11																
12																
13	6,00	7,90	8,40	8,38	8,68	9,90	12,50	12,30	22,40	28,10	28,35	28,60	28,87	30,05	32,90	33,45
14	4,00	7,32	7,90	8,20	8,51	11,72	11,77	11,80	14,68	27,15	28,22	28,47	28,78	31,67	32,56	33,75
15	4,58	7,58	7,68	8,04	8,70	12,20	12,04	11,89	16,91	26,08	28,02	28,33	28,91	32,48	33,64	33,65
16									14,83	27,68	28,66	33,77	34,06	34,29	34,34	34,47
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29	2,69	5,26	5,60	9,09	10,92	10,09	9,70	9,52	11,69	25,56	30,38	30,21	33,85	33,97	34,26	34,32
30																
31																
Medeltal	6,50	8,38	8,95	9,67	10,54	11,69	12,12	12,22	20,23	27,81	29,14	30,03	30,94	32,17	32,91	33,48

BORNÖ

58° 22' 51" N

11° 35' 03" E

December

Observatör: Oscar Åkermo

1950

Datum	Vattnets temperatur i °C								Vattnets salthalt i ‰							
	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m	1 m	5 m	10 m	15 m	20 m	25 m	30 m	33 m
1	4,78	5,53	6,32	7,70	11,26	10,61	9,98	9,57	24,52	26,78	26,79	28,69	33,50	33,95	34,15	34,25
2																
3																
4	0,99	6,16	7,30	9,34	9,30	9,87	9,28	9,60	8,98	26,95	28,18	33,45	33,76	34,21	34,30	34,36
5																
6	3,71	6,24	10,07	10,20	10,20	10,08	10,24	10,18	22,47	27,07	32,68	33,79	33,93	34,12	34,21	34,24
7																
8	4,90	6,12	9,00	10,14	10,03	9,92	9,89	9,82	25,32	27,10	32,35	33,75	33,95	33,96	34,17	34,25
9																
10	3,32	3,84	4,12	6,18	6,59	10,39	9,78	9,69	22,42	24,95	26,21	27,03	27,67	33,12	33,87	34,01
11																
12	3,80	4,04	4,05	4,31	5,95	8,20	10,20	9,68	24,64	25,54	25,80	25,96	27,05	30,96	33,75	34,07
13																
14	1,40	3,60	3,89	4,28	6,69	9,30	10,20	9,90	11,61	24,85	25,51	25,94	27,17	32,23	33,60	33,81
15																
16	3,33	3,72	4,41	6,33	7,04	7,92	8,73	9,02	23,85	25,25	26,04	28,73	30,28	31,95	32,90	33,17
17																
18	2,35	3,80	4,74	6,50	6,86	7,90	8,70	9,30	20,19	25,54	26,20	27,96	30,35	31,78	32,98	33,40
19																
20	2,53	3,80	4,43	6,48	6,85	8,01	8,70	9,19	22,52	25,60	26,00	28,17	30,30	32,04	33,05	33,91
21																
22	2,98	4,37	5,93	6,06	7,01	7,92	8,52	8,89	23,25	25,84	28,19	30,07	30,98	32,17	32,86	33,07
23																
24	3,40	4,41	5,86	6,29	7,46	7,98	8,37	8,86	24,28	25,80	27,65	29,11	31,48	32,30	32,82	33,23
25																
26	4,76	6,11	7,12	7,80	8,50	8,78	9,09	9,41	26,43	29,86	31,62	32,69	33,14	33,48	33,75	33,86
27																
28	3,02	3,73	6,09	6,71	7,58	8,29	8,50	9,26	26,04	27,52	29,49	30,82	32,09	32,73	33,14	33,71
29																
30	1,42	3,38	4,20	5,98	7,80	8,56	9,11	9,28	25,91	26,83	27,65	29,47	32,20	33,18	33,62	33,86
31																
Medeltal	3,11	4,59	5,84	6,95	7,94	8,92	9,29	9,44	22,16	26,37	28,02	29,71	31,19	32,81	33,54	33,81

