

An annotated Checklist

of Northsea Marine

Bivalve Molluscs

by Jean-Paul Kreps

De Wielewaal — Graatakker 11
B2300 Turnhout

Boek


Plaatscode	INV
Naamcode	KREPS
Nummer	MOLLUSKEN

INTRODUCTION

This document is dedicated to the many fisherman who, during many years provided me with material they obtained while doing a highly hazardous job, which has been also very underrated. Without their much appreciated coöperation it would have been impossible to realise such a work.

Knokke-Heist, april 2001

Kreps Jean-Paul
Rode Kruisstraat,5
8300 Knokke-Heist
Belgium



NUCULA NUCLEUS (Linnaeus,1767)

S51: 10 miles north of Terschelling (the Netherlands),+- 25m deep, VI-1992,30 live spec.

NUCULA HANLEYI (Winckworth,1931)

S24: Liverpool Bay, +- 45m deep , VI-1992,38 live spec.

S13: Whinterton Shoal, +- 23m deep ,III-1993, 3 live spec.

S17F: St-Jacut,Brittany (France),III-1993,3 spec. on mud flat at lower springtide

NUCULA SULCATA (Bronn,1831)

S20:5 live spec.trawled +- 45m deep,III-1991

S17F: St-Jacut, Brittany (France),II-1992,20 spec. at springtide

NUCULA TURGIDA (Leckenby&Marshall 1875)

S10:Doggersbank, trawled +- 45m deep,VIII-1992,120 live spec.

NUCULA TENUIS (Montagu ,1808)

S6:Montrose Bank, 60m deep ,VII-1992, 3 live spec.

NUCULA TUMIDULA (Malm ,1860)

S50:English Klondyke,60m deep, VII-1992, 2 live spec.

NUCULA NITIDA (Sowerby,1833)

S50: English Klondyke, 60m deep,V-1993,30 live spec.

NUCULANA MINUTA (Müller,1776)

S50: Middle Bank, +- 70m deep, VII-1992, 3 live spec.

YOLDIELLA LUCIDA (Lovén ,1846)

S4W: Viking Bank,110m deep ,VI-1992,3 live spec.

YOLDIELLA TOMLINI=YOLDIELLA LENTICULA PHILIPPIANI (Nijst 1871)

S4W: Viking Bank,110m deep,VI-1992, 7 live spec.

YOLDIELLA FRIGIDA (Torell ,1859)

S4E: East Vikingbank,110m deep ,VI-1992, 20 live spec.

MALLETIA OBTUSA (M.Sars,1868)

S4E: “ Norges Deep” , +- 600m deep, VI-1992, 2 live spec.

ARCA NODULOSA (Müller, 1776)

S10: Doggersbank, +- 45 m deep , IV-1992, 1 live spec. fixed on Ostrea

ARCA TETRAGONA (Poli, 1795)

S10: Doggersbank,+- 45m deep,VIII-1993, 1 live spec.

S55: Ile d' Ouessant, 120 m deep , VII-1993, 3 live spec.

BATHYARCA PECTUNCULOIDES (Scacchi,1836)

S50: English Klondyke,60m deep, V-1992,10 live spec.

ARCA LACTEA (Linnaeus ,1767)

S10: Doggersbank,+ 45m deep,VI-1993, 1 spec.

S51: Clay Deep, 60 m deep, VIII-1993, 1 spec.

S55: Ile d'Ouessant,120m deep ,VIII-1993, 8 live spec.

MODIOLUS BARBATUS (Linnaeus 1758)

S11: Flamborough Head Grounds ,+ 40m deep,VII-1992, 5 live spec

MODIOLUS ADRIATICUS (Lamarck,1819)

S17F: St-Jean le Thomas, Baie Mont St Michel, Normandy, II-1992, 30 spec.

AMYGDALUM PHASEOLINUM (Philippi , 1844)

S50: Holmen Grounds, +- 45m deep, VI-1992,4 live spec.

PHASEOLUS GUILONARDI (Hoeksema 1993)

S13F: 4 spec. dredged at 13 m deep,VI-1990

MUSCULUS DISCORS (Linnaeus , 1758)

S50: Holmen Grounds, +- 45m deep, VI-1992, 2 live spec.

MUSCULUS NIGER (Gray ,1824)

S50: English Klondyke (57° N-4°30' E),60m deep , VII-1992, 4 live spec.

S51: Clay Deep (55°N-4°E), +- 60m deep,XI-1993, 28 live spec.

MUSCULUS MARMORATUS (Forbes ,1838)

S51:Clay Deep (55°N-4°E),+ 60m deep,VI-1992, 2 live spec.

MUSCULUS COSTULATUS(Risso , 1826)

S55: Ile d' Ouessant, +- 120m, III-1993 , 10 live spec.

ADULA SIMPSONI (Marshall, 1900)

S4W: Bressay East Ground, +- 153m deep, V-1992, 2 live spec.

MYTILUS EDULIS(Linnaeus,1758)

S53: numerous live spec. on rocks ,V-1993

GLYCYMERIS GLYCYMERIS (Linnaeus, 1758)

S53: numerous spec. dredged , VI-1993

S17F: numerous spec. dredged, VIII-1993

LIMOPSIS MINUTA (Brocchi, 1814)

S50: English Klondyke (57°30'N-4°30' E), 60m deep , VII-1993, 2 live spec.

DACRYDIUM VITREUM (Holböll,1842)

S50: Middle Bank (58°N-3°10'E), +70m deep, V-1992, 2 spec.

CRENELLA DECUSSATA(Montagu,1803)

S50:Middle Bank (58°N-3°10'E), +- 70m deep, V-1991, 3 live spec.

RHOMBOIDELLA PRIDEAUXI (Leach,1815)

S50: Middle Bank (58° N-3°10'E), +- 70m deep, V-1991 ,2 live spec.

MODIOLUS MODIOLUS (Linnaeus, 1758)

S6: 2 spec. dredged at 30m deep , VII-1993

S8: 7 spec. dredged at 45m deep , IV-1992

S50: 10 live spec. dredged at 50m deep,V-1993

PTERIA HIRUNDO (Linnaeus ,1758)

S55: Ile d'Ouessant, +- 120m, VIII-1993, 4 live spec.

PINNA PECTINATA (Linnaeus,1758)

S4W: Bressay East Ground, +- 150m deep, VII-1993, 2 live spec.

S6: Aberdeen Bank,+- 50m deep, VI-1992, 1 live spec.

PALLIOLUM SIMILIS (Laskey 1811)

S50: English Klondyke, +- 60m deep,VI-1992,8 live spec.

CHLAMYS STRIATUS (Müller ,1776)

S50: Middle Bank, 73m deep ,VII-1992,2 live spec.

CHLAMYS TIGRINUS (Müller,1776)

S6: Aberdeen Bank,+-53m deep,VII-1992,12 live spec.

S12: Well Hole, +- 30m deep, X-1993,68 live spec.

DELECTOPECTEN VITREUS (Gmelin,1789)

S4W: Bressay East Ground,153m deep, V-1993, 4 live spec.

PSEUDAMUSSIUM SEPTEMRADIATUM (Müller,1776)

S8: Devils Hole, 162m deep,VI-1992,142 live spec.

S50: English Klondyke, 70m deep , IV-1992, 12 live spec.

AEQUIPECTEN OPERCULARIS (Linnaeus,1758)

S53:200 live spec. dredged at 30 m deep, VI-1993

AEQUIPECTEN LINEATUS (Da Costa, 1778)

S55: Baie St-Brieux, Brittany, numerous live spec. at 30m deep, VII-1993

CHLAMYS VARIA (Linnaeus, 1758)

S53: 10 spec. +- 30m deep, VII-1993

HINNITES DISTORTUS (Da Costa,1778)

S53: 10 spec. dredged at 30m deep, IV-1992

S55: Roscoff, Brittany, springtide, III-1992, 200 live spec.

PECTEN MAXIMUS (Linnaeus, 1758)

S53: 50 live spec. trawled at 30m deep,IV-1991

S52: 1000 live spec. trawled at 30m deep, V-1992

S51:120 live spec. trawled at 30m deep,X-1992

CHLAMYS SULCATA (Müller,1776)

S51:2 spec. dredged at 65m deep, VII-1992

LIMATULA SUBAURICULATA (Montagu,1808)

S50: English Klondyke, +-60m deep, VI-1992, 2 live spec.

LIMATULA SULCATA (Brown,1827)

S50:English Klondyke, +- 60m deep, VI-1992, 1 spec.trawled

LIMA LOSCOMBI(Sowerby,1820)

S4W: Bressay East Ground, +-153m,IX-1992, 1 live spec.trawled

LIMA EXAVATA (Fabricius , 1779)

S4E: Norges Deep, +-380m deep, VII-1992, 1 live spec.(12cm) trawled

NOTOLIMEA CLANDESTINA(Salas 1994)

S53: Kwintebank, +-20m deep, IV-1993, some valves dredged

MANTELLUM HIANIS(Gmelin,1790)

S51: Clay Deep, +-60m deep, XI-1991, 2 live spec. dredged

ANOMIA SQUAMULA(Linnaeus,1758)

S50: Middle Bank, +- 70m deep, VI-1992, 20 live spec.trawled

MONIA PATELLIFORMIS(Linnaeus, 1761)

S50:Middle Bank,+-70m deep, VI-1992, 4 live spec.trawled

MONIA SQUAMA(Gmelin,1791)

S50: Middle Bank,+-70m deep,VI-1992,2 live spec. trawled

ANOMIA EPHIPIUM(Linnaeus, 1758)

S53: 5 live spec.trawled 30m deep, V-1993

CASSOSTREA VIRGINICA(Gmelin,1790)

S53:3 live spec.trawled 30m deep, VII-1993

OSTREA EDULIS(Linnaeus,1758)

S53:6 live spec.trawled, +-25m deep,II-1991

ASTARTE SULCATA(Da Costa,1778)

S12:4 live spec. trawled 50m deep, II-1991

S11: 10 live spec.trawled +-45m deep,II-1991

S9 : 3 live spec.trawled 50m deep, II-1991

S7: 6 live spec.trawled 50m deep, IV-1992

S6: 2 live spec.trawled +-45m deep, IX-1992

S4W: Bressay East Ground, +-153m deep, trawled,10live spec., VI-1993

TRIDONTA BOREALIS (Schumacher ,1817)

S50: Holmen Grounds, +- 40m deep, VII-1993,4 live spec.

ASTARTE ELLIPTICA (Brown,1827)

S50: Middle Bank, +-70m deep, VII-1992, 2 live spec.

ASTARTE MONTAGUI (Dillwyn, 1817)

S50: Middle Bank,+ - 70m deep,VI-1993,100 live spec.

English Klondyke, +- 60m deep , VII-1992, 30 live spec.

S6: Aberdeen Bank,+ - 50m, V-1992, 7 live spec.

GOODALLIA TRIANGULARIS(Montagu ,1803)

S10: Doggersbank, +- 45m deep, VII-1991,3 live spec.

S17F: St- Lunaire, Brittany, under rocks alive at springtide, III-1992, 500 live spec.

GLOSSUS HUMANUS (Linnaeus, 1758)

S6: Aberdeen Bank, +- 50m deep, VII-1992, 1 live spec.

ARCTICA ISLANDICA (Linnaeus, 1767)

S50: numerous spec. at 50 m deep, VII-1993

DIPLODONTA ROTUNDATA (Montagu, 1803)

S53:12 live spec. at 30m deep, IV-1992

THYASIRA FLEXUOSA (Montagu,1803)

S8: Fladen Grounds,+ -150m deep,IV-1992,12 spec.

AXINULUS CROULINENSIS(Jeffreys,1869)

S8: Fladen Grounds,+ -150m deep, IV-1992, 3 spec.

AXINULUS FERRUGINOSUS (Forbes, 1843)

S4W: Bressay East Ground,+ -150m deep, VII-1992, 3 live spec.

LUCINOMA BOREALIS (Linnaeus , 1767)

S50: Middle Bank,+ -70m deep, VI-1993, 3 live spec.

S10: Doggersbank, +- 45m deep, VIII-1992, 2 live spec.

MYRTEA SPINIFERA(Montagu,1803)

S50: Middle Bank, +- 70m deep, V-1992, 6 live spec.

DIVARICELLA DIVARICATA (Linnaeus, 1758)

S10: Doggersbank, +-45m, VII-1991, 2 live spec.

LORIPES LACTEUS (Linnaeus, 1758)

S13: 5 live spec. trawled at 30m deep , XII-1991

LASEA ADANSONI (Gmelin,1790)

S53: 5 live spec. trawled at 30m deep,XI-1991

S50: Middle Bank, +-70m deep, 7 live spec. trawled

KELLIA SUBORBICULARIS (Montagu,1803)

S13: 12 live spec. in stones, trawled, XI-1991, 30m deep

S53: 5 live spec. in stones, trawled, X-1992, 30m deep

LEPTON SQUAMOSUM (Montagu ,1803)

S51: Oyster Grounds, 30m deep, VI-1992, 5 live spec.

LEPTON NITIDUM (Turton,1822)

S50: Middle Bank, +-70m deep, V-1992, 5 spec.

MYSELLA BIDENTATA (Montagu,1803)

S50: Middle Bank, +-60m deep, VI-1991, 6 live spec.

S51: Clay Deep, +-60m deep, XI-1991, 21 live spec.

S52: 10 live spec. trawled, +- 35m deep, X-1991

MONTACUTA SUBSTRIATA (Montagu,1809)

S51: 3 live spec. on Spatangus Purpureus, +-35m deep, IV-1991

MONTACUTA FERRUGINOSA (Montagu,1803)

S53: 10 spec. beach collected, V-1992

CARDIUM NORWEGICUM (Spengler,1790)

S52: 16 live spec. trawled , +-35m deep, IV-1992

S53: 100 live spec. trawled , VI-1991, 30m deep

PARVICARDIUM EXIGUUM (Gmelin,1791)

S51: 2 spec. trawled at 35m deep, V-1993

PARVICARDIUM NODOSUM (Turton,1822)

S50: English Klondyke, +-60m deep, trawled, 2 live spec., IV-1992

CERASTODERMA EDULE (Linnaeus, 1767)

S52: numerous spec. trawled at 35m deep, IV-1991

S53: numerous spec. trawled at 30m deep, III-1992

CARDIUM TUBERCULATUM (Linnaeus, 1758)

S17F: Erquy, Brittany, trawled at 30m deep, II-1992, 4 live spec.

S15: 2 live spec. trawled at 30m deep, III-1991

ACANTHOCARDIA ACULEATA (Linnaeus,1767)

S55: 2 live spec. trawled at 100m deep, III-1993

S17: 1 live spec. trawled at 30m deep, III-1993

ACANTHOCARDIA ECHINATA (Linnaeus,1758)

S53: numerous spec. trawled at 30m deep, V-1993

S52: numerous spec. trawled at 30m deep, VII-1992

TURTONIA MINUTA (Fabricius,1780)

S50: Middle Bank, +- 70m deep, VI-1991, 20 live spec. on Zostera

GOULDIA MINIMA (Fabricius,1780)

S50: Aberdeen Bank, +- 50m deep, VI-1991, 5 live spec.trawled

DOSINIA EXOLETA (Linnaeus, 1758)

S53:10 live spec.trawled ,30m deep, IV-1992

S52: 5 live spec. trawled, 30m deep, VI-1991

DOSINIA LUPINUS LINCTA (Pulteney, 1799)

S52:Outer Silverpit, +-60m deep,IV-1991,20 live spec.

S51: Clay Deep, +-60m deep, VII-1993,10 live spec.

CIRCOMPHALUS CASINA (Linnaeus,1758)

S6: Aberdeen Bank,50m deep, VI-1992, 6 live spec.trawled

S13: 3 spec.trawled at 30m deep, III-1993

S17F, Erquy, Brittany, 60live spec.trawled, III-1993

VENUS VERRUCOSA (Linnaeus,1758)

S13: 10 spec. trawled at 30m deep,X-1991

S53: numerous spec.trawled at 30m deep, X-1992

S54: numerous spec.trawled at 45m deep, XII-1992

MERCENARIA MERCENARIA (Linnaeus, 1758)

S13:2 spec.trawled at 30m deep, VI-1991

S17F: numerous spec. trawled at 30m deep, III-1992

TIMOCLEA OVATA(Pennant,1777)

S50:English Klondyke,+-60m deep, VI-1992, 3 live spec.

S51: White Bank, +- 30m deep, X-1991, 4 live spec.

S13: 4 live spec. trawled at 30m deep,I-1993

CLAUSINELLA FASCIATA (Da Costa , 1778)

S6: Aberdeen Bank, +- 50m deep, VII-1992, 6 live spec.trawled

S11: Flamborough Head Grounds, trawled at 50m deep, 7 live spec. , X-1991

S17: Herm Island, III-1991, numerous live spec.

CHAMELEA STRIATULA (Da Costa,1778)

S53: numerous spec. alive after storm, II-1991

S51: White Bank, +-30m deep, trawled, 100 live spec., XI-1991

VENERUPIS PULLASTRA (Montagu,1803)

S53: numerous live spec. after storm, II-1991

S51: 10 live spec.trawled at 30m deep, XI-1991

VENERUPIS AUREA (Gmelin, 1791)

S13:5 live spec.trawled at 30m deep, X-1991,

S17F: St-Jacut,Brittany, III-1993, numerous spec. on beach

VENERUPIS RHOMBOIDES (Pennant,1777)

- S51: Clay Deep, +-60m deep, XII-1992, 12 live spec.trawled
- S52: 5 live spec.trawled at 35m deep, VIII-1992
- S53: 18 live spec.trawled at 35m deep, XI-1991

VENERUPIS DECUSSATA (Linnaeus, 1758)

- S13: 2 live spec.trawled at 30m deep, III-1992
- S14: 4 live spec.trawled at 40m deep, XI-1991
- S17F: St-Jacut , Brittany, III-1993, 5 live spec.

IRUS IRUS (Linnaeus, 1758)

- S17F: St-Jacut,Brittany,II-1992, 2 live spec.

MYSIA UNDATA (Pennant,1777)

- S52: Botney Cut, +-60m deep, IV-1992,3 live spec.trawled
- S10: Doggersbank, +-45m deep, VIII-1992, 2 live spec. trawled
- S51: Clay Deep, +-60m deep, XI-1992, 5 live spec.trawled

PETRICOLA LITHOPHAGA(Retzius,1786)

- S 17F: St-Jacut, Brittany, II-1992, 3 spec.

PETRICOLA PHOLADIFORMIS(Lamarck ,1822)

- S53: numerous spec. on beaches, III-1993

DONAX VITTATUS (Da Costa,1778)

- S53: numerous spec. on beaches, III-1993
- S51: German Bight, +-30m deep,XI-1992,5 live spec.trawled

CAPSELLA VARIEGATA (Gmelin,1790)

- S13: 4 live spec. trawled at 35m deep, XI-1991
- S17F: 100 live spec. in sand at springtide, X-1993

GARI FERVENISIS(Gmelin,1790)

- S52: Botney Cut, 60m deep, IV-1992, 3 live spec.trawled
- S10: Doggersbank, +-45m deep, VI-1993, 2 live spec.
- S51: German Bight, +- 40m deep, VII-1992, 4 live spec.

PSAMMOBIA DEPRESSA(Pennant, 1777)

- S13: 2 live spec. trawled at 30m deep, III-1993

PSAMMOBIA COSTULATA (Turton,1819)

- S4W: Forty Miles Bank, +-130m deep, VIII-1992, 2 live spec.

PSAMMOBELLA TELLINELLA(Lamarck,1819)

- S6: Aberdeen Bank, +-50m deep, VI-1992, 2 spec. trawled
- S12: Well Hole, +-30m deep, X-1993, 1 spec.trawled
- S17:Herm Island, 12 live spec. in sand, IV-1992
- S55: Aber Wrach, Lilia, at low tide, 21 spec.live in sand, III-1993

ARCOPAGIA CRASSA (Pennant,1777)

S13: 12 live spec.trawled at 30m deep, V-1991

S14: 7 live spec.trawled at 35m deep, XI-1992

S17F: 30 live spec. trawled 30m deep, III-1991

MACOMA CALCAREA (Gmelin,1790)

S4E: 3 live spec. on beach, VII-1991

MACOMA BALTHICA(Linnaeus,1758)

S53: numerous spec. on beaches, III-1993

TELLINA DONACINA(Linnaeus, 1758)

S3: Orkney Islands, +-80m deep, VII-1992, 2 live spec.dredged

TELLINA PUSILLA(Philippi,1836)=PYGMEA(Lovén,1846)

S51: 1 live spec.trawled at 50m deep, III-1991

FABULINA FABULA(Gronovius, 1781)

S53: numerous spec. alive on beaches,III-1993

TELLINA TENUIS (Da Costa,1778)

S53: numerous spec.alive on beaches, VIII-1993

ABRA TENUIS(Montagu,1803)

S53: numerous live spec. on beaches, IV-1993

S51: 200 live spec. in mud , Texel, Holland

ABRA ALBA (W.Wood,1802)

S53: numerous live spec. on beaches,III-1993

ABRA NITIDA(Müller,1789)

S51:5 live spec. dredged at 35m deep, V-1992

ABRA PRISMATICA(Laskey,1803)

S50: English Klondyke,+-60m deep, VII-1992, 4 live spec.

S51: 2 live spec. dredged at 35m deep,VIII-1992

ABRA LONGICALLIS (Scacchi, 1836)

S50: Middle Bank,+-60m , VI-1992, 2 live spec.trawled

SCROBICULARIA PLANA (Da Costa, 1778)

S53: numerous spec. alive at low tide, V+VIII-1993

S51: numerous spec. alive at low tide, V+VII-1993 —

MACTRA CINEREA (Montagu,1808)

S53: some spec. on beaches, III-1993

SPISULA SOLIDA (Linnaeus,1758)

S53: 24 live spec.trawled at 35m deep, VIII-1991

SPISULA ELLIPTICA (Brown, 1827)

S51: White Bank, +-40m deep, XI-1991, 6 live spec. trawled

SPISULA SUBTRUNCATA (Da Costa, 1778)

S53: numerous spec. on beaches, III+VIII-1993

LUTRARIA LUTRARIA (Linnaeus, 1758)

S52: Botney Cut, +- 60m deep, II-1992, 3 live spec. trawled

S10: Doggersbank, +-45m deep, VI-1991, 2 live spec. trawled

PHAXAS PELLUCIDUS (Pennant, 1777)

S53: 62 live spec. dredged at 30m deep, IV-1991

SOLEN MARGINATUS (Pennant, 1777)

S53: 3 spec. trawled at 30m deep, VIII-1992,

ENSIS SILIQUA (Linnaeus, 1758)

S10: Doggersbank, +-45m deep, VI-1992, 7 live spec. trawled

S50: English Klondyke, +- 60m deep, VII-1992, 3 spec. trawled

S51: White Bank, +-35m deep, XI-1991, 10 live spec. trawled

ENSIS MINOR (Chenu, 1843)

S53: few spec. on beaches, III-1992

ENSIS ARCUATUS (Jeffreys, 1869)

S53: 4 spec. live on beaches, XI-1991

ENSIS ENSIS (Linnaeus, 1758)

S53: numerous spec. alive on beaches, VIII-1992

HIATELLA ARCTICA (Linnaeus, 1767)

S10: numerous spec. trawled at 45m deep, VI-1991

S50: numerous spec. trawled at 60m deep, VII-1992

S53: numerous spec. trawled at 60m deep, XI-1992

HIATELLA RUGOSA (Pennant, 1777)

S50: Middle Bank, +-70m deep, VII-1991, 3 live spec. trawled

SAXICAVELLA PLICATA (Montagu, 1808)

S52: Botney Cut, +-60m deep, III-1991, 1 live spec. trawled

PANOMYA ARCTICA (Lamarck, 1819)

S10: Outer Silverpit, +-60m deep, III-1991, 20 live spec. trawled

S51: Clay Deep, +-60m deep, XI-1991, 150 live spec. trawled

S50: Holmen Grounds, +- 45m deep, VII-1993, 28 live spec. trawled

CORBULA GIBBA (OLIVI, 1792)

S51: numerous spec. trawled alive, +-35m deep, 1991-1992

SPHENIA BINGHAMI(Turton,1822)

S10: Doggersbank,+45m deep, VI-1991, 1 live spec.trawled

MYA TRUNCATA(Linnaeus, 1758)

S51:Clay Deep, +- 60m deep, XI-1991, 120 live spec.trawled

S10: Outer Silverpit, +- 60m deep, VII-1992, 106 live spec.trawled

MYA ARENARIA(Linnaeus,1758)

S53: few spec. on beaches at low water, VI-1992

ROCELLARIA DUBIA(Pennant,1777)

S53: 8 live spec. in stones, trawled +-30m deep,XI-1991

BARNEA CANDIDA(Linnaeus, 1758)

S12:Smiths Knoll, +-35m deep, XI-1993, 3 live spec.trawled

S17F: St-Jacut, Brittany, II-1992, 12 live spec. in mud

BARNEA PARVA(Pennant,1777)

S13: 10 live spec. in stones, VII-1992, +-30m deep

ZIRFEA CRISPATA(Linnaeus, 1758)

S53: 2 live spec. in sandstone, +- 30m deep, XI-1991

PHOLAS CALLOSA(Cuvier, 1817)

S53: 3 live spec. in sandstones , +-30m deep, IV-1992

PHOLAS DACTYLUS(Linnaeus,1758)

S17F: St-Jacut, Brittany, II-1992, some live spec. in mud at springtide

XYLOPHAGA DORSALIS(Turton, 1819)

S50:English Klondyke, +-60m deep, VII-1992, 8 live spec. in wood

S51: 22 live spec. trawled in wood, VI-1993, +-50m deep

XYLOPHAGA PRAESTENS(Smith,1885)

S50: English Klondyke, +- 60m deep, VII-1992, 2 live spec.trawled

PHOLADIDAE LOSCOMBIANA (Goodall,1819)

S17: 1 live spec. trawled in mud, XI-1991, +-65m deep

TEREDO NAVALIS(Linnaeus, 1758)

S51: 3 live spec. in wood, trawled at 40m deep, VI-1992

S50: 2 live spec. in wood, trawled at 60m deep, VI-1991

TEREDO MEGOTARA(Forbes&Hanley , 1848)

S50: 2 live spec.trawled in wood, +-60m deep, VII-1992

TEREDO NORVEGICA(Spengler, 1792)

S50: 2 spec. in wood , trawled 60m deep, VIII-1993

LYONSIA NORVEGICA (Gmelin,1790)

S50: English Klondyke,+60m deep,VII-1992, 2 live spec.trawled

PANDORA INAEQUIVALVIS ALBIDA (Röding, 1798)

S17F: St-Jacut, Brittany , VIII-1993, numerous spec. at low water

THRACIA PUBESCENS(Pulteney, 1799)

S55: 2 live spec.dredged 120m deep, VII-1990

THRACIA CONVEXA(Wood,1815)

S51: Clay Deep, +-60m deep, 20 live spec.trawled

S12: Outer Silverpit, +-60m deep, VI-1993, 17 spec. trawled

THRACIA PAPYRACEA (Poli, 1795)

S13: 3 spec. trawled 30m deep, VI-1992

S17F: St-Jacut, Brittany, VIII-1993, 170 live spec. on the beach

THRACIA DISTORTA(Montagu,1803)

S14: 4 live spec.in stones,trawled +-40m deep, XI-1992

THRACIA VILLOSIUSCULA (Macgillivray,1827)

S53: 4 live spec.trawled 18m deep,VI-1993

COCHLODESMA PRAETENUE(Pulteney,1799)

S6: 2 live spec. trawled +-60m deep, VI-1991

S50: English Klondyke, +- 60m deep, VI-1992, 2 live spec.trawled

POROMYA GRANULATA(Nyst& Westendorp,1839)

S50: Middle Bank, +-72m deep, VII-1992, 1 live spec.trawled

CUSPIDARIA ABBREVIATA(Forbes,1843)

S6: 2 live spec.trawled in sand, +-60m deep, VI-1991

CUSPIDARIA CUSPIDATA(Olivi,1792)

S50: 1 live spec. trawled 100m deep, IV-1992

CUSPIDARIA ROSTRATA(Spengler,1792)

S50: 2 live spec.trawled 120m deep, VII-1990

CUSPIDARIA COSTELLATA(Deshayes,1832)

S50: 3 live spec.trawled 120m deep, VII-1991

ARCULUS SYKESI(Chaster,1895)

S17F: some valves on beaches,collection D.F. Hoeksema & Tania Keukelaar- Van de Berge X-1990, 1 doublet in collection R. Van Outryve ,1991

REFERENCES

British Bivalve Seashells by Norman Teble

British Shells by Nora F. Mc Millan

D.F. Hoeksema & T. Keukelaar-Van de Berge

Die europäischen Meeremuscheln Fritz Nordsieck

An annotated Checklist of Marine Molluscs of the Norwegian Coast
and Adjacent Waters by Tore Høisaeter

Knokke-Heist, april 2001

